

---

STATUTORY INSTRUMENTS

---

**1991 No. 2197**

**AGRICULTURE**

**The Fertilisers Regulations 1991**

*Made* - - - - *15th September 1991*  
*Laid before Parliament* *11th October 1991*  
*Coming into force* - - *1st November 1991*

The Minister of Agriculture, Fisheries and Food, the Secretary of State for Scotland and the Secretary of State for Wales, acting jointly, in exercise of the powers conferred by sections 66(1), 68(1), (2) and (3), 69(1), (3), (6) and (7), 70(1), 74(1), 74A(1), (2) and (4) and 84 of the Agriculture Act 1970<sup>(1)</sup> and now vested in them<sup>(2)</sup> and of all other powers enabling them in that behalf, after consultation in accordance with section 84(1) of the said Act with such persons or organisations as appear to them to represent the interests concerned, and the Secretary of State, being the Minister designated<sup>(3)</sup> for the purposes of section 2(2) of the European Communities Act 1972<sup>(4)</sup> in relation to the regulation and control of classification, packaging and labelling of dangerous substances and preparations, in exercise of the powers conferred on him by the said section 2(2), and of all other powers enabling him in that behalf, hereby make the following Regulations:

**Title, commencement and interpretation**

1.—(1) These Regulations may be cited as the Fertilisers Regulations 1991 and shall come into force on 1st November 1991.

(2) Subject to paragraph (3) below, these Regulations shall not apply in relation to any material, not designated as an EEC fertiliser, sold or offered for sale before—

- (a) 1st June 1992 in the case of any solid material sold or offered for sale loose or in containers having a capacity greater than 25 kilograms or, in the case of any fluid material, sold or offered for sale in containers having a capacity greater than 10 litres;
- (b) 1st February 1993 in the case of any solid material sold or offered for sale in containers having a capacity of or less than 25 kilograms or, in the case of any fluid material, sold or offered for sale in containers having a capacity of or less than 10 litres;

and in relation to any such material the Fertilisers Regulations 1990 shall continue to apply.

---

(1) 1970 c. 40; section 74A was inserted by paragraph 6 of Schedule 4 to the European Communities Act 1972 (c. 68) and there are other amendments to the Act not relevant to these Regulations.  
(2) In the case of the Secretary of State for Wales by virtue of S.I. 1978/272.  
(3) S.I. 1976/897.  
(4) 1972 c. 68.

(3) The Fertilisers Regulations 1990 shall not apply to any material not designated as an EEC fertiliser, in relation to which paragraph (2) above would otherwise apply, if that material complies with the requirements of these Regulations.

(4) In these Regulations, unless the context otherwise requires—

“the Act” means the Agriculture Act 1970;

“chelating agent” means any product listed in table 2 in Schedule 2;

“herbicide” means a substance calculated to destroy or control any unwanted plant;

“pesticide” means a substance calculated to destroy or control any insect, mite, mollusc, nematode, fungus or any other pest capable of destroying, damaging or retarding the growth of any form of plant life;

“secondary nutrient” means calcium, magnesium, sodium or sulphur;

“trace element” means boron, cobalt, copper, iron, manganese, molybdenum or zinc.

(5) Any reference in these Regulations to a numbered regulation or Schedule shall, unless the context otherwise requires, be construed as a reference to the regulation or Schedule bearing that number in these Regulations.

(6) Any reference in these Regulations to a numbered section shall, unless the reference is to a section of a specified Act, be construed as a reference to the section bearing that number in the Act.

### **Control of materials designated as EEC fertilisers**

2.—(1) No person shall sell or have in possession with a view to sale, for use as a fertiliser, any material designated as an EEC fertiliser, or in respect of which any indication is given directly or indirectly that it is an EEC fertiliser, unless that material—

(a) is specified in Groups 1(a), 2(a) or 3(a) of Section A, or in Groups 1 to 4 of Section B, or in Groups 1(a) or 2 of Section C, or in Section D, or Section E, of the table in Schedule 1; and

(b) conforms with the requirements laid down for such materials in these Regulations as respects content and marking.

(2) No person shall sell or have in possession with a view to sale, for use as a fertiliser, any material designated as an EEC fertiliser containing any pesticide or herbicide or any organic nutrient of animal or vegetable origin, which has been added in the course of manufacture or preparation for sale.

(3) No person shall make available to any other person for the final use by that other person as a fertiliser any ammonium nitrate, as defined in column 3 of Section A of the table in Schedule 1, which is designated as an EEC fertiliser and contains more than 28 % by weight of nitrogen, unless the material is in a container which complies with the provisions of Part II of Schedule 2.

(4) No person shall sell or have in possession with a view to sale, for use as a fertiliser, any material specified in Section D of the table in Schedule 1 designated as an EEC fertiliser unless that product is packaged.

### **Control of materials not designated as EEC fertilisers**

3. No person shall sell or have in possession with a view to sale, for use as a fertiliser, any solid or fluid material which, not being designated as an EEC fertiliser, does not comply with the requirements of these Regulations.

### **Use and meaning of prescribed names and descriptions of material**

4.—(1) Subject to the provisions of paragraphs (4) and (5) of this regulation, no person shall sell or have in possession with a view to sale, as a fertiliser or for use as a fertiliser, any material specified

in the second column in Sections A, B, C, D or E of the table in Schedule 1, which complies with the corresponding meaning in the third column of the said table, unless the statutory statement relating to any such material and required by section 68(1) contains the corresponding name or one of the corresponding names, as the case may be, indicated in the second column of the said table.

(2) For the purposes of section 70, any name of a material specified in the second column of the table in Schedule 1 shall, subject to the provisions of paragraphs (4) and (5) of this regulation, have the meaning corresponding thereto in the third column of the said table.

(3) No person shall sell or have in possession with a view to sale, as a fertiliser or for use as a fertiliser, any material specified in Groups 1(b), 2(c), 3(c) or 5(b) of Section A, or in Group 6 of Section B or in Groups 1(c), 1(e), 1(g) or 4 of Section C, of the table in Schedule 1, unless he gives in the statutory statement or in any other document or label referring to the material a name or description, or name and description, sufficiently specific to indicate to the intending purchaser the true nature of the material.

(4) In the case of those materials in Groups 1 to 4 of Section B, Group 2 of Section C, and in Section D and Section E, of the table in Schedule 1 which, not being designated as EEC fertilisers, are sold or offered for sale, and for which the declared content of any nutrients, secondary nutrients or trace elements, or of the total nutrient or secondary nutrient or trace element content, falls below the minimum levels specified in the third column of the said table, or in table 1 in Schedule 2, the statutory statement shall contain the name designated in the second column thereof if the material complies in all other respects with the requirements of the said third column.

(5) In the case of materials specified in Sections A, B, C, D or E of the table in Schedule 1, any meaning given in the third column of the said table shall be deemed not to exclude the presence of any substance added to improve the handling qualities of the material and, in the case of materials which, not being designated as EEC fertilisers, are sold or offered for sale, the said meaning shall be deemed not to exclude the presence of any herbicide or pesticide.

### **Prescribed descriptions of material and particulars and information to be contained in the statutory statement**

5. The descriptions of material prescribed for the purposes of sections 68(1) and 69(1) shall be those indicated in the second and third columns of the table in Schedule 1, and the particulars or information required to be contained in a statutory statement relating to any such material shall be the particulars or information specified in relation thereto in the fourth column of the table in Schedule 1 and in Part I of Schedule 2.

### **Limits of variation**

6. For the purposes of section 74, the limits of variation in relation to any misstatement as to the nature, substance or quality of any material specified in the second column of the table in Schedule 1 shall, subject to the provisions of that Schedule, be the corresponding limits in relation to that material set out in the fifth and, as the case may be, in the sixth column of the said table.

### **Time by which a statutory statement relating to certain materials must be given**

7. For the purposes of section 68(3), any statutory statement required to be given on the sale of—
- (a) any fertiliser, in containers, of a description specified in Group 4 of Section A of the table in Schedule 1; or
  - (b) any solid fertiliser, not being designated as an EEC fertiliser, other than a solid fertiliser sold or offered for sale in containers, of a description specified in Sections A, B, D or E of the table in Schedule 1; or

- (c) any fluid fertiliser, not being designated as an EEC fertiliser, in a container the declared content of which is in excess of 200 litres,

shall be given as soon as practicable after delivery to the purchaser.

### **Manner of marking and labelling material**

8. The manner in which material shall be marked and labelled for the purposes of section 69(1) and section 74A shall be as set out in Schedule 2.

### **Modification of section 69(1) for certain imported material**

9. In the case of—

- (a) any fertiliser, in containers, of a description specified in Group 4 of Section A of the table in Schedule 1; or
- (b) any solid fertiliser, not being designated as an EEC fertiliser, sold or offered for sale, other than a solid fertiliser in containers, of a description specified in Sections A, B, D or E of the table in Schedule 1; or
- (c) any fluid fertiliser, not being designated as an EEC fertiliser, sold or offered for sale in a container the declared content of which is in excess of 200 litres,

which has been imported and is of a description prescribed for the purposes of section 69(1) by regulation 5, subsection (1) of section 69 shall have effect as if—

- (i) the words “and in either case before it is removed from the premises” were omitted from the said subsection (1), and
- (ii) the words “any material which has been marked in accordance with this subsection” were substituted for the words “the material” in the said subsection (1).

### **Register of marks**

10.—(1) Except in the case of materials sold or offered for sale designated as EEC fertilisers, as respects any material of a description prescribed for the purposes of section 69(1) by regulation 5 which comprises—

- (a) any fertiliser in containers of a description specified in Group 4 of Section A of the table in Schedule 1; or
- (b) any solid fertiliser, other than a solid fertiliser in containers, of a description specified in Sections A, B, D or E of the table in Schedule 1; or
- (c) any fluid fertiliser in a container the declared content of which is in excess of 200 litres; or
- (d) any material, not being of a standard formulation on general sale by the seller concerned, which is specially manufactured or mixed to the order of a particular purchaser,

the matters required by section 69 to be marked on that material may be denoted by a mark whose meaning can be ascertained by reference to a register kept in accordance with this regulation.

(2) The register shall show those matters to which the mark relates, being matters required to be contained in the statutory statement relating to the material to which the mark relates and the date of entry of those particulars in the register. Entries relating to material of a kind mentioned in paragraph (1)(d) of this regulation shall also include the name and address of the purchaser, the date of the order and the amount ordered. The register shall be kept as a separate record in book form marked on the outside “Register of marks under section 69(6) of the Agriculture Act 1970” and shall be kept on the premises where the material is held for the purpose of selling it in the course of trade for use as a fertiliser, save that if the material is in a public store the register shall be kept on the premises of the person who has the material for sale.

(3) The period for which the register is to be preserved in accordance with section 69(7) shall be a period of 6 months commencing with the first day on which none of the materials referred to in the register remains on the premises for sale as aforesaid.

### **Enforcement**

**11.** Insofar as any provision of these Regulations is made under section 2(2) of the European Communities Act 1972 that provision shall be enforced as if it were made under those provisions of the Agriculture Act 1970 under which the other provisions of these Regulations are made and the provisions of Part IV of the said Agriculture Act shall apply accordingly.

### **Amendment as respects metrication**

**12.** In relation to any material to which these Regulations apply the operation of the provisions of sections 66(1), 68(2)(b) and 76(5) shall be modified as follows—

- (a) in the definition of “sampled portion” in the said section 66(1) for the words “five tons or 1,000 gallons or the prescribed metric substitution” there shall be substituted the words “five tonnes or 5,000 litres”;
- (b) in section 68(2)(b) for the words “fifty-six pounds or the prescribed metric substitution” there shall be substituted the words “twenty-five kilograms”; and
- (c) in section 76(5) for the words “fourteen pounds or the prescribed metric substitution” there shall be substituted the words “six kilograms”.

### **Revocation**

**13.** Subject to regulation 1(2), the Fertilisers Regulations 1990(5) are hereby revoked.

In witness whereof the Official Seal of the Minister of Agriculture, Fisheries and Food is hereunto affixed on 6th September 1991.

L.S.

*John Selwyn Gummer*  
Minister of Agriculture, Fisheries and Food

11th September 1991

*Michael Forsyth*  
Minister of State, Scottish Office

15th September 1991

*David Hunt*  
Secretary of State for Wales

## SCHEDULE 1

Regulations 1(2), 2, 3, 4, 5, 6, 7, 9 and  
10(1)

PRESCRIBED DESCRIPTIONS OF MATERIAL, MEANINGS OF  
NAMES, PARTICULARS AND INFORMATION TO BE CONTAINED  
IN THE STATUTORY STATEMENT AND LIMITS OF VARIATION

**Limits of variation**

1. The limits of variation prescribed in this Schedule shall be the permitted deviations of the measured from the declared content of a nutrient, secondary nutrient or trace element, or of the measured from the declared neutralising value, or of the measured from the declared amount of material passing through a specified sieve.

2. Save as prescribed in paragraphs 6, 7 and 8, the limits of variation shall be those set out in the fifth column of the following table.

3. In Section B and Group 2 of Section C of the following table the negative limits of variation specified individually for N, P<sub>2</sub>O<sub>5</sub> and K<sub>2</sub>O are those permitted for each nutrient taken separately and the limits of variation for the total nutrient content of a fertiliser shall be the sum of the negative deviations from the declared content.

4. No limits of variation shall be permitted in respect of the minimum and maximum contents specified in the third column of the following table, save those prescribed in paragraph 6.

5. Where no maximum limit is specified in the third column of the following table, no limits of variation are prescribed as respects an excess of nutrient, neutralising value or amount of material passing through a specified sieve above the declared value or amount, save those prescribed in paragraph 7(b).

6. In the case of materials in Groups 1 to 4 of Section B and Group 2 of Section C of the following table which, not being designated as EEC fertilisers, are sold or offered for sale, and where the declared content of one or more of the nutrients falls below the following levels:

- (i) in the case of nitrogen (N) — 2.5% in an NPK fluid fertiliser solution and 3.5% for all other fertilisers and
- (ii) in the case of phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>) and potassium oxide (K<sub>2</sub>O) — 3.5% in a fluid fertiliser solution, 4.5% in an NPK fluid fertiliser suspension and 5.5% for all other fertilisers,

the limit of variation for the declared nutrient in such cases shall be that specified in the sixth column of the following table.

7. The limits of variation permitted in respect of the declared content for the forms of nitrogen or the declared solubilities of phosphorus pentoxide shall be as follows:

- (a) except as provided in sub-paragraph (b) of this paragraph, the limit of variation shall be one-tenth of the overall content of the nutrient concerned, with a maximum of 2 % by weight:

Provided that the overall content of that nutrient remains within:

- (i) the levels specified in the third column of the following table save as respects the materials in Groups 1 to 4 of Section B and Group 2 of Section C of the said table which, not being designated as EEC fertilisers, are sold or offered for sale;
- (ii) the limits of variation specified in the fifth or, where appropriate, the sixth column of the said table.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- (b) in the case of materials in Group 1(c) of Section A and Groups 1, 2, 3, 5 and 6 of Section B and Groups 1(d), 2, 3 and 4 of Section C of the following table which, not being designated as EEC fertilisers, are sold or offered for sale, the limits of variation of ureic nitrogen when declared at 10 % and above shall be plus or minus 1.5 % by weight and when declared below 10% shall be plus or minus 1.0% by weight.

8. The limits of variation for trace elements and secondary nutrients other than where prescribed in Sections D and E of the following table shall be:

- (i) trace elements — up to one-fifth of the declared value for a trace element content not exceeding 2% and 0.4% in absolute terms for a content of more than 2%;
- (ii) secondary nutrients in the oxide form — up to a quarter of the declared value for a secondary nutrient content not exceeding 3.6% and 0.9% in absolute terms for a content of more than 3.6%. This is equivalent to the following maxima for the elemental forms—
  - 0.64% maximum for Ca
  - 0.55% maximum for Mg
  - 0.67% maximum for Na
  - 0.36% maximum for S.

*SECTION A:*

*STRAIGHT FERTILISERS*

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
1(a)	Ammonium nitrate	Chemically obtained product containing ammonium nitrate as its essential ingredient, and possibly fillers such as ground limestone, calcium sulphate, ground dolomite, magnesium sulphate and kieserite. The nitrogen (N) content must be not less than	Amount of total nitrogen Amount of nitric nitrogen Amount of ammoniacal nitrogen	0.8 (for declarations up to and including 32%N) 0.6 (for declarations exceeding 32%N) As set out in paragraph 7(a) of this Schedule

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		<p>20%, and the nitric nitrogen and ammoniacal nitrogen fractions should each account for about half the nitrogen present.</p> <p>If the product is designated as an EEC fertiliser and contains more than 28% by weight of nitrogen (N) it shall have the following additional characteristics (all the percentages specified being by weight):</p> <p>(i) It shall not contain any inorganic additive or inert substance other than those named above which might increase the product's sensitivity to heat or its tendency to detonate. Heavy metals must not be added</p>		

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		<p>deliberately, and any traces which are incidental to the production process must not, by their presence, increase the product's sensitivity to heat or its tendency to detonate.</p> <p>(ii) The oil retention of the product, which must first have undergone two thermal cycles of a temperature ranging from 25°C to 50°C, must not exceed 4%.</p> <p>(iii) The percentage of combustible material, measured as carbon, must not in the case of a product containing 31.5% or</p>		

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		<p>more of nitrogen exceed 0.2%, and must not in the case of a product containing between 28% and 31.5% of nitrogen exceed 0.4%.</p> <p>(iv) A solution of 10 grams of the product in 100 millilitres of water must have a pH of at least 4.5.</p> <p>(v) Not more than 5% of the product must be capable of passing through a 1 millimetre mesh sieve, and not more than 3% through a 0.5 millimetre mesh sieve.</p> <p>(vi) The chlorine content must not</p>		

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		exceed 0.01%		
		(vii) The copper content shall not exceed 10 mg/kg.		
	Calcium ammonium nitrate	Chemically obtained product containing ammonium nitrate as its essential ingredient. The nitrogen (N) content must be not less than 20%, and the nitric nitrogen and ammoniacal nitrogen fractions should each account for about half the nitrogen present. The product may contain, in addition to ammonium nitrate, only calcium carbonate (limestone) and/or magnesium carbonate and calcium carbonate (dolomite). The minimum content of these carbonates must be 20% and their purity level not less than 90%.	Amount of total nitrogen Amount of nitric nitrogen Amount of ammoniacal nitrogen	0.8 As set out in paragraph 7(a) of this Schedule

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
	Ammonium sulphate-nitrate	Chemically obtained product with ammonium nitrate and ammonium sulphate as essential ingredients, and containing not less than 25% ammoniacal and nitric nitrogen (N) with a minimum nitric nitrogen content of 5%.	Amount of total nitrogen  Amount of nitric nitrogen  Amount of ammoniacal nitrogen	0.8  As set out in paragraph 7(a) of this Schedule
	Calcium cyanamide	Chemically obtained product with calcium cyanamide as its essential ingredient, calcium oxide and possibly small quantities of ammonium salts and urea, and containing not less than 18% total nitrogen (N), at least 75% of the declared nitrogen being bound in the form of cyanamide.	Amount of total nitrogen	1.0
	Calcium magnesium nitrate	Chemically obtained product with calcium nitrate and	Amount of nitric nitrogen	0.4
	Nitrate of lime and magnesium	magnesium nitrate as essential ingredients,	Amount of magnesium oxide soluble in water	0.9

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		containing not less than 13% nitric nitrogen (N), and not less than 5% magnesium, expressed as MgO, in the form of water-soluble salts.		
	Calcium nitrate	Chemically obtained product	Amount of total nitrogen	0.4
	Nitrate of lime	containing calcium nitrate as its essential ingredient and possibly ammonium nitrate, and containing not less than 15% total nitrogen (N), with a maximum ammoniacal nitrogen content of 1.5%	<i>Optional declarations</i> Amount of nitric nitrogen Amount of ammoniacal nitrogen	As set out in paragraph 7(a) of this Schedule
	Chile nitrate	Product prepared from caliche, with sodium nitrate	Amount of nitric nitrogen	0.4
	Magnesium ammonium nitrate	as its essential ingredient, and containing at least 15% nitric nitrogen (N).	Amount of total nitrogen Amount of ammoniacal nitrogen	0.8 As set out in paragraph 7(a) of this Schedule
		Chemically obtained product with ammonium nitrate and magnesium compound salts (dolomite)	Amount of nitric nitrogen Amount of total magnesium oxide	0.9 0.9

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

*Status:* This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		magnesium carbonate and/or magnesium sulphate) as essential ingredients and containing not less than 19% ammoniacal and nitric nitrogen (N) (with a minimum nitric nitrogen content of 6%) and not less than 5% magnesium expressed as total MgO.	<i>Optional declarations</i>  Amount of magnesium oxide soluble in water	
	Magnesium sulphonitrate	Chemically obtained product with ammonium nitrate, ammonium sulphate and magnesium sulphate as essential ingredients, and containing not less than 19% ammoniacal and nitric nitrogen (N), with a minimum nitric nitrogen content of 6%, and not less than 5% magnesium expressed as MgO in the form of water-soluble salts.	Amount of total nitrogen  Amount of ammoniacal nitrogen  Amount of nitric nitrogen  Amount of magnesium oxide soluble in water	0.8  As set out in paragraph 7(a) of this Schedule  0.9

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
	Nitrogenous calcium cyanamide	Chemically obtained product with calcium cyanamide as its essential ingredient, calcium oxide and possibly small quantities of ammonium salts and urea plus added nitrate, and containing not less than 18% total nitrogen (N), at least 75% of the declared non-nitric nitrogen being bound in the form of cyanamide. The nitric nitrogen content must be not less than 1% and not greater than 3%.	Amount of total nitrogen  Amount of nitric nitrogen	1.0  As set out in paragraph 7(a) of this Schedule
	Sodium nitrate Nitrate of soda	Chemically obtained product with sodium nitrate as its essential ingredient and containing not less than 15% nitric nitrogen (N).	Amount of nitric nitrogen	0.4
	Sulphate of ammonia	Chemically obtained product with ammonium sulphate as its essential	Amount of ammoniacal nitrogen	0.3

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

*Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.*

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		ingredient, and containing not less than 20% ammoniacal nitrogen (N).		
	Urea	Chemically obtained product with carbonyl diamide (carbamide) at its essential ingredient, and containing not less than 44% total ureic nitrogen (N) (including biuret), with a maximum biuret content of 1.2%	Amount of ureic nitrogen	0.4
1(b)	Straight nitrogenous fertilisers names in accordance with Regulation 4(3)*	Any straight nitrogenous fertiliser not otherwise specified in this table.	Amount of total nitrogen	0.8
1(c)	Nitrogenous fertiliser. In addition the source materials shall be indicated in parentheses in descending order of nutrient contribution	Product obtained by mixing or blending two or more of the fertilisers listed in Groups 1(a), 1(b) and 4(a) of section A of this table.	Amount of total nitrogen	0.5 (for declarations up to and including 10% N).  0.8 (for declarations exceeding 10% N and up to and including 15% N)  1.1 (for declarations exceeding 15% N)

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
			Amount of ureic nitrogen save that a declaration of 10% or less need not be made	As set out in paragraph 7(b) of this Schedule
2(a)	Aluminium–calcium phosphate	Product obtained in amorphous form by heat treatment and grinding, with aluminium and calcium phosphates as essential ingredients, and containing not less than 30% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids), at least 75% of the declared total phosphorus pentoxide being soluble in alkaline ammonium citrate (Joulie). Not less than 90% of the material should be able to pass through a sieve with a mesh of 0.160 mm and not less than 98% through a sieve with a mesh of 0.630 mm.	Amount of total phosphorus pentoxide  Amount of phosphorus pentoxide soluble in alkaline ammonium citrate	0.8  0.8
	Basic slag	Product obtained in iron-smelting by treatment of	Amount of total phosphorus pentoxide	1.0

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

*Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.*

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
	Thomas phosphates  Thomas slag	the phosphorus melts and with calcium silicophosphates as essential ingredients, containing not less than 12% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids) at least 75% of the declared total phosphorus pentoxide being soluble in 2% citric acid. Not less than 75% of the material should be able to pass through a sieve with a mesh of 0.160 mm and not less than 96% through a sieve with a mesh of 0.630 mm.	Amount of phosphorus pentoxide soluble in 2% citric acid	As set out in paragraph 7(a) of this Schedule  No limits of variation are permitted when the declaration is expressed as a range of 2% by weight
	Calcined phosphate	Product obtained by heat treatment of ground rock phosphate with alkaline compounds and silicic acid, with alkaline calcium phosphate and calcium silicate as essential ingredients, and containing not less than 25%	Amount of phosphorus pentoxide soluble in alkaline ammonium citrate	0.8

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) soluble in alkaline ammonium citrate (Petermann). Not less than 75% of the material should be able to pass through a sieve with a mesh of 0.160 mm and not less than 96% through a sieve with a mesh of 0.630 mm.		
	Dicalcium phosphate	Product obtained by precipitation of solubilised phosphoric acid from mineral phosphates or bones, with dicalcium phosphate dihydrate as its essential ingredient, and containing not less than 38% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) soluble in alkaline ammonium citrate (Petermann). Not less than 90% of the material should be able to pass through a sieve with a mesh of 0.160 mm and not less than 98% through a sieve	Amount of phosphorus pentoxide soluble in alkaline ammonium citrate	0.8

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		with a mesh of 0.630 mm.		
	Partially solubilised rock phosphate	Product obtained by partial solubilisation of ground rock phosphate with sulphuric acid or phosphoric acid, with monocalcium phosphate, tricalcium phosphate and calcium sulphate as essential ingredients, and containing not less than 20% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids), at least 40% of the declared total phosphorus pentoxide being soluble in water. Not less than 90% of the material should be able to pass through a sieve with a mesh of 0.160 mm and not less than 98% through a sieve with a mesh of 0.630 mm.	Amount of total phosphorus pentoxide  Amount of phosphorus pentoxide soluble in water	0.8 0.9
	Soft ground rock phosphate	Product obtained by grinding soft mineral	Amount of total phosphorus pentoxide	0.8 0.8

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		phosphates with tricalcium phosphate and calcium carbonate as essential ingredients and containing not less than 25% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids), at least 55% of the declared total phosphorus pentoxide being soluble in 2% formic acid. Not less than 90% of the material should be able to pass through a sieve with a mesh of 0.063 mm and not less than 99% through a sieve with a mesh of 0.125 mm.	Amount of phosphorus pentoxide soluble in 2% formic acid	5.0% of amount stated
	Normal superphosphate	Product obtained by reaction of ground mineral phosphate with sulphuric acid, with monocalcium phosphate as an essential ingredient as well as calcium sulphate, and containing not less than 16%	Amount of phosphorus pentoxide soluble in neutral ammonium citrate	0.8 0.9
			Amount of phosphorus pentoxide soluble in water	

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) soluble in neutral ammonium citrate, at least 93% of the declared phosphorus pentoxide soluble in neutral ammonium citrate being soluble in water.		
	Concentrated superphosphate	Product obtained by reaction of ground mineral phosphate with sulphuric acid and phosphoric acid, with monocalcium phosphate as an essential ingredient as well as calcium sulphate, and containing not less than 25% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) soluble in neutral ammonium citrate, at least 93% of the declared phosphorus pentoxide soluble in neutral ammonium citate being soluble in water.	Amount of phosphorus pentoxide soluble in neutral ammonium citrate	0.8
			Amount of phosphorus pentoxide soluble in water	0.9

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
	Triple superphosphate	Product obtained by reaction of ground mineral phosphate with phosphoric acid, with monocalcium phosphate as its essential ingredient, and containing not less than 38% phosphorus pentoxide (P <sub>2</sub> OP <sub>5</sub> ) soluble in neutral ammonium citrate, at least 93% of the declared phosphorus pentoxide soluble in neutral ammonium citrate being soluble in water.	Amount of phosphorus pentoxide soluble in neutral ammonium citrate  Amount of phosphorus pentoxide soluble in water	0.8  1.3
2(b)	Phosphatic neutral filter cake	Product obtained in detergent manufacture by treatment of phosphate rock with sulphuric acid and extraction of the soluble phosphates from the resulting precipitate, and containing not less than 20% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )	Amount of total phosphorus pentoxide  Amount of phosphorus pentoxide soluble in 2% citric acid	1.0  1.0

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		(soluble in mineral acids).		
	Phosphated slag	Product obtained by blending low grade basic slag and phosphate rock and containing not less than 16% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids).	Amount of total phosphorus pentoxide	0.8
			Amount of phosphorus pentoxide soluble in 2% formic acid	0.8
	Basic slag medium concentration	Product obtained in iron smelting by treatment of phosphorus melts with calcium silicophosphates as essential ingredients and containing not less than 5% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids), at least 75% of the declared total phosphorus pentoxide being soluble in 2% citric acid. Not less than 75% of the material should be able to pass through a sieve with a mesh of 0.160 mm and not less than 96; % through a sieve	Amount of total phosphorus pentoxide	0.1
			Amount of phosphorus pentoxide soluble in 2% formic acid	0.8
				No limits of variation are permitted with the declaration is expressed as a range of 2% by weight

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		with a mesh of 0.630 mm.		
	Granular basic slag	Product obtained in iron smelting by treatment of phosphorus melts, with calcium silicophosphates as essential ingredients, and containing not less than 5% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids), at least 75% of the declared total phosphorus pentoxide being soluble in 2% citric acid after the sample has been ground to pass through a sieve with a mesh of 0.160 mm. Not less than 70% of the material should be able to pass through a sieve with a mesh of 0.630 mm and not more than 12% through a sieve with a mesh of 0.160 mm.	Amount of total phosphorus pentoxide  Amount of phosphorus pentoxide soluble in 2% formic acid	1.0 0.8  No limits of variation are permitted with the declaration is expressed as a range of 2% by weight
	Rock phosphate	Product not otherwise specified in this table	Amount of total phosphorus pentoxide	0.8 0.8

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

*Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.*

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		obtained from mineral calcium phosphate deposits, to which no other matter has been added and containing not less than 5% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids).	Amount of phosphorus pentoxide soluble in 2% formic acid  Amount of material as a percentage by weight that will pass through a sieve with a mesh of 0.150 mm	5% of amount stated
2(c)	Straight phosphatic fertilisers named in accordance with Regulation 4(3)*	Any straight phosphatic fertiliser not otherwise specified in this table.	Amount of total phosphorus pentoxide	0.9
2(d)	Phosphatic fertiliser	Product obtained by mixing or blending two or more of the fertilisers listed in Groups 7(a), 2(b), 2(c) and 4(b) of Section A of this table.	Amount of total phosphorus pentoxide	0.5 (for declarations up to and including 10% P <sub>2</sub> O <sub>5</sub> )  0.8 (for declarations exceeding 10% P <sub>2</sub> O <sub>5</sub> and up to and including 15% P <sub>2</sub> O <sub>5</sub> )  1.1 (for declarations exceeding 15% P <sub>2</sub> O <sub>5</sub> )
	In addition the source materials shall be indicated in parentheses in descending		Amount of phosphorus pentoxide soluble in 2% formic acid	0.8
* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.				

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
	order of nutrient contribution			
3(a)	Enriched Kainit salt	Product obtained from crude potassium salts, enriched by blending with potassium chloride, and containing not less than 18% water-soluble potassium oxide (K <sub>2</sub> O).	Amount of potassium oxide soluble in water	1.0
	In addition usual trading names may be given		<i>Optional declarations</i>  Amount of magnesium oxide soluble in water where this is greater than 5%	0.9
	Kainit	Product obtained from crude potassium salts, and containing not less than 10% water-soluble potassium oxide (K <sub>2</sub> O), and not less than 5% magnesium oxide (MgO) in the form of water-soluble salts.	Amount of potassium oxide soluble in water	1.5
	In addition usual trading names may be given		Amount of magnesium oxide soluble in water	0.9
* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.				

*Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.*

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
	Muriate of potash  In addition usual trading names may be given	Product obtained from crude potassium salts with potassium chloride as its essential ingredient, and containing not less than 37% water-soluble potassium oxide (K <sub>2</sub> O).	Amount of potassium oxide soluble in water	1.0 (for declarations up to and including 55% K <sub>2</sub> O)  0.5 (for declarations exceeding 55% K <sub>2</sub> O)
	Potassium chloride containing magnesium salt	Product obtained from crude potassium salts with added magnesium salts, with potassium chloride and magnesium salts as essential ingredients, and containing not less than 37% water-soluble potassium oxide (K <sub>2</sub> O) and not less than 5% magnesium oxide (MgO) in the form of water-soluble salts.	Amount of potassium oxide soluble in water  Amount of magnesium oxide soluble in water	1.5  0.9
	Sulphate of potash	Product obtained chemically from potassium salts, with potassium sulphate as its essential ingredient, and containing not less than 47%	Amount of potassium oxide soluble in water  <i>Optional declarations</i>  Amount of chlorine where	0.5  0.2

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		water-soluble potassium oxide (K <sub>2</sub> O) with a maximum chlorine (Cl) content of 3%	this is lower than 3%	
	Sulphate of potash containing magnesium salt	Product obtained chemically from potassium salts with possible	Amount of potassium oxide soluble in water	1.5 0.9
	In addition usual trading names may be given	addition of magnesium salts, with potassium sulphate and magnesium sulphate as essential ingredients, and containing not less than 22% water-soluble potassium oxide (K <sub>2</sub> O) and not less than 8% magnesium oxide (MgO) in the form of water-soluble salts, with a maximum chlorine content of 3%	Amount of magnesium oxide soluble in water  <i>Optional declarations</i>  Amount of chlorine where this is lower than 3%	0.2
	Kieserite with potassium sulphate	Product obtained from Kieserite with potassium sulphate added	Amount of potassium oxide soluble in water	1.5 0.9
	In addition usual trading names may be given	and containing not less than 6% water-soluble potassium oxide (K <sub>2</sub> O) and not less than 8%	Amount of magnesium oxide soluble in water	0.2

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

*Status:* This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		magnesium oxide (MgO) in the form of water-soluble salts, where the two together are not less than 20%, with a maximum chlorine content of 3%	<i>Optional declarations</i>  Amount of chlorine where this is lower than 3%	
3(b)	Nitrate of potash	Potassium nitrate for fertilising purposes.	Amount of total nitrogen  Amount of total potassium oxide	0.5  2.0
	Potassium basic slag	A mixture of basic slag and muriate or sulphate of potash containing not less than 5% total phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) (soluble in mineral acids) and not less than 5% total potassium oxide (K <sub>2</sub> O), at least 75% of the declared total phosphorus pentoxide being soluble in 2% citric acid.	Amount of total phosphorus pentoxide  Amount of phosphorus pentoxide soluble in 2% citric acid  Amount of total potassium oxide  Amount of slag as a percentage by weight that will pass through a sieve with a mesh of 0.5 mm	1.0  1.0  1.0 (for declarations up to and including 15% K <sub>2</sub> O)  2.0 (for declarations exceeding 15%K <sub>2</sub> O)  5.0% of amount stated
	Potassic nitrate of soda	A mixture of sodium nitrate and potassium nitrate for fertilising purposes.	Amount of total nitrogen	0.5  0.8
	Chilean potash nitrate		Amount of total potassium oxide	

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
3(c)	Straight potassic fertilisers named in accordance with Regulation 4(3)*	Any straight potassic fertiliser not otherwise specified in this table.	Amount of total potassium oxide	1.0
3(d)	Potassic fertiliser	Product obtained by mixing or blending two or more of the fertilisers listed in Groups 3(a), 3(b) and 3(c) of Section A of this table.	Amount of total potassium oxide	0.5 (for declarations up to and including 10% K <sub>2</sub> O)
	In addition the source material shall be indicated in parentheses in descending order of nutrient contribution			0.8 (for declarations exceeding 10% and up to and including 15% K <sub>2</sub> O)
				1.1 (for declarations exceeding 15% K <sub>2</sub> O)
4(a)	Castor meal	The residue which is obtained by the removal of oil from commercially pure castor seed.	Amount of total nitrogen	0.5
	Dried blood	Blood which has been dried, to which no other matter has been added, and which is used for fertilising purposes, containing not	Amount of total nitrogen	0.5

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		less than 11% total nitrogen.		
	Hoofs	The product obtained by crushing or grinding hoof, to which no other matter has been added, containing not less than 12% total nitrogen.	Amount of total nitrogen	0.5
	Hoofs and horns	A mixture of hoof and horn, crushed or ground, to which no other matter has been added, containing not less than 12% total nitrogen.	Amount of total nitrogen	0.5
	Horns	The product obtained by crushing or grinding horn, to which no other matter has been added, containing not less than 12% total nitrogen.	Amount of total nitrogen	0.5
	Oilseed fertiliser	Product obtained by the removal of oil from seeds not otherwise specified in this table (excluding mowrah meal and used for fertilising purposes.	Amount of total nitrogen	0.5
4(b)	Rape meal	The residue which is obtained	Amount of total nitrogen	0.5

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		by the removal of oil from commercially pure rape seed.		
	Precipitated bone phosphate	An insoluble calcium phosphate prepared by treating commercially pure bone with acid and precipitation of phosphate from the solution.	Amount of phosphorus pentoxide soluble in citric acid	1.0
	Dicalcium bone phosphate			
4(c)	Bone meal	Commercially pure bone, raw or degreased, which has been ground or crushed, of which not less than 90% will pass through a sieve of 6.7 mm square apertures.	Amount of total nitrogen	0.5 1.5
	Fish guano	Product obtained by drying and grinding or otherwise treating fish or fish waste, to which no other matter has been added.	Amount of total nitrogen	0.5
	Fish manure		Amount of total phosphorus pentoxide	1.0
4(b)	Meat and bone meal	The product of drying and grinding or	Amount of total nitrogen	0.5
	Meat meal	otherwise treating		1.0

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
	Meat and bone tankage	bone, flesh, fibre and other slaughterhouse residues, to which no other matter has been added.	Amount of total phosphorus pentoxide	
	Carcase meal			
	Raw guano	The excrement and remains of any birds, except poultry, containing both nitrogen and phosphorus, prepared for use by screening where necessary, to which no addition has been made.	Amount of total nitrogen	20.0% of amount stated (with a minimum of 0.25% and a maximum of 1.5)
			Amount of total phosphorus pentoxide	10.0% of amount stated (with a maximum of 2.0)
			Amount of total potassium oxide	20.0% of amount stated
4(c)	Shoddy manure	Waste of wool, or of wool mixed with fibrous materials such as are associated with wool in the textile industries including cotton and similar non-wool materials, to which no other matter has been added, the fibre content of which contains not less	None	None
	Wool waste			
	Wool combings			
	Wool manure			
	Flock dust			

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		than 50% of wool by weight.		
	Steamed bone flour	Commercially pure bone, degreased and ground or crushed, from which the nitrogen has been partly or wholly removed by steam, of which not less than 75% will pass through a British Standard Test Sieve No. 16.	Amount of total nitrogen  Amount of total phosphorus pentoxide	0.5  1.0
	Steamed bone meal	Commercially pure bone, degreased and ground or crushed, from which the nitrogen has been partly or wholly removed by steam, of which not less than 90% will pass through a sieve of 6.7 mm square aperture.	Amount of total nitrogen  Amount of total phosphorus pentoxide	0.5  1.0
5(a)	Ground burnt lime	Commercial calcium oxide containing not more than 27% magnesium as MgO and of which 100% will pass through a sieve of 6.3 mm.	Neutralising value	5.0% of amount stated

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
	Kibbled burnt lime	Commercial calcium oxide containing not more than 27% magnesium as MgO and of which 100% will pass through a sieve of 45 mm.	Neutralising value	5.0% of amount stated
	Burnt lime	Commercial calcium oxide containing not more than 27% magnesium as MgO.	Neutralising value	5.0% of amount stated
	Magnesian ground burnt lime	Commercial oxide obtained from magnesian limestone containing more than 27% magnesium expressed as MgO and of which 100% will pass through a sieve of 6.3 mm.	Neutralising value	5.0% of amount stated
	Magnesian kibbled burnt lime	Commercial oxide obtained from magnesian limestone containing more than 27% magnesium expressed as MgO and of which 100% will pass through a sieve of 45 mm.	Neutralising value	5.0% of amount stated

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
	Magnesian burnt lime	Commercial oxide obtained from magnesian limestone containing more than 27% magnesium as MgO.	Neutralising value	5.0% of amount stated
	Chalk	Cretaceous limestone.	Neutralising value	5.0% of amount stated
	Ground chalk	Cretaceous limestone of which 98% will pass through a sieve of 6.3 mm.	Neutralising value	5.0% of amount stated
	Screened chalk	Cretaceous limestone of which 98% will pass through a sieve of 45 mm.	Neutralising value	5.0% of amount stated
	Hydrated lime	Product obtained by slaking burnt lime or magnesian burnt lime of which not less than 95% will pass through a 150 micron sieve.	Neutralising value	5.0% of amount stated
	Ground limestone	Sedimentary rock consisting largely of calcium carbonate and containing not more than 15% of magnesium expressed as MgO and of which 100% will pass through a	Neutralising value Amount of material as a percentage by weight that will pass through a 150 micron sieve	5.0% of amount stated 5.0% of amount stated

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		sieve of 5 mm, not less than 95% will pass through a sieve of 3.35 mm and not less than 40% will pass through a 150 micron sieve.		
	Screened limestone	Sedimentary rock consisting largely of calcium carbonate and containing not more than 15% of magnesium expressed as MgO and of which 100% will pass through a sieve of 5 mm, not less than 95% will pass through a sieve of 3.35 mm and not less than 20% will pass through a 150 micron sieve.	Neutralising value	5.0% of amount stated
	Limestone dust	Sedimentary rock consisting largely of calcium carbonate and containing not more than 15% of magnesium expressed as MgO and of which 100% will pass through a sieve of 5 mm, not less than 95% will pass through a sieve of 3.35 mm and not less than 20% will pass through a 150 micron sieve.	Amount of material as a percentage by weight that will pass through a 150 micron sieve	5.0% of amount stated
	Coarse screened limestone	Sedimentary rock consisting largely of calcium carbonate and containing not more than 15% of magnesium expressed as MgO and of which 100% will pass through a sieve of 5 mm, not less than 90% will pass through a sieve of 3.35	Neutralising value	5.0% of amount stated
	Coarse limestone dust	Sedimentary rock consisting largely of calcium carbonate and containing not more than 15% of magnesium expressed as MgO and of which 100% will pass through a sieve of 5 mm, not less than 90% will pass through a sieve of 3.35	Amount of material as a percentage by weight that will pass through a 150 micron sieve	5.0% of amount stated

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		mm and not less than 15% will pass through a 150 micron sieve.		
	Magnesian ground limestone	Sedimentary rock consisting largely of calcium and magnesium carbonates and containing not less than 15% of magnesium as MgO and of which 100% will pass through a sieve of 5mm, not less than 95% will pass through a sieve of 3.35 mm and not less than 40 % will pass through a 150 micron sieve.	Neutralising value  Amount of material as a percentage by weight that will pass through a 150 micron sieve	5.0% of amount stated  5.0% of amount stated
	Magnesian screened limestone	Sedimentary rock consisting largely of calcium and magnesium carbonates and containing not less than 15% of magnesium as MgO and of which 100% will pass through a sieve of 5mm, not less than 95% will pass through a sieve of 3.35 mm and not less than 20% will	Neutralising value  Amount of material as a percentage by weight that will pass through a 150 micron sieve	5.0% of amount stated  5.0% of amount stated

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

*Status:* This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		pass through a 150 micron sieve.		
	Coarse magnesian screened limestone	Sedimentary rock consisting largely of calcium and magnesium carbonates and containing not less than 15% of magnesium as MgO and of which 100% will pass through a sieve of 5mm, not less than 90% will pass through a sieve of 3.35 mm and not less than 15% will pass through a 150 micron sieve.	Neutralising value	5.0% of amount stated
	Coarse magnesian limestone dust	Containing not less than 15% of magnesium as MgO and of which 100% will pass through a sieve of 5mm, not less than 90% will pass through a sieve of 3.35 mm and not less than 15% will pass through a 150 micron sieve.	Amount of material as a percentage by weight that will pass through a 150 micron sieve	5.0% of amount stated
	Pulverised shells	Pulverised calcareous sea shells of which 100% will pass through a sieve with a mesh of 6.3 mm.	Neutralising value	5.0% of amount stated
	Shell sand	Calcareous sea sand of which 100% will pass through a sieve with a mesh of 6.3 mm.	Neutralising value	5.0% of amount stated
	Mixed lime	A product resulting from mixing two or more forms of liming material specified in this schedule not	Neutralising value Amount of material as a percentage by weight that will	5.0% of amount stated 5.0% of amount stated

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
		being materials for which there is no minimum standard laid down in column 3 of this schedule or material produced during the manufacture of commercial burnt lime or hydrated lime.	pass through a sieve with a mesh of 6.3 mm	
	Furnace slag	The unamended by-product of iron manufacture which has been reduced in size so that 100% will pass through a sieve with a mesh of 5 mm, not less than 95% will pass through a sieve with a mesh of 3.35 mm, and not less than 40% will pass through a 150 micron sieve.	Neutralising value	5.0% of amount stated
			Amount of material as a percentage by weight that will pass through a 150 micron sieve	5.0% of amount stated
5(b)	Liming material named in accordance with Regulation 4(3)*	Any liming material not otherwise specified in Group 5(a) of Section A of this table and not injurious to plants or soil.	Neutralising value	5.0% of amount stated
			Amount of material as a percentage by weight that will pass through a sieve with a mesh of 5 mm	5.0% of amount stated
			Amount of material as a	5.0% of amount stated

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>
(1)	(2)	(3)	(4)	(5)
			percentage by weight that will pass through a sieve with a mesh of 3.353 mm	
			Amount of material as a percentage by weight that will pass through a 150 micron sieve	

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**SECTION B:**  
**COMPOUND FERTILISERS**

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
1	NPK fertiliser	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:—  1. Not less than 3% nitrogen (N);	<i>Nitrogen (N)</i>  <i>EEC Other fertiliser than EEC fertiliser</i>	N 1.1	N 0.5
			Amount of total nitrogen	Amount of total nitrogen	As set out in paragraph 7 of this Schedule
			Amount where equal to or greater than	Amount of ureic nitrogen save that a	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		<p>2. Not less than 5% phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>);</p> <p>3. Not less than 5% potassium oxide (K<sub>2</sub>O). The sum of the three nutrients must be not less than 20% by weight. The product must not contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate, aluminium-calcium phosphate, soft ground rock phosphate, or partially solubilised rock phosphate. The P<sub>2</sub>O<sub>5</sub> content soluble only in mineral acids must not exceed 2%.</p>	<p><b>EEC Other fertiliser</b></p> <hr/> <p>1% declaration by weight, 10% of:— or less need not be made</p> <hr/> <p>1. nitric nitrogen 2. ammonical nitrogen 3. ureic nitrogen 4. cyanamide nitrogen</p>		
				<p>* As determined by the Petermann method.</p> <p>* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.</p>	

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			<p><i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i></p> <p>Where phosphorus pentoxide soluble in water is less than 2%, amount of:–</p> <p>1. Phosphorus pentoxide soluble in neutral ammonium citrate</p> <p>Where phosphorus pentoxide soluble in water is equal to or greater than 2%, amount of:</p> <p>1. Phosphorus pentoxide soluble in neutral ammonium citrate and in water</p> <p>2. Phosphorus pentoxide soluble in water as set out in paragraph 7(a) of this Schedule</p>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			<p><i>Potassium oxide (K<sub>2</sub>O)</i></p> <p>Amount of potassium</p>	K <sub>2</sub> O 1.1 N 1.9 +P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O 0.5 1.9

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			oxide soluble in water	+K <sub>2</sub> O	1.9
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement "low in chlorine" may be made		
	NPK fertiliser containing aluminium-calcium phosphate	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:-  1. Not less than 3% nitrogen (N);  2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) of which at least 2% must be soluble in water, and at least 5%	<i>Nitrogen (N)</i>	N 1.1	N 0.5
			<u><i>EEC Other fertiliser</i></u>	As set out in paragraph 7 of this Schedule	
			<u><i>EEC fertiliser</i></u>	Amount of total nitrogen	Amount of total nitrogen
			Amount where equal to or greater than 1% by weight of:-	Amount of ureic nitrogen save that a declaration of 10% or less need not be made	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		soluble in mineral acids; and  3. Not less than 5% potassium oxide (K <sub>2</sub> O).  The sum of the three nutrients must be not less than 20% by weight. At least 75% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain basic slag, Thomas Phosphate, Thomas slag, calcined phosphate, soft ground rock phosphate or partially solubilised rock phosphate, and not less than 90% of the aluminium-calcium	1. nitric nitrogen 2. ammonical nitrogen 3. ureic nitrogen 4. cyanamide nitrogen  <i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Amount of phosphorus pentoxide soluble in mineral acids	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine Where the chlorine content is not greater than 2% the statement "low in chlorine" may be made		
	NPK fertiliser containing soft ground rock phosphate	Product obtained chemically or by blending, without addition	<i>Nitrogen (N)</i>	N 1.1	N 0.5
	NPK fertiliser containing partially solubilised rock phosphate	of organic nutrients of animal or vegetable origin, containing by weight:— 1. Not less than 3% nitrogen (N); 2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) of which at least 2% should be soluble only in mineral acids, at least 5% soluble in neutral ammonium	<del><i>EEC Other fertiliser</i></del> <i>EEC fertiliser</i>	As set out in paragraph 7 of this Schedule	
			Amount of total nitrogen	Amount of total nitrogen	
			Amount where equal to or greater than 1% by weight, of:—	Amount of ureic nitrogen save that a declaration of 10% or less need not be made	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		<p>citrate and in water and at least 2.5% soluble in water;</p> <p>3. Not less than 5% potassium oxide (K<sub>2</sub>O).</p> <p>The sum of the three nutrients must be not less than 20% by weight. Neither product must contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate or aluminium-calcium phosphate. Not less than 90% of the soft ground rock phosphate should be able to pass through a sieve with a mesh of 0.063 mm, and not less than 90% of the partially solubilised rock phosphate should be</p>			

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			soluble only in mineral acids		
			<i>Potassium Oxide (K<sub>2</sub>O)</i>	K <sub>2</sub> O 1.1	
			Amount of potassium oxide soluble in water	N 1.9	
				+p <sub>2</sub> O <sub>5</sub> 1.9	
				+K <sub>2</sub> O 1.9	
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement "low in chlorine" may be made		
	NPK fertiliser (Phosphate ingredient, aluminium-calcium phosphate only)	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:—	<i>Nitrogen (N)</i>	N 1.1	N 0.5
		1. Not less than 3% nitrogen (N);	<i>EEC Other fertiliser</i>	As set out in paragraph 7 of this Schedule	
		2. Not less than 5% phosphorus	<i>EEC fertiliser</i>	Amount of total nitrogen	Amount of total nitrogen
				Amount where of equal to or greater than 1% by	Amount of ureic nitrogen save that a declaration of 10%

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		pentoxide (P <sub>2</sub> O <sub>5</sub> );  3. Not less than 5% potassium oxide (K <sub>2</sub> O)  The sum of the three nutrients must be not less than 20% by weight. At least 75% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain any phosphate material other than aluminium-calcium phosphate and not less than 90% of the aluminium-calcium phosphate should be able to pass	<b>EEC Other fertiliser</b>  <b>EEC fertiliser</b>  weight, or of:- less need not be made  1. nitric nitrogen 2. ammonical nitrogen 3. ureic nitrogen 4. cyanamide nitrogen		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		through a sieve with a mesh of 0.160 mm.			
			<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in mineral acids		
			Amount of phosphorus pentoxide soluble in alkaline ammonium citrate	As set out in paragraph 7(a) of this Schedule	
			<i>Potassium Oxide (K<sub>2</sub>O)</i>	K <sub>2</sub> O 1.1	K <sub>2</sub> O 0.5
				N 1.9	
			Amount of potassium oxide soluble in water	+P <sub>2</sub> O <sub>5</sub>	1.9
				+K <sub>2</sub> O	1.9
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement "low in chlorine" may be made		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
	NPK fertiliser (Phosphate ingredient, calcined phosphate only)	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:—  1. Not less than 3% nitrogen (N);  2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> );  3. Not less than 5% potassium oxide (K <sub>2</sub> O).  The sum of the three nutrients must be not less than 20% by weight. The product must not contain any phosphate material other than calcined phosphate. Not less than 75% of the calcined phosphate	<i>Nitrogen (N)</i>  <u><i>EEC Other fertiliser than EEC fertiliser</i></u>  Amount of total nitrogen Amount of total nitrogen where of equal ureic to or nitrogen greater save than that a declaration of 10% or less need not be made	N 1.1	N 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		should be able to pass through a sieve with a mesh of 0.160 mm.	<ol style="list-style-type: none"> <li>1. nitric nitrogen</li> <li>2. ammonical nitrogen</li> <li>3. ureic nitrogen</li> <li>4. cyanamide nitrogen</li> </ol>		
			<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i> Amount of phosphorus pentoxide soluble in alkaline ammonium citrate*	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			<i>Potassium Oxide (K<sub>2</sub>O)</i> Amount of potassium oxide soluble in water	K <sub>2</sub> O 1.1 N 1.9 +P <sub>2</sub> 1.9 +K <sub>2</sub> O 1.9	K <sub>2</sub> O 0.5
			<i>Optional declarations</i> Amount of chlorine Where the chlorine	Cl 0.2	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			content is not greater than 2% the statement “low in chlorine may be made”.		
	NPK fertiliser (Phosphate ingredient, soft ground rock phosphate only)	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:—  1. Not less than 3% nitrogen (N);  2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> );  3. Not less than 5% potassium oxide (K <sub>2</sub> O).  The sum of the three nutrients must be not less than 20% by weight. At least 55% of the declared phosphorus pentoxide soluble in	<i>Nitrogen (N)</i>  <u><i>EEC Other fertiliser</i></u>  <u><i>EEC fertiliser</i></u>  Amount of total nitrogen where of equal to or greater than 1% by weight of:—  Amount of total nitrogen where of ureic nitrogen save that a declaration of 10% or less need not be made	N 1.1	N 0.5
				As set out in paragraph 7 of this Schedule	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.





**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			Amount of phosphorus pentoxide soluble in 2% formic acid	As set out in paragraph 7(a) of this Schedule	
			<i>Potassium Oxide (K<sub>2</sub>O)</i>	K <sub>2</sub> O 1.1 N 1.9	K <sub>2</sub> O 0.5
			Amount of potassium oxide soluble in water	+P <sub>2</sub> +K <sub>2</sub> O	1.9 1.9
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement "low in chlorine may be made".		
	NPK fertiliser (Phosphate ingredient; basic slag only)	Product obtained chemically or by blending, without addition	<i>Nitrogen (N)</i>	N 1.1	N 0.5
	NPK fertiliser (Phosphate ingredient; Thomas phosphate only)	of organic nutrients of animal or vegetable origin, containing by weight:-	<u><i>EEC Other fertiliser</i></u> <u><i>EEC fertiliser</i></u>	As set out in paragraph 7 of this Schedule	
	NPK fertiliser (Phosphate ingredient;	<b>1.</b> Not less than 3% nitrogen (N);	Amount of total nitrogen	Amount of total nitrogen	
			where of equal to or greater	ureic nitrogen save	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
	Thomas slag only)	<p><b>2.</b> Not less than 5% phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>);</p> <p><b>3.</b> Not less than 5% potassium oxide (K<sub>2</sub>O).</p> <p>The sum of the three nutrients must be not less than 20% by weight. The product must not contain any phosphate material other than basic slag, Thomas phosphate or Thomas slag.</p> <p>Not less than 75% of the basic slag, Thomas phosphate or Thomas slag should be able to pass through a sieve with a mesh of 0.160 mm.</p>	<p><b>EEC fertiliser</b></p> <hr/> <p>than 1% by weight of:-</p> <hr/> <p><b>Other fertiliser</b></p> <p>that a declaration of 10% or less need not be made</p> <hr/> <p><b>1.</b> nitric nitrogen</p> <p><b>2.</b> ammonical nitrogen</p> <p><b>3.</b> ureic nitrogen</p>		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			4. cyanamide nitrogen		
			<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in 2% citric acid		
			<i>Potassium Oxide (K<sub>2</sub>O)</i>	K <sub>2</sub> O 1.1	K <sub>2</sub> O 0.5
				N 1.9	
			Amount of potassium oxide soluble in water	+P <sub>2</sub>	1.9
				+K <sub>2</sub> O	1.9
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement "low in chlorine may be made".		
2	NP fertiliser	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable	<i>Nitrogen (N)</i>	N 1.1	N 0.5
			<i>EEC Other fertiliser</i>	As set out in paragraph 7 of this Schedule	
			<i>EEC fertiliser</i>	Amount of	Amount of

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		origin, containing by weight—	<b>EEC Other fertiliser</b>		
		1. Not less than 3% nitrogen (N);	total nitrogen	total nitrogen	
		2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ).	Amount where equal to or greater than 1% by weight, of ureic nitrogen save that a declaration of 10% or less need not be made	Amount where equal to or greater than 1% by weight, of ureic nitrogen save that a declaration of 10% or less need not be made	
		The sum of the two nutrients must be not less than 18% by weight. The product must not contain basic slag. Thomas phosphate, Thomas slag, calcined phosphate, aluminium-calcium phosphate, soft ground rock phosphate or partially solubilised rock phosphate.			
		The P <sub>2</sub> O <sub>5</sub> content soluble only in mineral acids must not exceed 2%.			

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			<ol style="list-style-type: none"> <li>1. nitric nitrogen</li> <li>2. ammonical nitrogen</li> <li>3. ureic nitrogen</li> <li>4. cyanamide nitrogen</li> </ol>		
			<p><i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i></p> <p>Where phosphorus pentoxide soluble in water is less than 2%, amount of:–</p> <ol style="list-style-type: none"> <li>1. Phosphorus pentoxide soluble in neutral ammonium citrate.</li> </ol> <p>Where phosphorus pentoxide soluble in water is equal to or greater than 2%, amount of–</p> <ol style="list-style-type: none"> <li>1. Phosphorus pentoxide soluble in neutral ammonium citrate and in water</li> </ol>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			2. Phosphorus pentoxide soluble in water	As set out in paragraph 7(a) of this Schedule	
				N	1.5
				+P <sub>2</sub> O <sub>5</sub>	1.5
	NP fertiliser containing aluminium-calcium phosphate	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:—	<i>Nitrogen (N)</i>	N 1.1	N 0.5
		1. Not less than 3% nitrogen (N);	<i>EEC Other fertiliser</i>	As set out in paragraph 7 of this Schedule	
		2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) of which at least 2% must be soluble in water, and at least 5% soluble in mineral acids.	<i>EEC fertiliser</i>	Amount of total nitrogen	Amount of total nitrogen
		The sum of the two nutrients must be not less than 18% by weight. At		where of equal to or greater than 1% by weight, of—	of ureic nitrogen save that a declaration of 10% or less need not be made

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		least 75% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate, soft ground rock phosphate or partially solubilised rock phosphate, and not less than 90% of the aluminium-calcium phosphate should be able to pass through a sieve with a mesh of 0.160 mm.	<ol style="list-style-type: none"> <li>1. nitric nitrogen</li> <li>2. ammonical nitrogen</li> <li>3. ureic nitrogen</li> </ol>		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			4. cyanamide nitrogen		
			<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in mineral acids		
			Amount of phosphorus pentoxide soluble in water	As set out in paragraph 7(a) of this Schedule	
				N	1.5
			Amount of phosphorus pentoxide soluble in mineral acids (after deduction of the amount of phosphorus pentoxide soluble in water)	+P <sub>2</sub> O <sub>5</sub>	1.5
			Amount of phosphorus pentoxide soluble in alkaline ammonium citrate		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
	NP fertiliser containing soft ground rock phosphate	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:	<i>Nitrogen (N)</i>	N 1.1	N 0.5
	NP fertiliser containing partially solubilised rock phosphate	<p>1. Not less than 3% nitrogen (N);</p> <p>2. Not less than 5% phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>) of which at least 2% should be soluble only in mineral acids, at least 5% soluble in neutral ammonium citrate and in water and at least 2.5% soluble in water.</p> <p>The sum of the two nutrients must be not less than 18% by weight. Neither product must</p>	<p><b>EEC Other fertiliser</b></p> <hr/> <p><b>EEC fertiliser</b></p> <hr/> <p>Amount of total nitrogen</p> <hr/> <p>Amount of ureic nitrogen save that a declaration of 10% or less need not be made</p>	As set out in paragraph 7 of this Schedule	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate or aluminium-calcium phosphate. Not less than 90% of the soft ground rock phosphate should be able to pass through a sieve with a mesh of 0.063 mm, and not less than 90% of the partially solubilised rock phosphate should be able to pass through a sieve with a mesh of 0.160 mm.	<ol style="list-style-type: none"> <li>1. nitric nitrogen</li> <li>2. ammonical nitrogen</li> <li>3. ureic nitrogen</li> <li>4. cyanamide nitrogen</li> </ol>		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			Phosphorus Pentoxide (P <sub>2</sub> O <sub>5</sub> )	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in mineral acids		
			Amount of phosphorus pentoxide soluble in water	As set out in paragraph 7(a) of this schedule	
				N	1.5
			Amount of phosphorus pentoxide soluble in neutral ammonium citrate and in water	+P <sub>2</sub> O <sub>5</sub>	1.5
			Amount of phosphorus pentoxide soluble only in mineral acids		
	NP fertiliser (Phosphate ingredient: aluminium-calcium phosphate only)	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:–	Nitrogen (N)	N 1.1	N 0.5
			<b>EEC Other fertiliser</b>	As set out in paragraph 7 of this Schedule	
			Amount of total nitrogen	Amount of total nitrogen	
			Amount where equal	Amount of ureic	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		<p>1. Not less than 3% nitrogen (N);</p> <p>2. Not less than 5% phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>).</p> <p>The sum of the two nutrients must be not less than 18% by weight. At least 75% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain any phosphate material other than aluminium-calcium phosphate and not less than 90% of the aluminium-calcium phosphate should be able to pass through a sieve with a</p>	<p><b>EEC Other fertiliser</b></p> <p><b>EEC fertiliser</b></p> <hr/> <p>to or nitrogen greater save than that a declaration of by of weight, 10% of:- or less need not be made</p> <hr/>		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		mesh of 0.160 mm.			
			1. nitric nitrogen 2. ammonical nitrogen 3. ureic nitrogen 4. cyanamide nitrogen		
			<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Amount of phosphorus pentoxide soluble in mineral acids  Amount of phosphorus pentoxide soluble in alkaline ammonium citrate	P <sub>2</sub> O <sub>5</sub> 1.1      N 1.5 +P <sub>2</sub> O <sub>5</sub>	P <sub>2</sub> O <sub>5</sub> 0.5           1.5
	NP fertiliser (Phosphate ingredient: calcined phosphate only)	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:–	<i>Nitrogen (N)</i>  <i>EEC Other fertiliser</i>  <i>EEC fertiliser</i>  Amount of total nitrogen  Amount where of equal ureic	N 1.1  As set out in paragraph 7 of this Schedule  Amount of total nitrogen	N 0.5  N 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		<p>1. Not less than 3% nitrogen (N);</p> <p>2. Not less than 5% phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>).</p> <p>The sum of the two nutrients must be not less than 18% by weight. The product must not contain any phosphate material other than calcined phosphate. Not less than 75% of the calcined phosphate should be able to pass through a sieve with a mesh of 0.160 mm.</p>	<p><b>EEC Other fertiliser</b></p> <p><b>EEC fertiliser</b></p> <hr/> <p>to or nitrogen greater save than that a declaration of by of weight, 10% of:- or less need not be made</p> <hr/> <p>1. nitric nitrogen</p> <p>2. ammonical nitrogen</p> <p>3. ureic nitrogen</p> <p>4. cyanamide nitrogen</p>		
				<p>* As determined by the Petermann method.</p> <p>* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.</p>	

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1 N 1.5	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in alkaline ammonium citrate*	+P <sub>2</sub> O <sub>5</sub>	1.5
	NP fertiliser (Phosphate ingredient: soft ground rock phosphate only)	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin, containing by weight:— <b>1.</b> Not less than 3% nitrogen (N); <b>2.</b> Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ).  The sum of the two nutrients must be not less than 18% by weight. At least 55% of the declared phosphorus pentoxide	<i>Nitrogen (N)</i> <hr/> <b>EEC Other fertiliser</b> <hr/> <b>EEC fertiliser</b>	N 1.1	N 0.5
			Amount of total nitrogen	Amount of total nitrogen	
			Amount where equal to or greater than	Amount of ureic nitrogen save that a declaration of 10% or less need not be made	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		soluble in mineral acids must be soluble in 2% formic acid. The product must not contain anyh phosphate material other than soft ground rock phosphate. Not less than 90% of the soft ground rock phosphate should be able to pass through a sieve with a mesh of 0.063 mm.	<ol style="list-style-type: none"> <li>1. nitric nitrogen</li> <li>2. ammonical nitrogen</li> <li>3. ureic nitrogen</li> <li>4. cyanamide nitrogen</li> </ol>	<i>Phosphorus Pentoxide</i> ( $P_2O_5$ )	$P_2O_5$ 1.1 $P_2O_5$ 0.5  Amount of phosphorus pentoxide soluble in mineral acids

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			Amount of phosphorus pentoxide soluble in 2% formic acid	As set out in paragraph 7(a) of this schedule N 1.5 +P <sub>2</sub> O <sub>5</sub> 1.5	
	NP fertiliser (Phosphate ingredient basic slag only)	Product obtained chemically or by blending, without addition	<i>Nitrogen (N)</i> <hr/> <i>EEC Other fertiliser</i> <hr/> <i>EEC fertiliser</i>	N 1.1	N 0.5
	NP fertiliser (Phosphorus ingredient: Thomas phosphate only)	of organic nutrients of animal or vegetable origin, containing by weight:-	Amount of total nitrogen	Amount of total nitrogen	
	NP fertiliser (Phosphate ingredient; Thomas slag only)	1. Not less than 3% nitrogen (N); 2. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ).  The sum of the two nutrients must be not less than 18% by weight. The product must not contain any phosphate material other than basic slag, Thomas phosphate	Amount where equal to or greater than 1% by weight, of:- <hr/> Amount of ureic nitrogen save that a declaration of 10% or less need not be made		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		or Thomas slag. Not less than 75% of the basic slag, Thomas phosphate or Thomas slag should be able to pass through a sieve with a mesh of 0.160 mm.	<ol style="list-style-type: none"> <li>1. nitric nitrogen</li> <li>2. ammonical nitrogen</li> <li>3. ureic nitrogen</li> <li>4. cyanamide nitrogen</li> </ol>	<i>Phosphorus Pentoxide</i> ( $P_2O_5$ )	$P_2O_5$ 1.1 N 1.5 Amount of phosphorus pentoxide soluble in 2% citric acid + $P_2O_5$ 1.5
	NP fertiliser	Product obtained chemically or by blending, without addition of organic nutrients of animal or vegetable origin,	<i>Nitrogen (N)</i> <hr/> <i>EEC Other fertiliser</i> <hr/> <i>EEC fertiliser</i>	N 1.1 As set out in paragraph 7 of this Schedule Amount of total nitrogen	N 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		containing by weight:- 1. Not less than 3% nitrogen (N); 2. Not less than 5% potassium oxide (K <sub>2</sub> O). The sum of the two nutrients must be not less than 18% by weight.	<b>EEC Other fertiliser</b> <b>EEC fertiliser</b> Amount where of equal ureic to or nitrogen greater save than that a declaration of weight, 10% of:- or less need not be made 1. nitric nitrogen 2. ammonical nitrogen 3. ureic nitrogen 4. cyanamide nitrogen	K <sub>2</sub> O 1.1 N 1.5 +K <sub>2</sub> O 1.5 Cl 0.2	K <sub>2</sub> O 0.5
			<i>Potassium Oxide (K<sub>2</sub>O)</i> Amount of potassium oxide soluble in water <i>Optional declarations</i> Amount of chlorine		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percnetage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
4	PK fertiliser	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:–  1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )  2. Not less than 5% potassium oxide (K <sub>2</sub> O)  The sum of the two nutrients must be not less than 18% by weight. The product must not contain basic slag, Thomas phosphate, Thomas slag,	Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made  <i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Where phosphorus pentoxide soluble in water is less than 2%, amount of:–  1. Phosphorus pentoxide soluble in neutral ammonium citrate  Where phosphorus pentoxide soluble in water is equal to or greater than 2%, amount of:–  1. Phosphorus pentoxide soluble in neutral ammonium citrate and in water	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		calcined phosphate, aluminium-calcium phosphate, soft ground rock phosphate, or partially solubilised rock phosphate. The P <sub>2</sub> O <sub>5</sub> content soluble only in mineral acids must not exceed 2%.	2. Phosphorus set out in paragraph 7(a) of this Schedule As set out in paragraph 7(a) of this Schedule Amount of potassium oxide soluble in water Optional declarations Amount of chlorine Where the chlorine content is not greater than 2% the statement "low	K <sub>2</sub> O 1.1 P <sub>2</sub> O <sub>5</sub> 1.5 +K <sub>2</sub> O 1.5 Cl 0.2	K <sub>2</sub> O 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			in chlorine” may be made		
	PK fertiliser containing aluminium calcium phosphate	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:– <b>1.</b> Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) of which at least 2% must be soluble in water, and at least 5% soluble in mineral acids; <b>2.</b> Not less than 5% potassium oxide (K <sub>2</sub> O)  The sum of the two nutrients must be not less than 18% by weight. At least 75% of the declared phosphorus pentoxide soluble in	Phosphorus Pentoxide (P <sub>2</sub> O <sub>5</sub> )  Amount of phosphorus pentoxide soluble in mineral acids  Amount of phosphorus pentoxide soluble in water  Amount of phosphorus pentoxide soluble in mineral acids (after deduction of the amount of phosphorus pentoxide soluble in water)  Amount of phosphorus pentoxide soluble in alkaline ammonium citrate	P <sub>2</sub> O <sub>5</sub> 1.1  As set out in paragraph 7(a) of this Schedule	P <sub>2</sub> O <sub>5</sub> 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate, soft ground rock phosphate, or partially solubilised rock phosphate, and not less than 90% of the aluminium-calcium phosphate should be able to pass through a sieve with a mesh of 0.160 mm.	<i>Potassium Oxide</i> (K <sub>2</sub> O)	K <sub>2</sub> O 1.1	K <sub>2</sub> O 0.5
				P <sub>2</sub> O <sub>5</sub>	1.5
			Amount of potassium oxide soluble in water	+K <sub>2</sub> O	1.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		
	PK fertiliser containing soft ground rock phosphate	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:–  1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) of which at least 2% would be soluble only in mineral acids, at least 5% soluble in neutral ammonium citrate and in water and at least 2.5%	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Amount of phosphorus pentoxide soluble in mineral acids  Amount of phosphorus pentoxide soluble in water  Amount of phosphorus pentoxide soluble in neutral ammonium citrate and in water  Amount of phosphorus pentoxide	P <sub>2</sub> O <sub>5</sub> 1.1  As set out in paragraph 7(a) of this Schedule	P <sub>2</sub> O <sub>5</sub> 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		soluble in water.	soluble only in mineral acids		
		2. Not less than 5% potassium oxide (K <sub>2</sub> O)			
	PK fertiliser containing partially solubilised rock phosphate	The sum of the two nutrients must be not less than 18% by weight. Neither product must contain basic slag, Thomas phosphate, Thomas slag, calcined phosphate or aluminium-calcium phosphate. Not less than 90% of the soft ground rock phosphate should be able to pass through a sieve with a mesh of 0.063 mm, and not less than 90% of the partially solubilised rock phosphate should be able to pass through a sieve with a	<i>Potassium Oxide(K<sub>2</sub>O)</i>  Amount of potassium oxide soluble in water	K <sub>2</sub> O 1.1  P <sub>2</sub> O <sub>5</sub>  +K <sub>2</sub> O	K <sub>2</sub> O 0.5  1.5  1.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		mesh of 0.160 mm.			
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2% the statement "low in chlorine" may be made		
	PK fertiliser (Phosphate ingredient; aluminium-calcium phosphate only)	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:—	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in mineral acids	As set out in paragraph 7(a) of this Schedule	K <sub>2</sub> O 0.5
			Amount of phosphorus pentoxide soluble in alkaline ammonium citate	K <sub>2</sub> O 1.1	
				P <sub>2</sub> O <sub>5</sub>	1.5
				+K <sub>2</sub> O	1.5
		1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )		Cl 0.2	
		2. Not less than 5% potassium oxide (K <sub>2</sub> O)	<i>Potassium Oxide(K<sub>2</sub>O)</i>		
		The sum of the two nutrients must be not less	Amount of potassium oxide soluble in water		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		than 18% by weight. At least 75% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in alkaline ammonium citrate (Joule). The product must not contain any phosphate material other than aluminium-calcium phosphate and not less than 90% of the aluminium-calcium phosphate should be able to pass through a sieve with a mesh of 0.160 mm.	<i>Optional declarations</i>  Amount of chlorine  Where the chlorine content is not greater than 2% the statement "low in chlorine" may be made		
	PK fertiliser (Phosphate ingredient; calcined phosphate only)	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin,	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Amount of phosphorus pentoxide soluble in alkaline ammonium citrate*	P <sub>2</sub> O <sub>5</sub> 1.1 K <sub>2</sub> O 1.1 P <sub>2</sub> O <sub>5</sub> +K <sub>2</sub> O Cl 0.2	P <sub>2</sub> O <sub>5</sub> 0.5 K <sub>2</sub> O 0.5 1.5 1.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		containing by weight:–	<i>Potassium Oxide(K<sub>2</sub>O)</i>		
		1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )	Amount of potassium oxide soluble in water		
		2. Not less than 5% potassium oxide (K <sub>2</sub> O)	<i>Optional declarations</i> Amount of chlorine		
		The sum of the two nutrients must be not less than 18% by weight. The product must not contain any phosphate material other than calcined phosphate. Not less than 75% of the calcined phosphate should be able to pass through a sieve with a mesh or 0.160 mm.	Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		
	PK fertiliser (Phosphate ingredient: soft ground rock phosphate only)	Product obtained chemically or by blending, without addition of organic nutrient of animal or	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i> Amount of phosphorus pentoxide soluble in mineral acids	P <sub>2</sub> O <sub>5</sub> 1.1 As set out in paragraph 7(a) of this Schedule K <sub>2</sub> O 1.1	P <sub>2</sub> O <sub>5</sub> 0.5 K <sub>2</sub> O 0.5

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		vegetable origin, containing by weight:–	Amount of phosphorus pentoxide soluble in 2% formic acid	P <sub>2</sub> O <sub>5</sub>	1.5
		1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )	<i>Potassium Oxide(K<sub>2</sub>O)</i>	+K <sub>2</sub> O	1.5
		2. Not less than 5% potassium oxide (K <sub>2</sub> O)	Amount of potassium oxide soluble in water	Cl	0.2
		The sum of the two nutrients must be not less than 18% by weight. At least 55% of the declared phosphorus pentoxide soluble in mineral acids must be soluble in 2% formic acid. The product must not contain any phosphate material other than soft ground rock phosphate. Not less than 90% of the soft ground rock phosphate should be able to pass	<i>Optional declarations</i> Amount of chlorine Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		through a sieve with a mesh of 0.063 mm.			
	PK fertiliser (Phosphate ingredient: basic slag only)	Product obtained chemically or by blending, without addition of organic nutrient of animal or vegetable origin, containing by weight:–	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1 K <sub>2</sub> O 1.1	P <sub>2</sub> O <sub>5</sub> 0.5 K <sub>2</sub> O 0.5
	PK fertiliser (Phosphate ingredient: Thomas phosphate only)		Amount of phosphorus pentoxide soluble in 2% citric acid	P <sub>2</sub> O <sub>5</sub> +K <sub>2</sub> O Cl 0.2	1.5 1.5
	PK fertiliser (Phosphate ingredient: Thomas slag only)	1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )	Amount of potassium oxide soluble in water		
		2. Not less than 5% potassium oxide (K <sub>2</sub> O)	<i>Optional declarations</i> Amount of chlorine		
		The sum of the two nutrients must be not less than 18% by weight. The product must not contain any phosphate material other than basic slag, Thomas phosphate or Thomas slag. Not less than 75%	Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		of the basic slag, Thomas phosphate or Thomas slag should be able to pass through a sieve with a mesh of 0.160 mm.			
5	Compound fertiliser	Product not otherwise specified in this Section of this table, obtained by mixing or blending materials to provide either two or three of the major nutrients nitrogen (N), phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) and potassium oxide (K <sub>2</sub> O). Excluded are any materials sold or offered for sale for improving soil structure or as growing media, which contain less than 1% each of these nutrients.  At least one of the nutrients	<i>Nitrogen(N)</i>  Amount of nitrogen  Amount of ureic nitrogen save that a declaration of 10% or less need not be made  <i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Amount of total phosphorus pentoxide  Amount of phosphorus pentoxide soluble in water	N. 0.5 (for declarations below 3.5% N)  1.1 (for declarations 3.5% N and above)  As set out in paragraph 7(b) of this Schedule  P <sub>2</sub> O <sub>5</sub> (for declarations below 5.5% P <sub>2</sub> P <sub>5</sub> )  1.1 (for declarations 5.5% P <sub>2</sub> O <sub>5</sub> and above)  As set out in paragraph 7(a) of this Schedule	

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>		
(1)	(2)	(3)	(4)	(5)	(6)	
		must be derived from a material mentioned in the second column of Section A of this table.				
6	Compound fertilisers not containing any material mentioned in the second column of Section A of this table*	Products not otherwise specified in this Section of this table, including those products obtained by mixing or blending materials to provide either two or three of the major nutrients nitrogen (N), phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) and potassium oxide (K <sub>2</sub> O). Excluded are any materials sold or offered for sale for improving soil structure or as growing media, which contain less than 1% each of these nutrients. None of the nutrients must be	<i>Potassium Oxide (K<sub>2</sub>O)</i>  Amount of total potassium oxide	K <sub>2</sub> (for declarations below 5.5% K <sub>2</sub> O)  1.1 (for declarations 5.5% K <sub>2</sub> O and above)  N +P <sub>2</sub> O <sub>5</sub> 1.5 for products containing two nutrients only  N +K <sub>2</sub> O 1.5 for products containing two nutrients only  P <sub>2</sub> O <sub>5</sub> +K <sub>2</sub> O 1.5 for products containing two nutrients only  N 1.9  +P <sub>2</sub> O <sub>5</sub> 1.9  +K <sub>2</sub> O 1.9		

\* As determined by the Petermann method.

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declarations</i>	<i>Limits of variation (absolute value in percentage by weight, except where otherwise specified)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		derived from a material mentioned in the second column of Section A of this table.			
* As determined by the Petermann method.					
* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.					

*SECTION C:*  
*FLUID FERTILISERS*

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
1(a)	Nitrogen fertiliser solution	Product obtained chemically and by dissolution in water, in a form stable at atmospheric pressure, without addition of organic nutrients of animal or vegetable origin, containing by weight not less than 15% nitrogen (N). Nitrogen to be expressed as total nitrogen or, if there is only one form, nitric nitrogen	Amount of total nitrogen  Amount, where equal to or greater than 1% by weight, of:  1. nitric nitrogen  2. ammoniacal nitrogen  3. ureic nitrogen  <i>Optional declarations</i>  Where the biuret content is less than 0.2%, the statement "low	0.6	
* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.					

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		or ammoniacal nitrogen or ureic nitrogen. The maximum biuret content to be ureic N × 0.026	in biuret” may be made		
	Ammonium nitrate-urea fertiliser solution	Product obtained chemically and by dissolution in water, with ammonium nitrate and urea as essential ingredients, containing by weight not less than 26% nitrogen (N). Nitrogen expressed as total nitrogen, where the ureic nitrogen accounts for about half of the nitrogen present. The maximum biuret content to be 0.5%	Amount of total nitrogen  Amount of nitric nitrogen  Amount of ammoniacal nitrogen  Amount of ureic nitrogen  <i>Optional declarations</i>  Where the biuret content is less than 0.2% the statement “low in biuret” may be made	0.6	
	Calcium nitrate solution (may be followed by one of the following indications: — for foliar application — for making	Product obtained by dissolving calcium nitrate in water and containing not less than 8% nitrogen (N). Nitrogen expressed as nitric nitrogen with a	Amount of total nitrogen  <i>Optional declarations</i>  Amount of nitric nitrogen	0.6	

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

*Status:* This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
	nutrient solutions — for ferti-irrigation)	maximum 1% ammoniacal nitrogen.	Amount of ammoniacal nitrogen		
			Amount of calcium, where a use is stipulated (see column 1)	One quarter, up to a limit of 0.9%	
1(b)	Aqueous ammonia	Solution containing ammonia gas dissolved in water, containing not less than 15% ammoniacal nitrogen(N).	Amount of ammoniacal nitrogen	0.3	
1(c)	Straight nitrogenous fluid fertilisers named in accordance with regulation 4(3)*	Any straight nitrogenous fluid fertiliser not otherwise specified in this table.	Amount of total nitrogen	0.8	
1(d)	Nitrogenous fluid fertiliser	Product obtained by mixing or blending two or more of the fertilisers listed in Groups 1(a), 1(b) and 1(c) of Section C of this table.	Amount of total nitrogen	0.5 (for declarations up to and including 10% N) 0.8 (for declarations exceeding 10% N and up to and including 15% N) 1.1 (for declarations exceeding 15% N)	
	In addition the source materials shall be indicated in parentheses in descending order of				

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
	nutrient contribution		Amount of ureic nitrogen save that a declaration of 10% or less need not be made	As set out in paragraph 7(b) of this schedule	
1(e)	Straight Phosphatic fluid fertilisers named in accordance with regulation 4(3)*	Straight Phosphatic fluid fertiliser.	Amount of total phosphorus pentoxide	0.9	
1(f)	Phosphatic fluid fertiliser	Product obtained by mixing or blending two or more of the fertilisers at Group 1(e).	Amount of total phosphorus pentoxide	0.5 (for declarations up to and including 10% P <sub>2</sub> O <sub>5</sub> ) 0.8 (for declarations exceeding 10% P <sub>2</sub> O <sub>5</sub> and up to and including 15% P <sub>2</sub> O <sub>5</sub> ) 1.1 (for declarations exceeding 15% P <sub>2</sub> O <sub>5</sub> )	
	In addition the source materials shall be indicated in parentheses in descending order of nutrient contribution		Amount of phosphorus pentoxide soluble in 2% formic acid	0.8	
1(g)	Straight potassic fluid fertilisers	Straight potassic fluid fertiliser.	Amount of total	1.0	

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
	named in accordance with Regulation 4(3)*		potassium oxide		
1(h)	Potassic fluid fertiliser	Product obtained by mixing or blending two or more of the fertilisers at Group 1(g).	Amount of total potassium oxide	0.5 (for declarations up to and including 10% K <sub>2</sub> O)	
	In addition the source materials shall be indicated in parentheses in descending order of nutrient contribution			0.8 (for declarations up to and including 10% K <sub>2</sub> O)	
				1.1 (for declarations exceeding 15%:percnt; K <sub>2</sub> O)	
2	NPK fertiliser solution	Product obtained chemically and by dissolution in water, in a form stable at atmospheric pressure, without addition of organic nutrients of animal or vegetable origin, containing by weight: <p>1. Not less than 2% nitrogen (N)</p> <p>2. Not less than 3% phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>)</p>	<i>Nitrogen (N)</i>  <i>EEC fertiliser</i>  Amount of total nitrogen  Amount, where equal to or greater than 1% by weight, of:— <p>1. nitric nitrogen</p> <p>2. ammoniacal nitrogen</p> <p>3. ureic nitrogen</p> <p><i>Other than EEC fertiliser</i>  Amount of total nitrogen</p>	N 1.1  As set out in paragraph 7 of this Schedule  P <sub>2</sub> O <sub>5</sub> 1.1  K <sub>2</sub> O 1.1  N + P <sub>2</sub> O <sub>5</sub> + K <sub>2</sub> O 1.9  Cl 0.2	N 0.5  P <sub>2</sub> O <sub>5</sub> 0.5  K <sub>2</sub> O 0.5
* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.					

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		<p>3. Not less than 3% potassium oxide (K<sub>2</sub>O). The sum of the three nutrients must be not less than 15% by weight. Maximum biuret content: Ureic N × 0.026.</p>	<p>Amount of ureic nitrogen save that a declaration of 10% or less need not be made</p> <p><i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i></p> <p>Amount of phosphorus pentoxide soluble in water</p> <p><i>Potassium Oxide (P<sub>2</sub>O)</i></p> <p>Amount of potassium oxide soluble in water</p> <p><i>Optional declarations</i></p> <p>Where the biuret content is less than 0.2% the statement “low in biuret” may be made. Amount of chlorine. Where the chlorine content is not greater than 2% the statement “low</p>		

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			in chlorine” may be made		
	NPK fertiliser suspension	Product in fluid form, in which the nutrients are derived from substances both in suspension in water and in solution without addition of organic nutrients of animal or vegetable origin, containing by weight:	<i>Nitrogen (N)</i>	N 1.1	N 0.5
		1. not less than 3% nitrogen (N)	<i>EEC fertiliser</i>	As set out in paragraph 7 of this Schedule	P <sub>2</sub> O <sub>5</sub> 0.5 K <sub>2</sub> O 0.5
		2. not less than 4% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )	Amount of total nitrogen	P <sub>2</sub> O <sub>5</sub> 1.1	
		3. Not less than 4% potassium oxide (K <sub>2</sub> O).	Amount, where equal to or greater than 1% by weight, of:—	As set out in paragraph 7(a) of this Schedule	
		The sum of the three nutrients must not be less than 20% by weight.	1. nitric nitrogen	K <sub>2</sub> O 1.1	
		Maximum biuret content: ureic N × 0.026.	2. ammoniacal nitrogen	N 1.9 +P <sub>2</sub> O <sub>5</sub>	1.9
			3. ureic nitrogen	+K <sub>2</sub> O	1.9
			<i>Other than EEC fertiliser</i>	Cl 0.2	
			Amount of total nitrogen		
			Amount of ureic nitrogen save that a declaration of 10% or less need not be made		
			<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>		
			Where phosphorus pentoxide		

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		The fertiliser must not contain Thomas slag, aluminium calcium phosphate, calcined phosphates, partially solubilised phosphates, or natural phosphates	soluble in water is less than 2%, amount of:—  1. Phosphorus pentoxide soluble in neutral ammonium citrate  Where phosphorus pentoxide soluble in water is equal to or greater than 2%, amount of:—  1. Phosphorus pentoxide soluble in neutral ammonium citrate and in water  2. Phosphorus pentoxide soluble in water  <i>Potassium Oxide (K<sub>2</sub>O)</i>  Amount of potassium oxide soluble in water  <i>Optional declarations</i>  Where the biuret content is less than		

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			0.2% the statement “low in biuret” may be made		
			Amount of chlorine. Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		
	NP fertiliser solution	Product obtained chemically and by dissolution in water, in a form stable at atmospheric pressure, without addition of organic nutrients of animal or vegetable origin, containing by weight:	<i>Nitrogen (N)</i>	N 1.1	N 0.5
		1. not less than 3% nitrogen(N)	<i>EEC fertiliser</i>	As set out in paragraph 7 of this Schedule	P <sub>2</sub> O <sub>5</sub> 0.5
		2. not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ).	Amount of total nitrogen	P <sub>2</sub> O <sub>5</sub> 1.1	
		3. ureic nitrogen	Amount, where equal to or greater than 1% by weight, of:—	N 1.5	
		1. nitric nitrogen		+P <sub>2</sub> O <sub>5</sub>	1.5
		2. ammoniacal nitrogen			
		Other than <i>EEC fertiliser</i>			
		The sum of the two nutrients must	Amount of ureic nitrogen save that a		

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		not be less than 18% by weight. The maximum biuret content is ureic N × 0.026.	declaration of 10% or less need not be made  <i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Amount of phosphorus pentoxide soluble in water  <i>Optional declaration</i>  Where the biuret content is less than 0.2% the statement “low in biuret” may be made		
	NP fertiliser suspension	Product in fluid form, in which the nutrients are derived from substances both in solution and in suspension in water, without addition of organic nutrients of animal or vegetable origin, containing by weight:	<i>Nitrogen (N)</i>  <i>EEC fertiliser</i>  Amount of total nitrogen  Amount, where equal to or greater than 1% by weight, of:—  1. nitric nitrogen  2. ammoniacal nitrogen	N 1.1	N 0.5
				As set out in paragraph 7 of this Schedule	As set out in paragraph 7 of this Schedule

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		<p>1. Not less than 3% nitrogen (N)</p> <p>2. Not less than 5% phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>).</p> <p>The sum of the two nutrients must not be less than 18% by weight.</p>	<p>3. ureic nitrogen</p> <p><i>Other than EEC fertiliser</i></p> <p>Amount of total nitrogen</p> <p>Amount of ureic nitrogen save that a declaration of 10% or less need not be made</p> <p><i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i></p> <p>Where phosphorus pentoxide soluble in water is less than 2%, amount of:–</p> <p>1. Phosphorus pentoxide soluble in neutral ammonium citrate</p> <p>Where phosphorus pentoxide soluble in water is equal to or greater than 2%, amount of:</p>		
		<p>The maximum biuret content is ureic N × 0.026.</p> <p>The fertiliser may not</p>	<p>Where phosphorus pentoxide soluble in water is equal to or greater than 2%, amount of:</p> <p>1. Phosphorus pentoxide</p>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		contain Thomas slag, aluminium calcium phosphate, calcined phosphates, partially solubilised phosphate or natural phosphates.	(P <sub>2</sub> O <sub>5</sub> ) soluble in neutral ammonium citrate and in water  <b>2. Phosphorus pentoxide</b> soluble in water  <i>Optional Declaration</i>  Where the biuret content is less than 0.2% the statement “low in biuret” may be made	N  +P <sub>2</sub> O <sub>5</sub>	1.5  1.5
	NK fertiliser solution	Product obtained chemically and by dissolution in water, in a form stable at atmospheric pressure, without addition of organic products of animal or vegetable origin, containing by weight:  <b>1. Not less than 3% nitrogen (N)</b>  <b>2. Not less than 5%</b>	<i>Nitrogen (N)</i>  <i>EEC fertiliser</i>  Amount of total nitrogen  Amount, where equal to or greater than 1% by weight, of:— <b>1. nitric nitrogen</b> <b>2. ammoniacal nitrogen</b> <b>3. ureic nitrogen</b>	N 1.1  As set out in paragraph 7 of this Schedule  K <sub>2</sub> O 1.1  N 1.5  +K <sub>2</sub> O 1.5	N 0.5  K <sub>2</sub> O 0.5
* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.					

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		potassium oxide (K <sub>2</sub> O)	<i>Other than EEC fertiliser</i>		
		The sum of the two nutrients must not be less than 15%	Amount of total nitrogen		
		The maximum biuret content shall be ureic N × 0.026.	Amount of ureic nitrogen save that a declaration of 10% or less need not be made		
			<i>Potassium Oxide (K<sub>2</sub>O)</i>		
			Amount of potassium oxide soluble in water		
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2%, the statement “low in chlorine” may be made		
			Where the biuret content is less than 0.2%, the statement “low in biuret” may be made		
	NK fertiliser suspension	Product in fluid form,	<i>Nitrogen (N)</i>	N 1.1	N 0.5

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		in which the nutrients are derived from substances both in solution and in suspension in the water, without addition of organic nutrients of animal or vegetable origin, containing by weight:	<i>EEC fertiliser</i> Amount of total nitrogen  Amount, where equal to or greater than 1% by weight, of:— <b>1.</b> nitric nitrogen <b>2.</b> ammoniacal nitrogen <b>3.</b> ureic nitrogen	As set out in paragraph 7 of this Schedule	
		<b>1.</b> Not less than 3% nitrogen (N)	<i>Other than EEC fertiliser</i>		
		<b>2.</b> Not less than 5% potassium oxide (K <sub>2</sub> O).	Amount of total nitrogen		
		The sum of the two nutrients must not be less than 18% by weight.	Amount of ureic nitrogen save that a declaration of 10% or less need not be made		
		The maximum biuret content shall be urieic N × 0.026.			
			<i>Potassium Oxide (K<sub>2</sub>O)</i>	K <sub>2</sub> O 1.1	K <sub>2</sub> O 0.5
				N 1.5	
			Amount of potassium oxide soluble in water	+K <sub>2</sub> O	1.5

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
			<i>Optional declarations</i>	Cl 0.2	
			Amount of chlorine		
			Where the chlorine content is not greater than 2%, the statement "low in chlorine" may be made		
			Where the biuret content is less than 0.2%, the statement "low in biuret" may be made		
	PK fertiliser solution	Product obtained chemically and by dissolution in water, without addition of organic nutrients of animal or vegetable origin, containing by weight:	<i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>	P <sub>2</sub> O <sub>5</sub> 1.1	P <sub>2</sub> O <sub>5</sub> 0.5
			Amount of phosphorus pentoxide soluble in water	K <sub>2</sub> O 1.1	K <sub>2</sub> O 0.5
				P <sub>2</sub> O <sub>5</sub>	1.5
				+K <sub>2</sub> O	1.5
			<i>Potassium oxide (K<sub>2</sub>O)</i>	Cl 0.2	
			Amount of potassium oxide soluble in water		
		1. Not less than 5% phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> )	<i>Optional declarations</i>		
		2. Not less than 5% potassium oxide (K <sub>2</sub> O)	Amount of chlorine		

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		The sum of the two nutrients must not be less than 18% by weight.	Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		
	PK fertiliser suspension	Product in fluid form, in which the nutrients are derived from substances both in solution and in suspension in water, without addition of organic nutrients of animal or vegetable origin containing by weight: <ol style="list-style-type: none"> <li>1. Not less than 5% phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>)</li> <li>2. Not less than 5% potassium oxide (K<sub>2</sub>O)</li> </ol> The sum of the two nutrients must not be less than 18% by weight. The fertilisers must not contain	<p><i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i></p> <p>Where phosphorus pentoxide soluble in water is less than 2%, amount of:</p> <ol style="list-style-type: none"> <li>1. Phosphorus pentoxide soluble in neutral ammonium citrate</li> </ol> <p>Where phosphorus pentoxide soluble in water is equal to or greater than 2%, amount of:</p> <ol style="list-style-type: none"> <li>1. Phosphorus pentoxide soluble in neutral ammonium citrate and in water</li> <li>2. Phosphorus pentoxide soluble in water</li> </ol>	As set out in paragraph 7 of this Schedule	P <sub>2</sub> O <sub>5</sub> 0.5 K <sub>2</sub> O 0.5  P <sub>2</sub> O <sub>5</sub> 1.1 K <sub>2</sub> O 1.1 P <sub>2</sub> O <sub>5</sub> 1.5 +K <sub>2</sub> O 1.5 Cl 0.2

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		Thomas slag, aluminium calcium phosphate, calcined phosphates, partially solubilised phosphates or natural phosphates.	<i>Potassium Oxide (K<sub>2</sub>O)</i>  Amount of water-soluble potassium oxide  <i>Optional declarations</i>  Amount of chlorine  Where the chlorine content is not greater than 2% the statement “low in chlorine” may be made		
3	Compound fluid fertiliser	Products not otherwise specified in this Section of this table, obtained by mixing or blending materials to provide either two or three of the major nutrients nitrogen (N), phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) and potassium oxide (K <sub>2</sub> O). Excluded are any materials sold or offered for sale for	<i>Nitrogen (N)</i>  Amount of total nitrogen  Amount of ureic nitrogen save that a declaration of 10% or less need not be made  <i>Phosphorus Pentoxide (P<sub>2</sub>O<sub>5</sub>)</i>  Amount of total phosphorus pentoxide	N 0.5 (for declarations below 3.5% N)  N 1.1 (for declarations 3.5% N and above)  As set out in paragraph 7(b) of this Schedule  P <sub>2</sub> O <sub>5</sub> 0.5 (for declarations below 5.5% P <sub>2</sub> O <sub>5</sub> )  P <sub>2</sub> O <sub>5</sub> 1.1 (for declarations 5.5% P <sub>2</sub> O <sub>5</sub> and above)  As set out in paragraph 7(a) of this Schedule	

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		improving soil structure or as growing media, which contain less than 1% of each of these nutrients. At least one of these nutrients must be derived from a material in the second column of Group 1 of Section C of this table.	Amount of phosphorus pentoxide soluble in water		
4	Compound fluid fertiliser not containing any material mentioned in the second column of Group 1 of Section C of this table*	Products not otherwise specified in this Section of this table, including those products obtained by mixing or blending materials to provide either two or three of the major nutrients nitrogen (N), phosphorus pentoxide (P <sub>2</sub> O <sub>5</sub> ) and potassium oxide (K <sub>2</sub> O). Excluded are any materials sold or offered for sale for improving soil structure or as growing	<i>Potassium Oxide (K<sub>2</sub>O)</i>  Amount of total potassium oxide	K <sub>2</sub> O  K <sub>2</sub> O  N + P <sub>2</sub> O <sub>5</sub>  N + K <sub>2</sub> O  P <sub>2</sub> O <sub>5</sub> +K <sub>2</sub> O	0.5 (for declarations below 5.5% K <sub>2</sub> O)  1.1 (for declarations 5.5% K <sub>2</sub> O and above)  1.5 for products containing two nutrients only  1.5 for products containing two nutrients only  1.5 for products containing two nutrients only

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except where stated)</i>	
(1)	(2)	(3)	(4)	(5)	(6)
		media, which contain less than 1% of these nutrients.			
		None of the nutrients may be derived from a material mentioned in the second column of Group 1 of this Section of this table.		N	1.9
				+P <sub>2</sub> O <sub>5</sub>	1.9
				+k <sub>2</sub> O	1.9

\* This is only an indication of how the material should be named and accordingly this form of words should not be used in the statutory statement.

#### SECTION D

#### FERTILISERS CONTAINING BORON, COBALT, COPPER, IRON, MANGANESE, MOLYBDENUM OR ZINC AS TRACE ELEMENTS

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
(1)	(2)	(3)	(4)	(5)
1 BORON	Boric acid	Product obtained by the action of an acid on a borate and containing not less than 14% boron soluble in water.	Amount of boron soluble in water	0.4
	In addition usual trading name may be given			
	Sodium borate	Product obtained chemically and having as its essential ingredient a sodium borate and containing not less than 10%	Amount of boron soluble in water	0.4
	In addition usual trading name may be given			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
(1)	(2)	(3)	(4)	(5)
		boron soluble in water.		
	Calcium borate In addition usual trading name may be given	Product obtained partly from colemanite or pandermite having as its essential ingredient calcium borate of which at least 98% will pass through a 0.063 mm sieve. Containing not less than 7% boron.	Amount of total boron	0.4
	Boron ethanol amine	Product obtained from the reaction of boric acid with an ethanol amine and containing not less than 8% boron soluble in water.	Amount of boron soluble in water	0.4
	Borated fertiliser in solution or suspension	Product obtained by dissolution or suspension in water of one or more of the following: boric acid, sodium borate, boron ethanol amine and containing not less than 2% boron soluble in water.	Amount of boron soluble in water	0.4
COBALT	Cobalt salt The designation must include the name of the	Product obtain chemically and having as its essential ingredient a mineral salt	Amount of cobalt soluble in water	0.4

*Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.*

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
(1)	(2)	(3)	(4)	(5)
	combined mineral anion	of cobalt and containing not less than 19% cobalt soluble in water.		
	Cobalt chelate	Product obtained by combining cobalt chemically with a chelating agent and containing not less than 2% cobalt soluble in water of which at least 80% has been chelated.	Amount of cobalt soluble in water	0.4
	In addition the nature of the chelating agent should be included		Amount of chelated cobalt	0.25
	Solution of cobalt fertiliser	Product obtained by dissolving cobalt salt and/or cobalt chelate in water and containing not less than 2% cobalt soluble in water.	Amount of cobalt soluble in water	0.4
	In addition the designation must include the name of the mineral anion and/or the nature of the chelating agent		Amount of chelated cobalt	0.4
COPPER	Copper salt	Product obtained chemically and having as its essential ingredient a mineral salt of copper and containing not less than 20% copper soluble in water.	Amount of copper soluble in water	0.4
	In addition the designation must include the name of the combined anion			
	Copper oxide	Product obtained chemically and having as its essential ingredient copper oxide of which 98% will pass	Amount of total copper	0.4

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
(1)	(2)	(3)	(4)	(5)
		through a 0.063 mm sieve and containing not less than 70% total copper.		
	Copper hydroxide	Product obtained chemically and having as its essential ingredient copper hydroxide of which 98% will pass through a 0.063 mm sieve and containing not less than 45% total copper.	Amount of total copper	0.4
	Copper chelate	Product obtained by combining copper chemically with a chelating agent and containing not less than 9% copper soluble in water of which at least 80% has been chelated.	Amount of copper soluble in water	0.4
	In addition the nature of the chelating agent should be included		Amount of chelated copper	0.4
	Copper-based fertiliser	Product obtained by mixing copper salt, copper oxide, copper hydroxide or copper chelate of which at least 98% will pass through a 0.063 mm sieve and containing not less than 5% total copper.	Amount of total copper	0.4
	In addition the nature of the chelating agent should be included		Amount of copper, soluble in water if this accounts for at least one-quarter of the total copper	
	Copper fertiliser solution	Product obtained by dissolving copper salt and/or copper chelate	Amount of copper soluble in water	0.4
				0.4

*Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.*

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
(1)	(2)	(3)	(4)	(5)
	In addition the nature of the chelating agent should be included	and containing not less than 3% copper soluble in water.	Amount of chelated copper	
IRON	Iron salt	Product obtained chemically and having as its essential ingredient a ferrous salt (Fe II) and containing not less than 12% iron soluble in water.	Amount of iron soluble in water	0.4
	In addition the designation must include the name of the combined anion			
	Iron chelate	Product obtained by combining iron chemically with a chelating agent and containing not less than 5% iron soluble in water of which at least 80% has been chelated.	Amount of iron soluble in water	0.4
	In addition the nature of the chelating agent should be included		Amount of chelated iron	0.4
	Iron fertiliser solution	Product obtained by dissolving iron salt and/or iron chelate in water and containing not less than 2% iron soluble in water.	Amount of iron soluble in water	0.4
	In addition the nature of the chelating agent should be included		Amount of chelated iron	0.4
MANGANESE	Manganese salt	Product obtained chemically and having as its essential ingredient a mineral salt of manganese (II) and containing not less than	Amount of manganese soluble in wter	0.4
	In addition the designation must include the name of the combined anion			



**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
(1)	(2)	(3)	(4)	(5)
		17% manganese soluble in water.		
	Manganese chelate	Product obtained by combining manganese	Amount of manganese soluble in water	0.4
	In addition the nature of the chelating agent should be included	chemically with a chelating agent and containing not less than 5% manganese soluble in water of which at least 80% has been chelated.	Amount of chelated manganese	0.4
	Manganese oxide	Product obtained chemically and having as its essential ingredients manganese oxides of which at least 80% will pass through a 0.063 mm sieve and containing not less than 40% total manganese.	Amount of total manganese	0.4
	Manganese-based fertiliser	Product obtained by mixing manganese salt and manganese oxide and containing not less than 17% total manganese.	Amount of total manganese	0.4
	Fertiliser in manganese based solution	Product obtained by dissolving manganese salt and/or manganese	Amount of manganese soluble in water	0.4
	In addition the nature of the chelating	chelate in water and containing not less than	Amount of chelated manganese	0.4

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
(1)	(2)	(3)	(4)	(5)
	agent should be included	3% manganese soluble in water.		
MOLYBDENUM	Sodium molybdate	Product obtained chemically and having as its essential ingredient sodium molybdate and containing not less than 35% molybdenum soluble in water.	Amount of molybdenum soluble in water	0.4
	Ammonium molybdate	Product obtained chemically and having as its essential ingredient ammonium molybdate and containing not less than 50% molybdenum soluble in water.	Amount of molybdenum soluble in water	0.4
	Molybdenum-based fertiliser	Product obtained by mixing sodium molybdate and ammonium molybdate and containing not less than 35% molybdenum soluble in water.	Amount of molybdenum soluble in water	0.4
	Molybdenum fertiliser in solution	Product obtained by dissolving sodium molybdate and or ammonium molybdate in water and 5% molybdenum soluble in water.	Amount of molybdenum soluble in water	0.4
ZINC	Zinc salt	Product obtained chemically	Amount of zinc soluble in water	0.4

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
(1)	(2)	(3)	(4)	(5)
	In addition th designation must include the name of the combined anion	and having as its essential ingredient a mineral salt of zinc and containing not less than 15% zinc soluble in water.		
	Zinc chelate	Product obtained by combining zinc chemically with a chelating agent and containing not less than 5% zinc soluble in water.	Amount of zinc soluble in water	0.4
	In addition the nature of the chelating agent should be included		Amount of chelated zinc	0.4
	Zinc oxide	Product obtained chemically and having as its essential ingredient zinc oxide and containing not less than 70% total zinc.	Amount of total zinc	0.4
	Zinc based fertiliser	Product derived from zinc salt and zinc chelate containing not less than 30% total zinc.	Amount of total zinc	0.4
			Amount of zinc soluble in water if this accounts for at least one-quarter of the total zinc	
	Zinc based solution	Product obtained by dissolving zinc salt and/or zinc chelae in water.	Amount of zinc soluble in water	0.4
	In addition the nature of the chelating agent should be included	Contains not less than 3% zinc soluble in water.	Amount of chelated zinc	0.4

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>																					
(1)	(2)	(3)	(4)	(5)																					
2	Mixture of trace elements	Product of two or more of the products listed in (1) above. Contains not less than 5% of trace elements when a solid and 2% when a liquid. Contains not less than this following for each trace element declared:	Amount of total trace element  Amount of trace element soluble in water, where this accounts for at least one half of the total content  Amount of chelated trace element	0.4																					
		<p style="text-align: center;"><del>exclusively</del> <del>mineral</del> <del>complexed</del> <del>percentage</del> <del>weight</del> <del>of</del> <del>fertiliser</del></p> <table border="1"> <tr> <td>Boron</td> <td>0.2</td> <td>0.2</td> </tr> <tr> <td>Cobalt</td> <td>0.02</td> <td>0.02</td> </tr> <tr> <td>Copper</td> <td>0.5</td> <td>0.1</td> </tr> <tr> <td>Iron</td> <td>2.0</td> <td>0.3</td> </tr> <tr> <td>Manganese</td> <td>0.5</td> <td>0.1</td> </tr> <tr> <td>Molybdenum</td> <td>0.02</td> <td>0.02</td> </tr> <tr> <td>Zinc</td> <td>0.5</td> <td>0.1</td> </tr> </table>	Boron	0.2	0.2	Cobalt	0.02	0.02	Copper	0.5	0.1	Iron	2.0	0.3	Manganese	0.5	0.1	Molybdenum	0.02	0.02	Zinc	0.5	0.1		
Boron	0.2	0.2																							
Cobalt	0.02	0.02																							
Copper	0.5	0.1																							
Iron	2.0	0.3																							
Manganese	0.5	0.1																							
Molybdenum	0.02	0.02																							
Zinc	0.5	0.1																							

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

*SECTION E*  
*FERTILISERS CONTAINING MAINLY CALCIUM,  
MAGNESIUM OR SULPHUR AS NUTRIENTS*

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
(1)	(2)	(3)	(4)	(5)
	Calcium sulphate	Product of natural or industrial origin containing as its essential ingredient calcium sulphate at various degrees of hydration, containing by weight:	Amount of total sulphur trioxide	0.9
	In addition usual trading names may be given	<p>1. Not less than 25% calcium oxide</p> <p>2. Not less than 35% sulphur trioxide</p> <p>Calcium and sulphur are expressed as total calcium oxide and sulphur trioxide</p> <p>Not less than 80% of the calcium sulphate should be able to pass through a 2 mm sieve.</p> <p>Not less than 99% of the calcium sulphate should be able to pass through a 10 mm sieve.</p>	<p><i>Optional declaration</i></p> <p>Amount of calcium oxide</p>	0.9
	Calcium chloride solution	Calcium chloride solution of industrial origin, containing not	Amount of calcium oxide	0.9

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
(1)	(2)	(3)	(4)	(5)
		less than 12% calcium oxide.	<i>Optional declaration</i>	
		Calcium is expressed as calcium oxide soluble in water.	for plant spraying	
	Elemental sulphur	Comparatively refined natural or industrial product containing not less than 98% sulphur (245% sulphur trioxide).	Amount of total sulphur trioxide	0.9
		Sulphur is expressed as total sulphur trioxide.		
	Kieserite	Product of mineral origin containing monohydrated magnesium sulphate as its main component containing by weight:	Amount of magnesium oxide soluble in water	0.9
	In addition usual trading names may be given	<ol style="list-style-type: none"> <li>1. Not less than 24% magnesium oxide</li> <li>2. Not less than 45% sulphur trioxide.</li> </ol>	<i>Optional declaration</i>	0.9
		Magnesium and sulphur expressed as magnesium oxide soluble in water and sulphur trioxide soluble in water.	Amount of sulphur-trioxide soluble in water	
	Magnesium sulphate	Product containing heptahydrated	Amount of magnesium oxide soluble in water	0.9

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group</i>	<i>Name of Material</i>	<i>Meaning</i>	<i>Declaration</i>	<i>Limits of variation (absolute value in % by weight, except when stated)</i>
(1)	(2)	(3)	(4)	(5)
	In addition usual trading names may be given	magnesium sulphate as its main component and containing by weight: <ol style="list-style-type: none"> <li>1. Not less than 15% magnesium oxide</li> <li>2. Not less than 28% sulphur trioxide.</li> </ol> Magnesium and sulphur are expressed as magnesium oxide soluble in water and sulphur trioxide.	<i>Optional declaration</i> Amount of sulphur trioxide soluble in water	
	Magnesium chloride solution	Product obtained by dissolving magnesium chloride of industrial origin and containing by weight: <ol style="list-style-type: none"> <li>1. Not less than 13% magnesium oxide</li> <li>2. Not less than 3% calcium oxide.</li> </ol>	Amount of magnesium oxide	0.9

## SCHEDULE 2

Regulations 2, 5 and 8

MANNER OF MARKING AND LABELLING MATERIALS  
AND FASTENING OF PACKAGED MATERIAL

## PART I

## PROVISIONS AS TO THE MANNER OF MARKING MATERIAL

1. The following markings shall be shown on the package, label or on the accompanying documents:—

- (a) in the case of material sold or offered for sale designated as an EEC fertiliser, the words “EEC FERTILISER” in capital letters;
- (b) the name of the material in accordance with regulation 4, modified as follows where necessary to indicate the presence of secondary nutrients and/or trace elements. Where the presence of one or more secondary nutrients is declared, the following shall be added “containing ... ..” followed by the name or names of the secondary nutrients or their chemical symbols in the order magnesium, sodium, sulphur. Where the presence of one or more trace elements is declared, one of the following shall be added:—  
either
  - (i) “with trace elements”,
 or
  - (ii) “with ... .. followed by the name or names of the trace element(s) or their chemical symbol(s). Where several trace elements are present they shall be listed in the alphabetical order of their chemical symbols: B Co Cu Fe Mn Mo Zn;”
- (c) in the case of materials specified in Groups 1(a), 2(a) and 3(a) of Section A and in Sections B and C of the table in Schedule 1, the numbers indicating the nutrient content. For materials specified in Groups 1 to 4 of the said Section B and Group 2 of Section C the numbers shall be set out in the same order as the names in the second column of the table. In the case of materials in Groups 5 and 6 of Section B and Groups 3 and 4 of Section C these shall relate to and be in the order N, P<sub>2</sub>O<sub>5</sub>, K<sub>2</sub>O; and, where appropriate, shall include a zero where no nutrient is present; where the presence of one or more secondary nutrients is declared, the figures indicating their contents may be added in parentheses after the numbers for N, P<sub>2</sub>O<sub>5</sub> and K<sub>2</sub>O;
- (d) save as provided in sub-paragraph (g) of this paragraph, the declared content in respect of each nutrient, and the declared content expressed as forms of nitrogen and solubilities of phosphorus pentoxide where these are specified in the fourth column of the table in Schedule 1. The declared content shall be expressed in the manner described in paragraphs 6, 7 and 8 of this Schedule and, in the case of materials specified in Section B and in groups 2 or 3 of Section C, of the table in Schedule 1, shall be expressed in the order N, P<sub>2</sub>O<sub>5</sub> (P) and K<sub>2</sub>O (K), as appropriate;
- (e) the declared content of magnesium, sodium or sulphur or any mixture of these secondary nutrients, where they are present in accordance with the minimum levels laid down in table 1(b) of this Schedule. The declared content shall be expressed in the manner described in paragraphs 6, 7 and 8 of this Schedule;
- (f) the declared content of any trace element, or mixture of trace elements added to the fertiliser as an ingredient in the course of manufacture or preparation for sale, where they are present in accordance with the minimum levels laid down in table 1(a) of this Schedule. The presence of trace elements which occur naturally in the fertiliser may also be declared



if they meet the minimum levels set out in table 1(a) of this Schedule. The declared content shall be expressed in alphabetical order of the chemical name and in the manner described in paragraphs 6, 7 and 8 of this Schedule;

- (g) in the case of materials specified in Group 5 of Section A of the table in Schedule 1, the declared neutralising value expressed as calcium oxide (CaO);
- (h) where so indicated in the fourth column of the table in Schedule 1, the declared amount of material passing through the specified sieve expressed as a percentage by weight;
- (i) except in the case of materials sold or offered for sale designated as EEC fertilisers, the name of any pesticide or herbicide;
- (j) the name or trade name or trade mark and the address of the person established within the European Economic Community responsible for marketing the material;
- (k) guaranteed weight for solid fertilisers and guaranteed volume for fluid fertilisers. Quantities of fluid fertiliser, sold or offered for sale as an EEC fertiliser, shall also be expressed by mass;
- (l) in the case of fluid fertilisers, directions shall be given as to storage temperature and any special requirements as regards handling or treatment for the avoidance of accidents during storage or use;
- (m) in the case of products specified in Section D of the table to Schedule 1 the following instruction—  
“To be used only where there is recognised need. Do not exceed the appropriate application rates.”.

2. The following particulars may be shown on the package, label or on the accompanying documents:—

- (a) any optional declaration specified in the fourth column of the table in Schedule 1;
- (b) the manufacturer’s own mark, the trade mark of the product and the trade description of the product;
- (c) specified directions for the storage, handling and use of the material.

3. If an indication of the nutrient content, including secondary nutrients, is given in whole numbers as part of the trade description of the product without the words or appropriate chemical symbols to describe the nutrient content, the figures shall relate to and be in the order N, P<sub>2</sub>O<sub>5</sub>, K<sub>2</sub>O, MgO, Na<sub>2</sub>O, SO<sub>3</sub> and for N, P<sub>2</sub>O<sub>5</sub> and K<sub>2</sub>O may include a zero where no nutrient is present.

4. When the markings referred to in paragraphs 2(b) and (c) are shown, they shall be clearly separated from and shall not conflict with those referred to in paragraphs 1 and 2(a). All the markings prescribed in paragraphs 1 and 2 shall be clearly separated from any other information on the packages, labels and accompanying documents.

5. Each of the markings referred to in paragraphs 1 and 2 shall be shown:—

- (a) clearly and legibly;
- (b) in English;
- (c) in a conspicuous position; and
- (d) indelibly in writing, printing or stencilling.

6. The content declared in accordance with paragraph 1(d), 1(e) and 1(f) shall be indicated both in words and by the appropriate chemical symbol as follows:

- (a) Nitrogen (N)
- (b) Phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>)

*Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.*

- (c) Potassium oxide (K<sub>2</sub>O)
- (d) Magnesium oxide (MgO)
- (e) Calcium oxide (CaO)
- (f) Sodium oxide (Na<sub>2</sub>O)
- (g) Sulphur trioxide (SO<sub>3</sub>)
- (h) Chlorine (Cl)
- (i) Boron (B)
- (j) Cobalt (Co)
- (k) Copper (Cu)
- (l) Iron (Fe)
- (m) Manganese (Mn)
- (n) Molybdenum (Mo)
- (o) Zinc (Zn)

with an organic molecule named in table 2, the name of that element followed by “chelated by ” followed by the name of the chelating agent or its abbreviation as set out in table 2 to this Schedule.

7. The content expressed in terms of the elemental forms Phosphorus (P), Potassium (K), Magnesium (Mg), Calcium (Ca), Sodium (Na) and Sulphur (S) shall be shown in parentheses alongside the oxide declarations referred to in paragraph 6. The following factors shall be used to convert the oxide numerical values to the elemental form:—

- (a) Phosphorus pentoxide (P<sub>2</sub>O<sub>5</sub>) × 0.436 = Phosphorus (P);
- (b) Potassium oxide (K<sub>2</sub>O) × 0.83 = Potassium (K);
- (c) Magnesium oxide (MgO) × 0.6 = Magnesium (Mg);
- (d) Calcium oxide (CaO) × 0.715 = Calcium (Ca);
- (e) Sodium oxide (Na<sub>2</sub>O) × 0.742 = Sodium (Na);
- (f) Sulphur trioxide (SO<sub>3</sub>) × 0.400 = Sulphur (S).

8. For basic slag, Thomas phosphates, Thomas slag, basic slag medium concentrations and granular basic slag the declared contents and solubilities of phosphorus pentoxide may be expressed as a range of 2% by weight. The forms of nitrogen and solubilities of phosphorus pentoxide shall also be expressed as percentages by weight of the material. Otherwise, and subject to paragraph 9 below, the declared contents referred to in paragraphs 6 and 7 shall be expressed as a percentage of the weight of the material and shall be given as whole numbers or, where necessary, to one decimal place.

For fertilisers in Sections A, B and C of the table in Schedule 1 for which a declaration of secondary nutrients or trace elements is made, the total amount expressed as a percentage by weight of the fertiliser shall be given. In addition the water soluble content shall also be expressed as a percentage by weight of the material where the soluble content is at least a quarter of the total content for secondary nutrients or a half of the total content for trace elements. Where the secondary nutrient or trace element is totally water soluble only the water soluble content shall be declared. Where all or part of the trace element is chemically linked with an organic molecule the chelated content of the trace element present in the material shall be declared immediately following the water soluble content, followed by the terms ‘chelated by’ with the name of the organic molecule, as set out in table 2 to this Schedule, or its abbreviated form.

9. In the case of fluid fertilisers, additional information on the fertilising components may be expressed in equivalent terms of weight versus volume (kilograms per hectolitre or grams per litre).

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

In the case of fluid fertilisers which are for foliage spraying, the soluble calcium content may be declared if it is not less than 8% calcium oxide (5.7% calcium).

**TABLE 1****(a). MINIMUM TRACE ELEMENT CONTENT (PERCENTAGE WEIGHT OF FERTILISER)**

	<i>1. Applied to the soil</i>		<i>2. Leaf Spray</i>
	<i>a) Crops or grassland</i>	<i>b) Horticultural use</i>	
Boron (B)	0.01	0.01	0.01
Cobalt (Co)	0.002	–	0.002
Copper (Cu)	0.01	0.002	0.002
Iron (Fe)	0.5	0.02	0.02
Manganese (Mn)	0.1	0.01	0.01
Molybdenum (Mo)	0.001	0.001	0.001
Zinc (Zn)	0.01	0.002	0.002

**(b) MINIMUM SECONDARY NUTRIENT CONTENT (PERCENTAGE WEIGHT OF FERTILISER)**

2% magnesium oxide (MgO) ie 1.2% Mg.

3% sodium oxide (Na<sub>2</sub>O) ie 2.2% Na.

5% sulphur trioxide (SO<sub>3</sub>) ie 2% S.

**TABLE 2****CHELATING AGENTS FOR TRACE ELEMENTS**

<i>Name</i>	<i>Abbreviation</i>	<i>Chemical Symbols</i>
Sodium potassium or ammonium salts or acid salts of:		
ethylene diamine tetraacetic acid:	EDTA	C <sub>10</sub> H <sub>16</sub> O <sub>8</sub> N <sub>2</sub>
diethylene triamine pentaacetic acid:	DPTA	C <sub>14</sub> H <sub>23</sub> O <sub>10</sub> N <sub>3</sub>
ethylene diamine — di (O-hydroxyphenyl acetic) acid:	EDDHA	C <sub>18</sub> H <sub>20</sub> O <sub>6</sub> N <sub>2</sub>
hydroxy-2 ethylene diamine triacetic acid:	HEEDTA	C <sub>10</sub> H <sub>18</sub> O <sub>7</sub> N <sub>2</sub>
ethyldiamine-di (O-hydroxy P-methyl phenyl) acetic acid	EDDHMA	C <sub>20</sub> H <sub>24</sub> N <sub>2</sub> O <sub>6</sub>

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Name</i>	<i>Abbreviation</i>	<i>Chemical Symbols</i>
ethylene diamine di (5-carboxy -2hydroxyphenyl) acetic acid	EDDCHA	C <sub>20</sub> H <sub>20</sub> O <sub>10</sub> N <sub>2</sub>

## PART II

### REQUIREMENTS AS TO THE MANNER OF LABELLING MATERIAL AND FASTENING OF PACKAGED MATERIAL

1. The prescribed markings specified in paragraphs 1 and 2 of Part I of this Schedule shall be associated with the said material in one of the following ways:—
  - (a) in the case of fertilisers where the material is loose in heaps or bays, in such a manner that the markings are readily apparent and unequivocally associated with the material;
  - (b) in the case of fertilisers in containers, on the containers, or on labels held in place by whatever system is used for closing the container;
  - (c) in the case of fertilisers in any container holding more than 100 kg, the markings may be shown on documents accompanying the materials which, when so shown, shall be kept readily available for inspection.
2. Except in the case of material sold or offered for sale designated as an EEC fertiliser, the label of a parcel to which paragraph (b) of subsection (2) of Section 68 relates shall bear the particulars which would, apart from that paragraph, be required to be contained in a statutory statement on the sale of that material.
3. Each container shall be closed in such a way or by such a system that, when it is opened, the fastening, the fastening seal or container itself is irreparably damaged. When such a system consists of a lead or other type of seal, the seal shall bear the name or mark of the person responsible referred to in paragraph 1(j) of Part I of this Schedule.

### EXPLANATORY NOTE

*(This note is not part of the Regulations)*

1. These Regulations, which apply throughout Great Britain, re-enact with amendments the Fertilisers Regulations 1990. They implement the Directives listed in paragraph 2 below and incorporate changes in the law which are described in paragraph 5 below.
2. The Directives implemented are—
  - Council Directive [76/116/EEC](#) (OJ No. L24, 30.1.76, p.21) on the approximation of the laws of the Member States relating to fertilisers;
  - Council Directive [80/876/EEC](#) (OJ No. L250, 23.9.80, p.7) on the approximation of the laws of the Member States relating to straight ammonium nitrate fertilisers of high nitrogen content;
  - Council Directive [88/183/EEC](#) (OJ No. L83, 29.3.88, p.33) amending Directive [76/116/EEC](#) in respect of fluid fertilisers;

Council Directive [89/284/EEC](#) (OJ No. L111, 22.4.89, p.34) supplementing and amending Directive [76/116/EEC](#) in respect of the calcium, magnesium, sodium and sulphur content of fertilisers;

Council Directive [89/530/EEC](#) (OJ No. L281, 30.9.89, p.116) supplementing and amending Directive [76/116/EEC](#) in respect of the trace elements boron, cobalt, copper, iron, manganese, molybdenum and zinc contained in fertilisers.

**3.** The Regulations specify the requirements which must be met before materials may be designated and sold as EEC fertilisers and apply also to materials intended for use as fertilisers which are not so designated (regulations 2 and 3). They prescribe names for and descriptions of such materials (regulations 4 and 5 and Schedule 1) and particulars and information to be given in the statutory statements required by law to be provided when such materials are sold for such use (regulation 5 and Schedule 2). The marking and labelling of materials held for sale are controlled by regulation 8 and Schedule 2.

**4.** Special provision for the marking of certain imported materials is made in regulation 9. Regulation 10 provides for the use in certain cases of a mark, the meaning of which can be ascertained from a register kept in accordance with that regulation. The enforcement of certain provisions is provided for in regulation 11 and the use of metric measures in the sampling of materials is specified in regulation 12. Provisions in respect of EEC fluid fertilisers are to be found in regulations 4(1) and (5), 7(c), 9(c) and 10(1)(c), Section C of Schedule 1 and Part I of Schedule 2.

**5.** The principal changes in the law consist of provisions relating to the declaration of the calcium, magnesium, sodium and sulphur content of EEC fertilisers and the incorporation in EEC fertilisers and declaration of the trace elements boron, cobalt, copper, iron, manganese, molybdenum and zinc. These provisions are to be found in regulations 1(4) (interpretation) and 2(4) (packaging), Schedule 1 (Sections D and E) and Schedule 2, paragraphs 1(k), (l) and (m), 6 and 7. Provision is also made in the Table in Schedule 1 for EEC fertilisers kieserite with potassium sulphate and calcium nitrate solution.

**6.** The Regulations come into force on 1st November 1991, but subject to regulation 1(2) in the case of material, not designated as an EEC fertiliser, sold or offered for sale loose or in large containers before 1st June 1992 or in small containers before 1st February 1993.