

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 3

Regulation 11(a)

(ENTRIES TO BE INSERTED IN PART I OF SCHEDULE 2)

<i>Item</i>	<i>1 PM/REF No.</i>	<i>2 CAS No.</i>	<i>3 Name</i>	<i>4 Restrictions and specifications</i>
18A	34850	143925-92-2	Amines, bis(hydrogenated tallow alkyl) oxidised	QM = For use only: (a) in polyolefines at 0.1% (w/w) but not in LDPE when it is in contact with foods for which the Directive 85/572/EEC establishes a reduction factor less than 3; (b) in PET at 0.25% (w/w) in contact with foods other than those for which the simulant D is laid down in Directive 85/572/EEC
18B	34895	000088-68-6	2-Aminobenzamide	SML = 0.05 mg/kg. To be used only for PET for water and beverages
37AA	39680	000080-05-7	2,2-Bis(4-hydroxyphenyl) propane	SML(T) = 0.6 mg/kg ⁽²⁸⁾
51A	42880	008001-79-4	Castor oil	
61A	45600	003724-65-0	Crotonic acid	QMA(T) = 0.05 mg/6 dm ² ⁽³³⁾

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Item</i>	<i>1 PM/REF No.</i>	<i>2 CAS No.</i>	<i>3 Name</i>	<i>4 Restrictions and specifications</i>
61B	45640	005232-99-5	2-Cyano-3,3-diphenylacrylic acid, ethyl ester	SML = 0.05 mg/kg
69A	46700	–	5,7-di-tert-butyl-3-(3,4- and 2,3-dimethylphenyl)-3H-benzofuran-2-one containing: (a) 5,7-di-tert-butyl-3-(3,4-dimethylphenyl)-3H-benzofuran-2-one (80-100% w/w); and (b) 5,7-di-tert-butyl-3-(2,3-dimethylphenyl)-3H-benzofuran-2-one (0-20% w/w)	SML = 5 mg/kg
69B	46720	004130-42-1	2,6-Di-tert-butyl-4-ethylphenol	QMA = 4.8 mg/6 dm ²
109A	56535	–	Glycerol, esters with nonanoic acid	
131A	59280	000100-97-0	Hexamethylenetetramine	SML(T) = 15 mg/kg ⁽²¹⁾ (expressed as Formaldehyde)
178A	68078	027253-31-2	Neodecanoic acid, cobalt salt	SML(T) = 0.05 mg/kg (expressed as Neodecanoic acid) and SML(T) = 0.05 mg/kg ⁽¹³⁾ (expressed as Cobalt). Not for use in polymers contacting foods for which simulant D is laid

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Item</i>	<i>1 PM/REF No.</i>	<i>2 CAS No.</i>	<i>3 Name</i>	<i>4 Restrictions and specifications</i>
				down in Directive 85/572/EEC
182A	69920	000144-62-7	Oxalic acid	SML(T) = 6 mg/kg ⁽²⁹⁾
195D	76866	–	Polyesters of 1,2-propanediol and/or 1,3- and/or 1,4-butanediol and/or polypropyleneglycol with adipic acid, which may be end-capped with acetic acid or fatty acids C ₁₂ -C ₁₈ or n-octanol and/or n-decanol	SML = 30 mg/kg
240ZA	85601	–	Silicates, natural (with the exception of asbestos)	
280B	95000	028931-67-1	Trimethylolpropane trimethacrylatemethyl methacrylate copolymer	