

SCHEDULE 2

CONDITIONS FOR THE PRODUCTION OF DICALCIUM PHOSPHATE FOR FEEDING TO FARMED ANIMALS

3. The dicalcium phosphate shall be produced by a process which ensures that all bone material is finely crushed and degreased with hot water and treated with dilute hydrochloric acid (at a minimum concentration of 4% and $\text{pH} < 1.5$) over a period of at least two days followed by a treatment of the obtained phosphoric liquor with lime, resulting in a precipitate of dicalcium phosphate at pH 4 to 7, which is finally air dried with inlet temperature of 65°C – 325° and end temperature between 30°C – 65°C or by an equivalent production process approved in accordance with the procedure of article 17 of Council Directive [89/662/EEC](#)(1) concerning veterinary checks in intra-Community trade with a view to the completion of the internal market.

(1) O.J. No. L 395, 30.12.89, p.13, as amended by Council Directive [91/67/EEC](#) (O.J. No. L 046 19.02.91 p.1), Council Directive [91/492/EEC](#) (O.J. No. L 268 24.09.91 p.1), Council Directive [91/493/EEC](#) (O.J. No. L 268 24.09.91 p.15), Council Directive [91/494/EEC](#) (O.J. No. L 268 24.09.91 p.35), Council Directive [91/495/EEC](#) (O.J. No. L 268 24.09.91 p.41), Council Directive [91/496/EEC](#) (O.J. No. L 268 24.09.91 p.56), Council Directive [92/45/EEC](#) (O.J. No. L 268 14.09.92 p.35), Council Directive [92/46/EEC](#), (O.J. No. L 268 14.09.92 p.1), Council Directive [92/67/EEC](#) (O.J. No. L 268 14.09.92 p.73, and Council Directive [1992/118/EEC](#) (O.J. No. L 62, 15.3.93, p.49).