

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

ANNEX II

A. MAXIMUM VOC CONTENT LIMIT VALUES FOR PAINTS AND VARNISHES

	Product Subcategory	Type	Phase I (g/l^a)(from 1.1.2007)	Phase II (g/l^a)(from 1.1.2010)
a	Interior matt walls and ceilings (Gloss < 25@60°)	WB	75	30
		SB	400	30
b	Interior glossy walls and ceilings (Gloss > 25@60°)	WB	150	100
		SB	400	100
c	Exterior walls of mineral substrate	WB	75	40
		SB	450	430
d	Interior/exterior trim and cladding paints for wood and metal	WB	150	130
		SB	400	300
e	Interior/exterior trim varnishes and woodstains, including opaque woodstains	WB	150	130
		SB	500	400
f	Interior and exterior minimal build woodstains	WB	150	130
		SB	700	700
g	Primers	WB	50	30
		SB	450	350
h	Binding primers	WB	50	30
		SB	750	750
i	One-pack performance coatings	WB	140	140
		SB	600	500
j	Two-pack reactive performance coatings for specific end use such as floors	WB	140	140
		SB	550	500

a g/l ready to use

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

A. MAXIMUM VOC CONTENT LIMIT VALUES FOR PAINTS AND VARNISHES

k	Multi-coloured coatings	WB	150	100
		SB	400	100
l	Decorative effect coatings	WB	300	200
		SB	500	200

a g/l ready to use

B. MAXIMUM VOC CONTENT LIMIT VALUES FOR VEHICLE REFINISHING PRODUCTS

	Product Subcategory	Coatings	VOC g/l^a(1.1.2007)
a	Preparatory and cleaning	Preparatory	850
		Pre-cleaner	200
b	Bodyfiller/stopper	All types	250
c	Primer	Surfacer/filler and general (metal) primer	540
		Wash primer	780
d	Topcoat	All types	420
e	Special finishes	All types	840

a g/l of ready for use product. Except for subcategory (a) any water content of the product ready for use should be discounted.