

---

*Changes to legislation: There are currently no known outstanding effects for the  
Commission Regulation (EU) No 142/2011, Division B.. (See end of Document for details)*

---

## ANNEX X

### FEED MATERIALS

#### CHAPTER II

#### **SPECIFIC REQUIREMENTS FOR PROCESSED ANIMAL PROTEIN AND OTHER DERIVED PRODUCTS**

##### *Section 6*

##### **Specific requirements for dicalcium phosphate**

- B. Processing standards
1. Dicalcium phosphate must be produced by a process that comprises the three following stages:
    - (a) firstly, ensures that all bone that is Category 3 material is finely crushed and degreased with hot water and treated with dilute hydrochloric acid (at a minimum concentration of 4 % and a pH of less than 1,5) over a period of at least two days;
    - (b) secondly, following the part of the process referred to in point (a), applies a treatment of the obtained phosphoric liquor with lime, resulting in a precipitate of dicalcium phosphate at pH 4 to 7;
    - (c) finally, air-dries the precipitate of dicalcium phosphate with inlet temperature of 65 °C to 325 °C and end temperature between 30 °C and 65 °C.
  2. Where dicalcium phosphate is derived from defatted bones, it shall be derived from bones referred to in Article 10(a) of Regulation (EC) No 1069/2009.

**Changes to legislation:**

There are currently no known outstanding effects for the Commission Regulation (EU) No 142/2011, Division B..