

---

STATUTORY INSTRUMENTS

---

**1960 No. 1932**

The Shipbuilding and Ship-repairing Regulations 1960

PART IV

RAISING AND LOWERING, ETC

**Wire ropes with broken wires**

**43.** No wire rope shall be used if in any length of ten diameters the total number of visible broken wires exceeds five per cent. of the total number of wires, or if the rope shows signs of excessive wear or corrosion or other serious defect.