

SCHEDULE 4

Articles 2(1), 5(1), 6(2), 12(2), 15(4) and
18(1)

Restrictions on the landing in and movement within Great Britain of relevant material

PART A

Relevant material, from third countries, which may only be
landed in Great Britain if special requirements are satisfied

(1) Item	(2) Description of relevant material	(3) Requirements of landing
1.	<p>Wood of conifers (Coniferales), except that of <i>Thuja</i> L., other than in the form of:</p> <ul style="list-style-type: none"> — chips, particles, sawdust, shavings, wood waste or scrap obtained in whole or in part from these conifers, — wood packaging material, — dunnage, or — wood of <i>Libocedrus decurrens</i> Torr. where there is evidence that the wood has been processed or manufactured for pencils using heat treatment to achieve a minimum temperature of 82°C for a 7 to 8 day period, <p>but including that which has not kept its natural round surface, originating in Canada, China, Japan, the Republic of Korea, Mexico, Taiwan or the USA, where <i>Bursaphelenchus xylophilus</i> (Steiner and Bühner) Nickle et al. is known to occur</p>	<p>The wood shall be accompanied by an official statement that it has undergone an appropriate heat treatment to achieve a minimum core temperature of 56°C for at least 30 minutes, and there shall be evidence of that heat treatment by a mark “HT” put on the wood or on any wrapping in accordance with current usage, and on the phytosanitary certificate or phytosanitary certificate for re-export</p>
2.	<p>Wood of conifers (Coniferales), except that of <i>Thuja</i> L., in the form of chips, particles, sawdust, shavings, wood waste or scrap obtained in whole or in part from these conifers, originating in Canada, China, Japan, the</p>	<p>The wood shall be accompanied by an official statement that it has undergone an appropriate heat treatment to achieve a minimum core temperature of 56°C for at least 30 minutes, the latter to be indicated on the</p>

Status: This is the original version (as it was originally made).

(1) Item	(2) Description of relevant material	(3) Requirements of landing
	Republic of Korea, Mexico, Taiwan or the USA, where <i>Bursaphelenchus xylophilus</i> (Steiner and Bühner) Nickle et al. is known to occur	phytosanitary certificate or phytosanitary certificate for re-export
3.	Wood of <i>Thuja</i> L., other than in the form of: <ul style="list-style-type: none"> — chips, particles, sawdust, shavings, wood waste or scrap, — wood packaging material, or — dunnage, originating in Canada, China, Japan, the Republic of Korea, Mexico, Taiwan, or the USA where <i>Bursaphelenchus xylophilus</i> (Steiner and Bühner) Nickle et al. is known to occur	The wood shall be accompanied by an official statement that it: <ul style="list-style-type: none"> (a) is bark-free; (b) has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, and there shall be evidence of that kiln-drying by a mark “kiln-dried” or “KD” or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage; or (c) has undergone appropriate heat treatment to achieve a minimum core temperature of 56°C for at least 30 minutes and there shall be evidence of that heat treatment by a mark “HT”: <ul style="list-style-type: none"> (i) put on the wood or on any wrapping in accordance with current usage, and (ii) on the phytosanitary certificate or phytosanitary certificate for re-export
4.	Wood of <i>Thuja</i> L., in the form of chips, particles, sawdust, shavings, wood waste or scrap, originating in Canada, China, Japan, the Republic of	The wood shall be accompanied by an official statement that it: <ul style="list-style-type: none"> (a) has been produced from debarked round wood;

(1) Item	(2) Description of relevant material	(3) Requirements of landing
	Korea, Mexico, Taiwan or the USA, where <i>Bursaphelenchus xylophilus</i> (Steiner and Bühner) Nickle et al. is known to occur	<p>(b) has undergone kiln drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule; or</p> <p>(c) has undergone an appropriate heat treatment to achieve a minimum core temperature of 56°C for at least 30 minutes, the latter to be indicated on the phytosanitary certificate or phytosanitary certificate for re-export</p>
5.	<p>Wood of conifers (Coniferales), other than in the form of:</p> <ul style="list-style-type: none"> — chips, particles, sawdust, wood waste or scrap obtained in whole or in part from these conifers, — wood packaging material, or — dunnage, <p>but including that which has not kept its natural round surface, originating in Russia, Kazakhstan or Turkey</p>	<p>The wood shall be accompanied by an official statement that it:</p> <p>(a) originates in an area or areas known to be free from:</p> <ul style="list-style-type: none"> — <i>Monochamus</i> spp. (non-European), — <i>Pissodes</i> spp. (non-European), and — <i>Scolytidae</i> spp. (non-European), <p>and that area shall be mentioned in the phytosanitary certificate or phytosanitary certificate for re-export under the rubric “place of origin”;</p> <p>(b) is bark-free and free from grub holes which are caused by the genus <i>Monochamus</i> spp. (non-European), defined for this purpose as those which are larger than 3mm across;</p> <p>(c) has undergone kiln-drying to below 20% moisture content,</p>

Status: This is the original version (as it was originally made).

(1) Item	(2) Description of relevant material	(3) Requirements of landing
		<p>expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, and there shall be evidence of that kiln-drying by a mark “kiln-dried” or “KD” or another internationally recognised mark put on the wood or on any wrapping in accordance with the current usage; or</p> <p>(d) has undergone an appropriate heat treatment to achieve a minimum core temperature of 56°C for at least 30 minutes and there shall be evidence of that heat treatment by a mark “HT”:</p> <p>(i) put on the wood or on any wrapping in accordance with current usage, and</p> <p>(ii) on the phytosanitary certificate or phytosanitary certificate for re-export</p>
6.	<p>Wood of conifers (Coniferales) other than in the form of:</p> <ul style="list-style-type: none"> — chips, particles, sawdust, shavings, wood waste or scrap obtained in whole or in part from these conifers, — wood packaging material, or — dunnage, <p>but including that which has not kept its natural round surface, originating in third countries, other than:</p> <ul style="list-style-type: none"> — Russia, Kazakhstan or Turkey; — European countries; or 	<p>The wood shall be accompanied by an official statement that it:</p> <p>(a) is bark-free and free from grub holes which are larger than 3mm across and which are caused by the genus <i>Monochamus</i> spp. (non-European);</p> <p>(b) has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter achieved through an appropriate time/temperature schedule, and there</p>

(1) Item	(2) Description of relevant material	(3) Requirements of landing
	<ul style="list-style-type: none"> — Canada, China, Japan, the Republic of Korea, Mexico, Taiwan, or the USA, where <i>Bursaphelenchus xylophilus</i> (Steiner and Bühner) Nickle et al. is known to occur 	<p>shall be evidence of that kiln-drying by a mark “Kiln-dried” or “KD” or another internationally recognised mark put on the wood or on any wrapping in accordance with current usage; or</p> <p>(c) has undergone an appropriate heat treatment to achieve a minimum core temperature of 56°C for at least 30 minutes, and there shall be evidence of that heat treatment by a mark “HT”:</p> <ul style="list-style-type: none"> (i) put on the wood or on any wrapping in accordance with current usage, and (ii) on the phytosanitary certificate or phytosanitary certificate for re-export
7.	<p>Wood in the form of chips, particles, sawdust, shavings, wood waste or scrap obtained in whole or in part from conifers (Coniferales), originating in:</p> <ul style="list-style-type: none"> — Russia, Kazakhstan or Turkey, or — non-European countries other than Canada, China, Japan, the Republic of Korea, Taiwan or the USA, where <i>Bursaphelenchus xylophilus</i> (Steiner and Bühner) Nickle et al. is known to occur 	<p>The wood shall be accompanied by an official statement that it:</p> <ul style="list-style-type: none"> (a) originates in an area or areas known to be free from : <ul style="list-style-type: none"> — <i>Monochamus</i> spp. (non-European), — <i>Pissodes</i> spp. (non-European), and — <i>Scolytidae</i> spp. (non-European), and that area shall be mentioned in the phytosanitary certificate or phytosanitary certificate for re-export under the rubric “place of origin”; (b) has been produced from debarked round wood;

Status: This is the original version (as it was originally made).

<i>(1)</i> <i>Item</i>	<i>(2)</i> <i>Description of relevant material</i>	<i>(3)</i> <i>Requirements of landing</i>
		<p>(c) has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule; or</p> <p>(d) has undergone an appropriate heat treatment to achieve a minimum core temperature of 56°C for at least 30 minutes, the latter to be indicated on the phytosanitary certificate or phytosanitary certificate for re-export</p>
8.	<p>Wood packaging material, other than in the form of:</p> <ul style="list-style-type: none"> — raw wood of 6mm thickness or less; or — wood that has undergone a manufacturing process involving glue, heat or pressure or a combination thereof, coming from any third country except Switzerland 	<p>The wood packaging material shall:</p> <p>(a) be subject to one of the approved measures specified in Annex I to ISPM No.15; and</p> <p>(b) display a mark which shall contain as specified in Annex II to ISPM No. 15:</p> <ul style="list-style-type: none"> (i) the two-letter ISO country code; (ii) a code identifying the producer; (iii) the code identifying the approved measure to which the wood packaging material has been subject in accordance with paragraph (a); and (iv) the logo, with effect from 1st March 2005, or in respect of wood packaging material manufactured, repaired or recycled before

(1) Item	(2) Description of relevant material	(3) Requirements of landing
		that date, from 31st December 2007
9.	Wood of <i>Acer saccharum</i> Marsh., including wood which has not kept its natural round surface, other than in the form of: — wood intended for the production of veneer sheets; or — chips, particles, sawdust, shavings, wood waste or scrap, originating in the USA or Canada	The wood shall be accompanied by an official statement that it that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, and there shall be evidence of that kiln-drying by a mark “kiln-dried” or “KD” or another internationally recognized mark, put on the wood or on any wrapping in accordance with current usage
10.	Wood of <i>Acer saccharum</i> Marsh., intended for the production of veneer sheets, originating in the USA or Canada	The wood shall be accompanied by an official statement that it originates in an area or areas known to be free from <i>Ceratocystis virescens</i> (Davidson) Moreau and is intended for the production of veneer sheets
11.	Wood of <i>Quercus</i> L., other than in the form of: — chips, particles, sawdust, shavings, wood waste or scrap; or — casks, barrels, vats, tubs or other coopers' products or parts thereof, of wood (including staves) where there is documented evidence that the wood has been produced or manufactured using heat treatment to achieve a minimum temperature of 176°C for 20 minutes, but including wood which has not kept its natural round surface, originating in the USA	The wood shall be accompanied by an official statement that it: (a) is squared so as to remove entirely the rounded surface; (b) is bark-free and the water content is less than 20% expressed as a percentage of the dry matter; (c) is bark-free and has been disinfected by an appropriate hot-air or hot water treatment; or (d) in the case of sawn wood with or without residual bark attached, has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through

Status: This is the original version (as it was originally made).

<i>(1)</i> <i>Item</i>	<i>(2)</i> <i>Description of relevant material</i>	<i>(3)</i> <i>Requirements of landing</i>
		<p>an appropriate time/temperature schedule, and there shall be evidence of that kiln-drying by a mark “kiln-dried” or “KD” or another internationally recognized mark, put on the wood or on any wrapping in accordance with current usage</p>
12.	<p>Wood of <i>Platanus</i> L., except that in the form of chips, particles, sawdust, shavings, wood waste or scrap, but including wood which has not kept its natural round surface, originating in the USA or Armenia</p>	<p>The wood shall be accompanied by an official statement that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, and there shall be evidence of that kiln-drying by a mark “kiln-dried” or “KD” or another internationally recognized mark, put on the wood or on any wrapping in accordance with current usage</p>
13.	<p>Wood of <i>Populus</i> L., except that in the form of chips, particles, sawdust, shavings, wood waste or scrap, but including wood which has not kept its natural round surface, originating in any country of the American continent</p>	<p>The wood shall be accompanied by an official statement that it:</p> <ul style="list-style-type: none"> (a) is bark-free; or (b) has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time / temperature schedule, and there shall be evidence of that kiln-drying by a mark “kiln-dried” or “KD” or another internationally recognized mark, put on the wood or on any wrapping in accordance with current usage

<i>(1)</i> <i>Item</i>	<i>(2)</i> <i>Description of relevant material</i>	<i>(3)</i> <i>Requirements of landing</i>
14.	Wood in the form of chips, particles, sawdust, shavings, wood waste or scrap, obtained in whole or in part from: <ul style="list-style-type: none"> — <i>Acer saccharum</i> Marsh., originating in the USA or Canada, — <i>Platanus</i> L., originating in the USA or Armenia, or — <i>Populus</i> L., originating in any country of the American continent 	The wood shall be accompanied by an official statement that it: <ul style="list-style-type: none"> (a) has been produced from debarked round wood; (b) has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter achieved through an appropriate time/temperature schedule; or (c) has undergone an appropriate heat treatment to achieve a minimum core temperature of 56°C for at least 30 minutes, the latter to be indicated on the phytosanitary certificate or phytosanitary certificate for re-export
15.	Wood in the form of chips, particles, sawdust, shavings, wood waste or scrap, obtained in whole or in part from <i>Quercus</i> L. originating in the USA	The wood is accompanied by an official statement that it: <ul style="list-style-type: none"> (a) has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter achieved through an appropriate time/temperature schedule; or (b) has undergone an appropriate heat treatment to achieve a minimum core temperature of 56°C for at least 30 minutes, the latter to be indicated on the phytosanitary certificate or phytosanitary certificate for re-export
16.	Isolated bark of conifers (Coniferales), originating in any country outside Europe	The isolated bark shall be accompanied by an official statement that it has undergone

Status: This is the original version (as it was originally made).

(1) Item	(2) Description of relevant material	(3) Requirements of landing
17.	<p>Dunnage, including that which has not kept its natural round, surface, other than in the form of:</p> <ul style="list-style-type: none"> — raw wood of 6mm thickness or less; or — wood that has undergone a manufacturing process involving glue, heat or pressure or a combination thereof; <p>consigned directly from any third country except Switzerland</p>	<p>an appropriate heat treatment to achieve the minimum temperature of 56°C for at least 30 minutes, the latter to be indicated on the phytosanitary certificate or phytosanitary certificate for re-export</p> <p>The dunnage:</p> <p>(a) shall—</p> <ul style="list-style-type: none"> (i) be subject to one of the approved measures specified in Annex I to ISPM No. 15; and (ii) display a mark which shall contain as specified in Annex II to ISPM No. 15 at least: <ul style="list-style-type: none"> (aa) the two letter ISO country code; (bb) the code identifying the producer; and (cc) the code identifying the approved measure in to which the dunnage has been subject in accordance with paragraph (i); or <p>(b) shall until 31st December 2007, be made from bark-free wood that is free from pests and signs of live pests</p>
18.	<p>Trees, other than fruit or seeds, of conifers (Coniferales), originating in any country outside Europe</p>	<p>Without prejudice to the requirements in items 19 to 21 and 31, the trees shall be accompanied by an official statement that they have been produced in nurseries and</p>

(1) Item	(2) Description of relevant material	(3) Requirements of landing
19.	Trees, other than fruit or seeds, of conifers (Coniferales), over 3 metres in height, originating in any country outside Europe	that the place of production is free from <i>Pissodes</i> spp. (non-European) Without prejudice to the requirements in items 18, 20, 21 and 31, the trees shall be accompanied by an official statement that they have been produced in nurseries and that the place of production is free from <i>Scolytidae</i> spp. (non-European)
20.	Trees, other than seeds, of <i>Pinus</i> L., intended for planting, originating in any third country	Without prejudice to the requirements in items 18, 19, 21 and 31, the trees shall be accompanied by an official statement that no symptoms of <i>Scirrhia acicola</i> (Dearn.) Siggers or <i>Scirrhia pini</i> Funk and Parker have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
21.	Trees, other than seeds, of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr. or <i>Tsuga</i> Carr., intended for planting, originating in any third country	Without prejudice to the requirements in items 18 to 20 and 31, the trees shall be accompanied by an official statement that no symptoms of <i>Melampsora medusae</i> Thümen have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
22.	Trees, other than fruit or seeds, of <i>Quercus</i> L., originating in the USA	Without prejudice to the requirements in items 23, 24, 31 and 32, the trees shall be accompanied by an official statement that they originate in an area or areas known to be free from <i>Ceratocystis fagacearum</i> (Bretz) Hunt
23.	Trees, other than fruit or seeds, of <i>Castanea</i> Mill. or <i>Quercus</i> L., originating in any country outside Europe	Without prejudice to the requirements in items 22, 24, 31 and 32, the trees shall be accompanied by an official

Status: This is the original version (as it was originally made).

(1) Item	(2) Description of relevant material	(3) Requirements of landing
24.	Trees, other than seeds, of <i>Castanea</i> Mill. or <i>Quercus</i> L., intended for planting, originating in any third country	<p>statement that no symptoms of <i>Cronartium</i> spp. (non-European) have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation</p> <p>Without prejudice to the requirements in items 22, 23, 31 and 32, the trees shall be accompanied by an official statement that:</p> <ul style="list-style-type: none"> (a) they originate in an area or areas known to be free from <i>Cryphonectria parasitica</i> (Murrill) Barr; or (b) no symptoms of <i>Cryphonectria parasitica</i> (Murrill) Barr have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
25.	Trees, other than seeds, of <i>Platanus</i> L., intended for planting, originating in the USA or Armenia	Without prejudice to the requirements in item 31, the trees shall be accompanied by an official statement that no symptoms of <i>Ceratocystis fimbriata</i> f. sp. <i>platani</i> Walter have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
26.	Trees, other than seeds, of <i>Populus</i> L., intended of planting, originating in any third country	Without prejudice to the requirements in items 27, 31 and 32, the trees shall be accompanied by an official statement that no symptoms of <i>Melampsora medusae</i> Thümen have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation

(1) Item	(2) Description of relevant material	(3) Requirements of landing
27.	Trees, other than fruit or seeds, of <i>Populus</i> L., originating in any country of the American continent	Without prejudice to the requirements in items 26, 31 and 32, the trees shall be accompanied by an official statement that no symptoms of <i>Mycosphaerella populorum</i> G E Thompson have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
28.	Trees, other than seeds, of <i>Ulmus</i> L., intended for planting, originating in any country in North America	Without prejudice to the requirements in items 31 and 32, the trees shall be accompanied by an official statement that no symptoms of Elm phloem necrosis mycoplasma have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
29.	Trees with roots, planted or intended for planting, grown in the open air, originating in any third country	Without prejudice to the requirements in items 31 and 32, the trees shall be accompanied by an official statement that the place of production is known to be free from <i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i> (Spieckermann and Kotthoff) Davis et al., <i>Globodera pallida</i> (Stone) Behrens, <i>Globodera rostochiensis</i> (Wollenweber) Behrens and <i>Synchytrium endobioticum</i> (Schilbersky) Percival
30.	Soil or growing medium attached to or appears to have been in contact with trees, consisting in whole or in part of soil or solid organic substances such as parts of plants, humus including peat or bark or consisting in part of	Without prejudice to the requirements in item 31, the material shall be accompanied by an official statement that: (a) at the time of planting it was: (i) free from soil and organic matter;

Status: This is the original version (as it was originally made).

<i>(1)</i> <i>Item</i>	<i>(2)</i> <i>Description of relevant material</i>	<i>(3)</i> <i>Requirements of landing</i>
	any solid inorganic substance, intended to sustain the vitality of the trees, originating in: <ul style="list-style-type: none"> <li data-bbox="608 539 975 638">(a) Belarus, Georgia, Moldova, Russia, Turkey or the Ukraine; or <li data-bbox="608 638 975 792">(b) any country outside Europe, other than Algeria, Egypt, Israel, Libya, Morocco or Tunisia 	<ul style="list-style-type: none"> <li data-bbox="975 450 1353 824">(ii) found to be free from insects and harmful nematodes and subjected to appropriate examination or heat treatment or fumigation to ensure that it was free from other harmful organisms; or <li data-bbox="975 824 1353 1048">(iii) subject to appropriate heat treatment or fumigation to ensure freedom from harmful organisms; and that <li data-bbox="975 1048 1353 1854">(b) since planting, either <ul style="list-style-type: none"> <li data-bbox="975 1077 1353 1339">(i) appropriate measures have been taken to ensure that the growing material has been maintained free from harmful organisms; or <li data-bbox="975 1339 1353 1854">(ii) within two weeks prior to dispatch, the trees were shaken free from the material leaving the minimum amount necessary to sustain vitality during transport, and, if replanted, the material used for that purpose meets the requirements laid down in paragraph (a)
31.	Trees, other than seeds or trees in tissue culture, intended for planting, originating in any third country other	Without prejudice to the requirements in items 18 to 30 and 32, the trees shall be accompanied by an official statement that they:

<i>(1)</i> <i>Item</i>	<i>(2)</i> <i>Description of relevant material</i>	<i>(3)</i> <i>Requirements of landing</i>
	than a country in the Euro-Mediterranean area	(a) are free from plant debris and from flowers and fruits; (b) have been grown in nurseries; and (c) have been inspected at appropriate times and prior to export and found to be free from symptoms of harmful bacteria, viruses and virus-like organisms, and either found to be free from signs or symptoms of harmful nematodes, insects, mites and fungi, or have been subjected to appropriate treatment to eliminate such organisms
32.	Deciduous trees, other than seeds or trees in tissue culture, intended for planting, originating in any third country, other than a country in the Euro-Mediterranean area	Without prejudice to the requirements in items 22 to 29 and 32, the trees shall be accompanied by an official statement that they are dormant and free from leaves.

PART B

Relevant material, from another part of the European Community, which may only be landed in or moved within Great Britain if special requirements are satisfied

<i>(1)</i> <i>Item</i>	<i>(2)</i> <i>Description of relevant material</i>	<i>(3)</i> <i>Requirements of landing</i>
1.	Wood of <i>Platanus</i> L., including wood which has not kept its natural round surface	(a) (a) The wood shall be accompanied by an official statement that it originates in an area or areas known to be free from <i>Ceratocystis fimbriata</i> f. sp. <i>platani</i> Walter; or (b) there shall be evidence by a mark "Kiln-dried" or "K.D." or another

Status: This is the original version (as it was originally made).

(1) Item	(2) Description of relevant material	(3) Requirements of landing
		internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule
2.	Trees, other than seeds, of <i>Pinus</i> L., intended for planting	Without prejudice to the requirements in item 3, the trees shall be accompanied by an official statement that no symptoms of <i>Scirrhia pini</i> Funk and Parker have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
3.	Trees, other than seeds, of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr. or <i>Tsuga</i> Carr., intended for planting	Without prejudice to the requirements in item 2, the trees shall be accompanied by an official statement that no symptoms of <i>Melampsora Medusae</i> Thümen have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
4.	Trees, other than seeds, of <i>Populus</i> L., intended for planting	The trees shall be accompanied by an official statement that no symptoms of <i>Melampsora medusae</i> Thümen have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation

(1) Item	(2) Description of relevant material	(3) Requirements of landing
5.	Trees, other than seeds, of <i>Castanea</i> Mill. or <i>Quercus</i> L., intended for planting	The trees shall be accompanied by an official statement that: (a) they originate in an area or areas known to be free from <i>Cryphonectria parasitica</i> (Murrill) Barr; or (b) no symptoms of <i>Cryphonectria parasitica</i> (Murrill) Barr have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
6.	Trees, other than seeds, of <i>Platanus</i> L., intended for planting	The trees shall be accompanied by an official statement that: (a) they originate in an area or areas known to be free from <i>Ceratocystis fimbriata</i> f.sp. <i>platani</i> Walter; or (b) no symptoms of <i>Ceratocystis fimbriata</i> f.sp. <i>platani</i> Walter have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
7.	Trees with roots, planted or intended for planting, grown in the open air	There shall be evidence that the place of production is known to be free from <i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i> (Spieckermann and Kotthoff) Davis et al., <i>Globodera pallida</i> (Stone) Behrens, <i>Globodera rostochiensis</i> (Wollenweber) Behrens and <i>Synchytrium endobioticum</i> (Schilbersky) Percival

Status: This is the original version (as it was originally made).

PART C

Relevant material, from a third country or another part of the European Community, which may only be landed in or moved within Great Britain (as a protected zone) if special requirements are satisfied

<i>(1)</i> Item	<i>(2)</i> Description of relevant material	<i>(3)</i> Requirements of landing
1.	Wood of conifers (Coniferales)	Without prejudice to the requirements in items 2 and 3: (a) the wood shall be bark-free; (b) the wood shall be accompanied by an official statement that it originates in an area or areas known to be free from <i>Ips duplicatus</i> (Sahlberg); or (c) there shall be evidence by a mark “Kiln-dried” or “KD” or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule
2.	Wood of conifers (Coniferales)	Without prejudice to the requirements in items 1 and 3: (a) the wood shall be bark-free; (b) the wood shall be accompanied by an official statement that it originates in an area or areas known to be free from <i>Ips typographus</i> (Heer); or (c) there shall be evidence by a mark “Kiln-dried” or “KD” or

(1) Item	(2) Description of relevant material	(3) Requirements of landing
		<p>another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule</p>
3.	Wood of conifers (Coniferales)	<p>Without prejudice to the requirements in items 1 and 2:</p> <ul style="list-style-type: none"> (a) the wood shall be bark-free; (b) the wood shall be accompanied by an official statement that it originates in an area or areas known to be free from <i>Ips amitinus</i> (Eichhoff); or (c) there shall be evidence by a mark “Kiln-dried” or “KD” or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule
4.	Wood of <i>Castanea</i> Mill.	<p>The wood:</p> <ul style="list-style-type: none"> (a) shall be bark-free; or (b) shall be accompanied by an official statement that it: <ul style="list-style-type: none"> (i) originates in an area or areas known

Status: This is the original version (as it was originally made).

(1) Item	(2) Description of relevant material	(3) Requirements of landing
		<p>to be free from <i>Cryphonectria parasitica</i> (Murrill.) Barr, or</p> <p>(ii) has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature schedule, and there shall be evidence of that kiln-drying by a mark “kiln-dried” or “KD” or another internationally recognized mark, put on the wood or on any wrapping in accordance with current usage</p>
5.	Trees, other than fruit or seeds, of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr. or <i>Pinus</i> L., over 3 metres in height	Without prejudice to the requirements in items 6 and 7, the trees shall be accompanied by an official statement that the place of production is free from <i>Ips duplicatus</i> (Sahlberg)
6.	Trees, other than fruit or seeds, of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L. or <i>Pseudotsuga</i> Carr., over 3 metres in height	Without prejudice to the requirements in items 5 and 7, the trees shall be accompanied by an official statement that the place of production is free from <i>Ips typographus</i> (Heer)
7.	Trees, other than fruit or seeds, of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr. or <i>Pinus</i> L., over 3 metres in height	Without prejudice to the requirements in items 5 and 6, the trees shall be accompanied by an official statement that the place of production is free from <i>Ips amitinus</i> (Eichhoff)
8.	Isolated bark of conifers (Coniferales)	Without prejudice to the requirements in items 9 and 10, the bark shall be accompanied by an official statement that the consignment:

(1) Item	(2) Description of relevant material	(3) Requirements of landing
		<ul style="list-style-type: none"> (a) has been subjected to fumigation or other appropriate treatments against bark beetles; or (b) originates in an area or areas known to be free from <i>Ips amitinus</i> (Eichhoff)
9.	Isolated bark of conifers (Coniferales)	<p>Without prejudice to the requirements in items 8 and 10, the bark shall be accompanied by an official statement that the consignment:</p> <ul style="list-style-type: none"> (a) has been subjected to fumigation or other appropriate treatments against bark beetles; or (b) originates in an area or areas known to be free from <i>Ips duplicatus</i> (Sahlberg)
10.	Isolated bark of conifers (Coniferales)	<p>Without prejudice to the requirements in items 8 and 9, the bark shall be accompanied by an official statement that the consignment:</p> <ul style="list-style-type: none"> (a) has been subjected to fumigation or other appropriate treatments against bark beetles; or (b) originates in an area or areas known to be free from <i>Ips typographus</i> (Heer)
11.	Isolated bark of <i>Castanea</i> Mill.	<p>The bark shall be accompanied by an official statement that it originates in an area or areas known to be free from <i>Cryphonectria parasitica</i> (Murrill.) Barr</p>