

1969. No. 27

[NC]

OFFICE AND SHOP PREMISES**Hoists and Lifts Reports**

ORDER, DATED 6TH FEBRUARY 1969, MADE BY THE MINISTRY OF HEALTH AND SOCIAL SERVICES UNDER REGULATION 6(1) OF THE OFFICE AND SHOP PREMISES (HOISTS AND LIFTS) REGULATIONS (NORTHERN IRELAND) 1969.

The Ministry of Health and Social Services in exercise of the powers conferred on it by Regulation 6(1) of the Office and Shop Premises (Hoists and Lifts) Regulations (Northern Ireland) 1969(a) (hereinafter referred to as "the Regulations") and of all other powers enabling it in that behalf, hereby makes the following Order:—

1. This Order may be cited as the Office and Shop Premises (Hoists and Lifts) Reports Order (Northern Ireland) 1969, and shall come into operation on 1st January 1970.

2. A report of the result of every thorough examination made in pursuance of Regulation 6(1) of the Regulations shall be made in the form set out in the Schedule and shall contain the particulars therein specified.

Sealed with the Official Seal of the Ministry of Health and Social Services for Northern Ireland this 6th day of February 1969.

(L.S.)

S. H. O'Fee,
Assistant Secretary.

(a) S.R. & O. (N.I.) 1969, No. 26.

Article 2

SCHEDULE

THE OFFICE AND SHOP PREMISES (HOISTS AND LIFTS) REGULATIONS
(NORTHERN IRELAND) 1969—Regulation 6

Form prescribed for the

REPORT OF EXAMINATION OF HOIST OR LIFT

 Occupier (or Owner) of Premises

 Address

 1. (a) Type of hoist or lift and identification number and description.

 (b) Date of construction or reconstruction (if ascertainable).

 2. Design and construction
 Are all parts of the hoist or lift of good mechanical construction, sound material and adequate strength (so far as ascertainable)?

 Note: Details of any renewals or alterations required should be given in (5) and (6) below.

 3. Maintenance
 Are the following parts of the hoist or lift properly maintained and in good working order? If not, state what defects have been found.

 (a) Enclosure of hoistway ' or liftway.

 (b) Landing gates and cage gate(s).

 (c) Interlocks on the landing gates and cage gate(s).

 (d) Other gate fastenings.

 (e) Cage or platform and fittings, cage guides, buffers, interior of the hoistway or liftway.

 (f) Over-running devices.

 (g) Suspension ropes or chains, and their attachments.

<p>(h) Safety gear, i.e., arrangements for preventing fall of platform or cage.</p> <p>(j) Brakes.</p> <p>(k) Worm or spur gearing.</p> <p>(l) Other electrical equipment.</p> <p>(m) Other parts.</p>	
<p>4. What parts (if any) were inaccessible?</p>	
<p>5. Repairs, renewals or alterations required to enable the hoist or lift to continue to be used with safety—</p> <p>(a) immediately</p> <p>(b) within a specified time, the said time to be stated. <i>(Continue entry overleaf if necessary)</i> <i>If no such repairs, renewals or alterations are required enter "NONE".</i></p>	
<p>6. Defects (other than those specified at 5 above) which require attention. <i>(Continue entry overleaf if necessary)</i></p>	
<p>7. Maximum safe working load subject to repairs, renewals or alterations (if any) specified at 5.</p>	
<p>8. Other observations. <i>(Continue entry overleaf if necessary)</i></p>	

[Space for continuation of entries]

I/We certify that on _____ I/we thoroughly examined this
hoist or lift and that the foregoing is a correct report of the result.

Signature(s)

Qualification

Address(es)

Date

If employed by a company or association give name and address:

.....

EXPLANATORY NOTE

(This note is not part of the Order, but is intended to indicate its general purport.)

This Order prescribes the form of the report required to be made by Regulation 6(1) of the Office and Shop Premises (Hoists and Lifts) Regulations (Northern Ireland) 1969 of the result of every thorough examination of a hoist or lift made in pursuance of that Regulation.