SCHEDULE 1

Article 3(1)

Part A.

Plant pests whose introduction into, and whose spread within, Great Britain shall be banned

Section 1.

Plant pests not known to occur in any part of the Community and relevant for the entire Community

- (a) INSECTS, MITES AND NEMATODES, AT ALL STAGES OF THEIR DEVELOPMENT
 - 1. Aclerisspp. (non-European)
 - 2. Amauromyza maculosa(Malloch)
 - 3. Anomala orientalis Waterhouse
 - 4. Anoplophora chinensis(Förster)
 - 5. *Anoplophora malasiaca*(Thomson)
 - 6. Arrhenodes minutusDrury
 - 7. Bemisia tabaciGenn. (non-European populations) vector of viruses such as:
 - (a) Bean golden mosaic virus
 - (b) Cowpea mild mottle virus
 - (c) Lettuce infectious yellows virus
 - (d) Pepper mild tigré virus
 - (e) Squash leaf curl virus
 - (f) Euphorbia mosaic virus
 - (g) Florida tomato virus
 - 8. Cicadellidae (non-European) known to be vectors of Pierce's disease (caused by *Xylella fastidiosa*), such as:
 - (a) Carneocephala fulgida Nottingham
 - (b) Draeculacephala minerva Ball
 - (c) Graphocephala atropunctata(Signoret)
 - 9. Choristoneura spp. (non-European)
 - 10. Conotrachelus nenuphar(Herbst)
 - 11. Heliothis zea(Boddie)
 - 12. Liriomyza sativae Blanchard
 - 13. Longidorus diadecturus Eveleigh et Allen
 - 14. Monochamus spp. (non-European)
 - 15. *Myndus crudus* Van Duzee
 - 16. Nacobbus aberrans(Thorne) Thorne et Allen
 - 17. Premnotrypes spp. (non-European)
 - 18. Pseudopityophthorus minutissimus(Zimmermann)
 - 19. Pseudopityophthorus pruinosus(Eichhoff)

- 20. Scaphoideus luteolus Van Duzee
- 21. Spodoptera eridania(Cramer)
- 22. Spodoptera frugiperda(J. E. Smith)
- 23. Spodoptera litura(Fabricius)
- 24. Thrips palmi Karny
- 25. Tephritidae(non-European) such as:
 - (a) Anastrepha fraterculus(Wiedemann)
 - (b) Anastrepha ludens(Loew)
 - (c) Anastrepha obliqua Macquart
 - (d) *Anastrepha suspensa*(Loew)
 - (e) Dacus ciliatus Loew
 - (f) Dacus cucurbitae Coquillett
 - (g) Dacus dorsalis Hendel
 - (h) Dacus tryoni(Froggatt)
 - (i) Dacus tsuneonis Miyake
 - (j) Dacus zonatus Saund.
 - (k) Epochra canadensis(Loew)
 - (l) Pardalaspis cyanescens Bezzi
 - (m) Pardalaspis quinaria Bezzi
 - (n) Pterandrus rosa(Karsch)
 - (o) Rhacochlaena japonica Ito
 - (p) Rhagoletis cingulata(Loew)
 - (q) Rhagoletis completa Cresson
 - (r) *Rhagoletis fausta*(Osten-Sacken)
 - (s) Rhagoletis indifferens Curran
 - (t) Rhagoletis mendax Curran
 - (u) *Rhagoletis pomonella*(Walsh)
 - (v) Rhagoletis ribicola Doane
 - (w) Rhagoletis suavis(Loew)
- 26. *Xiphinema americanum* Cobb sensu lato (non-European populations)
- 27. Xiphinema californicum Lamberti et Bleve-Zacheo
- (b) BACTERIA
 - 1. *Xylella fastidiosa*(Wells et al)
- (c) FUNGI
 - 1. Ceratocystis fagacearum(Bretz) Hunt
 - 2. Chrysomyxa arctostaphyli Dietel
 - 3. Cronartium spp. (non-European)
 - 4. *Endocronartium* spp. (non-European)
 - 5. Guignardia laricina(Saw.) Yamamoto et Ito

- 6. *Gymnosporangium* spp. (non-European)
- 7. Inonotus weirii(Murrill) Kotlaba et Pouzar
- 8. Melampsora farlowii(Arthur) Davis
- 9. Monilinia fructicola(Winter) Honey
- 10. Mycosphaerella larici-leptolepsis Ito et al.
- 11. Mycosphaerella populorum G. E. Thompson
- 12. Phoma andina Turkensteen
- 13. Phyllosticta solitaria Ell. et Ev.
- 14. Septoria lycopersici Speg. var.malagutii Ciccarone et Boerema
- 15. Thecaphora solani Barrus
- 16. Trechispora brinkmannii(Bresad.) Rogers
- (d) VIRUSES AND VIRUS-LIKE ORGANISMS
 - 1. Elm phloem necrosis mycoplasm
 - 2. Potato viruses and virus-like organisms such as:
 - (a) Andean potato latent virus
 - (b) Andean potato mottle virus
 - (c) Arracacha virus B, oca strain
 - (d) Potato black ringspot virus
 - (e) Potato spindle tuber viroid
 - (f) Potato virus T
 - (g) non-European isolates of potato viruses A, M, S, V, X and Y (including Y^o, Yⁿ and Y^c) and Potato leaf roll virus
 - 3. Tobacco ringspot virus
 - 4. Tomato ringspot virus
 - 5. Viruses and virus-like organisms of *Cydonia* Mill.,*Fragaria* L.,*Malus* Mill.,*Prunus* L.,*Pyrus* L.,*Ribes* L.,*Rubus* L. and *Vitis* L., such as:
 - (a) Blueberry leaf mottle virus
 - (b) Cherry rasp leaf virus (American)
 - (c) Peach mosaic virus (American)
 - (d) Peach phony rickettsia
 - (e) Peach rosette mosaic virus
 - (f) Peach rosette mycoplasm
 - (g) Peach X-disease mycoplasm
 - (h) Peach yellows mycoplasm
 - (i) Plum line pattern virus (American)
 - (j) Raspberry leaf curl virus (American)
 - (k) Strawberry latent "C" virus
 - (l) Strawberry vein banding virus
 - (m) Strawberry witches' broom mycoplasm

- (n) Non-European viruses and virus-like organisms of *Cydonia* Mill.,*Fragaria* L.,*Malus* Mill.,*Prunus* L.,*Pyrus* L.,*Ribes* L.,*Rubus* L. and *Vitis* L.
- 6. Viruses transmitted by *Bemisia tabaci* Genn., such as:
 - (a) Bean golden mosaic virus
 - (b) Cowpea mild mottle virus
 - (c) Lettuce infectious yellows virus
 - (d) Pepper mild tigré virus
 - (e) Squash leaf curl virus
 - (f) Euphorbia mosaic virus
 - (g) Florida tomato virus
- (e) PARASITIC PLANTS
 - 1. Arceuthobium spp. (non-European)

Section 2.

Plant pests known to occur in the Community and relevant for the entire Community

- (a) INSECTS, MITES AND NEMATODES, AT ALL STAGES OF THEIR DEVELOPMENT
 - 1. Globodera pallida Stone Behrens
 - 2. *Globodera rostochiensis*(Wollenweber) Behrens
 - 3. *Heliothis armigera*(Hübner)
 - 4. Liriomyza bryoniae(Kaltenbach)
 - 5. *Liriomyza trifolii*(Burgess)
 - 6. *Liriomyza huidobrensis*(Blanchard)
 - 7. *Opogona sacchari*(Bojer)
 - 8. Popillia japonica Newman
 - 9. Spodoptera littoralis(Boisduval)
- (b) BACTERIA
 - 1. *Clavibacter michiganensis*(Smith) Davis et al. ssp.*sepedonicus*(Spieckermann et Kotthoff) Davis et al.
- (c) FUNGI
 - 1. Melampsora medusae Thümen
 - 2. Synchytrium endobioticum(Schilbersky) Percival
- (d) VIRUSES AND VIRUS-LIKE ORGANISMS
 - 1. Apple proliferation mycoplasm
 - 2. Apricot chlorotic leafroll mycoplasm
 - 3. Pear decline mycoplasm

Part B.

Plant pests whose introduction into, and whose spread within, certain protected zones shall be banned.

(A) INSECTS, MITES AND NEMATODES, AT ALL STAGES OF THEIR DEVELOPMENT

Species	Protected Zone(s)
1. Bemisia tabaci Genn. (European populations)	DK, IRL, P, UK
2. Leptinotarsa decemlineata Say	E (Minorca and Ibiza), IRL, P (Azores and Madeira), UK

(D) VIRUS AND VIRUS-LIKE ORGANISMS

Species	Protected Zone(s)
1. Beet necrotic yellow vein virus	DK, IRL, P (Azores), UK
2 .Tomato spotted wilt virus	DK

NB. In Part B of this Schedule Member States are indicated by the initials in general use in the European Community and relevant regions of the Member States appear in parentheses.

SCHEDULE 2

Article 3(1)

Part A.

Plant pests whose introduction into, and whose spread within, Great Britain shall be banned if they are present on certain plants or plant products.

Section 1.

Plant pests not known to occur in the Community and relevant for the entire Community.

(A) INSECTS, MITES AND NEMATODES, AT ALL STAGES OF THEIR DEVELOPMENT

Species	Subject of contamination
1. Aculops fuchsiae Keifer	Plants of <i>Fuchsia</i> L., intended for planting, other than seeds
2. Aleurocanthus spp.	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
3. Anthonomus bisignifer Schenkling	Plants of <i>Fragaria</i> L., intended for planting, other than seeds
4. Anthonomus signatus(Say)	Plants of <i>Fragaria</i> L., intended for planting, other than seeds

Species	Subject of contamination
5. Aonidiella citrina(Coquillett)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.,and their hybrids, other than fruit and seeds
6. Aphelenchoides besseyi Christie*	Seeds of Oryza spp.
7. Aschistonyx eppoi Inouye	Plants of <i>Juniperus</i> L., other than fruitand seeds, originating in non-European countries
8. Bursaphelenchus xylophilus(Steiner e Buhrer) Nickle.	et Plants of <i>Abies</i> Mill., <i>Cedrus</i> Trew, <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr. and <i>Tsuga</i> Carr., other than fruitand seeds,and wood of conifers (Coniferales), originating in non-European countries
9. Carposina niponensis(Walsingham)	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., and <i>Pyrus</i> L., other than seeds, originating in non-European countries
10. Diaphorina citri Kuway.	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.,and their hybrids,and <i>Murraya</i> König, other than fruitand seeds
11. Enarmonia packardi(Zeller)	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L.,and <i>Pyrus</i> L., other than seeds, originating in non-European countries
12. Enarmonia prunivora Walsh	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., and <i>Pyrus</i> L., other than seeds, originating in non-European countries
13. Eotetranychus lewisi(McGregor)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.,and their hybrids, other than fruitand seeds
14. Eotetranychus orientalis Klein	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruitand seeds
15. Grapholitha inopinata Heinrich	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. and <i>Pyrus</i> L., other than seeds, originating in non-European countries
16. Hishimonus phycitis(Distant)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus Raf.</i> , and their hybrids, other than fruit and seeds
17. Leucaspis japonica Ckll	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus Raf.</i> , and their hybrids, other than fruitand seeds
18. Listronotus bonariensis(Kuschel)	Seeds of Cruciferae, Gramineae and <i>Trifolium</i> spp., originating in Argentina, Australia, Bolivia, Chile, New Zealand and Uruguay
19. Margarodes, non-European species, such	Plants of Vitis L., other than fruit and seeds
 as: (a) Margarodes vitis(Philippi) (b) Margarodes vredendalensis De Klerk (c) Margarodes prieskaensis(Jakubski) 	

* Aphelenchoides besseyi Christie is not present on Oryza spp. in the Community.

Species	Subject of contamination
20. Numonia pyrivorella(Matsumura)	Plants of <i>Pyrus</i> L., other than seeds, originating in non-European countries
21. Oligonychus perditus Pritchard et Baker	Plants of <i>Juniperus</i> L., other than fruit and seeds, originating in non-European countries
22. Pissodes spp. (non-European)	Plants of conifers (Coniferales) other than fruit and seeds, wood of conifers (Coniferales) with bark, and isloated bark of conifers (Coniferales), originating in non-European countries
23. <i>Radopholus citrophilus</i> Huettel Dickson et Kaplan	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids other than fruit and seeds, and plants of Araceae, Marantaceae, Musaceae, <i>Persea</i> spp., Strelitziaceae, rooted or with growing medium attached or associated
24. Saissetia nigra(Nietm.)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
25. Scirtothrips aurantii Faure	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
26. Scirtothrips dorsalis Hood	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
27. Scirtothrips citri(Moultex)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
28. Scolytidae spp. (non-European)	Plants of conifers (Coniferales), over 3 m in height, other than fruit and seeds, wood of conifers (Coniferales) with bark, and isolated bark of conifers (Coniferales), originating in non-European countries
29. Tachypterellus quadrigibbus(Say)	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., and <i>Pyrus</i> L., other than seeds, originating in non-European countries
30. Toxoptera citricidus(Kirk)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
31. Trioza erytreae(Del Guercio)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, and <i>Clausena</i> Burm.f., other than fruit and seeds
32. Unaspis citri(Comstock)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds

* Aphelenchoides besseyi Christie is not present on Oryza spp. in the Community.

(B) BACTERIA

Species	Subject of contamination
1. Citrus greening bacterium	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds

Species	Subject of contamination
2. Citrus variegated chlorosis	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
3. Erwinia stewartii(Smith) Dye	Seeds of Zea mais L.
4. <i>Xanthomonas campestris</i> (Pammel) Dowson (all strains pathogenic to Citrus)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle <i>Poncirus</i> Raf., and their hybrids, other than seeds
5. <i>Xanthomonas campestris</i> pv. <i>oryzae</i> (Ishiyama) Dye and pv. <i>oryzicola</i> (Fang et al.) Dye	Seeds of <i>Oryza</i> spp.

(C) FUNGI

Species	Subject of contamination
1. <i>Alternaria alternata</i> (Fr.) Keissler (non- European pathogenic isolates)	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill. and <i>Pyrus</i> L., intended for planting, other than seeds, originating in non-European countries
2. Apiosporina morbosa(Schwein.) v. Arx	Plants of <i>Prunus</i> L., intended for planting, other than seeds
3. Atropellis spp	Plants of <i>Pinus</i> L., other than fruit and seeds, isolated bark and wood of <i>Pinus</i> L.
4. Ceratocystis coerulescens(Münch) Bakshi	Plants of <i>Acer saccharum</i> Marsh., other than fruit and seeds, originating in North American countries, wood of <i>Acer saccharum</i> Marsh., including wood which has not kept its natural round surface, originating in North American countries
5. <i>Cercoseptoria pini-densiflorae</i> (Hori et Nambu) Deighton	Plants of <i>Pinus</i> L., other than fruit and seeds, and wood of <i>Pinus</i> L.
6. Cercospora angolensis Carv. et Mendes	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than seeds
7. Ciborinia camelliae Kohn	Plants of <i>Camellia</i> L., intended for planting, other than seeds, originating in non-European countries
8. Diaporthe vaccinii Shaer	Plants of <i>Vaccinium</i> spp., intended for planting, other than seeds
9. Elsinoe spp. Bitanc. et Jenk. Mendes	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
10. <i>Fusarium oxysporum</i> f.sp <i>albedinis</i> (Kilian et Maire) Gordon	Plants of <i>Phoenix</i> spp., other than fruit and seeds
11. <i>Guignardia citricarpa</i> Kiely (all strains pathogenic to citrus)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than seeds
12. Guignardia piricola(Nosa) Yamamoto	Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. and <i>Pyrus</i> L., other than seeds, originating in non-European countries

Species	Subject of contamination
13. Puccinia pittieriana Hennings	Plants of Solanaceae, other than fruit and seeds
14. Scirrhia acicola(Dearn.) Siggers	Plants of Pinus L., other than fruit and seeds
15. Venturia nashicola Tanaka et Yamamoto	Plants of <i>Pyrus</i> L., intended for planting, other than seeds, originating in non-European countries

Species	Subject of contamination
1. Beet curly top virus (non-European isolates)	Plants of <i>Beta vulgaris</i> L., intended for planting, other than seeds
2. Black raspberry latent virus	Plants of Rubus L., intended for planting
3. Blight and Blight-like	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
4. Cadang-Cadang viroid	Plants of Palmae, intended for planting, other than seeds, originating in non-European countries
5. Cherry leaf roll virus [*]	Plants of Rubus L., intended for planting
6. Citrus mosaic virus	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
7. Citrus tristeza virus (non-European isolates)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
8. Leprosis	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
9. Little cherry pathogen (non-European isolates)	Plants of <i>Prunus cerasus</i> L., <i>Prunus avium</i> L., <i>Prunus incisa</i> Thunb., <i>Prunus sargentii</i> Rehd., <i>Prunus serrula</i> Franch., <i>Prunus serrulata</i> Lindl., <i>Prunus speciosa</i> (Koidz.) Ingram, <i>Prunus subhirtella</i> Miq., <i>Prunus yedoensis</i> Matsum., and hybrids and cultivars thereof, intended for planting, other than seeds
10. Naturally spreading psorosis	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
11. Palm lethal yellowing mycoplasm	Plants of Palmae, intended for planting, other than seeds, originating in non-European countries
12. Prunus necrotic ringspot virus**	Plants of Rubus L., intended for planting
13. Satsuma dwarf virus	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds

(D) VIRUSES AND VIRUS-LIKE ORGANISMS

* Cherry leaf roll virus is not present in Rubus L. in the Community.

** Prunus necrotic ringspot virus is not present in Rubus L. in the Community.

Species	Subject of contamination
14. Tatter leaf virus	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
15. Witches broom (MLO)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
* Cherry leaf roll virus is not present in <i>Rubus</i> L. in the Community.	
** Prunus necrotic ringspot virus is not present in <i>Rubus</i> L. in the Community.	

Section 2.

Plant pests known to occur in the Community and relevant for the entire Community.

Species	Subject of contamination
1. Aphelenchoides besseyi Christie	Plants of <i>Fragaria</i> L., intended for planting, other than seeds
2. Daktulosphaira vitifoliae(Fitch)	Plants of Vitis L., other than fruitand seeds
3. Ditylenchus destructor Thorne	Flower bulbs and corms of the genera <i>Crocus</i> L., <i>Gladiolus</i> Tourn. ex L., <i>Hyacinthus</i> L., <i>Iris</i> L., <i>Tigridia</i> Juss., <i>Tulipa</i> L., intended for planting,and potato tubers (<i>Solanum tuberosum</i> L.), intended for planting
4. <i>Ditylenchus dipsaci</i> (Kühn) Filipjev	Seeds and bulbs of <i>Allium cepa</i> L., <i>Allium</i> porrum L., and <i>Allium schoenoprasum</i> L., bulbs and corms of <i>Camassia</i> Lindl., <i>Chionodoxa</i> Boiss., <i>Crocus flavus</i> Weston "Golden Yellow", <i>Galanthus</i> L., <i>Galtonia</i> <i>candicans</i> (Baker) Decne, <i>Hyacinthus</i> L., <i>Ismene</i> Herbert, <i>Muscari</i> Miller, <i>Narcissus</i> L., <i>Ornithogalum</i> L., <i>Puschkinia</i> Adams, <i>Scilla</i> (L.), <i>Tulipa</i> L., intended for planting, and seeds of <i>Medicago sativa</i> L.
5. Circulifer haematoceps(Mussant and Rey)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
6. Circulifer tenellus(Baker)	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.,and their hybrids, other than fruit and seeds
7. Radopholus similis(Cobb) Thorne	Plants of Araceae, Marantaceae, Musaceae, <i>Persea</i> spp., Strelitziaceae, rooted or with growing medium attached or associated

(A) INSECTS, MITES AND NEMATODES, AT ALL STAGES OF THEIR DEVELOPMENT

(B) BACTERIA

Species			Subject of contamination	
1.	Clavibacter	michiganensis	Seeds of Medicago sativa L.	
ssp insidiogus(MaCulloah) Davis et al				

ssp.insidiosus(McCulloch) Davis et al.

Species	Subject of contamination
2. Clavibacter michiganensis ssp.michiganensis(Smith) Davis et al.	Plants of <i>Lycopersicon lycopersicum</i> (L.) Karsten ex Farw., intended for planting
3. Erwinia amylovora(Burr.) Winsl. et al.	Plants of <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Ehrh., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Eriobotrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> L., <i>Pyracantha</i> Roem., <i>Pyrus</i> L., <i>Sorbus</i> L. other than <i>Sorbus intermedia</i> (Ehrh.) Pers. and <i>Stranvaesia</i> Lindl., intended for planting, other than seeds
4. <i>Erwinia</i> chrysanthemi pv.dianthicola(Hellmers) Dickey	Plants of <i>Dianthus</i> L., intended for planting, other than seeds
5. <i>Pseudomonas caryophylli</i> (Burkholder) Starr et Burkholder	Plants of <i>Dianthus</i> L., intended for planting, other than seeds
6. Pseudomonas solanacearum(Smith) Smith	Plants of <i>Lycopersicon lycopersicum</i> (L.) Karsten ex. Farw. and <i>Solanum melongena</i> L., intended for planting, other than seeds, and tubers of <i>Solanum tuberosum</i> L.
7. <i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier et al.) Young et al.	Plants of <i>Prunus persica</i> (L.) Batsch and <i>Prunus persica</i> var. <i>nectarina</i> (Ait.) Maxim, intended for planting, other than seeds
8. Xanthomonas campestris pv.phaseoli(Smith) Dye	Seeds of <i>Phaseolus</i> L.
9. Xanthomonas campestris pv.pruni(Smith) Dye	Plants of <i>Prunus</i> L., intended for planting, other than seeds
10.Xanthomonascampestrispv.vesicatoria(Doidge) Dye	Plants of <i>Lycopersicon lycopersicum</i> (L.) Karsten ex Farw.,and <i>Capsicum</i> spp., intended for planting
11. Xanthomonas fragariae Kennedy et King	Plants of <i>Fragaria</i> L., intended for planting, other than seeds
12. <i>Xylophilus ampelinus</i> (Panagopoulos) Willems et al.	Plants of Vitis L., other than fruitand seeds

(C) FUNGI

Species	Subject of contamination
1. Ceratocystis fimbriata f.sp. platani Walter	Plants of <i>Platanus</i> L., intended for planting, other than seeds, and wood of <i>Platanus</i> L., including wood which has not kept its natural round surface
2. Colletotrichum acutatum Simmonds	Plants of <i>Fragaria</i> L., intended for planting, other than seeds
3. Cryphonectria parasitica(Murrill) Barr	Plants of <i>Castanea</i> Mill., and <i>Quercus</i> L., intended for planting, other than seeds, wood and isolated bark of <i>Castanea</i> Mill.

Species	Subject of contamination
4. <i>Didymella ligulicola</i> (Baker, Dimock et Davis) v. Arx	Plants of <i>Dendranthema</i> (DC.) Des Moul., intended for planting, other than seeds
5. <i>Phialophora cinerescens</i> (Wollenweber) van Beyma	Plants of <i>Dianthus</i> L., intended for planting, other than seeds
6. <i>Phoma tracheiphila</i> (Petri) Kanchaveli et Gikashvili	Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than seeds
7. <i>Phytophthora fragariae</i> Hickman var. <i>fragariae</i>	Plants of <i>Fragaria</i> L., intended for planting, other than seeds
8. Plasmopara halstedii(Farlow) Berl. et de Toni	Seeds of Helianthus annuus L.
9. Puccinia horiana Hennings	Plants of <i>Dendranthema</i> (DC.) Des Moul., intended for planting, other than seeds
10. Scirrhia pini Funk et Parker	Plants of <i>Pinus</i> L., intended for planting, other than seeds
11. Verticillium albo-atrum Reinke et Berthold	Plants of <i>Humulus lupulus</i> L., intended for planting, other than seeds
12. Verticillium dahliae Klebahn	Plants of <i>Humulus lupulus</i> L., intended for planting, other than seeds

(D) VIRUSES AND VIRUS-LIKE ORGANISMS

Subject of contamination
Plants of <i>Fragaria</i> L. and <i>Rubus</i> L., intended for planting, other than seeds
Plants of <i>Beta vulgaris</i> L., intended for planting, other than seeds
Plants of <i>Dendranthema</i> (DC.) Des Moul., intended for planting, other than seeds
Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
Plants of Vitis L., other than fruit and seeds
Plants of <i>Prunus</i> L., intended for planting, other than seeds
Plants of Solanaceae, intended for planting, other than seeds
Plants of <i>Fragaria</i> L. and <i>Rubus</i> L., intended for planting, other than seeds
Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds
Plants of <i>Fragaria</i> L., intended for planting, other than seeds

Species	Subject of contamination
12. Strawberry latent ringspot virus	Plants of <i>Fragaria</i> L. and <i>Rubus</i> L., intended for planting, other than seeds
13. Strawberry mild yellow edge virus	Plants of <i>Fragaria</i> L., intended for planting, other than seeds
14. Tomato black ring virus	Plants of <i>Fragaria</i> L. and <i>Rubus</i> L., intended for planting, other than seeds
15. Tomato spotted wilt virus	Plants of Apium graveolens L.,Capsicum annuum L.,Cucumis melo L.,Dendranthema(DC.) Des Moul., all varieties of New Guinea hybrids Impatiens, Lactuca sativa L.,Lycopersicon lycopersicum(L.) Karsten ex Farw.,Nicotiana tabacum L., of which there shall be evidence that they are intended for sale to professional tobacco production,Solanum melongena L.,Solanum tuberosum L., intended for planting

Part B.

Plant pests whose introduction into, and whose spread within, certain protected zones shall be banned if they are present on certain plants or plant products

(A) INSECTS, MITES AND NEMATODES, AT ALL STAGES OF THEIR DEVELOPMENT

Species	Subject of contamination	Protected Zone(s)
1. Anthonomus grandis(Boh.)	Seed and fruits (bolls) of <i>Gossypium</i> spp.	EL, E, I
2. Cephalcia lariciphila(Klug)	Plants of <i>Larix</i> Mill., intended for planting, other than seeds	F, IRL, UK (N-IRL, Isle of Man)
3. Dendroctonus micans(Kugelan)	Plants of conifers (Coniferales), over 3 m in height, other than fruit and seeds, wood of conifers with bark, isolated bark of conifers	
4. Gilpinia hercyniae(Hartig)	Plants of <i>Picea</i> A. Dietr., intended for planting, other than seeds	EL, F, IRL, UK (N-IRL, Isle of Man)
5. Gonipterus scutellatus Gyll	Plants of <i>Eucalyptus</i> l'Herit, other than fruit and seeds	EL, P

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby).

Species	Subject of contamination	Protected Zone(s)
6 (a) <i>Ips amitinus</i> (Eichhoff)	Plants of conifers (Coniferales), over 3 m in height, other than fruit and seeds, wood of conifers (Coniferales) with bark, isolated bark of conifers	EL, E, F (Corsica), IRL, I, P, UK
(b) <i>Ips cembrae</i> (Heer)	Plants of conifers (Coniferales), over 3 m in height, other than fruit and seeds, wood of conifers (Coniferales) with bark, isolated bark of conifers	EL, E, IRL, P, UK (N-IRL, Isle of Man)
(c) <i>Ips duplicatus</i> (Sahlberg)	Plants of conifers (Coniferales), over 3 m in height, other than fruit and seeds, wood of conifers (Coniferales) with bark, isolated bark of conifers	EL, E, IRL, I, P, UK
(d) Ips sexdentatus(Boerner)	Plants of conifers (Coniferales), over 3 m in height, other than fruit and seeds, wood of conifers (Coniferales) with bark, isolated bark of conifers	EL, IRL, UK(N-IRL, Isle of Man)
(e) <i>Ips typographus</i> De Geer	Plants of conifers (Coniferales), over 3 m in height, other than fruit and seeds, wood of conifers (Coniferales) with bark, isolated bark of conifers	EL, E, IRL, P, UK
7. Matsucoccus feytaudi Duc	Isolated bark and wood of conifers (Coniferales)	F (Corsica)
8. Pissodes spp. (European)	Plants of conifers (Coniferales), other than fruit and seeds, wood of conifers (Coniferales), isolated bark of conifers (Coniferales)	IRL, UK (N-IRL, Isle of Man)
9. <i>Sternochetus mangiferae</i> (Fabricius)	Seeds of <i>Mangifera</i> spp. originating in third countries	Е, Р
10. Thaumetopoea pityocampa(Den. et Schiff.)	Plants of <i>Pinus</i> L., intended for planting, other than fruit and seeds	E (Ibiza)

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby).

(B) BACTERIA

Species	Subject of contamination	Protected Zone(s)
1.Curtobacteriumflaccumfacienspv.flaccumfaciens(Hedges)Collins et Jones	Seeds of <i>Phaseolus vulgaris</i> L. and <i>Dolichos</i> Jacq.	EL, E, I, P
2. Erwinia amylovora(Burr.) Winsl. et al.	intended for planting, but including live pollen for pollination of <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Ehrh., <i>Crataegus</i> L., <i>Cydonia</i>	Alsace except department of Bas-Rhin-, Lorraine, Franche-Comté, Rhône-Alpes, Bourgogne, Auvergne, Provence-Alpes-Côte d'Azur, Corse, Languedoc-Roussillon), IRL, I, P, UK (N-IRL, Isle of

(C) FUNGI

Species	Subject of contamination	Protected Zone(s)
1. <i>Glomerella gossypii</i> Edgerton	Seed and fruits (bolls) of <i>Gossypium</i> spp.	EL, I (Sicily)
2. Gremmeniella abietina(Lag.) Morelet	Plants of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., and <i>Pseudotsuga</i> Carr., intended for planting, other than seeds	IRL, UK (N-IRL, Isle of Man)
3. <i>Hypoxylon mammatum</i> (Wahl.) J. Miller	Plants of <i>Populus</i> L., intended for planting, other than seeds	IRL, UK (N-IRL, Isle of Man)
4. <i>Phytophthora cinnamomi</i> Rands	Plants of <i>Persea americana</i> P Mill., other than fruit and seeds	EL (Crete)

NB. In Part B of this Schedule Member States are indicated by the initials in general use in the European community and relevant regions of the Member States appear in parentheses.

SCHEDULE 3

Article 3(1)

Part A.

Plants, plant products and other objects the introduction of which shall be prohibited in Great Britain

Description	Country of origin
1. Plants of <i>Abies</i> Mill., <i>Cedrus</i> Trew, <i>Chamaecyparis</i> Spach, <i>Juniperus</i> L., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr. and <i>Tsuga</i> Carr., other than fruit and seeds	Non-European countries
2. Plants of <i>Castanea</i> Mill. and <i>Quercus</i> L., with leaves, other than fruit and seeds	Non-European countries
3. Plants of <i>Populus</i> L., with leaves, other than fruit and seeds	North American countries
4. Isolated bark of conifers (Coniferales)	Non-European countries
5. Isolated bark of Castanea Mill.	Third countries
6. Isolated bark of <i>Quercus</i> L., other than <i>Quercus suber</i> L.	North American countries
7. Isolated bark of Acer saccharum Marsh	North American countries
8. Isolated bark of Populus L.	Countries of the American continent
9. Plants of <i>Chaenomeles</i> Lindl., <i>Cydonia</i> Mill., <i>Crataegus</i> L., <i>Malus</i> Mill., <i>Photinia</i> Ldl., <i>Prunus</i> L., <i>Pyrus</i> L. and <i>Rosa</i> L., intended for planting, other than dormant plants free from leaves, flowers and fruit	Non-European countries
10. Tubers of <i>Solanum tuberosum</i> L., seed potatoes	Third countries other than Austria and Switzerland
11. Plants of stolonor tuberforming species of <i>Solanum</i> L. or their hybrids, intended for planting, other than those tubers of <i>Solanum tuberosum</i> L. as specified under Schedule 3A(10)	
12. Tubers of <i>Solanum tuberosum</i> L., other than those specified in Schedule 3A(10), (11)	Without prejudice to the special requirements applicable to the potato tubers listed in Schedule 4, Part A, Section 1, third countries other than Austria, Cyprus, Egypt, Israel, Libya, Malta, Morocco, Switzerland, Tunisia and Turkey, and other than European third countries which are either recognised as being free from <i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i> (Spieckermann et Kotthoff) Davis et al., or in which provisions recognised as equivalent to the Community provisions on combating <i>Clavibacter michiganensis</i>

Description	Country of origin
	ssp.sepedonicusSpieckermannetKotthoffDavis et al. have been complied with
13. Plants of Solanaceae, intended for planting, other than seeds and those items covered by Schedule 3A(10), (11) or (12)	Non-European countries
consists in whole or in part of soil or solid organic substances such as parts of plants, humus	Turkey, Belarus, Estonia, Latvia, Lithuania, Moldavia, Russia, Ukraine and third countries not belonging to continental Europe, other than the following: Cyprus, Egypt, Israel, Libya, Malta, Morocco, Tunisia
15. Plants of Vitis L., other than fruits	Third countries
16. Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds	Third countries
17. Plants of <i>Phoenix</i> spp., other than fruit and seeds	Algeria, Morocco
18. Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., and <i>Pyrus</i> L. and their hybrids and <i>Fragaria</i> L., intended for planting, other than seeds	Without prejudice to the prohibitions applicable to the plants listed in Schedule 3A(9), where appropriate, non-European countries, other than Mediterranean countries, Australia, New Zealand, Canada, the continental states of the USA
19. Plants of the family Gramineae other than plants of ornamental perennial grasses of the subfamilies Bambusoideae, Panicoideae, and of the genera <i>Buchloe, Bouteloua</i> Lag., <i>Calamagrostis, Cortaderia</i> Stapf., <i>Glyceria</i> R. Br., <i>Hakonechloa</i> Mak. ex Honda, <i>Hystrix,</i> <i>Molinia, Phalaris</i> L., <i>Shibataea, Spartina</i> Schreb., <i>Stipa</i> L. and <i>Uniola</i> L., intended for planting, other than seeds	Third countries, other than European and Mediterranean countries

Part B.

Plants, plant products and other objects the introduction of which shall be prohibited in certain protected zones

Description	Protected zones
1. Without prejudice to the prohibitions	E, F (Champagne-Ardennes, Alsace-except
applicable to the plants listed in Schedule 3A(9),	department of Bas Rhin -, Lorraine,
(18), where appropriate, plants and live pollen for	Franche-Comté, Rhone-Alpes, Bourgogne,
pollination of: Chaenomeles Lindl., Cotoneaster	Auvergne, Provence-Alpes-Cote d'Azur, Corse,
Ehrh., Crataegus L., Cydonia Mill., Eriobotrya	Languedoc-Roussillon), IRL, I, P, UK(N-IRL,
Lindl., Malus Mill., Mespilus L., Pyracantha	Isle of Man and the Channel Islands)
Roem., Pyrus L., Sorbus L. other than Sorbus	
intermedia(Ehrh) Pers., Stranvaesia Lindl., other	

Description	Protected zones
than fruit and seeds, originating in third countries other than those recognised as being free from <i>Erwinia amylovora</i> (Burr.) Winsl. et al.	
2. Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.,and their hybrids, originating in third countries	EL, F (Corsica)
3. Fruit of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.,and their hybrids, except <i>Citrus paradisi</i> Macf., originating in third countries	Ι

NB. In Part B of this Schedule Member States are indicated by the initials in general use in the European Community and relevant regions of the Member States appear in parentheses.

SCHEDULE 4

Article 3(1)

Part A.

Special requirements which must be met for the introduction and movement of plants, plant products and other objects into and within Great Britain.

Section 1.

Plants, plant products and other objects originating outside the Community.

Plants, plant products and other objects	Special requirements
 1.1. Wood of conifers (Coniferales), except that of <i>Thuja</i> L., other than wood in the form of: chips, particles, wood waste, or scrap obtained in whole or part from these conifers, packing cases, crates or drums, pallets, box pallets or other load boards, dunnage, spacers and bearers, but including that which has not kept its natural round surface, originating in Canada, China, Japan, Korea, Taiwan and the USA 	There shall be evidence by application of an indicator system, applied to the wood, that it has undergone an appropriate heat treatment to achieve a minimum wood core temperature of 56°C for 30 minutes
1.2 Wood of conifers (Coniferales), in the form of chips, particles, wood waste or scrap obtained in whole or part from these conifers, originating in Canada, China, Japan, Korea, Taiwan and the USA	

1.3 Wood of conifers (Coniferales), except that The wood shall be stripped of its bark, and shall of *Thuja* L., in the form of packing cases, be free from grub holes, caused by the genus

	$C \rightarrow 1 \rightarrow 0$
Plants, plant products and other objects	Special requirements Monochamus(non-European spp.), defined for
boards, dunnage, spacers and bearers including that which has not kept its natural round surface,	this purpose as those which are larger than 3 mm across, and shall have a moisture content expressed as a percentage of dry matter, of less than 20%, achieved at the time of manufacture
not kept its natural round surface, originating in	The wood shall be stripped of its bark, and shall be free from grub holes, caused by the genus <i>Monochamus</i> (non-European spp.), defined for this purpose as those which are larger than 3 mm across
1.5 Wood of conifers (Coniferales), other than wood in the form of chips, particles, wood waste or scrap obtained in whole or part from these conifers, but including that which has not kept its natural round surface, originating in non- European countries, other than Canada, China, Japan, Korea, Taiwan and the USA	shall be free from grub holes, caused by the genus <i>Monochamus</i> (non-European spp.), defined for this purpose as those which are larger than 3 mm across, or
wood which has not kept its natural round surface, other than wood intended for the	There shall be evidence by a mark "Kiln- dried", "K.D." or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule
	There shall be evidence by the appropriate accompanying documents, or some other means that the wood is intended for the production of veneer sheets
3 Wood of <i>Castanea</i> Mill, and <i>Quercus</i> L., including wood which has not kept its natural round surface, originating in North American countries	(a) either be squared so as to remove entirely

	~
Plants, plant products and other objects	Special requirements by a mark "Kiln-dried", "K.D." or another internationally recognised mark, put on the wood or its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule
4 Wood of <i>Castanea</i> Mill.	 Without prejudice to the requirements applicable to the plant products listed in Schedule 4A1(3), (a) official statement that the wood originates in areas known to be free from <i>Cryphonectria parasitica</i>(Murrill) Barr, or (b) the wood shall be stripped of its bark
5 Wood of <i>Platanus</i> L., including wood which has not kept its natural round surface, originating in the USA or Armenia	There shall be evidence by a mark "Kiln- dried", "K.D." or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule
6 Wood of <i>Populus</i> L., originating in countries of the American continent	The wood shall be stripped of its bark
waste or scrap and obtained in whole or part from <i>Acer saccharum</i> Marsh., <i>Castanea</i> Mill., <i>Platanus</i> L., <i>Populus</i> L., and <i>Quercus</i> L., originating in non-European countries, and conifers (Coniferales) originating in non-	The product shall have been produced exclusively from wood which was stripped of its bark or which has undergone either kiln-drying to below 20% moisture content, expressed as a percentage of dry matter at time of manufacture, achieved through an appropriate time/temperature schedule or fumigation shipboard or in a container prior to shipment, and shall be shipped in sealed containers or in such a way as to prevent any re- infestation
	Without prejudice to the prohibitions applicable to the plants listed in Schedule 3A(1), where appropriate, official statement that the plants have been produced in nurseries and that the place of production is free from <i>Pissodes</i> spp. (non-European)
	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), and Schedule 4A1 (8.1), where appropriate, official statement that the plants have been produced in

Plants, plant products and other objects	Special requirements
	nurseries and that the place of production is free from Scolytidae spp. (non-European)
9 Plants of <i>Pinus</i> L., intended for planting, other than seeds	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), and Schedule 4A1 (8.1), (8.2), official statement that no symptoms of <i>Scirrhia acicola</i> (Dearn.) Siggers or <i>Scirrhia pini</i> Funk et Parker have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
10 Plants of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr., and <i>Tsuga</i> Carr. intended for planting, other than seeds	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), and Schedule 4A1 (8.1), (8.2) or (9), where appropriate, official statement that no symptoms of <i>Melampsora medusae</i> Thümen have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
11.1 Plants of <i>Castanea</i> Mill, and <i>Quercus</i> L., other than fruit and seeds:	Without prejudice to the prohibitions applicable to the plants listed in Schedule 3A(2),
(a) originating in non-European countries official statement that no symptoms of <i>Cronartium</i> spp. (non-European) have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation	
(b) originating in North American countries	official statement that the plants originate in areas known to be free from <i>Ceratocystis fagacearum</i> (Bretz) Hunt
11.2 Plants of <i>Castanea</i> Mill. and <i>Quercus</i> L., intended for planting other than seeds	 Without prejudice to the provisions applicable to the plants listed in Schedule 3A(2) and Schedule 4A1 (11.1), official statement that: (a) the plants originate in areas known to be free from <i>Cryphonectria parasitica</i>(Murrill) Barr, or (b) no symptoms of <i>Cryphonectria parasitica</i>(Murrill) Barr have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
12 Plants of <i>Platanus</i> L., intended for planting, other than seeds, originating in the USA or Armenia	Official statement that no symptoms of <i>Ceratocystis fimbriata</i> f.sp. <i>platani</i> Walter have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
13.1 Plants of <i>Populus</i> L., intended for planting, other than seeds originating in third countries	Without prejudice to the prohibitions applicable to the plants listed in Schedule 3A(3), official statement that no symptoms of <i>Melampsora</i>

Plants, plant products and other objects	Special requirements
	<i>medusae</i> Thümen have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
	Without prejudice to the provisions applicable to the plants listed in Schedule $3A(3)$ and Schedule $4A1$ (13.1), official statement that no symptoms of <i>Mycosphaerella populorum</i> G. E. Thompson have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
14 Plants of <i>Ulmus</i> L., intended for planting, other than seeds, originating in North American countries	
15 Plants of <i>Chaenomeles</i> Lindl., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Eriobotrya</i> Lindl., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L., intended for planting, other than seeds, originating in non-European countries	 Without prejudice to the prohibitions applicable to the plants listed in Schedule 3A(9), (18) and Schedule 3B(1), where appropriate, official statement that: (a) the plants originate in a country known to be free from <i>Monilinia fructicola</i>(Winter) Honey, or (b) the plants originate in an area recognised as being free from <i>Monilinia fructicola</i>(Winter) Honey, and no symptoms of <i>Monilinia fructicola</i>(Winter) Honey have been observed at the place of production since the beginning of the last complete cycle of vegetation
16 From 15 February to 30 September, fruits of <i>Prunus</i> L.,	
	Without prejudice to the prohibitions applicable to the fruits in Schedule 3B(2), (3) the fruits shall be free from peduncles and leaves and the packaging shall bear an appropriate origin mark
Swingle, <i>Poncirus</i> Raf. and their hybrids, originating in third countries where	Without prejudice to the provisions applicable to the fruits in Schedule 3B(2), (3) and

Plants, plant products and other objects	Special requirements
<i>Xanthomonas campestris</i> (all strains pathogenic to Citrus) is known to occur	Schedule 4A1(16.1), (16.3) and (16.4), official
	 statement that: (a) the fruits originate in areas known to be free from the relevant pest, or, if this requirement cannot be met
	 requirement cannot be met (b) no symptoms of the relevant pest have been observed at the place of production and in its immediate vicinity since the beginning of the last cycle of vegetation, and representative samples of leaves drawn not earlier than 15 days before fruit harvesting have shown, in appropriate official testing, to be free from the relevant pest, and none of the fruits harvested at the place of production has shown, in appropriate official examination, symptoms of the relevant pest, or, if this requirement can also not be met, (c) the fruits have not shown symptoms of the relevant pest and have been subjected to appropriate treatment such as chlorine or sodium orthophenylphenate
Swingle, <i>Poncirus</i> Raf. and their hybrids, originating in third countries where <i>Cercospora</i> <i>angolensis</i> Carv. et Mendes or <i>Guignardia</i> <i>citricarpa</i> Kiely (all strains pathogenic to Citrus) are known to occur	statement that:
Swingle, <i>Poncirus</i> Raf. and their hybrids, originating in non-European third countries where Tephritidae (non-European) are known to occur on these fruits	

Plants, plant products and other objects	Special requirements
	 and in its immediate vicinity since the beginning of the last complete cycle of vegetation, on official inspections carried out at least monthly during the three months prior to harvesting, and none of the fruits harvested at the place of production has shown, in appropriate official examination, signs of the relevan pests, or, if this requirement can also not be met, (c) the fruits have shown, in appropriate official examination on representative samples, to be free from the relevant pest in all stages of their development, or, if this requirement can also not be met, (d) the fruits have been subjected to an appropriate treatment; any acceptable vapour heat treatment, cold treatment, or quick freeze treatment, which has been shown to be efficient against the relevant pests without damaging the fruit, and, where not available, chemical treatment as far as it is acceptable by Community legislation
Ehrh., Crataegus L., Cydonia Mill., Eriobotrya	Schedule 3B(1) or Schedule 4A1(15), where appropriate, official statement:
18 Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids other than fruit and seeds, and plants of Araceae, Marantaceae, Musaceae, <i>Persea</i> spp and Strelitziaceae, rooted or with growing medium attached or associated	appropriate, official statement that:(a) the plants originate in countries

Plants, plant products and other objects	Special requirements
	have been found, in these tests, free from those plant pests
planting, other than seeds, originating in	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(9), and Schedule 4A1 (15), (17), official statement that no symptoms of <i>Phyllosticta solitaria</i> Ell. et Ev. have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation
 19.2 Plants of <i>Cydonia</i> Mill.<i>Fragaria</i> L.,<i>Malus</i> Mill.,<i>Prunus</i> L.,<i>Pyrus</i> L.,<i>Ribes</i> L.,<i>Rubus</i> L., intended for planting, other than seeds, originating in countries where the relevant plant pests are known to occur on the genera concerned The relevant plant pests are on <i>Fragaria</i> L. <i>Phytophthora fragariae</i> Hickman var,<i>fragariae</i> Arabis mosaic virus Raspberry ringspot virus Strawberry crinkle virus Strawberry mild yellow edge virus Tomato black ring virus <i>Xanthomonas fragariae</i> Kennedy et King on <i>Malus</i> Mill.: <i>Phyllosticta solitaria</i> Ell. et Ev. 	Without prejudice to the provisions applicable to the plants, where appropriate, listed in Schedule 3A(9), (18), or Schedule 4A1(15), (17), official statement that no symptoms of diseases caused by the relevant plant pests have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation
Apricot chlorotic leafroll mycoplasm Xanthomonas campestris pv. pruni (Smith) Dye	
 on Prunus persica(L.) Batsch: Pseudomonas syringae pv.persicae(Prunier et al.) Young et al. 	
 on Pyrus L.: <i>Phyllosticta solitaria</i> Ell. et Ev. on Rubus L.: Arabis mosaic virus <i>Raspherry ringspot virus</i> 	
Raspberry ringspot virus Strawberry latent ringspot virus Tomato black ring virus — on all species: non-European viruses and virus-like organisms	

Plants, plant products and other objects	Special requirements
L., intended for planting, other than seeds,	Without prejudice to the provisions applicable to plants, listed in Schedule 3A(9), (18), and Schedule 4A1(15), (17), (19.2), official statement that plants at the place of production and in its immediate vicinity, which have shown symptoms giving rise to the suspicion of contamination by Pear decline mycoplasm, have been rogued out at that place within the last three complete cycles of vegetation
21.1 Plants of <i>Fragaria</i> L., intended for planting, other than seeds, originating in countries where the relevant plant pests are known to occur.	
The relevant plant pests are: Strawberry latent 'C' virus Strawberry vein banding virus Strawberry witches' broom mycoplasm	
 Without prejudice to the provisions applicable to plants, listed in Schedule 3A(18) and Schedule 4A1(19.2), official statement that: (a) the plants, other than those raised from seed, have been: either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least the relevant plant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those plant pests, or derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least the relevant plant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those plant pests (b) no symptoms of diseases caused by the relevant plant pests have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation 	

Plants, plant products and other objects	Special requirements
21.2 Plants of <i>Fragaria</i> L., intended for planting, other than seeds, originating in countries where <i>Aphelenchoides besseyi</i> Christie is known to occur	 Without prejudice to the provisions applicable to plants listed in Schedule 3A(18) and Schedule 4A1(19.2), (21.1), official statement that: (a) either no symptoms of <i>Aphelenchoides</i> besseyi Christie have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation, or (b) in the case of plants in tissue culture, the plants have been derived from plants which complied with section (a) of this item or have been officially tested by appropriate nematological methods and have been found free from <i>Aphelenchoides besseyi</i> Christie
21.3 Plants of <i>Fragaria</i> L., intended for planting, other than seeds	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(18) and Schedule 4A1 (19.2), (21.1), (21.2), official statement that the plants originate in an area known to be free from <i>Anthonomus signatus</i> Say and <i>Anthonomus bisignifer</i> (Schenkling)
 22.1 Plants of <i>Malus</i> Mill., intended for planting, other than seeds, originating in countries where the relevant plant pests are known to occur on <i>Malus</i> Mill. The relevant plant pests are: Cherry rasp leaf virus (American) Tomato ringspot virus 	 Without prejudice to the provisions applicable to the plants, listed in Schedule 3A(9), (18), Schedule 3B(1) and Schedule 4A1(15), (17), (19.2), official statement that: (a) the plants have been: either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least the relevant plant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those plant pests, or derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least the relevant plant pests using appropriate indicators or equivalent

these tests, from those plant pests(b) no symptoms of diseases caused by the relevant plant pests have been observed

appropriate indicators or equivalent methods and has been found free, in

Plants, plant products and other objects	Special requirements
	on plants at the place of production or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation
22.2 Plants of <i>Malus</i> Mill., intended for planting, other than seeds, originating in countries where Apple proliferation mycoplasm is known to occur	three complete cycles of vegetation Without prejudice to the provisions applicable to the plants, listed in Schedule 3A(9), (18),
	vicinity, since the beginning of the last three complete cycles of vegetation
23.1 Plants of the following species of <i>Prunus</i> L., intended for planting, other than seeds, originating in countries where Plum pox virus is known to occur:	Without prejudice to the provisions applicable to the plants, listed in Schedule 3A(9), (18) and Schedule 4A1(15) (19.2), official statement that:

28

Pla	nts, plant products and other objects	Special requirements
	Prunus amygdalus Batsch	(a) the plants, other than those raised from
	Prunus armeniaca L.	seed, have been:
	Prunus blireiana Andre	 either officially certified under a
	Prunus brigantina Vill.	certification scheme requiring the
	Prunus cerasifera Ehrh.	to be derived in direct line from
	Prunus cistena Hansen	material which has been maintain
	Prunus curdica Fenzl et Fritsch.	under appropriate conditions and
	<i>Prunus domestica</i> ssp. <i>domestica</i> L.	subjected to official testing for,
	Prunus domestica ssp.insititia(L.) C.K.	at least, Plum pox virus using
	Schneid.	appropriate indicators or equivale
	Prunus domestica ssp.italica(Borkh.)	methods and has been found free,
	Hegi	these tests, from that plant pest, o
	Prunus glandulosa Thunb.	— derived in direct line from materia
	Prunus holosericea Batal.	which is maintained under
	Prunus hortulana Bailey	appropriate conditions and has
	Prunus japonica Thunb.	been subjected, within the last thr
	Prunus mandshurica(Maxim.) Koehne	complete cycles of vegetation,
	Prunus maritima Marsh.	at least once, to official testing
	Prunus mume Sieb. et Zucc.	for at least Plum pox virus using
	Prunus nigra Ait.	appropriate indicators or equivale
	Prunus persica(L.) Batsch	methods and has been found free,
	Prunus salicina L.	these tests, from that plant pest
	Prunus sibirica L.	(b) no symptoms of disease caused by Plur
	Prunus simonii Carr.	pox virus have been observed on plants
	Prunus spinosa L.	the place of production or on susceptibl
	Prunus tomentosa Thunb.	plants in its immediate vicinity, since
	Prunus triloba Lindl.	the beginning of the last three complete
	other species of <i>Prunus</i> L. susceptible to	cycles of vegetation
	plum pox virus	
	plum pox virus	
		have shown symptoms of disease cause
		by other viruses or virus-like pathogens
		have been rogued out
3.2	Plants of Prunus L., intended for planting,	Without prejudice to the provisions applicabl
a)	originating in countries where the	to the plants, where appropriate, listed in
	relevant plant pests are known to occur on	
	Prunus L.	(19.2), (23.1), official statement that:
b)	other than seeds, originating in countries	(a) the plants have been:
,	where the relevant plant pests are known	— either officially certified under a
	to occur	certification scheme requiring the
c)	other than seeds, originating in non-	to be derived in direct line from
-)	European countries where the relevant	material which has been maintain
	plant pests are known to occur	under appropriate conditions and
	prairi posto di e kilovili to occui	subjected to official testing for at
`h≏	relevant nlant nests are:	least the relevant plant pests using
The relevant plant pests are: — for the case under (a):		appropriate indicators or equivale
	Tomato ringspot virus	
• •		methods and has been found free,
	for the case under (b):	these tests, from those plant pests
	Cherry rasp leaf virus (American)	OF derived in direct line from materia

 derived in direct line from material which is maintained under appropriate conditions and has

Peach mosaic virus (American)

Peach phony rickettsia Peach rosette mycoplasm

Plants, plant products and other objects	Special requirements
Peach yellows mycoplasm Plum line pattern virus (American) Peach X-disease mycoplasm — for the case under (c): Little cherry pathogen	 been subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least the relevant plant pests using appropriate indicators or equivalent methods and has been found free, ir these tests, from those plant pests (b) no symptoms of diseases caused by the relevant plant pests have been observed on plants at the place of production or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation.
 24 Plants of <i>Rubus</i> L., intended for planting, (a) originating in countries where the relevant plant pests are known to occur on <i>Rubus</i> L. (b) other than seeds, originating in countries where the relevant plant pests are known to occur The relevant plant pests are: in the case of (a): Tomato ringspot virus Black raspberry latent virus Cherry leafroll virus Prunus necrotic ringspot virus in the case of (b): Raspberry leaf curl virus (American) Cherry rasp leaf virus (American) 	on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation Without prejudice to the requirements applicable to the plants listed in Schedule 4A1(19.2), (a) the plants shall be free from aphids, including their eggs (b) official statement that: (aa) the plants have been: — either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least the relevant plant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those plant pests, or — derived in direct line from material which is maintained under appropriate conditions and has been subjected, withir the last three complete cycles of vegetation, at least once, to official testing for at least the relevant plant pests using appropriate indicators or equivalent methods and has been found free, in these tests,
	 been found free, in these tests, from those plant pests, (bb) no symptoms of diseases caused by the relevant plant pests have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the

Plants, plant products and other objects	Special requirements
	beginning of the last three complete cycles of vegetation
25.1 Tubers of <i>Solanum tuberosum</i> L., originating in countries where <i>Synchytrium endobioticum</i> (Schilbersky) Percival is known to occur	
25.2 Tubers of Solanum tuberosum L.,	 Without prejudice to the provisions listed in Schedule 3A(10), (11), (12) and Schedule 4A1(25.1), official statement that: (a) the tubers originate in countries known to be free from <i>Clavibacter michiganensis</i> ssp.<i>sepedonicus</i>(Spieckermann et Kotthoff) Davis et al., or (b) provisions recognised as equivalent to the Community provisions on combating <i>Clavibacter michiganensis</i> ssp.<i>sepedonicus</i>(Spieckermann et Kotthoff) Davis et al., have been complied with, in the country of origin
25.3 Tubers of <i>Solanum tuberosum</i> L., other than early potatoes, originating in countries where Potato spindle tuber viroid is known to occur	Without prejudice to the provisions applicable to the tubers listed in Schedule $3A(10)$, (11), (12) and Schedule $4A1(25.1)$, (25.2), suppression of the faculty of germination
25.4 Tubers of <i>Solanum tuberosum</i> L., intended for planting	Without prejudice to the provisions applicable to tubers listed in Schedule 3A(10), (11), (12) and Schedule 4A1(25.1), (25.2), (25.3), official statement that the tubers originate from a field known to be free from <i>Globodera rostochiensis</i> (Wollenweber) Behrens and <i>Globodera pallida</i> (Stone) Behrens
25.5 Plants of Solanaceae, intended for planting, other than seeds, originating in countries where Potato stolbur mycoplasm is known to occur	Without prejudice to the provisions applicable to tubers listed in Schedule 3A(10), (11), (12), (13), and Schedule 4A1(25.1), (25.2), (25.3), (25.4), official statement that no symptoms of Potato stolbur mycoplasm have been observed

Plants, plant products and other objects	Special requirements
	on the plants at the place of production since the beginning of the last complete cycle of vegetation
L. and other than seeds of Lycopersicon lycopersicum(L.) Karsten ex Farw., originating	the plants listed in Schedule 3A(11), (13), and
26 Plants of <i>Humulus lupulus</i> L., intended for planting, other than seeds	Official statement that no symptoms of <i>Verticillium albo-atrum</i> Reinke and Berthold and <i>Verticillium dahliae</i> Klebahn have been observed on hops at the place of production since the beginning of the last complete cycle of vegetation
27.1 Plants of <i>Dendranthema</i> (DC.) Des Moul., <i>Dianthus</i> L. and <i>Pelargonium</i> L'Herit. ext Ait., intended for planting, other than seeds	 Official statement that: (a) no signs of <i>Heliothis armigera</i> Hübner, or <i>Spodoptera littoralis</i>(Boisd.) have been observed at the place of production since the beginning of the last complete cycle of vegetation, or (b) the plants have undergone appropriate treatment to protect them from the said pests
27.2 Plants of <i>Dendranthema (DC.)</i> Des Moul., <i>Dianthus</i> L. and <i>Pelargonium</i> L'Herit ex Ait., other than seeds	
28 Plants of <i>Dendranthema</i> (DC.) Des Moul., intended for planting, other than seeds	 Without prejudice to the requirements applicable to the plants, listed in Schedule 4A1(27.1), (27.2), official statement that: (a) the plants are no more than third generation stock derived from material which has been found to be free from Chrysanthemum stunt viroid during virological tests, or are directly derived from material of which a representative sample of at least 10% has been found to be free from Chrysanthemum stunt viroid
3	-

Plants, plant products and other objects	Special requirements
Plants, plant products and other objects	 Special requirements during an official inspection carried out at the time of flowering (b) the plants or cuttings: have come from premises which have been officially inspected at least monthly, during the three months prior to dispatch and on which no symptoms of <i>Puccinia horiana</i> Hennings have been observed during that period, and in the immediate vicinity of which no symptoms of <i>Puccinia horiana</i> Hennings have been known to have occurred during the three months prior to export, or have undergone appropriate treatment against <i>Puccinia horiana</i> Hennings (c) in the case of unrooted cuttings, no symptoms of <i>Didymella ligulicola</i>(Baker, Dimock et Davis) v. Arx were observed either on the cuttings were derived, or that, in the case of rooted cuttings, no symptoms of <i>Didymella ligulicola</i>(Baker, Dimock et Davis) v. Arx were observed either on the cuttings were derived, or that, in the case of rooted cuttings, no symptoms of <i>Didymella ligulicola</i>(Baker, Dimock et Davis) v. Arx were observed either on the cuttings were derived, or that, in the case of rooted cuttings, no symptoms of <i>Didymella ligulicola</i>(Baker, Dimock et Davis) v. Arx were observed either on the cuttings or on the plants from which the cuttings were derived, or that, in the case of rooted cuttings, no symptoms of <i>Didymella ligulicola</i>(Baker, Dimock et Davis) v. Arx were observed either on the cuttings or on the rooting the the other on the cuttings or on the rooting either on the cuttings or on the rooting either on the cuttings or on the rooting the three cuttings or on the rooting the plants of the plants
29 Plants of <i>Dianthus</i> L., intended for planting, other than seeds	bed
30 Bulbs of <i>Tulipa</i> L. and <i>Narcissus</i> L., other than those for which there shall be evidence by	

intended for sale to final consumers not involed last complete cycle of vegetation in professional cut flower production

than those for which there shall be evidence by Ditylenchus dipsaci(Kühn) Filipjev have been their packaging, or by other means, that they are observed on the plants since the beginning of the

nents laces of the from Tomato generation plants found gspot virus d system of
generation plants found gspot virus
laces of pe from Tomato plants, or generation plants found gspot virus d system of
ons applicable A(11), (13), or a, (29), where at: e relevant plant t the place nspections during the et, or t the plants und free from bests and appropriate ing the
plan gend plar gspot d sys ons aj A(11), (29 at: e relat t the nspec v duri t, or t the und : oests approved t the inspect v duri

Schedule 4A1(32.1), intended for planting, other to the plants listed in Schedule 3A(11), than seeds, originating in American countries (13), or in any other third country not covered by (28), Schedule 4A1(32.1)

or Schedule 4A1(27.1), (27.2), (29), (32.1) where appropriate, official statement that no signs of maculosa(Malloch),Liriomyza Amauromyza bryoniae(Kaltenbach),Liriomyza

Plants, plant products and other objects	Special requirements
	huidobrensis(Blanchard), Liriomyzasativae(Blanchard),orLiriomyzatrifolii(Burgess) have been observed at the placeof production, on official inspections carried outat least monthly during the three months prior toexport
32.3 Plants of herbaceous species other than those covered by Schedule 4A1(32.1) intended for planting, other than seeds, originating in countries not covered by Schedule 4A1(32.1)	to the plants listed in Schedule 3A(11), (13) and
33 Plants with roots, planted or intended for planting, grown in the open air	Official statement that the place of production is known to be free from <i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i> (Spieckermann et Kotthoff) Davis et al. <i>Globodera pallida</i> (Stone) Behrens, <i>Globodera</i> <i>rostochiensis</i> (Wollenweber) Behrens, and <i>Synchytrium endobioticum</i> (Schilbersky) Percival
 34 Soil and growing medium attached to or associated with plants, consisting in whole or in part of soil or solid organic substances such as parts of plants, humus including peat or bark or any solid inorganic substance, intended to sustain the vitality of the plants, originating in: Turkey Belarus, Estonia, Latvia, Lithuania, Moldavia, Russia, Ukraine non-European countries other than Cyprus, Egypt, Israel, Libya, Malta, Morocco, Tunisia 	 Official statement that: (a) the growing medium, at the time of planting was: either free from soil, and organic matter, or found free from insects and harmful nematodes and subjected to appropriate examination or heat treatment or fumigation to ensure that it was free from other plant pests, or subjected to appropriate heat treatment or fumigation to ensure freedom from plant pests, and (b) since planting: either appropriate measures have been taken to ensure that the growing medium has been maintained free from plant pests, or

Plants, plant products and other objects	Special requirements
	 within two weeks prior to dispatch, the plants were shaken free from the medium leaving the minimum amount necessary to sustain vitality during transport, and, of replanted, the growing medium used for that purpose meets the requirements laid down in (a)
35.1 Plants of <i>Beta vulgaris</i> L., intended for planting, other than seeds	Official statement that no symptoms of Bee curly top virus (non-European isolates) have been observed at the place of production since the beginning of the last complete cycle of vegetation
35.2 Plants of <i>Beta vulgaris</i> L., intended for planting, other than seeds, originating in countries where Beet leaf curl virus is known to occur	applicable to the plants listed in
36 Plants, intended for planting, other than seeds, originating in countries where <i>Thrips palmi</i> Karny is known to occur	
37 Plants of Palmae, intended for planting, other than seeds, originating in non-European countries	
	cycle of vegetation, and plants at the place of production which have shown symptoms giving rise to the suspicion of contamination by the diseases have been

Plants, plant products and other objects	Special requirements
	 rogued out at that place and the plants have undergone appropriate treatment to rid them of <i>Myndus crudus</i> Van Duzee (c) in the case of plants in tissue culture, the plants were derived from plants which have met the requirements laid down in (a) or (b)
38.1 Plants of <i>Camellia</i> L., intended for planting, other than seeds, originating in non-European countries	
38.2 Plants of <i>Fuchsia</i> L., intended for planting, other than seeds originating in the USA or Brazil	
39 Trees and shrubs, intended for planting, other than seeds and plants in tissue culture, originating in third countires other than European and Mediterranean countries	to the plants listed in Schedule $3A(1)$, (2), (3),
40 Deciduous trees and shrubs, intended for planting, other than seeds and plants in tissue culture, originating in third countries other than European and Mediterranean countries	to the plants listed in Schedule 3A(1), (2), (3)

37

(23.2), (24), (25.5), (25.6), (26), (27.1), (27.2), (28), (29), (32.1), (32.2), (33), (34), (36), (37), (38.1), (38.2), (39), where appropriate, official

Plants, plant products and other objects	Special requirements statement that the plants are dormant and free from leaves
41 Annual and biennial plants, other than Gramineae, intended for planting, other than seeds, originating in countries other than European and Mediterranean countries	to the plants, where appropriate, listed in
42 Plants of the family Gramineae of ornamental perennial grasses of the subfamilies Bambusoideae, Panicoideae and of the genera <i>Buchloe, Bouteloua</i> Lag., <i>Calamagrostis,</i> <i>Cortaderia</i> Stapf., <i>Glyceria</i> R. Br., <i>Hakonechloa</i> Mak. ex Honda, <i>Hystrix, Molinia Phalaris</i> L., <i>Shibataea, Spartina</i> Schreb., <i>Stipa</i> L., <i>Uniola</i> L., intended for planting, other than seeds, originating in countries other than European and Mediterranean countries	applicable to the plants, where appropriate, listed in Schedule 4A1(33), (34), (36), official
43 Plants of the bonsai-type, intended for planting, other than seeds, originating in non- European countries	
-	-

Plants, plant products and other objects	Spe	cial requirements
		which are subjected to an officially
		supervised control regime
	(b)	The plants shall:
		(aa) at least during the two last years
		prior to dispatch,
		— have been grown in either
		an unused artificial growing
		medium or in a natural
		growing medium which has
		been treated by fumigation of
		by appropriate heat treatment
		to ensure freedom from
		plant pests, and from which
		appropriate measures have
		been taken to ensure that the
		growing medium has been
		maintained free from plant
		pests,
		— be potted, in pots which are
		placed on shelves at least 50
		cm above ground
		— have been subjected to
		appropriate treatments to
		ensure freedom of non-
		European rusts
		— be placed only in insect-proo
		screened structures
		(bb) within two weeks prior to dispatch
		have been shaken free from the
		medium leaving the minimum
		amount necessary to sustain vitalit
		during transport, and, if replanted,
		the growing medium used for that
		purpose meets the requirements la
		down in (aa)
	(c)	The plants which have been grown in th
		registered 'bonsai' nurseries and those
		plants in the immediate vicinity thereof
		shall have been officially inspected at
		least six times a year at appropriate time
		for the presence of plant pests of concer-
		The inspections shall be carried out at
		least by visual examination of each row
		in the field or nursery and by visual
		examination of all plant parts above the
		growing medium, using a random samp
		af at least 200 slasts in a second and the
		of at least 300 plants in a genus where the
		genus comprises of not more than 3000
		genus comprises of not more than 3000 plants or 10% of the plants if there are
		genus comprises of not more than 3000

Plants, plant products and other objects	Special requirements
	 the schedules to this Order, and any other plant organism in so far as it does not exist in the community (d) The plants shall have been found free, in these inspections, from the relevant plant pests of concern. Infested plants shall be removed. The remaining plants, where appropriate, shall be effectively treated, and in addition shall be held for an appropriate period to ensure freedom from such plant pests
	The material shall be packed in closed containers which have been officially sealed and bear a distinguishing mark to be reproduced on the phytosanitary certificate enabling the consignments to be identified
44 Herbaceous perennial plants intended for planting, other than seeds, of the families Caryophylaceae (except <i>Dianthus</i> L.), Compositae (except <i>Dendranthema</i> (DC). Des Moul.), Cruciferae, Leguminosae and Rosaceae (except <i>Fragaria</i> L.), originating in third countries other than European and Mediterranean countries	applicable to the plants, where appropriate listed in Schedule 4A1(32.1), (32.2), (32.3), (33), (34), (36), official statement that the
45 Plants of <i>Euphorbia pulcherrima</i> Willd. intended for planting, other than seeds, originating in countries where <i>Bemisia tabaci</i> Genn. (non-European populations) is known to occur	 Official statement that: the plants originate in areas known to be free from <i>Bemisia tabaci</i> Genn., or no signs of <i>Bemisia tabaci</i> Genn. have been observed on plants at the place of production, on official inspections carried out at least monthly during the three months prior to export
46 Plants intended for planting other than seeds, bulbs, tubers, corms, rhizomes, originating in countries where the relevant plant pests are known to occurThe relevant plant pests are:	Without prejudice to the requirements applicable to plants listed in Schedule $3A(13)$, and Schedule $4A1(25.5)$, (25.6) , (32.1) , (32.2) , (32.3), (35.1) , (35.2) , (36) , (44) , (45) where appropriate,

Plants, plant products and other objects

Special requirements

- Bean golden mosaic virus
- Cowpea mild mottle virus
- Lettuce infectious yellows virus
- Pepper mild tigré virus
- Squash leaf curl virus
- other viruses transmitted by Bemisia tabaci Genn.

pests are not known to occur

(b) Where *Bemisia tabaci* Genn. (non-European official statement that no symptoms of the populations) or other vectors of the relevant plant relevant plant pests have been observed on the pests are known to occur

47 Seeds of Helianthus annuus L.

(a) Where Bemisia tabaci Genn. (non-European official statement that no symptoms of the populations) or other vectors of the relevant plant relevant plant pests have been observed on the plants during their complete cycle of vegetation

plants during an adequate period, and

- the plants originate in areas known to be (a) free from Bemisia tabaci Genn. and other vectors of the relevant plant pests, or
- (b) the place of production has been found free from Bemisia tabaci Genn. and other vectors of the relevant plant pests on official inspections carried out at appropriate times, or
- the plants have been subjected to an (c) appropriate treatment aimed at eradicating Bemisia tabaci Genn.

Official statement that:

- the seeds originate in areas known to be (a) free from *Plasmopara halstedii*(Farlow) Berl. et de Toni, or
- the seeds, other than those seeds that have (b) been produced on varieties resistant to all races of *Plasmopara halstedii*(Farlow) Berl. et de Toni present in the area of production, have been subjected to an appropriate treatment against Plasmopara halstedii(Farlow) Berl. et de Toni

48 Seeds of Lycopersicon lycopersicum(L.) Official statement that the seeds have been Karsten ex Farw. obtained by means of an appropriate acid extraction method or an equivalent method and

- either the seeds originate in areas (a) where Clavibacter michiganensis ssp.michiganensis(Smith) Davis et al. Xanthomonas campestris py. and vesicatoria(Doidge) Dye and potato spindle tuber viroid are not known to occur, or
- no symptoms of diseases caused by those (b) plant pests have been observed on the plants at the place of production during their complete cycle of vegetation, or

Plants, plant products and other objects	Special requirements
	 (c) the seeds have been subjected to official testing for at least those plant pests, on a representative sample and using appropriate methods, and have been found in these tests, free from those plant pests
49.1 Seeds of <i>Medicago sativa</i> L.	 Official statement that: (a) no symptoms of <i>Ditylenchus</i> <i>dipsaci</i>(Kühn) Filipjev have been observed at the place of production since the beginning of the last complete cycle of vegetation and that no <i>Ditylenchus</i> <i>dipsaci</i>(Kühn) Filipjev has been revealed by laboratory tests on a representative sample, or (b) fumigation has taken place prior to export
49.2 Seeds of <i>Medicago sativa</i> L., originating in countries where <i>Clavibacter michigamensis</i> ssp. <i>insidiosus</i> Davis et al. is known to occur	 Without prejudice to the requirements applicable to the plants listed in Schedule 4A1(49.1), official statement that: (a) Clavibacter michiganensis ssp.insidiosus Davis et al. has not been known to occur on the farm or in the immediate vicinity since the beginning of the past 10 years (b) either the crop belongs to a variety recognised as being highly resistant to Clavibacter michigamensis ssp.insidiosus Davis et al., or it had not yet started its fourth complete cycle of vegetation from sowing when the seed was harvested, and there was not more than one preceding seed harvest from the crop, or the content of inert matter which has been determined in accordance with the rules applicable for the certification of seed marketed in the Community, does not exceed 0.1% by weight (c) no symptoms of Clavibacter michiganensis ssp.insidiosus Davis et al. have been observed at the place of production or on any Medicago sativa L. crop adjacent to it, during the last complete cycle of vegetation or, where appropriate, the last two cycles of vegetation
	12

Plants, plant products and other objects	Special requirements
	crop has been present during the last three years prior to sowing
50 Seeds of Oryza sativa L.	 Official statement that: (a) the seeds have been officially tested by appropriate nematological tests and have been found free from <i>Aphelenchoides besseyi</i> Christie,
	 or (b) the seeds have been subjected to an appropriate hot water treatment or other appropriate treatment against <i>Aphelenchoides besseyi</i> Christie
51 Seeds of <i>Phaseolus</i> L.	 Official statement that: (a) the seeds originate in a country known to be free from <i>Xanthomonas campestris</i> pv.<i>phaseoli</i>(Smith) Dye,
	 or (b) a representative sample of the seeds has been tested and found free from <i>Xanthomonas campestris</i> pv.<i>phaseoli</i>(Smith) Dye on these tests
52 Seeds of Zea mais L.	Official statement that:(a) the seeds originate in areas known to be free from <i>Erwinia stewartii</i>(Smith) Dye,
	 or (b) a representative sample of the seeds has been tested and found free from <i>Erwinia stewartii</i>(Smith) Dye in this test.

Section 2.

Plants, plant products, and other objects originating in the Community.

Plants, plant products and other objects	Spe	cial requirements
1 Wood of <i>Castanea</i> Mill.	(a)	Official statement that the wood originates in areas known to be free from <i>Cryphonectria parasitica</i> (Murrill) Barr, or
	(b)	the wood shall be stripped of its bark
2 Wood of <i>Platanus</i> L., including wood which has not kept its natural round surface	(a)	Official statement that the wood originates in areas known to be free from <i>Ceratocystis fimbriata</i> f.sp. <i>platani</i> Walter,
	(b)	or there shall be evidence by a mark 'Kiln- dried,' 'K.D.' or another internationally

Plants, plant products and other objects	Special requirements
	recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule
3 Isolated bark of <i>Castanea</i> Mill.	 Official statement: (a) that the bark originates in areas known to be free from <i>Cryphonectria</i> <i>parasitica</i>(Murrill) Barr, or (b) that the consignment has been subjected to fumigation or other appropriate treatment against <i>Cryphonectria</i> <i>parasitica</i>(Murrill) Barr
4 Plants of <i>Pinus</i> L., intended for planting, other than seeds	Official Statement that no symptoms of <i>Scirrhia pini</i> Funk et Parker have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
5 Plants of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr., and <i>Tsuga</i> Carr., intended for planting, other than seeds	Without prejudice to the requirements applicable to the plants listed in Schedule 4A2(4), where appropriate, official statement that no symptoms of <i>Melampsora medusae</i> Thümen have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
6 Plants of <i>Populus</i> L., intended for planting other than seeds	Official statement that no symptoms of <i>Melampsora medusae</i> Thümen have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
7 Plants of <i>Castanea</i> Mill. and <i>Quercus</i> L., intended for planting, other than seeds	 Official statement that: (a) the plants originate in areas known to be free from <i>Cryphonectria</i> <i>parasitica</i>(Murrill) Barr, or (b) no symptoms of <i>Cryphonectria</i> <i>parasitica</i>(Murrill) Barr have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
8 Plants of <i>Platanus</i> L. intended for planting, other than seeds	 Official statement that: (a) the plants originate in an area known to be free from <i>Ceratocystis fimbriata</i> f.sp.<i>platani</i> Walter, or (b) no symptoms of <i>Ceratocystis fimbriata</i> f.sp.<i>platani</i> Walter have been observed at the place of production or in its

	~ · · · ·
Plants, plant products and other objects	Special requirements
	immediate vicinity since the beginning of the last complete cycle of vegetation.
9 Plants of <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Ehrh., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Eriobotrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> L., <i>Pyracantha</i> Roem., <i>Pyrus</i> L., <i>Sorbus</i> L., other than <i>Sorbus intermedia</i> (Ehrh.) Pers. and <i>Stranvaesia</i> Lindl.,	
intended for planting, other than seeds	 or (b) that the plants in the field of production and in its immediate vicinity, which have shown symptoms of <i>Erwinia amylovora</i>(Burr.) Winsl. et al., have been rogued out
10 Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds	 Official statement that: (a) the plants originate in areas known to be free from <i>Spiroplasma citri</i> Saglio et al.,<i>Phoma tracheiphila</i> l(Petri) Kanchaveli and Gikashvili, Citrus vein enation woody gall and Citrus tristeza virus (European strains), or
	 (b) the plants derive from a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official individual testing for, at least, Citrus tristeza virus (European strains) and Citrus vein enation woody gall, using appropriate indicators or equivalent methods, and have been growing permanently in an insect proof glasshouse or in an isolated cage on which no symptoms of <i>Spiroplasma citri</i> Saglio et al.,<i>Phoma tracheiphila</i>, Citrus tristeza virus (European strains) and Citrus vein enation woody gall have been observed, or
	 (c) the plants: have been derived from a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official individual testing for, at least, Citrus vein enation woody gall and Citrus tristeza virus (European strains), using appropriate indicators or equivalent methods, and has been

equivalent methods, and has been found, in these tests, free from Citrus tristeza virus (European

Plants, plant products and other objects	Special requirements
	 strains), and certified free from, at least, Citrus tristeza virus (European strains) in official individual tests carried out according to the methods mentioned in this indent; — and have been inspected and no symptoms of <i>Spiroplasma citri</i> Saglio et al.,<i>Phoma tracheiphila</i>(Petri) Kanchaveli and Gikashvili and of Citrus vein enation woody gall and Citrus tristeza virus have been observed since the beginning of the last complete cycle of vegetation
11 Plants of Araceae, Marantaceae, Musaceae, <i>Persea</i> ssp. and Strelitiziaceae, rooted or with growing medium attached or associated	 Official statement that: (a) no contamination by <i>Radopholus</i> similis(Cobb) Thorne has been observed at the place of production, since the beginning of the last complete cycle of vegetation, or (b) soil and roots from suspected plants have been subjected since the beginning of the last complete cycle of vegetation to official nematological testing for at least <i>Radopholus similis</i>(Cobb) Thorne and have been found, in these tests, free from that plant pest
12 Plants of <i>Fragaria</i> L., <i>Prunus</i> L., <i>Rubus</i> L., intended for planting, other than seeds	 Official statement that: (a) The plants originate in areas known to be free from the relevant plant pests, or (b) no symptoms of diseases caused by the relevant plant pests have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation
	The relevant plant pests are: — on <i>Fragaria</i> L.: <i>Phytophthora fragariae</i> Hickman var. <i>fragariae</i> Arabis mosaic virus Raspberry ringspot virus Strawberry crinkle virus Strawberry latent ringspot virus Strawberry mild yellow edge virus Tomato black ring virus <i>Xanthomonas fragariae</i> Kennedy et King — on <i>Prunus</i> L.: Apricot chlorotic leafroll mycoplasm

Plants, plant products and other objects	Special requirements
	Xanthomonas campestris pv.pruni(Smith) Dye — on Prunus persica(L.) Batsch: Pseudomonas syringae pv. persicae(Prunier et al.) Young et al. — on Rubus L.: Arabis mosaic virus Raspberry ringspot virus Strawberry latent ringspot virus Tomato black ring virus
13 Plants of <i>Cydonia</i> Mill., and <i>Pyrus</i> L. intended for planting, other than seeds	 Without prejudice to the requirements applicable to plants listed in Schedule 4A2(9), official statement that: (a) the plants originate in areas known to be free from Pear decline mycoplasm, or (b) the plants at the place of production and in its immediate vicinity, which have shown symptoms giving rise to the suspicion of contamination by Pear decline mycoplasm, have been rogued out at that place within the last three complete cycles of vegetation
14 Plants of <i>Fragaria</i> L., intended for planting, other than seeds	 Without prejudice to the requirements applicable to the plants, listed in Schedule 4A2(12), official statement that: (a) the plants originate in areas known to be free from <i>Aphelenchoides besseyi</i> Christie, or (b) no symptoms of <i>Aphelenchoides besseyi</i> Christie have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation, or (c) in the case of plants in tissue culture, the plants have been derived from plants complying with section (b) of this item or have been officially tested by appropriate nematological methods and have been found free from <i>Aphelenchoides besseyi</i> Christie
15 Plants of <i>Malus</i> Mill., intended for planting, other than seeds	

Plants, plant products and other objects	Special requirements
	requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least Apple proliferation mycoplasm using appropriate indicators or equivalent methods and has been found, in these tests, free from that plant pest, or — derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last six complete cycles of vegetation, at least once, to official testing for, at least, Apple proliferation mycoplasm using appropriate indicators or equivalent methods and has been found, in these tests, free from that plant pest (bb) no symptoms of diseases caused by Apple proliferation mycoplasm have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation
 16 Plants of the following species of <i>Prunus L.</i>, intended for planting other than seeds: <i>Prunus amygdalus</i> Batsch <i>Prunus armeniaca</i> L. <i>Prunus blireiana</i> Andre <i>Prunus brigantina</i> Vill. <i>Prunus cerasifera</i> Ehrh. <i>Prunus cistena</i> Hansen <i>Prunus curdica</i> Fenzl and Fritsch. <i>Prunus domestica</i> ssp.<i>iosititia</i>(L.) C.K. Schneid. <i>Prunus domestica</i> ssp.<i>italica</i> (Borkh.) Hegi. <i>Prunus holosericea</i> Batal. <i>Prunus hortulana</i> Bailey <i>Prunus mandshurica</i>(Maxim.) 	 Without prejudice to the requirements applicable to the plants, listed in Schedule 4A2(12), official statement that: (a) the plants originate in areas known to be free from Plum pox virus, or (b) (aa) the plants, other than those raised from seed, have been: either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for, at least, Plum pox virus using appropriate indicators or equivalent methods and has been found,

Plants, plant products and other objects	Special requirements
Koehne Prunus maritima Marsh. Prunus mume Sieb. et Zucc. Prunus nigra Ait. Prunus persica(L.) Batsch Prunus salicina L. Prunus sibirica L. Prunus simonii Carr. Prunus spinosa L. Prunus tomentosa Thunb. Prunus triloba Lindl. other species of Prunus L. susceptible to Plum pox virus	 in these tests, free from that plant pest, or derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least Plum pox virus using appropriate indicators or equivalent methods and has been found, in these tests, free from that plant pest (bb) no symptoms of disease caused by Plum pox virus have been observed on plants at the place of production or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation (cc) plants at the place of production which have shown symptoms of disease or virus-like pathogens, have been rogued out
18 Plants of <i>Vitis</i> L., other than fruit and seeds	Official statement that no symptoms of Grapevine Flavescence dorée MLO ar <i>Xylophilus ampelinus</i> (Panagopoulos) Willen et al. have been observed on the mother-stoo plants at the place of production since the beginning of the last two complete cycles of vegetation
19.1 Tubers of <i>Solanum tuberosum</i> L., intended for planting	 Official statement that: (a) the Community provisions to combat Synchytrium endobioticum(Schilbersky) Percival have been complied with, and (b) either the tubers originate in an area known to be free from Clavibacter michiganensis ssp.sepedonicus(Spieckermann et Kotthoff) Davis et al., or the Community provisions to combat Clavibacter michiganensis ssp.sepedonicus(Spieckermann et Kotthoff) Davis et al. have been complie with, and (c) the tubers originate from a field

Plants, plant products and other objects	Special requirements
	<i>rostochiensis</i> (Wollenweber) Behrens and <i>Globodera pallida</i> (Stone) Behrens
19.2 Tubers of <i>Solanum tuberosum</i> L., intended for planting, other than tubers of those varieties officially accepted in one or more Member States pursuant to Council Directive 70/457/EEC	applicable to the tubers listed in
19.3 Plants of stolonor tuber-forming species of <i>Solanum</i> L., or their hybrids, intended for planting, other than those tubers of <i>Solanum</i> <i>tuberosum</i> L. specified in Schedule 4A2(19.1) or (19.2), and other than culture maintenance material being stored in genebanks or genetic stock collections	quarantine conditions and shall have been found free of any plant pests in quarantine testing

in the case of all potato material at least for

Plants, plant products and other objects	Special requirements
Plants, plant products and other objects	 Andean potato latent virus Arracacha virus B, oca strain Potato black ringspot virus Potato spindle tuber viroid Potato virus T Andean potato mottle virus Potato virus T Andean potato mottle virus common potato viruses A, M, S, V, X and Y (including Y^o, Yⁿ and Y^c) and Potato leaf roll virus <i>Clavibacter</i> <i>michiganensis</i> ssp.<i>sepedonicus</i>(Spieckerma et Kotthoff) Davis et al. — in the case of true seed of potato at least for the viruses and viroid listed above (d) by appropriate testing on any other symptoms (c) Any material, which has not been found free, under the testing specified under (b) shall be immediately destroyed or subjected to procedures which eliminate the plant pests (d) Each organisation or research body
	Each organisation or research body holding such material shall inform their official Member State Plant Protection Service of the material held

19.5 Tubers of *Solanum tuberosum* L. other than There shall be evidence by a registration those mentioned in Schedule 4A2(19.1), (19.2), number put on the packaging, or in the case (19.3) or (19.4) of loose loaded potatoes transported in bulk,

There shall be evidence by a registration number put on the packaging, or in the case of loose loaded potatoes transported in bulk, on the vehicle transporting the potatoes, that the potatoes have been grown by an offically registered producer, or originate from officially registered collective storage or dispatching centres located in the area of

Plants, plant products and other objects	Special requirements
	 production indicating that the tubers are free from <i>Pseudomonas solanacearum</i>(Smith) Smith and that (a) the Community provisions to combat <i>Synchytrium endobioticum</i>(Schilbersky) Percival, and (b) where appropriate, the Community provisions to combat <i>Clavibacter michiganensis</i> ssp.<i>sepedonicus</i>(Spieckermann et Kotthoff) Davis et al., are complied with
19.6 Plants of Solanaceae, intended for planting, other than seeds and other than plants mentioned in Schedule 4A2(19.4) or (19.5)	
20 Plants of <i>Humulus lupulus</i> L., intended for planting, other than seeds	Official statement that no symptoms of <i>Verticillium albo-atrum</i> Reinke and Berthold and <i>Verticillium dahliae</i> Klebahn have been observed on hops at the place of production since the beginning of the last complete cycle of vegetation
21 Plants of <i>Dendranthema</i> (DC) Des Moul., <i>Dianthus</i> L. and <i>Pelargonium</i> L'Herit. ex Ait., intended for planting, other than seeds	 Official statement that: (a) no signs of <i>Heliothis armigera</i> Hübner, or <i>Spodoptera littoralis</i>(Boisd.) have been observed at the place of production since the beginning of the last complete cycle of vegetation, or (b) the plants have undergone appropriate treatment to protect them from the said pests
22.1 Plants of <i>Dendranthema</i> (DC.) Des Moul., intended for planting, other than seeds	 Without prejudice to the requirements applicable to the plants listed in Schedule 4A2(21), official statement that: (a) the plants are no more than third generation stock derived from material which has been found to be free from Chrysanthemum stunt viroid during virological tests, or are directly derived from material of which a representative sample of at least 10% has been found to be free from to be free from Chrysanthemum stunt viroid during an official inspection carried out at the time of flowering

Plants, plant products and other objects	Special requirements
	 (b) the plants or cuttings have come from premises: — which have been officially inspected at least monthly, during the three months prior to dispatch and on which no symptoms of <i>Puccinia horiana</i> Hennings have been observed during that period, and in the immediate vicinity of which no symptoms of <i>Puccinia horiana</i> Hennings have been known to have occurred during the three months prior to marketing, or — the consignment has undergone appropriate treatment against <i>Puccinia horiana</i> Hennings (c) in the case of unrooted cuttings no symptoms of <i>Didymella ligulicola</i>(Baker, Dimock et Davis) v. Arx were observed either on the cuttings were derived, or that, in the case of rooted cuttings no symptoms of <i>Didymella ligulicola</i>(Baker, Dimock et Davis) v. Arx were observed either on the cuttings or on the plants from which the cuttings or the rooting bed.
22.2 Plants of <i>Dianthus</i> L., intended for planting other than seeds	 Without prejudice to the requirements applicable to the plants listed in Schedule 4A2(21), official statement that: the plants have been derived in direct line from mother plants which have been found free from <i>Erwinia chrysanthemi</i> pv. dianthicola (Hellmers) Dickey,<i>Pseudomonas caryophylli</i>(Burkholder) Starr et Burkholder, and <i>Phialophora cinerescens</i>(Wollenw.) van Beyma on officially approved tests carried out at least once within the two previous years no symptoms of the above plant pests have been observed on the plants
23 Bulbs of <i>Tulipa</i> L. and <i>Narcissus</i> L., other than those for which there shall be evidence by	Official statement that no symptoms of Ditylenchus dipsaci(Kühn) Filipjev have been

intended for sale to final consumers not involved last complete cycle of vegetation in professional cut flower production

24	Plants	of	1	4pium	graveolens
L.,Aı	rgyranthe	етит	ssp.	,Aster	ssp.,Brassica
ssp.,	Capsicun	n	annı	um	L., <i>Cucumis</i>
ssp.,.	Dendran	thema(I	DC.)	Des	Moul, Dianthus
L.	and	hybrid	s,Exc	сит	ssp.,Gerbera

than those for which there shall be evidence by Ditylenchus dipsaci(Kühn) Filipjev have been their packaging, or by other means, that they are observed on the plants since the beginning of the

> Without prejudice to the requirements applicable to the plants, where appropriate, listed in Schedule 4A2(21), (22.1), (22.2), official statement that:

Plants, plant products and other objects	Special requirements
Cass., Gypsophilia L., Lactuca ssp., Leucanthemum L., Lupinus L., Lycopersicon lycopersicum(L.) Karsten ex. Farw., Solanum melongena L., Spinacia L., Tanacetum L. and Verbena L. intended for planting, other than seeds	 (a) the plants originate in an area known to be free from <i>Liriomyza</i> <i>bryoniae</i>(Kaltenbach),<i>Liriomyzu</i> <i>huidobrensis</i>(Blanchard) and <i>Liriomyza</i> <i>trifolii</i>(Burgess), or (b) either no signs of <i>Liriomyza</i> <i>bryoniae</i>(Kaltenbach),<i>Liriomyza</i> <i>huidobrensis</i>(Blanchard) or <i>Liriomyza</i> <i>trifolii</i>(Burgess) have been observed at the place of production, on official inspections carried out at least monthly during the three months prior to harvesting, or (c) immediately prior to marketing the plants have been inspected and found free from signs of the relevant plant pests and have been subjected to an appropriate treatment aimed at eradicating <i>Liriomyza</i> <i>bryoniae</i>(Kaltenbach),<i>Liriomyza</i> <i>huidobrensis</i>(Blanchard) and <i>Liriomyza</i> <i>trifolii</i>(Burgess)
25 Plants with roots, planted or intended for planting, grown in the open air	There shall be evidence that the place of production is known to be free from <i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i> (Spieckermann et Kotthoff) Davis et al., <i>Globodera pallida</i> (Stone) Behrens, <i>Globodera</i> <i>rostochiensis</i> (Wollenweber) Behrens and <i>Synchytrium endobioticum</i> (Schilbersky) Percival
26 Plants of <i>Beta vulgaris</i> L., intended for planting, other than seeds	 Official statement that: (a) the plants originate in areas known to be free from Beet leaf curl virus, or (b) Beet leaf curl virus has not been known to occur in the area of production, and no symptoms of Beet leaf curl virus have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
27 Seeds of <i>Helianthus annuus</i> L.	 Official statement that: (a) the seeds originate in areas known to be free from <i>Plasmopara halstedii</i>(Farlow) Berl. et de Toni, or (b) the seeds, other than those seeds that have been produced on varieties resistant to all races of <i>Plasmopara halstedii</i>(Farlow) Berl. et de Toni present in the area of production, have been subjected to an

Plants, plant products and other objects	Special requirements
	appropriate treatment against <i>Plasmopara</i> <i>halstedii</i> (Farlow) Berl. et de Toni
28 Seeds of <i>Lycopersicon lycopersicum</i> (L.) Karsten ex Farw.	 Official statement that the seeds have been obtained by means of an appropriate acid extraction method or an equivalent method and (a) either the seeds originate in areas where <i>Clavibacter michiganensis</i> ssp.<i>michiganensis</i>(Smith) Davis et al., or <i>Xanthomonas campestris</i> pv.<i>vesicatoria</i>(Doidge) Dye are not known to occur, or (b) no symptoms of diseases caused by those plant pests have been observed on the plants at the place of production during their last complete cycle of vegetation, or (c) the seeds have been subjected to official testing for at least those plant pests, on a representative sample and using appropriate methods, and have been found, in these tests, to be free from those plant pests
29.1 Seeds of <i>Medicago sativa</i> L.	 Official statement that: (a) no symptoms of <i>Ditylenchus</i> <i>dipsaci</i>(Kühn) Filipjev have been observed at the place of production since the beginning of the last complete cycle of vegetation and that no <i>Ditylenchus</i> <i>dipsaci</i>(Kühn) Filipjev has been revealed by laboratory tests on a representative sample, or (b) that fumigation has taken place prior to marketing
29.2 Seeds of <i>Medicago sativa</i> L.	 Without prejudice to the requirements applicable to the plants listed in Schedule 4A2(29.1), Official statement that: (a) the seeds originate in areas known to be free from <i>Clavibacter michiganensis</i> ssp.<i>insidiosus</i> Davis et al. (b) — <i>Clavibacter michiganensis</i> ssp.<i>insidiosus</i> Davis et al. has not been known to occur on the farm or
	 in the immediate vicinity since the beginning of the past 10 years, — and • the crop belongs to a variety recognised as being highly resistant to <i>Clavibacter</i>

Plants, plant products and other objects	Special requirements
	 michiganensis ssp.insidiosus Davis et al., or it had not yet started its fourth complete cycle of vegetation from sowing when the seed was harvested, and there was not more than one preceding seed harvest from the crop, or the content of inert matter which has been determined in accordance with the rules applicable for certification of seed marketed in the Community, does not exceed 0.1% by weight no symptoms of <i>Clavibacter</i> michiganensis ssp.insidiosus Davis et al. have been observed at the place of production, or on any <i>Medicago sativa</i> L. crop adjacent to it, during the last complete cycle of vegetation or, where appropriate, the last two cycles of vegetation the crop has been grown on land on which no previous <i>Medicago sativa</i> L. crop has been present during the last three years prior to sowing
30 Seeds of <i>Phaseolus</i> L.	 Official statement that: (a) the seeds originate in areas known to be free from <i>Xanthomonas campestris</i> pv.<i>phaseoli</i>(Smith Dye, or (b) a representative sample of the seeds has been tested and found free from <i>Xanthomonas campestris</i> pv.<i>phaseoli</i>(Smith) Dye in these tests
31.1 Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf. and their hybrids	The packaging shall bear an appropriate origin mark
	Without prejudice to the requirements applicable to the fruits in the Schedule $4A2(31.1)$, the fruits shall be free from leaves and peduncles

Part B.

Special requirements which shall be laid down for the introduction and movement of plants, plant products and other objects into and within certain protected zones

Plants, plant other objects	produ	cts and	Special requirements	Protected zone(s)
1 Wood (Coniferales)	of	conifers	 Without prejudice to the requirements applicable to the wood listed in Schedule 4A1(1.1), (1.2), (1.3), (1.4), (1.5) or (7), where appropriate, (a) the wood shall be stripped of its bark, or (b) official statement that the wood originates in areas known to be free from <i>Dendroctonus micans</i> Kugelan, or (c) there shall be evidence by a mark Kiln-dried, K.D. or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/ temperature schedule 	EL, E, IRL, I, P, UK()
2 Wood (Coniferales)	of	conifers	Without prejudice to the requirements applicable to the wood listed in Schedule 4A1(1.1), (1.2), (1.3), (1.4), (1.5), (7),	EL, E, IRL, I, P, UK

^k (Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant other objects	products a	d Special requirements	Protected zone(s)
		 where appropriate and Schedule 4B(1), (a) the wood shall be stripped of its bark, or (b) official statement that the wood originates in areas known to be free from <i>Ips duplicatus</i> Sahlberg, or 	
		 (c) there shall be evidence by a mark Kiln- dried, K.D. or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/ temperature schedule 	
3 Wood (Coniferales)	of conif	 rs Without prejudice to the requirements applicable to the wood listed in Schedule 4A1(1.1), (1.2), (1.3), (1.4), (1.5), (7), where appropriate, and Schedule 4B(1), (2), (a) the wood shall be stripped of its bark, or (b) official statement that the wood originates in areas known to be free from <i>Ips typographus</i> Heer, or (c) there shall be evidence by a mark Kiln-dried, K.D.or another internationally recognised mark, put 	EL, E, IRL, P, UK

* (Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/ temperature schedule	
4 Wood of conifers (Coniferales)	Without prejudice to the requirements applicable to the wood listed in Schedule 4A1(1.1), (1.2), (1.3), (1.4), (1.5), (7), where appropriate and Schedule 4B(1), (2), (3), (a) the wood shall be stripped of its bark, or (b) official statement that the wood originates in areas known to be free from <i>Ips amitinus</i> Eichhoff, or (c) there shall be evidence by a mark Kiln- dried, K.D. or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/ temperature schedule	EL, E, F (Corsica), IRL, I, P, UK

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant other objects	products and	Special requirements	Protected zone(s)
5 Wood (Coniferales)	of conifer	 Without prejudice to the requirements applicable to the wood listed in Schedule 4A1(1.1), (1.2), (1.3), (1.4), (1.5), (7), where appropriate, and Schedule 4B(1), (2), (3), (4), (a) the wood shall be stripped of its bark, or (b) official statement that the wood originates in areas known to be free from <i>Ips cembrae</i> Heer, or (c) there shall be evidence by a mark 'Kiln-dried', 'K.D.' or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/ temperature schedule 	EL, E, IRL, P, UK (N-IRL, Isle of Man)
6 Wood (Coniferales)	of conifer	 Without prejudice to the requirements applicable to the wood listed in Schedule 4A1(1.1), (1.2), (1.3), (1.4), (1.5), (7), where appropriate and Schedule 4B(1), (2), (3), (4), (5), (a) the wood shall be stripped of its bark, or (b) official statement that the wood originates in areas known to be free from 	EL, IRL, UK (N-IRL, Isle of Man)

⁽Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

<i>Plants, plant other objects</i>	products	and	Special requirements	Protected zone(s)
			 Ips sexdentatus Boerner, or (c) there shall be evidence by a mark 'Kiln- dried', 'K.D.' or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/ temperature schedule 	
6a Wood (Coniferales)	of co		 Without prejudice to the requirements applicable to the wood listed in Schedule 4A1(1.1), (1.2), (1.3), (1.4), (1.5), (7), where appropriate, and Schedule 4B(1), (2), (3), (4), (5), (6), (a) the wood shall be stripped of its bark, or (b) official statement that the wood originates in areas known to be free from <i>Pissodes</i> spp. (European), or (c) there shall be evidence by a mark 'Kiln-dried', 'K.D.' or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone 	IRL, UK (N-IRL, Isle of Man)

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Clesterfield, Bolsover; in Leicestershire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	kiln-drying to below 20% moisture content, expressed as a percentage of dry matters, at time of manufacture, achieved through an appropriate time/temperature schedule	
6b Wood of conifers (Coniferales)	 Without prejudice to the requirements applicable to the wood listed in Schedule 4A1(1.1), (1.2), (1.3), (1.4), (1.5), (7), where appropriate and Schedule 4B(4), (a) the wood shall be stripped of its bark, or (b) official statement that the wood originates in areas known to be free from <i>Matsucoccus feytaudi</i> Duc. 	F(Corsica)
	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (9), (10) or Schedule 4A2(4), (5), where appropriate, official statement that the place of production is free from <i>Dendroctonus micans</i> Kugelan	EL, E, IRL, I, P, UK()
(Coniferales), other than fruit and seeds, over 3 m in height	Without prejudice to the provisions applicable to the plants listed in Schedule $3A(1)$, Schedule $4A1(8.1)$, (8.2) , (9) , (10) , Schedule $4A2(4)$, (5) and Schedule $4B(7)$, where appropriate, official statement that the place of production of Man, the following counties and are	

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

⁰

Plants, plant products and other objects	Special requirements	Protected zone(s)
	is free from <i>Ips duplicatus</i> Sahlberg	
	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (9), (10), Schedule 4A2(4), (5), and Schedule 4B(7), (8), where appropriate, official statement that the place of production is free from <i>Ips typographus</i> Heer	EL, E, IRL, P, UK
	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (9), (10), Schedule 4A2(4), (5), and Schedule 4B(7), (8), (9), where appropriate, official statement that the place of production is free from <i>Ips amitinus</i> Eichhof	EL, E, F(Corsica), IRL, I, P, UK
	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (9), (10), Schedule 4A2(4), (5), and Schedule 4B(7), (8), (9), (10), where appropriate, official statement that the place of production is free from <i>Ips cembrae</i> Heer	EL, E, IRL, P, UK (N-IRL, Isle of Man)
(Coniferales), other than fruit	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (9), (10), Schedule 4A2(4), (5), and Schedule 4B(7), (8), (9), (10(, (11), where appropriate, official statement that the place of production is free from <i>Ips sexdentatus</i> Boerner	

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (9), (10), Schedule 4A2(4), (5), and Schedule 4B(7), (8), (9), (10), (11), (12), where appropriate, official statement that the place of production is free from <i>Pissodes</i> spp. (European)	IRL, UK (N-IRL, Isle of Man)
14a Isolated bark of conifers (Coniferales)	 Without prejudice to the provisions applicable to the bark listed in Schedule 3A(4), official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) originates in areas known to be free from <i>Dendroctonus micans</i> Kugelan 	EL, E, IRL, I, P, UK*
14b Isolated bark of conifers (Coniferales)	 Without prejudice to the provisions applicable to the bark listed in Schedule 3A(4), Schedule 4B(14a), official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) originates in areas known to be free from <i>Ips amitinus</i> Eichhof 	EL, E, F(Corsica), IRL, I, P, UK
14c Isolated bark of conifers (Coniferales)	Without prejudice to the provisions applicable to the bark listed in Schedule 3A(4), Schedule 4B(14a), (14b), official statement that the consignment:	EL, E, IRL, P, UK (N-IRL, Isle of Man)

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	 (a) has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) originates in areas known to be free from <i>Ips</i> <i>cembrae</i> Heer 	
14d Isolated bark of conifers (Coniferales)	 Without prejudice to the provisions applicable to the bark listed in Schedule 3A(4), Schedule 4B(14a), (14b), (14c), official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) originates in areas known to be free from <i>Ips duplicatus</i> Sahlberg 	EL, E, IRL, I, P, UK
14e Isolated bark of conifers (Coniferales)	 Without prejudice to the provisions applicable to the bark listed in Schedule 3A(4), Schedule 4B(14a), (14b), (14c), (14d), official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) originates in areas known to be free from <i>Ips sexdentatus</i> Boerner 	EL, IRL, UK (N-IRL, Isle of Man)
14f Isolated bark of conifers (Coniferales)	Without prejudice to the provisions applicable to the bark listed in Schedule 3A(4), Schedule 4B(14a), (14b), (14c), (14d), (14e), official statement that the consignment: (a) has been subjected to fumigation or other	EL, E, IRL, P, UK

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	 appropriate treatments against bark beetles, or originates in areas known to be free from <i>Ips typographus</i> Heer 	
14g Isolated bark of conifers (Coniferales)	 Without prejudice to the provisions applicable to the bark listed in Schedule 3A(4), Schedule 4B(14b), official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments, or (b) originates in areas known to be free from <i>Matsucoccus feytaudi</i> Duc. 	F (Corsica)
14h Isolated bark of conifers (Coniferales)	 Without prejudice to the provisions applicable to the bark listed in Schedule 3A(4), Schedule 4B(14a), (14b), (14c), (14d), (14e), (14f), official statement that the consignment: (a) has been subjected to fumigation or other appropriate treatments against bark beetles, or (b) originates in areas known to be free from <i>Pissodes</i> spp. (European) 	IRL, UK (N-IRL, Isle of Man)
	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (10), Schedule 4A2(5), and Schedule 4B(7), (8), (9), (10), (11), (12), (13), official statement that the plants have been produced in nurseries and that the place of production	F, IRL, UK, (N-IRL, Isle of Man)

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Clesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	is free from <i>Cephalcia</i> <i>lariciphila</i> (Klug.)	
16 Plants of <i>Pinus</i> L., <i>Picea</i> A. Dietr., <i>Larix</i> Mill., <i>Abies</i> Mill., and <i>Pseudotsuga</i> Carr. intended for planting, other than seeds	1 0	IRL, UK (N-IRL, Isle of Man)
17 Plants of <i>Pinus</i> L., intended for planting, other than seeds	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (9), Schedule 4A2(4) and Schedule 4B(7), (8), (9), (10), (11), (12), (13), (16), official statement that the plants have been produced in nurseries and that the place of production and its immediate vicinity is free from <i>Thaumetopoea pityocampa</i> (Den. et Schiff.)	E (Ibiza)
18 Plants of <i>Picea</i> A. Dietr., intended for planting other than seeds	Without prejudice to the provisions applicable to the plants listed in Schedule 3A(1), Schedule 4A1(8.1), (8.2), (10), Schedule 4A2(5) and Schedule 4B(7), (8), (9), (10), (11), (12), (13), (16), official statement that the plants have been produced in nurseries and that the place of production is free from <i>Gilpinia hercyniae</i> (Hartig)	EL, F, IRL, UK (N-IRL, Isle of Man)
19 Plants of <i>Eucalyptus</i> l'Herit, other than fruit and seeds	Official statement that:	EL, P

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	 (a) the plants are free from soil, and have been subjected to a treatment against <i>Gonipterus scutellatus</i> Gyll., or (b) the plants originate in areas known to be free from <i>Gonipterus scutellatus</i> Gyll. 	
	 Without prejudice to the provisions applicable to the plants listed in Schedule 3A(10), (11), Schedule 4A1(25.1), (25.2), (25.3), (25.4), (25.5), (25.6), Schedule 4A2(19.1), (19.2), (19.3), (19.4), (19.6), official statement that the tubers: (a) were grown in an area where Beet necrotic yellow vein virus (BNYVV) is known not to occur, or (b) were grown on land, or in growing media consisting of soil that is known to be free from BNYVV, or officially tested by appropriate methods and found free from BNYVV, or (c) have been washed free from soil 	
tuberosum L., other	The consignment or lot shall not contain more than 1% by weight of soil	
 21 Plants and live pollen for pollination of: <i>Chaenomeles</i> * (Scotland, Northern Ireland, Isle Buckinghamshire, Cambridgeshire, Hertfordshire, Humberside, Isle of W Nottinghamshire, Oxfordshire, Som Yorkshire, West Yorkshire, and the f boundary of the M4 motorway; in De the districts of Charnwood, Melton, 	prohibitions applicable of Man, the following counties and are Cleveland, Cornwall, Cumbria, Devo Vight, Isles of Scilly, Kent, Lincolnshire, Ne erset, Suffolk, Surrey, East Sussex, West ollowing parts of counties; in Avon that pa orbyshire the districts of north-east Derbyshi	E, F (Champagne-Ardennes, Alsace-except department as of England: Bedfordshire, Berkshire, n, Dorset, Durham, Essex, Hampshire, orfolk, Northamptonshire, Northumberland, Sussex, Tyne and Wear, Wiltshire, South rt of the county to the south of the southern re, Chesterfield, Bolsover; in Leicestershire n, Leicester, Blaby; in North Yorkshire the s Selby)

Plants, plant products and other objects	Special requirements	Protected zone(s)
Mill., Eriobotrya Lindl., Malus	appropriate, official statement that:(a) the plants originate in	of Bas Rhin -, Lorraine, Franche-Comté, Rhône-Alpes, Bourgogne, Auvergne, Provence-Alpes- Côte d'Azur, Corse, Languedoc-Roussillon), IRL, I, P, UK (N-IRL, the Isle of Man, the Channel Islands)
	of Man, the Channel Islands) or, (b) the plants have been produced or, if moved into a 'buffer zone' maintained, for a period of at least one year, on a field: (aa) located in an officially designated 'buffer zone' covering at least 50 km ² i.e. an area where host plants are subjected to an officially approved and supervised control regime	
* (Cootland Northam Iroland Isla	with the object of minimising the risk of <i>Erwinia</i> <i>amylovora</i> (Burr.) Winsl. et al. being spread from the plants grown there	ang of England: Dodfordobirg, Darksbirg

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and	Special requirements	Protected zone(s)
other objects	(bb) which has been	
	officially approved	h
	before the start of	
	the last complete	
	cycle of vegetation	n
	for the cultivation	
	of plants under the	
	requirements laid	
	down in this point	
	(cc) which, as well as	,
	the other parts of	
	the 'buffer zone',	
	has been found	
	free from Erwinia	
	<i>amylovora</i> (Burr.)	
	Winsl. et al. since	
	the beginning of the	ne
	last complete cycl	e
	of vegetation,	
	— at official	
	inspections	
	carried out a	
	least twice in	1
	the field, as	
	well as in the	e
	surrounding	
	zone of a	
	radius of at	
	least 250	
	m, i.e. once	
	during July/	
	August and	
	once during	
	September/	
	October, and	
	— at official sp	
	checks carrie	ea
	out in the	
	surrounding	
	zone of a radius of at	
	least 1 km, at least once	
	during July	

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant	products	and	Special re	quirements	Protected zone(s)
other objects					
				to October,	
				in selected	
				appropriate	
				places, in	
				particular where	
				appropriate indicator	
				plants are	
				present, and	
				— at official	
				tests carried	
				out in	
				accordance	
				with an	
				appropriate	
				laboratory	
				method on	
				samples	
				officially	
				drawn, since	
				the start of th	e
				last complete	
				cycle of	
				vegetation,	
				from plants	
				having shown	1
				symptoms	
				of Erwinia	
				amylovora(B	urr.)
				Winsl. et al.	
				on the field o	
				in other parts	
				of the 'buffer	
			(1 1)	zone', and	
			(dd)	from which, as	
				well as from the	
				other parts of	
				the 'buffer zone',	
				no host plants	
				showing symptoms	5
				of Erwinia	
				amylovora(Burr.)	
				Winsl. et al.	

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

<i>Plants, plant products and other objects</i>	Special requirements	Protected zone(s)
	have been removed without prior official investigation or approval	
L., Apium L., Beta L., Brassica	The consignment or lot shall not contain more than 1% by weight of soil	DK, IRL, P (Azores), UK
23 Plants of <i>Beta vulgaris</i> L., intended for planting other than seed	requirements applicable to the plants listed in Schedule 4A1(35.1), (35.2), Schedule 4A2(26), and Schedule 4B(22), official statement that the plants: (aa) have been officially individually tested and found free from Beet necrotic yellow vein virus (BNYVV), or (bb) have been grown from seeds complying with the requirements listed in Schedule 4B(27), and — grown in areas where BNYVV is known not to occur, or — grown on land, or in growing media, officially tested by appropriate	DK, IRL, P (Azores), UK
	methods	-

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	 and found free from BNYVV, and sampled, and the sample tested and found free from BNYVV (b) the organisation or research body holding the material shall inform their official Member State Plant Protection Service of the material held 	
24 Plants of <i>Begonia</i> L. and <i>Euphorbia pulcherrima</i> Willd., other than those for which there shall be evidence by their packaging or their flower (or bract) development or by other means that they are intended for sale to final consumers not involved in professional plant production, intended for planting, other than seeds	 (a) the plants originate in an area known to be free from <i>Bemisia tabaci</i> Genn., or 	DK, IRL, P, UK
25.1 Plants of <i>Beta vulgaris</i> L. intended for animal fodder		DK, IRL, P (Azores), UK
	the consignment of plants has	

been either

^{* (}Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	 (a) heat treated to eliminate contamination with beet necrotic yellow vein virus, or (b) processed to remove soil and lateral roots and to de-vitalise the plants 	
25.2 Plants of <i>Beta vulgaris</i> L., intended for industrial processing		DK, IRL, P (Azores), UK
26 Soil and unsterlised waste from beet	Official statement that the soil or waste has been treated to eliminate contamination with Beet necrotic yellow vein virus	DK, IRL, P (Azores), UK
27 Seeds of <i>Beta vulgaris</i> L.	Official statement that: (a) the seeds satisfy the conditions laid down in Annex I(B)(3) of Directive 66/400/EEC, or (b) the seeds have been produced from a crop grown in an area where Beet necrotic yellow vein virus is known not to occur	DK, IRL, P (Azores), UK
28 Seeds of Gossypium spp.	 Official statement that: (a) the seed has been acid-delinted, and (b) no symptoms of <i>Glomerella gossypii</i> Edgerton have been observed at the place of production since the beginning of the 	EL. I (Sicily)

* (Scotland, Northern Ireland, Isle of Man, the following counties and areas of England: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorset, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

Plants, plant products and other objects	Special requirements	Protected zone(s)
	last complete cycle of vegetation, and that a representative sample has been tested and has been found free from <i>Glomerella gossypii</i> Edgerton in those tests	
29 Seeds of Mangifera spp.	Official statement that the seeds originate in areas known to be free from <i>Sternochetus mangifera</i> Fabricius	Е, Р
30 Used agricultural machinery	The machinery shall be cleaned and free from soil and plant debris	DK, IRL, P (Azores), UK
Buckinghamshire, Cambridgeshire Hertfordshire, Humberside, Isle of V	of Man, the following counties and are , Cleveland, Cornwall, Cumbria, Devor Vight, Isles of Scilly, Kent, Lincolnshire, No berget Suffolk Surrey Fast Sussey West	n, Dorset, Durham, Essex, Hampshire, rfolk, Northamptonshire, Northumberland,

Buckingnamsnire, Camoragesnire, Cleveland, Cornwall, Cumora, Devon, Dorsel, Durnam, Essex, Hampsnire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire, and the following parts of counties; in Avon that part of the county to the south of the southern boundary of the M4 motorway; in Derbyshire the districts of north-east Derbyshire, Chesterfield, Bolsover; in Leicestershire the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby; in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby.)

NB. In Part B of this Schedule Member States are indicated by the initials in general use in the European Community and relevant regions of the Member States appear in parentheses.

SCHEDULE 5

Article 3(1)

PLANTS, PLANT PRODUCTS AND OTHER OBJECTS WHICH MUST BE SUBJECT TO A PLANT HEALTH INSPECTION — AT THE PLACE OF PRODUCTION IF ORIGINATING IN THE COMMUNITY, BEFORE BEING MOVED WITHIN THE COMMUNITY — IN THE COUNTRY OF ORIGIN OR THE CONSIGNOR COUNTRY, IF ORIGINATING OUTSIDE THE COMMUNITY — BEFORE BEING PERMITTED TO ENTER THE COMMUNITY

Part A:

PLANTS, PLANT PRODUCTS AND OTHER OBJECTS ORIGINATING IN THE COMMUNITY

I.

Plants, plant products and other objects which are potential carriers of plant pests of relevance for the entire Community, and which must be accompanied by a plant passport.

1.. Plants and plant products.

(1.1) Plants, intended for planting other than seeds of the genera *Chaenomeles* Lindl., *Cotoneaster* Ehrh., *Crataegus* L., *Cydonia* Mill., *Eriobotrya* Lindl., *Malus* Mill., *Mespilus* L., *Prunus* L., *Pyracantha* Roem., *Pyrus* L., *Sorbus* L., other than *Sorbus intermedia*(Ehrh) Pers., *Stranvaesia* Lindl.

(1.2) Plants of Beta vulgaris L. and Humulus lupulus L., intended for planting, other than seeds.

(1.3) Plants of stolonor tuber-forming species of *Solanum* L. or their hybrids, intended for planting.

(1.4) Plants of *Fortunella* Swingle, *Poncirus* Raf. and their hybrids and *Vitis* L., other than fruit and seeds.

- (1.5) Without prejudice to 1.6, plants of *Citrus* L. and its hybrids, other than fruit and seeds.
- (1.6) Fruits of Citrus clementina L. with peduncles and leaves.
- (1.7) Wood where it
 - (a) has been obtained in whole or part from one of the following genera:
 - Castanea Mill. excluding wood which has been stripped of bark
 - Platanus L., including wood which has not kept its natural round surface, and
 - (b) meets one of the following descriptions laid down in Annex I, Part II of Council Regulation (EEC) No. 2658/87 of 23 July 1987 on the tariff and statistical nomenclature and on the Common Customs Tariff(1)

CN Code	Description
4401 10	Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 22	Wood in chips or particles
ex 4401 30	Wood waste and scrap, not agglomerated in logs, briquettes, pellets or similar forms
4403 99	 Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared: — other than treated with paint, stains, creosote or other preservatives, — other than coniferous, oak (<i>Quercus</i> spp.) or beech (<i>Fagus</i> spp.)
ex 4404 20	Split poles: piles, pickets and stakes of wood, painted but not sawn lengthwise: — non-coniferous
4406 10	Railway or tramway sleepers (cross-ties): of wood — not impregnated
ex 4407 99	 Wood sawn or chipped lengthwise, sliced or peeled, not planed, sanded or finger–joined, of a thickness exceeding 6 mm in particular, beams, planks, flitches, boards, laths: — other than coniferous, tropical woods, oak (Quercus spp.) or beech (Fagus spp.)

(1.8) Isolated bark of *Castanea* Mill.

2. Plants, plant products and other objects produced by producers whose production and sale is authorised to persons professionally engaged in plant production, other than those plants, plant products and other objects which are prepared and ready for sale to the final consumer, and for which

⁽¹⁾ OJ No L256, 7.9.1987, p.1, as last amended by Commission Regulation (EEC) No. 2505/92 (OJ No. L167, 14.9.1992, p.1)

it is ensured by the responsible offical bodies of the Member States, that the production thereof is clearly separate from that of other products.

(2.1) Plants, intended for planting other than seeds of the genera *Abies* Mill., *Apium graveolens* L., *Argyranthemum* L., *Aster* spp., *Brassica* L., *Castanea* Mill., *Cucumis* spp., *Dendranthema*(DC.) Des Moul., *Dianthus* L. and hybrids, *Exacum* L., *Fragaria* L., *Gerbera* Cass., *Gypsophila* L., all varieties of New Guinea hybrids of *Impatiens* L., *Lactuca* L., *Larix* Mill., *Leucanthemum* L., *Lupinus* L., *Pelargonium* l'Herit ex Ait., *Picea* A. Dietr., *Pinus* L., *Platanus* L., *Populus* L., *Pseudotsugar* Carr., *Quercus* L., *Rubus* L., *Spinacia* L., *Tanacetum* L., *Tsuga* Carr., and *Verbena* L.

(2.2) Plants of Solanaceae, other than those referred to in item 1.3, intended for planting, other than seeds.

(2.3) Plants of Araceae, Marantaceae, Musaceae, *Persea* spp. and Strelitziaceae, rooted or with growing medium attached or associated.

(2.4) Seeds and bulbs of Allium cepa L., Allium porrum L., and Allium schoenoprasum L.

3. Bulbs and corms intended for planting produced by producers whose production and sale is authorised to persons professionally engaged in plant production, other than those plants, plant products and other objects which are prepared and ready for sale to the final consumer and for which it is ensured by the responsible official bodies of the Member States, that the production thereof is clearly separate from that of other products of:

Camassia Lindl., *Chionodoxa* Boiss., *Crocus flavus* Weston 'Golden Yellow', *Galanthus* L., *Galtonia candicans*(Baker) Decne, *Gladiolus* Tourn. ex L., *Hyacinthus* L., *Iris* L., *Ismene* Herbert, *Muscari* Miller., *Narcissus* L., *Ornithogalum* L., *Puschkinia* Adams, *Scilla* L., *Tigridia* Juss, and *Tulipa* L.

II.

Plants, plant products and other objects which are potential carriers of plant pests of relevance for certain protected zones, and which must be accompanied by a plant passport valid for the appropriate zone when introduced into or moved within that zone.

Without prejudice to the plants, plant products and other objects listed in Part I.

1. Plants, plant products and other objects

- (1.1) Plants of conifers (Coniferales), as appropriate.
- (1.2) Plants intended for planting, other than seeds, of Populus L. and Beta vulgaris L.

(1.3) Plants, other than fruit and seeds, of *Chaenomeles* Lindl., *Cotoneaster* Ehrh., *Crataegus* L., *Cydonia* Mill., *Eriobotrya* Lindl., *Eucalyptus* l'Herit., *Malus* Mill., *Mespilus* L., *Persea americana* P. Mill., *Pyracantha* Roem., *Pyrus* L., *Sorbus* L. other than *Sorbus intermedia*(Ehrh) Pers., and *Stranvaesia* Lindl.

(1.4) Live pollen for pollination of *Chaenomeles* Lindl., *Cotoneaster* Ehrh., *Crataegus* L., *Cydonia* Mill., *Eriobotrya* Lindl., *Malus* Mill., *Mespilus* L., *Pyracantha* Roem., *Pyrus* L., *Sorbus* L., other than *Sorbus intermedia*(Ehrh.) Pers. and *Stranvaesia* Lindl.

- (1.5) Tubers of Solanum tuberosum L. intended for planting.
- (1.6) Plants of Beta vulgaris L. intended for animal fodder or for industrial processing.
- (1.7) Soil and unsterilised waste from beet (Beta vulgaris L.)
- (1.8) Seeds of Beta vulgaris L., Dolichos Jacq., Gossypium spp., and Phaseolus vulgaris L.
- (1.9) Fruits (bolls) of Gossypium spp.
- (1.10) Wood where it
 - (a) has been obtained in whole or part from conifers (Coniferales) and

CN Code	Description
4401 10	Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 21	Wood in chips or particles
ex 4401 30	Wood waste and scrap, not agglomerated in logs, briquettes, pellets or similar forms
4403 20	 Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared: — other than treated with paint, stains, creosote or other preservatives,
ex 4404 10	Split poles: piles, pickets and stakes of wood, pointed but not sawn lengthwise:
4406 10	Railway or tramway sleepers (cross-ties): — not impregnated
ex 4407 10	Wood sawn or chipped lengthwise, sliced or peeled, not planed, sanded or finger–jointed, of a thickness exceeding 6 mm (in particular, beams, planks, flitches, boards, laths):
ex 4415 10	Packing cases, crates, drums
ex 4415 20	Pallets, box pallets and other load boards — other than pallets and box pallets where they satisfy the standard set up for 'UIC-Pallets' and are marked accordingly

(b) meets one of the following descriptions laid down in Annex I Part II of Regulation (EEC) No 2658/87.

(1.11) Isolated bark of conifers (Coniferales).

2. Plants, plant products and other objects produced by producers whose production and sale is authorised to persons professionally engaged in plant production, other than those plants, plant products and other objects which are prepared and ready for sale to the final consumer, and for which it is ensured by the responsible official bodies of the Member States, that the production thereof is clearly separate from that of other products.

(2.1) Without prejudice to item II 1.1 above, plants of conifers (Coniferales) intended for planting, other than seeds.

(2.2) Plants of *Begonia* L., and *Euphorbia pulcherrima* Willd. intended for planting, other than seeds.

Part B:

Plants, Plant Products and Other Objects Originating in Territories, Other Than Those Territories Referred to in Part A

Ι.

Plants, plant products and other objects which are potential carriers of plant pests of relevance for the entire Community.

1. Plants, intended for planting, other than seeds or aquarium plants, but including seeds of Cruciferae, Gramineae, *Trifolium* spp., originating in Argentina, Australia, Bolivia, Chile, New Zealand and Uruguay, *Capsicum* spp., *Helianthus annuus* L., *Lycopersicon lycopersicum*(L.) Karsten ex Farw., *Medicago sativa* L., *Prunus* L., *Rubus* L., *Oryza* spp., *Zea mais* L., *Allium cepa* L., *Allium porrum* L., *Allium schoenoprasum* L., and *Phaseolus* L.

- 2. Parts of plants, other than fruit and seeds of
- Castanea Mill., Dendranthema(DC) Des. Moul., Dianthus L., Pelargonium l'Herit ex Ait, Phoenix spp., Populus L., Quercus L.,
- conifers (Coniferales),
- Acer saccharum Marsh., originating in North American countries,
- Prunus L., originating in non-European countries.
- **3.** Fruit of:
- Citrus L., Fortunella Swingle, Poncirus Raf., and their hybrids
- Annona L., Cydonia Mill., Diospyros L., Malus Mill., Mangifera L., Passiflora L., Prunus L., Psidium L., Pyrus L., Ribes L., Syzygium Gaertn., and Vaccinium L., originating in non-European countries.
- 4. Tubers of Solanum tuberosum L.
- 5. Isolated bark of:
- conifers (Coniferales)
- Acer saccharum Marsh., Castanea Mill., Populus L. and Quercus L., other than Quercus suber L.
- 6 Wood where it:
 - (a) has been obtained in whole or part from one of the order, genera or species as described hereafter:
 - Castanea Mill.,
 - Castanea Mill., Quercus L., including wood which has not kept its natural round surface, originating in North American countries,
 - Platanus, including wood which has not kept its natural round surface,
 - Conifers (Coniferales), other than *Pinus* L., originating in non-European countries, including wood which has not kept its natural round surface
 - Pinus L., including wood which has not kept its natural round surface
 - Populus L., originating in countries of the American continent,
 - Acer saccharum Marsh., including wood which has not kept its natural round surface, originating in North American countries, and

CN Code	Description
4401 10	Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
ex 4401 21	Wood in chips or particles
	= coniferous, originating in non-European countries
4401 22	Wood in chips or particles
	= non-coniferous
ex 4401 30	Wood waste and scrap, not agglomerated in logs, briquettes, pellets or similar forms
ex 4403 20	 Wood in the rough, whether or not stripped of bark or sapwood or roughly squared other than treated with paint, stains, creosote or other preservatives, coniferous originating in non-European countries
4403 91	 Wood in the rough, whether or not stripped of bark or sapwood or roughly squared: — other than treated with paint, stains, creosote or other preservatives
	= oak (<i>Quercus</i> spp.)
4403 99	 Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared: other than treated with paint, stains, creosote or other preservatives,
	= other than coniferous, of oak (<i>Quercus</i> spp.) or of beech <i>Fagus</i> spp.)
	Split poles: piles, pickets and stakes of wood, pointed but not sawn lengthwise: — coniferous, originating in non-European countries
ex 4404 10	 Split poles: piles, pickets and stakes of wood, pointed but not sawn lengthwise: — coniferous, originating in non-European countries
ex 4404 20	Split poles: piles, pickets and stakes of wood, pointed but not sawn lengthwise: — non-coniferous

(b) meets one of the following descriptions laid down in Annex I Part II of Regulation (EEC) No.2658/87

Pallets and box pallets (CN code ex441520) are also exempted where they satisfy the standard set up for 'UIC-Pallets' and are marked accordingly.

CN Code	Description
4406 10	Railway or tramway sleepers (cross-ties) of wood — not impregnated
ex 4407 10	Wood sawn or chipped lengthwise, sliced or peeled, not planed, sanded or finger-jointed, of a thickness exceeding 6mm, in particular beams, planks, flitches, boards, laths: — coniferous, in non-European countries
ex 4407 91	Wood sawn or chipped lengthwise, sliced or peeled, not planed, sanded or finger-jointed, of a thickness exceeding 6mm, in particular beams, planks, flitches, boards, laths — oak (<i>Quercus</i> spp.)
ex 4407 99	 Wood sawn or chipped lengthwise, sliced or peeled, not planed, sanded or finger-jointed, of a thickness exceeding 6mm, in particular beams, planks, flitches, boards, laths other than coniferous, of tropical woods, of oak (<i>Quercus</i> spp.) or of beech (<i>Fagus</i> spp.)
ex 4415 10	Packing cases, crates and drums of wood originating in non-European countries
ex 4415 50	Pallets, box pallets and other load boards, of wood originating in non-European countries
ex 4416 00	Barrels of wood, including staves, of oak (Quercus spp.)

Pallets and box pallets (CN code ex441520) are also exempted where they satisfy the standard set up for 'UIC-Pallets' and are marked accordingly.

- (a) Soil and growing medium as such, which consists in whole or in part of soil or solid organic substances such as parts of plants, humus including peat or bark, other than that composed entirely of peat.
- (b) Soil and growing medium, attached to or associated with plants, consisting in whole or in part of material specified in (a) or consisting in whole or in part of peat or of any solid inorganic substance intended to sustain the vitality of the plants, originating in Turkey, Belarus, Estonia, Latvia, Lithuania, Moldova, Russia, Ukraine, and in non-European countries other than Cyprus, Egypt, Israel, Libya, Malta, Morocco and Tunisia.

II.

Plants, plant products and other objects which are potential carriers of plant pests of relevance for certain protected zones.

Without prejudice to the plants, plant products and other objects listed in I.

- 1. Plants of Beta vulgaris L. intended for animal fodder or for industrial processing.
- 2. Soil and unsterilised waste from beet (Beta vulgaris L.).

3. Live pollen for pollination of *Chaenomeles* Lindl., *Cotoneaster* Ehrh., *Crataegus* L., *Cydonia* Mill., *Eriobotrya* Lindl., *Malus* Mill., *Mespilus* L., *Pyracantha* Roem., *Pyrus* L., *Sorbus* L. other than *Sorbus intermedia*(Ehrh.) Pers. and *Stranvaesia* Lindl.

4. Parts of plants, other than fruit and seeds of *Chaenomeles* Lindl., *Cotoneaster* Ehrh., *Crataegus* L., *Cydonia* Mill., *Eriobotrya* Lindl., *Malus* Mill., *Mespilus* L., *Pyracantha* Roem., *Pyrus* L., *Sorbus* L. other than *Sorbus intermedia*(Ehrh.) Pers. and *Stranvaesia* Lindl.

- 5. Seeds of Dolichos Jacq., Mangifera spp. Beta vulgaris L. and Phaseolus vulgaris L.
- 6. Seeds and fruits (bolls) of Gossypium spp.
- 7. Wood where it:
 - (a) has been obtained in whole or part from conifers (Coniferales), other than *Pinus* L., originating in European third countries, and
 - (b) meets one of the following descriptions laid down in Annex I Part II of Regulation (EEC) No.2658/87

CN Code	Description
4401 10	Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms
4401 21	Wood in chips or particles
ex 4401 30	Wood waste and scrap, not agglomerated in logs, briquettes, pellets or similar forms
4403 20	 Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared: — other than treated with paint, stains, creosote or other preservatives,
ex 4404 10	Split poles: piles, pickets and stakes of wood, pointed but not sawn lengthwise:
4406 10	Railway or tramway sleepers (cross-ties): — not impregnated
ex 4407 10	Wood sawn or chipped lengthwise, sliced or peeled, not planed, sanded or finger-jointed, of a thickness exceeding 6mm in particular, beams, planks, flitches, boards, laths
4415 10	Packing cases, crates and drums
4415 20	Pallets, box pallets and other load boards

marked accordingly.

Pallets and box pallets (CN code ex 4415 20) are also exempted where they satisfy the standards set up for "UIC-Pallets" and are marked accordingly.

8. Parts of plants of Persea americana P. Mill., and Eucalyptus L'Herit.

Article 4(3)

LIST OF PLANT PESTS WHICH SHALL BE NOTIFIABLE TO THE RESPONSIBLE PLANT PROTECTION SERVICE AND WHICH MAY NOT BE KEPT WITHOUT THE AUTHORITY OF AN INSPECTOR

- 1. All plant pests in Schedule 1 Part A section 1.
- 2. All plant pests in Schedule 1 Part A section 2, with the modification described in paragraph 7.
- 3. All plant pests in Schedule 1 Part B, with the modification described in paragraph 7.
- 4. All plant pests in Schedule 2 Part A section 1.

5. All plant pests in Schedule 2 Part A section 2 when present on, or associated with, host material specified therein with the modification described in paragraph 7.

6. All plant pests in Schedule 2 Part B when present on, or associated with, host material specified therein with the modification described in paragraph 7.

7. The following plant pests, insofar as they may be a subspecies or strain normally present in Great Britain shall only be notifiable when they are found at registered premises. In the case of plant pests listed in Schedule 2 they shall only be notifiable if they are also on or in association with the relevant specified hosts.

- A. LIVE ORGANISMS OF THE ANIMAL KINGDOM AT ALL STAGES OF THEIR EXISTENCE
 - 1. Ditylenchus destructor Thorne–Potato tuber nematode
 - 2. Ditylenchus dipsaci(Kühn) Filipjev–Stem nematode
 - 3. *Globodera rostochiensis*(Wollenweber, 1923) Skarbilovich, 1959 and *Globodera pallida* Stone, 1973–Potato cyst nematodes
 - 4. Liriomyza bryoniae(Kaltenbach)-Tomato leaf miner
- B. BACTERIA
 - 1. Clavibacter michiganensis subsp.insidiiosum(McCulloch) Davis et al. (syn.Corynebacterium insidiosum(McCulloch) Jensen)-Bacterial wilt of Lucerne
 - 2. *Clavibacter michiganensis* subsp.*michiganensis*(Smith) Davis et al. (syn.*Corynebacterium michiganse*(Smith) Jensen pv *michiganse* Dye & Kemp)– Bacterial canker of tomato
 - 3. *Erwinia amylovora*(Burr.) Winslow et al., the cause of Fire blight of Rosaceae, in areas designated as fire blight free buffer zones
 - 4. Erwinia chrysanthemi pv dianthicola(Hellmers) Dickey–Slow wilt of carnation
 - 5. *Xanthomonas campestris* pv *vesicatoria*(Doidge) Dye–Tomato bacterial spot.
- C. CRYPTOGAMS
 - 1. *Didymella ligulicola*(Baker, Dimock & Davis) V. Arx (syn.*Mycosphaerella ligulicola* Baker et al.)–Chrysanthemum ray blight
 - 2. *Phialophora cinerescens*(Wollenweber) van Beyma-a carnation wilt
 - 3. *Phytophthora fragariae* Hickman–Red core disease of strawberries
 - 4. *Puccinia horiana* P. Henn–Chrysanthemum white rust
 - 5. *Verticillium albo-atrum* Reinke and Berth.–Verticillium wilt disease
 - 6. *Verticillium dahliae* Klebahn–Verticillium wilt of hops
- D. VIRUSES AND VIRUS-LIKE PATHOGENS
 - 1. Arabis mosaic virus

- 2. Chrysanthemum stunt viroid
- 3. Plum pox virus
- 4. Raspberry ringspot virus
- 5. Strawberry crinkle virus
- 6. Strawberry latent ringspot virus
- 7. Strawberry mild yellow edge virus
- 8. Tomato black ring virus
- 9. Tomato spotted wilt virus.

Article 7(1)

PART A: CONDITIONS TO BE MET BY PLANTS, PLANT PRODUCTS ETC. MOVING THROUGH PROTECTED ZONES WITHOUT A PLANT PASSPORT VALID FOR THOSE ZONES

1. The packaging containing or, where appropriate, the vehicles transporting, the plants, plant products or other objects shall be clean and free from the plant pests relevant to the protected zone through which they are moving, and of such a nature so as to ensure that there is no risk of the spread of those plant pests.

2. Immediately after packing the packaging containing, or where appropriate, the vehicles transporting, the said plants, plant products or other objects shall be secured according to stringent plant health standards and to the satisfaction of an inspector to ensure that there is no risk of plant pests spreading in the relevant protected zone and remain secured during transportation through the relevant protected zone. The identifying features of the packaging or vehicles shall remain unchanged.

3. The plants, plant products or other objects shall be accompanied by a document, normally used for trade purposes, indicating that they originate outside the relevant protected zone and have a destination outside that zone.

PART B: MEASURES THAT MAY BE TAKEN WHERE PLANTS, PLANT PRODUCTS ETC. FAIL TO MEET THE CONDITIONS SPECIFIED IN PART A

1. The packaging shall be sealed.

2. The plants, plant products or other objects shall be moved, under the supervision of an inspector, to a destination outside the relevant protected zone.

Article 8(1)

ZONES IN THE COMMUNITY RECOGNISED AS 'PROTECTED ZONES', IN RESPECT OF PLANT PESTS LISTED AGAINST THEIR NAMES

Plant pests	Protected zones: territory of
(a) INSECTS, MITES AND NEMATODES, AT ALL STAGES OF THEIR DEVELOPMENT	
1. Anthonomus grandis (Boh.)	Greece, Spain, Italy
2. Bemisia tabaci Genn. (European populations)	Denmark, Ireland, Portugal, United Kingdom
3. Cephalcia lariciphila (Klug.)	France, Ireland, United Kingdom (Northern Ireland and Isle of Man)
4. Dendroctonus micans Kugelan	Greece, Spain, Ireland, Italy, Portugal, United Kingdom (Scotland, Northern Ireland, Isle of Man, in England the following counties and areas: Bedfordshire, Berkshire, Buckinghamshire, Cambridgeshire, Cleveland, Cornwall, Cumbria, Devon, Dorest, Durham, Essex, Hampshire, Hertfordshire, Humberside, Isle of Wight, Isles of Scilly, Kent, Lincolnshire, Norfolk, Northamptonshire, Northumberland, Nottinghamshire, Oxfordshire, Somerset, Suffolk, Surrey, East Sussex, West Sussex, Tyne and Wear, Wiltshire, South Yorkshire, West Yorkshire and the following parts of counties: in Avon: that part of the county to the south of the southern boundary of the M4 motorway, in Derbyshire: the districts of North-east Derbyshire, Chesterfield, Bolsover: in Leicestershire: the districts of Charnwood, Melton, Rutland, Harborough, Oadby and Wigston, Leicester, Blaby: in North Yorkshire the districts of Scarborough, Ryedale, Hambleton, Richmondshire, Harrogate, York, Selby)
5. Gilpinia hercyniae (Hartig)	Greece, France, Ireland, United Kingdom (Northern Ireland and the Isle of Man)
6. Gonipterus scutellatus Gyll.	Greece, Portugal
7. Ips amitinus Eichhof	Greece, Spain, France (Corsica), Ireland, Italy, Portugal, United Kingdom
8. <i>Ips cembrae</i> Heer	Greece, Spain, Ireland, Portugal, United Kingdom (Northern Ireland and the Isle of Man)
9. Ips duplicatus Sahlberg	Greece, Spain, Ireland, Italy, Portugal, United Kingdom
10. Ips sexdentatus Boerner	Greece, Ireland, United Kingdom (Northern Ireland and the Isle of Man)

Plant pests	Protected zones: territory of	
11. Ips typographus Heer	Greece, Spain, Ireland, Portugal, United Kingdom	
12. Leptinotarsa decemlineata Say	Spain (Menorca and Ibiza), Ireland, Portugal (Azores and Madeira), United Kingdom	
13. Matsuccocus feytaudi Duc.	France (Corsica)	
14. Pissodes spp. (European)	Ireland, United Kingdom (Northern Ireland and the Isle of Man)	
15. Sternochetus mangiferae Fabricius	Spain, Portugal	
16. Thaumetopoea pityocampa(Den. et Schiff.)	Spain (Ibiza)	
17 All unknown non-European plant pests of fruit of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf.and their hybrids	· · · · · ·	
(b) BACTERIA		
1.Curtobacteriumflaccumfacienspv.flaccumfaciens(Hedges) Col.	Greece, Spain, Italy, Portugal	
2. <i>Erwinia amylovora</i> (Burr.) Winsl. et al	Spain, France (Champagne-Ardennes, Alsace (except Department Bas Rhin), Lorraine, Franche-Comté, Rhone-Alpes, Bourgogne, Auvergne, Provence-Alpes-Cote d'Azur, Corse, Languedoc-Roussillon), Ireland, Italy, Portugal, United Kingdom (Northern Ireland, the Isle of Man and the Channel Islands)	
3. All unknown non-European plant pests of fruit of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf. and their hybrids		
(c) FUNGI		
1. Glomerella gossypii Edgerton	Greece, Italy (Sicily)	
2. Gremmeniella abietina(Lag.) Morelet	Ireland, United Kingdom (Northern Ireland and the Isle of Man)	
3. Hypoxylon mammatum(Wahl.) J. Miller	Ireland, United Kingdom (Northern Ireland and the Isle of Man)	
4. Phytophthora cinnamomi Rands	Greece (Crete)	
5. All unknown non-European plant pests of fruit of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf. and their hybrids		
(d) VIRUSES AND VIRUS-LIKE ORGANISMS		
1. Beet necrotic yellow vein virus	Denmark, Ireland, Portugal (Azores), United Kingdom	
2. Tomato spotted wilt virus	Denmark	

Plant pests

Protected zones: territory of

3. All unknown non-European plant pests of fruit Greece, France (Corsica), Italy of *Citrus* L., *Fortunella* Swingle, *Poncirus* Raf. and their hybrids

SCHEDULE 9

Article 14(1)

INFORMATION THAT SHALL APPEAR ON A PLANT PASSPORT

Part A: Information to Appear on the Plant Passport, Where Appropriate.

- 1. 'EEC-plant passport'.
- 2. An indication of the EC (Member) State code.
- 3. Indication of responsible official body or its distinguishing code.
- **4.** Registration number.
- 5. Individual serial, week, or batch number.
- 6. Botanical name.
- 7. Quantity.

8. The distinctive marking 'ZP' for the territorial validity of the passport and, where appropriate, the name of the protected zone for which the product is qualified.

9. The distinctive marking 'RP' in case of the replacement of a plant passport and, where appropriate, the code for the originally registered business, individual or other organisation.

10. Where appropriate, the name of the country of origin or consignor country, for third country products.

Part B: Information That Shall Appear on the Label Attached to the Plant, Plant Product or Other Object Requiring a Plant Passport.

- 1. 'EEC-plant passport'.
- 2. Indication of EC (Member) State code.
- 3. Indication of responsible body or its distinguishing code.
- 4. Registration number.
- 5. Individual serial, week or batch number.

SCHEDULE 10

Article 17(1)

OBLIGATIONS PLACED ON A BUSINESS, INDIVIDUAL OR OTHERORGANISATION LISTED IN THE OFFICIAL REGISTER

1. To keep an updated plan of the premises on which the plants, plant products or other objects are grown, produced, stored, kept or used by the business, individual or other organisation so listed.

2. To keep records on plants, plant products or other objects,

— purchased for storage or planting on the premises,

- under production,
- dispatched to others,

and to keep the documents for at least one year.

3. To designate a responsible person technically experienced in plant production and related plant health matters, to liaise with the Plant Protection Service.

4. To carry out visual observations as necessary and at appropriate times, and in a manner laid down in guideline instructions given by the said responsible official bodies.

5. To ensure access for persons entitled to act for the said responsible official bodies, in particular for inspection and, where appropriate, sampling, and to the records referred to in item 2 of this Schedule and related documents.

6. To co-operate with the said responsible official bodies.

SCHEDULE 11

Article 18(2)

SPECIAL MEASURES FOR THE CONTROL OF POTATO WART DISEASE (COUNCIL DIRECTIVE 69/464/EEC) (OJ No. L323, 24.12.69, p.1)

1. When an occurrence of *Synchytrium endobioticum*(Schilb.) Perc., the pathogenic agent of Potato Wart Disease, is recorded, the appropriate Plant Protection service shall demarcate the contaminated plot and a safety zone large enough to ensure the protection of the surrounding areas. A plot shall be regarded as being contaminated when symptoms of Potato Wart Disease have been found on at least one plant from the plot.

2. Subject to item 7 of this Schedule, the appropriate Plant Protection Service shall ensure that potato tubers and haulms which came from the contaminated plots be treated in such a way that the plant pest is destroyed. If it is not possible to determine the place from which the contaminated tubers and haulms came then the whole of the batch containing the affected tubers and haulms shall be appropriately treated.

3. Subject to item 7 of this Schedule, once a contaminated plot has been demarcated:

- (a) no potatoes shall be grown thereon;
- (b) no plants or planting material intending for transplanting shall be grown thereon, stored in the ground or otherwise.

4. Subject to item 7 of this Schedule, potatoes may be grown in the safety zone only if they are of a variety which is resistant to the races of *Synchytrium endobioticum* found on the contaminated plot. A potato variety shall be considered resistant to a particular race of *Synchytrium endobioticum* when it reacts to contamination by the pathogenic agent of that race in such a way that there is no danger of secondary infection.

5. The measures taken to control Potato Wart Disease or to prevent it from spreading shall be revoked only if *Synchytrium endobioticum* is no longer found to be present.

6. Subject to item 7 of this Schedule, no person shall hold cultures of Synchytrium endobioticum.

7. An inspector may authorise exemptions from the measures referred to in items 2, 3, 4 and 6 of this Schedule for scientific purposes, tests and selection work provided that such exemptions do not prejudice the control of Potato Wart Disease and create no risk of the spread of this disease.

8. Additional or stricter measures as may be deemed necessary for the control of Potato Wart Disease or to prevent its spread may be taken, or required by notice to be taken, in accordance with Article 22 or 23.

SCHEDULE 12

Article 18(2)

SPECIAL MEASURES FOR THE CONTROL OF POTATO CYST NEMATODE (COUNCIL DIRECTIVE 69/465/EEC) (OJ No. L323, 24.12.69, p.3)

1. If as a result of an official test Potato Cyst Nematode is recorded the land containing the plant pest shall be appropriately demarcated.

2. Subject to item 5 of this Schedule, once contaminated land has been demarcated:

- (a) no potatoes shall be grown thereon;
- (b) no plants or planting material intended for transplanting shall be grown thereon, stored in the ground or otherwise.

3. Subject to item 5 of this Schedule, seed potatoes which are contaminated or suspected of being contaminated may not be distributed as seed potatoes except where they have been treated in such a way that, to the satisfaction of an inspector, they are no longer contaminated.

4. The measures taken to control Potato Cyst Eelworm or to prevent it from spreading shall be revoked only if the pest is no longer found to be present.

5. Provided that there is no risk of the spread of Potato Cyst Nematode, an inspector may authorise:

- (a) exemptions from the measures referred to in items 2 and 3 to this Schedule for scientific purposes, tests or selection work;
- (b) the growing on contaminated land of potatoes other than seed potatoes which are resistant to pathotypes of Potato Cyst Nematode found on the contaminated land;
- (c) the growing on contaminated land of potatoes other than seed potatoes, provided that such potatoes are to be harvested before the cysts of Potato Cyst Nematode mature;
- (d) the growing on contaminated land of potatoes other than seed potatoes, where the ground has been decontaminated by appropriate means.

6. A potato variety shall be regarded as being resistant to a particular pathotype of Potato Cyst Nematode if, when that variety is grown, a natural and annual decrease in the population of that pathotye is found to occur.

7. Additional or stricter measures as may be deemed necessary for the control of Potato Cyst Nematode or to prevent its spread may be taken, or required by notice to be taken, in accordance with Article 22 or 23.

SCHEDULE 13

Article 18(2)

SPECIAL MEASURES FOR THE CONTROL OF POTATO RING ROT (COUNCIL DIRECTIVE 80/665/EEC) (OJ No. L180, 14.7.80, p.30)

1. Any person suspecting the occurrence, or actual presence, of Potato Ring Rot in growing potatoes or harvested, stored or marketed tubers shall immediately notify the appropriate Plant Protection Service, which shall determine whether any further investigation is necessary.

2. Official testing pursuant to item 1 of this Schedule shall be carried out in accordance with appropriate methods to determine the actual presence of the Potato Ring Rot bacterium. A growing area, store or consignment shall be considered to be contaminated with the Potato Ring Rot bacterium if it is discovered in a single plant or tuber of potato. The official testing shall, in addition, be carried out either:

- on potato stocks which are clonally related to the stock involved in the contaminated unit and which may be infected because of their clonal relationship or
- on potato stock that may have become contaminated through contact with the contaminated stock or other objects which may also have been contaminated.

3. Where the occurrence of Potato Ring Rot is suspected or confirmed the appropriate Plant Protection Service shall take, or require to be taken, the necessary measures in accordance with Article 22 or 23 to prevent the spread, or potential spread of the disease.

4. Seed potatoes shall not be certified under Council Directive 66/403/EEC(**2**) on the marketing of seed potatoes unless they derive in direct line from material certified free of Potato Ring Rot. Such certification shall be based on tests carried out either:

- on plants of the initial clonal selection, at least where the contamination affects seed potato production in the country of origin, or
- on representative samples of the basic seed potatoes or earlier propagations.

5. Contaminated potatoes shall not be re-planted and grown on any land and they shall be treated in such a way so as to prevent the spread of the disease. Potatoes grown on a holding where any field, store or consignment is contaminated shall not be used as seed potatoes. No potatoes shall be grown in contaminated land during the two growing seasons following the recorded contamination or as long as volunteer potatoes are present therein.

6. In addition, where a field, store or consignment on a holding is contaminated the following shall be banned in the growing period following the appearance of Potato Ring Rot:

- the planting of potatoes for the growing of seed potatoes, and
- the planting of potatoes other than officially certified seed potatoes.

7. Any buildings, containers, packaging materials, vehicles, handling, grading or packing machinery and any other objects that may have come into contact with contaminated potatoes during the previous six months shall, under the supervision of an inspector, be destroyed or cleansed and disinfected, as appropriate, before coming into contact with other potatoes.

8. Following the contamination of potatoes, a zone covering an area within which the spread of Potato Ring Rot is possible shall be demarcated for a period of at least 3 years. In this demarcated zone the appropriate Plant Protection Service shall ensure supervision of the holding or holdings growing, storing or handling potatoes, and will take, or require by notice to be taken, all necessary measures as deemed necessary in accordance with Article 22 or 23 to prevent the spread of Potato Ring Rot.

⁽²⁾ OJ No. L125, 12.7.66, p.2320.

- 9. No one shall, in the demarcated zone:
- cut seed potatoes,
- use pricker-type planting machines,
- transport potato plants or tubers, unless such plants or tubers are free from Potato Ring Rot.

10. Subject to item 11 of this Schedule, no person shall keep cultures of (*Clavibacter michiganensis*) (Smith) Davis et al ssp.*sepedonicus*(Spieckermann et Kotthoff) Davis et al.

11. The appropriate Minister may authorise exemptions from any of the measures referred to in this Schedule for experimental or scientific purposes, and work in varietal selection, provided that such exemptions do not prejudice the control of Potato Ring Rot.

12. Additional or stricter measures as may be deemed necessary for the control of Potato Ring Rot or to prevent its spread may be taken, or required by notice to be taken, in accordance with Article 22 or 23.

SCHEDULE 14

Article 2(1)

FORM OF A PHYTOSANITARY CERTIFICATE

1 Name and address of exporter	2 PHYTOSANITARY CERTIFICATE No. EEC/ / / ORIGINAL		
3 Declared name and address of consignee	4 Plant Protection Organization of		
	to Plant Protection Organization(s) of		
	5 Place of origin		
6 Declared means of conveyance			
7 Declared point of entry			
 8 Distinguishing marks: number and description; name of produce; botanical name of plants 9 Quantity declared 			
 10 This is to certify that the plants or plant products described above have been inspected according to appropriate procedures, and are considered to be free from quarantine pests, and practically free from other injurious pests; and that they are considered to conform with the current phytosanitary regulations of the importing country. 			
11 Additional declaration			
DISINFESTATION AND/OR DISINFEC TREATMENT	FION Place of issue:		
12 Treatment			
	Date: Name and signature Stamp of		
13 Chemical (active ingredient)14 Duration an temperature			
15 Concentration 16 Date			
17 Additional information			

SCHEDULE 15

Article 2(1)

FORM OF A REFORWARDING PHYTOSANITARY CERTIFICATE

1 Name and address of exporter	PHY	2 REFORWARDING PHYTOSANITARY CERTIFICATE No. EEC/ / /		
3 Declared name and address of co	nsignee 4 Plant	Protecti	on Organization of	
	to Pla	ant Protection Organization(s) of		
	5 Place	of origir	1	
6 Declared means of conveyance				
7 Declared point of entry				
8 Distinguishing marks: number and description of packages; name of produce; botanical name of plants 9 Quantity declared			Quantity declared	
 10 This is to certify that the plants or plant products described above were imported into (country of re-export) from (country of origin) covered by Phytosanitary Certificate No original □ certified true copy of which is attached to this Certificate, that they are □ packed □ repacked in □ original □ new containers, that based on the original Phytosanitary Certificate and □ additional inspection, they are considered to conform with the current Phytosanitary regulations of the importing country, and that during storage in (country of re-export) the consignment has not been subjected to the risk of infestation or infection. Insert tick in the appropriate boxes. 				
11 Additional declaration				
DISINFESTATION AND/OR D TREATMENT	ISINFECTION	Place o	f issue:	
12 Treatment		Date:		
	14 Duration and temperature		and signature Stamp of orized Organization:	
15 Concentration 16	Date			
17 Additional information	93			

SCHEDULE 16

Article 2(1)

INSTRUMENTS AMENDING AND SUPPLEMENTING COUNCIL DIRECTIVE 77/93/EEC

Instrument	Reference
Act concerning the conditions of accession of the Hellenic Republic and the adjustment of the Treaties	OJ No. L291, 19.11.79, p.17.
Council Directive 80/392/EEC	OJ No. L100, 17.4.80, p.32.
Council Directive 80/393/EEC	OJ No. L100, 17.4.80, p.35.
Council Directive 81/7/EEC	OJ No. L14, 16.1.81, p.23.
Council Directive 84/378/EEC	OJ No. L207, 2.8.84, p.1.
Council Directive 85/173/EEC	OJ No. L65, 6.3.85, p.23.
Council Regulation (EEC) No. 3768/85	OJ No. L362, 31.12.85, p.8.
Council Directive 85/574/EEC	OJ No. L372, 31.12.85, p.25.
Commission Directive 86/545/EEC	OJ No. L323, 18.11.86, p.14.
Commission Directive 86/546/EEC	OJ No. L323, 18.11.86, p.16.
Commission Directive 86/547/EEC	OJ No. L323, 18.11.86, p.21.
Council Directive 86/651/EEC	OJ No. L382, 31.12.86, p.13.
Council Directive 87/298/EEC	OJ No. L151, 11.6.87, p.1.
Commission Directive 88/271/EEC	OJ No. L116, 4.5.88, p.13.
Commission Directive 88/272/EEC	OJ No. L116, 4.5.88, p.19.
Commission Directive 88/430/EEC	OJ No. L208, 2.8.88, p.36.
Council Directive 88/572/EEC	OJ No. L313, 19.11.88, p.39.
Commission Directive 89/83/EEC	OJ No. L32, 3.2.89, p.29.
Council Directive 89/359/EEC	OJ No. L153, 6.6.89, p.28.
Council Directive 89/439/EEC	OJ No. L212, 22.7.89, p.106.
Commission Directive 90/80/EEC	OJ No. L51, 27.2.90, p.34.
Council Directive 90/168/EEC	OJ No. L92, 7.4.90, p.49.
Council Directive 90/490/EEC	OJ No. L271, 3.10.93, p.28.
Commission Directive 90/506/EEC	OJ No. L282, 13.10.90, p.67.
Council Directive 90/654/EEC	OJ No. L353, 17.12.90, p.48.
Council Directive 91/27/EEC	OJ No. L16, 22.1.91, p.29.
Commission Directive 91/102/EEC	OJ No. L52, 27.2.91, p.50.
Commission Directive 91/103/EEC	OJ No. L52, 27.2.91, p.51.
Commission Directive 91/660/EEC	OJ No. L366, 31.12.91, p.39.
Commission Directive 91/661/EEC	OJ No. L363, 31.12.91, p.40.

Instrument	Reference
Council Directive 91/683/EEC	OJ No. L376, 31.12.91, p.29.
Commission Directive 92/10/EEC	OJ No. L70, 17.3.92, p.27.
Commission Directive 92/70/EEC	OJ No. L250, 29.8.92, p.37.
Commission Directive 92/103/EEC	OJ No. L363, 11.12.92, p.1.
Commission Directive 92/71/EEC	OJ No. L275, 18.9.92, p.24.
Commission Directive 92/76/EEC	OJ No. L305, 21.10.92, p.12.
Commission Directive 92/90/EEC	OJ No. L344, 26.11.92, p.38.
Council Directive 92/98/EEC	OJ No. L352, 2.12.92, p.1.
Commission Directive 92/103/EEC	OJ No. L363, 11.12.92, p.1.
Commission Directive 92/105/EEC	OJ No. L4, 8.1.93, p.22.
Council Directive 93/19/EEC	OJ No. L96, 22.4.93, p.33.

Article 35

ORDERS REVOKED

The Plant Health (Great Britain) Order 1987		
(SI 1987/1758)		
The Plant Health (Great Britain) (Amendment) Order 1989		
(SI 1989/553)		
The Plant Health (Great Britain) (Amendment) (No. 2) Order 1989		
(SI 1989/1016)		
The Plant Health (Great Britain) (Amendment) (No. 3) Order 1989		
(SI 1989/2251)		
The Plant Health (Great Britain) (Amendment) Order 1990		
(SI 1990/1741)		
The Plant Health (Great Britain) (Amendment) Order 1991		
(SI 1991/240)		
The Plant Health (Great Britain) (Amendment) (No. 2) Order 1991		
(SI 1991/1777)		
The Plant Health (Great Britain) (Amendment) Order 1992		
(SI 1992/3297)		