

[^{F1}SCHEDULE 1

VARIETIES OF PLANT SPECIES ON [^{F1}GB VARIETY LISTS] AND DEROGATED SPECIES

- F1** Regulations revoked (N.I.) (31.12.2020) by [The Seeds \(Amendment etc.\) \(EU Exit\) Regulations 2020 \(S.I. 2020/1294\), regs. 1\(2\)\(b\), 5](#) (with savings and transitional provisions in S.R. 2020/302, reg. 25)
- F1** Words in Sch. 1 heading substituted (E.W.S.) (31.12.2020) by [The Seeds \(Amendment etc.\) \(EU Exit\) Regulations 2020 \(S.I. 2020/1294\), regs. 1\(2\)\(b\), 3\(13\)\(a\)](#)

Part I

Varities of plant species on [^{F2}GB Variety Lists]

- F2** Words in Sch. 1 Pt. 1 heading substituted (E.W.S.) (31.12.2020) by [The Seeds \(Amendment etc.\) \(EU Exit\) Regulations 2020 \(S.I. 2020/1294\), regs. 1\(2\)\(b\), 3\(13\)\(a\)](#)

Agricultural crop varieties

1. Plants conforming with the characteristics of cultivated plant varieties of the following species intended for agricultural production but not for ornamental use:

<i>[^{F3}Name</i>	<i>Common name</i>
Cereals	
<i>Avena nuda</i> L.	Small naked oat, Hulless oat
<i>Avena sativa</i> L. (includes <i>A. byzantia</i> K. Koch)	Oats and red oat
<i>Hordeum vulgare</i> L.	Barley
<i>Secale cereale</i> L.	Rye
<i>xTriticosecale</i> Wittm. Ex A. Camus	Triticale
Hybrids resulting from the crossing of a species of the genus <i>Triticum</i> and a species of the genus <i>Secale</i>	
<i>Triticum aestivum</i> L.	Wheat
<i>Triticum durum</i> Desf.	Durum wheat
<i>Triticum spelta</i> L.	Spelt wheat
<i>Zea Mays</i> L. (partim)	Maize (except popcorn and sweetcorn)
Potatoes	
<i>Solanum tuberosum</i> L., including any other Potato tuber-forming species or hybrids of <i>Solanum</i>	
Beet	
<i>Beta vulgaris</i> L.	Sugar beet, fodder beet (including mangel)
Fodder plants	

<i>I^{F3}Name</i>	Common name
(a) Grasses	
<i>Agrostis canina</i> L.	Velvet bent
<i>Agrostis capillaris</i> L.	Brown top
<i>Agrostis gigantea</i> Roth.	Red top
<i>Agrostis stolonifera</i> L.	Creeping bent grass
<i>Arrhenatherm elatius</i> (L.) P. Beauv. ex J. Presl & C. Presl	Tall oatgrass
<i>Bromus catharticus</i> Vahl.	Rescue grass
<i>Bromus sitchensis</i> Trin.	Alaska brome-grass
<i>Dactylis glomerata</i> L.	Cocksfoot
<i>Festuca arundinacea</i> Schreber	Tall fescue
<i>Festuca filiformis</i> Pourr.	Fine leaved sheep's fescue
<i>Festuca ovina</i> L.	Sheep's fescue
<i>Festuca pratensis</i> Huds.	Meadow fescue
<i>Festuca rubra</i> L.	Red fescue, Chewings fescue
<i>Festuca trachyphylla</i> (Hack.) Krajina	Hard fescue
<i>Lolium multiflorum</i> Lam.	Italian ryegrass including Westerwold ryegrass
<i>Lolium perenne</i> L.	Perennial ryegrass
<i>Lolium x boucheanum</i> Kunth	Hybrid ryegrass
<i>Phleum nodosum</i> L.	Small timothy
<i>Phleum pratense</i> L.	Timothy
<i>Poa annua</i> L.	Annual meadowgrass
<i>Poa nemoralis</i> L.	Wood meadowgrass
<i>Poa pratensis</i> L.	Smooth-stalked meadowgrass
<i>Poa trivialis</i> L.	Roughstalked meadowgrass
<i>xFestulolium</i> Asch. & Graebn.	Festulolium
Hybrids resulting from the crossing of a species of the genus <i>Festuca</i> with a species of the genus <i>Lolium</i>	
(b) Legumes	
<i>Lotus corniculatus</i> L.	Birdsfoot trefoil
<i>Lupinus albus</i> L.	White lupin
<i>Lupinus angustifolius</i> L.	Narrow leaved lupin (previously known as Blue lupin)

<i>I^{F3}Name</i>	Common name
<i>Lupinus luteus</i> L.	Yellow lupin
<i>Medicago lupulina</i> L.	Black medick, Trefoil
<i>Medicago sativa</i> L.	Lucerne
<i>Medicago x varia</i> T. Martyn	Sand lucerne
<i>Onobrychis viciifolia</i> Scop.	Sainfoin
<i>Pisum sativum</i> L. (partim)	Field pea
<i>Trifolium hybridum</i> L.	Alsike clover
<i>Trifolium pratense</i> L.	Red clover
<i>Trifolium repens</i> L.	White clover
<i>Vicia faba</i> L. (partim)	Field bean
<i>Vicia pannonica</i> Crantz	Hungarian vetch
<i>Vicia sativa</i> L.	Common vetch
<i>Vicia villosa</i> Roth	Hairy vetch

(c) Other fodder plants

Brassica napus L. var. *napobrassica* (L.) Rchb. Swede

Brassica oleracea L. convar. *acephala* (DC.) Fodder kale
Alef. Var. *medullosa* Thell. + var. *viridis* L.

Raphanus sativus L. var. *oleiformis* Pers. Fodder radish

Oleaginous and fibrous plants

Brassica juncea (L.) Czern. Brown mustard

Brassica napus L. (partim) Swede rape (including plants commonly known as fodder rape and oilseed rape)

Brassica nigra (L.) W.D.J. Koch Black mustard

Brassica rapa L. var. *silvestris* (Lam.) Briggs Turnip rape

Cannabis sativa L. Hemp

Glycine max (L.) Merr. Soya bean

Helianthus annuus L. Sunflower

Linum usitatissimum L. Flax, Linseed

Sinapis alba L. White mustard]

F3 Sch. 1 Pt. 1 para. 1 table substituted (30.6.2010) by [The Seeds \(National Lists of Varieties\) \(Amendment\) Regulations 2010 \(S.I. 2010/1195\), regs. 1, 2\(2\), Sch. 1](#)

Vegetable varieties

2. Plants conforming with the characteristics of cultivated plant varieties of the following species intended for agricultural or horticultural production but not for ornamental use:

<i>I^{F4}Name</i>	<i>Common name</i>
<i>Allium cepa</i> L.	—
—Cepa Group	Onion, Echalion
—Aggregatum Group	Shallot
<i>Allium fistulosum</i> L.	Japanese bunching onion or Welsh onion
—all varieties	
<i>Allium porrum</i> L.	Leek
—all varieties	
<i>Allium sativum</i> L.	Garlic
—all varieties	
<i>Allium schoenoprasum</i> L.	Chives
—all varieties	
<i>Apium graveolens</i> L.	—
—Celery Group	—
—Celeriac Group	—
<i>Asparagus officinalis</i> L.	Asparagus
—all varieties	
<i>Beta vulgaris</i> L.	—
—Garden Beet Group	Beetroot including Cheltenham beet
—Leaf Beet Group	Spinach beet or Chard
<i>Brassica oleracea</i> L.	—
—Kale Group	—
—Cauliflower Group	—
—Capitata Group	Red cabbage and White cabbage
—Brussel Sprouts Group	—
—Kohlrabi Group	—
—Savoy Cabbage Group	—
—Broccoli Group	Calabrese type and Sprouting type
—Palm Kale Group	—
—Tronchuda Group	Portuguese cabbage
<i>Brassica rapa</i> L.	—
—Chinese Cabbage Group	—

<i>I^{F4}Name</i>	<i>Common name</i>
—Vegetable Turnip Group	—
<i>Cichorium endivia</i> L.	Endive
—all varieties	
<i>Cucumis melo</i> L.	Melon
—all varieties	
<i>Cucumis sativus</i> L.	—
—Cucumber Group	—
—Gherkin Group	—
<i>Cucurbita maxima</i> Duchesne	Gourd
—all varieties	
<i>Cucurbita pepo</i> L.	Marrow, including mature pumpkin and scallop squash, or Courgette, including immature scallop squash
—all varieties	
<i>Daucus carota</i> L.	Carrot and Fodder Carrot
—all varieties	
<i>Lactuca sativa</i> L.	Lettuce
—all varieties	
<i>Solanum lycopersicum</i> L.	Tomato
—all varieties	
<i>Petroselinum crispum</i> (Mill.) Nyman ex A. W. Hill	—
—Leaf Parsley Group	—
—Root Parsley Group	—
<i>Phaseolus coccineus</i> L.	Runner bean
—all varieties	
<i>Phaseolus vulgaris</i> L.	—
—Dwarf French Bean Group	—
—Climbing French Bean Group	—
<i>Pisum sativum</i> L.	—
—Round Pea Group	—
—Wrinkled Pea Group	—
—Sugar Pea Group	—
<i>Raphanus sativus</i> L.	—
—Radish Group	—

Changes to legislation: There are currently no known outstanding effects for the The Seeds (National Lists of Varieties) Regulations 2001, Part I. (See end of Document for details)

<i>I^{F4}Name</i>	<i>Common name</i>
—Black Radish Group	—
<i>Rheum rhabarbarum</i> L.	Rhubarb
—all varieties	
<i>Spinacia oleracea</i> L.	Spinach
—all varieties	
<i>Vicia faba</i> L.	Broad bean
—all varieties	
<i>Zea mays</i> L.	—
—Sweet Corn Group	—
—Popcorn Group	—JJ

F4 Sch. 1 Pt. 1 para. 2 table substituted (1.7.2020) by [The Vegetable Plant Material and Seed \(Miscellaneous Amendments\) Regulations 2020 \(S.I. 2020/579\)](#), regs. 1(1), 3(3)(a)

Changes to legislation:

There are currently no known outstanding effects for the The Seeds (National Lists of Varieties) Regulations 2001, Part I.