

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7

DIRECTIONAL SIGNS

PART I

PRIMARY ROUTE DIRECTIONAL SIGNS


SCHEDULE 7 PART I
PRIMARY ROUTE DIRECTIONAL SIGNS

Regulation 11(1)



| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |

2001
Junction ahead of two primary routes



2002
Junction ahead of a primary route with a non-primary route which is the recommended alternative route avoiding a low bridge on the primary route

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)

| — 75 min | <table border="1"> <thead> <tr> <th>Item</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Regulations: None</td> </tr> <tr> <td>2</td> <td>Directions: 7, 12(1)</td> </tr> <tr> <td>3</td> <td>Diagrams: None</td> </tr> <tr> <td>4</td> <td>Permitted variants: Schedule 16, items 3, 5, 12, 16, 19, 20, 21, 23, 24, 25, 26, 27, 29, 30, 31, 32, 34, 35, 36, 37</td> </tr> <tr> <td>5</td> <td>Illumination requirements: Schedule 17, item 4</td> </tr> </tbody> </table> | Item | | 1 | Regulations: None | 2 | Directions: 7, 12(1) | 3 | Diagrams: None | 4 | Permitted variants: Schedule 16, items 3, 5, 12, 16, 19, 20, 21, 23, 24, 25, 26, 27, 29, 30, 31, 32, 34, 35, 36, 37 | 5 | Illumination requirements: Schedule 17, item 4 |
|-----------|--|----------------------|--|---|-------------------|---|----------------------|---|----------------|---|--|---|--|
| Item | | | | | | | | | | | | | |
| 1 | | Regulations: None | | | | | | | | | | | |
| 2 | | Directions: 7, 12(1) | | | | | | | | | | | |
| 3 | | Diagrams: None | | | | | | | | | | | |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 16, 19, 20, 21, 23, 24, 25, 26, 27, 29, 30, 31, 32, 34, 35, 36, 37 | | | | | | | | | | | | |
| 5 | Illumination requirements: Schedule 17, item 4 | | | | | | | | | | | | |
| — 300 max | | | | | | | | | | | | | |
| — 60 min | | | | | | | | | | | | | |
| — 240 max | | | | | | | | | | | | | |
| — 75 min | | | | | | | | | | | | | |

2003
Same as diagram 2002


| | | | | | | | | | | | |
|-----------|--|-------------------|-------------------|---|-------------------|---|----------------|---|--|---|--|
| — 75 min | <table border="1"> <tbody> <tr> <td>1</td> <td>Regulations: None</td> </tr> <tr> <td>2</td> <td>Directions: 12(1)</td> </tr> <tr> <td>3</td> <td>Diagrams: None</td> </tr> <tr> <td>4</td> <td>Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 37 Junction name and top panel may be omitted</td> </tr> <tr> <td>5</td> <td>Illumination requirements: Schedule 17, item 4</td> </tr> </tbody> </table> | 1 | Regulations: None | 2 | Directions: 12(1) | 3 | Diagrams: None | 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 37 Junction name and top panel may be omitted | 5 | Illumination requirements: Schedule 17, item 4 |
| 1 | | Regulations: None | | | | | | | | | |
| 2 | Directions: 12(1) | | | | | | | | | | |
| 3 | Diagrams: None | | | | | | | | | | |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 37 Junction name and top panel may be omitted | | | | | | | | | | |
| 5 | Illumination requirements: Schedule 17, item 4 | | | | | | | | | | |
| — 300 max | | | | | | | | | | | |
| — 75 min | | | | | | | | | | | |
| — 300 max | | | | | | | | | | | |

2004
Junction at named crossroads ahead between a primary route leading to a motorway and two non-primary routes, one of which also leads to a tourist attraction

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 37 Junction name and top panel may be omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 16, 19, 20, 21, 23, 24, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 37 Junction name and top panel may be omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |

2005
Same as diagram 2004



2005.1

Junction ahead of a primary route with a non-primary route which is an alternative numbered route for pedal cycles forming part of a cycle route network

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 16, 19, 20, 21, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 34, 35, 36, 37 The name of the cycle route may be added in the manner shown in diagram 2602.1 but with the dimensions 60 min and 240 max substituted for the dimensions 24 min and 48 max shown in that diagram. The background colour of the cycle route number patch may be varied to blue |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.


SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2006

Junction ahead with a non-primary route

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 19, 20, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35 |
| 5 | Illumination requirements: Schedule 17, item 4 |




| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 7, 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 28, 30, 31, 32, 34, 35, 36 Location name and top panel may be omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |

2007

Staggered junctions ahead between a primary route leading to a car ferry, a primary route which is the recommended route for goods vehicles to take to the docks, a non-primary route and a road to which entry is prohibited, in the village, town or suburb whose name is indicated at the top of the sign

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



75 min
300 max

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |

2008

Staggered junction ahead at which a dual carriageway primary route is crossed by a non-primary route leading in one direction to a Ministry of Defence establishment



75 min
300 max

60 min
240 max


2009

Gyratory system ahead on a primary route which has junctions with a non-primary route and with another road along which there is a prohibition on vehicle entry at a specified distance from the junction

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 7, 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 7, 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 16, 19, 20, 21, 23, 24, 25, 26, 27, 30, 34, 35 The diagram 612 symbol may be varied to a diagram 613 or 614 symbol |
| 5 | Illumination requirements: Schedule 17, item 4 |

2010.1
Distance to a prohibited movement and direction to the destination shown, avoiding that prohibition



2010.2
Direction to the destination shown avoiding a prohibited movement ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 7, 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 16, 19, 20, 21, 23, 24, 25, 26, 27, 30, 34, 35 The diagram 612 symbol may be varied to a diagram 613 symbol |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)




2011
Grade separated junction 1/2 mile ahead of a primary route with another primary route which leads to an airport and which forms part of an emergency diversion route

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 16, 19, 20, 21, 23, 24, 25, 26, 30, 31, 32, 34, 36 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2012
Grade separated junction 1/2 mile ahead of a primary route with another primary route which leads to a motorway and with a non-primary route

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 16, 19, 20, 21, 23, 24, 25, 26, 30, 31, 32, 34, 36 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2013
Two grade separated junctions in quick succession 1/2 mile ahead, one with a primary route which leads to a non-primary route and the other with a motorway at the junction whose name is indicated at the top of the sign

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 16, 19, 20, 21, 23, 24, 25, 26, 30, 31, 32, 34 Junction name and top panel may be omitted. The distance in miles to the second exit may be shown in a manner similar to the distance shown to the first exit |
| 5 | Illumination requirements: Schedule 17, item 4 |


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2014
Grade separated junction of a primary route with a non-primary route

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 16, 19, 20, 21, 23, 24, 25, 26, 30, 31, 32, 34, 36 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2015
Grade separated junction of a primary route, which leads directly onto a motorway, with another primary route which should be followed by traffic not wishing or permitted to use the motorway

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 16, 19, 20, 21, 23, 24, 25, 26, 30, 31, 32, 34, 36 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2016
Same as diagram 2015

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 19, 20, 21, 23, 24, 25, 26, 30, 31, 32, 34, 35, 36 The upper directional sign panel may be omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)




2017
Grade separated junction 1/2 mile ahead where the left hand lane of a primary route leaves the main carriageway of that route and leads to another primary route

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 16, 19, 20, 21, 23, 24, 25, 26, 30, 31, 32, 34, 35, 36 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2018
Grade separated junction where the left hand lane of a primary route leaves the main carriageway of that route and leads to a non-primary route

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 16, 19, 20, 21, 23, 24, 25, 26, 30, 31, 32, 34, 35 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2019
Junction where one lane of a primary route is reserved for traffic turning onto a non-primary route; the primary route leads to a motorway

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 16, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36, 37 The chevron marking shown in diagram 2018 may be added and varied as appropriate |
| 5 | Illumination requirements: Schedule 17, item 4 |


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2020
Grade separated junction ahead of a primary route, which leads to one carriageway of a motorway, with another primary route, which leads to the other carriageway of the motorway, and with a non-primary route; the number of lanes on the main carriageway remains the same through the junction (Gantry-mounted sign)

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 9, 12, 19, 20, 21, 23, 30, 34, 36 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2021
Named grade separated junction ahead on a primary route, or directions at a grade separated junction when distance and junction name omitted, where the left hand lane leads to a primary route, to one carriageway of a motorway and to a non-primary route, and the two right hand lanes continue on the main primary route and also lead to the other carriageway of the motorway (Gantry-mounted sign)

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 9, 16, 19, 20, 21, 23, 30, 34 Junction name and top panel may be omitted. The distance to the junction may be shown in a green panel positioned at the bottom of and to the left of the sign assembly |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2021.1

Appropriate traffic lanes on a primary route at a junction or on the approach to a junction leading to the destinations shown; the right hand lane leads to a non-primary route (Gantry-mounted sign)

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 16, 19, 20, 21, 23, 30, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |




2022

Roundabout ahead at the junction of two primary routes

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)




2023

Named roundabout ahead on a primary route with exits to a non-primary route in two directions, a primary route which leads to a motorway, and a motorway which leads to another motorway and an airport

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35, 37 Junction name and top panel may be omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2024
Mini-roundabout ahead with exits to a primary route, leading to a non-primary route, and a non-primary route, leading to another primary route

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |

2025
Junction ahead of a primary route with a non-primary route through a town or village that has been by-passed

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 30, 31, 32, 34, 35, 36 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2026
Direction to a primary route which leads to a motorway and a non-primary route

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 15, 19, 20, 21, 24, 30, 31, 32, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2027
Direction to a primary route along which there is a low bridge

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 12(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 15, 19, 20, 21, 24, 29, 30, 31, 32, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2027.1
Direction to a primary route which leads to the destination shown, to a railway station and to a recycling centre

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 15, 19, 20, 21, 24, 29, 30, 31, 32, 34 "Recycling centre" may be varied to another appropriate description |
| 5 | Illumination requirements: Schedule 17, item 4 |



2028
Direction to a primary route

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 12(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 19, 20, 21, 24, 25, 26, 30, 31, 32, 34, 35 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2029
Directions to a primary route and a non-primary route

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 12(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 19, 20, 21, 23, 24, 25, 26, 30, 31, 32, 34, 35 |
| 5 | Illumination requirements: Schedule 17, item 4 |


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2030
The number of a primary route with distances to destinations along or reached from that route

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 5, 19, 20, 21, 30 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2030.1
Same as diagram 2030 but with the number of another primary route reached from that route and leading to a named destination

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 5, 19, 20, 21, 30 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2031
The number of a primary route

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 20, 21 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2032
Primary route forming part of a ring road

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART I PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2033
Crossroads ahead between a primary route and a ring road which is a non-primary route

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |



75 min
300 max

75 min
300 max



2034
Route to be followed at junction ahead for destinations that are not otherwise shown on signs for that junction

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 19, 20, 21, 30, 34 "follow" and the route may be varied to "leave at next junction", or "leave at" and the name of a junction. The legend "Park and Ride" may be added after "Kingsford", or "follow" and the route may be varied to "use" and the Park and Ride symbol shown in diagram 2503, or its permitted variants, with a white border added |
| 5 | Illumination requirements: Schedule 17, item 4 |

2035
Direction along a primary route to destinations shown via a U-turn at a roundabout ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 19, 20, 21, 23, 24, 25, 26, 27, 30, 31, 32, 34, 35 |
| 5 | Illumination requirements: Schedule 17, item 4 |


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

PART II

NON-PRIMARY ROUTE DIRECTIONAL SIGNS

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS

Regulation 11(1)



2101
Junction ahead of two non-primary routes

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2101.1
Grade separated junction ahead of a non-primary route and a primary route

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 16, 19, 20, 21, 22, 24, 25, 26, 30, 31, 32, 34, 36 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2101.2
Grade separated junction of a non-primary route leading to a motorway with another non-primary route leading to a primary route

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 16, 19, 20, 21, 22, 24, 25, 26, 30, 31, 32, 34, 36 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



— 60 min
— 300 max

2102
Junction ahead of two non-primary routes, one of which leads to a primary route


| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |



60 min —
300 max —

2102.1
Junction ahead of a non-primary route with another non-primary route

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 19, 20, 24, 25, 26, 27, 30, 31, 32, 34, 35 |
| 5 | Illumination requirements: Schedule 17, item 4 |




— 60 min
— 300 max

2103
Junction ahead of two non-primary routes, one of which leads to a primary route and a motorway

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 5, 9, 12, 16, 19, 20, 21, 22, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2104
Junction ahead of a non-primary route with a motorway at the junction whose number is specified

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |




2105.1
Junction ahead of a non-primary route with an alternative numbered route for pedal cycles forming part of a national cycle route network

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 29, 30, 31, 32, 34, 35, 36, 37 The name of the cycle route may be added in the manner shown in diagram 2602.1 but with the dimensions 48 min and 240 max substituted for the dimensions 24 min and 48 max shown in that diagram. The background colour of the route number patch shall be varied to blue when the route forms part of a regional cycle route network |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.


SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2106.1

Junction ahead of a non-primary route with an alternative numbered route for pedal cycles forming part of a national cycle route network and a route leading to parking for cars and buses

| Item | |
|------|---|
| 1 | Regulations: 24(1) |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 5, 9, 12, 16, 19, 20, 21, 22, 24, 25, 26, 27, 28, 29, 30, 31, 32, 34, 35, 36, 37 Same as diagram 2105.1. The relative position of the cycle symbol and the associated distance shall be reversed when the cycle route number patch is omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |




2107

Junction ahead of a non-primary route with a route leading to a tourist attraction and another non-primary route on which there is a height restriction

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 7, 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 5, 9, 12, 16, 19, 20, 21, 22, 24, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.


SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 7, 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |

2108

Junction ahead of two non-primary routes, on one of which there is a weight restriction, and the other is the alternative route to avoid the weight restriction




2109

Junction ahead of two non-primary routes, one of which leads to a primary route, and a route leading to a tourist attraction

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 30, 31, 32, 34, 35, 37 Junction name and top panel may be omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |

2110
Junction at named crossroads ahead of a non-primary route with a primary route, on which in one direction there is a lifting bridge and which in the other direction leads to a motorway



| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 16, 19, 20, 21, 22, 24, 25, 26, 27, 29, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |

2111
Junction at crossroads ahead of a non-primary route with a primary route, on which in one direction there is a lifting bridge and which in the other direction leads to a motorway

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.


SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)

60 min
300 max



2111.1
Direction along a non-primary route to a destination shown via a U-turn at a roundabout ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 5, 9, 19, 20, 21, 22, 24, 25, 26, 27, 30, 31, 32, 34, 35 |
| 5 | Illumination requirements: Schedule 17, item 4 |




2112
Staggered junctions ahead between four non-primary routes leading to various destinations including parking for a tourist attraction, short stay parking and a London Underground railway station

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 9, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)




2113

Staggered junctions ahead between four non-primary routes leading to various destinations, including a Ministry of Defence establishment, a hospital with accident and emergency facilities and public toilets with facilities for disabled people

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 29, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)




2113.1

Junction at crossroads ahead between a non-primary route and a primary route which is a ring road and which also leads to a railway station and free parking in one direction and to a tourist attraction in the other

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, Items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2114

Junction ahead where one lane of a non-primary route is reserved for traffic turning to the right

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 16, 19, 20, 21, 22, 24, 25, 26, 27, 30, 31, 32, 34, 35, 36, 37 The chevron marking shown in diagram 2115.1 may be added and varied as appropriate |
| 5 | Illumination requirements: Schedule 17, item 4 |




2114.1

Appropriate traffic lanes on a non-primary route at a junction or on the approach to a junction leading to the destinations shown (Gantry-mounted sign)

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 16, 19, 20, 21, 22, 30, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)




75 min
300 max

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 16, 19, 20, 21, 22, 24, 25, 26, 30, 31, 32, 34, 35, 36 |
| 5 | Illumination requirements: Schedule 17, item 4 |

2115

Grade separated junction 1/2 mile ahead where one lane of a non-primary route is reserved for traffic turning onto another non-primary route



75 min
300 max

2115.1

Grade separated junction where one lane of a non-primary route is reserved for traffic turning onto another non-primary route

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 16, 19, 20, 21, 22, 24, 25, 26, 30, 31, 32, 34, 35 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2116

Grade separated junction 1/2 mile ahead of two non-primary routes where the left hand direction leads directly to a primary route and a non-primary route and the number of lanes on the main carriageway remains the same through the junction (Gantry-mounted sign)

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 9, 12, 19, 20, 21, 22, 30, 34, 36 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2117

Grade separated junction ahead, or directions at a grade separated junction when distance omitted, where the left hand lane of a non-primary route leads directly to another non-primary route and a primary route and the two right hand lanes lead along the main route to another primary route (Gantry-mounted sign)

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 9, 16, 19, 20, 21, 22, 30, 34, 36 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2118

Roundabout ahead with a dedicated lane to a primary route which leads to a motorway and exits to two non-primary routes, one of which leads to car parking in the town centre and to a railway station

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 29, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |




| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 29, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |

2119

Mini-roundabout ahead with exits to a non-primary route and a primary route in two directions, one of which leads to an airport

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.


SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2120

Double mini-roundabout ahead with exits to three non-primary routes, one of which leads to a car ferry and another is an advisory lorry route

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 30, 31, 32, 34, 35, 36, 37 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2121

Junction ahead of a non-primary route with another non-primary route leading to a town or village that has been by-passed

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 30, 31, 32, 34, 35, 36 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2122

Sharp bend in main route at a junction ahead with a minor road

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 20, 21, 22, 24, 25, 26, 27, 30, 31, 32, 34, 35 |
| 5 | Illumination requirements: Schedule 17, item 4 |

236

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



300 min
1200 max

75 min
300 max

2123
Distance to a prohibited movement and direction to the destination shown avoiding that prohibition

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 7, 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 16, 19, 20, 21, 22, 24, 25, 26, 27, 30, 34, 35 The diagram 612 symbol may be varied to a diagram 613 or 614 symbol |
| 5 | Illumination requirements: Schedule 17, item 4 |



75 min
300 max

300 min
1200 max

2124
Direction to the destination shown avoiding a prohibited movement ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 7, 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 16, 19, 20, 21, 22, 24, 25, 26, 27, 30, 34, 35 The diagram 612 symbol may be varied to a diagram 613 symbol |
| 5 | Illumination requirements: Schedule 17, item 4 |



60 min
240 max

75 min
300 max

2124.1
Junction ahead of a non-primary route which leads directly onto a motorway, with another non-primary route which should be followed by traffic not wishing or permitted to use the motorway

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 19, 20, 21, 22, 24, 25, 26, 30, 31, 32, 34, 35, 36 The upper directional sign panel may be omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2125
Direction and distance to a destination on a non-primary route

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 5, 9, 15, 19, 20, 21, 22, 24, 30, 31, 32, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2126
Direction and distances to a destination on a non-primary route and to a tourist attraction

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 5, 9, 15, 19, 20, 21, 22, 24, 30, 31, 32, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |




2126.1
Direction to a non-primary route

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 19, 20, 21, 22, 24, 25, 26, 30, 31, 32, 34, 35 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2127
Directions to non-primary and primary routes

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 19, 20, 21, 22, 24, 25, 26, 27, 30, 31, 32, 34, 35 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2128
The number of a non-primary route leading to a primary route with destinations and distances

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 5, 19, 20, 21, 22, 30 |
| 5 | Illumination requirements: Schedule 17, item 4 |




2129
The number of a non-primary route

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 20, 21, 22 |
| 5 | Illumination requirements: Schedule 17, item 4 |

239

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2130
Non-primary route forming part of a ring road

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |



2131
Alternative route from junction ahead to place named

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 19, 20, 21, 22, 30, 32, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2132
Direction of alternative route to place named

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 15, 19, 20, 21, 22, 30, 32, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2133
Junction ahead leading to a London Underground railway station

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 12, 29, 31, 32 The London Underground symbol may be replaced by the railway station symbol shown in diagram 2118 or by a PTE symbol. The railway station symbol may be used in addition to the London Underground or PTE symbol. The name of the station may be varied or omitted. The word 'Station' may be omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



2134
Direction to a railway station

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 29, 31, 32 The PTE symbol may be replaced by another PTE symbol or London Underground symbol or omitted. The name of the station may be added. The railway station symbol may be omitted. The word "Station" may be omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |



2135
Junction ahead leading to a car ferry

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 12, 28, 31, 32 The left hand car symbol may be replaced by the lorry symbol. The two symbols may be omitted and two lorry symbols or the words "Pedestrian ferry" added on the boat symbol. The name of the ferry or quay may be added above the boat symbol |
| 5 | Illumination requirements: Schedule 17, item 4 |



2136
Direction to a vehicle ferry

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 28, 31, 32 The car and lorry symbols may be varied to two car symbols or to two lorry symbols. The two symbols may be omitted and the words "Pedestrian ferry" added on the boat symbol. The name of the ferry or quay may be added above the boat symbol |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)




2137
Direction to a shopping area which provides a "Shopmobility" service for disabled people approved by the National Federation of Shopmobility

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 15, 28, 29 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2137.1
Junction ahead leading to a shopping area which provides a "Shopmobility" service for disabled people approved by the National Federation of Shopmobility

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 28, 29 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2138
Route to be followed at junction ahead for destinations that are not otherwise shown on signs for that junction

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 19, 20, 21, 30, 34 A place name may be added between "follow" and the route number. The second route number may be varied to a destination. "follow" and the route may be varied to "leave at next junction", or "leave at" and the name of a junction. The legend "Park and Ride" may be added after "Matlock", or "follow" and the route may be varied to "use" and the Park and Ride symbol shown in diagram 2503 or its permitted variants |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART II NON-PRIMARY ROUTE DIRECTIONAL SIGNS (contd.)



— 60 min
— 250 max



— 50 min
— 250 max

2139

Junction ahead leading to a recycling centre

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 12, 29 "Recycling centre" may be varied to another appropriate description or name, or omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |

2140

Direction to a recycling centre

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 29 Same as diagram 2139 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2141

Direction for traffic on a minor route to a destination reached along another minor route (Alternative types)

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(4) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 15, 19 Destination may be shown in lower case lettering with initial capitals. The shape of the end of the sign may be varied. A thin black border may be added or omitted as appropriate |
| 5 | Illumination requirements: Schedule 17, item 9 |


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

PART III

TOURIST DESTINATION SIGNS

SCHEDULE 7 PART III
TOURIST DESTINATION SIGNS
(other than on motorways or for pedestrians)

Regulation 11(1)



2201
Distance ahead to a tourist attraction

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 10, 11, 19, 33 |
| 5 | Illumination requirements: Schedule 17, item 9 |



2202
Junction ahead leading to a tourist attraction

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 9, 12, 19, 29, 31, 32, 33, 34 The U-turn arrow shown in diagram 2035 may be substituted for the horizontal arrow and shall always be on the right hand side of the sign. The tourist attraction symbol may be centred below the tourist attraction name |
| 5 | Illumination requirements: Schedule 17, item 9 |



2203
Direction and distance to a tourist attraction

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 9, 15, 19, 31, 32, 33, 34 |
| 5 | Illumination requirements: Schedule 17, item 9 |



2204
Direction and distance to a
Tourist Information Point or Centre

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 9, 15, 29, 34 The word "centre" may be added |
| 5 | Illumination requirements: Schedule 17, item 9 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART III TOURIST DESTINATION SIGNS (contd.)



2205
Location of a Tourist Information Point or Centre

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, Items 3, 6, 11 The word "centre" may be added. The name of a geographical area may be added |
| 5 | Illumination requirements: Schedule 17, item 9 |



2208
Direction to a tourist attraction indicated by a symbol

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 15, 33 |
| 5 | Illumination requirements: Schedule 17, item 9 |

Note: The minimum and maximum dimensions indicated apply to the symbol shown. When the sign is varied to show another symbol, the dimensions shall be varied in accordance with the proportions shown in Schedule 14



2209
Distance ahead to a tourist attraction

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 5, 19, 33 Opening times may be added. The distance may be replaced by the word "CLOSED" |
| 5 | Illumination requirements: Schedule 17, item 9 |



2210
Junction ahead leading to or along a route passing through places of interest

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 19, 29 The rose symbol may be varied to the thistle symbol in Scotland, the dragon symbol in Wales or another approved local symbol. The cycle symbol may be added |
| 5 | Illumination requirements: Schedule 17, item 9 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART III TOURIST DESTINATION SIGNS (contd.)



2211
Direction to or along a route
passing through places of interest

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 15, 19, 29 Same as diagram 2210 |
| 5 | Illumination requirements: Schedule 17, item 9 |



2212
Direction along a route
passing through places of interest

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 15 Same as diagram 2210. The symbol may be placed alongside the legend at the end of the sign opposite to the chevron |
| 5 | Illumination requirements: Schedule 17, item 9 |



2213
Junction ahead leading to a route
of special interest to tourists

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 19, 29 Same as diagram 2210. The legend may be varied to "Tourist route" or a route title. "Tourist" may be varied to "Scenic" or "Coastal". "route" may be varied to "trail" |
| 5 | Illumination requirements: Schedule 17, item 9 |



2214
Direction to or along a route
of special interest to tourists

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 15, 19, 29 Same as diagram 2213 |
| 5 | Illumination requirements: Schedule 17, item 9 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART III TOURIST DESTINATION SIGNS (contd.)



2215
Junction ahead leading to a town or geographical area containing several tourist attractions and a Tourist Information Point or Centre

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 19, 29, 33 The number of tourist attractions shown on the lower part of the sign may be varied, but shall not exceed five |
| 5 | Illumination requirements: Schedule 17, item 9 |



2216
Junction ahead leading to tourist attractions and a Tourist Information Point or Centre reached in different directions


| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 12, 16, 19, 29, 33, 34 |
| 5 | Illumination requirements: Schedule 17, item 9 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART III TOURIST DESTINATION SIGNS (contd.)



| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 19, 20, 21, 33 The route number may be varied to a place name or to a symbol shown in Schedule 14 or other approved symbol. A place name may be added to the route number. "railway museum" may be varied to no more than two tourist attractions with "and" or "&" inserted between the two names. "follow" and the route number may be varied to "leave at next junction", or "leave at" and the name of the junction, or varied to "use" and the Park and Ride symbol shown in diagram 2503, or its permitted variants, with a white border added. The Park and Ride symbol may be varied to a white panel with the "P" symbol shown in diagram 2505 and a description of a parking place |
| 5 | Illumination requirements: Schedule 17, item 9 |



2218
Roundabout ahead leading to tourist attractions shown

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 31, 32, 33, 34 The tourist attraction symbol may be placed to the right of the associated legend when indicating a direction ahead or to the left, and placed to the left of the associated legend when indicating a direction to the right |
| 5 | Illumination requirements: Schedule 17, item 9 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

PART IV

SIGNS FOR SERVICES AND TOURIST FACILITIES

SCHEDULE 7 PART IV SIGNS FOR SERVICES AND TOURIST FACILITIES (other than on motorways)

Regulation 11(1)



2301

Distance ahead to a camping and caravan site licensed under the Caravan Sites and Control of Development Act 1960 and/or the Public Health Act 1936 and having a minimum of 20 pitches for casual overnight use


| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 10, 11, 19 Either the caravan or the tent symbol may be omitted. In Scotland the symbol shown in diagram T301.1 may be added |
| 5 | Illumination requirements: Schedule 17, item 4 |



2302

Direction and distance to a camping and caravan site as defined in the caption under diagram 2301

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 9, 15, 19 Same as diagram 2301. The distance may be placed to the right of the symbols |
| 5 | Illumination requirements: Schedule 17, item 4 |



2303

Distance ahead to a hostel managed by the Youth Hostels Association or the Scottish Youth Hostels Association

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 10, 11 "Youth Hostel" may be varied to "Tourist hostel" in which case the symbol shall be omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |



2304

Direction and distance to a hostel as defined in the caption under diagram 2303

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 9, 15, 29 Same as diagram 2303 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART IV SIGNS FOR SERVICES AND TOURIST FACILITIES (contd.)




2305
Distance ahead to a picnic area

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 10, 11, 19 |
| 5 | Illumination requirements: Schedule 17, item 9 |



2306
Direction and distance to a picnic area

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 9, 15, 19, 29 |
| 5 | Illumination requirements: Schedule 17, item 9 |



2307
Distance ahead to a parking place with public toilets,
Tourist Information Point or Centre, picnic site,
public telephone and viewpoint

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 10, 11, 28 The name of a geographical area may be added above the top line of symbols. The wheelchair symbol (denoting facilities for disabled people) may be added when the "WC" symbol is shown. The green on white recycling centre symbol shown in diagram 2027.1 may be added. Any of the symbols may be omitted but there shall be at least two symbols on the sign including the "P" and either the "i", picnic area or viewpoint symbol |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART IV SIGNS FOR SERVICES AND TOURIST FACILITIES (contd.)



150 min —
300 max —

2308.1

Junction ahead leading to a small town or village not on a main through route, which provides parking, public toilets, refreshments and fuel during normal shop opening hours at least

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 19, 28 The wheelchair symbol (denoting facilities for disabled people) may be added when the "WC" symbol is shown. The spoon and fork (denoting restaurant), bed (denoting hotel or other overnight accommodation) or tourist information "i" symbols shall be omitted where those facilities are not provided. The remaining symbols may be shown in a single row. "local" shall be varied to "Local" when place name is omitted. In Wales the words "local facilities" may be omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |



125 min —
300 max —

2309.1

Direction and distance to a small town or village offering the facilities indicated on the sign in diagram 2308.1

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 5, 9, 15, 19 "local" shall be varied to "Local" when place name is omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART IV SIGNS FOR SERVICES AND TOURIST FACILITIES (contd.)



2310.1
Distance ahead to a named motorway service area located on a road that is not a motorway at which fuel, parking, toilets and facilities for disabled persons are available, and refreshments, overnight accommodation, LPG fuel and a Tourist Information Point or Centre may be available, 24 hours a day throughout the year (Sign on primary or non-primary route)

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 8 The LPG fuel, "i" and bed symbols may be omitted as appropriate. "Puddleworth" shall be varied to another geographical name as appropriate |
| 5 | Illumination requirements: Schedule 17, item 4 |



2311.1
Entrance or direction to a named motorway service area located on a road that is not a motorway (Sign on a primary or non-primary route)

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 15 "Puddleworth" may be omitted or varied to another geographical name as appropriate. "services" shall be varied to "Services" when the geographical name is omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |



2311.2
Same as diagram 2311.1 or junction ahead leading to a named motorway service area located on a road that is not a motorway (Sign on a primary or non-primary route)

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 12 Same as diagram 2311.1. The inclined arrow may be omitted and the U-turn arrow shown in diagram 2035 added to the right of the legend |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART IV SIGNS FOR SERVICES AND TOURIST FACILITIES (contd.)



2313.1

Distance ahead to services at which fuel, parking, restaurant facilities and toilets are available for all vehicles at all times on every day except Christmas Day, Boxing Day and New Year's Day

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 8 "Services" may be varied to a geographical name and "services". The cup symbol (denoting light refreshments) may be substituted for the spoon and fork symbol. The bed symbol (denoting hotel or other overnight accommodation), the wheelchair symbol (denoting facilities for disabled people) or both may be added. The symbol for LPG fuel shown in diagram 2310.1 may be added except that it shall be coloured black on a white background. The tourist information "i" symbol shall be omitted where this facility is not provided |
| 5 | Illumination requirements: Schedule 17, item 4 |




2313.2

Direction to services at which fuel, parking, light refreshments and toilets are available for all vehicles at all times on every day except Christmas Day, Boxing Day and New Year's Day

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 28 "Services" may be varied to a geographical name and "services". The spoon and fork symbol (denoting restaurant) may be substituted for the cup symbol. The bed symbol (denoting hotel or other overnight accommodation) may be added. The symbol for LPG fuel shown in diagram 2310.1 may be added except that it shall be coloured black on a white background. The wheelchair and tourist information "i" symbols shall be omitted where these facilities are not provided |
| 5 | Illumination requirements: Schedule 17, item 4 |


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART IV SIGNS FOR SERVICES AND TOURIST FACILITIES (contd.)



2313.3

Distance ahead to services not open for 24 hours but where fuel, parking, light refreshments and toilets are available for all vehicles at least between 8 am and 8 pm on every day except Christmas Day, Boxing Day and New Year's Day



2313.4

Direction to services not open for 24 hours but where fuel, parking, restaurant facilities and toilets are available for all vehicles at least between 8 am and 8 pm on every day except Christmas Day, Boxing Day and New Year's Day

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 8 "Services" may be varied to a geographical name and "services". The spoon and fork symbol (denoting restaurant) may be substituted for the cup symbol. The bed symbol (denoting hotel or other overnight accommodation), the wheelchair symbol (denoting facilities for disabled people) or both may be added. The symbol for LPG fuel shown in diagram 2310.1 may be added except that it shall be coloured black on a white background. The tourist information "i" symbol shall be omitted where this facility is not provided. The phrase "not 24 hrs" shall be varied to "Fuel only 24 hrs" when fuel only is available at all times except Christmas Day, Boxing Day and New Year's Day |
| 5 | Illumination requirements: Schedule 17, item 4 |

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 28 "Services" may be varied to a geographical name and "services". The cup symbol (denoting light refreshments) may be substituted for the spoon and fork symbol. The bed symbol (denoting hotel or other overnight accommodation) may be added. The symbol for LPG fuel shown in diagram 2310.1 may be added except that it shall be coloured black on a white background. The wheelchair and tourist information "i" symbols shall be omitted where these facilities are not provided. The phrase "not 24 hrs" shall be varied to "Fuel only 24 hrs" when fuel only is available at all times except Christmas Day, Boxing Day and New Year's Day |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART IV SIGNS FOR SERVICES AND TOURIST FACILITIES (contd.)




— 100 min
— 300 max

2313.5

Distance ahead to services at which fuel, parking, light refreshments and toilets are available for goods vehicles at all times on every day except Christmas Day, Boxing Day and New Year's Day

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 8 "Services" may be varied to a geographical name and "services". The lorry symbol shall be varied to the lorry symbol with the red bar shown in diagram 2313.6 and the words "Lorries only" omitted where facilities are provided for vehicles other than goods vehicles. The spoon and fork symbol (denoting restaurant) may be substituted for the cup symbol. The bed symbol (denoting hotel or other overnight accommodation), the wheelchair symbol (denoting facilities for disabled people) or both may be added. The symbol for LPG fuel shown in diagram 2310.1 may be added except that it shall be coloured black on a white background. The tourist information "i" symbol shall be omitted where this facility is not provided. The phrase "not 24 hrs" shall be added in a panel at the bottom of the sign as shown in diagram 2313.3 where the services are not open for 24 hours but where the facilities are available between at least 8 am and 8 pm. The phrase "not 24 hrs" shall be varied to "Fuel only 24 hrs" when fuel only is available at all times except Christmas Day, Boxing Day and New Year's Day |
| 5 | Illumination requirements: Schedule 17, item 4 |



— 100 min
— 300 max

2313.6

Direction to services at which fuel, parking, restaurant facilities and toilets are available for vehicles other than goods vehicles at all times on every day except Christmas Day, Boxing Day and New Year's Day

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 28 "Services" may be varied to a geographical name and "services". The lorry symbol shown in diagram 2313.5 and the words "Lorries only" shall be substituted for the lorry symbol with the red bar where the facilities provided are primarily for heavy goods vehicles. The cup symbol (denoting light refreshments) may be substituted for the spoon and fork symbol. The bed symbol (denoting hotel or other overnight accommodation) may be added. The symbol for LPG fuel shown in diagram 2310.1 may be added except that it shall be coloured black on a white background. The wheelchair and tourist information "i" symbols shall be omitted where these facilities are not provided. The phrase "not 24 hrs" shall be added in a panel at the bottom of the sign as shown in diagram 2313.4 where the services are not open for 24 hours but where the facilities are available between at least 8 am and 8 pm. The phrase "not 24 hrs" shall be varied to "Fuel only 24 hrs" when fuel only is available at all times except Christmas Day, Boxing Day and New Year's Day |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART IV SIGNS FOR SERVICES AND TOURIST FACILITIES (contd.)



2314.1
Entrance or direction to services indicated by a sign shown in diagram 2313.1, 2313.2, 2313.3, 2313.4, 2313.5 or 2313.6

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 15 "Services" may be varied to a geographical name and "services" |
| 5 | Illumination requirements: Schedule 17, item 4 |



2314.2
Same as diagram 2314.1 or junction ahead leading to services indicated by a sign shown in diagram 2313.1, 2313.2, 2313.3, 2313.4, 2313.5 or 2313.6

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 12 Same as diagram 2314.1. The inclined arrow may be omitted and the U-turn arrow shown in diagram 2111.1 added to the right of the legend |
| 5 | Illumination requirements: Schedule 17, item 4 |



2322
Direction to a public telephone

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 28, 29 "Payphone" may be omitted or varied to "Cardphone" |
| 5 | Illumination requirements: Schedule 17, item 9 |



2323
Direction to public toilets with facilities for disabled people

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 28 The wheelchair symbol may be omitted. The words "Ladies" or "Gents" may be added |
| 5 | Illumination requirements: Schedule 17, item 9 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART IV SIGNS FOR SERVICES AND TOURIST FACILITIES (contd.)



2324
Junction ahead leading to overnight accommodation

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 12, 19, 28, 29, 31, 32, 34 The name may be varied to a generic description of the overnight accommodation. The bed symbol may be omitted. A symbol shown in Schedule 14 or other approved symbol may be added when the bed symbol is shown. The U-turn arrow shown in diagram 2035 may be substituted for the horizontal arrow and shall always be on the right hand side of the sign |
| 5 | Illumination requirements: Schedule 17, item 4 |



2325
Direction to overnight accommodation

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 19, 28, 29, 31, 32, 34 The name may be varied to a generic description of the overnight accommodation. The bed symbol may be omitted. A symbol shown in Schedule 14 or other approved symbol may be added when the bed symbol is shown |
| 5 | Illumination requirements: Schedule 17, item 4 |



2326
Junction ahead leading to restaurant

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 12, 19, 29, 31, 32, 34 The spoon and fork symbol may be varied to the cup symbol shown in diagram 2327 when the sign indicates light refreshment facilities. The name may be varied to a generic description of the refreshment facilities. The spoon and fork symbol may be omitted. A symbol shown in Schedule 14 or other approved symbol may be added when the spoon and fork or cup symbol is shown. The horizontal arrow may be omitted and the U-turn arrow shown in diagram 2035 added to the right of the legend, with any associated symbol placed to the left of the legend |
| 5 | Illumination requirements: Schedule 17, item 4 |



2327
Direction to light refreshment facilities

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 19, 29, 31, 32, 34 The cup symbol may be varied to the spoon and fork symbol shown in diagram 2326 when the sign indicates a restaurant. The name may be varied to a generic description of the refreshment facilities. The cup symbol may be omitted. A symbol shown in Schedule 14 or other approved symbol may be added when the cup or spoon and fork symbol is shown |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART IV SIGNS FOR SERVICES AND TOURIST FACILITIES (contd.)



2328

Junction ahead leading to a small town or village not on a main through route, which provides tourist information and overnight accommodation

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 19, 28 The phrase "historic market town" may be varied as appropriate or omitted. The legend "Hotel and B & B" may be varied to "Hotel" or "B & B" or omitted. The bed symbol may be omitted when the legend "Hotel and B & B" is omitted. Additional symbols shown in Schedule 14 or other approved symbols may be added. No more than four symbols shall be shown on the sign except that five symbols may be shown when either "historic market town" or "Hotel and B & B" is omitted, or six symbols shown when both are omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |



2329

Direction to a small town or village not on a main through route, which provides tourist information and overnight accommodation

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 15, 19, 28 The bed symbol may be omitted. Additional symbols shown in Schedule 14 or other approved symbols may be added provided that the total number of symbols shown on the sign does not exceed six |
| 5 | Illumination requirements: Schedule 17, item 4 |



2330

Services are not available on motorway ahead

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 20 The route number may be varied to "motorway" |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

PART V

BOUNDARY SIGNS

SCHEDULE 7 PART V
BOUNDARY SIGNS
(other than on motorways)

Regulation 11(1)



- 2401
- (a) Boundary of a country; or
 - (b) boundary of the area of a county, district or London borough council in England; or
 - (c) boundary of the area of a council in Scotland; or
 - (d) boundary of the area of a county or county borough council in Wales

| Item | |
|------|---|
| 1 | Regulations: 13(2), 13(4), 13(7) |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | <p>Permitted variants: Schedule 16, item 19 The arms or logo may be omitted or varied as appropriate. "Welcome to" may be omitted or varied to a similar phrase. The place name may be preceded by "County of" or "Welcome to the County of" or similar phrase. The place name may be followed by "County Council" or "County Council welcomes you" or similar phrase. "County" may be varied to:</p> <ol style="list-style-type: none"> 1. "Borough" 2. "District" 3. "Metropolitan Borough" 4. "Metropolitan District" 5. "London Borough" 6. Other appropriate description of a unitary authority administrative area or a London borough <p>A phrase denoting an item of local geographical or historical interest may be added. A reference to not more than two places outside the United Kingdom with which the local authority is twinned may be added in the manner shown in diagram 2403.1. The number of words in addition to the place name should not exceed eight. The legend, border and background may be in any contrasting colours except red. The border may be omitted. The shape and layout of the sign may be varied. The relative sizes of lettering on different parts of the sign may be varied provided the place name remains the most prominent feature</p> |
| 5 | Illumination requirements: Schedule 17, item 9 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART V BOUNDARY SIGNS (contd.)



2402.1
Name of a town or village commencing immediately ahead (Alternative types)

2403.1
Name of a town or village commencing immediately ahead, together with extra local information

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3), 42(6), 42(7) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 19 "Welcome to" may be omitted or varied to a similar phrase. The legend "City of" or "Welcome to the City of" may precede the place name. "Please drive carefully" may be omitted or varied to "Thank you for driving carefully" or another road safety message of not more than five words. When "Welcome to" is omitted, a phrase denoting an item of local geographical or historical interest may be added above the place name and may be in the style of "Market town of" or other appropriate description of not more than five words. The relative sizes of lettering on different parts of the sign may be varied provided the place name remains the most prominent feature |
| 5 | Illumination requirements: Schedule 17, item 9 |

| Item | |
|------|---|
| 1 | Regulations: 13(2), 13(4), 13(7) |
| 2 | Directions: 13(3), 42(8) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 19, 33 The arms may be omitted, varied as appropriate, or varied to a logo or pictorial representation of a local landmark or historical feature. The district council name may be omitted or varied to that of a borough council, metropolitan district council, metropolitan borough council, London borough or other unitary authority. "Welcome to" may be omitted or varied to a similar phrase. The legend "City of" or "Welcome to the City of" may precede the place name. The place name may be varied to the name of a river, inland waterway, bridge or tunnel. The number of tourist attraction symbols may be varied but shall not exceed three. The tourist attraction panel may be omitted. "Please drive carefully" may be omitted or varied to "Thank you for driving carefully" or another road safety message. A phrase denoting an item of local geographical or historical interest may be added and may be in the style of "Market town of" or other appropriate description. "Twinned with" may be varied to "Twin town" or "Twin towns". The name of the twin town shall be varied as appropriate. The names of additional twin towns may be added. Flags, arms or logos associated with the twin towns may be added. The reference to twin towns may be omitted. The legend, border and background, other than the brown tourist panel, may be in any contrasting colours except red. The border may be omitted. The shape and layout of the sign may be varied. The relative sizes of lettering on different parts of the sign may be varied provided the place name remains the most prominent feature |
| 5 | Illumination requirements: Schedule 17, item 9 |


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

PART VI

DIRECTIONAL SIGNS TO PARKING PLACE

SCHEDULE 7 PART VI DIRECTIONAL SIGNS TO PARKING PLACES

Regulation 11(1)



2501
Distance to a parking place ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 10, 11 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2502
Distance to a commercial vehicles parking place ahead with public toilets and telephones

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 10, 11 The lorry or "WC" or telephone symbol may be omitted. The recycling centre symbol shown in diagram 2139 may be added. The "i" symbol shown in diagram 2313.1 may be added where the parking place includes a general information point not associated with tourist attractions |
| 5 | Illumination requirements: Schedule 17, item 4 |



2503
Distance to a parking place ahead from which a 'Park and Ride' scheme operates

| Item | |
|------|--|
| 1 | Regulations: 24(1) |
| 2 | Directions: None |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 19, 28 The bus symbol may be varied to the tram symbol shown in diagram 953.1, the railway station symbol shown in diagram 2113.1, the London Underground symbol shown in diagram 2606 or a PTE symbol. The word "Free" may be added. "Park and Ride" may be varied to "Park & Ride". An arrow pointing in the appropriate direction may be added or alternatively the U-turn arrow shown in diagram 2510 may be placed on the right hand side of the sign and the bus symbol reversed as shown in diagram 2504. The distance may be omitted when an arrow or U-turn arrow is added. The days and times of operation may be added |
| 5 | Illumination requirements: Schedule 17, item 4 |



2504
Direction to a parking place from which a 'Park and Ride' scheme operates

| Item | |
|------|--|
| 1 | Regulations: 24(1) |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 19, 28 Same as diagram 2503 except in respect of the addition of an arrow or a U-turn arrow |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART VI DIRECTIONAL SIGNS TO PARKING PLACES (contd.)



2505
Directions to different types of parking place from a junction ahead

| Item | |
|------|---|
| 1 | Regulations: 13(2), 13(7), 19(4), 24(1) |
| 2 | Directions: 13(3), 56 |
| 3 | Diagrams: None |
| 4 | <p>Permitted variants: Schedule 16, items 3, 6, 12, 16, 28, 31, 34, 38 The permitted variants shown below apply to each parking place indicated on the sign.</p> <p>The name or location of the parking place may be added. One of the following legends may be used or the legend may be omitted:</p> <ol style="list-style-type: none"> "Free" "Shoppers" "Commuters" "Long stay" "Short stay" "Pay and display" "Multi-storey" <p>No more than two of the following symbols may be shown:</p> <ol style="list-style-type: none"> Pedal cycle shown in diagram 968 Bus shown in diagram 969 Goods vehicle shown in diagram 804.1 Car shown in diagram 804.2 Caravan drawn by a car shown in diagram 804.3 Motor cycle shown in diagram 804.4 Tourist information "T" shown in diagram 2313.1 <p>The total number of spaces in the parking place may be indicated in white figures in the bottom right hand corner of the "P" symbol as shown in diagram 2506.</p> <p>A blue panel with the legend "Secured" may be added to the "P" symbol in the manner shown in diagrams 2511 and 2512 to indicate a secured car park approved by the police under the ACPO secured car park scheme.</p> <p>One of the following variable legends may be displayed in red or green characters in the manner shown in diagram 2509.1, or in red, green, white, off-white or yellow characters on a black background if the construction or method of operation prevents it from being so displayed:</p> <ol style="list-style-type: none"> "FULL" "CLOSED" "NEARLY FULL" on one or two lines "SPACES" <p>The arrow symbols may be omitted when "FULL" or "CLOSED" is displayed</p> |
| 5 | Illumination requirements: Schedule 17, item 4 |



2505.1
Same as diagram 2505 with an indication of the general location of parking places

| Item | |
|------|--|
| 1 | Regulations: 13(2), 13(7), 19(4), 24(1) |
| 2 | Directions: 13(3), 56 |
| 3 | Diagrams: None |
| 4 | <p>Permitted variants: Schedule 16, items 3, 6, 12, 16, 19, 28, 31, 34, 38 Same as diagram 2505 except in respect of the indication of the total number of spaces in the "P" symbol. A second "P" symbol may be added to the top panel in the manner shown in diagram 2509.1. "Long stay" or "Short stay" may be added to or substituted for "Town centre" in the top panel when geographical names are substituted for "Long stay" and "Short stay" in the other two panels</p> |
| 5 | Illumination requirements: Schedule 17, item 4 |



2506
Direction to a parking place for shoppers and showing the total number of parking spaces

| Item | |
|------|--|
| 1 | Regulations: 13(2), 13(7), 19(4), 24(1) |
| 2 | Directions: 13(3), 56 |
| 3 | Diagrams: None |
| 4 | <p>Permitted variants: Schedule 16, items 3, 6, 12, 28, 31, 34, 38 Same as diagram 2505. The number of spaces may be varied or omitted</p> |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART VI DIRECTIONAL SIGNS TO PARKING PLACES (contd.)




2507
Direction to a parking place available only on the day specified

| Item | |
|------|--|
| 1 | Regulations: 13(2), 13(7), 19(4), 24(1) |
| 2 | Directions: 13(3), 56 |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 28, 31, 34, 38 Same as diagram 2505 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2508
Direction and distance to a multi-storey parking place

| Item | |
|------|--|
| 1 | Regulations: 13(2), 13(7), 19(4), 24(1) |
| 2 | Directions: 13(3), 56 |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 9, 15, 28, 31, 34, 38 Same as diagram 2505 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2509.1
Directions to several alternative parking places with an indication of the availability of parking spaces at each one (Variable message sign)

| Item | |
|------|---|
| 1 | Regulations: 13(2), 13(7), 19(4), 24(1) |
| 2 | Directions: 13(3), 56 |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 12, 16, 19, 28, 31, 34, 38 Same as diagram 2505. The right hand "P" symbol in the top panel may be omitted. The top panel or both "P" symbols in the top panel may be omitted and the "P" symbol added to each of the other panels. "Long stay" or "Short stay" may be added to or substituted for either "Town centre" in the top panel or the geographical names in the other panels. The legend "SPACES" may be varied to "NEARLY FULL" on one or two lines, "FULL" or "CLOSED". The legend "FULL" may be varied to "SPACES", "NEARLY FULL" on one or two lines or "CLOSED". The arrow may be omitted when all parking places indicated in that direction are shown as either "CLOSED" or "FULL". The legends "FULL", "CLOSED", "NEARLY FULL" and "SPACES" shall be displayed in red or green characters |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART VI DIRECTIONAL SIGNS TO PARKING PLACES (contd.)



2510
Direction to a lorry park via a U-turn at a roundabout ahead

| Item | |
|------|--|
| 1 | Regulations: 13(2), 13(7), 19(4), 24(1) |
| 2 | Directions: 13(3), 56 |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 31, 34, 38 Same as diagram 2505. Where a symbol is directional it shall always face to the right. The lorry symbol may be omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |



2511
Direction to a secured car park approved by the police under the ACPO secured car park scheme

| Item | |
|------|--|
| 1 | Regulations: 13(2), 13(7), 19(4), 24(1) |
| 2 | Directions: 13(3), 56 |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 12, 28, 31, 34, 38 Same as diagram 2505. The "P" symbol and the "Secured" panel may be arranged in the manner shown in diagram 2512 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2512
Same as diagram 2511

| Item | |
|------|--|
| 1 | Regulations: 13(2), 13(7), 19(4), 24(1) |
| 2 | Directions: 13(3), 56 |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 28, 31, 34, 38 Same as diagram 2505. The "P" symbol and the "Secured" panel may be arranged in the manner shown in diagram 2511 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2513
Double mini-roundabout ahead with exits to three different types of parking place

| Item | |
|------|--|
| 1 | Regulations: 13(2), 13(7), 19(4), 24(1) |
| 2 | Directions: 13(3), 56 |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 16, 18, 28, 31, 34, 38 Same as diagram 2505. The "P" symbols may be omitted and a panel added to the top of the sign in the manner shown in diagram 2509.1 with the legend varied as appropriate. The motor cycle symbol may be omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

PART VII

DIRECTIONAL SIGNS FOR CYCLISTS AND PEDESTRIANS

SCHEDULE 7 PART VII DIRECTIONAL SIGNS FOR CYCLISTS AND PEDESTRIANS

Regulation 11(1)



2601.1
Direction of a numbered route for pedal cycles forming part of a national cycle route network at a junction ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 19, 20, 28, 34 The name of the cycle route may be added in the manner and size shown in diagram 2602.1. The background colour of the route number patch shall be varied to blue when the route forms part of a regional cycle route network. The pedestrian symbol shown in diagram 2605 may be added to the left of the route number when the cycle symbol faces to the right and to the right of the route number when the cycle symbol faces to the left. The arrow when pointing horizontally to the left or to the right may be placed at the bottom of the sign in the manner shown in diagram 2610.1 |
| 5 | Illumination requirements: Schedule 17, item 9 |




2601.2
Route for pedal cycles across an entry slip road at a junction ahead (Alternative types)

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3), 18(1) |
| 3 | Diagrams: 1057 |
| 4 | Permitted variants: Schedule 16, items 3, 5, 19 |
| 5 | Illumination requirements: Schedule 17, item 9 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART VII DIRECTIONAL SIGNS FOR CYCLISTS AND PEDESTRIANS (contd.)



2602.1

Direction and distance to destinations shown along a numbered route for pedal cycles forming part of a national cycle route network (Alternative types)

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 5, 9, 15, 19, 20, 28, 29, 34 The name of the cycle route may be added, varied or omitted as appropriate, and may be on more than one line. The background colour of the route number patch shall be varied to blue when the route forms part of a regional cycle route network. The pedestrian symbol shown in diagram 2605 may be added to the left of the route number when the cycle symbol faces to the right and to the right of the route number when the cycle symbol faces to the left |
| 5 | Illumination requirements: Schedule 17, item 9 |



2602.2
Numbered route for pedal cycles forming part of a national cycle route network

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3), 18(1) |
| 3 | Diagrams: 1057, 2610.2 |
| 4 | Permitted variants: Schedule 16, item 20 The background colour of the route number patch shall be varied to blue when the route forms part of a regional cycle route network |
| 5 | Illumination requirements: Schedule 17, item 9 |




2602.3
The number of a route for pedal cycles forming part of a regional cycle route network

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3), 21(1) |
| 3 | Diagrams: 955, 956, 957 |
| 4 | Permitted variants: Schedule 16, item 20 The background colour shall be varied to red when the route forms part of a national cycle route network |
| 5 | Illumination requirements: Schedule 17, item 8 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART VII DIRECTIONAL SIGNS FOR CYCLISTS AND PEDESTRIANS (contd.)



2603
Junction ahead leading to a parking place for pedal cycles

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 12, 28, 34 The word "Free" may be added. The name or location of the parking place may be added |
| 5 | Illumination requirements: Schedule 17, item 9 |



2604
Direction and distance to a free parking place for pedal cycles

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 9, 15, 28, 34 The word "Free" may be omitted. The name or location of the parking place may be added |
| 5 | Illumination requirements: Schedule 17, item 9 |



2605
Direction of route to destination shown for pedestrians

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 19, 28, 29, 34 |
| 5 | Illumination requirements: Schedule 17, item 9 |



2606
Direction of route to railway station for pedestrians and pedal cycles

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 19, 28, 34 When the sign points to the right, the pedestrian symbol with the cycle symbol to its immediate right shall be placed on the left hand side of the sign. The cycle or pedestrian symbol, but not both may be omitted |
| 5 | Illumination requirements: Schedule 17, item 9 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART VII DIRECTIONAL SIGNS FOR CYCLISTS AND PEDESTRIANS (contd.)



2607
Same as diagram 2605

| Item | |
|------|---|
| 1 | Regulations: 13(2), 13(4), 13(7) |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 19, 28, 29, 34 A border may be added. A chevron may be added. A symbol shown in Schedule 14 or other approved symbol with or without associated legend may be added. A logo or pictorial representation of a local landmark or historical feature may be added. The pedestrian symbol may be omitted. The legend, any symbol, logo, border or chevron and background may be in any contrasting colours. The shape of the end of the sign may be varied |
| 5 | Illumination requirements: Schedule 17, item 9 |



2608
Direction of route to a tourist attraction for pedestrians

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 19, 28, 29, 33 The cycle symbol may be added to or substituted for the pedestrian symbol. A cycle route number patch may be added to the cycle symbol in the manner shown in diagram 2602.1. The wheelchair symbol shown in diagram 2311.1 may be added where the sign indicates facilities and the appropriate route for disabled people |
| 5 | Illumination requirements: Schedule 17, item 9 |



2609
Direction of route for pedestrians to a parking place associated with a tourist attraction

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 28, 29 The name or location of the parking place may be added. The wheelchair symbol shown in diagram 2311.1 may be added where the sign indicates the appropriate route for disabled people |
| 5 | Illumination requirements: Schedule 17, item 9 |


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART VII DIRECTIONAL SIGNS FOR CYCLISTS AND PEDESTRIANS (contd.)




2610
Direction to or along a public footpath

| Item | |
|------|--|
| 1 | Regulations: 13(2), 13(4), 13(7) |
| 2 | Directions: 13(3), 42(1), 42(4) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 19, 28, 29 The border and chevron may be omitted. The background, border, symbol, chevron and legend may be in any contrasting colours except red. The walking figure symbol may be omitted or varied to the ridden horse symbol shown in diagram 622.6 or other appropriate symbol. The legend "Public Footpath" may be varied to "Footpath", "Bridleway", "Byway" or "Restricted Byway", or omitted. The name of the route may be added to or substituted for the legend "Public Footpath". An indication that a footpath over a level crossing is closed and the direction of the alternative route may be added |
| 5 | Illumination requirements: Schedule 17, item 9 |



2610.1
Same as diagram 2610

| Item | |
|------|---|
| 1 | Regulations: 13(2), 13(4), 13(7) |
| 2 | Directions: 13(3), 42(1), 42(4) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 6, 9, 12, 19, 28 The border may be omitted. The background, border, symbol, arrow and legend may be in any contrasting colours except red. The walking figure symbol may be omitted or varied to the ridden horse symbol shown in diagram 622.6 or other appropriate symbol. The words "Public Footpath", "Footpath", "Bridleway", "Byway" or "Restricted Byway" may be added to or substituted for the destination. The name of the route may be added. An indication that a footpath over a level crossing is closed and the direction of the alternative route may be added |
| 5 | Illumination requirements: Schedule 17, item 9 |



2610.2
Direction along a footpath indicated by waymarks

| Item | |
|------|--|
| 1 | Regulations: 13(2), 13(4), 13(7) |
| 2 | Directions: 13(3), 42(1), 42(4) |
| 3 | Diagrams: 2602.2 |
| 4 | Permitted variants: Schedule 16, items 3, 6, 12 The colour of the arrow may be varied to blue to indicate bridleways, red to indicate byways or restricted byways, or white to indicate a route for pedal cycles. The legend "Public Footpath", "Footpath", "Bridleway", "Byway", "Restricted Byway", "Concessionary Path" or "Permissive Path" may be added as appropriate on or adjacent to the arrow. These legends may be in capital letters. The name of a destination or route or the identifying symbol of a route may be added on or adjacent to the arrow. The background and any legend may be in any contrasting colours |
| 5 | Illumination requirements: Schedule 17, item 9 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

PART VIII

TEMPORARY AND EMERGENCY DIRECTIONAL SIGNS

SCHEDULE 7 PART VIII TEMPORARY AND EMERGENCY DIRECTIONAL SIGNS

Regulation 11(1)




2701
Direction to a new housing development

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3), 38(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 19, 29 The lorry symbol in diagram 804.1 may be added and reversed where appropriate |
| 5 | Illumination requirements: Schedule 17, item 9 |



2701.1
Junction ahead leading to a new housing development

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3), 38(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 12, 19, 29 The U-turn arrow shown in diagram 2111.1 may be substituted for the horizontal arrow and shall always be on the right hand side of the sign. The lorry symbol in diagram 804.1 may be added and reversed where appropriate. The lorry symbol shall face to the right when the U-turn arrow is shown on the sign |
| 5 | Illumination requirements: Schedule 17, item 9 |



2702
Start of temporary diversion route

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 12 The arrow symbol may be replaced by the word "ENDS" or a distance in yards up to 400 yards to the nearest 10 yards |
| 5 | Illumination requirements: Schedule 17, item 4 |



2703
Direction of temporary diversion route from junction ahead

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 20 Any symbol shown in Part VII of Schedule 13 may be substituted for "Diverted traffic". The U-turn arrow shown in diagram 2111.1 may be substituted for the horizontal arrow and shall always be on the right hand side of the sign |
| 5 | Illumination requirements: Schedule 17, item 4 |

270

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART VIII TEMPORARY AND EMERGENCY DIRECTIONAL SIGNS (contd.)



2704
Direction of temporary diversion route

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 15, 20 Any symbol shown in Part VII of Schedule 13 may be substituted for "Diverted traffic" |
| 5 | Illumination requirements: Schedule 17, item 4 |



2705
Junction ahead leading to temporary diversion routes to the destinations shown

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 16, 19, 20, 30, 31, 32, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2706
Roundabout ahead leading to a temporary diversion route to the destination shown

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 19, 20, 30, 31, 32, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2707
Direction of temporary diversion route to destination shown

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 15, 19, 20, 30, 31, 32, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART VIII TEMPORARY AND EMERGENCY DIRECTIONAL SIGNS (contd.)



2708
Junction ahead leading to route for emergency vehicles to a temporary incident control point

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 12 "EMERGENCY VEHICLES" may be varied to "INCIDENT CONTROL" |
| 5 | Illumination requirements: Schedule 17, item 4 |




2709
Direction of route or junction ahead leading to a route for emergency vehicles to an emergency services incident point

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 19 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2710
Same as diagram 2709

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 15, 19 |
| 5 | Illumination requirements: Schedule 17, item 4 |




2711
Direction to emergency exit for pedestrians from a tunnel

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: None |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 13, 28 Symbols may be arranged vertically |
| 5 | Illumination requirements: Schedule 17, item 2 |


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART VIII TEMPORARY AND EMERGENCY DIRECTIONAL SIGNS (contd.)




2712
Location of fire rendezvous point

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: The legend "No. 1" may be varied to another number, a letter or a compass point. "F.R.P." may be varied to "R.V.P." |
| 5 | Illumination requirements: Schedule 17, item 9 |



2713
Direction to nearest emergency telephone on same side of the road

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 15(1) |
| 3 | Diagrams: 2714, 2715 |
| 4 | Permitted variants: Schedule 16, item 13 The arrow and telephone symbol shall be coloured green when used on a primary route, and coloured black when used on a non-primary route |
| 5 | Illumination requirements: Schedule 17, item 9 |




2713.1
Distance ahead to emergency telephone in a parking place

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: 642.3, 2714, 2715 |
| 4 | Permitted variants: Schedule 16, items 6, 9, 11 The "P" symbol may be placed to the left of the orange panel or omitted |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART VIII TEMPORARY AND EMERGENCY DIRECTIONAL SIGNS (contd.)



2714
Side of emergency telephone box

| Item | |
|------|--|
| 1 | Regulations: 13(8) |
| 2 | Directions: None |
| 3 | Diagrams: 642.3, 2713, 2713.1, 2715, 2717 |
| 4 | Permitted variants: The identification number may be varied as appropriate. The colour of the legend and symbol may be varied to black. The relative position of the number and "SOS" may be reversed. A flashing white light may be added to the sign |
| 5 | Illumination requirements: Schedule 17, item 15 |



2715
Back of emergency telephone box

| Item | |
|------|---|
| 1 | Regulations: 13(8) |
| 2 | Directions: None |
| 3 | Diagrams: 642.3, 2713, 2713.1, 2714, 2717 |
| 4 | Permitted variants: Same as diagram 2714 |
| 5 | Illumination requirements: Schedule 17, item 15 |




2716
Junction ahead leading to a temporary diversion route, the direction along which is indicated by a symbol shown in Part VII of Schedule 13

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: None |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 14, 19, 20 "M1 North" may be varied to the name of a road, to a route number and a place name, or to a description of a route. "closed" may be varied to "closed to" and a type of vehicle or road user. The upper part of the sign may be omitted. "Alternative route" may be varied to "To rejoin", or to "To rejoin" and a route number. "to" and a destination may be added after "Alternative route". The diversion symbol may be varied to any of those shown in Part VII of Schedule 13, to any combination of place names and route numbers, to a description of a route or to the name of a road. "follow" may be varied to "use" or "via" as appropriate |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART VIII TEMPORARY AND EMERGENCY DIRECTIONAL SIGNS (contd.)



2717
Location on a primary route given by route number and direction of travel, and direction of nearest emergency telephone

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 12(1) |
| 3 | Diagrams: 2714, 2715 |
| 4 | Permitted variants: Schedule 16, item 13 The route number and abbreviated compass point may be varied as appropriate |
| 5 | Illumination requirements: Schedule 17, item 9 |


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

PART IX

OTHER NON-MOTORWAY DIRECTIONAL SIGNS

SCHEDULE 7 PART IX OTHER NON-MOTORWAY DIRECTIONAL SIGNS

Regulation 11(1)



2801
Junction ahead leading to Vehicle Inspectorate testing station for goods vehicles

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 12, 29 The word "Goods" may be omitted or varied as appropriate to indicate the type or types of vehicle tested. The inclined arrow may be omitted and the U-turn arrow shown in diagram 2111.1 added to the right of the legend, with the associated symbol placed to the left of the legend. The testing station symbol may be omitted |
| 5 | Illumination requirements: Schedule 17, item 9 |

2802
Direction to Vehicle Inspectorate testing station for goods vehicles

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 6, 15, 29 The word "Goods" may be omitted or varied as appropriate to indicate the type or types of vehicle tested. The testing station symbol may be omitted |
| 5 | Illumination requirements: Schedule 17, item 9 |



2803
Junction ahead leading to routes to Ministry of Defence establishments

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 16, 19 Where the sign displays only one directional panel, the horizontal arrow may be omitted and the U-turn arrow shown in diagram 2111.1 added to the right of the legend. The U-turn arrow shall be coloured red |
| 5 | Illumination requirements: Schedule 17, item 4 |

2804
Direction to a Ministry of Defence establishment

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 15, 19 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART IX OTHER NON-MOTORWAY DIRECTIONAL SIGNS (contd.)



2805

Junction ahead leading to route advised for goods vehicles, which may differ from that for other traffic (Alternative types)

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 12, 16, 19, 20, 21, 22, 28, 32 Non-primary route numbers shall be shown in white characters on the black background. Where the sign displays only one directional panel, the horizontal arrow may be omitted and the U-turn arrow shown in diagram 2035 added to the right hand side of the sign; the lorry symbol shall always face to the right |
| 5 | Illumination requirements: Schedule 17, item 4 |

2806

Direction to destination shown of route advised for goods vehicles, which may differ from that for other traffic

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 15, 19, 20, 21, 22, 28, 32. Route numbers where added shall be shown in the same manner as for diagram 2805 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2806.1

Route to be followed at junction ahead for a destination along a route advised for goods vehicles that is not otherwise shown on signs for that junction

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 13(3) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 19, 20, 21 "follow" and the route number may be varied to "leave at next junction" or "leave at" and the name of the junction |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

PART X MOTORWAY SIGNS

SCHEDULE 7 PART X MOTORWAY SIGNS

Regulation 11(1)



2901
Regulations in force under section 17 of the 1984 Act start to apply to the road at this point

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 20 |
| 5 | Illumination requirements: Schedule 17, item 1 |



2902
Direction to a motorway at the junction shown, indicating route number and destination reached along the motorway

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 14(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 15, 19, 20, 29, 30 The motorway regulations symbol shall be omitted and the letters and numerals in Part I of Schedule 13 used for the motorway route number where that part of the junction leads indirectly to the motorway |
| 5 | Illumination requirements: Schedule 17, item 1 |



2902.1
Direction to a motorway at the junction shown, indicating route number

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 14(2) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 20 |
| 5 | Illumination requirements: Schedule 17, item 1 |




2903
Motorway junction ahead, identified by the number shown on a black background, leading to the destination and route shown. The number of lanes on the motorway remains the same through the junction

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 19, 20, 30, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART X MOTORWAY SIGNS (contd.)



2904
Motorway junction ahead, identified by the number shown on a black background, where the left hand lane of a motorway leads to another motorway and the other two lanes continue along the main motorway route

| Item | |
|------|--|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 16, 19, 20, 30, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |




2904.1
Motorway junction, identified by the number shown on a black background, where the left hand lane of a motorway leads to another motorway and the other two lanes continue along the main motorway route

| Item | |
|------|---|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 16, 19, 20, 30, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.


SCHEDULE 7 PART X MOTORWAY SIGNS (contd.)



2905

Two motorway junctions ahead in quick succession, identified by the number shown on a black background, leading to the destinations and routes shown. The number of lanes on the motorway remains the same through the junction

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 19, 20, 30, 34 The number of the second exit may be shown on a black background below the appropriate route number. The distance in miles to the second exit may be shown in a manner similar to the distance shown to the first exit |
| 5 | Illumination requirements: Schedule 17, item 4 |



2906

Motorway junction, identified by the number shown on a black background, leading to the destinations and routes shown and with an indication of the destinations reached by remaining on the motorway. The number of lanes on the motorway remains the same through the junction

| Item | |
|------|---|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 19, 20, 30, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART X MOTORWAY SIGNS (contd.)



2908
Motorway junction ahead, identified by the number shown on a black background, leading to the destinations and routes shown and with an indication of the destinations reached by remaining on the motorway. The number of lanes on the motorway remains the same through the junction (Gantry-mounted sign)

| Item | |
|------|--|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 9, 12, 19, 20, 30, 34 |
| 5 | Illumination requirements: Schedule 17, item 1 |




2908.1
Two motorway exits ahead in quick succession, identified by the junction number shown on a black background, leading to the destinations and routes shown. The number of lanes remains the same through the first exit. At the second exit the left hand lane leads to the route and destination shown over that lane on the lower part of the sign and the other two lanes continue along the main motorway route (Gantry-mounted sign)

| Item | |
|------|---|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 9, 16, 19, 20, 30, 34 The number of the first exit may be shown on a black background to the bottom left of the arrow in the upper sign panel. The distance in miles to the first exit may be shown to the bottom left of the arrow and to the right of any junction number in the upper sign panel |
| 5 | Illumination requirements: Schedule 17, item 1 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART X MOTORWAY SIGNS (contd.)



2909
Motorway junction ahead, or directions at motorway junction when distance omitted, identified by the number shown on a black background, where the left hand lane leads to the route and destination shown and the other two lanes continue along the main motorway route to the destinations shown (Gantry-mounted sign)

| Item | |
|------|---|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 9, 16, 19, 20, 30, 34 |
| 5 | Illumination requirements: Schedule 17, item 1 |



2910
Number of route reached from a motorway exit road

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 20 The word "Services" may be added below the route number |
| 5 | Illumination requirements: Schedule 17, item 4 |



2910.1
Same as diagram 2910

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 20 Same as diagram 2910 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART X MOTORWAY SIGNS (contd.)



— 250 min
— 400 max



— 250 min
— 400 max

2911

Route number of the motorway with destinations and distances to places along or reached from that route

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 4, 19, 20, 30 |
| 5 | Illumination requirements: Schedule 17, item 4 |

2912

Junction ahead with another motorway

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 4, 20 The junction number may be added after the word "Junction" |
| 5 | Illumination requirements: Schedule 17, item 4 |



— 150 min
— 300 max

2913

Roundabout ahead leading from a motorway exit slip road to a primary and a non-primary route

| Item | |
|------|---|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 16, 18, 19, 20, 21, 22, 23, 24, 25, 26, 30, 31, 32, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART X MOTORWAY SIGNS (contd.)



2913.1
Roundabout ahead leading from a motorway exit slip road to another motorway

| Item | |
|------|---|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 16, 19, 20, 30, 34 and where the sign indicates additionally a route other than a motorway, items 18, 21, 22, 23, 24, 25, 26, 31, 32 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2913.2
Junction ahead leading from a motorway exit slip road to a primary and a non-primary route

| Item | |
|------|---|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 16, 19, 20, 21, 22, 23, 24, 25, 26, 30, 31, 32, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2913.3
The two left hand lanes of a motorway exit slip road lead to a primary route and the right hand lane leads to a non-primary route at a junction ahead

| Item | |
|------|---|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 16, 19, 20, 21, 22, 23, 24, 25, 26, 30, 31, 32, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |


Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART X MOTORWAY SIGNS (contd.)



2913.4
Same as diagram 2913.3
(Gantry-mounted sign)

| Item | |
|------|---|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 16, 19, 20, 21, 22, 23, 30, 34 |
| 5 | Illumination requirements: Schedule 17, item 1 |



2914
Termination of a motorway at a roundabout ahead
leading to two primary routes and a non-primary route

| Item | |
|------|--|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 16, 18, 19, 20, 21, 22, 23, 24, 25, 26, 30, 31, 32, 34 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART X MOTORWAY SIGNS (contd.)



2914.1

Termination of the main carriageway of a motorway at a roundabout ahead leading to another motorway

| Item | |
|------|---|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 7, 16, 19, 20, 30, 34 and where the sign indicates additionally a route other than a motorway, items 18, 21, 22, 23, 24, 25, 26, 31, 32 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2915

Route to be followed at junction ahead on a motorway for destinations that are not otherwise shown on signs for that junction

2917

Availability of motorway service areas ahead with distances and names of operators

| Item | |
|------|---|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 19, 20, 30, 34 The legend "Park and Ride" may be added after "Docklands". A place name may be added to or substituted for the route number. "follow" and the route number may be varied to "leave at next junction", "leave at Junction" and the junction number, or "use" and a route number "at Junction" and the junction number. "Junction" may be varied to "J" |
| 5 | Illumination requirements: Schedule 17, item 4 |

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 4, 20 The names of the service area operators and the words "NO SERVICES" may be varied or omitted as appropriate. "1 m" may be varied to "2/3 m" |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART X MOTORWAY SIGNS (contd.)



2918
Distance to next motorway service area

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 4 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2918.1
Services are not available on motorway

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |



2919.1
Distance ahead to a named motorway service area at which fuel, parking, toilets and facilities for disabled persons are available, and refreshments, overnight accommodation, LPG fuel and a Tourist Information Point or Centre may be available, 24 hours a day throughout the year, and showing the name of the operator and the price per litre of unleaded petrol

| Item | |
|------|--|
| 1 | Regulations: 13(2), 13(4), 13(7) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 8 The name of the operator may be varied. The operator's logo may be shown in the upper panel. The legend, logo, background and border of the upper panel may be in any contrasting colours. The upper panel border may be omitted. The upper panel may be omitted. "Puddleworth" shall be varied to another geographical name as appropriate. The LPG fuel, "i" and bed symbols may be omitted as appropriate. The petrol price where shown shall accord with that currently being charged for 1 litre of unleaded petrol. The petrol price row may be omitted and the white petrol pump symbol shown in diagram 2310.1 added at the beginning of the top row of symbols |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART X MOTORWAY SIGNS (contd.)



2920.1
Direction to a named motorway service area and showing the name of the operator

| Item | |
|------|---|
| 1 | Regulations: 13(2), 13(4), 13(7) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 12 Same as diagram 2919.1 in respect of the upper panel and the geographical name on the lower panel |
| 5 | Illumination requirements: Schedule 17, item 4 |



2921
Entrance to motorway service area

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 15 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2921.1
Same as diagram 2921 or direction to a motorway service area at a junction ahead on a motorway slip road

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 12 |
| 5 | Illumination requirements: Schedule 17, item 4 |



2922
Entrance for works traffic only

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART X MOTORWAY SIGNS (contd.)



2924
Motorway junction ahead leading to the tourist attractions shown

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 16, 19, 29, 33 When the arrow is pointing vertically upwards it may be placed on the right hand side of the sign with the symbols placed on the left hand side and reversed as appropriate |
| 5 | Illumination requirements: Schedule 17, item 4 |



2925
Roundabout ahead leading from a motorway exit slip road to the tourist attractions shown

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 3, 5, 16, 18, 19, 31, 32, 33 |
| 5 | Illumination requirements: Schedule 17, item 4 |




2926
Junction ahead from a motorway exit slip road to the tourist attractions shown

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 5, 12, 16, 19, 29, 31, 32, 33 |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART X MOTORWAY SIGNS (contd.)



250 min
300 max

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 19, 33 The number of tourist attractions shown on the lower part of the sign may be varied, but shall not exceed three |
| 5 | Illumination requirements: Schedule 17, item 4 |

2927

Motorway junction ahead leading to a town or geographical area containing a Tourist Information Point or Centre and several tourist attractions



250 min
300 max

200 min
300 max



2928

- (a) Boundary of the area of a county council in England; or
- (b) boundary of the area of a council in Scotland; or
- (c) boundary of the area of a county or county borough council in Wales

2927.1

Exit from a motorway at a junction ahead that should be used for a tourist attraction that is not otherwise shown on signs on the main carriageway of the motorway at that junction

| Item | |
|------|--|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 19, 20, 33 "leave at Junction" and the junction number may be varied to "follow" and a place name, a route number, or a place name and a route number. "leave" may be varied to "use" and a route number. "leave at Junction" and the junction number may be varied to "leave at next junction". "Junction" may be varied to "J". Route numbers shall be shown in white characters on the brown background |
| 5 | Illumination requirements: Schedule 17, item 4 |

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, item 19 A crest or logo and either a message of welcome or a phrase denoting an item of local geographical or historical interest, not exceeding three words in either case, may be added. The name of the county may be varied to the name of a river or inland waterway. The background colour may be white with black letters and border |
| 5 | Illumination requirements: Schedule 17, item 4 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART X MOTORWAY SIGNS (contd.)




2929
Motorway junction ahead leading to a route advised for goods vehicles to the destination shown, which may differ from that for other traffic

| Item | |
|------|--|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 12, 16, 19, 20, 28 and when placed on a motorway exit slip road, items 3, 5, 21, 22, 32 Route numbers shall be shown in white characters on the black background when the sign is placed on the main carriageway of the motorway. The relative positions of the arrow and symbol and other legend may be reversed. The vertical arrow may be placed on the right hand side of the sign and the lorry symbol reversed |
| 5 | Illumination requirements: Schedule 17, item 4 |



2929.1
Exit from a motorway at a junction ahead that should be used for a destination along a route advised for goods vehicles that is not otherwise shown on signs on the main carriageway of the motorway at that junction

| Item | |
|------|--|
| 1 | Regulations: 13(5) |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: Schedule 16, items 19, 20 "leave at Junction" and the junction number may be varied to "follow" and a place name, a route number, or a place name and a route number. "leave" may be varied to "use" and a route number. "leave at Junction" and the junction number may be varied to "leave at next junction". "Junction" may be varied to "J". Route numbers shall be shown in white characters on the black background |
| 5 | Illumination requirements: Schedule 17, item 4 |




2930
Regulations referred to in the caption under diagram 2901 cease to apply ahead

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: "1 mile" may be varied to "1/2 mile" |
| 5 | Illumination requirements: Schedule 17, item 1 |

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE 7 PART X MOTORWAY SIGNS (contd.)



2931
Regulations referred to in the caption under diagram 2901 cease to apply at this point

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 1 |



2932
Entrance to motorway service area, maintenance compound or similar facility contained within the length of a motorway and indicating that the Regulations referred to in the caption under diagram 2901 cease to apply at this point

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 14(1) |
| 3 | Diagrams: None |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |



2933
Drivers should keep a distance of two chevron markings from the vehicle in front

| Item | |
|------|--|
| 1 | Regulations: None |
| 2 | Directions: 14(1), 17, 18(1) |
| 3 | Diagrams: 1064, 2934 |
| 4 | Permitted variants: None |
| 5 | Illumination requirements: Schedule 17, item 4 |



2934
Drivers should check their distance from the vehicle in front

| Item | |
|------|---|
| 1 | Regulations: None |
| 2 | Directions: 14(1), 17, 18(1) |
| 3 | Diagrams: 1064, 2933 |
| 4 | Permitted variants: "Check" may be varied to "Keep" |
| 5 | Illumination requirements: Schedule 17, item 4 |