
STATUTORY INSTRUMENTS

2018 No. 610

**The Domestic Renewable Heat Incentive
Scheme (Amendment) Regulations 2018**

Amendments to regulation 5 (requirements for heat pumps)

- 4.—(1) Renumber regulation 5 as paragraph (1) of that regulation.
- (2) In regulation 5(1) as so renumbered—
- (a) after sub-paragraph (d) omit “and”,
 - (b) after sub-paragraph (e) insert—
“; and
 - (f) if it is a heat pump for which the RHI date is on or after the third relevant date, it meets the requirements specified in paragraph (2)”.
- (3) After regulation 5(1), insert—
- “(2) The requirements specified in this paragraph are that—
- (a) one or more eligible electricity meters or on-board meters are installed to record any—
 - (i) electricity supplied to the plant which is used to generate heat;
 - (ii) electrical input into any supplementary electric heater controlled by the same control system which governs the heat pump; and
 - (iii) electrical input into any immersion heater for a domestic hot water cylinder where the immersion heater is controlled by the same control system which governs the heat pump;
 - (b) in respect of any eligible electricity meter installed in accordance with sub-paragraph (a)—
 - (i) in the case of a meter installed before the third relevant date, a certified installer was responsible for installing it or for checking that it was properly installed;
 - (ii) in the case of a meter installed on or after the third relevant date, a certified installer was responsible for installing it;
 - (iii) the meter is properly calibrated, properly installed and in good working order; and
 - (iv) the meter has a label which identifies the plant or other components being metered.”.