#### ANNEX

# ANNEX II

# General requirements for European civil protection modules<sup>(1)</sup>

1.

# HIGH CAPACITY PUMPING

Tasks	— Provide pumping:
	<ul> <li>in flooded areas,</li> <li>to assist firefighting by delivering water.</li> </ul>
Capacities	Provide pumping with mobile     medium and high capacity pumps     with:
	• an overall capacity of at
	<ul> <li>least 1 000 m<sup>3</sup>/hour, and a reduced capacity to pump 40 metres height difference.</li> </ul>
	— Ability to:
	• operate in areas and terrain that are not easily accessible,
	• pump muddy water, containing no more than 5 percent solid elements having particles size up to 40 mm,
	<ul> <li>pump water up to 40 °C for longer operations,</li> <li>deliver water over a distance of 1 000 metres.</li> </ul>
Main components	<ul> <li>Medium and high capacity pumps.</li> <li>Hoses and couplings compatible with different standards, including the Storz standard</li> </ul>
	Sufficient personnel to fulfil the task, if necessary on a continuous basis.
Self-sufficiency	- Elements (a) to (i) of Article 3b(1) apply.
Deployment	Availability for departure maximum     12 hours after acceptance of the     offer.
	- Ability to be deployed for a period of up to 21 days.

#### 2.

#### Tasks Provide drinkable water, from surface water sources, according to the applicable standards and at least to the level of the WHO standards. Perform water quality control at the outtake point of the purification equipment. Capacities Purify 225 000 litres of water per day. Storage capacity equivalent to the production of half a day. Main components Mobile water purification unit. Mobile water storage unit. Mobile field laboratory. Couplings compatible with different standards, including the Storz standard. Sufficient personnel to fulfil the task, if necessary on a continuous basis. Self-sufficiency Elements of Article 3b(1)(a) to (i) apply. **Deployment** Availability for departure maximum 12 hours after acceptance of the offer. Ability to be deployed for a period of up to 12 weeks.

# WATER PURIFICATION

3.

# MEDIUM URBAN SEARCH AND RESCUE

Ta	asks		Search for, locate and rescue victims <sup>a</sup> located under debris (such as collapsed buildings and transport incidents). Provide lifesaving first aid as required, until handover for further treatment.
C	apacities	—	The module should have the ability to perform the following,
a	Live casualty.		
b	Basic capacity, more extensive capacities are included i sampling" module.	in the "chemic	al, biological, radiological and nuclear detection and

c Patient care (first aid and medical stabilisation) from victim access to victim handover.

	<ul> <li>taking into account acknowledged international guidelines, such as the International Search and Rescue Advisory Group (INSARAG) guidelines: <ul> <li>search with search dogs and/or technical search equipment,</li> <li>rescue, including lifting,</li> <li>cutting concrete,</li> <li>technical rope,</li> <li>basic shoring,</li> <li>hazmat detection and isolation<sup>b</sup>,</li> <li>advanced life support<sup>c</sup>.</li> </ul> </li> <li>Ability to work on one site 24 hours per day for 7 days.</li> </ul>
Main components	<ul> <li>Management (command, liaison/ coordination, planning, media/ reporting, assessment/analysis, safety/security).</li> <li>Search (technical search and/or canine search, hazmat detection, hazmat isolation).</li> <li>Rescue (breaking and breaching, cutting, lifting and moving, shoring, technical rope).</li> <li>Medical, including care of patients and of the team's personnel and search dogs.</li> </ul>
Self-sufficiency	<ul> <li>At least 7 days of operations.</li> <li>Elements (a) to (i) of Article 3b(1) apply.</li> </ul>
Deployment	— Operational in the affected country within 32 hours.
a Live casualty.	

**b** Basic capacity, more extensive capacities are included in the "chemical, biological, radiological and nuclear detection and sampling" module.

c Patient care (first aid and medical stabilisation) from victim access to victim handover.


#### 4.

# Tasks Search for, locate and rescue victims<sup>a</sup> located under debris (such as collapsed buildings and transport incidents). Provide lifesaving first aid as required, until handover for further treatment. Capacities The module should have the ability to perform the following, taking into account acknowledged international guidelines, such as the **INSARAG** guidelines: search with search dogs and technical search equipment, rescue, including heavy lifting, cutting reinforced concrete and structural steel. technical rope, advanced shoring. hazmat detection and isolation<sup>b</sup>. advanced life support<sup>e</sup>. more than one site for 10 days.

#### HEAVY URBAN SEARCH AND RESCUE

Ability to work 24 hours per day on Main components Management (command, liaison/ coordination, planning, media/ reporting, assessment/analysis, safety/security). Search (technical search, canine search, hazmat detection, hazmat isolation). Rescue (breaking and breaching, cutting, lifting and moving, shoring, technical rope). Medical, including care of patients and of the team's personnel and search dogs<sup>d</sup>. Self-sufficiency At least 10 days of operation. Live casualty. a b Basic capacity, more extensive capacities are included in the "chemical, biological, radiological and nuclear detection and sampling" module. Patient care (first aid and medical stabilisation) from victim access to victim handover. с

d Subject to medical and veterinary licensing terms.



**d** Subject to medical and veterinary licensing terms.

5.

# AERIAL FOREST FIREFIGHTING MODULE USING HELICOPTERS

Tasks	_	Contribute to the extinction of large forest and vegetal fires by performing aerial firefighting.
Capacities	_	Three helicopters with a capacity of 1 000 litres each. Ability to perform continuous operations.
Main components		Three helicopters with crew, to guarantee that at least two helicopters are operational at any time. Technical staff. 4 water buckets or 3 releasing kits. 1 maintenance set. 1 spare parts set. 2 rescue hoists. Communication equipment.
Self-sufficiency		Elements (f) and (g) of Article 3b(1) apply.
Deployment	-	Availability for departure maximum 3 hours after the acceptance of the offer.

6.

#### AERIAL FOREST FIREFIGHTING MODULE USING AIRPLANES

Tasks	 Contribute to the extinction of large forest and vegetal fires by performing aerial firefighting.
Capacities	 Two airplanes with a capacity of 3 000 litres each.

		Ability to perform continuous operations.
Main components	 	Two planes. Minimum of four crews. Technical staff. Field maintenance kit. Communication equipment.
Self-sufficiency	_	Elements (f) and (g) of Article 3b(1) apply.
Deployment	_	Availability for departure maximum 3 hours after the acceptance of the offer.

7.

# ADVANCED MEDICAL POST

Tasks	<ul> <li>Perform patient profiling (triage) on the site of the disaster.</li> <li>Stabilise the condition of and prepare the patient for transport to the most suitable health facility for final treatment.</li> </ul>
Capacities	<ul> <li>Perform triage of at least 20 patients per hour.</li> <li>Medical team capable of stabilising 50 patients per 24 hours of activity, working in two shifts.</li> <li>Availability of supplies for the treatment of 100 patients with minor injuries per 24 hours.</li> </ul>
Main components	<ul> <li>Medical team per 12-hour shift:         <ul> <li>triage: 1 nurse and/or 1 doctor,</li> <li>intensive care: 1 doctor and 1 nurse,</li> <li>serious, but not life- threatening injuries: 1 doctor and 2 nurses,</li> <li>evacuation: 1 nurse,</li> <li>specialised support personnel: 4.</li> </ul> </li> <li>Tents:         <ul> <li>tent(s) with interconnected areas for triage, medical care and evacuation,</li> <li>tent(s) for the personnel.</li> </ul> </li> <li>Command post.</li> </ul>

	-	Logistic and medical supply deposit.
Self-sufficiency	-	Elements (a) to (i) of Article 3b(1) apply.
Deployment	_	Availability for departure maximum 12 hours after the acceptance of the offer. Operational 1 hour after arrival on site.

8.

# ADVANCED MEDICAL POST WITH SURGERY

Tasks	 Perform patient profiling (triage) on the site of the disaster. Perform damage control surgery. Stabilise the condition of and prepare the patients for transport to the most suitable health facility for final treatment.
Capacities	 Perform triage for at least 20 patients per hour. Medical team capable of stabilising 50 patients per 24 hours of activity, working in two shifts. Surgery team capable of damage control surgery for 12 patients per 24 hours of activity, working in two shifts. Availability of supplies for the treatment of 100 patients with minor injuries per 24 hours.
Main components	<ul> <li>Medical team per 12-hour shift:</li> <li>triage: 1 nurse and/or 1 doctor,</li> <li>intensive care: 1 doctor and 1 nurse,</li> <li>surgery: 3 surgeons, 2 operating nurses, 1 anaesthetist, 1 anaesthetist nurse,</li> <li>serious, but not life- threatening injuries: 1 doctor and 2 nurses,</li> <li>evacuation: 1 nurse,</li> <li>specialist support personnel: 4.</li> </ul>

	 <ul> <li>tent(s) with interconnected areas for triage, medical care and evacuation,</li> <li>tent(s) for surgery,</li> <li>tent(s) for the personnel.</li> <li>Command post.</li> <li>Logistic and medical supply deposit.</li> </ul>
Self-sufficiency	 Elements (a) to (i) of Article 3b(1) apply.
Deployment	 Availability for departure maximum 12 hours after the acceptance of the offer. Operational 1 hour after arrival on site.

9.

# FIELD HOSPITAL

	up trauma and medical care, taking into account acknowledged international guidelines for foreign field hospital use, such as World Health Organisation or Red Cross guidelines.
Capacities	- 10 beds for heavy trauma patients, possibility to expand the capacity.
Main components	<ul> <li>Medical team for: <ul> <li>triage,</li> <li>intensive care,</li> <li>surgery,</li> <li>serious, but not life- threatening injuries,</li> <li>evacuation,</li> <li>specialised support personnel,</li> <li>and at least covering the following: generalist, emergency doctors, orthopaedic, paediatrician, anaesthetist, pharmacist, obstetrician, health director, laboratory technician, X-ray technician.</li> </ul> </li> </ul>

	_	<ul> <li>appropriate tents for the medical activities,</li> <li>tents for personnel.</li> <li>Command post.</li> <li>Logistic and medical supply deposit.</li> </ul>
Self-sufficiency	_	Elements (a) to (i) of Article 3b(1) apply.
Deployment		Availability for departure maximum 7 days after the request. Operational on site 12 hours after arrival on site. Ability to be operational for at least 15 days.

10.

# MEDICAL AERIAL EVACUATION OF DISASTER VICTIMS

Tasks	—	Transport disaster victims to health facilities for medical treatment.
Capacities	_	Capacity to transport 50 patients per 24 hour. Ability to fly day and night.
Main components	—	Helicopters/planes with stretchers
Self-sufficiency		Elements (f) and (g) of Article 3b(1) apply.
Deployment	_	Availability for departure maximum 12 hours after the acceptance of the offer.

11.

# EMERGENCY TEMPORARY SHELTER

Tasks	 Provide emergency temporary
	shelter, including the essential
	services, mainly in the initial stages
	of a disaster in coordination with
	existing structures, local authorities
	and international organisations until
	handover to local authorities or
	humanitarian organisations, where
	the capacity remains necessary for
	longer periods.
	 Where a handover takes place, train
	the relevant personnel (local and/or

	international) before the pull out of the module.
Capacities	— Tent camp equipped for up to 250 persons.
Main components	<ul> <li>Taking into account acknowledged international guidelines, such as the SPHERE- guidelines:         <ul> <li>tents with heating (for winter conditions) and camp beds with sleepingbag and/or blanket,</li> <li>power generators and lighting equipment,</li> <li>sanitation and hygiene facilities,</li> <li>distribution of drinkable water, according to the WHO standard,</li> <li>shelter for basic social activities (possibility to assemble).</li> </ul> </li> </ul>
Self-sufficiency	— Elements (a) to (i) of Article 3b(1) apply.
Deployment	<ul> <li>Availability for departure maximum 12 hours after the acceptance of the offer.</li> <li>Generally, the mission should last at most 4 weeks, or a handover process would have begun where necessary.</li> </ul>

12.

# CHEMICAL, BIOLOGICAL, RADIOLOGICAL AND NUCLEAR DETECTION AND SAMPLING (CBRN)

Tasks		<ul> <li>Carry out/confirm the initial assessment, including:</li> <li>the description of the dangers or the risks,</li> <li>the determination of the contaminated area,</li> <li>the assessment or confirmation of the protective measures already taken.</li> <li>Perform qualified sampling.</li> </ul>
	—	Perform qualified sampling.
	—	Mark the contaminated area.
<b>a</b> This process should, where possible, take account of the e	vidential req	uirements of the requesting state.

	_	Prediction of the situation, monitoring, dynamic assessment of the risks, including recommendations for warning and other measures. Provide support for immediate risk reduction.
Capacities		<ul> <li>Identification of chemical and detection of radiological hazards through a combination of hand held, mobile and laboratory based equipment:</li> <li>ability to detect alpha, beta and gamma radiation and to identify common isotopes,</li> <li>ability to identify, and if possible, perform semi-quantitative analyses on common toxic industrial chemicals and recognised warfare agents.</li> </ul>
		Ability to gather, handle and prepare biological, chemical and radiological samples for further analyses elsewhere <sup>a</sup> .
	_	Ability to apply an appropriate scientific model to hazard prediction and to confirm the model by continuous monitoring.
	_	<ul> <li>Provide support for immediate risk reduction:</li> <li>hazard containment,</li> <li>hazard neutralisation,</li> </ul>
		• provide technical support to other teams or modules.
Main components		Mobile chemical and radiological field laboratory.
	-	Hand held or mobile detection equipment.
		Field sampling equipment.
		Dispersion modelling systems.
		Mobile meteorological station.
		Marking material.
		Reference documentation and
		access to designated sources of
	_	scientific expertise. Secure and safe containment for the
<b>a</b> This process should, where possible, take account of the	e evidential r	samples and waste.

		Decontamination facilities for the personnel. Appropriate personnel and protective equipment to sustain an operation in a contaminated and/ or oxygen deficient environment, including gas tight suits where appropriate. Supply of technical equipment for hazard containment and neutralisation.
Self-sufficiency	_	Elements (a) to (i) of Article 3b(1) apply.
Deployment	_	Availability for departure maximum 12 hours after the acceptance of the offer.
<b>a</b> This process should, where possible, take account of the e	vidential requ	uirements of the requesting state.

13.

#### Tasks Special search and rescue using protective suits. Capacities Special search and rescue using protective suits, in accordance with the requirements of the medium and heavy urban search and rescue modules as appropriate. Three people working simultaneously in the hot zone. Continuous intervention during 24 hours. Main components Marking material. Secure and safe containment for the waste. Decontamination facilities for the personnel and the rescued victims. Appropriate personnel and protective equipment to sustain a search and rescue operation in a contaminated environment, in accordance with the requirements of the medium and heavy urban search and rescue modules as appropriate. Supply of technical equipment for hazard containment and neutralisation.

# SEARCH AND RESCUE IN CBRN CONDITIONS

Self-sufficiency	 Elements (a) to (i) of Article 3b(1) apply.
Deployment	 Availability for departure maximum 12 hours after the acceptance of the offer.

14.

Tasks	-	To contribute to the extinction of large forest and vegetal fires by using ground means.
Capacities		Sufficient human resources for continuous operations during 7 days. Ability to operate in areas with restricted access. Ability to set long lines of hoses with pumps, minimum 2 km, and/or make defence lines continuously.
Main components		Firefighters trained to fulfil the above mentioned task and with additional safety and security training taking into account the different types of fires that the module might be deployed for. Manual tools for making defence lines. Hoses, portable tanks and pumps for establishing a line. Adaptors for hose connection including the Storz standard. Water backpacks. Equipment potentially to be roped or winched down by helicopter. Evacuation procedures for the firefighters have to be arranged with the receiving state.
Self-sufficiency	-	Elements (a) to (i) of Article 3 b(1) apply.
Deployment	_	Availability for departure maximum 6 hours after the acceptance of the offer. Ability to work continuously during 7 days.

# GROUND FOREST FIREFIGHTING

#### 15.

Tasks	- To contribute to the extinction of large forest and vegetal fires using vehicles.
Capacities	— Sufficient human resources and vehicles for continuous operations with a minimum of 20 firefighters at anytime.
Main components	<ul> <li>Firefighters trained to fulfil the above mentioned task.</li> <li>4 vehicles with off road capability.</li> <li>Tank capacity of each vehicle of at least 2 000 litres.</li> <li>Adaptors for hose connection including the Storz standard.</li> </ul>
Self-sufficiency	— Elements (a) to (i) of Article 3 b(1) apply.
Deployment	<ul> <li>Availability for departure maximum 6 hours after the acceptance of the offer.</li> <li>Ability to work continuously during 7 days.</li> <li>Deployment by land or sea.</li> <li>Deployment by air is only an option in well justified cases.</li> </ul>

# GROUND FOREST FIREFIGHTING USING VEHICLES

16.

# FLOOD CONTAINMENT

Tasks	build new b further floo	xisting structures and arriers to prevent ding of rivers, basins, with rising water levels.
Capacities	minimum h using: • the bu mo • fu av — Ability to re — Ability to o 3 locations	am up water to a eight of 0,8 metres e materials enabling tilding a barrier 1 000 etres long, rther materials made vailable on-site. einforce existing levees. perate at a minimum of at the same time within essible by trucks.

<ul> <li>12 hours after the acceptance of the offer.</li> <li>Deployment by land or sea.</li> <li>Deployment by air is only an option in well justified cases.</li> </ul>		 	Operational 24/7. Supervision and maintenance of barriers and dykes. Ability to work with local staff.
Deployment       —       Availability for departure maximum 12 hours after the acceptance of the offer.         —       Deployment by land or sea.         Deployment by air is only an option in well justified cases.	Main components		for a total distance end to end of 1 000 metres (sand should be made available by the local authorities). Foils/plastic sheets (if needed to make an existing barrier watertight, depends on construction of barrier).
<ul> <li>12 hours after the acceptance of the offer.</li> <li>Deployment by land or sea.</li> <li>Deployment by air is only an option in well justified cases.</li> </ul>	Self-sufficiency	—	
10 days.	Deployment	_	offer. Deployment by land or sea. Deployment by air is only an option in well justified cases. Ability to be operational at least for

17.

# FLOOD RESCUE USING BOATS

Tasks	<ul> <li>Water search and rescue and assist people trapped in a flooding situation by using boats.</li> <li>Provide lifesaving aid and deliver first necessities as required.</li> </ul>
Capacities	<ul> <li>Ability to search for people in urban and rural areas.</li> <li>Ability to rescue people out of a flooded area including medical care on first responder level.</li> <li>Ability to work together with aerial search (helicopters and planes).</li> <li>Ability to deliver first necessities of life in a flooded area:         <ul> <li>transportation of doctors, medicines etc.</li> <li>food and water.</li> <li>The module must have at least 5 boats and the ability to transport 50 people in total excluding the staff of the Module.</li> <li>The boats should be designed for</li> </ul> </li> </ul>
	use in cold climate conditions and

	_	be able to drive upstream against at least 10 knots flow. Operational 24/7.
Main components		<ul> <li>Boats designed for:</li> <li>shallow-streaming water conditions (&gt; 0,5 m),</li> <li>use in windy conditions,</li> <li>use during day and night,</li> <li>should be equipped according to international safety standards including life jackets for the passengers.</li> <li>People trained for swift water rescue. (No diving only surface rescue).</li> </ul>
Self-sufficiency	-	Elements (a) to (i) of Article 3 b (1) apply.
Deployment	_	Availability for departure maximum 12 hours after the acceptance of the offer. Deployment by land or sea Deployment by air is only an option in well justified cases.
	<u> </u>	Ability to be operational at least for 10 days.

(1) The list of civil protection modules and the related requirements established in this Decision may be amended to include other types of civil protection modules taking into account the experience gained by the Mechanism.

# **Changes to legislation:**

There are currently no known outstanding effects for the Commission Decision of 29 July 2010 amending Decision 2004/277/EC, Euratom as regards rules for the implementation of Council Decision 2007/779/EC, Euratom establishing a Community civil protection mechanism (notified under document C(2010) 5090) (Text with EEA relevance) (2010/481/EU, Euratom).