

FORTY-EIGHTH COMMISSION DIRECTIVE**of 6 February 1985****amending the Annexes to Council Directive 70/524/EEC concerning additives in feedingstuffs****(85/157/EEC)**

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community,

Having regard to Council Directive 70/524/EEC of 23 November 1970 concerning additives in feedingstuffs ⁽¹⁾, as last amended by the 47th Commission Directive 84/107/EEC ⁽²⁾, and in particular Article 6 thereof,

Whereas Directive 70/524/EEC provides for regular amendment of the content of its Annexes to take account of advances in scientific and technical knowledge ;

Whereas the period of authorization of use of the growth promoters 'Carbadox' and 'Olaquinox' should be extended for a specified period at national level until the results of studies being undertaken in certain Member States are available ;

Whereas the measures provided for in this Directive are in accordance with the opinion of the Standing Committee for Feedingstuffs,

HAS ADOPTED THIS DIRECTIVE :

Article 1

In Annex II to Directive 70/524/EEC under part F 'Growth promoters' the indication under items 2 and 3 is hereby replaced by the following :

⁽¹⁾ OJ No L 270, 14. 12. 1970, p. 1.⁽²⁾ OJ No L 297, 15. 11. 1984, p. 40.

'EEC No	Additives	Chemical formula, description	Species of animal	Maximum age	Minimum content		Maximum content	Other provisions	Period of authorization
					ppm of complete feedings	ppm of complete feedings			
2	Carbadox	Methyl 3-(2-quinoxalinylmethylene) carbazate-N, N'-dioxide Minimum purity : 96 % Minimum stability : 24 months	Pigs	Four months	20	50	50	Use prohibited at least four weeks before slaughter. Mixing or simultaneous use with antibiotics prohibited Maximum amount of dust emitted during handling, as determined by the method of Stauber Heubach (1) : 0,1 µg Carbadox	31 May 1985
3	Olaquinox	2-(N-2'-hydroxyethyl-carbamoyl) 3-methyl-quinoxaline-1,4-dioxide Minimum purity : 98 % Minimum stability : 24 months	Pigs	Four months	15	50	50	Use prohibited at least four weeks before slaughter. Mixing or simultaneous use with antibiotics prohibited Milk substitutes Maximum amount of dust emitted during handling, as determined by the method of Stauber Heubach (1) : 0,1 µg Olaquinox	31 May 1985

(1) Literature references : Fresenius Z Anal Chem (1984) 318 : 522-524 Springer Verlag 1984.

Article 2

This Directive is addressed to the Member States.

Done at Brussels, 6 February 1985.

For the Commission

Frans ANDRIESEN

Vice-President
