

This document is meant purely as a documentation tool and the institutions do not assume any liability for its contents

► B

COMMISSION DIRECTIVE 2002/79/EC

of 2 October 2002

amending the Annexes to Council Directives 76/895/EEC, 86/362/EEC, 86/363/EEC and 90/642/EEC as regards the fixing of maximum levels for certain pesticide residues in and on cereals, foodstuffs of animal origin and certain products of plant origin, including fruit and vegetables

(Text with EEA relevance)

(OJ L 291, 28.10.2002, p. 1)

Corrected by:

► C1 Corrigendum, OJ L 342, 30.12.2003, p. 58 (2002/79/EC)



**COMMISSION DIRECTIVE 2002/79/EC
of 2 October 2002**

amending the Annexes to Council Directives 76/895/EEC, 86/362/EEC, 86/363/EEC and 90/642/EEC as regards the fixing of maximum levels for certain pesticide residues in and on cereals, foodstuffs of animal origin and certain products of plant origin, including fruit and vegetables

(Text with EEA relevance)

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Community,

Having regard to Council Directive 76/895/EEC of 23 November 1976 relating to the fixing of maximum levels for pesticide residues in and on fruit and vegetables ⁽¹⁾, as last amended by Commission Directive 2002/71/EC ⁽²⁾, and in particular Article 5 thereof,

Having regard to Council Directive 86/362/EEC of 24 July 1986 on the fixing of maximum levels for pesticide residues in and on cereals ⁽³⁾, as last amended by Commission Directive 2002/76/EC ⁽⁴⁾, and in particular Article 10 thereof,

Having regard to Council Directive 86/363/EEC of 24 July 1986 on the fixing of maximum levels for pesticide residues in and on foodstuffs of animal origin ⁽⁵⁾, as last amended by Directive 2002/71/EC, and in particular Article 10 thereof,

Having regard to Council Directive 90/642/EEC of 27 November 1990 on the fixing of maximum levels for pesticide residues in and on products of plant origin, including fruit and vegetables ⁽⁶⁾, as last amended by Directive 2002/76/EC, and in particular Article 7 thereof,

Whereas:

- (1) The Annexes to Directives 76/895/EEC, 86/362/EEC, 86/363/EEC and 90/642/EEC, consist of lists of pesticide residues and their maximum levels.
- (2) On re-examination of the available data it has been determined that sufficient information exists to permit maximum levels be fixed for certain pesticide residues, namely abamectin, azocyclotin, bioresmethrin, bifenthrin, bitertanol, bromopropylate, clofentezine, cyromazine, cyhexatin, fenpropimorph, flucytrinate, hexaconazol, metacrifos, myclobutanil, penconazole, prochloraz, profenofos, resmethrin, tridemorph, triadimefon and triadimenol.
- (3) Pesticide residues may arise in food of animal origin as a result of agricultural practices. It is necessary to take into account relevant data obtained both from authorised pesticide use and from supervised trials and animal feeding studies.
- (4) The information available has been reviewed. For many pesticide/agricultural product combinations the data is sufficient to allow the calculation of a maximum residue level at which residues of the pesticide concerned may be considered safe for human health. Where this level exceeds the lower limit of analytical determination it is appropriate to fix the maximum residue level at the level calculated. For some combinations the information available is inadequate and it is appropriate to fix maximum residue levels at the lower limit of analytical determination. For other positions the information is adequate but demonstrates that the setting of a maximum residue level above the lower limit of

⁽¹⁾ OJ L 340, 9.12.1976, p. 26.

⁽²⁾ OJ L 225, 22.8.2002, p. 21.

⁽³⁾ OJ L 221, 7.8.1986, p. 37.

⁽⁴⁾ OJ L 240, 7.9.2002, p. 45.

⁽⁵⁾ OJ L 221, 7.8.1986, p. 43.

⁽⁶⁾ OJ L 350, 14.12.1990, p. 71.

▼B

analytical determination may give rise to an unacceptable, acute or chronic exposure of the consumer to the residues. In such cases, it is appropriate to fix maximum residue levels at the lower limit of analytical determination.

- (5) The lifetime exposure and the acute exposure of consumers to these pesticides via food products that may contain residues of these pesticides has been assessed and evaluated in accordance with the Community procedures and practices taking account of guidelines published by the World Health Organisation ⁽¹⁾. For abamectin, maximum residue limits have been established in accordance with Council Regulation (EEC) No 2377/90 ⁽²⁾, as last amended by Commission Regulation (EC) No 1752/2002 ⁽³⁾ resulting from the use of veterinary medicinal products containing the same substance for the treatment of food-producing animal species (Commission Regulation (EC) No 3425/93 ⁽⁴⁾). These uses and the evaluation of the acceptable daily intake provided by the Committee for Veterinary Medicinal Products on which these maximum residue limits were based were taken into account. It has been concluded that the maximum residue levels proposed in this Directive do not lead to the acceptable daily intakes being exceeded or to acute toxic effects.
- (6) To ensure that the consumer is adequately protected from exposure to residues in or on products for which no authorisations have been granted, it is prudent to set maximum residue levels at the lower limit of analytical determination for all such products covered by Directives 86/362/EEC, 86/363/EEC and 90/642/EEC.
- (7) Annexes to Directives 86/362/EEC, 86/363/EEC and 90/642/EEC should therefore be amended accordingly.
- (8) The Community's trading partners have been consulted about the levels proposed in this Directive through the World Trade Organisation, and their comments on these levels have been considered.
- (9) The opinions of the Scientific Committee for Plants, and in particular advice and recommendations concerning the protection of consumers of food crops treated with plant protection products, have been taken into account ⁽⁵⁾.
- (10) The measures provided for in this Directive are in accordance with the opinion of the Standing Committee on the Food Chain and Animal Health,

HAS ADOPTED THIS DIRECTIVE:

Article 1

In Annex II to Directive 76/895/EEC, the entry relating to 'bromopropylate' is deleted.

Article 2

In part A of Annex II to Directive 86/362/EEC the maximum pesticide residue levels for abamectin, azocyclotin and cyhexatin, bifenthrin, bitertanol, bromopropylate, clofentezine, cyromazine, fenpropimorph, flucytrinate, hexaconazole, metacrifos, myclobutanil, penconazole, prochloraz, profenofos, resmethrin and bioresmethrin, tridemorph, tria-

⁽¹⁾ Guidelines for predicting dietary intake of pesticide residues (revised), prepared by the GEMS/Food Programme in collaboration with the Codex Committee on Pesticide Residues, published by the World Health Organisation 1997 (WHO/FSF/FOS/97.7).

⁽²⁾ OJ L 224, 18.8.1990, p. 1.

⁽³⁾ OJ L 264, 2.10.2002, p. 18.

⁽⁴⁾ OJ L 312, 15.12.1993, p. 12.

⁽⁵⁾ SCP/RESI/021; SCP/RESI/024

▼B

dimefon and triadimenol listed in Annex I to the present Directive are added.

Article 3

Annex II to Directive 86/363/EEC is amended as follows:

- (a) in part A maximum pesticide residue levels for abamectin, bifenthrin, bitertanol, bromopropylate, cyromazine, flucytrinate, metacrifos, penconazole, prochloraz, profenofos, resmethrin and bioresmethrin, tridemorph, triadimefon and triadimenol, listed in Annex II to the present Directive are added;
- (b) in part B the maximum pesticide residue levels for azocyclotin and cyhexatin, fenpropimorph, clofentezine and myclobutanil, listed in Annex III to the present Directive are added.

Article 4

Annex II to Directive 90/642/EEC is amended as follows:

- (a) the maximum pesticide residue levels for abamectin, azocyclotin and cyhexatin, bifenthrin, bitertanol, bromopropylate, clofentezine, cyromazine, fenpropimorph, flucytrinate, hexaconazol, metacrifos, myclobutanil, penconazole, prochloraz, profenofos, resmethrin and bioresmethrin, tridemorph, triadimefon and triadimenol, listed in Annex IV to the present Directive are added;
- (b) the maximum pesticide residue level for ethion in tea is replaced by 3 mg/kg.

Article 5

1. Member States shall bring into force the laws, regulations and administrative provisions necessary to comply with Article 4(b) of the present Directive by 31 December 2002. They shall forthwith inform the Commission thereof.

They shall apply these provisions with effect from 1 January 2003.

2. Member States shall bring into force the laws, regulations and administrative provisions necessary to comply with of Articles 1, 2 and 3 and Article 4(a) by 31 May 2003. They shall forthwith inform the Commission thereof.

They shall apply these provisions with effect from 1 August 2003.

3. When Member States adopt the provisions provided for in paragraphs 1 and 2, they shall contain a reference to this Directive or be accompanied by such a reference on the occasion of their official publication. Member States shall determine how such reference is to be made.

Article 6

This Directive shall enter into force on the seventh day following that of its publication in the *Official Journal of the European Communities*.

Article 7

This Directive is addressed to the Member States.



ANNEX I

| Pesticide residues | Maximum levels in mg/kg |
|--|--|
| Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a) | 0,01 (*) |
| Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin) | 0,05 (*) |
| Bifenthrin | 0,5 wheat, barley, oats, triticale 0,05 (*) other cereals |
| Bitertanol | 0,05 (*) |
| Bromopropylate | 0,05 (*) |
| Clofentezine (sum of all compounds containing the 2-chlorobenzoyl moiety expressed as clofentezine) | 0,02 (*) |
| Cyromazine | 0,05 (*) |
| Fenpropimorph | 0,5 barley, wheat, oats, rye, spelt, triticale 0,05 (*) other cereals |
| Flucythrinate (expressed as flucythrinate, sum of isomers) | 0,05 (*) |
| Hexaconazole | 0,02 (*) |
| Methacrifos | 0,05 (*) |
| Myclobutanil | 0,02 (*) |
| Penconazole | 0,05 (*) |
| Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz) | 1 oats, barley 0,5 triticale, wheat, rye 0,05 (*) other cereals |
| Profenofos | 0,05 (*) |
| Resmethrin, including other mixtures of constituent isomers (sum of isomers) | 0,05 (*) |
| Tridemorph | 0,2 barley, oats 0,05 (*) other cereals |
| Triadimefon and Triadimenol (sum of triadimefon and triadimenol) | 0,2 wheat, barley, oats, rye, triticale 0,1 (*) other cereals |

(*) Indicates lower limit of analytical determination.



ANNEX II

| Pesticide residues | Maximum levels in mg/kg (ppm) | | |
|---|---|---|---|
| | Of fat contained in meat, preparations of meat, offals and animal fats listed in Annex I under CN codes ex 0201, 0202, 0203, 0204, 0205 00 00, 0206, 0207, ex 0208, 0209 00, 0210, 1601 00 and 1602 (*) (†) | In raw cow's milk and whole cream cow's milk listed in Annex 1 under CN code 0401; for the other foodstuffs in CN codes 0401, 0402, 0405 00 and 0406 in accordance with (‡) (†) | In shelled fresh eggs, in birds' eggs and egg yolks listed in Annex 1 under CN codes 0407 00 and 0408 (‡) (†) |
| Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a) | 0,02 cattle liver (see Regulation (EC) No 3425/93) 0,01 (*) other products | 0,005 (*) | 0,01 (*) |
| Bifenthrin | 0,1 cattle fat 0,05 (*) other products | 0,01 (*) | 0,01 (*) |
| Bitertanol | 0,05 (*) | 0,05 (*) | 0,05 (*) |
| Bromoprylate | 0,05 (*) | 0,05 (*) | 0,05 (*) |
| Flucythrinate (sum of isomers, expressed as flucythrinate) | 0,05 (*) | 0,05 (*) | 0,05 (*) |
| Methacrifos | 0,01 (*) | 0,01 (*) | 0,01 (*) |
| Penconazole | 0,05 (*) | 0,01 (*) | 0,05 (*) |
| Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety, expressed as prochloraz) | 0,2 bovine fat 2,0 bovine liver 0,5 bovine kidney 0,1 (*) other products | 0,02 (*) | 0,1 (*) |
| Profenofos | 0,05 (*) | 0,01 (*) | 0,05 (*) |
| Resmethrin, including other mixtures of constituent isomers (sum of isomers) | 0,1 (*) | 0,1 (*) | 0,1 (*) |
| Tridemorph | 0,05 (*) | 0,05 (*) | 0,05 (*) |

▼B

| Pesticide residues | Maximum levels in mg/kg (ppm) | | |
|--|---|---|---|
| | Of fat contained in meat, preparations of meat, offals and animal fats listed in Annex I under CN codes ex 0201, 0202, 0203, 0204, 0205 00 00, 0206, 0207, ex 0208, 0209 00, 0210, 1601 00 and 1602 ⁽¹⁾ ⁽⁴⁾ | In raw cow's milk and whole cream cow's milk listed in Annex I under CN code 0401; for the other foodstuffs in CN codes 0401, 0402, 0405 00 and 0406 in accordance with ⁽²⁾ ⁽⁴⁾ | In shelled fresh eggs, in birds' eggs and egg yolks listed in Annex I under CN codes 0407 00 and 0408 ⁽³⁾ ⁽⁴⁾ |
| Triadimenol and Triadimefon (sum of triadimenol and triadimefon) | 0,1 (*) | 0,1 (*) | 0,1 (*) |

(*) Indicates lower limit of analytical determination.

⁽¹⁾ In the case of foodstuffs with a fat content of 10 % or less by weight, the residue is related to the total weight of the boned foodstuff. In such cases, the maximum level is one tenth of the value related to fat content, but must be no less than 0,01 mg/kg.

⁽²⁾ In determining the residues in raw cow's milk and whole cream cow's milk, a fat content of 4 % by weight should be taken as a basis. For raw milk and whole cream milk of another animal origin the residues are expressed on the basis of the fat.

For the other foodstuffs listed in Annex I under CN codes 0401, 0402, 0405 00, and 0406:

— with a fat content of less than 2 % by weight, the maximum level is taken as half that set for raw milk and whole cream milk,

— with a fat content of 2 % or more by weight, the maximum level is expressed in mg/kg of fat. In such cases, the maximum level is 25 times that set for raw milk and whole cream milk.

⁽³⁾ For eggs and egg products with a fat content higher than 10 %, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

⁽⁴⁾ Footnotes 1, 2 and 3 do not apply in cases where the lower limit of analytical determination is indicated.



ANNEX III

| Pesticide residues | Maximum levels in mg/kg (ppm) | | |
|--|---|---|---|
| | In meat including fat, preparations of meat, offals and animal fats as listed in Annex I under CN codes ex 0201, 0202, 0203, 0204, 0205 00 00, 0206, 0207, ex 0208, 0209 00, 0210, 1601 00 and 1602 | In milk and milk products listed in Annex 1 under CN codes 0401, 0402, 0405 00 and 0406 | In shelled fresh eggs, in birds' eggs and egg yolks listed in Annex 1 under CN codes 0407 00 and 0408 |
| Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin) | 0,2 Meat of cattle 0,05 (*) other products | 0,05 (*) | 0,05 (*) |
| Fenpropimorph carboxylic acid (BF 421-2) expressed as fenpropimorph | 0,3 liver of cattle, goat, pig and sheep 0,05 kidney of cattle, goat, pig and sheep 0,01 (*) poultry meat, fat, edible offal 0,02 meat of cattle, goat, pig and sheep 0,01 other products | 0,01 | 0,01 (*) |
| Cyromazine | 0,05 (*) all products except sheep | 0,02 (*) | 0,2 |
| Clofentezine (sum of all compounds containing the 2-chlorobenzoyl moiety expressed as clofentezine) | 0,1 liver of cattle, sheep and goat 0,05 (*) other products | 0,05 (*) | 0,02 (*) |
| Alpha-(3-hydroxybutyl) - alpha - (4-chloro-phenyl) - 1H - 1,2,4 - triazole - 1 -propanenitrile (RH9090) expressed as myclobutanil) | 0,01 (*) | 0,01 (*) | 0,01 (*) |

(*) Indicates lower limit of analytical determination.

ANNEX IV

PESTICIDE RESIDUES AND MRLs (mg/kg)

| | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|-----------|--|------------|--|-----------|--|------------|--|------------|--|------------|--|------------|--|------------|--|--|--|--|
| | | Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a) | | | | | | | | | | | | | | | | | | Triadimefon and Triadimenol (sum of triadimefon and triadimenol) | | |
| Groups and examples of individual products to which the MRLs would apply | | Azocyclotin (sum of azocyclotin and cyhexatin expressed as cyhexatin) | | Bifenoxin | | Bifenthrin | | Bifenoxin | | Bifenthrin | | Bifenthrin | | Bifenthrin | | Bifenthrin | | Bifenthrin | | Bifenthrin | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| 1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts | | | | | | | | | | | | | | | | | | | | | | |
| (i) CITRUS FRUIT | | | | | | | | | | | | | | | | | | | | | | |
| Grapefruit | | | | | | | | | | | | | | | | | | | | | | |
| Lemons | | | | | | | | | | | | | | | | | | | | | | |
| Limes | | | | | | | | | | | | | | | | | | | | | | |
| Mandarins (including clementines and other hybrids) | | | | | | | | | | | | | | | | | | | | | | |
| Oranges | | | | | | | | | | | | | | | | | | | | | | |
| Pomegranates | | | | | | | | | | | | | | | | | | | | | | |
| Others | | | | | | | | | | | | | | | | | | | | | | |
| (ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | | | | | | | | | | | | |
| Almonds | | | | | | | | | | | | | | | | | | | | | | |
| Brazil nuts | | | | | | | | | | | | | | | | | | | | | | |
| Cashew nuts | | | | | | | | | | | | | | | | | | | | | | |
| Chestnuts | | | | | | | | | | | | | | | | | | | | | | |
| Coconuts | | | | | | | | | | | | | | | | | | | | | | |
| Hazelnuts | | | | | | | | | | | | | | | | | | | | | | |
| Macadamia | | | | | | | | | | | | | | | | | | | | | | |
| Pecans | | | | | | | | | | | | | | | | | | | | | | |
| Pine nuts | | | | | | | | | | | | | | | | | | | | | | |
| Pistachios | | | | | | | | | | | | | | | | | | | | | | |

| Groups and examples of individual products to which the MRLs would apply | Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a) | Azoxycloin and cyhexatin (sum of azoxycloin and cyhexatin expressed as cyhexatin) | Bifenthrin | Biterranol | Bromopropylate | Clofentezine | Cyromazine | Fenpropi-morph | Flucythrinate | Hexaconazole | Methacryfos | Myclobutanil | Penconazole | Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz) | Profenofos | Resmethrin, including other mixtures of constituent isomers (sum of isomers) | Triadimorph | Triadimenol (sum of triadimenol and triadimenol) |
|--|--|---|------------|------------|----------------|--------------|------------|----------------|---------------|--------------|-------------|--------------|-------------|--|------------|--|-------------|--|
| Walnuts | | | | | | | | | | | | | | | | | | |
| Others | | | | | | | | | | | | | | | | | | |
| (iii) POME FRUIT | | | | | | | | | | | | | | | | | | |
| Apples | 0,01 (*) | 0,2 | 0,3 | 2 | | 0,5 | 0,05 (*) | 0,05 (*) | | | | 0,5 | 0,2 | 0,05 (*) | | 0,1 (*) | 0,05 (*) | 0,2 |
| Pears | | 0,1 | | | | | | | | | | | | | | | | |
| Quinces | | | | | | | | | | | | | | | | | | |
| Others | | 0,05 (*) | | | | | | | | | | | | | | | | 0,1 (*) |
| (iv) STONE FRUIT | | | | | | | | | | | | | | | | | | |
| Apricots | 0,01 (*) | | 0,2 | | | | 0,05 (*) | 0,05 (*) | | | | 0,3 | 0,1 | 0,05 (*) | | 0,1 (*) | 0,05 (*) | 0,1 (*) |
| Cherries | | | | 1 | | | | | | | | 1 | | | | | | |
| Peaches (including nectarines and similar hybrids) | | | | 1 | | | | | | | | 0,5 | 0,1 | | | | | |
| Plums | | 0,3 | | 2 | | 0,2 | | | | | | 0,5 | 0,05 (*) | | | | | |
| Others | | 0,05 (*) | | 0,05 (*) | | 0,02 (*) | | | | | | 0,02 (*) | | | | | | |
| (v) BERRIES AND SMALL FRUIT | | | | | | | | | | | | | | | | | | |
| (a) Table and wine grapes | | | | | | | | | | | | | | | | | | |
| Table grapes | 0,01 (*) | | 0,2 | | | | 0,05 (*) | 0,05 (*) | | | | 1 | 0,2 | 0,05 (*) | | 0,1 (*) | 0,05 (*) | 2 |
| Wine grapes | | 0,05 (*) | | | | 0,02 (*) | | | | | | | | | | | | |
| (b) Strawberries (other than wild) | | 0,3 | | | | 1 | | | | | | | | | | | | |
| (c) Cane fruit (other than wild) | 0,1 | 0,05 (*) | 0,5 | | | 2 | | 1 | | | | 1 | 0,05 (*) | | | | | 0,5 |
| Blackberries | 0,01 (*) | 0,05 (*) | 0,05 (*) | | | | | | | | | 0,02 (*) | 0,05 (*) | | | | | 0,1 (*) |
| Dewberries | | | | | | 3 | | | | | | | | | | | | |
| Loganberries | | | | | | | | | | | | | | | | | | |
| Raspberries | | | | | | | | 1 | | | | | | | | | | |
| Others | | | | | | 3 | | 0,05 (*) | | | | | | | | | | |

| Groups and examples of individual products to which the MRLs would apply | Abamectin (sum of abamectin, B1a, avermectin B1b and delta-8,9-isomer of avermectin B1a) | Azoxycloin and Cyhexatin (sum of azoxycloin and cyhexatin expressed as cyhexatin) | Bifenthrin | Biterranol | Bromopropylate | Clofentezine | Cyromazine | Fenpropi-morph | Flucythrinate | Hexaconazole | Methacryfos | Myclobutanil | Penconazole | Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz) | Profenofos | Resmethrin, including other mixtures of constituent isomers (sum of isomers) | Tri-dimorph | Tri-dimorph and Tri-dimol (sum of tri-dimorph and tri-dimol) | |
|--|--|---|------------|------------|----------------|--------------|------------|----------------|---------------|--------------|-------------|--------------|-------------|--|------------|--|-------------|--|--|
| (d) Other small fruit and berries (other than wild) | 0,01 (*) | 0,05 (*) | 0,05 (*) | | | | | 0,05 (*) | | | | | 0,05 (*) | | | | | 0,1 (*) | |
| Bilberries (fruit of species Vaccinium myrtillus) | | | | | | | | | | | | | | | | | | | |
| Cranberries | | | | | | | | | | | | | | | | | | | |
| Currants (red, black and white) | | | | | | 0,5 | | | | | | 1 | | | | | | | |
| Gooseberries | | | | | | 0,02 (*) | | | | | | 1 | | | | | | | |
| Others | 0,01 (*) | 0,05 (*) | 0,05 (*) | | | 0,02 (*) | | 0,05 (*) | | | | 0,02 (*) | 0,05 (*) | 0,05 (*) | | | | 0,1 (*) | |
| (e) Wild berries and wild fruit | 0,01 (*) | 0,05 (*) | 0,05 (*) | | | 0,02 (*) | 0,05 (*) | 0,05 (*) | | | | 2 | 0,05 (*) | 0,05 (*) | | | | 0,1 (*) | |
| (vi) MISCELLANEOUS | | | | | | | | | | | | | | | | | | | |
| Avocados | | | 0,1 | 3 | | | | 2 | | | | | | 5 | | | | 0,2 | |
| Bananas | | | | | | | | | | | | | | | | | | | |
| Dates | | | | | | | | | | | | | | | | | | | |
| Figs | | | | | | | | | | | | | | | | | | | |
| Kiwi | | | | | | | | | | | | | | | | | | | |
| Kumquat | | | | | | | | | | | | | | | | | | | |
| Litchis | | | | | | | | | | | | | | | | | | | |
| Mangoes | | | | | | | | | | | | | | | | | | | |
| Olives | | | | | | | | | | | | | | | | | | | |
| Passion fruit | | | | | | | | | | | | | | | | | | | |
| Pineapples | | | | | | | | | | | | | | | | | | | |
| Papaya | | | | | | | | | | | | | | | | | | | |
| Others | | | | | | | | | | | | 0,02 (*) | | 0,05 (*) | | | | 0,1 (*) | |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | | | | | | | | | | |
| (i) ROOT AND TUBER VEGETABLES | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,02 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,02 (*) | 0,05 (*) | | 0,05 (*) | 0,05 (*) | 0,05 (*) | | 0,05 (*) | 0,1 (*) | |
| Beetroot | | | | | | | | | | | | | | | | | | | |

| Abamectin (sum of abamectin, B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a) | Azacycloin and Cyhexatin (sum of azacycloin and cyhexatin expressed as cyhexatin) | Bifenthrin | Bitteranol | Bromopropylate | Clofentezine | Cyromazine | Fenpropi-morph | Flucy-thri-nate | Hexaconazole | Metha-crifos | Myclobu-tanil | Penconazole | Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz) | Profenofos | Resmethrin, including other mixtures of constituent isomers (sum of isomers) | Triadi-morph | Triadi-mefen and Triadi-mefenol (sum of triadimefon and triadimefenol) |
|--|---|------------|------------|----------------|--------------|------------|----------------|-----------------|--------------|--------------|---------------|-------------|--|------------|--|--------------|--|
| Groups and examples of individual products to which the MRLs would apply | | | | | | | | | | | | | | | | | |
| Carrots | | | | | | | | | | | 0,2 | | | | | | |
| Celeriac | | | | | | | | | | | | | | | | | |
| Horseradish | | | | | | | | | | | | | | | | | |
| Jerusalem artichokes | | | | | | | | | | | | | | | | | |
| Parsnip | | | | | | | | | | | | | | | | | |
| Parsley root | | | | | | | | | | | | | | | | | |
| Radishes | | | | | | | | | | | | | | | | | |
| Salsify | | | | | | | | | | | | | | | | | |
| Sweet potatoes | | | | | | | | | | | | | | | | | |
| Swedes | | | | | | | | | | | | | | | | | |
| Turnips | | | | | | | | | | | | | | | | | |
| Yam | | | | | | | | | | | | | | | | | |
| Others | | | | | | | | | | | | | | | | | |
| (ii) BULB VEGETABLES | | | | | | | | | | | | | | | | | |
| Garlic | | | | | | | | | | | | | | | | | |
| Onions | | | | | | | | | | | | | | | | | |
| Shallots | | | | | | | | | | | | | | | | | |
| Spring onions | | | | | | | | | | | | | | | | | |
| Others | | | | | | | | | | | | | | | | | |
| (iii) FRUITING VEGETABLES | | | | | | | | | | | | | | | | | |
| (a) Solanacea | | | | | | | | | | | | | | | | | |
| Tomatoes | 0,02 | 0,2 | 3 | | 0,3 | 1 | | | | | 0,3 | | | | | | 0,3 |
| Peppers | 0,05 | 0,2 | | | | 0,05 (*) | | | | | 0,5 | | | | | | 0,5 |
| Chilli Peppers | | | | | | | | | | | 0,3 | | | | | | |
| Aubergines | 0,02 | 0,2 | | | | 1 | | | | | | | | 5 | | | |
| Others | 0,01 (*) | 0,05 (*) | 0,05 (*) | | 0,02 (*) | 0,05 (*) | | | | | 0,02 (*) | | | 0,05 (*) | | | 0,1 (*) |

| Groups and examples of individual products to which the MRLs would apply | Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9-isoform of avermectin B1a) | Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin) | Bifenthrin | Biterranol | Bromopropylate | Clofentezine | Cyromazine | Fenpropi-morph | Flucythrinate | Hexaconazole | Methacryfos | Myclobutanil | Penconazole | Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz) | Profenofos | Resmethrin, including other mixtures of constituent isomers (sum of isomers) | Tri-dimorph | Triadimefon and Triadimenol (sum of triadimefon and triadimenol) | |
|--|---|---|------------|------------|----------------|--------------|------------|----------------|---------------|--------------|-------------|--------------|-------------|--|------------|--|-------------|--|--|
| (b) Cucurbits - edible peel | ►C1 0,01(*)▼ | 0,05 (*) | 0,1 | 0,5 | | 0,02 (*) | 1 | | | | | 0,1 | 0,05 (*) | 0,05 (*) | 0,05 (*) | | | 0,1 (*) | |
| Cucumbers | | | | | | | | | | | | | | | | | | | |
| Gherkins | | | | | | | 1 | | | | | | | | | | | | |
| Courgettes | | | | | | | 1 | | | | | | | | | | | | |
| Others | | | | | | | 0,05 (*) | | | | | | | | | | | | |
| (c) Cucurbits - inedible peel | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | | 0,1 | 0,3 | | | | | 0,2 | 0,1 | | 0,05 (*) | | | 0,1 (*) | |
| Melons | | | | | | | | | | | | | | | | | | | |
| Squashes | | | | | | | | | | | | | | | | | | | |
| Watermelons | | | | | | | 0,3 | | | | | | | | | | | | |
| Others | | | | | | | 0,05 (*) | | | | | | | | | | | | |
| (d) Sweetcorn | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | | 0,02 (*) | 0,05 (*) | | | | | 0,02 (*) | 0,05 (*) | | 0,05 (*) | | | 0,1 (*) | |
| (iv) BRASSICA VEGETABLES | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | | 0,02 (*) | 0,05 (*) | | | | | 0,02 (*) | 0,05 (*) | | 0,05 (*) | | | 0,1 (*) | |
| (a) Flowering brassica | | | 0,2 | | | | | 0,05 (*) | | | | | | | | | | 0,05 (*) | |
| Broccoli (including calabrese) | | | | | | | | | | | | | | | | | | | |
| Cauliflower | | | | | | | | | | | | | | | | | | | |
| Others | | | | | | | | | | | | | | | | | | | |
| (b) Head brassica | | | 1 | | | | | | | | | | | | | | | | |
| Brussels sprouts | | | | | | | | | | | | | | | | | | | |
| Head cabbage | | | | | | | | | | | | | | | | | | | |
| Others | | | | | | | | | | | | | | | | | | | |
| (c) Leafy brassica | | | 0,05 (*) | | | | | | | | | | | | | | | | |
| Chinese cabbage | | | | | | | | | | | | | | | | | | | |
| Kale | | | | | | | | | | | | | | | | | | | |
| Others | | | | | | | | | | | | | | | | | | | |
| (d) Kohlrabi | | | 0,05 (*) | | | | | 0,05 (*) | | | | | | | | | | | |

| Groups and examples of individual products to which the MRLs would apply | Abamectin (sum of abamectin, B1a, avermectin B1b and B1c and delta-8,9-isoform of avermectin B1a) | Azoxycloin and Cyhexatin (sum of azoxycloin and cyhexatin expressed as cyhexatin) | Bifenthrin | Biterranol | Bromopropylate | Clofentezine | Cyromazine | Fenpropi-morph | Flucythrinate | Hexaconazole | Methacryfos | Myclobutanil | Penconazole | Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz) | Profenofos | Resmethrin, including other mixtures of constituent isomers (sum of isomers) | Tri-dimorph | Triadimefon and Triadimenol (sum of triadimefon and triadimenol) | |
|--|---|---|------------|------------|----------------|--------------|------------|----------------|---------------|--------------|-------------|--------------|-------------|--|------------|--|-------------|--|--|
| (v) LEAF VEGETABLES AND FRESH | | | | | | | | | | | | | | | | | | | |
| (a) Lettuce and similar | 0,1 | 0,05 (*) | 2 | 0,05 (*) | | 0,02 (*) | 15 | 0,05 (*) | 0,05 (*) | | | 0,02 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | | 0,05 (*) | 0,1 (*) | |
| Cress | | | | | | | | | | | | | | | | | | | |
| Lamb's lettuce | | | | | | | | | | | | | | | | | | | |
| Lettuce | | | | | | | | | | | | | | | | | | | |
| Scarole (broad-leaf endive) | | | | | | | | | | | | | | | | | | | |
| Others | | | | | | | | | | | | | | | | | | | |
| (b) Spinach and similar | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | | | 0,05 (*) | 0,05 (*) | | | | | | 0,05 (*) | | | | | |
| Spinach | | | | | | | | | | | | | | | | | | | |
| Beet leaves (chard) | | | | | | | | | | | | | | | | | | | |
| Others | | | | | | | | | | | | | | | | | | | |
| (c) Water cress | 0,01 (*) | | 0,05 (*) | | | | | | | | | | | 0,05 (*) | | | | | |
| (d) Witloof | 0,01 (*) | | 0,05 (*) | | | | | | | | | | | 0,05 (*) | | | | | |
| (e) Herbs | 0,01 (*) | | 0,05 (*) | | | | | | | | | | | 0,05 (*) | | | | | |
| Chervil | | | | | | | | | | | | | | | | | | | |
| Chives | | | | | | | | | | | | | | | | | | | |
| Parsley | | | | | | | | | | | | | | | | | | | |
| Celery leaves | | | | | | | | | | | | | | | | | | | |
| Others | | | | | | | | | | | | | | | | | | | |
| (vi) LEGUME VEGETABLES (fresh) | 0,01 (*) | 0,05 (*) | 0,5 | 0,05 (*) | | 0,02 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | | | 0,02 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | | 0,05 (*) | 0,1 (*) | |
| Beans (with pods) | | 0,5 | 0,5 | | | | | | | | | | | | | | | | |
| Beans (without pods) | | | | | | | | | | | | | | | | | | | |
| Peas (with pods) | | | 0,1 | | | | | | | | | | | | | | | | |
| Peas (without pods) | | | | | | | | | | | | | | | | | | | |
| Others | | 0,05 (*) | 0,05 (*) | 0,05 (*) | | | | | | | | | | | | | | | |
| (vii) STEM VEGETABLES (fresh) | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | | 0,02 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | | | | | 0,05 (*) | 0,05 (*) | | 0,05 (*) | 0,1 (*) | |

| Groups and examples of individual products to which the MRLs would apply | Abamectin (sum of abamectin, B1a, avermectin B1b and delta-8,9-isomer of avermectin B1a) | Azoxycloin and Cyhexatin (sum of azoxycloin and cyhexatin expressed as cyhexatin) | Bifenthrin | Biterranol | Bromopropylate | Clofentezine | Cyromazine | Fenpropi-morph | Flucythrinate | Hexaconazole | Methacryfos | Myclobutanil | Penconazole | Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety expressed as prochloraz) | Profenofos | Resmethrin, including other mixtures of constituent isomers (sum of isomers) | Triademorph | Triadimenol (sum of triadimenol and triadimenol) |
|--|--|---|------------|------------|----------------|--------------|------------|----------------|---------------|--------------|-------------|--------------|-------------|--|------------|--|-------------|--|
| Asparagus | | | | | | | | | | | | | | | | | | |
| Cardoons | | | | | | | 2 | | | | | | | | | | | |
| Celery | | | | | | | 2 | | | | | 0,5 | 0,2 | | | | | 1 |
| Fennel | | | | | | | | 0,5 | | | | | | | | | | 0,1 (*) |
| Globe artichokes | | | | | | | 0,05 (*) | 0,05 (*) | | | | 0,02 (*) | 0,05 (*) | | | | | 0,1 (*) |
| Leek | | | | | | | | 0,05 (*) | | | | 0,02 (*) | 0,05 (*) | | | | | 0,1 (*) |
| Rhubarb | | | | | | | 5 | | | | | | | | | | | 0,1 (*) |
| Others | | | | | | | 0,05 (*) | 0,05 (*) | | | | | | | 0,05 (*) | 0,1 (*) | 0,05 (*) | 0,1 (*) |
| (viii) FUNGI | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | | | | | | | | | | 2 | | | | |
| (a) Cultivated mushrooms | | | | | | | | | | | | | | 0,05 (*) | | | | |
| (b) Wild mushrooms | | | | | | | | | | | | | | | | | | |
| 3. Pulses | | | | | | | | | | | | | | | | | | |
| Beans | | | | | | | | | | | | | | | | | | |
| Lentils | | | | | | | | | | | | | | | | | | |
| Peas | | | | | | | | | | | | | | | | | | |
| Others | | | | | | | | | | | | | | | | | | |
| 4. Oil seed | | | | | | | | | | | | | | | | | | |
| Linseed | 0,02 (*) | 0,05 (*) | 0,1 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | | 0,2 (*) | 0,1 (*) | 0,2 (*) | |
| Peanuts | | | | | | | | | | | | | | | | | | |
| Poppy seed | | | | | | | | | | | | | | | | | | |
| Sesame seed | | | | | | | | | | | | | | | | | | |
| Sunflower seed | | | | | | | | | | | | | | | | | | |
| Rape seed | | | | | | | | | | | | | | | | | | |
| Soya bean | | | | | | | | | | | | | | | | | | |
| Mustard seed | | | | | | | | | | | | | | | | | | |
| Cotton seed | | | | | | | | | | | | | | | | | | |
| Others | | | | | | | | | | | | | | | 2 | | | 0,05 (*) |

| Groups and examples of individual products to which the MRLs would apply | Abamectin (sum of abamectin, B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a) | Azoxycloin and Cyhexatin (sum of azoxycloin and cyhexatin expressed as cyhexatin) | Bifenthrin | Biterranol | Bromopropylate | Clofentezine | Cyromazine | Fenpropi-morph | Flucy-thri-nate | Hexaconazole | Metha-crifos | Myclobu-tanil | Penconazole | Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichloro-phenol moiety expressed as prochloraz) | Profenofos | Resmethrin, including other mixtures of constituent isomers (sum of isomers) | Tri-dimorph | Tri-dimorph and Tri-dimol (sum of tri-dimorph and tri-dimol) |
|---|--|---|------------|------------|----------------|--------------|------------|----------------|-----------------|--------------|--------------|---------------|-------------|---|------------|--|-------------|--|
| 5. Potatoes Early and ware potatoes | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,02 (*) | 1 | 0,05 (*) | 0,05 (*) | 0,02 (*) | 0,05 (*) | 0,02 (*) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,1 (*) | 0,05 (*) | 0,1 (*) |
| 6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0,02 (*) | 0,1 (*) | 5 | 0,1 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) | 0,1 (*) | 0,05 (*) | 0,1 (*) | 0,1 (*) | 0,1 (*) | 0,2 (*) | 20 | 0,2 (*) |
| 7. Hops (dried), including hop pellets and unconcentrated powder | 0,05 | 0,1 (*) | 10 | 0,1 (*) | 0,1 (*) | 0,05 (*) | 0,05 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) | 0,1 (*) | 2 | 0,5 | 0,1 (*) | 0,1 (*) | 0,2 (*) | 0,1 (*) | 10 |

(*) Indicates lower limit of analytical determination.