

ANNEX

PART A

ANNEX I

**List of species referred to in Article 1(2)(a)
which are to comply with CPVO test protocols**

| Scientific name | Common name | CPVO protocol |
|---|--|------------------------------|
| <i>Festuca arundinacea</i> Schreb. | Tall fescue | TP 39/1 of 1.10.2015 |
| <i>Festuca filiformis</i> Pourr. | Fine-leaved sheep's fescue | TP 67/1 of 23.6.2011 |
| <i>Festuca ovina</i> L. | Sheep's fescue | TP 67/1 of 23.6.2011 |
| <i>Festuca pratensis</i> Huds. | Meadow fescue | TP 39/1 of 1.10.2015 |
| <i>Festuca rubra</i> L. | Red fescue | TP 67/1 of 23.6.2011 |
| <i>Festuca trachyphylla</i> (Hack.) Krajina | Hard fescue | TP 67/1 of 23.6.2011 |
| <i>Lolium multiflorum</i> Lam. | Italian ryegrass | TP 4/1 of 23.6.2011 |
| <i>Lolium perenne</i> L. | Perennial ryegrass | TP 4/1 of 23.6.2011 |
| <i>Lolium x boucheanum</i> Kunth | Hybrid ryegrass | TP 4/1 of 23.6.2011 |
| <i>Pisum sativum</i> L. | Field pea | TP 7/2 Rev of 11.3.2015 |
| <i>Vicia sativa</i> L. | Common vetch | TP 32/1 of 19.4.2016 |
| <i>Brassica napus</i> L. var. <i>napobrassica</i> (L.) Rchb. | Swede | TP 89/1 of 11.3.2015 |
| <i>Brassica napus</i> L. | Swede rape | TP 36/2 of 16.11.2011 |
| <i>Cannabis sativa</i> L. | Hemp | TP 276/1 of 28.11.2012 |
| <i>Gossypium</i> spp. | Cotton | TP 88/1 of 19.4.2016 |
| <i>Helianthus annuus</i> L. | Sunflower | TP 81/1 of 31.10.2002 |
| <i>Linum usitatissimum</i> L. | Flax/Linseed | TP 57/2 of 19.3.2014 |
| <i>Avena nuda</i> L. | Small naked oat, Hulless oat | TP 20/2 of 1.10.2015 |
| <i>Avena sativa</i> L. (includes <i>A.</i> <i>byzantina</i> K. Koch) | Oats and Red oat | TP 20/2 of 1.10.2015 |
| <i>Hordeum vulgare</i> L. | Barley | TP 19/4 of 1.10.2015 |
| <i>Oryza sativa</i> L. | Rice | TP 16/3 of 1.10.2015 |
| <i>Secale cereale</i> L. | Rye | TP 58/1 of 31.10.2002 |
| <i>xTriticosecale</i> Wittm. ex A. Camus | Hybrids resulting from the crossing of a species of the | TP 121/2 rev. 1 of 16.2.2011 |

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

| | | |
|-----------------------------|--|----------------------------|
| | genus <i>Triticum</i> and a species of the genus <i>Secale</i> | |
| <i>Triticum aestivum</i> L. | Wheat | TP 3/4 rev. 2 of 16.2.2011 |
| <i>Triticum durum</i> Desf. | Durum wheat | TP 120/3 of 19.3.2014 |
| <i>Zea mays</i> L. | Maize | TP 2/3 of 11.3.2010 |
| <i>Solanum tuberosum</i> L. | Potato | TP 23/2 of 1.12.2005 |

The text of these protocols can be found on the CPVO website (www.cpvo.europa.eu).

ANNEX II

List of species referred to in Article 1(2)(b) which are to comply with UPOV test guidelines

| Scientific name | Common name | UPOV guideline |
|--------------------------------------|--|-----------------------|
| <i>Beta vulgaris</i> L. | Fodder beet | TG/150/3 of 4.11.1994 |
| <i>Agrostis canina</i> L. | Velvet bent | TG/30/6 of 12.10.1990 |
| <i>Agrostis gigantea</i> Roth. | Red top | TG/30/6 of 12.10.1990 |
| <i>Agrostis stolonifera</i> L. | Creeping bent | TG/30/6 of 12.10.1990 |
| <i>Agrostis capillaris</i> L. | Brown top | TG/30/6 of 12.10.1990 |
| <i>Bromus catharticus</i> Vahl | Rescue grass | TG/180/3 of 4.4.2001 |
| <i>Bromus sitchensis</i> Trin. | Alaska brome grass | TG/180/3 of 4.4.2001 |
| <i>Dactylis glomerata</i> L. | Cocksfoot | TG/31/8 of 17.4.2002 |
| <i>xFestulolium</i> Asch. et Graebn. | Hybrids resulting from the crossing of a species of the genus <i>Festuca</i> with a species of the genus <i>Lolium</i> | TG/243/1 of 9.4.2008 |
| <i>Phleum nodosum</i> L. | Small timothy | TG/34/6 of 7.11.1984 |
| <i>Phleum pratense</i> L. | Timothy | TG/34/6 of 7.11.1984 |
| <i>Poa pratensis</i> L. | Smooth-stalked meadow grass | TG/33/7 of 9.4.2014 |
| <i>Lotus corniculatus</i> L. | Birdsfoot trefoil | TG 193/1 of 9.4.2008 |
| <i>Lupinus albus</i> L. | White lupin | TG/66/4 of 31.3.2004 |
| <i>Lupinus angustifolius</i> L. | Narrow-leaved lupin | TG/66/4 of 31.3.2004 |
| <i>Lupinus luteus</i> L. | Yellow lupin | TG/66/4 of 31.3.2004 |
| <i>Medicago sativa</i> L. | Lucerne | TG/6/5 of 6.4.2005 |
| <i>Medicago x varia</i> T. Martyn | Sand lucerne | TG/6/5 of 6.4.2005 |
| <i>Trifolium pratense</i> L. | Red clover | TG/5/7 of 4.4.2001 |

| | | |
|---|--|------------------------|
| <i>Trifolium repens</i> L. | White clover | TG/38/7 of 9.4.2003 |
| <i>Vicia faba</i> L. | Field bean | TG/8/6 of 17.4.2002 |
| <i>Raphanus sativus</i> L. var. <i>oleiformis</i> Pers. | Fodder radish | TG/178/3 of 4.4.2001 |
| <i>Arachis hypogaea</i> L. | Groundnut/Peanut | TG/93/4 of 9.4.2014 |
| <i>Brassica rapa</i> L. var. <i>silvestris</i> (Lam.) Briggs | Turnip rape | TG/185/3 of 17.4.2002 |
| <i>Carthamus tinctorius</i> L. | Safflower | TG/134/3 of 12.10.1990 |
| <i>Papaver somniferum</i> L. | Poppy | TG/166/4 of 9.4.2014 |
| <i>Sinapis alba</i> L. | White mustard | TG/179/3 of 4.4.2001 |
| <i>Glycine max</i> (L.) Merr. | Soya bean | TG/80/6 of 1.4.1998 |
| <i>Sorghum bicolor</i> (L.) Moench | Sorghum | TG/122/4 of 25.3.2015 |
| <i>Sorghum sudanense</i> (Piper) Stapf. | Sudan grass | TG 122/4 of 25.3.2015 |
| <i>Sorghum bicolor</i> (L.) Moench x <i>Sorghum sudanense</i> (Piper) Stapf | Hybrids resulting from the crossing of <i>Sorghum bicolor</i> and <i>Sorghum sudanense</i> | TG 122/4 of 25.3.2015 |

The text of these guidelines can be found on the UPOV website (www.upov.int).

PART B

ANNEX I

List of species referred to in Article 1(2)(a) which are to comply with CPVO test protocols

| Scientific name | Common name | CPVO protocol |
|--|--|-----------------------|
| <i>Allium cepa</i> L. (Cepa group) | Onion and Echalion | TP 46/2 of 1.4.2009 |
| <i>Allium cepa</i> L. (Aggregatum group) | Shallot | TP 46/2 of 1.4.2009 |
| <i>Allium fistulosum</i> L. | Japanese bunching onion or Welsh onion | TP 161/1 of 11.3.2010 |
| <i>Allium porrum</i> L. | Leek | TP 85/2 of 1.4.2009 |
| <i>Allium sativum</i> L. | Garlic | TP 162/1 of 25.3.2004 |
| <i>Allium schoenoprasum</i> L. | Chives | TP 198/2 of 11.3.2015 |
| <i>Apium graveolens</i> L. | Celery | TP 82/1 of 13.3.2008 |
| <i>Apium graveolens</i> L. | Celeriac | TP 74/1 of 13.3.2008 |
| <i>Asparagus officinalis</i> L. | Asparagus | TP 130/2 of 16.2.2011 |

Status: EU Directives are being published on this site to aid cross referencing from UK legislation. After IP completion day (31 December 2020 11pm) no further amendments will be applied to this version.

| | | |
|---|--|----------------------------|
| <i>Beta vulgaris</i> L. | Beetroot including Cheltenham beet | TP 60/1 of 1.4.2009 |
| <i>Beta vulgaris</i> L. | Spinach beet or Chard | TP 106/1 of 11.3.2015 |
| <i>Brassica oleracea</i> L. | Curly kale | TP 90/1 of 16.2.2011 |
| <i>Brassica oleracea</i> L. | Cauliflower | TP 45/2 of 11.3.2010 |
| <i>Brassica oleracea</i> L. | Sprouting broccoli or Calabrese | TP 151/2 of 21.3.2007 |
| <i>Brassica oleracea</i> L. | Brussels sprouts | TP 54/2 of 1.12.2005 |
| <i>Brassica oleracea</i> L. | Kohlrabi | TP 65/1 of 25.3.2004 |
| <i>Brassica oleracea</i> L. | Savoy cabbage, White cabbage and Red cabbage | TP 48/3 of 16.2.2011 |
| <i>Brassica rapa</i> L. | Chinese cabbage | TP 105/1 of 13.3.2008 |
| <i>Capsicum annuum</i> L. | Chilli or Pepper | TP 76/2 of 21.3.2007 |
| <i>Cichorium endivia</i> L. | Curled-leaved endive and Plain-leaved endive | TP 118/3 of 19.3.2014 |
| <i>Cichorium intybus</i> L. | Industrial chicory | TP 172/2 of 1.12.2005 |
| <i>Cichorium intybus</i> L. | Witloof chicory | TP 173/1 of 25.3.2004 |
| <i>Citrullus lanatus</i> (Thunb.) Matsum. et Nakai | Watermelon | TP 142/2 of 19.3.2014 |
| <i>Cucumis melo</i> L. | Melon | TP 104/2 of 21.3.2007 |
| <i>Cucumis sativus</i> L. | Cucumber and Gherkin | TP 61/2 of 13.3.2008 |
| <i>Cucurbita maxima</i> Duchesne | Gourd | TP 155/1 of 11.3.2015 |
| <i>Cucurbita pepo</i> L. | Marrow or Courgette | TP 119/1rev. of 19.3.2014 |
| <i>Cynara cardunculus</i> L. | Globe artichoke and Cardoon | TP 184/2 of 27.2.2013 |
| <i>Daucus carota</i> L. | Carrot and Fodder carrot | TP 49/3 of 13.3.2008 |
| <i>Foeniculum vulgare</i> Mill. | Fennel | TP 183/1 of 25.3.2004 |
| <i>Lactuca sativa</i> L. | Lettuce | TP 13/5 rev of 19.4.2016 |
| <i>Solanum lycopersicum</i> L. | Tomato | TP 44/4 rev.2 of 19.4.2016 |
| <i>Petroselinum crispum</i> (Mill.) Nyman ex A. W. Hill | Parsley | TP 136/1 of 21.3.2007 |
| <i>Phaseolus coccineus</i> L. | Runner bean | TP 9/1 of 21.3.2007 |
| <i>Phaseolus vulgaris</i> L. | Dwarf French bean and Climbing French bean | TP 12/4 of 27.2.2013 |
| <i>Pisum sativum</i> L. (partim) | Wrinkled pea, Round pea and Sugar pea | TP 7/2 Rev. of 11.3.2015 |
| <i>Raphanus sativus</i> L. | Radish, Black radish | TP 64/2 Rev. of 11.3.2015 |
| <i>Rheum rhabarbarum</i> L | Rhubarb | TP 62/1 of 19.4.2016 |

| | | |
|--|------------------------------|-----------------------------|
| <i>Scorzonera hispanica</i> L. | Scorzonera or Black salsify | TP 116/1 of 11.3.2015 |
| <i>Solanum melongena</i> L. | Aubergine or Egg plant | TP 117/1 of 13.3.2008 |
| <i>Spinacia oleracea</i> L. | Spinach | TP 55/5rev. of 19.4.2016 |
| <i>Valerianella locusta</i> (L.) Laterr. | Corn salad or Lamb's lettuce | TP 75/2 of 21.3.2007 |
| <i>Vicia faba</i> L. (partim) | Broad bean | TP Broadbean/1 of 25.3.2004 |
| <i>Zea mays</i> L. (partim) | Sweet corn and Pop corn | TP 2/3 of 11.3.2010 |
| <i>Solanum lycopersicum</i> L. x <i>Solanum habrochaites</i> S. Knapp & D.M. Spooner; <i>Solanum lycopersicum</i> L. x <i>Solanum peruvianum</i> (L.) Mill.; <i>Solanum lycopersicum</i> L. x <i>Solanum cheesmaniae</i> (L. Ridley) Fosberg | Tomato rootstocks | TP 294/1rev of 19.4.2016 |

The text of these protocols can be found on the CPVO website (www.cpvo.europa.eu).

ANNEX II

List of species referred to in Article 1(2)(b) which are to comply with UPOV test guidelines

| Scientific name | Common name | UPOV guideline |
|---|--|------------------------|
| <i>Brassica rapa</i> L. | Turnip | TG/37/10 of 4.4.2001 |
| <i>Cichorium intybus</i> L. | Large-leaved chicory or Italian chicory | TG/154/3 of 18.10.1996 |
| <i>Cucurbita maxima</i> x <i>Cucurbita moschata</i> | Interspecific hybrids of <i>Cucurbita maxima</i> Duch. x <i>Cucurbita moschata</i> Duch. for use as rootstocks | TG/311/1 of 25.3.2015 |

The text of these guidelines can be found on the UPOV website (www.upov.int).