

This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document

► **B**

COMMISSION REGULATION (EC) No 261/2003

of 12 February 2003

concerning the provisional authorisation of new uses of additives in feedingstuffs

(Text with EEA relevance)

(OJ L 37, 13.2.2003, p. 12)

Amended by:

| | | Official Journal | | |
|--------------------|--|------------------|------|-----------|
| | | No | page | date |
| ► <u>M1</u> | Commission Implementing Regulation (EU) 2017/1145 of 8 June 2017 | L 166 | 1 | 29.6.2017 |

▼B

COMMISSION REGULATION (EC) No 261/2003
of 12 February 2003
concerning the provisional authorisation of new uses of additives in
feedingstuffs
(Text with EEA relevance)

▼M1

Article 1

The preparation specified in Annex I, belonging to the group ‘Enzymes’ is authorised for use as additive in animal nutrition under the conditions laid down in that Annex.

▼B

Article 2

This Regulation shall enter into force on the day following that of its publication in the Official Journal of the European Union.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

▼B

ANNEX I

| No (or EC No) | Additive | Chemical formula, description | Species or category of animal | Maximum age | Minimum content | Maximum content | Other provisions | End of period of authorisation |
|----------------|--------------------------|---|-------------------------------|-------------|---|-----------------|---|--------------------------------|
| | | | | | Units of activity/kg of complete feedingstuff | | | |
| Enzymes | | | | | | | | |
| 50 | 6-phytase EC 3.1.3.26 | Preparation of 6-phytase produced by <i>Aspergillus oryzae</i> (DSM 11857) having a minimum activity of: Coated form: 2 500 FYT/g ⁽¹⁾ Liquid form: 5 000 FYT/g | Sows | — | 750 FYT | — — | 1. In the directions for use of the additive and premixture, indicate the storage temperature, storage life, and stability to pelleting 2. Recommended dose per kg of complete feedingstuff: 750-1 000 FYT 3. For use in compound feed containing more than 0,2 5 % phytin bound phosphorus | 1.2.2007 |

⁽¹⁾ 1 FYT is the amount of enzyme which liberates 1 micromole of inorganic phosphate per minute from sodium phytate at pH 5,5 and 37 °C.

▼M1