# Commission Regulation (EU) No 37/2010 of 22 December 2009 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin (Text with EEA relevance)

# COMMISSION REGULATION (EU) No 37/2010

# of 22 December 2009

# on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin

# (Text with EEA relevance)

# THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 470/2009 of the European Parliament and of the Council of 6 May 2009 laying down Community procedures for the establishment of residue limits of pharmacologically active substances in foodstuffs of animal origin, repealing Council Regulation (EEC) No 2377/90 and amending Directive 2001/82/EC of the European Parliament and of the Council and Regulation (EC) No 726/2004 of the European Parliament and of the Council<sup>(1)</sup>, and in particular Article 27(1) thereof,

Whereas:

- (1) In order to protect public health, pharmacologically active substances, on the basis of the scientific assessment of the safety of those substances, were classified in four Annexes to Council Regulation (EEC) No 2377/90 of 26 June 1990 laying down a Community procedure for the establishment of maximum residue limits of veterinary medicinal products in foodstuffs of animal origin<sup>(2)</sup>. Annex I contained substances for which a maximum residue limit was established, Annex II contained substances for which it was not necessary to establish a maximum residue limit, Annex III contained substances for which a provisional maximum residue limit was established and Annex IV contained substances for which a maximum residue limit could not be established because residues of those substances, at whatever limit, constitute a hazard to human health.
- (2) For reasons of simplification, it is necessary to incorporate those pharmacologically active substances and their classification regarding maximum residue limits in a Commission Regulation. As this classification follows the classification system foreseen in Regulation (EC) No 470/2009, the classification should also be taken account of with regard to the possibility to administer those pharmacologically active substances to food-producing animals.
- (3) Existing information on the therapeutical classification of pharmacologically active substances contained in the Annexes to Regulation (EEC) No 2377/90 should be incorporated into a column on the therapeutical classification of substances.

- (4) For reasons of ease of use, all pharmacologically active substances should be listed in one Annex in alphabetical order. For reasons of clarity, two separate tables should be established: one for allowed substances, listed in Annexes I, II and III of Regulation (EEC) No 2377/90, and one for prohibited substances, listed on Annex IV to that Regulation.
- (5) Provisional maximum residue limits for pharmacologically active substances, laid down in Annex III to Regulation (EEC) No 2377/90 for which the period of application has ended, should not be incorporated into this Regulation.
- (6) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Veterinary Medicinal Products,

HAS ADOPTED THIS REGULATION:

# Article 1

Pharmacologically active substances and their classification regarding maximum residue limits are set out in the Annex.

## Article 2

This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

### ANNEX

# Pharmacologically active substances and their classification regarding maximum residue limits (MRL)

## TABLE 1

## Allowed substances

Pharmacole active Substance	og <b>idaliy</b> er residue	Animal Species	MRL	Target Tissues	Other Provisions( to Article 14(7 of Regulation (EC) No 470/200	
Abamectin	Avermectin B1a	Bovine	10 μg/kg 20 μg/kg	Fat Liver	NO ENTRY	Antiparasitic agents/ Agents
		Ovine	20 μg/kg 50 μg/kg 25 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	acting against endo- and ectoparasites
<i>Absinthium</i> extract	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Acetyl cysteine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Acetylmethie	NICE APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Acetylsalicy acid	I№OT APPLICABI	All food producing species except fin fish	No MRL required	NOT APPLICABI	Not for use Im animals from which milk or eggs are produced for human consumption	NO ENTRY
Acetylsalicy acid DL- lysine	INOT APPLICABI	All food producing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced	NO ENTRY

					for human consumption	
Adenosine and its 5'- mono-, 5'- di-and 5' triphosphates	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Adonis vernalis	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per hundred only.	eias,
Aesculus hippocastant	NOT #APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per ten only.	eias
Agnus castus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according	NO ENTRY

					to homeopathic pharmacopoo at concentration correspondin to the mother tincture and dilutions thereof only.	eias ns
Ailanthus altissima	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondint to the mother tincture and dilutions thereof only.	eias ns
Alanine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Albendazole	Sum of albendazole sulphoxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole	All ruminants	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Albendazole oxide	Sum of albendazole oxide, albendazole sulphone,	Bovine, ovine	100 μg/kg 100 μg/kg 1 000 μg/ kg 500 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites

	and albendazole 2-amino sulphone, expressed as albendazole		100 μg/kg			
Alfacalcidol	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Farturient cows only.	NO ENTRY
Alfaprostol	NOT APPLICABI	Bovine, Forcine, rabbit, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Allantoin	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Allium cepa	NOT APPLICABI	species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondint to the mother tincture and dilutions thereof only.	eias 1s g
Aloe vera gel and whole leaf extract of Aloe vera	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Aloes, Barbados and Capae, their standardised dry extract and	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

preparations thereof						
Alphacypern	n <b>Elypia</b> rmethri (sum of isomers)	nBovine, ovine	20 μg/kg 200 μg/kg 20 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk MRL further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
[ <sup>F1</sup> Altrenoges	Altrenogest	Porcine	4 µg/kg	Skin and fat	Only for zootechnical	on the reproductive system
			2 µg/kg	Liver	use and in accordance	
		Equidae	4 μg/kg	Fat	with the provisions	
			4 μg/kg	Liver]	of Directive 96/22/EC	
Aluminium distearate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium hydroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Aluminium hydroxide acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium monostearate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aluminium phosphate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F2</sup> Aluminiur salicylate, basic		Bovine, caprine, <i>Equidae</i> , rabbit	200 μg/kg 500 μg/kg 1 500 μg/ kg 1 500 μg/ kg	Muscle Fat Liver Kidney	NO ENTRY	Antidiarrheal and intestinal anti- inflammatory agents
		Bovine, caprine, <i>Equidae</i>	9 μg/kg	Milk		
	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical Tise only	]

		except bovine, caprine, <i>Equidae</i> , rabbit and fin fish				
Aluminium tristearate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethan	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
2- Aminoethano glucuronate	NOT DAPPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
2- Aminoethyl dihydrogenp		All food Foroducing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Amitraz	Sum of amitraz and all metabolites	Bovine	200 μg/kg 200 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against
	containing the 2,4- DMA moiety, expressed	Ovine	400 μg/kg 100 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk		ectoparasites
	as amitraz	Caprine	200 μg/kg 100 μg/kg 200 μg/kg 10 μg/kg	Fat Liver Kidney Milk		
		Porcine	400 μg/kg 200 μg/kg 200 μg/kg	Skin and fat Liver Kidney		
		Bees	200 µg/kg	Honey		
Ammonium chloride	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Ammonium lauryl sulphate	NOT APPLICABI	All food- Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Ammonium sulfate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Amoxicillin	Amoxicillin	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Ampicillin	Ampicillin	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in	Anti- infectious agents/ Antibiotics

Status: Point in time view as at 25/01/2017.

# **Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

					natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Amprolium	NOT APPLICABI	Poultry LE	No MRL required	NOT APPLICABI		NO ENTRY
Angelicae radix aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Anisi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Anisi stellati fructus, standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Apocynum cannabinum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per hundred only. For oral use only.	eias,
Apramycin	Apramycin	Bovine	1 000 μg/ kg 1 000 μg/ kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced	Anti- infectious agents/ Antibiotics

			10 000 μg/ kg 20 000 μg/ kg		for human consumption	
	NOT APPLICABI	Ovine, Forcine, chicken, rabbit	No MRL required	NOT APPLICABI	For oral use Enly. Not for use in animals from which milk or eggs are produced for human consumption	
Aqua levici	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe only.	
Arginine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Arnica montana (arnicae flos and arnicae planta tota)	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For topical Hese only.	NO ENTRY
Arnicae radix	NOT APPLICAB	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondin in the products not	eias 15

					exceeding one part per ten only.	
Artemisia abrotanum	NOT APPLICAB	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15
Asparagine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Aspartic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Atropa belladonna	NOT APPLICAB	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per hundred only.	eias,
Atropine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Avilamycin	Dichloroisoe acid	vænine, poultry, rabbit	50 μg/kg 100 μg/kg 300 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	For porcine and poultry species this MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Azagly- nafarelin	NOT APPLICABI	<i>Salmonidae</i> LE	No MRL required	NOT APPLICABI	Not for Tise in fish from which eggs are produced for human consumption	NO ENTRY
[ <sup>F3</sup> Azamethij	APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	NO LENTRY	Antiparasitic agents/ Agents against ectoparasites]
Azaperone	Sum of azaperone and azaperol	Porcine	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Agents acting on the nervous system/ Agents acting on the central nervous system
Bacitracin	Sum of	Bovine	100 µg/kg	Milk	NO	Anti-
A, bacitrac B, and	bacitracin B, and bacitracin	Rabbit	150 μg/kg 150 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	ENTRY	infectious agents/ Antibiotics
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	For Intramamma use in lactating cows only.	ry

Balsamum peruvianum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Baquiloprim	Baquiloprim	Bovine	10 μg/kg 300 μg/kg 150 μg/kg 30 μg/kg	Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Chemotheurapeutio
		Porcine	40 μg/kg 50 μg/kg 50 μg/kg	Skin and fat Liver Kidney		
[ <sup>F4</sup> Barium selenate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	Not for Administration by injection	Alimentary paract and metabolism/ mineral supplements]
Beclomethas dipropionate	MOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Inhalation use only.	NO ENTRY
Bellis perennis	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15
Benzalkoniu chloride	nNOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use For use For an excipient at concentration up to 0,05 % only.	NO ENTRY ns
Benzocaine	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use Ars local	NO ENTRY

					anaesthetic only.	
		Salmonidae	No MRL required	NOT APPLICABI	NO LENTRY	
Benzyl alcohol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Benzyl benzoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Benzyl p- hydroxybenz	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
	i <b>Be</b> nzylpenic	producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which eggs are produced for human consumption	
Betaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Betaine glucuronate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Betamethaso	r <b>B</b> etamethaso	ræovine, porcine	0,75 μg/kg 2,0 μg/kg 0,75 μg/kg	Muscle Liver Kidney	NO ENTRY	Corticoides/ Glucocorticoide
		Bovine	0,3 µg/kg	Milk		
Biotin	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Bismuth subcarbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use	NO ENTRY
Bismuth subgallate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For oral use	NO ENTRY
Bismuth subnitrate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For oral use	NO ENTRY
		Bovine	No MRL required	NOT APPLICABI	For Entramamma use only.	NO r€NTRY
Bismuth subsalicylate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For oral use Inly.	NO ENTRY
Bituminosuli ammonium and sodium salts	MØÆs, APPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	For topical Jurse only.	NO ENTRY
Boldo folium	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Boric acid and borates	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Bromhexine	NOT APPLICABI	Bovine, porcine, poultry	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced for human consumption	NO ENTRY
Bromide, potassium salt	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Bromide, sodium salt	NOT APPLICABI	All- Thammalian	No MRL required	NOT APPLICABI	For topical	NO ENTRY

		food- producing species				
Bronopol	NOT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Brotizolam	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Herapeutic uses only.	NO ENTRY
Buserelin	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
[ <sup>F5</sup> Butafosfa	1NOT APPLICABI	All Mammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	Alimentary tract and metabolism/ mineral supplements]
n-Butane	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
n-Butanol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Æxcipient.	NO ENTRY
Butorphanol tartrate	eNOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous administrationally.	NO ENTRY m
Butyl 4- hydroxybenz	NOT MARPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Butylscopola bromide	APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F6</sup> Cabergolin	nCabergoline	Bovine	0,1 µg/kg	Fat	NO	Prolactin
			0,25 µg/kg	Liver	ENTRY	inhibitor
			0,5 µg/kg	Kidney		
			0,15 µg/kg	Muscle		
			0,1 µg/kg	Milk]		
Caffeine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium acetate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY

Calcium	NOT	All food	No MRL	NOT	NO	NO
aspartate	APPLICAB	producing species	required	APPLICABI	LENTRY	ENTRY
Calcium benzoate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium boroglucona	NOT t&APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium carbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium chloride	NOT APPLICAB	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium citrate	NOT APPLICAB	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glucohepton	NOT at&PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glucono glucohepton	NOT APPLICABI ate	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium gluconolacta	NOT t&PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glutamate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium glycerophos	NOT MARPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium hydroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium hypophosphi	NOT t&PPLICAB	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium malate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Calcium oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium pantothenate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium phosphate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium polyphospha	NOT t <b>es</b> PPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium propionate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium silicate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium stearate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calcium sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Calendula officinalis	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration correspondir in the products not exceeding one part per ten only.	eias ns
Calendulae flos	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	For topical For se only.	NO ENTRY

Camphor	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	External Firse only.	NO ENTRY
Camphora	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration in the products not exceeding one part per hundred only.	eias
Capsici fructus acer	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Carazolol	Carazolol	Bovine	5 μg/kg 5 μg/kg 15 μg/kg 15 μg/kg 1 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Agents acting on the nervous system/ Agents
		Porcine	5 μg/kg 5 μg/kg 25 μg/kg 25 μg/kg	Muscle Skin and fat Liver Kidney		acting on the autonomic nervous system
Carbasalate calcium	NOT APPLICABI	All food peroducing species except fin fish	No MRL required	NOT APPLICABI	Not for use The animals from which milk or eggs are produced for human consumption	NO ENTRY
Carbetocin	NOT APPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Cardamon extract	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Cardiosperm halicacabum	aboot APPLICAB	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondint to the mother tincture and dilutions thereof only.	eias 15
Carlinae radix	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Carnitine	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Carprofen	Sum of carprofen and carprofen glucuronide conjugate	Bovine, <i>Equidae</i>	500 μg/kg 1 000 μg/ kg 1 000 μg/ kg 1 000 μg/ kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
	NOT APPLICABI	Bovine LE	No MRL required for milk	NOT APPLICABI	LE	
Carvi aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Caryophylli aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cefacetrile	Cefacetrile NOT APPLICABI	Bovine Bovine LE	125 μg/kg No MRL required for all tissues	Milk NOT APPLICABI	For intramamma use only.	Anti- rinfectious agents/ Antibiotics

			except milk.			
Cefalexin	Cefalexin	Bovine	200 μg/kg 200 μg/kg 200 μg/kg 1 000 μg/ kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Cefalonium	Cefalonium	Bovine	20 µg/kg	Milk	For	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	intramamma use and eye freatment only.	rynfectious agents/ Antibiotics
Cefapirin	Sum of cephapirin and desacetylcep	Bovine hapirin	50 μg/kg 50 μg/kg 100 μg/kg 60 μg/kg	Muscle Fat Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
Cefazolin	Cefazolin	Bovine, ovine, caprine	50 μg/kg	Milk	NO ENTRY	
	NOT APPLICABI	Bovine, Devine, caprine	No MRL required for all tissues except milk.	NOT APPLICABI	For Entramamma use, except if the udder may be used as food for human consumption	
Cefoperazon	eCefoperazon	eBovine	50 µg/kg	Milk	For	Anti-
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk.	NOT APPLICABI	intramamma use in factating cows only.	rjnfectious agents/ Antibiotics
Cefquinome	Cefquinome	Bovine, porcine, <i>Equidae</i>	50 μg/kg 50 μg/kg 100 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	species the fat MRL	Anti- infectious agents/ Antibiotics
		Bovine	20 µg/kg	Milk		
Ceftiofur	Sum of all residues retaining	All mammalian food	1 000 μg/ kg	Muscle Fat Liver	For porcine species the fat MRL	Anti- infectious

	the betalactam structure expressed as desfuroylcef	producing species tiofur	2 000 μg/ kg 2 000 μg/ kg 6 000 μg/ kg 100 μg/kg	Kidney Milk	relates to 'skin and fat in natural proportions'.	agents/ Antibiotics
Centellae asiaticae extractum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Cetostearyl alcohol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cetrimide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chlorhexidir	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Chlormadinc	nchlormadino	meovine	4 μg/kg 2 μg/kg 2,5 μg/kg	Fat Liver Milk	For zootechnical use only.	Agents acting on the reproductive system
Chlorocresol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F7</sup> Chloroforn	nNOT APPLICABI	All mammalian food producing species	No MRL required	NOT APPLICABI	Only to be different as an excipient in vaccines and only at concentration not exceeding 1 % w/v and total doses not exceeding 20 mg per animal.	NO ENTRY]
Chlorphenan		All Frammalian food producing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY

Chlortetracy	c <b>Sne</b> n of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics
Choline	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Chrysanthem cinerariifolii flos	NOT APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	For topical Frse only.	NO ENTRY
Chymotrypsi	nNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cimicifugae racemosae rhizoma	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	Not for use In animals from which milk is produced for human consumption	NO ENTRY
<i>Cinchonae</i> <i>cortex</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cinnamomi cassiae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
<i>Cinnamomi</i> <i>cassiae</i> <i>cortex</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cinnamomi ceylanici aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

<i>Cinnamomi</i> <i>ceylanici</i> <i>cortex</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Citri aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Citronellae aetheroleum	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Citrulline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Clavulanic acid	Clavulanic acid	Bovine, porcine	100 μg/kg 100 μg/kg 200 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
		Bovine	200 µg/kg	Milk		
Clazuril	NOT APPLICABI	Pigeon LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Clenbuterol hydrochlorid	Clenbuterol e	Bovine, Equidae	0,1 μg/kg 0,5 μg/kg 0,5 μg/kg	Muscle Liver Kidney	NO ENTRY	Agents acting on the nervous
		Bovine	0,05 μg/kg	Milk		system/ Agents acting on the autonomic nervous system
[ <sup>F8</sup> Clodronic acid (in the form of disodium salt)	NOT APPLICABI	Equidae LE	No MRL required	NOT APPLICABI	Not for use In animals from which milk is produced for human consumption	Musculoskeletal system/ drugs for treatment of bone diseases]
Cloprostenol	NOT APPLICABI	Bovine, Dorcine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

R- Cloprostenol	NOT APPLICABI	Bovine, Forcine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F9</sup> Clorsulon	Clorsulon	Bovine	35 μg/kg 100 μg/kg	Muscle Liver	NO ENTRY	Antiparasitic agents/ Agents
			200 μg/kg 16 μg/kg	Kidney Milk]		against endoparasites
[ <sup>F10</sup> Closantel (	Closantel	Bovine	1 000 μg/ kg 3 000 μg/ kg 1 000 μg/ kg 3 000 μg/ kg 45 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Ovine	1 500 μg/ kg 2 000 μg/ kg 1 500 μg/ kg 5 000 μg/ kg 45 μg/kg	Muscle Fat Liver Kidney Milk]		
Cloxacillin	Cloxacillin	All food producing species	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Anti- infectious agents/ Antibiotics

					Not for use in animals from which eggs are produced for human consumption	
Cobalt carbonate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt dichloride	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Cobalt trioxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coco alkyl dimethyl betaines	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Colistin	Colistin	All food producing species	150 μg/kg 150 μg/kg 150 μg/kg 200 μg/kg 300 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin	Anti- infectious agents/ Antibiotics

					and fat in natural proportions'.	
<i>Condurango</i> <i>cortex</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Convallaria majalis	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopod at concentration in the products not exceeding one part per thousand only.	eias,
[ <sup>F11</sup> Copper carbonate	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	Alimentary tract and metabolism/ Mineral supplement]
Copper chloride	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper heptanoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper methionate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Copper oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Copper sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coriandri aetheroleum	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Corticotropii	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Coumafos	Coumafos	Bees	100 μg/kg	Honey	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Crataegus	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopor at concentration correspondin to the mother tincture and dilutions thereof only.	eias ns
Cupressi aetheroleum	NOT APPLICABI	All food Defroducing species	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Cyfluthrin	Cyfluthrin (sum of isomers)	Bovine, caprine	10 μg/kg 50 μg/kg 10 μg/kg 10 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Council Directive 94/29/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Cyhalothrin	Cyhalothrin (sum of isomers)	Bovine	500 μg/kg 50 μg/kg 50 μg/kg	Fat Kidney Milk	For milk further provisions in Council Directive	Antiparasitic agents/ Agents against ectoparasites

					94/29/EC are to be observed.	
Cypermethri	nCypermethri (sum of isomers)	nAll ruminants	20 μg/kg 200 μg/kg 20 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk		Antiparasitic agents/ Agents against ectoparasites
		Salmonidae	50 µg/kg	Muscle and skin in natural proportions.	Directive 98/82/EC are to be observed.	
Cyromazine	Cyromazine	Ovine	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites
Cysteine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Cytidine and its 5'- mono-, 5'- di- and 5'- triphosphate	NOT Applicabi \$	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Danofloxaci	nDanofloxaci	nBovine, ovine, caprine, poultry	200 μg/kg 100 μg/kg 400 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
		All other food producing species	100 μg/kg 50 μg/kg 200 μg/kg 200 μg/kg	Muscle Fat Liver Kidney		
		Bovine, ovine, caprine	30 µg/kg	Milk		

					For poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Decoquinate	NOT APPLICABI	Bovine, Ævine	No MRL required	NOT APPLICABI	For oral use Joinly. Not for use in animals from which milk is produced for human consumption	NO ENTRY
Deltamethrin	Deltamethrir	All ruminants	10 μg/kg 50 μg/kg 10 μg/kg 10 μg/kg 20 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
		Fin fish	10 µg/kg	Muscle and skin in natural proportions.		
Dembrexine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Denaverine hydrochlorid	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
[ <sup>F12</sup> Derquante	Perquantel	Ovine	2 µg/kg	Muscle	Not for use in animals	Antiparasitic
			40 µg/kg	Fat	from which	agents/ Agents
			20 μg/kg	Liver	milk is produced	against endoparasites
			5 μg/kg	Kidney]	for human consumption	-
Deslorelin		Equidae	No MRL	NOT	NO	NO

Detomidine	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For Herapeutic use only.	NO ENTRY	
Dexamethase	o <b>De</b> xamethaso	b <b>Bo</b> vine, caprine, porcine, <i>Equidae</i>	0,75 μg/kg 2 μg/kg 0,75 μg/kg	Muscle Liver Kidney	NO ENTRY	Corticoides/ Glucocorticoide	
		Bovine, caprine	0,3 µg/kg	Milk			
Dexpanthene	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Diazinon	Diazinon	Bovine, ovine, caprine, porcine	20 μg/kg 700 μg/kg 20 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Antiparasitic agents/ Agents against	
		Bovine, ovine, caprine	20 µg/kg	Milk	to 'skin and fat in natural proportions'.	ectoparasites	
[ <sup>F13</sup> Diclazuri	INOT APPLICABI	All Fuminants, porcine	No MRL required	NOT APPLICABI	For oral use Joinly	NO ENTRY	
	Diclazuril	Poultry	500 µg/kg	Muscle	Not for use in animals from which eggs are produced for human	Antiparasitic agents/ Agents acting againsts protozoa	
			500 μg/kg	Skin and fat in natural proportions			
			1 500 μg/ kg	Liver	consumption		
			1 000 μg/ kg	Kidney			
		Rabbit	150 µg/kg	Muscle			
			300 µg/kg	Fat			
			2 500 μg/ kg	Liver			
			1 000 μg/ kg	Kidney]	-		
Diclofenac I	Diclofenac	Bovine	5 μg/kg 1 μg/kg 5 μg/kg 10 μg/kg 0,1 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory	
		Porcine	5 µg/kg	Muscle	and fat in	inflammatory agents	

			1 μg/kg 5 μg/kg 10 μg/kg	Skin and fat Liver Kidney	natural proportions'.	
Dicloxacillin	Dicloxacillin	All food producing species	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Dicopper oxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dicyclanil	Sum of dicyclanil and 2, 4, 6- triamino- pyrimidine-5 carbonitrile	Ovine -	200 μg/kg 150 μg/kg 400 μg/kg 400 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites
Diethyl phthalate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diethyl sebacate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

[ <sup>F14</sup> Diethyler glycol monethyl ether	€NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY]
Difloxacin	Difloxacin	Bovine, ovine, caprine	400 μg/kg 100 μg/kg 1 400 μg/ kg 800 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle	Anti- infectious agents/ Antibiotics
		Porcine	400 μg/kg 100 μg/kg 800 μg/kg 800 μg/kg	Muscle Skin and fat Liver Kidney	and skin in natural proportions'. MRLs for fat, liver and kidney	
		Poultry	300 μg/kg 400 μg/kg 1 900 μg/ kg 600 μg/kg	Muscle Skin and fat Liver Kidney	do not apply to fin fish. Not for use in animals from which milk is produced for human consumption Not for use in animals from which eggs are produced for human consumption	
		All other food producing species	300 μg/kg 100 μg/kg 800 μg/kg 600 μg/kg	Muscle Fat Liver Kidney		
Diflubenzuro	Diflubenzuro	<b>S</b> almonidae	1 000 μg/ kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Dihydrostrept	tðinhyclinostrep	tathycin ruminants, porcine, rabbit All	500 μg/kg 500 μg/kg 500 μg/kg 1 000 μg/ kg 200 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural	Anti- infectious agents/ Antibiotics
		ruminants			proportions'.	
3,5-Diiodo- L-thyrosine	NOT APPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Dimanganese trioxide	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use	NO ENTRY
Dimethicone	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl acetamide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl phthalate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dimethyl sulphoxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoprost	NOT APPLICABI	All Fnammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoprost tromethamin	NOT eAPPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Dinoproston	eNOT APPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Diprophyllin	eNOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Doramectin	Doramectin	All mammalian food producing species	40 μg/kg 150 μg/kg 100 μg/kg 60 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which milk is produced	Antiparasitic agents/ Agents acting against endo- and ectoparasites

					for human consumption	
[ <sup>F15</sup> Double stranded ribonucleic acid homologous to viral ribonucleic acid coding for part of the coat protein and part of the intergenic region of the Israel Acute Paralysis Virus	NOT APPLICABI	Bees LE	No MRL required	Honey	NO ENTRY	NO ENTRY]
Doxapram	NOT APPLICABI	All Imammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F16</sup> Doxycyc]	i₽oxycycline	All food producing species	100 μg/kg 300 μg/kg 300 μg/kg 600 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which	Anti- infectious agents/ Antibiotics]

D-	NOT	All food	No MRL	NOT	milk or eggs are produced for human consumption NO	NO
	APPLICABI		required	APPLICABI		ENTRY
Echinacea	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondin to the mother tincture and dilutions thereof only. For topical use only. For use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondintic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondintic pharmacopoo at concentration correspondintic pharmacopool at	eias 15 19 eias 15

					one part per ten only.			
Echinacea purpurea	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY		
Emamectin	Emamectin B1a	Fin fish	100 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents acting against endo- and ectoparasites		
Enilconazole	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY		
Enrofloxacin	Sum of enrofloxacin and ciprofloxacin	cin ovine, caprine 300 200	100 μg/kg 100 μg/kg 300 μg/kg 200 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle	Anti- infectious agents/ Antibiotics		
		Porcine, rabbit	100 μg/kg 100 μg/kg 200 μg/kg 300 μg/kg	Muscle Fat Liver Kidney	and skin in natural proportions'. MRLs for fat, liver			
			F	Poultry	100 μg/kg 100 μg/kg 200 μg/kg 300 μg/kg	Muscle Skin and fat Liver Kidney	and kidney do not apply to fin fish. For porcine species the	
		All other food producing species	100 μg/kg 100 μg/kg 200 μg/kg 200 μg/kg	Muscle Fat Liver Kidney	fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption			
Epinephrine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY		
[ <sup>F17</sup> Eprinome	æprinomecti B1a	nAll ruminants	50 μg/kg 250 μg/kg 1 500 μg/ kg	Muscle Fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against		

			300 μg/kg 20 μg/kg	Milk		endo- and ectoparasites]
Ergometrine maleate	NOT APPLICABI	All Inammalian food producing species	No MRL required	NOT APPLICABI	For use in Farturient animals only.	NO ENTRY
Erythromyci	nErythromyci A	nAll food producing species	200 μg/kg 200 μg/kg 200 μg/kg 200 μg/kg 40 μg/kg 150 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Anti- infectious agents/ Antibiotics
Etamiphyllin camsylate	€NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Etamsylate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Ethanol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Ethyl lactate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethyl oleate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ethylenediar acid and salts	nM@fEtraaceti APPLICABI		No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Etiproston tromethamin	NOT eAPPLICABI	Bovine, Forcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Eucalypti aetheroleum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Eucalyptol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Eucalyptus globulus	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopos at concentration correspondin to the mother tincture and dilutions thereof only.	eias ns
Euphrasia officinalis	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondin to the mother tincture and dilutions thereof only.	eias ns
Febantel	Sum of extractable residues which	All ruminants, porcine, <i>Equidae</i>	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates	Antiparasitic agents/ Agents

	may be oxidised to oxfendazole sulphone	All ruminants	10 µg/kg	Milk	to 'skin and fat in natural proportions'.	against endoparasites
[ <sup>F18</sup> Fenbenda	zoum of extractable residues which may be oxidised to oxfendazole sulfone	All food- producing species except fin fish	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg 10 μg/kg 1 300 μg/ kg	Muscle Fat Liver Kidney Milk Eggs	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'	Antiparasitic agents/ Agents against endoparasites]
Fenpipramid hydrochlorid	eNOT eAPPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
Fenvalerate	Fenvalerate (sum of RR, SS, RS and SR isomers)	Bovine	25 μg/kg 250 μg/kg 25 μg/kg 25 μg/kg 40 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Fertirelin acetate	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
Firocoxib	Firocoxib	Equidae	10 μg/kg 15 μg/kg 60 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
Florfenicol	Sum of florfenicol and its metabolites measured as florfenicol- amine	Bovine, ovine, caprine	200 μg/kg 3 000 μg/ kg 300 μg/kg	Muscle Liver Kidney	Not for animals from which milk is produced for human consumption Not for animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
as flo		Porcine	300 μg/kg 500 μg/kg 2 000 μg/ kg 500 μg/kg	Muscle Skin and fat Liver Kidney		
		Poultry	100 μg/kg 200 μg/kg 2 500 μg/ kg 750 μg/kg	Muscle Skin and fat Liver Kidney		
		Fin fish	1 000 μg/ kg	Muscle and skin in natural proportions.		

		All other food producing species	100 μg/kg 200 μg/kg 2 000 μg/ kg 300 μg/kg	Muscle Fat Liver Kidney		
Fluazuron	Fluazuron	Bovine	200 μg/kg 7 000 μg/ kg 500 μg/kg 500 μg/kg	Muscle Fat Liver Kidney	Not for animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites
Flubendazol	eSum of flubendazole and (2- amino 1H- benzimidazo yl) (4fluoropher methanone	1-5-	50 μg/kg 50 μg/kg 400 μg/kg 300 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
	Flubendazol	ePoultry	400 µg/kg	Eggs	-	
Flugestone acetate	Flugestone acetate	Ovine, caprine	0,5 μg/kg 0,5 μg/kg 0,5 μg/kg 0,5 μg/kg 1 μg/kg	Muscle Fat Liver Kidney Milk	For intravaginal use for zootechnical purposes only.	Agents acting on the reproductive system
Flumequine	Flumequine	Bovine, ovine, caprine, porcine	200 μg/kg 300 μg/kg 500 μg/kg 1 500 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
		Bovine, ovine, caprine	50 µg/kg	Milk		
		Poultry	400 μg/kg 250 μg/kg 800 μg/kg 1 000 μg/ kg	Muscle Skin and fat Liver Kidney		
		Fin Fish	600 μg/kg	Muscle and skin in natural proportion.		
		All other food producing species	200 μg/kg 250 μg/kg 500 μg/kg	Muscle Fat Liver Kidney		

			1 000 μg/  kg			
Flumethrin	Flumethrin (sum of trans-Z- isomers)	Bovine	10 μg/kg 150 μg/kg 20 μg/kg 10 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
		Ovine	10 μg/kg 150 μg/kg 20 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	
	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	
Flunixin	Flunixin	Bovine	20 μg/kg 30 μg/kg 300 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
		Porcine	50 μg/kg 10 μg/kg 200 μg/kg 30 μg/kg	Muscle Skin and fat Liver Kidney		
		Equidae	10 μg/kg 20 μg/kg 100 μg/kg 200 μg/kg	Muscle Fat Liver Kidney		
	5- Hydroxyflun	Bovine ixin	40 µg/kg	Milk		
Foeniculi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Folic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Follicle stimulating hormone (natural FSH from all species and their synthetic analogues)	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Food additives (substances with a valid E number approved as additives in foodstuffs for human consumption	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	Only Eubstances approved as additives in foodstuffs for human consumption with the exception of preservatives listed in part C of Annex III to European Parliament and Council Directive 95/2/EC.	-
Formaldehyd	INOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Formic acid	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
<i>Frangulae</i> <i>cortex</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Furosemide	NOT APPLICABI	Bovine, Æquidae	No MRL required	NOT APPLICABI	For Intravenous administratic only.	
[ <sup>F19</sup> Gamithro	ngamithromy	cAnll	50 µg/kg	Muscle	Not for use	Anti-
		ruminants except	50 µg/kg	Fat	in animals producing	infectious agents/
		bovine	300 µg/kg	Liver	milk for	Antibiotics
			200 µg/kg	Kidney	human consumption	
		Bovine	20 µg/kg	Fat	consumption	
			200 µg/kg	Liver		
			100 µg/kg	Kidney		
		Porcine	100 µg/kg	Muscle	NO ENTRY	

			100 μg/kg 100 μg/kg 300 μg/kg	Skin and fat in natural proportions Liver Kidney]		
[ <sup>F20</sup> Gentamic	isum of gentamicin C1, gentamicin C1a, gentamicin C2 and gentamicin C2a	All mammalian food producing species and fin fish	50 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' For porcine species the fat relates to 'skin and fat in natural proportions'	Anti- infectious agents/ Antibiotics]
<i>Gentianae</i> <i>radix</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Ginkgo biloba	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per thousand only.	eias
Ginseng	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary	NO ENTRY

Status: Point in time view as at 25/01/2017.

**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

					medicinal products prepared according to homeopathic pharmacopoe at concentration correspondin to the mother tincture and dilutions thereof only.	eias ns
<i>Ginseng</i> , standardised extracts and preparations thereof	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glutamic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Glutamine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Glutaraldehy	deot Applicabi	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Glycerol formal	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO ENTRY	NO ENTRY
Glycine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Gonadotroph releasing hormone	iNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Guaiacol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Guanosine and its 5'- mono-, 5'- di- and 5'- triphosphates	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY

Halofuginon	eHalofuginon	eBovine	10 μg/kg 25 μg/kg 30 μg/kg 30 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents acting against protozoa
Hamamelis virginiana	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per ten only.	eias
		All food producing species	No MRL required	NOT APPLICABI	For topical	
Harpagophy procumbens	MOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondin to the mother tincture and dilutions thereof only.	eias ns
Harunga madagascari	NOT ien:PiPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary	NO ENTRY

					medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per thousand only	eias,
Heparin and its salts	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Heptaminol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hesperidin	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hesperidin methyl chalcone	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F21</sup> Hexaflun	1 <b>⊎∓<sub>6K</sub>aflumur</b> o	ð <b>F</b> in fish	500 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents (acting) against ectoparasites]
Hexetidine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Hippocastan semen	iNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Ease only.	NO ENTRY
Histidine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Human chorion gonadotroph	NOT APPLICABI in	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Human chorionic gonadotropin	NOT APPLICABI 1	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

(natural HCG and its synthetic analogues)						
Human menopausal urinary gonadotroph		Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Humic acids and their sodium salts	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI		NO ENTRY
Hyaluronic acid	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hydrochloric acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Hydrochloro	t <b>N@</b> Tde APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hydrocortisc	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
[ <sup>F22</sup> Hydrocor aceponate	tSomeof hydrocortiso and its esters after alkaline hydrolysis expressed as hydrocortiso	Equidae	10 μg/kg	Milk	For intramamma use only	Corticosteroids ry
	NOT APPLICABI	All	No MRL required for all tissues except milk	NOT APPLICABI	LE]	
Hydrogen peroxide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Hydroxyethy	NGT ylate APPLICABI	All food- broducing species except fin fish	No MRL required	NOT APPLICABI	For topical Fise only.	NO ENTRY
8- Hydroxyquir	NOT MATRELICABI	All Janammalian	No MRL required	NOT APPLICABI	For topical	NO ENTRY

		food- producing species			newborn animals only.	
Hyperici oleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
<i>Hypericum</i> <i>perforatum</i>	NOT APPLICAB	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondint to the mother tincture and dilutions thereof only.	eias ns
Imidocarb	Imidocarb	Bovine	300 μg/kg 50 μg/kg 2 000 μg/ kg 1 500 μg/ kg 50 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents acting against protozoa
		Ovine	300 μg/kg 50 μg/kg 2 000 μg/ kg 1 500 μg/ kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	1
Inosine and its 5'- mono-, 5'- di- and 5'- triphosphate	NOT APPLICABI \$	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Inositol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Iodine	NOT	All food	No MRL	NOT	NO	NO
and iodine inorganic compounds including:	APPLICABI	peroducing species	required	APPLICABI	LENTRY	ENTRY
	lium					
anc	assium-					
iod						
— Soc	lium					
and						
pot iod	assium- ate					
	ophors					
inc	luding					
pol iod	yvinylpyrroli ine	done-				
Iodine organic	NOT APPLICABI	1 0	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
compounds — Iod	oform	species				
Iron ammonium	NOT APPLICABI		No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
citrate		species				
Iron	NOT	All food	No MRL	NOT	NO	NO
dextran	APPLICABI	species	required	APPLICABI	LENIKY	ENTRY
Iron	NOT	All food	No MRL	NOT	NO	NO
dichloride	APPLICABI	producing species	required	APPLICABI	LENTRY	ENTRY
Iron	NOT	All food	No MRL	NOT	NO	NO
fumarate	APPLICABI	Forducing species	required	APPLICABI	LENTRY	ENTRY
Iron	NOT	All food	No MRL	NOT	NO	NO
glucoheptona	atePPLICABI	Jeroducing species	required	APPLICABI	LENTRY	ENTRY
Iron	NOT	All food	No MRL	NOT	NO	NO
sulphate	APPLICABI	Jeroducing species	required	APPLICABI	LENTRY	ENTRY
Isobutane	NOT	All food	No MRL	NOT	NO	NO
	APPLICABI	peroducing species	required	APPLICABI	LENTRY	ENTRY
[ <sup>F23</sup> Isoeugend	Jsoeugenol	Fin fish	6 000 μg/ kg	Muscle and skin in natural proportions	NOT APPLICABI	Agents Acting on the nervous system/ Agents acting on

						the central nervous system]
Isoflurane	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Enaesthetic use only.	NO ENTRY
Isoleucine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isopropanol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Isoxsuprine	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For Herapeutic use only in accordance with Council Directive 96/22/EEC.	NO ENTRY
[ <sup>F24</sup> Ivermeet	n22, 23- Dihydro- avermectin B 1a	All mammalian food producing species	30 μg/kg 100 μg/kg 100 μg/kg 30 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin and fat in natural proportions' Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents acting against endo and ectoparasites]
Jecoris oleum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Juniperi fructus	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Kanamycin	Kanamycin A	All food producing species except fin fish	100 μg/kg 100 μg/kg 600 μg/kg 2 500 μg/ kg 150 μg/kg	Muscle Fat Liver Kidney Milk	For porcine and poultry species the fat MRL relates to 'skin and fat in	Anti- infectious agents/ Antibiotics

					natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Ketamine	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ketanserin tartrate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ketoprofen	NOT APPLICABI	Bovine, Forcine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lachnanthes tinctoria	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopod at concentration in the products not exceeding one part per thousand only.	eias
Lactic acid	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lanolin	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F25</sup> Lasalocid	Lasalocid A	Poultry	60 μg/kg 300 μg/kg 150 μg/kg 300 μg/kg 150 μg/kg	Muscle Liver Kidney Skin and fat in natural proportions	NO ENTRY	Anti- infectious agents/ Antibiotics

				Eggs		
		Bovine	10 μg/kg 20 μg/kg 100 μg/kg 20 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	1
Lauri folii aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lauri fructus	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lavandulae aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Lecirelin	NOT APPLICABI	Bovine, <i>Equidae</i> , rabbit	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lectin extracted from red kidney beans <i>Phaseolus</i> <i>vulgaris</i>	NOT APPLICABI	Porcine LE	No MRL required	NOT APPLICABI		NO ENTRY
Lespedeza capitata	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Leucine	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Levamisole	Levamisole	Bovine, ovine, porcine, poultry	10 μg/kg 10 μg/kg 100 μg/kg 10 μg/kg	Muscle Fat Liver Kidney	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced	Antiparasitic agents/ Agents against endoparasites

					for human consumption	
Levomethad	onet APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY
Levothyroxi		All Frammalian food producing species	No MRL required	NOT APPLICABI	NO JENTRY	NO ENTRY
Lidocaine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For local- Fegional anaesthesia only.	NO ENTRY
Lincomycin	Lincomycin	All food- producing species	100 μg/kg 50 μg/kg 500 μg/kg 1 500 μg/ kg 150 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
Linear alkyl benzene sulphonic acids with alkyl chain lengths ranging from C9 to C13, containing less than 2,5 % of	NOT APPLICABI	Bovine, Ævine	No MRL required	NOT APPLICABI	For topical	NO ENTRY

chains longer than C <sub>13</sub>						
Lini oleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Lobaria pulmonaria	NOT APPLICAB	All food producing species	No MRL required	NOT APPLICABI	For use in For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration correspondir to the mother tincture and dilutions thereof only.	eias
Lobeline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F26</sup> Lufenuro (RS- isomers)	nLufenuron (RS- isomers)	Fin fish	1 350 μg/ kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents (acting) against ectoparasites]
Luprostiol	NOT APPLICABI	All Inframmalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Luteinising hormone (natural LH from all species and their synthetic analogues)	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
NOT t&PPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
	APPLICABI NOT APPLICABI NOT APPLICABI NOT APPLICABI NOT APPLICABI NOT APPLICABI NOT APPLICABI NOT APPLICABI NOT APPLICABI NOT APPLICABI NOT APPLICABI	APPLICABForducing speciesNOT APPLICABAll food producing speciesNOT APPLICABAll food producing species	APPLICABLFroducing speciesrequiredNOT APPLICABLAll food producing speciesNo MRL requiredNOT APPLICABLAll food producing speciesNo MRL required	APPLICABL Froducing speciesrequiredAPPLICABLNOT APPLICABLAll food producing speciesNo MRL requiredNOT APPLICABLNOT APPLICABLAll food speciesNo MRL requiredNOT APPLICABLNOT APPLICABLAll food speciesNo MRL requiredNOT APPLICABLNOT APPLICABLAll food speciesNo MRL requiredNOT APPLICABLNOT APPLICABLAll food speciesNo MRL requiredAPPLICABLNOT APPLICABLAll	APPLICABL producing speciesrequiredAPPLICABLENTRYNOT APPLICABL producing speciesNo MRL requiredNOT APPLICABLENTRYNOT APPLICABL producing speciesNo MRL requiredNOT A

Magnesium phosphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Magnesium stearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Magnesium sulphate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Magnesium trisilicate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Majoranae herba	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Malic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Æxcipient.	NO ENTRY
[ <sup>F27</sup> Mangane: carbonate	sNOT APPLICABI	All food producing species	NO MRL REQUIRED	NOT APPLICABI	NO LENTRY	Alimentary tract and metabolism/ mineral supplements]
Manganese chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Manganese gluconate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Manganese glycerophosp	NOT MARPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Manganese oxide	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Manganese pidolate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY
Manganese ribonucleate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For oral use Jonly.	NO ENTRY
Manganese sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use Joinly.	NO ENTRY

Mannitol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Marbofloxac	i <b>M</b> arbofloxac	i <b>B</b> ovine, porcine	150 μg/kg 50 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Anti- infectious agents/ Antibiotics
		Bovine	75 μg/kg	Milk	and fat in natural proportions'.	
<i>Matricaria</i> <i>recutita</i> and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Matricariae flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Mebendazolo	mebendazole methyl (5- (1-hydroxy, 1-phenyl) methyl-1H- benzimidazo yl) carbamate and (2- amino-1H- benzimidazo yl) phenylmetha expressed as mebendazole equivalents	<i>Equidae</i> 1-2- 1-5- none,	60 μg/kg 60 μg/kg 400 μg/kg 60 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	
Mecillinam	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For Entrauterine use only.	NO ENTRY
Medicago sativa extractum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Medroxypro	g&tteFone APPLICABI	Ovine LE	No MRL required	NOT APPLICABI	For Entravaginal use for zootechnical purposes only.	NO ENTRY

Melatonin	NOT APPLICABI	Ovine, Æaprine	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Melissae aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Melissae folium	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Meloxicam	Meloxicam	Bovine, caprine, porcine, rabbit, <i>Equidae</i>	20 μg/kg 65 μg/kg 65 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti-
		Bovine, caprine	15 µg/kg	Milk		inflammatory agents
Menadione	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Menbutone	NOT APPLICABI	Bovine, Evine, caprine, porcine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Menthae arvensis aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Menthae piperitae aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Menthol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Mepivacaine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For intra- Articular and epidural use as local anaesthetic only.	NO ENTRY
Mercaptamir hydrochlorid	NOT APPLICABI	All Inammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Metamizole	4- Methylamino	Bovine, potipiynin Equidae Bovine	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
Methionine	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	proportions' NO LENTRY	NO ENTRY
Methyl nicotinate	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Methyl salicylate	NOT APPLICABI	All food Froducing species except fin fish	No MRL required	NOT APPLICABI	For topical Frise only.	NO ENTRY
Methylbenzo	APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F28</sup> Methylpr	eMritbydpredn	iSopoiatae	10 μg/kg 10 μg/kg 10 μg/kg 10 μg/kg 2 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Corticoides/ Glucocorticoides
		Bovine	10 μg/kg 10 μg/kg 10 μg/kg 10 μg/kg 2 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY]	
1- Methyl-2- pyrrolidone	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Millefolii herba	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Mineral hydrocarbon low to high viscosity including micorcristall waxes, approximate C10-C60, aliphatic, branched		All food producing species	No MRL required	NOT APPLICABI	Excludes Aromatic and unsaturated compounds.	NO ENTRY

aliphatic and alicyclic compounds						
[ <sup>F29</sup> Monensin		Bovine	2 µg/kg	Muscle	NO	Anti-
	A		10 µg/kg	Fat	ENTRY	infectious agents/
			50 µg/kg	Liver		Antibiotics
			10 µg/kg	Kidney		
	1	2 µg/kg	Milk]			
[ <sup>F30</sup> Monepan	Monepantel	Ovine,	700 µg/kg	Muscle	NO ENTRY	Antiparasitic agents/ Agents (acting) against endoparasites
	sulfone	ne caprine	7 000 μg/ kg	Fat		
			5 000 μg/ kg	Liver		
			2 000 µg/ kg	Kidney		
			170 µg/kg	Milk		
		Bovine	300 µg/kg	Muscle	Not for use	
			7 000 μg/ kg	Fat	in animals producing milk for human consumption	
			2 000 µg/ kg	Liver		
			1 000 μg/ kg	Kidney]		
Monothiogly	APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Montanide	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Morantel	Sum of residues which may be hydrolysed to N- methyl-1,3- propanediam and expressed as morantel equivalents	All ruminants iine	100 μg/kg 100 μg/kg 800 μg/kg 200 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites

Moxidectin	Moxidectin	Bovine, ovine, <i>Equidae</i>	50 μg/kg 500 μg/kg 100 μg/kg 50 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents acting against
		Bovine, ovine	40 µg/kg	Milk		against endo- and ectoparasites
Myglyol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Myristicae aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use in fewborn animals only.	NO ENTRY
Nafcillin	Nafcillin	All ruminants	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidney Milk	For intramamma use only.	Anti- rinfectious agents/ Antibiotics
Natamycin	NOT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
[ <sup>F31</sup> Neomycin (including framycetin)	nNeomycin B	nycin All food producing species	500 μg/kg 500 μg/kg 5 500 μg/ kg	Muscle Fat Liver	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural	Anti- infectious agents/ Antibiotics
			9 000 μg/ kg	Kidney		
			1 500 μg/ kg	Milk		
			500 μg/kg	Eggs]		
Neostigmine	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	proportions' NO	NO ENTRY
		species				
Netobimin	Sum of albendazole	Bovine, ovine	100 μg/kg 100 μg/kg	Muscle Fat	For oral use only.	Antiparasitic agents/

	oxide, albendazole sulphone, and albendazole 2-amino sulphone, expressed as albendazole		1 000 μg/ kg 500 μg/kg 100 μg/kg	Liver Kidney Milk		Agents against endoparasites
Nickel gluconate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Nickel sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Nicoboxil	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
[ <sup>F32</sup> Nitroxini]	Nitroxinil	Bovine,	400 µg/kg	Muscle		Antiparasitic
		ovine	200 µg/kg	Fat		agents/ agents
			20 µg/kg	Liver		against
			400 µg/kg	Kidney		endoparasites
			20 µg/kg	Milk]		
Nonivamide	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For topical Jurse only	NO ENTRY
Norgestomet	Norgestomet	Bovine	0,2 μg/kg 0,2 μg/kg 0,2 μg/kg 0,2 μg/kg 0,12 μg/kg	Muscle Fat Liver Kidney Milk	For therapeutic and zootechnical purposes only.	Agents acting on the reproductive system
Novobiocin	Novobiocin	Bovine	50 μg/kg	Milk	For intramamma use only.	agents/
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk	NOT APPLICABI	NO LENTRY	Antibiotics
[ <sup>F33</sup> Octenidin dihydrochlor	ℯℕ℺ℸ ℹⅆℯℙℙ⅃ℹℂÅ₿Ι	All Frammalian food- producing species	No MRL required	NOT APPLICABI	For Eutaneous use only.	Anti- infectious agents/ Antiseptics]
17β- Oestradiol	NOT APPLICABI	All Jeammalian	No MRL required	NOT APPLICABI	For Herapeutic	NO ENTRY

		food producing species			and zootechnical use only.	
Okoubaka aubrevillei	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopod at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15
Oleyloleate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Fese only.	NO ENTRY
Omeprazole	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For oral use Tomly.	NO ENTRY
Orgotein	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ornithine	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Orotic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Oxacillin	Oxacillin	All food producing species	300 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 30 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not	Anti- infectious agents/ Antibiotics

Status: Point in time view as at 25/01/2017.

**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

					apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Oxalic acid	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO LENTRY	Anti- infectious agent
Oxfendazole	Sum of extractable residues which may be oxidised to oxfendazole sulphone	All ruminants, porcine, <i>Equidae</i> All ruminants	50 μg/kg 50 μg/kg 500 μg/kg 50 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'.	Antiparasitic agents/ Agents against endoparasites
Oxibendazol	eOxibendazol	ePorcine	100 μg/kg 500 μg/kg 200 μg/kg 100 μg/kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Oxidation products of <i>Terebinthina</i> oleum	NOT APPLICABI e	Bovine, Evine, caprine, porcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Oxolinic acid	Oxolinic acid	All food producing species	100 μg/kg 50 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not	Anti- infectious agents/ Antibiotics

					apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption	
Oxyclozanid	eOxyclozanid	eAll ruminants	20 μg/kg 20 μg/kg 500 μg/kg 100 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
Oxytetracycl	i <b>Se</b> m of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. [ <sup>X1</sup> MRLs for liver and kidney do not apply to fin fish.]	Anti- infectious agents/ Antibiotics
Oxytocin	NOT APPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Pancreatin	NOT APPLICABI	All Frammalian food producing species	No MRL required	NOT APPLICABI	For topical Here only.	NO ENTRY

Papain	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Papaverine	NOT	Bovine	No MRL	NOT	Newborn	NO
	APPLICABI	LE	required	APPLICABI	Æalves only.	ENTRY
Paracetamol	NOT	Porcine	No MRL	NOT	For oral use	NO
	APPLICABI	LE	required	APPLICABI	Joinly.	ENTRY
Parconazole	NOT	Guinea	No MRL	NOT	NO	NO
	APPLICABI	L <b>f</b> owl	required	APPLICABI	ÆNTRY	ENTRY
Paromomyci	rParomomyci	nAll food producing species	500 μg/kg 1 500 μg/ kg 1 500 μg/ kg	Muscle Liver Kidney	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for liver and kidney do not apply to fin fish. Not for use in animals from which milk or eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Peforelin	NOT	Porcine	No MRL	NOT	NO	NO
	APPLICABI	LE	required	APPLICABI	LENTRY	ENTRY
[ <sup>F34</sup> Pegylated bovine granulocyte colony stimulating factor	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	NO LENTRY	Biological/ Immunomodulator]
Penethamate	Benzylpenic	il <b>AiH</b> mammalian food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 4 μg/kg	Muscle Fat Liver Kidney Milk	For porcine species the fat MRL relates to 'skin and fat in natural proportions'	Anti- infectious agents/ Antibiotics

Pepsin	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO FNTRY	NO ENTRY
	ATTLICADI	species	lequired	AITLICADI		
Peracetic acid	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Permethrin	Permethrin (sum of isomers)	Bovine	50 μg/kg 500 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For milk further provisions in Commission Directive 98/82/EC are to be observed.	Antiparasitic agents/ Agents against ectoparasites
Phenol	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F35</sup> Phenoxy	nBtiqyipænicett	<b>Repenie</b> illin	25 µg/kg	Muscle	NO	Anti-
			25 µg/kg	Liver	ENTRY	infectious agents/
			25 µg/kg	Kidney		Antibiotics
		Poultry	25 µg/kg	Muscle	_	
			25 µg/kg	Skin and fat		
			25 µg/kg	Liver		
			25 µg/kg	Kidney		
			25 µg/kg	Eggs]		
Phenylalanir	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Phloroglucir	dNOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F36</sup> Phoxim	Phoxim	All food- producing species except fin fish.	25 μg/kg 550 μg/kg 50 μg/kg 30 μg/kg 60 μg/kg	Muscle Fat Liver Kidney Eggs	For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which	Antiparasitic agents/ Agents against ectoparasites.

Phytolacca americana	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	milk is produced for human consumption For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopot at concentration in the products not exceeding one part per thousand only.	NO ENTRY eias,
Phytomenad	ið HØT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Piceae turiones recentes extractum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For oral use	NO ENTRY
Piperazine	Piperazine	Porcine	400 μg/kg 800 μg/kg 2 000 μg/ kg 1 000 μg/ kg	Muscle Skin and fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against endoparasites
		Chicken	2 000 μg/ kg	Eggs		
Piperazine dihydrochlor	NOT TAPPLICABI	Chicken LE	No MRL required for all tissues except eggs	NOT APPLICABI	NO LENTRY	NO ENTRY
Piperonyl butoxide	NOT APPLICABI	Bovine, Evine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Pirlimycin	Pirlimycin	Bovine	100 μg/kg 100 μg/kg	Muscle Fat	NO ENTRY	Anti- infectious

			1 000 μg/ kg 400 μg/kg 100 μg/kg	Liver Kidney Milk		agents/ Antibiotics
Policresulen	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Poloxalene	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Poloxamer	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polyethylene glycol 15 hydroxystear	APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyethylene glycol 7 glyceryl cocoate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical For topical	NO ENTRY
Polyethylene glycol stearates with 8-40 oxyethylene units	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyethylene glycols (molecular weight ranging from 200 to 10 000)	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polyoxyethy sorbitan monooleate and trioleate	IÈNOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polyoxyl castor oil with 30 to 40 oxyethylene units	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Polyoxyl hydrogenated castor	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY

oil with 40 to 60 oxyethylene units						
Polysorbate 80	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Polysulphate glycosamino	dNOT gAjRahICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium DL- aspartate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Potassium glucuronate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium glycerophosj	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium nitrate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Potassium selenate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Praziquantel	NOT APPLICABI	Ovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO ÆNTRY	NO ENTRY
[ <sup>F37</sup> Prednisol	ohrednisolone	Bovine	4 μg/kg	Muscle	NO	Corticoids/
			4 μg/kg	Fat	ENTRY	Glucocorticoids
			10 µg/kg	Liver		
			10 µg/kg	Kidney		
			6 μg/kg	Milk		
		Equidae	4 μg/kg	Muscle		
			8 μg/kg	Fat		
			6 μg/kg	Liver		
			15 µg/kg	Kidney]		
Pregnant mare serum gonadotroph	NOT APPLICABI in	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Prethcamide (crotethamid and cropropamid	eAPPLICABI	All Frammalian food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

		producing species				
Procaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Progesterone	NOT APPLICABI	Bovine, Devine, caprine, <i>Equidae</i> (female)	No MRL required	NOT APPLICABI	Only for Entravaginal therapeutic or zootechnical use and in accordance with the provisions of Directive 96/22/EC.	NO ENTRY
Proline	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Propane	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F38</sup> Propyl 4- hydroxybenz and its sodium salt	NOT APPLICABI toate	All food Forducing species	No MRL required	NOT APPLICABI	For use as a perservative only	NO ENTRY]
Propylene glycol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Prunus laurocerasus	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Foreopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per thousand only.	eias

[ <sup>F39</sup> Purified semi-solid extract from <i>Humulus</i> <i>lupulus L.</i> containing approximate 48 % of beta acids (as potassium salts)	NOT APPLICABI	Bees LE	No MRL required	Honey	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites]
Pyrantel embonate	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
<i>Pyrethrum</i> extract	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Juese only.	NO ENTRY
2- Pyrrolidone	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	At parenteral doses up to 40 mg/ kg bw.	NO ENTRY
Quatresin	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use as preservative only at concentration of up to 0,5 %.	
Quercus cortex	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
<i>Quillaia</i> saponins	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F40</sup> Rafoxani	dRafoxanide	Bovine	30 μg/kg 30 μg/kg 10 μg/kg 40 μg/kg	Muscle Fat Liver Kidney	NO ENTRY	Antiparasitic agents/ Agents against
		Ovine	100 μg/kg 250 μg/kg 150 μg/kg 150 μg/kg	Muscle Fat Liver Kidney		endoparasites
		Bovine, ovine	10 μg/kg	Milk	Provisional MRL shall expire on 31	

					December 2017]	
<i>Rhei radix,</i> standardised extracts and preparations thereof	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ricini oleum	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY
Rifaximin	Rifaximin	Bovine	60 µg/kg	Milk	NO ENTRY	Anti- infectious
	NOT APPLICABI	Bovine LE	No MRL required for all tissues except milk	NOT APPLICABI	For For Fatramamma use, except if the udder may be used as food for human consumption and intrauterine use only.	-
		All mammalian food producing species	No MRL required	NOT APPLICABI	For topical Jurse only.	
Romifidine	NOT APPLICABI	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Herapeutic uses only.	NO ENTRY
Rosmarini aetheroleum	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Rosmarini folium	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Ruscus aculeatus	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Ruta graveolens	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For use in Fromeopathic veterinary medicinal products prepared	NO ENTRY

					according to homeopathic pharmacopoe at concentration in the products not exceeding one part per thousand only. Not for use in animals from which milk is produced for human consumption	15
Salicylic acid	NOT APPLICABI	All food producing species except fin fish	No MRL required	NOT APPLICABI	For topical Here only.	NO ENTRY
Salviae folium	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sambuci flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sarafloxacin	Sarafloxacin	Chicken	10 μg/kg 100 μg/kg	Skin and fat Liver	Not for use in animals from which	Anti- infectious agents/
		Salmonidae	30 µg/kg	Muscle and skin in natural proportions	eggs are produced for human consumption	Antibiotics
Selenicereus grandiflorus		All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration	eias,

					in the products not exceeding one part per hundred only.	
Serenoa repens	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Forneopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15
Serine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Serotonin	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Silybum marianum	NOT APPLICAB	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondint to the mother tincture and dilutions	eias 15

					thereof only.	
Sinapis nigrae semen	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F41</sup> Sisaproni	[Sisapronil	Bovine, caprine	100 μg/kg 2 000 μg/ kg 200 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	Not for use in animals from which milk is produced for human consumption	Antiparasitic agents/ Agents against ectoparasites]
Sodium 2- methyl-2- phenoxy- propanoate	NOT APPLICABI	Bovine, Forcine, caprine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium acetylsalicyl	NOT at&PPLICABI	All food producing species except fin fish	No MRL required	NOT APPLICABI	Not for use In animals from which milk or eggs are produced for human consumption	NO ENTRY
Sodium benzyl 4- hydroxybenz	NOT APPLICABI toate	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Sodium boroformiate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium butyl 4- hydroxybenz	NOT APPLICABI oate	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium cetostearyl sulphate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Sodium chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium chlorite	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Sodium cromoglycat	NOT eAPPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Sodium dichloroisocy	NOT V <b>ARPI</b> LIECABI	Bovine, Ævine, caprine	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Sodium dioctylsulpho	NOT SAIRPINETEABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium formaldehyd	NOT eAI₽₽ħ₫€yA₽₿₫	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium glycerophosp	NOT MARPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium hypophosphi	NOT t&PPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Sodium lauryl sulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Sodium nitrite	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For topical Juse only.	NO ENTRY
Sodium propionate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium pyrosulphite	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F42</sup> Sodium salicylate	NOT APPLICABI	Bovine, Forcine	No MRL required	NOT APPLICABI	For oral Juse. Not for use in animals from which milk is produced for human consumption	NO ENTRY
		All food producing species except fin fish	No MRL required	NOT APPLICABI	For topical Juse only.	
	Salicylic acid	Turkey	400 μg/kg 2 500 μg/ kg 200 μg/kg 150 μg/kg	Muscle Skin and fat in natural proportions Liver Kidney	Not for use in animals producing eggs for human consumption	Anti- inflammatory agents/ Non- steroidal .anti-

						inflammatory agents]
Sodium selenate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium selenite	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium stearate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sodium thiosulphate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Solidago virgaurea	NOT APPLICAB	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondin to the mother tincture and dilutions thereof only.	eias 15
Somatosalm	NOT APPLICABI	Salmon LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sorbitan sesquioleate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Sorbitan trioleate	NOT APPLICABI	All food- Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Spectinomyc	in pectinomy	iovine	300 μg/kg 500 μg/kg 2 000 μg/ kg 5 000 μg/ kg 200 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin	Anti- infectious agents/ Antibiotics

		All other food producing species	300 μg/kg 500 μg/kg 1 000 μg/ kg 5 000 μg/ kg 200 μg/kg	Muscle Fat Liver Kidney Milk	in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Spiramycin	Sum of spiramycin and neospiramyc	Bovine	200 μg/kg 300 μg/kg 300 μg/kg 300 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Anti- infectious agents/ Antibiotics
		Chicken	200 μg/kg 300 μg/kg 400 μg/kg	Muscle Skin and fat Liver	Not for use in animals from which eggs are produced for human consumption	
	Spiramycin 1	Porcine	250 μg/kg 2 000 μg/ kg 1 000 μg/ kg	Muscle Liver Kidney	NO ENTRY	
Streptomycir	nStreptomycii	nAll ruminants, porcine, rabbit	500 μg/kg 500 μg/kg 500 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney	For porcine species the fat MRL relates to 'skin	Anti- infectious agents/ Antibiotics
		All ruminants	200 µg/kg	Milk	and fat in natural proportions'.	

Strychni semen	NOT APPLICABI	Bovine, Evine, caprine	No MRL required	NOT APPLICABI	For oral fise only at doses up to the equivalent of 0,1 mg strychnine/ kg bw.	NO ENTRY
Strychnine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For oral Herese only at dose to 0,1 mg/ kg bw.	NO ENTRY
Substances used in homeopathic veterinary medicines	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	All Fubstances used in homeopathic veterinary medicinal products provided that their concentration in the product does not exceed one part per ten thousand.	
Sulfogaiacol	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
(all substances belonging	sParent drug	All food- producing species	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney	The combined total residues	Anti- infectious agents/ Chemotheurapeutics/
to the sulfonamide group)		Bovine, ovine, caprine	100 μg/kg	Milk	of all substances within the sulfonamide group should not exceed 100 µg/kg. For fin fish the muscle MRL relates to 'muscle and skin	

					in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. Not for use in animals from which eggs are produced for human consumption	
Sulphur	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Symphyti radix	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	For topical Frese on intact skin only.	NO ENTRY
<i>Syzygium</i> <i>cumini</i>	NOT APPLICABI	species	No MRL required		For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoo at concentration correspondint to the mother tincture and dilutions thereof only.	eias ns g
Tanninum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
L-tartaric acid and its mono- and di-basic salt of sodium, potassium	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use as Excipient.	NO ENTRY

and calcium						
Tau fluvalinate	NOT APPLICABI	Bees LE	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Teflubenzuro	offeflubenzuro	Salmonidae	500 μg/kg	Muscle and skin in natural proportions	NO ENTRY	Antiparasitic agents/ Agents against ectoparasites
Terebinthina aetheroleum rectificatum	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical Firse only.	NO ENTRY
Terebinthina laricina	eNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For topical	NO ENTRY
Terpin hydrate	NOT APPLICABI	Bovine, Evine, caprine, porcine	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tetracaine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	For use as Anaesthetic only.	NO ENTRY
Tetracycline	Sum of parent drug and its 4- epimer	All food- producing species	100 μg/kg 300 μg/kg 600 μg/kg 100 μg/kg 200 μg/kg	Muscle Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions' MRLs for liver and kidney do not apply to fin fish.	Anti- infectious agents/ Antibiotics
Theobromin	eNOT APPLICAB	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Theophylline	NOT APPLICAB	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thiabendazo	lSum of thiabendazol and 5- hydroxythial	-	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites

Thiampheni	athiamphenic	All food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	For fin fish the muscle MRL relates to 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics
Thiamylal	NOT APPLICABI	All Internation food producing species	No MRL required	NOT APPLICABI	For Entravenous administratic only.	NO ENTRY m
Thioctic acid	NOT APPLICABI		No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thiomersal	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use Enly as preservatives in multidose vaccines at a concentration not exceeding 0,02 %.	

Thiopental sodium	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	For Intravenous administrationally.	NO ENTRY m
Threonine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thuja occidentalis	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per hundred only.	eias,
Thymi aetheroleum	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thymidine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Thymol	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tiamulin	Sum of metabolites	Porcine, rabbit	100 μg/kg 500 μg/kg	Muscle Liver	NO ENTRY	Anti- infectious
	hydrolysed to 8-α-		100 μg/kg 100 μg/kg 1 000 μg/ kg	Muscle Skin and fat Liver		agents/ Antibiotics
		Turkey	100 μg/kg 100 μg/kg 300 μg/kg	Muscle Skin and fat Liver		
	Tiamulin	Chicken	1 000 μg/ kg	Eggs		

Tiaprost	NOT APPLICABI	Bovine, Evine, porcine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F43</sup> Tildipiro	siTildipirosin	Bovine,	400 µg/kg	Muscle	Not for use	Anti-
		caprine	200 µg/kg	Fat	in animals from which	infectious agents/
			2 000 µg/ kg	Liver	milk is produced	Antibiotics
			3 000 μg/ kg	Kidney	for human consumption	•
		Porcine	1 200 μg/ kg	Muscle		
			800 µg/kg	Skin and fat in natural proportions		
			5 000 μg/ kg	Liver		
			10 000 μg/ kg	Kidney]		
Tiliae flos	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tilmicosin	Tilmicosin	Poultry	75 μg/kg 75 μg/kg 1 000 μg/ kg 250 μg/kg	Muscle Skin and fat Liver Kidney	For fin fish the muscle MRL relates to a 'muscle	Anti- infectious agents/ Antibiotics
		All other food producing species	50 µg/kg 50 µg/kg 1 000 µg/ kg 50 µg/kg	Muscle Fat Liver Kidney Milk	and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine species the fat MRL relates to 'skin and fat in natural proportions'. Not for use in animals	

					from which eggs are produced for human consumption		
Tiludronic acid (in the form of	NOT APPLICAB	<i>Equidae</i> LE	No MRL required	NOT APPLICABI	For Intravenous use only.	NO ENTRY	
disodium salt)		Poultry	No MRL required	NOT APPLICABI	For Farenteral use only and for use in laying and breeder birds only.		
Timerfonate	NOT APPLICAB	All food producing species	No MRL required	NOT APPLICABI	For use Enly as preservatives in multidose vaccines at a concentration not exceeding 0,02 %.		
Toldimfos	NOT APPLICAB	All food Deroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY	
Tolfenamic acid	Tolfenamic acid	Bovine, porcine	50 μg/kg 400 μg/kg 100 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- inflammatory agents/	
		Bovine	50 μg/kg	Milk		Nonsteroidal anti- inflammatory agents	
Toltrazuril	Toltrazuril sulfone	All mammalian food producing species	100 μg/kg 150 μg/kg 500 μg/kg 250 μg/kg	Muscle Fat Liver Kidney	species the fat MRLagents/ Agentsrelates to 'skinagainst	species the fat MRL relates	against
		Poultry	100 μg/kg 200 μg/kg 600 μg/kg 400 μg/kg	Muscle Skin and fat Liver Kidney		protozoa	

					for human consumption Not for use in animals from which eggs are produced for human consumption	
Tosylchlorar sodium	n <b>NI</b> OT APPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	For topical	NO ENTRY
		Fin fish	No MRL required	NOT APPLICABI	For water- Forne use only.	
Tragacanth	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tricaine mesilate	NOT APPLICABI	Fin fish LE	No MRL required	NOT APPLICABI	For water Forne use only.	NO ENTRY
Trichlormeth		All Inframmalian food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F44</sup> Triclaben	caunt of the extractable residues that may be oxidised to ketotriclaber	All ruminants dazole	225 μg/kg 100 μg/kg 250 μg/kg 150 μg/kg 10 μg/kg	Muscle Fat Liver Kidney Milk	NO ENTRY	Antiparasitic agents/ Agents against endoparasites]
Trimethoprii	nTrimethoprir	nEquidae	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg	Fat Muscle Liver Kidney	For fin fish the muscle MRL relates to	Anti- infectious agents/ Chemotheurapeutics
		All other food producing species	50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg 50 μg/kg	Muscle Fat Liver Kidney Milk	a 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL	

Status: Point in time view as at 25/01/2017.

**Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

					relates to 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption	
Trimethylph	MQTucinol APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F45</sup> Triptoreli acetate	nNOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO JENTRY	Agents acting on the reproductive system]
Trypsin	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Tryptophan	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F46</sup> Tulathron	n(2Rn3S,4R,5	ROSERNEOR,111	R41520Sµg∕kg	Muscle	Not for use	Anti-
	13S,14R)-2- ethyl-3,4,10,		250 µg/kg	Fat	in animals from which	infectious agents/
	tetra- hydroxy-3,5,	8,10,12,14-	5 400 μg/ kg	Liver	milk is produced	Antibiotics
	hexamethyl- [[3,4,6- trideoxy-3-	11-	1 800 μg/ kg	Kidney	for human consumption	
	(dimethy- lamino)-	Bovine	300 µg/kg	Muscle		
	β-D-xylo-		200 µg/kg	Fat		
	hexopyranos oxa-6- azacyclopent		4 500 μg/ kg	Liver		
	decan-15- one		3 000 μg/ kg	Kidney		
	expressed as	Porcine	800 µg/kg	Muscle		
	tulathromyci equivalents	n	300 µg/kg	Skin and fat in natural proportions		

			4 000 μg/ kg	Liver		
			8 000 μg/ kg	Kidney]		
Turnera diffusa	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration correspondin to the mother tincture and dilutions thereof only.	eias 1s
Tylosin	Tylosin A	All food producing species	100 μg/kg 100 μg/kg 100 μg/kg 100 μg/kg 50 μg/kg 200 μg/kg	Muscle Fat Liver Kidney Milk Eggs	For fin fish the muscle MRL relates to a 'muscle and skin in natural proportions'. MRLs for fat, liver and kidney do not apply to fin fish. For porcine and poultry species the fat MRL relates to 'skin and fat in natural proportions'.	Anti- infectious agents/ Antibiotics
[ <sup>F47</sup> Tylvalosii	nSum of tylvalosin	Porcine	50 µg/kg	Muscle	NO ENTRY	Anti- infectious
	and 3-O- acetyltylosin		50 µg/kg	Skin and fat		agents/ Antibiotics

			50 µg/kg	Liver		
			50 µg/kg	Kidney		
		Poultry	50 µg/kg	Skin and fat		
			50 µg/kg	Liver		
	Tylvalosin	Poultry	200 µg/kg	Eggs]		
Tyrosine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Urea	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Urginea maritima	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic pharmacopos at concentration in the products not exceeding one part per hundred only. For oral use only.	eias,
Uridine and its 5'- mono-5'- di- and 5'- triphosphates	NOT APPLICABI	All food Forducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Urticae herba	NOT APPLICABI	All food	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Valine	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
[ <sup>F48</sup> Valnemul	i¥alnemulin	Porcine, rabbit	50 μg/kg 500 μg/kg 100 μg/kg	Muscle Liver Kidney	NO ENTRY	Anti- infectious

						agents/ Antibiotics]
Vedaprofen	Vedaprofen	Equidae	50 μg/kg 20 μg/kg 100 μg/kg 1 000 μg/ kg	Muscle Fat Liver Kidney	NO ENTRY	Anti- inflammatory agents/ Nonsteroidal anti- inflammatory agents
Vetrabutine hydrochlorid	NOT ¢APPLICABI	Porcine LE	No MRL required	NOT APPLICABI	NO L <b>E</b> NTRY	NO ENTRY
Vincamine	NOT APPLICABI	Bovine LE	No MRL required	NOT APPLICABI	For use in frewborn animals only.	NO ENTRY
[ <sup>F49</sup> Virginian	Vinginiamyc factor S1	i <b>P</b> oultry	10 μg/kg 30 μg/kg 10 μg/kg 60 μg/kg	Muscle Skin and fat Liver Kidney	Not for use in animals from which eggs are produced for human consumption	Anti- infectious agents/ Antibiotics]
Virola sebifera	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Fomeopathic veterinary medicinal products prepared according to homeopathic pharmacopoe at concentration in the products not exceeding one part per thousand only.	eias,
Viscum album	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	For use in Formeopathic veterinary medicinal products prepared according to homeopathic	

Status: Point in time view as at 25/01/2017.

# **Changes to legislation:** There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010. (See end of Document for details)

					pharmacopoo at concentration correspondin to the mother tincture and dilutions thereof only.	ns
Vitamin A	NOT APPLICABI	All food- peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B1	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B2	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B3	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B5	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B6	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin B12	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin D	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Vitamin E	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Wool alcohols	NOT APPLICABI	All food peroducing species	No MRL required	NOT APPLICABI	For topical Ferse only.	NO ENTRY
Xylazine hydrochlorid	NOT eAPPLICABI	Bovine, <i>Equidae</i>	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc acetate	NOT APPLICABI	All food producing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

Zinc aspartate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc chloride	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc gluconate	NOT APPLICABI	All food Froducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc oleate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc oxide	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc stearate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY
Zinc sulphate	NOT APPLICABI	All food Foroducing species	No MRL required	NOT APPLICABI	NO LENTRY	NO ENTRY

## **Editorial Information**

**X1** Substituted by Corrigendum to Commission Regulation (EU) No 37/2010 of 22 December 2009 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin (Official Journal of the European Union L 15 of 20 January 2010).

### **Textual Amendments**

- F1 Substituted by Commission Implementing Regulation (EU) No 85/2012 of 1 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance altrenogest (Text with EEA relevance).
- **F2** Substituted by Commission Implementing Regulation (EU) 2016/2074 of 25 November 2016 amending Regulation (EU) No 37/2010 as regards the substance aluminium salicylate, basic (Text with EEA relevance).
- **F3** Substituted by Commission Implementing Regulation (EU) No 436/2012 of 23 May 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance azamethiphos (Text with EEA relevance).
- **F4** Substituted by Commission Implementing Regulation (EU) 2015/446 of 17 March 2015 amending Regulation (EU) No 37/2010 as regards the substance 'barium selenate' (Text with EEA relevance).
- F5 Substituted by Commission Implementing Regulation (EU) No 20/2014 of 10 January 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance butafosfan (Text with EEA relevance).
- **F6** Inserted by Commission Implementing Regulation (EU) No 677/2014 of 19 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'cabergoline' (Text with EEA relevance).

Document Generated. 2023-08-
Status: Point in time view as at 25/01/2017.
<b>Changes to legislation:</b> There are currently no known outstanding effects for
the Commission Regulation (EU) No 37/2010. (See end of Document for details)

- F7 Inserted by Commission Implementing Regulation (EU) No 19/2014 of 10 January 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance chloroform (Text with EEA relevance).
- **F8** Inserted by Commission Implementing Regulation (EU) 2015/1078 of 3 July 2015 amending Regulation (EU) No 37/2010 as regards the substance 'clodronic acid (in the form of disodium salt)' (Text with EEA relevance).
- **F9** Substituted by Commission Implementing Regulation (EU) No 683/2014 of 20 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'clorsulon' (Text with EEA relevance).
- **F10** Substituted by Commission Implementing Regulation (EU) No 682/2014 of 20 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'closantel' (Text with EEA relevance).
- **F11** Inserted by Commission Implementing Regulation (EU) 2016/710 of 12 May 2016 amending Regulation (EU) No 37/2010 as regards the substance 'copper carbonate' (Text with EEA relevance).
- **F12** Inserted by Commission Regulation (EU) No 890/2010 of 8 October 2010 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance derquantel (Text with EEA relevance).
- **F13** Substituted by Commission Implementing Regulation (EU) No 1235/2013 of 2 December 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance diclazuril (Text with EEA relevance).
- **F14** Substituted by Commission Implementing Regulation (EU) 2015/1820 of 9 October 2015 amending Regulation (EU) No 37/2010 as regards the substance 'Diethylene glycol monoethyl ether' (Text with EEA relevance).
- **F15** Inserted by Commission Implementing Regulation (EU) No 489/2013 of 27 May 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance double stranded ribonucleic acid homologous to viral ribonucleic acid coding for part of the coat protein and part of the intergenic region of the Israel Acute Paralysis Virus (Text with EEA relevance).
- **F16** Substituted by Commission Implementing Regulation (EU) 2015/151 of 30 January 2015 amending the Annex to Regulation (EU) No 37/2010 as regards the substance 'doxycycline' (Text with EEA relevance).
- **F17** Substituted by Commission Implementing Regulation (EU) 2016/885 of 3 June 2016 amending Regulation (EU) No 37/2010 as regards the substance 'eprinomectin' (Text with EEA relevance).
- **F18** Substituted by Commission Implementing Regulation (EU) No 1161/2012 of 7 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance fenbendazole (Text with EEA relevance).
- **F19** Substituted by Commission Implementing Regulation (EU) 2016/2045 of 23 November 2016 amending Regulation (EU) No 37/2010 as regards the substance gamithromycin (Text with EEA relevance).
- **F20** Substituted by Commission Implementing Regulation (EU) 2016/305 of 3 March 2016 amending Regulation (EU) No 37/2010 as regards the substance 'gentamicin' (Text with EEA relevance).
- **F21** Inserted by Commission Implementing Regulation (EU) 2015/1079 of 3 July 2015 amending Regulation (EU) No 37/2010 as regards the substance 'hexaflumuron' (Text with EEA relevance).
- **F22** Inserted by Commission Implementing Regulation (EU) 2016/1444 of 31 August 2016 amending Regulation (EU) No 37/2010 as regards the substance hydrocortisone aceponate (Text with EEA relevance).
- **F23** Inserted by Commission Regulation (EU) No 363/2011 of 13 April 2011 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance isoeugenol (Text with EEA relevance).
- **F24** Substituted by Commission Implementing Regulation (EU) No 418/2014 of 24 April 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification

regarding maximum residue limits in foodstuffs of animal origin, as regards the substance ivermectin (Text with EEA relevance).

- **F25** Substituted by Commission Implementing Regulation (EU) No 1277/2014 of 1 December 2014 amending Regulation (EU) No 37/2010, as regards the substance 'lasalocid' (Text with EEA relevance).
- **F26** Inserted by Commission Implementing Regulation (EU) No 967/2014 of 12 September 2014 amending Regulation (EU) No 37/2010, as regards the substance 'lufenuron' (Text with EEA relevance).
- **F27** Substituted by Commission Implementing Regulation (EU) No 1057/2013 of 29 October 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance manganese carbonate (Text with EEA relevance).
- **F28** Substituted by Commission Implementing Regulation (EU) 2015/149 of 30 January 2015 amending the Annex to Regulation (EU) No 37/2010 as regards the substance 'methylprednisolone' (Text with EEA relevance).
- **F29** Substituted by Commission Implementing Regulation (EU) No 59/2013 of 23 January 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance monensin (Text with EEA relevance).
- **F30** Substituted by Commission Implementing Regulation (EU) 2016/1834 of 17 October 2016 amending Regulation (EU) No 37/2010 as regards the substance monepantel (Text with EEA relevance).
- **F31** Substituted by Commission Implementing Regulation (EU) No 1056/2013 of 29 October 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance neomycin (Text with EEA relevance).
- **F32** Substituted by Commission Implementing Regulation (EU) No 201/2012 of 8 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance nitroxinil (Text with EEA relevance).
- **F33** Inserted by Commission Implementing Regulation (EU) No 107/2012 of 8 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance octenidine dihydrochloride (Text with EEA relevance).
- **F34** Inserted by Commission Implementing Regulation (EU) No 202/2012 of 8 March 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance pegylated bovine granulocyte colony stimulating factor (Text with EEA relevance).
- **F35** Substituted by Commission Implementing Regulation (EU) No 84/2012 of 1 February 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance phenoxymethylpenicillin (Text with EEA relevance).
- **F36** Substituted by Commission Implementing Regulation (EU) No 1186/2012 of 11 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance phoxim (Text with EEA relevance).
- **F37** Substituted by Commission Implementing Regulation (EU) No 406/2013 of 2 May 2013 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance prednisolone (Text with EEA relevance).
- **F38** Inserted by Commission Implementing Regulation (EU) 2015/1080 of 3 July 2015 amending Regulation (EU) No 37/2010 as regards the substance 'propyl 4-hydroxybenzoate and its sodium salt' (Text with EEA relevance).
- **F39** Inserted by Commission Implementing Regulation (EU) 2016/129 of 1 February 2016 amending Regulation (EU) No 37/2010 as regards the substance 'Purified semi-solid extract from Humulus lupulus L. containing approximately 48 % of beta acids (as potassium salts)' (Text with EEA relevance).

Document Generated: 2023-08
Status: Point in time view as at 25/01/2017.
<b>Changes to legislation:</b> There are currently no known outstanding effects for
the Commission Regulation (EU) No 37/2010. (See end of Document for details)

- **F40** Substituted by Commission Implementing Regulation (EU) 2016/576 of 14 April 2016 amending Regulation (EU) No 37/2010 as regards the substance 'rafoxanide' (Text with EEA relevance).
- **F41** Inserted by Commission Implementing Regulation (EU) 2015/2062 of 17 November 2015 amending Regulation (EU) No 37/2010 as regards the substance 'sisapronil' (Text with EEA relevance).
- **F42** Substituted by Commission Implementing Regulation (EU) No 1191/2012 of 12 December 2012 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance sodium salicylate (Text with EEA relevance).
- **F43** Substituted by Commission Implementing Regulation (EU) No 201/2014 of 3 March 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance tildipirosin (Text with EEA relevance).
- **F44** Substituted by Commission Implementing Regulation (EU) No 676/2014 of 19 June 2014 amending Regulation (EU) No 37/2010, as regards the substance 'triclabendazole' (Text with EEA relevance).
- **F45** Inserted by Commission Implementing Regulation (EU) No 200/2014 of 3 March 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance triptorelin acetate (Text with EEA relevance).
- **F46** Substituted by Commission Implementing Regulation (EU) 2015/394 of 10 March 2015 amending the Annex to Regulation (EU) No 37/2010 as regards the substance 'tulathromycin' (Text with EEA relevance).
- **F47** Substituted by Commission Implementing Regulation (EU) 2016/312 of 4 March 2016 correcting Regulation (EU) No 37/2010 as regards the substance 'tylvalosin' (Text with EEA relevance).

**F48** Substituted by Commission Regulation (EU) No 758/2010 of 24 August 2010 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance valuemulin (Text with EEA relevance).

**F49** Inserted by Commission Implementing Regulation (EU) 2015/1491 of 3 September 2015 amending Regulation (EU) No 37/2010 as regards the substance 'virginiamycin' (Text with EEA relevance).

TABLE 2
---------

Prohibited st	ubstances
---------------	-----------

Pharmacologically active substance	MRL
Aristolochia spp. and preparations thereof	MRL cannot be established
Chloramphenicol	MRL cannot be established
[ <sup>F50</sup> ]	
Chlorpromazine	MRL cannot be established
Colchicine	MRL cannot be established
Dapsone	MRL cannot be established
Dimetridazole	MRL cannot be established
Metronidazole	MRL cannot be established
Nitrofurans (including furazolidone)	MRL cannot be established
Ronidazole	MRL cannot be established

## **Textual Amendments**

**F50** Deleted by Commission Implementing Regulation (EU) No 19/2014 of 10 January 2014 amending the Annex to Regulation (EU) No 37/2010 on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin, as regards the substance chloroform (Text with EEA relevance).

- (**1**) OJ L 152, 16.6.2009, p. 11.
- (**2**) OJ L 224, 18.8.1990, p. 1.

## Status:

Point in time view as at 25/01/2017.

## Changes to legislation:

There are currently no known outstanding effects for the Commission Regulation (EU) No 37/2010.