Commission Implementing Regulation (EU) 2020/2116 of 16 December 2020 concerning the renewal of the authorisation of L-histidine monohydrochloride monohydrate produced by Escherichia coli ATCC 9637 as a feed additive for salmonids and its extension of use to other finfish, and repealing Regulation (EC) No 244/2007 (Text with EEA relevance)

COMMISSION IMPLEMENTING REGULATION (EU) 2020/2116

of 16 December 2020

concerning the renewal of the authorisation of L-histidine monohydrochloride monohydrate produced by *Escherichia coli* ATCC 9637 as a feed additive for salmonids and its extension of use to other finfish, and repealing Regulation (EC) No 244/2007

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 1831/2003 of the European Parliament and of the Council of 22 September 2003 on additives for use in animal nutrition⁽¹⁾, and in particular Article 9(2) thereof,

Whereas:

- (1) Regulation (EC) No 1831/2003 provides for the authorisation of additives for use in animal nutrition and for the grounds and procedures for granting and renewing such authorisation.
- (2) L-histidine monohydrochloride monohydrate produced by *Escherichia coli* ATCC 9637 was authorised for 10 years as a feed additive for salmonids by Commission Regulation (EC) No 244/2007⁽²⁾.
- (3) In accordance with Article 14(1) of Regulation (EC) No 1831/2003, an application was submitted for the renewal of the authorisation of L-histidine monohydrochloride monohydrate produced by *Escherichia coli* ATCC 9637 as a feed additive for salmonids. The application included a request to change the strain designation to *Escherichia coli* NITE SD 00268 and was accompanied by the particulars and documents required under Article 14(2) of that Regulation. In addition, in accordance with Article 7 of that Regulation, the application requested an extension of use to other finfish. The application was accompanied by the particulars and documents required under Article 7(3) of Regulation (EC) No 1831/2003.
- (4) The European Food Safety Authority ('the Authority') concluded in its opinion of 18 March 2020⁽³⁾ that, under the proposed conditions of use, L-histidine monohydrochloride monohydrate produced by *Escherichia coli* NITE SD 00268, when supplemented at levels appropriate to the requirements of the target species, does not have an adverse effect on animal health, consumer health or the environment. The

Status: Point in time view as at 16/12/2020.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2020/2116. (See end of Document for details)

Authority also concluded that while the additive in question is not a skin irritant, it was not possible to conclude on the potential for the additive to be toxic if inhaled, an irritant to eyes or a skin sensitiser. Therefore, the Commission considers that appropriate protective measures should be taken to prevent adverse effects on human health, in particular as regards the users of the additive. The Authority also concluded that the additive is an efficacious source of the amino acid histidine for fish species. The Authority does not consider that there is a need for specific requirements of post-market monitoring. It also verified the reports on the method of analysis of the feed additive in feed submitted by the Reference Laboratory set up by Regulation (EC) No 1831/2003.

- (5) The assessment of L-histidine monohydrochloride monohydrate produced by *Escherichia coli* NITE SD 00268 shows that the conditions for authorisation, as provided for in Article 5 of Regulation (EC) No 1831/2003, are satisfied. Accordingly, the use of this additive should be authorised as specified in the Annex to this Regulation.
- (6) As a consequence of the renewal of the authorisation of L-histidine monohydrochloride monohydrate produced by *Escherichia coli* ATCC 9637 as a feed additive under the conditions laid down in the Annex to this Regulation, Regulation (EC) No 244/2007 should be repealed.
- (7) Since safety reasons do not require the immediate application of the modifications to the conditions of authorisation for L-histidine monohydrochloride monohydrate produced by *Escherichia coli* ATCC 9637, it is appropriate to provide for a transitional period to allow interested parties to prepare to meet the new requirements resulting from the renewal of the authorisation.
- (8) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Plants, Animals, Food and Feed,

HAS ADOPTED THIS REGULATION:

Article 1

The authorisation of L-histidine monohydrochloride monohydrate produced by *Escherichia coli* ATCC 9637, belonging to the additive category 'nutritional additives' and to the functional group 'amino acids, their salts and analogues', is renewed subject to the conditions laid down in the Annex.

Article 2

- 1 L-histidine monohydrochloride monohydrate produced by *Escherichia coli* ATCC 9637 and premixtures containing it, which are produced and labelled before 6 July 2021 in accordance with the rules applicable before 6 January 2021 may continue to be placed on the market and used until the existing stocks are exhausted.
- 2 Feed materials and compound feed containing the substances referred to in point 1, which are produced and labelled before 6 January 2022 in accordance with the rules applicable before 6 January 2021 may continue to be placed on the market and used until the existing stocks are exhausted if they are intended for salmonids.

Article 3

Regulation (EC) No 244/2007 is repealed.

Status: Point in time view as at 16/12/2020.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2020/2116. (See end of Document for details)

Article 4

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 16 December 2020.

For the Commission

The President

Ursula VON DER LEYEN

Status: Point in time view as at 16/12/2020.

Changes to legislation: There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2020/2116. (See end of Document for details)

ANNEX

Identific number of the additive	of the holder		descrip	alor a,categor ti of i, ca h nimal	age y		content of te th ure		End onsf period of authorisation
Category of nutritional additives. Functional group: amino acids, their salts and									

Category of nutritional additives. Functional group: amino acids, their salts and analogues.

c351	L- Additive Finfish	1.	6-
	histidine <i>composition:</i>		Janudine
	monohyd Rockidenide		2003 nlohydrochlorid
	monohydraith a		monohydrate
	minimum		may
	content		be
	of		placed
	98		on
	% L-		the
	histidine		market
	monohydrochloride		and
	monohydrate		used
	and		as
	72 %		an
	histidine		additive
	and		consisting
	a		of
	maximum		a
	content		preparation.
	of 100	2.	In
	ppm		the
	histamine		directions
	Characterisation		for
	of the		use
	active		of
	substance:		the
	L-		additive
	histidine		and
	monohydrochloride		premixture,
	monohydrate		the
	produced		storage
	by		conditions
	fermentation		and
	with		the
	Escherichia		stability
	coli		to
	NITE		heat
	NIIL		treatment

a Details of the analytical methods are available at the following address of the Reference Laboratory: https://ec.europa.eu/jrc/en/eurl/feed-additives/evaluation-reports

Status: Point in time view as at 16/12/2020.

SD 00268 Chemical formula: C3HsN2- CH2- CH2- CH2- CHNH3- CH(NH3-)- COOH- HC1- H2- H2- H3- CAS number: 5934-29-2 Einecs number 211-438-9 Analytical method* For the quantification of histidine in the feed additive: — performance liquid chromatography coupled with photometric detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (HEC- VIS/ FLD) shall be indicated. Declaration to be indicated. Declaration the the label of the label of fruititie additive and premixture: — "The supplementation with L- histidine monohydrochloride monohydrate shall be limited to to the nutritional requirements of to the target animal, which depend on the species, the on on the species, the animal, the physiological state of the animal, the physiological state of the environmental conditions,	1	1	1	1		1
Chemical formula: C3HsN2- CH2- CH2- CH(NH3)- COOH- HC1- H2O CAS number: 5934-29-2 Einees number 211-438-9 Analytical method* For the quantification of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC-UV) — ion exchange chromatography coupled with posts- column derivatisation and optical detection (HEC-UVS) (HEC-UVS						
formula: C ₃ H ₃ N ₂ - CH ₂ - CH(NH ₃)- COOH- HCl- H ₂ O CAS number: 5934-29-2 Eineces number 211-438-9 Analytical method* For the quantification of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (HEC- UVS) Wish Declaration to to the made on the label of the supplementation with L- histidine monohydrochloride monohydrochloride monohydrate shall be limited to to the nutritional requirements of the target animal, which depend on the species, the physiological state of the animal, the optical detection (HEC- VIS)						
C3H3N2- CH2- CH(NHz)- COOH- HC1- H2O CAS number: 5934-29-2 Einecs number 211-438-9 Analytical method* For the quantification of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (HEC- VIS/) Lot be made on the label of for the additive additive — 'The supplementation with L- histidine monohydrochoride monohydrochoride monohydrochoride monohydrochoride on on with to the nutritional requirements of the nutritional requirements of of the target animal, which depend on the species, the physiological state of the animal, the animal, the of the animal, the performance level, the environmental		Chemica	1			indicated.
CH2- CH(NH2)- COOH- HCI- H2O CAS number: 5934-29-2 Einecs number 211-438-9 Analytical method* For the quantification of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (HEC- VIS/ VIS/ Emace made on the made of the supplementation with L- histidine monohydrate shall be limited to the nutritional requirements of the nutritional requirements of the animal, which depend on the supplementation with uth L- histidine monohydrate shall be limited to the on the nutritional requirements of the animal, which depend on the target animal, which depend on the target animal, the optical detection the physiological state of the animal, the of the performance level, the environmental		formula:			3.	Declaration
CH2- CH(NH2)- COOH- HCI- H2O CAS number: 5934-29-2 Einecs number 211-438-9 Analytical method* For the quantification of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (HEC- VIS/ VIS/ Emace made on the made of the supplementation with L- histidine monohydrate shall be limited to the nutritional requirements of the nutritional requirements of the animal, which depend on the supplementation with uth L- histidine monohydrate shall be limited to the on the nutritional requirements of the animal, which depend on the target animal, which depend on the target animal, the optical detection the physiological state of the animal, the of the performance level, the environmental						to
CH(NH ₂)- COOH HC! H ₂ O CAS number: 5934-29-2 Einees number 211-438-9 Analytical method* For the quantification of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (HEC- VIS/ VIS/ made on the label of the additive and be limited to the nutritional requirements of the nutritional requirements of the animal, which depend on the species, the physiological state of the animal, the post- column derivatisation and optical detection (HEC- VIS/ VIS/ VIS/ VIS/ VIS/ VIS/ VIS/ VIS/		I I				
COOH-HCI-H ₂ O CAS number: 5934-29-2 Einees number 211-438-9 Analytical method* For the quantification of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC-UV) — ion exchange chromatography coupled with post-column derivatisation and optical detection (HPC-UVIS) - COOH-HCI-Habel label of the additive and premixture: — 'The supplementation with L-histidine monohydrochloride monohydrochloride monohydrochloride monohydrate shall be limited to the nutritional requirements of the nutritional requirements of the starget animal, which depend on the species, the column on the physiological state of column derivatisation and optical detection (IEC-VIS)						
HCI- H-O CAS number: 5934-29-2 Einees number 211-438-9 Analytical method* For the quantification of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (HEC- UV) With post- column derivatisation and optical detection (HEC- VIS/ VIS/ VIS/ VIS/ VIS/ VIS/ VIS/ VIS/)-			
H2O CAS number: 5934-29-2 Einecs number 211-438-9 Analytical method* For the quantification of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (HEC- UVS) — iof label of the additive additive and premixture: — 'The supplementation with L- histidine monohydrochloride monohydrate shall be limited to to the nutritional requirements of the nutritional requirements of the supplementation with L- histidine monohydrate shall be limited to the nutritional requirements of the animal, the physiological state of the species, the column the animal, the post- column derivatisation and optical detection (IEC- VIS/ VIS/ environmental						
CAS number: 5934-29-2 Einecs number 211-438-9 Analytical method* For the quantification of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (HEC- UVI) — ion exchange chromatography coupled with post- column derivatisation and optical detection (HEC- VIS/						
CAS number: 5934-29-2 Einecs number 211-438-9 Analytical method* For the quantification of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (IEC- VIS/ VIS/ - ion or the additive and premixture: — 'The supplementation with L- histidine monohydrate shall to to the supplementation with to to the supplementation with to to the supplementation with to to the spell shall to to the the nutritional requirements of the target animal, which depend on the species, the species, the of the species the physiological state of the sperformance level, the environmental		H_2O				
number: 5934-29-2 Einees number 211-438-9 Analytical method* For the quantification of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (IEC- VIS/ Vision Ithe additive and additive and premixture: — 'The supplementation with L- histidine monohydrochloride monohydrate shall be limited to the monohydrate shall be limited animal be tequirements of the animal, the species, the of the species, the species, the of the species, the species, the of the species, the species, the of the species, the species						
S934-29-2 Einecs number 211-438-9		I I				
Einecs number 211-438-9 Analytical method* For the quantification of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC-UV) — ion exchange chromatography coupled with post-column derivatisation and optical detection (IEC-VIS/			2			additive
number 211-438-9 Analytical method* For the quantification of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC-UV) — ion exchange chromatography coupled with post-column derivatisation and optical detection (IEC-VIS/ — iThe supplementation with L-histidine monohydrochloride monohydrate shall be limited and to to the nutritional requirements of the nutritional requirements of the sarget animal, which depend on the species, the species, the physiological state performance level, the level, the environmental						and
Analytical method* For the quantification of histidine in the feed additive: high performance liquid chromatography coupled with photometric detection (HPLC-UV) ion exchange chromatography coupled with post-column derivatisation and optical detection (IEC-VIS/ VIS/ Experimentation with with post-column derivatisation and optical detection (IEC-VIS/ VIS/ Experimentation with with performance iquid to the nutritional requirements of the nutritional requirements						premixture:
Analytical method* For the quantification of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (IEC- VIS/ VIS/ supplementation with L- histidine monohydrachloride monohydrate shall be limited to the nutritional requirements of the animal, which depend on the species, the of the animal, the physiological state of the derivatisation and optical detection (IEC- VIS/ with port- column derivatisation and optical detection (IEC- VIS/ environmental						
### Analytical method* For the quantification of histidine in the feed additive:		211-438-	9			I
method For the quantification of monohydrochloride monohydrochloride monohydrate shall be feed additive: high to to the nutritional requirements of the target animal, detection the exchange chromatography coupled with photometric detection the species, the column derivatisation and optical detection (IEC VIS/ environmental		Analytic	al			
For the quantification of histidine monohydrochloride monohydrochloride monohydrate shall be limited additive: — high performance liquid chromatography coupled with photometric detection (HPLC-UV) — ion exchange chromatography coupled with post-coupled with post-column derivatisation and optical detection (IEC-VIS/) — (IEC-VIS/) Histidine monohydrochloride shall be limited to to the limited to the limited to to the limited to to the limited to to the limited to the limited to to the limited to to the limited to the limited to the limited to the limited to to the limited to to the limited						
quantification of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (IEC- VIS/ Windowship monohydrochloride monohydrate shall be limited to the nutritional requirements of the depend target animal, which depend on the species, the physiological state of the physiological state the performance level, the environmental						
of histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC-UV) — ion exchange chromatography coupled with post-column derivatisation and optical detection (IEC-VIS/ Maintended Shall be shall be limited shall be limited to to the nutritional requirements of			_4:			
histidine in the feed additive: — high performance liquid chromatography coupled with photometric detection (HPLC-UV) — ion exchange chromatography coupled with post-column derivatisation and optical detection (IEC-VIS/ high the limited to to the limited to to the nutritional requirements of the nutritional requirements of animal, which depend to the physiological state physiological state physiological state of the animal, the environmental the environmental			ation			
in the feed additive:						
feed additive:						
additive: — high performance liquid chromatography coupled with photometric detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (IEC- VIS/ to the nutritional requirements of the animal, deted depend on the species, the physiological state pof to the animal, the performance level, the column the environmental						
- high performance liquid chromatography coupled with photometric detection (HPLC-UV) on the exchange chromatography coupled with phosphare column derivatisation and optical detection (IEC-VIS/						limited
performance liquid chromatography coupled with photometric detection (HPLC-UV) — ion exchange chromatography coupled with post-column derivatisation and optical detection (IEC-VIS/ — iverformance in nutritional requirements of coft the target animal, which depend up the target animal, requirements of the target animal, animal requirements of the target animal, the performance level, the environmental		additive:				to
performance liquid chromatography coupled with photometric detection (HPLC-UV) — ion exchange chromatography coupled with post-column derivatisation and optical detection (IEC-VIS/ — iverformance in nutritional requirements of coft the target animal, which depend up the target animal, requirements of the target animal, animal requirements of the target animal, the performance level, the environmental		_	high			the
liquid chromatography coupled with the target photometric detection (HPLC-UV) on the exchange chromatography coupled with post-column derivatisation and optical detection (IEC-VIS/						nutritional
chromatography coupled with photometric detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (IEC- VIS/ coupled with post- column derivatisation and optical detection (IEC- VIS/ coupled with post- column derivatisation and optical detection (IEC- VIS/ conpled with post- column derivatisation and optical detection (IEC- VIS/ conpled which target animal, the the target animal, the perper animal, the performance level, the environmental						
coupled with photometric detection (HPLC-UV) — ion exchange chromatography coupled with post-column derivatisation and optical detection (IEC-VIS/						of
with photometric detection (HPLC-UV) — ion exchange chromatography coupled with post-column derivatisation and optical detection (IEC-VIS/ Which animal, which depend on the species, the physiological state of the animal, the performance level, the environmental						
photometric detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (IEC- VIS/ photometric animal, which depend on the species, the physiological state of the animal, the performance level, the environmental						
detection (HPLC- UV) — ion exchange chromatography coupled with post- column derivatisation and optical optical detection (IEC- VIS/ which depend on the species, the physiological state of the animal, the performance level, the environmental						
(HPLC-UV) — ion exchange chromatography coupled with post- column derivatisation and optical depend on the species, the physiological state of the animal, the performance detection (IEC- VIS/ idepend on the species, the physiological state of the environmental						
UV) — ion exchange chromatography coupled with post- column derivatisation and optical detection (IEC- VIS/ — ion the species, the physiological physiological state of the animal, the performance level, the environmental						
- ion exchange chromatography coupled with post-column derivatisation and optical detection (IEC-VIS/						_
exchange chromatography coupled with post-column derivatisation and optical detection (IEC-VIS/			l . ′ l			
chromatography coupled with post- column derivatisation and optical detection (IEC- VIS/ coupled physiological state pof cof animal, the performance level, the vIS/ the physiological state physiological state of performance the performance level, the environmental		_				I
coupled with state post- column derivatisation and optical detection (IEC- VIS/ physiological physiological state of state of animal, the performance level, the vIS/			exchange			
with post- column derivatisation and optical detection (IEC- VIS/ with state of of animal, the performance level, the vision			chromatography			
with post- column derivatisation and optical detection (IEC- VIS/ with state of the animal, the performance level, the vIS/ environmental			coupled			physiological
column derivatisation animal, and the optical detection (IEC-VIS/ the environmental			with			
column derivatisation animal, and the optical detection (IEC-VIS/ the environmental			post-			of
derivatisation animal, and the optical detection (IEC-VIS/ animal) the performance level, the environmental						
and optical performance detection (IEC-VIS/ the vironmental						
optical detection (IEC-VIS/ performance level, the environmental						
detection (IEC-VIS/ level, the environmental						
(IEC- VIS/ the environmental						
VIS/ environmental						
FLD) conditions,						
			FLD)			conditions,

a Details of the analytical methods are available at the following address of the Reference Laboratory: https://ec.europa.eu/jrc/en/eurl/feed-additives/evaluation-reports

Status: Point in time view as at 16/12/2020.

	For the						the
	quantific	ation					level
	of						of
	histidine						other
	in						amino
	premixtu	res					acids
	feed	103,					in
	materials	,					the
	and)					diet
		vd					and
	compour feed:	ıu					the
	ieeu.	:					
		10n					level
		exchange					essential
		chromate	ograpny				trace
		coupled					elements
		with					such
		post-					as
		column					copper
		derivatis	ation				and
		and					zinc.'
		photome				_	Histidine
		detection	1			_	content.
		(IEC-			4.	For	
		VIS),				users	
		Commis				of	
		Regulati	on			the	
		(EC)				additive	
		No				and	
		152/2009	9			premixtu	re,
		(Annex				feed	
		III,				business	
		F)				operators	
	For the					shall	
	quantific	ation				establish	
	of					operation	
	histamin	e				procedure	es
	in the					and	
	feed					organisat	
	additive:					measures	
	_	high				to	
		performa	ince			address	
		liquid				potential	
		chromate	ography			risks	
		coupled				for	
		to				the	
		a				eyes	
			hotometri	c		and	
		detection	ì			skin	
		(HPLC-				and	
		UV)				by	
						inhalation	n.

a Details of the analytical methods are available at the following address of the Reference Laboratory: https://ec.europa.eu/jrc/en/eurl/feed-additives/evaluation-reports

Status: Point in time view as at 16/12/2020.

									Where those risks cannot be eliminated or reduced to a minimum by such procedures and measures, the additive and premixtures shall be used with personal protective equipment.
--	--	--	--	--	--	--	--	--	--

a Details of the analytical methods are available at the following address of the Reference Laboratory: https://ec.europa.eu/jrc/en/eurl/feed-additives/evaluation-reports

Status: Point in time view as at 16/12/2020.

- (1) OJ L 268, 18.10.2003, p. 29.
- (2) Commission Regulation (EC) No 244/2007 of 7 March 2007 concerning the authorisation of Lhistidine monohydrochloride monohydrate as feed additive (OJ L 73, 13.3.2007, p. 6.).
- (3) EFSA Journal 2020;18(4):6072.

Status:

Point in time view as at 16/12/2020.

Changes to legislation:

There are currently no known outstanding effects for the Commission Implementing Regulation (EU) 2020/2116.