

1995 No. 461

AGRICULTURE**PESTICIDES****Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (EEC Limits) (Amendment) Regulations (Northern Ireland) 1995**

Made 13th December 1995

Coming into operation 14th February 1996

The Department of Agriculture, being a Department designated(a) for the purposes of section 2(2) of the European Communities Act 1972(b) in relation to the common agricultural policy of the European Community, in exercise of the powers conferred on it by the said section 2(2) and of every other power enabling it in that behalf, hereby makes the following Regulations:

Citation, commencement and interpretation

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (EEC Limits) (Amendment) Regulations (Northern Ireland) 1995 and shall come into operation on 14th February 1996.

(2) In these Regulations “the principal Regulations” means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (EEC Limits) Regulations (Northern Ireland) 1995(c).

(3) The Interpretation Act (Northern Ireland) 1954(d) shall apply to these Regulations as it applies to a Measure of the Northern Ireland Assembly.

Amendment of the principal Regulations

2. After regulation 8 of the principal Regulations there shall be inserted the following:

“General defence of due diligence

9.—(1) In any proceedings for an offence under regulation 8(1), (2) or (3) it is a defence for the person charged to prove that he took all reasonable precautions and exercised all due diligence to avoid the commission of the offence.

(a) S.I. 1972/1811

(b) 1972 c. 68; section 2 is subject to Schedule 2 to that Act and is to be read with S.I. 1984/703 (N.I. 3) and S.R. 1984 No. 253

(c) S.R. 1995 No. 33

(d) 1954 c. 33 (N.I.)

(2) Without prejudice to the generality of paragraph (1) a person is to be taken to have established the defence provided by that paragraph if he proves—

- (a) that he acted under instructions given to him by his employer; or
- (b) that he acted in reliance on information supplied by another person without any reason to suppose that the information was false or misleading,

and in either case that he took all such steps as were reasonably open to him to ensure that no offence would be committed.

(3) If in any case the defence provided by paragraph (1) involves an allegation that the commission of the offence was due to an act or omission by another person, other than the giving of instructions to the person charged with the offence by his employer, or to reliance on information supplied by another person, the person charged shall not, without leave of the court, be entitled to rely on that defence unless within a period ending seven clear days before the hearing, he has served on the prosecutor a notice giving such information identifying or assisting in the identification of that other person as was then in his possession.”.

3. The pesticides specified in column 1 of Schedule 1 to these Regulations shall be inserted in column 1 of Schedule 1 to the principal Regulations in their appropriate alphabetically ordered positions and, in relation to each such pesticide, there shall be entered in column 2 of Schedule 1 to the principal Regulations the residues specified in column 2 of Schedule 1 to these Regulations opposite that pesticide.

4. In Schedule 2 to the principal Regulations the maximum level of 0.02* milligrammes of Iprodione per kilogramme of product specified in relation to the product Lemons shall be deleted and the maximum level of 0.02* milligrammes of Iprodione per kilogramme of product shall be specified in relation to the product Grapefruit.

5. In Schedule 2 to the principal Regulations the maximum level of 0.05* milligrammes of Cypermethrin per kilogramme of product specified in relation to the product Spring onions and the maximum level of 0.05* milligrammes of Deltamethrin per kilogramme of product specified in relation to the product Figs shall be deleted.

6. In Schedule 2 to the principal Regulations—

- (a) there shall be inserted, under the headings for the pesticides Captafol and Carbendazim the figures specified in the column below the reference to those pesticides in Schedule 2 to these Regulations so that those figures will appear opposite such groups of products or such individual products in Schedule 2 to the principal Regulations as they appear opposite those products mentioned in Schedule 2 to these Regulations.

- (b) there shall be inserted, in the appropriate place to preserve the alphabetical ordering from left to right, references to each of the other pesticides stated at the head of a column in Schedule 2 to these Regulations together with the figures specified in the column below the reference to that pesticide so that those figures will appear opposite such groups of products or such individual products in Schedule 2 to the principal Regulations as they appear opposite those products mentioned in Schedule 2 to these Regulations.

Sealed with the Official Seal of the Department of Agriculture for Northern Ireland on 13th December 1995.

(L.S.)

L. G. McKibben

Assistant Secretary

<i>Column 1</i> <i>Pesticide</i>	<i>Column 2</i> <i>Residues</i>
Benalaxy1	benalaxy1
Benfuracarb	benfuracarb
Carbofuran	sum of carbofuran and 3-hydroxy-carbofuran expressed as carbofuran
Carbosulfan	carbosulfan
Cyfluthrin	cyfluthrin, including other mixed isomeric constituents (sum of isomers)
Daminozide	sum of daminozide and 1,1-dimethyl-hydrazine, expressed as daminozide
Ethepron	ethephon
Fenarimol	fenarimol
Furathiocarb	furathiocarb
Lambda-cyhalothrin	lambda-cyhalothrin
Metalaxy1	metalaxy1
Propiconazole	propiconazole

SCHEDULE 2

Regulation 6

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Benalaxyl</i>	<i>Benfuracarb</i>	<i>Captafol</i>	<i>Carbendazim</i>	<i>Carbofuran</i>	<i>Carbosulfan</i>	<i>Cyfluthrin</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
(i) Citrus Fruit	Grapefruit	0.05*						0.02*
	Lemons	0.05*						0.02*
	Limes	0.05*						0.02*
	Mandarins (inc. clementines and similar hybrids)	0.05*						0.02*
	Oranges	0.05*						0.02*
	Pomelos	0.05*						0.02*
	Others	0.05*						0.02*
(ii) Tree Nuts (shelled or unshelled)	Almonds	0.05*	0.05*		0.1*	0.05*	0.02*	
	Brazil nuts	0.05*	0.05*		0.1*	0.05*	0.02*	
	Cashew nuts	0.05*	0.05*		0.1*	0.05*	0.02*	
	Chestnuts	0.05*	0.05*		0.1*	0.05*	0.02*	
	Coconuts	0.05*	0.05*		0.1*	0.05*	0.02*	
	Hazelnuts	0.05*				0.05*	0.02*	
	Macadamia nuts	0.05*	0.05*		0.1*	0.05*	0.02*	
	Pecans	0.05*	0.05*		0.1*	0.05*	0.02*	
	Pine nuts	0.05*	0.05*		0.1*	0.05*	0.02*	
	Pistachios	0.05*	0.05*		0.1*	0.05*	0.02*	
	Walnuts	0.05*	0.05*		0.1*	0.05*	0.02*	
	Others	0.05*	0.05*		0.1*	0.05*	0.02*	

SCHEDULE 2 — *continued*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Benalaxyl</i>	<i>Benfuracarb</i>	<i>Captafol</i>	<i>Carbendazim</i>	<i>Carbofuran</i>	<i>Carbosulfan</i>	<i>Cyfluthrin</i>
(iii) Pome Fruit	Apples	0.05*	0.05*					0.2
	Pears	0.05*	0.05*					0.2
	Quinces	0.05*	0.05*					0.2
	Others	0.05*	0.05*					0.2
(iv) Stone Fruit	Apricots	0.05*	0.05*					0.2
	Cherries	0.05*	0.05*					0.2
	Peaches (inc. nectarines and similar hybrids)	0.05*	0.05*					0.2
	Plums	0.05*	0.05*					0.2
	Others	0.05*	0.05*					0.2
(v) Berries and Small Fruit	(a) <i>Table and wine grapes</i>							
	Table grapes	0.2	0.05*			0.1*	0.05*	0.3
	Wine grapes	0.2	0.05*			0.1*	0.05*	0.3
	(b) <i>Strawberries (other than wild)</i>	0.05*	0.05*				0.05*	
	(c) <i>Cane Fruit (other than wild)</i>							
	Blackberries	0.05*	0.05*			0.1*	0.05*	0.02*
	Dewberries	0.05*	0.05*	0.02*		0.1*	0.05*	0.02*
	Loganberries	0.05*	0.05*			0.1*	0.05*	0.02*
	Raspberries	0.05*	0.05*			0.1*	0.05*	0.02*
	Others	0.05*	0.05*			0.1*	0.05*	0.02*

	(d) <i>Other small fruit and berries</i> (other than wild)					
	Bilberries	0.05*	0.05*	0.1*	0.1*	0.05*
	Cranberries	0.05*	0.05*	0.1*	0.1*	0.05*
	Currants (red, black and white)	0.05*	0.05*		0.1*	0.05*
	Gooseberries	0.05*	0.05*		0.1*	0.05*
	Others	0.05*	0.05*		0.1*	0.05*
	(e) <i>Wild berries and wild fruit</i>	0.05*	0.05*		0.1*	0.05*
						0.02*
(vi) Miscellaneous Fruit	Avocados	0.05*	0.05*	0.1*	0.1*	0.05*
	Bananas	0.05*	0.05*		0.1*	0.05*
	Dates	0.05*	0.05*	0.1*	0.1*	0.05*
	Figs	0.05*	0.05*	0.1*	0.1*	0.05*
	Kiwi fruit	0.05*	0.05*	0.1*	0.1*	0.05*
	Kumquats	0.05*	0.05*	0.1*	0.1*	0.05*
	Litchis	0.05*	0.05*	0.1*	0.1*	0.05*
	Mangoes	0.05*	0.05*	0.1*	0.1*	0.05*
	Olives	0.05*	0.05*		0.1*	0.05*
	Passion fruit	0.05*	0.05*	0.1*	0.1*	0.05*
	Pineapples	0.05*	0.05*	0.1*	0.1*	0.05*
	Pomegranates	0.05*	0.05*	0.1*	0.1*	0.05*
	Others	0.05*	0.05*		0.1*	0.05*

2. Vegetables, fresh or uncooked, frozen or dry

(i) Root and Tuber Vegetables	Beetroot	0.05*	0.05*	0.1*	0.1*	0.05*
	Carrots	0.05*	0.05*		0.3	0.1
	Celeriac	0.05*	0.05*			0.05*
	Horseradish	0.05*	0.05*	0.1*	0.1*	0.05*
	Jerusalem artichokes	0.05*	0.05*	0.1*	0.1*	0.05*
	Parsnips	0.05*	0.05*	0.1*	0.3	0.1
	Parsley root	0.05*	0.05*	0.1*	0.1*	0.05*

SCHEDULE 2 — *continued*

3332

Agriculture

No. 461

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Benalaxy</i>	<i>Benfuracarb</i>	<i>Captafol</i>	<i>Carbendazim</i>	<i>Carbofuran</i>	<i>Carbosulfan</i>	<i>Cyfluthrin</i>
	Radishes	0.05*	0.05*		0.1*	0.5	0.05*	0.02*
	Salsify		0.05*			0.1*	0.05*	0.02*
	Sweet potatoes	0.05*	0.05*		0.1*	0.1*	0.05*	0.02*
	Swedes	0.05*	0.05*					0.02*
	Turnips	0.05*	0.05*					0.02*
	Yams	0.05*	0.05*		0.1*	0.1*	0.05*	0.02*
	Others	0.05*	0.05*			0.1*	0.05*	0.02*
(ii) Bulb Vegetables	Garlic	0.05*	0.05*		0.1*	0.3	0.05*	0.02*
	Onions	0.2	0.05*			0.3		0.02*
	Shallots	0.05*	0.05*		0.1*	0.3	0.05*	0.02*
	Spring onions	0.05*	0.05*		0.1*	0.1*	0.05*	0.02*
	Others	0.05*	0.05*			0.1*	0.05*	0.02*
(iii) Fruiting Vegetables	(a) <i>Solanaceae</i>							
	Tomatoes	0.2	0.05*			0.1*	0.05*	0.05
	Peppers	0.2	0.05*			0.1*	0.05*	
	Aubergines	0.05*	0.05*			0.1*	0.05*	0.02*
	Others	0.05*	0.05*			0.1*	0.05*	0.02*
	(b) <i>Cucurbits — edible peel</i>							
	Cucumbers	0.05*	0.05*			0.1*	0.05*	
	Gherkins	0.05*	0.05*			0.1*	0.05*	
	Courgettes	0.05*	0.05*		0.1*	0.1*	0.05*	
	Others	0.05*	0.05*			0.1*	0.05*	
	(c) <i>Cucurbits — inedible peel</i>							
	Melons							0.02*
	Squashes	0.05*				0.1*		0.02*
	Watermelons				0.1*	0.1*		0.02*
	Others	0.05*				0.1*		0.02*
	(d) <i>Sweet corn</i>	0.05*	0.05*				0.05*	0.02*

(iv) Brassica Vegetables	(a) <i>Flowering Brassicas</i>	0.05*	0.2	0.05	0.02*
	Broccoli				
	Cauliflower				
	Others				
	(b) <i>Head Brassicas</i>	0.05*	0.2	0.2	0.2
	Brussels sprouts	0.05*			
	Head cabbage	0.05*			
	Others	0.05*			
	(c) <i>Leafy Brassicas</i>				
	Chinese cabbage	0.05*	0.05*		
	Kale	0.05*	0.05*		
	Others	0.05*	0.05*		
	(d) <i>Kohlrabi</i>	0.05*	0.05*	0.2	0.02*
(v) Leaf Vegetables and Fresh Herbs	(a) <i>Lettuce and similar</i>				
	Cress	0.05*	0.05*	0.1*	0.05*
	Lamb's lettuce	0.05*	0.05*	0.1*	0.05*
	Lettuce		0.05*	0.1*	0.05*
	Scarole	0.05*	0.05*	0.1*	0.05*
	Others	0.05*	0.05*	0.1*	0.05*
	(b) <i>Spinach and similar</i>				
	Beet leaves (chard)	0.05*	0.05*	0.1*	0.05*
	(c) <i>Watercress</i>	0.05*	0.05*	0.1*	0.05*
	(d) <i>Witloof</i>	0.05*	0.05*	0.1*	0.05*
	(e) <i>Herbs</i>				
	Chervil	0.05*	0.05*	0.1*	0.05*
	Chives	0.05*	0.05*	0.1*	0.05*
	Parsley	0.05*	0.05*	0.1*	0.05*
	Celery leaves	0.05*	0.05*	0.1*	0.05*
	Others	0.05*	0.05*	0.1*	0.05*

SCHEDULE 2 — *continued*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Benalaxyl</i>	<i>Benfuracarb</i>	<i>Captafol</i>	<i>Carbendazim</i>	<i>Carbofuran</i>	<i>Carbosulfan</i>	<i>Cyfluthrin</i>
(vi) Legume Vegetables (fresh)	Beans (with pods)	0.05*	0.05*				0.05*	0.05
	Beans (without pods)	0.05*	0.05*				0.05*	0.05
	Peas (with pods)	0.05*	0.05*		0.1*	0.05*	0.05	
	Peas (without pods)	0.05*	0.05*		0.1*	0.05*	0.05	
	Others	0.05*	0.05*		0.1*	0.05*	0.05	
(vii) Stem Vegetables	Asparagus	0.05*	0.05*		0.1*	0.1*	0.05*	0.02*
	Cardoons	0.05*	0.05*		0.1*	0.1*	0.05*	0.02*
	Celery	0.05*	0.05*					0.02*
	Fennel	0.05*	0.05*		0.1*	0.1*	0.05*	0.02*
	Globe artichokes	0.05*	0.05*		0.1*	0.1*	0.05*	0.02*
	Leeks	0.05*	0.05*		0.1*			
	Rhubarb	0.05*	0.05*		0.1*	0.1*	0.05*	0.02*
	Others	0.05*	0.05*			0.1*	0.05*	0.02*
(viii) Fungi	(a) <i>Cultivated mushrooms</i>	0.05*	0.05*			0.1*	0.05*	0.02*
	(b) <i>Wild mushrooms</i>	0.05*	0.05*			0.1*	0.05*	0.02*
3. Pulses	Beans	0.05*	0.05*				0.05*	0.02*
	Lentils	0.05*	0.05*			0.1*	0.05*	0.02*
	Peas	0.05*	0.05*			0.1*	0.05*	0.02*
	Others	0.05*	0.05*			0.1*	0.05*	0.02*
4. Oilseeds	Linseed	0.05*	0.05*		0.1*		0.05*	0.02*
	Peanuts	0.05*	0.05*		0.1*		0.05*	0.02*

	Poppy seed	0.05*	0.05*	0.1*	0.1*	0.05*	0.02*
	Sesame seed	0.05*	0.05*	0.1*	0.1*	0.05*	0.02*
	Sunflower seed (with shell)	0.05*	0.05*	0.1*			0.02*
	Rape seed		0.05*	0.1*		0.05*	0.05
	Soya bean					0.05*	0.02*
	Mustard seed	0.05*	0.05*	0.1*	0.1*	0.05*	0.02*
	Cotton seed	0.05*		0.1*			0.02*
	Others	0.05*	0.05*		0.1*	0.05*	0.02*
5.	Potatoes	Early potatoes	0.05*	0.05*		0.05*	0.02*
		Ware potatoes	0.05*	0.05*		0.05*	0.02*
6.	Tea	(black tea, processed from the leaves of <i>Camellia</i> <i>sinensis</i>)	0.1*	0.1*	0.2*	0.1*	
7.	Hops (dried)	including hop pellets and unconcentrated powder	0.1*	5	10	20	

SCHEDULE 2 — *continued*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Daminozide</i>	<i>Etephenon</i>	<i>Fenarimol</i>	<i>Furathiocarb</i>	<i>Lambda-cyhalothrin</i>	<i>Metalaxyl</i>	<i>Propiconazole</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
(i) Citrus Fruit	Grapefruit	0.02*		0.02*	0.05*			0.05*
	Lemons	0.02*		0.02*	0.05*			0.05*
	Limes	0.02*		0.02*	0.05*			0.05*
	Mandarins (inc. clementines and similar hybrids)	0.02*		0.02*	0.05*			0.05*
	Oranges	0.02*		0.02*	0.05*			0.05*
	Pomelos	0.02*		0.02*	0.05*			0.05*
	Others	0.02*		0.02*	0.05*			0.05*
(ii) Tree Nuts (shelled or unshelled)	Almonds	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Brazil nuts	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Cashew nuts	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Chestnuts	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Coconuts	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Hazelnuts	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Macadamia nuts	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Pecans	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Pine nuts	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Pistachios	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Walnuts	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.05*

(iii) Pome Fruit	Apples	0.02*	3	0.3	0.05*	0.1	1	0.05*
	Pears	0.02*	3	0.3	0.05*	0.1	1	0.05*
	Quinces	0.02*	3	0.3	0.05*	0.1	1	0.05*
	Others	0.02*	3	0.3	0.05*	0.1	1	0.05*
(iv) Stone Fruit	Apricots	0.02*	0.05*		0.05*	0.2	0.05*	0.2
	Cherries	0.02*	3		0.05*	0.1		
	Peaches (inc. nectarines and similar hybrids)	0.02*	0.05*		0.05*	0.2		
	Plums	0.02*	0.05*		0.05*	0.1	0.05*	0.2
	Others	0.02*	0.05*		0.05*	0.1	0.05*	0.05*
(v) Berries and Small Fruit	(a) <i>Table and wine grapes</i>							
	Table grapes	0.02*		0.3	0.05*	0.2	2	0.5
	Wine grapes	0.02*		0.3	0.05*	0.2	1	0.5
	(b) <i>Strawberries (other than wild)</i>	0.02*	0.05*	0.3	0.05*		0.5	0.05*
	(c) <i>Cane Fruit (other than wild)</i>							
	Blackberries	0.02*	0.05*	0.02*	0.05*	0.02*		0.05*
	Dewberries	0.02*	0.05*	0.02*	0.05*	0.02*		0.05*
	Loganberries	0.02*	0.05*	0.02*	0.05*	0.02*		0.05*
	Raspberries	0.02*	0.05*		0.05*	0.02*		0.05*
	Others	0.02*	0.05*	0.02*	0.05*	0.02*		0.05*
	(d) <i>Other small fruit and berries (other than wild)</i>							
	Bilberries	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Cranberries	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Currants (red, black and white)	0.02*	5	1	0.05*	0.1	0.05*	0.05*

SCHEDULE 2 — *continued*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Daminozide</i>	<i>Ethephon</i>	<i>Fenarimol</i>	<i>Furathiocarb</i>	<i>Lambda-cyhalothrin</i>	<i>Metalaaxy</i>	<i>Propiconazole</i>
	Gooseberries	0.02*	0.05*	1	0.05*	0.1	0.05*	0.05*
	Others	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	(e) <i>Wild berries and wild fruit</i>	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
(vi) Miscellaneous Fruit	Avocados	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Bananas	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.1
	Dates	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Figs	0.02*		0.02*	0.05*	0.02*	0.05*	0.05*
	Kiwi fruit	0.02*	0.05*	0.02*	0.05*	0.02*		0.05*
	Kumquats	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Litchis	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Mangoes	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Olives	0.02*		0.02*	0.05*	0.02*	0.05*	0.05*
	Passion fruit	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Pineapples	0.02*		0.02*	0.05*	0.02*	0.05*	0.05*
	Pomegranates	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry								
(i) Root and Tuber Vegetables	Beetroot	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Carrots	0.02*	0.05*	0.02*	0.05*	0.02*	0.1	0.05*
	Celeriac	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Horseradish	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Jerusalem artichokes	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Parsnips	0.02*	0.05*	0.02*	0.05*	0.02*	0.1	0.05*
	Parsley root	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*

	Radishes	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Salsify	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Sweet potatoes	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Swedes	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Turnips	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Yams	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
(ii) Bulb Vegetables	Garlic	0.02*	0.05*	0.02*	0.05*	0.02*		0.05*
	Onions	0.02*		0.02*	0.05*	0.02*		0.05*
	Shallots	0.02*	0.05*	0.02*	0.05*	0.02*		0.05*
	Spring onions	0.02*	0.05*	0.02*	0.05*			0.05*
	Others	0.02*	0.05*	0.02*	0.05*	0.02*		0.05*
(iii) Fruiting Vegetables	(a) <i>Solanaceae</i>							
	Tomatoes	0.02*	3		0.05*			0.05*
	Peppers	0.02*	3		0.05*			
	Aubergines	0.02*	0.05*		0.05*		0.05*	0.05*
	Others	0.02*	0.05*		0.05*		0.05*	0.05*
	(b) <i>Cucurbits — edible peel</i>							
	Cucumbers	0.02*	0.05*		0.05*	0.1		
	Gherkins	0.02*	0.05*		0.05*	0.1		
	Courgettes	0.02*	0.05*		0.05*	0.1		
	Others	0.02*	0.05*		0.05*	0.1		
(c) <i>Cucurbits — inedible peel</i>	Melons	0.02*	0.05*		0.05*			
	Squashes	0.02*	0.05*		0.05*		0.05*	
	Watermelons	0.02*	0.05*		0.05*			
	Others	0.02*	0.05*		0.05*		0.05*	
	(d) <i>Sweet corn</i>	0.02*		0.02*	0.05*	0.02*	0.05*	0.05*

SCHEDULE 2 — *continued*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Daminozide</i>	<i>Etephenon</i>	<i>Fenarimol</i>	<i>Furathiocarb</i>	<i>Lambda-cyhalothrin</i>	<i>Metalaaxy</i>	<i>Propiconazole</i>
(iv) Brassica Vegetables	(a) <i>Flowering Brassicas</i>							
	Broccoli	0.02*	0.05*	0.02*	0.1			0.05*
	Cauliflower	0.02*	0.05*	0.02*	0.1			0.05*
	Others	0.02*	0.05*	0.02*	0.1			0.05*
	(b) <i>Head Brassicas</i>							
	Brussels sprouts	0.02*	0.05*	0.02*	0.05*	0.05	0.05*	0.05*
	Head cabbage	0.02*	0.05*	0.02*	0.05*	0.2	1	0.05*
	Others	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	(c) <i>Leafy Brassicas</i>							
	Chinese cabbage	0.02*	0.05*	0.02*	0.05*			0.05*
	Kale	0.02*	0.05*	0.02*	0.05*			0.05*
	Others	0.02*	0.05*	0.02*	0.05*		0.05*	0.05*
	(d) <i>Kohlrabi</i>	0.02*	0.05*	0.02*	0.05*		0.05*	0.05*
(v) Leaf Vegetables and Fresh Herbs	(a) <i>Lettuce and similar</i>							
	Cress	0.02*	0.05*	0.02*	0.05*	1		0.05*
	Lamb's lettuce	0.02*	0.05*	0.02*	0.05*	1		0.05*
	Lettuce	0.02*	0.05*	0.02*	0.05*	1		0.05*
	Scarole	0.02*	0.05*	0.02*	0.05*	1		0.05*
	Others	0.02*	0.05*	0.02*	0.05*	1		0.05*
	(b) <i>Spinach and similar</i>							
	Beet leaves (chard)	0.02*	0.05*	0.02*	0.05*			0.05*
	(c) <i>Watercress</i>	0.02*	0.05*	0.02*	0.05*	0.02*		0.05*
	(d) <i>Witloof</i>	0.02*	0.05*	0.02*	0.05*			0.05*

	(e) <i>Herbs</i>						
	Chervil	0.02*	0.05*	0.02*	0.05*	1	0.05*
	Chives	0.02*	0.05*	0.02*	0.05*	1	0.05*
	Parsley	0.02*	0.05*	0.02*	0.05*	1	0.05*
	Celery leaves	0.02*	0.05*	0.02*	0.05*	1	0.05*
	Others	0.02*	0.05*	0.02*	0.05*	1	0.05*
(vi) Legume Vegetables (fresh)	Beans (with pods)	0.02*	0.05*	0.02*		0.2	0.05*
	Beans (without pods)	0.02*	0.05*	0.02*		0.02*	0.05*
	Peas (with pods)	0.02*	0.05*		0.05*	0.2	0.05*
	Peas (without pods)	0.02*	0.05*		0.05*	0.02*	0.05*
	Others	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*
(vii) Stem Vegetables	Asparagus	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*
	Cardoons	0.02*	0.05*	0.02*	0.05*		0.05*
	Celery	0.02*	0.05*	0.02*			0.05*
	Fennel	0.02*	0.05*	0.02*	0.05*		0.05*
	Globe artichokes	0.02*	0.05*		0.05*		
	Leeks	0.02*	0.05*	0.02*	0.05*		0.05*
	Rhubarb	0.02*	0.05*	0.02*	0.05*		0.05*
	Others	0.02*	0.05*	0.02*	0.05*		0.05*
(viii) Fungi	(a) <i>Cultivated mushrooms</i>	0.02*	0.05*	0.02*	0.05*		0.05*
	(b) <i>Wild mushrooms</i>	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*
3. Pulses	Beans	0.02*	0.05*	0.02*		0.02*	0.05*
	Lentils	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*
	Peas	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*
	Others	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*
4. Oilseeds	Linseed	0.05*	0.05*	0.02*	0.05*	0.02*	
	Peanuts	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*
	Poppy seed	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*

SCHEDULE 2 — continued

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Daminozide</i>	<i>Ethephon</i>	<i>Fenarimol</i>	<i>Furathiocarb</i>	<i>Lambda-cyhalothrin</i>	<i>Metalaxyl</i>	<i>Propiconazole</i>
	Sesame seed	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Sunflower seed (with shell)	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Rape seed	0.05*	0.05*	0.02*		0.02*	0.05*	
	Soya bean	0.05*	0.05*	0.02*		0.02*	0.05*	0.05*
	Mustard seed	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Cotton seed	0.05*	0.05*	0.02*		0.02*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
5. Potatoes	Early potatoes	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Ware potatoes	0.02*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
6. Tea	(black tea, processed from the leaves of <i>Camellia sinensis</i>)	0.1*	0.1*	0.05*	0.1*	1	0.1*	0.1*
7. Hops (dried)	including hop pellets and unconcentrated powder	0.1*	0.1*	5	5	10	10	0.1*

SCHEDULE 2 — *continued*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Benalaxyl</i>	<i>Benfuracarb</i>	<i>Carbofuran</i>	<i>Carbosulfan</i>	<i>Cyfluthrin</i>	<i>Daminozide</i>	<i>Ethephon</i>
8. Cereals	Wheat	0.05*	0.05*	0.1*	0.05*	0.02*	0.02*	0.2
	Rye	0.05*	0.05*	0.1*	0.05*	0.02*	0.02*	0.5
	Barley	0.05*	0.05*	0.1*	0.05*	0.02*	0.02*	0.5
	Oats	0.05*	0.05*		0.05*	0.02*	0.02*	0.05*
	Triticale	0.05*	0.05*	0.1*	0.05*	0.02*	0.02*	0.2
	Maize	0.05*		0.1*	0.05*	0.05*	0.02*	
	Rice ¹	0.05*	0.05*		0.05*	0.02*	0.02*	0.05*
	Other cereals ²	0.05*	0.05*	0.1*	0.05*	0.02*	0.02*	0.05*
9. Products of Animal Origin	Meat, fat and preparations of meat ³	0.05*	0.05*	0.1*	0.05*	0.05	0.05*	0.05*
	Milk ⁴ and dairy produce ⁵	0.05*	0.05*	0.1*	0.05*	0.02*	0.05*	0.05*
	Eggs ⁶	0.05*	0.05*	0.1*	0.05*	0.02*	0.05*	0.05*

SCHEDULE 2 — *continued*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Fenarimol</i>	<i>Furathiocarb</i>	<i>Lambda-cyhalothrin</i> ¹²	<i>Metalaxyl</i>	<i>Propiconazole</i>
8. Cereals	Wheat		0.05*	0.02*	0.05*	0.05*
	Rye	0.02*	0.05*	0.02*	0.05*	0.05*
	Barley		0.05*	0.05	0.05*	0.05*
	Oats	0.02*	0.05*	0.02*	0.05*	0.05*
	Triticale	0.02*	0.05*	0.02*	0.05*	0.05*
	Maize	0.02*	0.05*	0.02*	0.05*	0.05*
	Rice ¹	0.02*	0.05*	0.02*	0.05*	0.05*
	Other cereals ²	0.02*	0.05*	0.02*	0.05*	0.05*
9. Products of Animal Origin	Meat, fat and preparations of meat ³	0.02* ⁹	0.05*	0.5* ⁷ 0.02* ⁸	0.05	0.1 ¹⁰ 0.05* ¹¹
	Milk ⁴ and dairy produce ⁵	0.02*	0.05*	0.05	0.05*	0.01*
	Eggs ⁶	0.02*	0.05*	0.02*	0.05*	0.05*

FOOTNOTES

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
2. Other cereals do not include rice.
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
5. For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
7. All meat except poultry meat.
8. Poultry meat only.
9. All meat except liver and kidney.
10. Ruminant liver.
11. All meat except ruminant liver.
12. For animal products maximum residue levels relate to cyhalothrin (sum of isomers).

(This note is not part of the Regulations.)

These Regulations amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (EEC Limits) Regulations (Northern Ireland) 1995 ("the principal Regulations"). Regulation 6(b) and Schedule 2 specifies maximum levels of certain pesticide residues which may be left in crops, food and feeding stuffs in accordance with Council Directives 94/29/EC (O.J. No. L189, 23.7.94, p. 67) and 94/30/EC (O.J. No. L189, 23.7.94, p. 70). Maximum levels for these pesticide residues have not previously been imposed by Community Law.

Regulation 2 provides for a defence of due diligence for persons charged with an offence under regulation 8(1), (2) or (3) of the principal Regulations.

Regulation 4 implements a corrigenda amendment (O.J. No. L219, 24.8.94) to Council Directive 93/58/EC (O.J. No. L211, 23.8.93) which was necessary because a maximum level of Iprodione which should have been specified for Grapefruit was specified for Lemons.

Regulation 5 removes maximum levels which are not required by Community law and should not have been included in Schedule 2 to the principal Regulations.

Regulation 6(a) and Schedule 2 of these Regulations insert some maximum levels of Captafol and Carbendazim which were not but should have been included in Schedule 2 to the principal Regulations.

Maximum levels in these Regulations which are followed by an * will, when inserted into Schedule 2 to the principal Regulations, connect with the explanation of that symbol given there.