

---

## STATUTORY RULES OF NORTHERN IRELAND

---

# 2002 No. 20

## AGRICULTURE PESTICIDES

### Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2002

*Made* - - - - - *28th January 2002*

*Coming into operation* *4th March 2002*

The Department of Agriculture and Rural Development, being a Department designated(1) for the purposes of section 2(2) of the European Communities Act 1972(2) in relation to the common agricultural policy of the European Community, in exercise of the powers conferred on it by the said section 2(2), and, in respect of the provisions of these Regulations relating to Part I of Schedule 2 to these Regulations, in exercise of the powers conferred on it by section 16(2) of the Food and Environment Protection Act 1985(3), and of every other power enabling it in that behalf, after consultation in accordance with section 16(9) of the said Act of 1985 with the Advisory Committee on Pesticides for Northern Ireland established under section 16(7) of that Act(4), hereby makes the following Regulations:

#### Citation and commencement

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2002 and shall come into operation on 4th March 2002.

#### Interpretation

2.—(1) In these Regulations—

---

(1) S.I. 2000/2812

(2) 1972 c. 68; the powers conferred by section 2(2) were extended by virtue of the amendment of section 1(2) of the European Communities Act 1972 by section 1 of the European Economic Area Act 1993 (c. 51)

(3) 1985 c. 48; section 16 was amended by the Pesticides (Fees and Enforcement) Act 1989 (c. 27) and by the Pesticides Act 1998 (c. 26); see also section 25(2) and Article 3(4) of the Department (Northern Ireland) Order 1999 S.I. 1999/283 (N.I.1), and section 25(2A) as inserted by section 1(5) of the Pesticides Act 1998

(4) Established by S.R. 1987 No. 341

“EEA State” means a State which is a Contracting Party to the Agreement on the European Economic Area signed at Oporto on 2nd May 1992(5) as adjusted by the Protocol signed at Brussels on 17th March 1993(6);

“the maximum permitted level” means the level mentioned in regulation 3(1) or 4(1);

“product” means any crop, food or feeding stuff specified in Schedule 2;

“putting into circulation” means any handing over, whether or not for a consideration, of any product—

(a) in the case of fruit and vegetables, after they have been harvested, and

(b) in any other case, at any time.

“the Residues Directives” means Council Directive 86/362/EEC(7) (as amended by Council Directives 88/298/EEC(8), 90/654/EEC(9), 93/57/EEC(10), 94/29/EC(11), 95/39/EC(12), 96/33/EC(13), 97/41/EC(14) and Commission Directives 97/71/EC(15), 98/82/EC(16), 1999/65/EC(17), 1999/71/EC(18), 2000/24/EC(19), 2000/42/EC(20), 2000/48/EC(21) and 2000/58/EC(22)), together with Council Directive 86/363/EEC(23) (as amended by Council Directives 93/57/EEC, 94/29/EC, 95/39/EC, 96/33/EC, 97/41/EC and Commission Directives 97/71/EC, 98/82/EC, 1999/71/EC, 2000/24/EC, 2000/42/EC and 2000/58/EC) and Council Directive 90/642/EEC(24) (as amended by Council Directives 93/58/EEC(25), 94/30/EC(26), 95/38/EC(27), 95/61/EC(28), 96/32/EC(29), 97/41/EC and Commission Directives 97/71/EC, 98/82/EC, 1999/65/EC, 1999/71/EC, 2000/24/EC, 2000/42/EC, 2000/48/EC, 2000/57/EC(30), 2000/58/EC and 2001/35/EC(31)).

(2) The words and expressions “dried”, “processed”, “composite food”, “drying” and “processing” when used either in regulation 4 or in paragraphs (d) and (e) of regulation 6 shall have the same meaning as when used in the Residues Directives and any related expressions shall be construed accordingly.

(3) Any reference in these Regulations, in relation to a pesticide, to a pesticide residue is a reference to the substance named in column 2 of Schedule 1 opposite the reference to that pesticide in column 1 of that Schedule.

- 
- (5) O.J. No. L1, 3.1.94, p. 3
  - (6) O.J. No. L1, 3.1.94, p. 572
  - (7) O.J. No. L221, 7.8.86, p. 37
  - (8) O.J. No. L126, 20.5.88, p. 53
  - (9) O.J. No. L353, 17.12.90, p. 48
  - (10) O.J. No. L211, 23.8.93, p. 1
  - (11) O.J. No. L189, 23.7.94, p. 67
  - (12) O.J. No. L197, 22.8.95, p. 29
  - (13) O.J. No. L144, 18.6.96, p. 35
  - (14) O.J. No. L184, 12.7.97, p. 33
  - (15) O.J. No. L347, 18.12.97, p. 42
  - (16) O.J. No. L290, 29.10.98, p. 25
  - (17) O.J. No. L172, 8.7.99, p. 40
  - (18) O.J. No. L194, 27.7.99, p. 36
  - (19) O.J. No. L107, 4.5.2000, p. 28
  - (20) O.J. No. L158, 30.6.2000, p. 51
  - (21) O.J. No. L197, 3.8.2000, p. 26
  - (22) O.J. No. L244, 29.9.2000, p. 78
  - (23) O.J. No. L221, 7.8.86, p. 43
  - (24) O.J. No. L350, 14.12.90, p. 71
  - (25) O.J. No. L211, 23.8.93, p. 6
  - (26) O.J. No. L189, 23.7.94, p. 70
  - (27) O.J. No. L197, 22.8.95, p. 14
  - (28) O.J. No. L292, 7.12.95, p. 27
  - (29) O.J. No. L144, 18.6.96, p. 12
  - (30) O.J. No. L244, 29.9.2000, p. 76
  - (31) O.J. No. L136, 18.5.2001, p. 42

(4) Any reference in any Schedule to these Regulations to any product, figure or pesticide includes any qualifying words relating to that product, figure or pesticide in that Schedule.

(5) The Interpretation Act (Northern Ireland) 1954(32) shall apply to these Regulations as it applies to an Act of the Northern Ireland Assembly.

#### **Maximum permitted residue level in certain crops, food or feeding stuffs not subject to Residues Directives**

3.—(1) The maximum level of any pesticide residue which may be left in any product named in Part I of Schedule 2 shall be the number of milligrams of the pesticide residue per kilogram of the product specified opposite the name of that product under the name of the pesticide concerned.

(2) In the case of any product named in paragraph 3, 4 or 5 of Part I of Schedule 2 which has been dried, paragraph (1) applies to the maximum level of pesticide residue applicable under that Part of that Schedule as it has effect by virtue of regulation 6(c).

#### **Maximum permitted residue level in crops, food or feeding stuffs subject to Residues Directives**

4.—(1) A person shall not put into circulation any product named in Part II of Schedule 2 which contains a level of pesticide residue greater than the number of milligrams of that pesticide residue per kilogram of the product specified opposite the name of that product under the name of the pesticide concerned.

(2) Subject to paragraph (3), paragraph (1) shall apply in relation to—

(a) any product (in this regulation a “dried or processed product”) which after drying or processing is obtained from any of the products named in Part II of Schedule 2, and

(b) any composite food which includes any of the products named in that Part of that Schedule, and the reference in paragraph (1) to a product named in that Part of that Schedule shall be construed accordingly.

(3) Where—

(a) paragraph (1) applies in relation to a dried or processed product or a composite food by virtue of paragraph (2), and

(b) no maximum permitted level has been expressly specified in Part II of Schedule 2 as the amount of pesticide residue which may be contained in that dried or processed product or composite food,

paragraph (1) applies by reference to the maximum permitted level of pesticide residue applicable under that Part of that Schedule as it has effect by virtue of regulation 6(d) or, as the case may be, (e).

(4) Any person who, without reasonable excuse, contravenes or causes or permits any other person to contravene any provision of this regulation shall be guilty of an offence, and shall be liable—

(a) on summary conviction, to a fine not exceeding the statutory maximum; and

(b) on conviction on indictment, to a fine.

(5) In any proceedings for an offence under this regulation, it is a defence for the person charged to prove that when the product in question (or, as appropriate, the dried or processed product or the composite food) was put into circulation—

(a) it was so put with the intention of its being exported to a country which is not an EEA State and the offence was caused by a treatment applied to that product being a treatment—

- (i) required by the country of destination in order to prevent the introduction of harmful organisms into its territory; or
- (ii) necessary to protect the product from harmful organisms during transport to the country of destination and storage there, or
- (b) it was so put with the intention that—
  - (i) it be used in the manufacture of things other than foodstuffs and animal feed; or
  - (ii) it be used for sowing or planting.

(6) Sections 19 and 22 of, and Schedule 2 to, the Food and Environment Protection Act 1985 shall apply for the purposes of this regulation as they apply for the purposes of that Act taking references therein to that Act or any part of it to be references to this regulation.

### **Seizure or disposal of crops, food or feeding stuffs**

5. If any product contains a level of pesticide residue exceeding the maximum permitted level under either regulation 3(1) or 4(1), any Northern Ireland department may—
- (a) seize or dispose of the consignment containing that product, or any part of it, or require that some other person shall dispose of it, or
  - (b) direct some other person to take such remedial action as appears to that department to be necessary.

### **Sampling and Analysis**

6. In determining for the purposes of regulation 3(1) or 4(1) whether the level of pesticide residue left or contained in any product exceeds the maximum permitted level—
- (a) the whole or such part only of that product shall, so far as is practicable, be taken into account as specified in column 3 of Schedule 3 opposite the name of that product in column 2 of that Schedule;
  - (b) the procedure laid down in the Codex Recommended Method of Sampling for the Determination of Pesticide Residues<sup>(33)</sup> shall so far as is practicable be followed;
  - (c) in the case of any product named in paragraph 3, 4 or 5 of Part I of Schedule 2 which has been dried that Part of that Schedule shall have effect opposite the name of that product there were substituted that number of milligrams divided by the fraction of 1 kilogram to which 1 kilogram of the product is reduced by the drying process;
  - (d) in the case of any product named in Part II of Schedule 2 which has been dried or processed, that Part of that Schedule shall have effect where no such maximum permitted level of pesticide residue is specified therein for the product in its dried or processed form as if the maximum permitted level of pesticide residue specified opposite the name of the product in that Part of that Schedule has been modified to take account of the concentration of the product caused by the drying process or, as the case may be, the dilution or concentration of the product caused by the processing; and
  - (e) in a case where two or more products have been mixed to form a single composite food in relation to which no such maximum permitted levels are specified in Part II of Schedule 2, that Part of that Schedule shall have effect as if such maximum permitted levels had been specified in relation to that composite food for each of the pesticide residues which are

---

(33) Food and Agriculture Organisation of the United Nations and World Health Organisation Joint Food Standards Programme Codex Alimentarius Commission, Recommended Method of Sampling for the determination of Pesticide Residues, Volume 2 Section 3 *Codex Alimentarius*, 1993

specified therein opposite the names of each of the products which have been mixed to form the composite food, taking into account—

- (i) the relative concentrations of each of the constituent production the mixture; and
- (ii) the provisions of paragraph (d).

#### **Revocations**

7. The Regulations specified in Schedule 4 are hereby revoked.

Sealed with the Official Seal of the Department of Agriculture and Rural Development on 28th January 2002.

L.S.

*Liam McKibben*  
A senior officer of the  
Department of Agriculture and Rural  
Development

## SCHEDULE 1

Regulation 2(3)

Column 1 <i>Pesticide</i>	Column 2 <i>Residues</i>
Acephate	acephate
Aldicarb	sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
Aldrin & Dieldrin	singly or combined, expressed as dieldrin (HEOD)
2-Aminobutane	2-aminobutane
Aminotriazole	aminotriazole
Aminotriazole (Amitrole)	aminotriazole
Amitraz	amitraz plus its metabolites containing 2,4-dimethylaniline, expressed as amitraz
Aramite	aramite
Atrazine	atrazine
Azinphos-methyl	azinphos-methyl
Azoxystrobin	azoxystrobin
Barban	barban
Benalaxyl	benalaxyl
Benfuracarb	benfuracarb
Binapacryl	binapacryl
Biphenthrin	biphenthrin
Bitertanol	bitertanol
Bromophos-ethyl	bromophos-ethyl
Bromopropylate	bromopropylate
Camphechlor (Toxaphene)	camphechlor (toxaphene)
Captafol	captafol
Captan	captan
Carbaryl	carbaryl
Carbendazim, Benomyl and Thiophanate-methyl	carbendazim, benomyl and thiophanate-methyl (expressed as carbendazim)
Carbofuran	sum of carbofuran and 3-hydroxy-carbofuran, expressed as carbofuran
Carbon disulphide	carbon disulphide
Carbon Tetrachloride	carbon tetrachloride
Carbophenothion	sum of carbophenothion, its sulphoxide and its sulphone, expressed as carbophenothion

Column 1 <i>Pesticide</i>	Column 2 <i>Residues</i>
Carbosulfan	carbosulfan
Cartap	cartap
Chlorbenside	chlorbenside
Chlorbufam	chlorbufam
Chlordane	(1) for products of animal origin; sum of <i>cis</i> - and <i>trans</i> -isomers and oxychlordane expressed as chlordane; (2) for cereals, fruit and vegetables: sum of <i>cis</i> and <i>trans</i> -isomers expressed as chlordane
Chlorfenson	chlorfenson
Chlorfenvinphos	sum of E- and Z-isomers of chlorfenvinphos
Chlormequat	chlormequat
Chlorobenzilate	chlorobenzilate
Chlorothalonil	chlorothalonil
Chloroxuron	chloroxuron
Chlorpyrifos	chlorpyrifos
Chlorpyrifos-methyl	chlorpyrifos-methyl
Cyfluthrin	cyfluthrin, including other mixed isomeric constituents (sum of isomers)
Cypermethrin	cypermethrin (sum of isomers)
Daminozide	sum of daminozide and 1,1-dimethyl-hydrazine expressed as daminozide
DDT	sum of pp'-DDT, op'-DDT, pp'-DDE and pp' TDE (DDD) expressed as DDT
Deltamethrin	deltamethrin
Diallate	diallate
Diazinon	diazinon
1,1-Dichloro-2, 2-bis (4-ethyl-phenyl-) ethane	1,1-dichloro-2, 2-bis (4-ethyl-phenyl-) ethane
1,2-Dibromoethane	1,2-dibromoethane
Dichlofluanid	dichlofluanid
Dichlorprop	dichlorprop (including dichlorprop P)
Dichlorvos	dichlorvos
Dicofol	dicofol
Diflubenzuron	diflubenzuron
Dimethipin	dimethipin
Dimethoate	dimethoate

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Column 1 <i>Pesticide</i>	Column 2 <i>Residues</i>
Dinoseb	dinoseb
Dioxathion	dioxathion
Diphenylamine	diphenylamine
Disulfoton	sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton
Endosulfan	sum of alpha- and beta-isomers and of endosulfan sulphate, expressed as endosulfan
Endrin	endrin
Ethephon	ethephon
Ethion	ethion
Etrimfos	etrimfos
Fenarimol	fenarimol
Fenbutatin oxide	fenbutatin oxide
Fenchlorphos	fenchlorphos (sum of fenchlorphos and fenchlorphos oxon, expressed as fenchlorphos)
Fenitrothion	fenitrothion
Fentin	fentin expressed as triphenyltin cation
Fenvalerate	fenvalerate (sum of isomers)
Fenvalerate and esfenvalerate	fenvalerate and esfenvalerate (sum of isomers)
Fluazifop	fluazifop and esters (including conjugates) of fluazifop, expressed as free acid
Flucythrinate	sum of isomers
Flurochloridone	flurochloridone
Folpet	folpet
Furathiocarb	furathiocarb
Glyphosate	glyphosate
Haloxyfop	haloxyfop and esters (including conjugates) of haloxyfop, expressed as free acid
Heptachlor	sum of heptachlor and heptachlor epoxide, expressed as heptachlor
Hexachlorobenzene (HCB)	hexachlorobenzene
Hexachlorocyclohexane (HCH)	hexachlorocyclohexane (HCH) alpha, beta and gamma isomers individually or summed as in Schedule 2
Hydrogen cyanide	cyanides expressed as hydrogen cyanide
Hydrogen phosphide	phosphides expressed as hydrogen phosphide

Column 1 <i>Pesticide</i>	Column 2 <i>Residues</i>
Imazalil	imazalil
Inorganic bromide	determined and expressed as total bromine from all sources
Ioxynil	ioxynil
Iprodione	iprodione
Kresoxim-methyl	kresoxim-methyl (for plants) 2-methyloxyimino-2-[2-(O-tolyloxymethyl) phenyl] acetic acid (for meat, liver, fat and 2- [2-(4-hydroxy-2-methylphenoxy)methyl] phenyl]-2-methoxy-iminoacetic acid (for milk)
Lambda-cyhalothrin	lambda-cyhalothrin
Malathion	sum of malathion and malaoxon, expressed as malathion
Maleic hydrazide	maleic hydrazide
Maneb, Mancozeb, Metiram Propineb and Zineb }	determined and expressed as carbon disulphide (CS <sub>2</sub> )
Mecarbam	mecarbam
Mercury compounds	determined as total mercury and expressed as mercury
Metalaxyll	metalaxyll
Methacrifos	methacrifos
Methamidophos	methamidophos
Methidathion	methidathion
Methomyl thiodicarb	sum of methomyl and thiodicarb expressed as methomyl
Methoxychlor	methoxychlor
Methyl bromide (bromomethane)	methyl bromide (bromomethane)
Mevinphos	sum of <i>cis</i> - and <i>trans</i> -mevinphos
Monocrotophos	monocrotophos
Omethoate	omethoate (from use of formothion, dimethoate and omethoate)
Paraquat	paraquat
Parathion	parathion
Parathion-methyl	parathion-methyl
Permethrin	permethrin (and sum of isomers)
Phorate	sum of phorate, its oxygen analogue and their sulfoxides and sulphones expressed as phorate

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Column 1 <i>Pesticide</i>	Column 2 <i>Residues</i>
Phosalone	phosalone
Phosmet	phosmet
Phosphamidon	sum of phosphamidon (E- and Z-isomers) and N-desethylphosphamidon (E- and Z-isomers) expressed as phosphamidon
Phoxim	phoxim
Pirimiphos-methyl	pirimiphos-methyl
Procymidone	procymidone
Profenophos	profenophos
Propargite	propargite
Propiconazole	propiconazole
Propoxur	propoxur
Propyzamide	propyzamide
Pyrethrins	sum of pyrethrins I and II, cinerins I and II, jasmolins I and II
Quinalphos	quinalphos
Quintozene	sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulphide expressed as quintozene
Tecnazene	tecnazene
TEPP	TEPP
Thiabendazole	thiabendazole
Triazophos	triazophos
Trichlorfon	trichlorfon
Triforine	triforine
2, 4, 5-T	2, 4, 5-T
Vinclozolin	sum of vinclozolin and all metabolites containing 3, 5-dichloroaniline moiety, expressed as vinclozolin

## SCHEDULE 2

Regulation 3(1)

## Part I

*Groups of Dieldrin 2-Azinphosphorodithioates and Carbamoylcarbamates and their chlorinated homologues and their methylated and methylene derivatives to include Aminoethylethylaminobutyric acid and its salts which the Dieldrin food following belongs products*

### **1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts**

#### (i) CITRUS FRUIT

Grapefruit	0.05	5	2	0.1	7	2	0.02*	1	5	0.1
Lemons	0.05	5	2	0.1	7	2	0.02*	1	5	0.1
Limes	0.05	5	2	0.1	7	2	0.02*	1	5	0.1
Mandarin	0.05	5	2	0.1	7	2	0.02*	1	5	0.1
(inc clementines & similar hybrids)										
Oranges	0.05	5	2	0.1	7	2	0.02*	1	5	0.1
Pomelo	0.05	5	2	0.1	7	2	0.02*	1	5	0.1
Others	0.05	5	2	0.1	7	2	0.02*	1	5	0.1

#### (ii) TREE NUTS (shelled or unshelled)

Almonds

Brazil  
nuts

Cashew  
nuts

Chestnuts

Coconuts

Hazelnuts

Macadamia  
nuts

Pecans

Pine  
nuts

Pistachios

Walnuts

Others

#### (iii) POME FRUIT

Apple	0.05	1	1	3	5	1	0.02*	0.05	5	0.1
-------	------	---	---	---	---	---	-------	------	---	-----

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

~~Group Aldrin2-  
to include & Aminoanthryl  
which the Dieldrin  
food following  
belongs~~

Pears	0.05	1	1	3	5	1	0.02*	0.05	5	0.1
Quince	0.05	1	1	3	5	1	0.02*	0.05	5	0.1
Others	0.05	1	1	3	5	1	0.02*	0.05	5	0.1
<b>(iv) STONE FRUIT</b>										
Apricots	0.05	4	1	2	10	1	0.02*	0.05	5	0.1
Cherries										
Peaches	0.05 (incl nectarines & similar hybrids)	4	1	2	10	1	0.02*	0.05	5	0.1
Plums	0.05	1	1	2	10	1	0.02*	0.05	5	0.1
Others										
<b>(v) BERRIES AND SMALL FRUIT</b>										
(a)		<i>Table &amp; wine grapes</i>								
Table grapes	0.05	2		3	5		0.02*	0.05	15	0.1
Wine grapes	0.05	2		3	5		0.02*	0.05	15	0.1
Strawberries	0.05 (other than wild)	1		3	7		0.02*	0.05	10	0.1
(c)		<i>Cane Fruit (other than wild)</i>								
Blackberries	0.05	1		3	10		0.02*	0.05	15	0.1
Loganberries	0.05	1		3	10		0.02*	0.05	15	0.1
Raspberries	0.05	1		3	10		0.02*	0.05	15	0.1
Others	0.05	1		3	10		0.02*	0.05	15	0.1
(d)		<i>Other small fruit &amp; berries (other than wild)</i>								
Bilberries	0.05	1		3	10		0.02*	0.05	15	0.1
Cranberries	0.05	1		3	10		0.02*	0.05	15	0.1
Currants	0.05 (red, black)	1		3	10		0.02*	0.05	15	0.1

*Group Aldrin 2 - Azinphosmethyl, Carbofenthion, Chlordimeform, Chlordimefox, Chlordimefos, Dieldrin & Aminothiazole products*

*to include & Aminothiazole products*

*which the Dieldrin food following belongs*

& white)							
Gooseberries	0.05	1	3	10	0.02*	0.05	15 0.1
Others	0.05	1	3	10	0.02*	0.05	15 0.1

(e) (e) Wild berries & wild fruit

(vi) MISCELLANEOUS FRUIT

Avocados							
Bananas	0.05	1	0.5	0.1	5	0.02*	0.05 5 0.1
Dates							
Figs							
Kiwi fruit							
Kumquats							
Litchis							
Mangoes							
Olives							
Passion fruit							
Pineapples							
Pomegranates							
Others							

## 2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

Beetroot							
Carrot	0.05	0.5	0.1	2	0.02*	0.5	5 0.5
Celeriac							
Horseradish	0.05	0.5	0.1	2	0.02*	0.5	5 0.5
Jerusalem artichokes							
Parsnip	0.05	0.5	0.1	2	0.02*	0.5	5 0.5
Parsley	0.05	0.5	0.1	2	0.02*	0.5	5 0.5
root							
Radishes							
Salsify	0.05	0.5	0.1	2	0.02*	0.5	5 0.5

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

*Group Group Aldrin2-  
to include & Amino  
which the Dieldrin  
food following  
belong products*

---

Broccoli	0.05	0.1	1	0.5	0.02*	0.1	5	0.5
----------	------	-----	---	-----	-------	-----	---	-----

Others

(b) (b) *Head Brassicas*

Brussels sprouts	0.05	1	0.1	1	0.5	0.02*	0.1	5	0.5
------------------	------	---	-----	---	-----	-------	-----	---	-----

Head cabbage	0.05	0.5	0.1	5	0.02*	0.1	5	0.5
--------------	------	-----	-----	---	-------	-----	---	-----

Others

(c) (c) *Leafy Brassicas*

Chinese cabbage

Kale

Others

(d) (d) *Kohlrabi*

(v) LEAF VEGETABLES AND FRESH HERBS

(a) (a) *Lettuce & similar*

Cress

Lamb's lettuce

Lettuce	0.05	0.5	2	10	0.02*	0.1	10	1
---------	------	-----	---	----	-------	-----	----	---

Scarole

Others

(b) (b) *Spinach & similar*

Beet leaves (chard)

(c) (c) *Watercress*

(d) (d) *Witloof*

(e) (e) *Herbs*

Chervil

Chives

Parsley

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

~~Group Aldrin 2 - Azinphosmethyl Carbamates Dieldrin Heptachlor Chlordane Heptachloroethane~~  
~~to include Aminothiazole which the Dieldrin food following belongs products~~

---

Celery leaves

Others

(vi) LEGUME VEGETABLES (fresh)

Beans (with pods)	0.5	0.5	2	5	0.02*	0.1	5	0.5
Beans (without pods)								
Peas (with pods)	0.5	0.5	2	5	0.02*	0.1	5	0.5
Peas (without pods)								
Others								

(vii) STEM VEGETABLES

Asparagus								
Cardoons								
Celery	0.5	2	0.1	3	0.02*	0.5	0.5	
Fennel								
Globe artichokes								
Leeks	0.5	0.5	2	1	0.02*	0.1	5	0.5
Rhubarb	0.5	2	0.1	3	0.02*	0.5	0.5	
Others								

(viii) FUNGI

Cultivated (a) mushrooms		0.1	1	0.02*	0.05	0.5		
Wild (b) mushrooms								

### 3. PULSES

Beans

Lentils

Peas

*Group Aldrin2-  
to include & Aminothiophane  
which the Dieldrin  
food following  
belongs products*

---

Others

#### **4. OILSEEDS**

Linseed

Peanuts

Poppy  
seed

Sesame  
seed

Sunflower  
seed

Rape  
seed

Soya  
bean

Mustard  
seed

Cotton  
seed

Others

#### **5. POTATOES**

Early potatoes	0.05	0.2	0.1	0.2	0.02*	0.5	0.1	0.5	
Ware potatoes	0.05	1	0.2	0.1	0.2	0.02*	0.5	0.1	0.5

#### **6. TEA**

(dried  
leaves  
and  
stalks,  
fermented  
or  
otherwise,  
*Camellia  
sinensis*)

#### **7. HOPS (dried)**

including  
hop  
pellets  
&

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

~~Group Group Aldrin 2-  
Azinphosmethyl Carbofenthion Dieldrin Endosulfan Fenitrothion Heptachlor Heptachloroethane  
Bis (2-methoxyethyl) Aminoathyl Chlorophenothiazine~~  
to include & Aminoathyl  
which the Dieldrin  
food following  
belong products

---

unconcentrated  
powder

---

~~Group Group Dicofol Disulfoton Dineotoluipet Endosulfan Fenitrothion Heptachlor Heptachloroethane  
to include Hgac Thiongaloxynil  
which the cyclohexanide  
food following (HCH)  
belong products γ~~

## 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

### (i) CITRUS FRUIT

Grapefruit	1	2	2	2	1	30
Lemons	1	2	2	2	1	30
Limes	1	2	2	2	1	30
Mandarins (inc clementines & similar hybrids)	1	2	2	2	1	30
Oranges	1	2	2	2	1	30
Pomelos	1	2	2	2	1	30
Others	1	2	2	2	1	30

### (ii) TREE NUTS (shelled or unshelled)

Almonds

Brazil  
nuts

Cashew  
nuts

Chestnuts

Coconuts

Hazelnuts

Macadamia  
nuts

Pecans

Pine  
nuts

Pistachios

Group to include which the food following belongs	Dicofo	Diflub	Dimead	Dipiet	Eodes	Fenitro	Fthalazin	Hydrochloride	Hexachloroethane	Homogalaxynil
									cyclohexanide	
									(HCH)	
									$\gamma$	
Walnuts										
Others										
(iii) POME FRUIT										
Apples	1	1		0.5	0.5		0.05*	1	20	
Pears	1	1		0.5	0.5		0.05*	1	20	
Quinces	1	1		0.5	0.5		0.05*	1	20	
Others	1	1		0.5	0.5		0.05*	1	20	
(iv) STONE FRUIT										
Apricots		2		0.5	0.5			1	20	
Cherries										
Peaches (incl nectarines & similar hybrids)		2		0.5	0.5			1	20	
Plums	1	2		0.5	0.5			1	20	
Others										
(v) BERRIES AND SMALL FRUIT										
(a) (a) Table & wine grapes										
Table grapes		1		0.5	0.5			0.5	20	
Wine grapes		1		0.5	0.5			0.5	20	
Strawberries (b) (other than wild)		1		0.1	0.5			3	30	
(c) (c) Cane Fruit (other than wild)										
Blackberries		1		0.1	0.5			3	20	
Loganberries		1		0.1	0.5			3	20	
Raspberries		1		0.1	0.5			3	20	
Others		1		0.1	0.5			3	20	
(d) (d) Other small fruit & berries (other than wild)										
Bilberries		2		0.1	0.5			3	20	

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to include which the food following belongs</i>	<i>Dicofo</i>	<i>Diflub</i>	<i>Dineadipiet</i>	<i>Eodes</i>	<i>Hfation</i>	<i>Fenitro</i>	<i>Hhian</i>	<i>Hpurochlo</i>	<i>Hxachlor</i>	<i>Hongalicynil</i>
										<i>cyclohexanide (HCH)</i>
										<i><math>\gamma</math></i>

Cranberries	2	0.1	0.5		3	20
Currants (red, black & white)	2	0.1	0.5		3	20
Gooseberries	2	0.1	0.5		3	20
Others	2	0.1	0.5		3	20

(e) (e) Wild berries & wild fruit

(vi) MISCELLANEOUS FRUIT

Avocados						
Bananas	1	0.1	0.5		1	20
Dates						
Figs						
Kiwi fruit						
Kumquats						
Litchis						
Mangoes						
Olives						
Passion fruit						
Pineapples						
Pomegranates						
Others						

**2. Vegetables, fresh or uncooked, frozen or dry**

(i) ROOT AND TUBER VEGETABLES

Beetroot						
Carrots	1	0.1	0.5	0.01*	0.2	
Celeriac						
Horseradish	1	0.1	0.5	0.01*	0.2	
Jerusalem artichokes						
Parsnips	1	0.1	0.5	0.01*	0.2	

Group to include which the food following belonging products	Dicofo	Diflub	Dimead	Dipiet	Eodes	Fenitro	Hian	Hydrochloride	Hyc	Thion	Thion	Thion	Thion	Thion
Parsley root	1		0.1	0.5		0.01*		0.2						
Radishes														
Salsify	1		0.1	0.5		0.01*		0.2						
Sweet potatoes														
Swedes	1		0.1	0.5		0.01*		1						
Turnips	1		0.1	0.5		0.01*		1						
Yams														
Others														
(ii) BULB VEGETABLES														
Garlic	1		0.1	0.5		0.01*		1		0.1				
Onions	1		0.1	0.5		0.01*		1		0.1				
Shallots	1		0.1	0.5		0.01*		1		0.1				
Spring onions														
Others														
(iii) FRUITING VEGETABLES														
(a) (a) <i>Solanaceae</i>														
Tomatoes	1		1		0.1	0.5			2	75				
Peppers	1		1		0.1	0.5			2	75				
Aubergines	1		1		0.1	0.5			2	75				
Others	1		1		0.1	0.5			2	75				
(b) (b) <i>Cucurbits-edible peel</i>														
Cucumbers		2		0.1	0.5				1	50				
Gherkins		2		0.1	0.5				1	50				
Courgettes		2		0.1	0.5				1	50				
Others		2		0.1	0.5				1	50				
(c) (c) <i>Cucurbits-inedible peel</i>														
Melons														
Squashes														
Watermelons														
Others														

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to include which the food following belongs	Dicofo	Disflub	Dineadipiet	Endosulfan	Fenitrothion	Hianisopurochloro	Hgach	Hongalicynil
							$\gamma$	cyclohexanide (HCH)

(d) (d) *Sweet corn*

(iv) BRASSICA VEGETABLES

(a) (a) *Flowering Brassicas*

Broccoli

Cauliflower	2	0.1	0.5	2
-------------	---	-----	-----	---

Others

(b) (b) *Head Brassicas*

Brussels sprouts	1	2	0.1	0.5	2
------------------	---	---	-----	-----	---

Head cabbage	1	2	0.1	0.5	2	100
--------------	---	---	-----	-----	---	-----

Others

(c) (c) *Leafy Brassicas*

Chinese cabbage

Kale

Others

(d) (d) *Kohlrabi*

(v) LEAF VEGETABLES AND FRESH HERBS

(a) (a) *Lettuce & similar*

Cress

Lamb's lettuce

Lettuce	2	0.1	0.5	2
---------	---	-----	-----	---

Scarole

Others

(b) (b) *Spinach & similar*

Beet leaves  
(chard)

(c) (c) *Watercress*

(d) (d) *Witloof*

(e) (e) *Herbs*

Chervil

*Group Group Dicofo Diflub Dimead Dipiet Endes Ethion Fenitri Hianis ipurochlooyl hexachlorogalaxyil  
to include cyclohexanide which the  
food following  
belong products*

---

Chives

Parsley

Celery  
leaves

Others

## (vi) LEGUME VEGETABLES (fresh)

Beans (with pods)	2	0.1	0.5	1
Beans (without pods)				
Peas (with pods)	1	0.1	0.5	0.1
Peas (without pods)				
Others				

## (vii) STEM VEGETABLES

Asparagus				
Cardoons				
Celery	1	0.1	0.5	1
Fennel				
Globe artichokes				
Leeks	1	0.1	0.5	1
Rhubarb	1	0.1	0.5	1
Others				

## (viii) FUNGI

<i>Cultivated (a) mushrooms</i>	1	0.1	0.5	1
<i>Wild (b) mushrooms</i>				

**3. PULSES**

Beans

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to include which the food following belongs</i>	<i>Dicofo Diflub Dinead Dipiet Endes Ethion Fenitro Ethianifipurochlorodifluorachlorogalicynil cyclohexanide (HCH) <math>\gamma</math></i>
--	--

Lentils

Peas

Others

#### 4. OILSEEDS

Linseed

Peanuts

Poppy seed

Sesame seed

Sunflower seed

Rape seed

Soya bean

Mustard seed

Cotton seed

Others

#### 5. POTATOES

Early potatoes	0.1*	0.05	0.05*	0.1	0.01*	0.05*
----------------	------	------	-------	-----	-------	-------

Ware potatoes	0.1*	0.05	0.05*	0.1	0.01*	0.05*
---------------	------	------	-------	-----	-------	-------

#### 6. TEA

(dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)

#### 7. HOPS (dried)

including hop

<p><i>Group to include which the food following belongs products</i></p> <hr/> <p>pellets &amp; unconcentrated powder</p> <hr/> <p><i>Group to include which the food following belongs products</i></p>	<p>Dicofo Diflub Dinead Dipiet Endosulfan Fenitrothion Hianisofipurochlorodifluoromethylongaloxynil cyclohexanide (HCH) <math>\gamma</math></p> <hr/> <p>Malathil Mercur Metalaxyl Mevinphos metho Barathi Phosal Quinto Fenazole Fkaabendazole methyl</p> <hr/> <p><b>1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts</b></p> <p>(i) CITRUS FRUIT</p> <table border="1"> <thead> <tr> <th></th><th>0.2</th><th>1</th><th>1</th><th>0.2</th><th>1</th></tr> </thead> <tbody> <tr> <td>Grapefruit</td><td>0.2</td><td>1</td><td>1</td><td>0.2</td><td>1</td></tr> <tr> <td>Lemons</td><td>0.2</td><td>1</td><td>1</td><td>0.2</td><td>1</td></tr> <tr> <td>Limes</td><td>0.2</td><td>1</td><td>1</td><td>0.2</td><td>1</td></tr> <tr> <td>Mandarins (inc clementines &amp; similar hybrids)</td><td>0.2</td><td>1</td><td>1</td><td>0.2</td><td>1</td></tr> <tr> <td>Orange</td><td>0.2</td><td>1</td><td>1</td><td>0.2</td><td>1</td></tr> <tr> <td>Pomelo</td><td>0.2</td><td>1</td><td>1</td><td>0.2</td><td>1</td></tr> <tr> <td>Others</td><td>0.2</td><td>1</td><td>1</td><td>0.2</td><td>1</td></tr> </tbody> </table> <p>(ii) TREE NUTS (shelled or unshelled)</p> <table border="1"> <tbody> <tr> <td>Almonds</td></tr> <tr> <td>Brazil nuts</td></tr> <tr> <td>Cashew nuts</td></tr> <tr> <td>Chestnuts</td></tr> <tr> <td>Coconuts</td></tr> <tr> <td>Hazelnuts</td></tr> <tr> <td>Macadamia nuts</td></tr> <tr> <td>Pecans</td></tr> <tr> <td>Pine nuts</td></tr> </tbody> </table>		0.2	1	1	0.2	1	Grapefruit	0.2	1	1	0.2	1	Lemons	0.2	1	1	0.2	1	Limes	0.2	1	1	0.2	1	Mandarins (inc clementines & similar hybrids)	0.2	1	1	0.2	1	Orange	0.2	1	1	0.2	1	Pomelo	0.2	1	1	0.2	1	Others	0.2	1	1	0.2	1	Almonds	Brazil nuts	Cashew nuts	Chestnuts	Coconuts	Hazelnuts	Macadamia nuts	Pecans	Pine nuts
	0.2	1	1	0.2	1																																																					
Grapefruit	0.2	1	1	0.2	1																																																					
Lemons	0.2	1	1	0.2	1																																																					
Limes	0.2	1	1	0.2	1																																																					
Mandarins (inc clementines & similar hybrids)	0.2	1	1	0.2	1																																																					
Orange	0.2	1	1	0.2	1																																																					
Pomelo	0.2	1	1	0.2	1																																																					
Others	0.2	1	1	0.2	1																																																					
Almonds																																																										
Brazil nuts																																																										
Cashew nuts																																																										
Chestnuts																																																										
Coconuts																																																										
Hazelnuts																																																										
Macadamia nuts																																																										
Pecans																																																										
Pine nuts																																																										

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

*Group Groups Malathil Mercury Metalaxyl levinplonmethoBarathi Barathil PhosalquintoErenaze Thiabendazole to include compounds which the food following belongs products*

---

Pistachios

Walnuts

Others

(iii) POME FRUIT

Apples	0.5	0.02	0.2	0.2	2
Pears	0.5	0.02	0.2	0.2	2
Quince	0.5	0.02	0.2	0.2	2
Others	0.5	0.02	0.2	0.2	2

(iv) STONE FRUIT

Apricot	0.5	0.2	1	2
Cherries				
Peaches	0.5 (incl nectarines & similar hybrids)	0.5	1	2
Plums	0.5	0.5	1	1
Others				

(v) BERRIES AND SMALL FRUIT

(a) (a) *Table & wine grapes*

Table grapes	0.5	0.1	1	1
Wine grapes	0.5	0.1	1	1

Strawberries	0.5 (other than wild)	0.1	1	1
--------------	--------------------------------	-----	---	---

(c) (c) *Cane Fruit (other than wild)*

Blackberries	0.5	0.1	1	1
Loganberries	0.5	0.1	1	1
Raspberries	0.5	0.1	1	1
Others	0.5	0.1	1	1

(d) (d) *Other small fruit & berries (other than wild)*

*Group Groups MalathilMercuryMetalaxyllevinplonmethoBarathiBarathilBhosalaquinotoEugenazeThiabendazole  
to include compounds methyl  
which the  
food following  
belongs products*

Bilberries	0.1	1	1
Cranberries	0.1	1	1
Currants (red, black & white)	0.1	1	1
Gooseberries	0.1	1	1
Others 0.5	0.1	1	1

(e) (e) *Wild berries & wild fruit*

#### (vi) MISCELLANEOUS FRUIT

Avocados				
Banana	0.5	0.2	1	1
Dates				
Figs				
Kiwi fruit				
Kumquats				
Litchis				
Mangoes				
Olives				
Passion fruit				
Pineapples				
Pomegranates				
Others				

### 2. Vegetables, fresh or uncooked, frozen or dry

#### (i) ROOT AND TUBER VEGETABLES

Beetroot				
Carrots	0.5	0.02	0.1	0.2
Celeriac				
Horsera	0.5	0.02	0.1	0.2
Jerusalem artichokes				

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group	Groups	Malathil	Mercury	Metalaxyl	Mevinph	Onetho	Parathi	Barathi	Bhosala	Quinto	Erenaze	Eriabendazole
to include	compounds											methyl
which the												
food following												
belongs products												

Parsnip	0.5	0.02	0.1	0.2		0.1						
Parsley	0.5	0.02	0.1	0.2		0.1						
root												
Radishes												
Salsify	0.5	0.02	0.1	0.2		0.1						
Sweet												
potatoes												
Swedes	0.5	0.02	0.1	2		0.1						
Turnips	0.5	0.02	0.1	0.2		0.1						
Yams												
Others												

#### (ii) BULB VEGETABLES

Garlic	3	0.02	0.1	0.1		1						
Onions	3	0.02	0.1	0.1		1						
Shallots	3	0.02	0.1	0.1		1						
Spring												
onions												
Others												

#### (iii) FRUITING VEGETABLES

(a)	(a)	<i>Solanacea</i>										
Tomato	3s	0.02	0.1	1		1	0.1					
Peppers	3	0.02	0.1	1		1	0.1					
Aubergines	3	0.02	0.1	1		1	0.1					
Others	3	0.02	0.1	1		1	0.1					

(b)	(b)	<i>Cucurbits-edible peel</i>										
Cucumbers	3	0.02	0.1	0.2		1						
Gherkins	3	0.02	0.1	0.2		1						
Courgettes	3	0.02	0.1	0.2		1						
Others	3	0.02	0.1	0.2		1						

(c)	(c)	<i>Cucurbits-inedible peel</i>										
Melons												
Squashes												
Watermelons												

*Group to include which the food following belongs products*

---

Others

- (d) (d)
- Sweet corn*

## (iv) BRASSICA VEGETABLES

- (a) (a)
- Flowering Brassicas*

Broccoli

Cauliflower 0.02 0.1 0.2 1 0.02

Others

- (b) (b)
- Head Brassicas*

Brussels sprouts 0.02 0.1 0.2 1

Head cabbage 0.02 0.1 0.2 1 0.02

Others

- (c) (c)
- Leafy Brassicas*

Chinese cabbage

Kale

Others

- (d) (d)
- Kohlrabi*

## (v) LEAF VEGETABLES AND FRESH HERBS

- (a) (a)
- Lettuce & similar*

Cress

Lamb's lettuce

Lettuce 3 0.02 0.5 0.2 1 3 2

Scarole

Others

- (b) (b)
- Spinach & similar*

Beet leaves  
(chard)

- (c) (c)
- Watercress*

- (d) (d)
- Witloof*

- (e) (e)
- Herbs*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

*Groups to include which the food following belongs*

---

*Malathil Mercury Metalaxyl levinplonetho Barathi Barathil Phosal Quinto Fenazet Thia bendazole methyl*

Chervil

Chives

Parsley

Celery leaves

Others

(vi) LEGUME VEGETABLES (fresh)

Beans 3 (with pods)	0.1	0.2	1	0.01
Beans (without pods)				
Peas 3 (with pods)	0.1	0.2	1	
Peas (without pods)				
Others				

(vii) STEM VEGETABLES

Asparagus				
Cardoons				
Celery 3	0.02	0.1	0.2	1
Fennel				
Globe artichokes				
Leeks 3	0.02	0.1	2	1
Rhubarb	0.02	0.1	0.2	1
Others				

(viii) FUNGI

<i>Cultivated mushrooms</i>	(a) 0.02	0.1	0.2	1
<i>Wild mushrooms</i>	(b)			

### 3. PULSES

*Group to include which the food following belongs*

*Groups MalathilMercuryMetalaxyllevinplonmethoBarathiBhosalaquinotoEugenazeThiabendazole methyl*

---

Beans

Lentils

Peas

Others

**4. OILSEEDS**

Linseed

Peanuts

Poppy seed

Sesame seed

Sunflower seed

Rape seed

Soya bean

Mustard seed

Cotton seed

Others

**5. POTATOES**

Early potatoes	0.5	0.02	0.1	0.05	0.1*	0.2
----------------	-----	------	-----	------	------	-----

Ware potatoes	0.5	0.02	0.1	0.05	0.1*	0.2
---------------	-----	------	-----	------	------	-----

**6. TEA**

(dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)

**7. HOPS (dried)**

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

---

*Group to which the food following belongs* *Groups include the following products*

---

including  
hop  
pellets  
&  
unconcentrated  
powder

---

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Triazophos</i>	<i>Vinclozolin</i>
------------------------------------	--	-------------------	--------------------

---

**1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts**

(i) CITRUS FRUIT

- Grapefruit
- Lemons
- Limes
- Mandarins (inc clementines & similar hybrids)
- Oranges
- Pomelos
- Others

(ii) TREE NUTS (shelled or unshelled)

- Almonds
- Brazil nuts
- Cashew nuts
- Chestnuts
- Coconuts
- Hazelnuts
- Macadamia nuts
- Pecans
- Pine nuts
- Pistachios
- Walnuts
- Others

(iii) POME FRUIT

- Apples

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Triazophos</i>	<i>Vinclozolin</i>
	Pears		
	Quinces		
	Others		
(iv) STONE FRUIT			
	Apricots		
	Cherries		
	Peaches (incl nectarines & similar hybrids)		
	Plums		
	Others		
(v) BERRIES AND SMALL FRUIT			
	(a) (a) <i>Table &amp; wine grapes</i>		
	Table grapes		
	Wine grapes		
	(b) (b) <i>Strawberries (other than wild)</i>		
	(c) (c) <i>Cane Fruit (other than wild)</i>		
	Blackberries		
	Loganberries		
	Raspberries		
	Others		
	(d) (d) <i>Other small fruit &amp; berries (other than wild)</i>		
	Bilberries		
	Cranberries		
	Currants (red, black & white)		
	Gooseberries		
	Others		
	(e) (e) <i>Wild berries &amp; wild fruit</i>		
(vi) MISCELLANEOUS FRUIT			
	Avocados		
	Bananas		
	Dates		
	Figs		
	Kiwi fruit		

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Triazophos</i>	<i>Vinclozolin</i>
	Kumquats		
	Litchis		
	Mangoes		
	Olives		
	Passion fruit		
	Pineapples		
	Pomegranates		
	Others		
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>			
(i) ROOT AND TUBER VEGETABLES			
	Beetroot		
	Carrots		
	Celeriac		
	Horseradish		
	Jerusalem artichokes		
	Parsnips		
	Parsley root		
	Radishes		
	Salsify		
	Sweet potatoes		
	Swedes		
	Turnips		
	Yams		
	Others		
(ii) BULB VEGETABLES			
	Garlic		
	Onions		
	Shallots		
	Spring onions		
	Others		
(iii) FRUITING VEGETABLES			
	(a)      (a) <i>Solanacea</i>		
	Tomatoes		
	Peppers		

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Triazophos</i>	<i>Vinclozolin</i>
Aubergines			
Others			
(b) (b) <i>Cucurbits-edible peel</i>			
Cucumbers			
Gherkins			
Courgettes			
Others			
(c) (c) <i>Cucurbits-inedible peel</i>			
Melons			
Squashes			
Watermelons			
Others			
(d) (d) <i>Sweet corn</i>			
<b>(iv) BRASSICA VEGETABLES</b>			
(a) (a) <i>Flowering Brassicas</i>			
Broccoli			
Cauliflower			
Others			
(b) (b) <i>Head Brassicas</i>			
Brussels sprouts			
Head cabbage			
Others			
(c) (c) <i>Leafy Brassicas</i>			
Chinese cabbage			
Kale			
Others			
(d) (d) <i>Kohlrabi</i>			
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>			
(a) (a) <i>Lettuce &amp; similar</i>			
Cress			
Lamb's lettuce			
Lettuce			
Scarole			
Others			

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Triazophos</i>	<i>Vinclozolin</i>
	(b) (b) <i>Spinach &amp; similar</i>		
Beet leaves (chard)	(c) (c) <i>Watercress</i>		
	(d) (d) <i>Witloof</i>		
	(e) (e) <i>Herbs</i>		
Chervil			
Chives			
Parsley			
Celery leaves			
Others			
(vi) LEGUME VEGETABLES (fresh)			
Beans (with pods)			
Beans (without pods)			
Peas (with pods)			
Peas (without pods)			
Others			
(vii) STEM VEGETABLES			
Asparagus			
Cardoons			
Celery			
Fennel			
Globe artichokes			
Leeks			
Rhubarb			
Others			
(viii) FUNGI			
	(a) (a) <i>Cultivated mushrooms</i>		
	(b) (b) <i>Wild mushrooms</i>		

### 3. PULSES

- Beans
- Lentils
- Peas
- Others

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Triazophos</i>	<i>Vinclozolin</i>	
<b>4. OILSEEDS</b>	Linseed Peanuts Poppy seed Sesame seed Sunflower seed Rape seed Soya bean Mustard seed Cotton seed Others			
<b>5. POTATOES</b>	Early potatoes Ware potatoes			
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )			
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder			
<b>8. CEREALS</b>	Wheat Rye Barley Oats Triticale Maize Rice <sup>(1)</sup> Other cereals <sup>(2)</sup>	5 5 5 5 5 5 5 5	5 5 5 5 5 5 0.02 0.02	0.02 0.02 0.02 0.02 0.02 0.02 5 5

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to include which food belongs</i>	<i>Groups to include the following products</i>	<i>Chlorfenvinphos</i>	<i>Dieldrin</i>	<i>Dichlorvos</i>	<i>Dilubben</i>	<i>Etramsfos</i>	<i>Fenitrothion</i>	<i>Mercury compounds</i>	<i>Methacrifos</i>
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>									
Meat, fat & preparations of meat <sup>(3)</sup>		0.2	0.7	0.05		0.05*			
Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>		0.008	0.02	0.02		0.05*			
Eggs <sup>(6)</sup>			0.05*		0.05*				

#### UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

#### KEY:

\* Level at or about the limit of determination.

#### FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Other cereals do not include rice.
- (3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01mg/kg.
- (4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (5) For preserved, concentrated or sweetened cow's milk, for raw milk and whole cream milk of another animal origin: and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (6) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

#### Regulation 4

## Part II

<i>Group to include which food belongs</i>	<i>Groups to include the following products</i>	<i>Acephate</i>	<i>Aldicarb</i>	<i>Aldrin</i>	<i>Aminotriazine</i>	<i>Ametraz</i>	<i>Aramite</i>	<i>Atrazine</i>	<i>Azoxystrobin</i>
				& (Amitrole)					
				<i>Dieldrin</i>					

#### 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

##### (i) CITRUS FRUIT

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acephate</i>	<i>Aldicarb</i>	<i>Aldrin &amp; Dieldrin</i>	<i>Aminotriazoles</i>	<i>Amitrole</i>	<i>Aramite</i>	<i>Atrazine</i>	<i>Azoxystrobin</i>
	Grapefruit	0.2		0.05*	0.02*	0.01*	0.1*	0.05*	
	Lemons	1	0.2		0.05*	0.02*	0.01*	0.1*	0.05*
	Limes	1	0.2		0.05*	0.02*	0.01*	0.1*	0.05*
	Mandarins (inc clementines & similar hybrids)	1	0.2		0.05*	0.02*	0.01*	0.1*	0.05*
	Oranges	1	0.2		0.05*	1	0.01*	0.1*	0.05*
	Pomelos	1	0.2		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	1	0.2		0.05*	0.02*	0.01*	0.1*	0.05*
(ii) TREE NUTS (shelled or unshelled)									
	Almonds	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Brazil nuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Cashew nuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Chestnuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Coconuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Hazelnuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Macadamia nuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Pecans	0.02*	0.2		0.05*	0.02*	0.01*	0.1*	0.1*
	Pine nuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Pistachios	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Walnuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
(iii) POME FRUIT									
	Apples	1	0.05*		0.05*	1	0.01*	0.1*	0.05*
	Pears	1	0.05*		0.05*	1	0.01*	0.1*	0.05*
	Quinces	1	0.05*		0.05*	1	0.01*	0.1*	0.05*
	Others	1	0.05*		0.05*	1	0.01*	0.1*	0.05*
(iv) STONE FRUIT									

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acephate</i>	<i>Aldicarb</i>	<i>Aldrin &amp; Dieldrin</i>	<i>Aminotriazine</i>	<i>Amitraz (Amitrole)</i>	<i>Aramite</i>	<i>Atrazine</i>	<i>Azoxystrobin</i>
	Apricots	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Cherries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.02*	0.05*		0.05*	1	0.01*	0.1*	0.05*
	Plums	2	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
<b>(v) BERRIES AND SMALL FRUIT</b>									
		(a)	(a) <i>Table &amp; wine grapes</i>						
	Table grapes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	2
	Wine grapes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	2
	Strawberries (other than wild)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
		(c)	(c) <i>Cane Fruit (other than wild)</i>						
	Blackberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Dewberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Loganberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Raspberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
		(d)	(d) <i>Other small fruit &amp; berries (other than wild)</i>						
	Bilberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Cranberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Currants (red, black & white)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Gooseberries	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & Dieldrin	Aminotriazoles	Amitrole	Aramite	Atrazine	Azoxystrobin
	(berries & wild fruit)	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	

## (vi) MISCELLANEOUS FRUIT

Avocados	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Bananas	0.02*	0.1		0.05*	0.02*	0.01*	0.1*	2
Dates	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Figs	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Kiwi fruit	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Kumquats	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Litchis	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Mangoes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Olives (table consumption)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Olives (oil extract)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Papaya		0.05*			0.02*			
Passion fruit	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Pineapple	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Pomegranate	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*

**2. Vegetables, fresh or uncooked, frozen or dry**

## (i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Carrots	0.02*	0.1		0.05*	0.02*	0.01*	0.1*	0.05*
Celeriac	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Horseradish	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Jerusalem artichokes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Parsnips	0.02*	0.1		0.05*	0.02*	0.01*	0.1*	0.05*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acephate</i>	<i>Aldicarb</i>	<i>Aldrin &amp; Dieldrin</i>	<i>Aminotriazine</i>	<del><i>Amitraz</i></del>	<i>Aramite</i>	<i>Atrazine</i>	<i>Azoxystrobin</i>
	Parsley root	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Radishes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Salsify	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Sweet potatoes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Swedes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Turnips	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Yams	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
(ii) BULB VEGETABLES									
	Garlic	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Onions	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Shallots	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Spring onions	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
(iii) FRUITING VEGETABLES									
	(a)	(a)	<i>Solanaceae</i>						
	Tomatoes	0.5	0.05*		0.05*	0.5	0.01*	0.1*	2
	Peppers	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Chilli peppers						0.01*		
	Aubergines	0.5	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	(b)	(b)	<i>Cucurbits-edible peel</i>						
	Cucumber	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	1
	Gherkins	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	1
	Courgette	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	1
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	1
	(c)	(c)	<i>Cucurbits-inedible peel</i>						
	Melons	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.5
	Squashes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.5

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & Dieldrin	Aminotriazoles	Amitrole	Ametraz	Aramite	Atrazine	Azoxystrobin
	Watermelon	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	0.5	
	Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	0.5	
	Sweet corn	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	0.05*	

## (iv) BRASSICA VEGETABLES

(a) (a) *Flowering Brassicas*

Broccoli	2	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
Cauliflower	2	0.2	0.05*	0.02*	0.01*	0.1*	0.05*
Others	2	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*

(b) (b) *Head Brassicas*

Brussels sprouts	2	0.2	0.05*	0.02*	0.01*	0.1*	0.05*
Head cabbage	2	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
Others	2	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*

(c) (c) *Leafy Brassicas*

Chinese cabbage	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
Kale	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*

(d) 0.02\* *Kohlrabi*

0.05\* 0.02\* 0.01\* 0.1\* 0.05\*

## (v) LEAF VEGETABLES AND FRESH HERBS

(a) (a) *Lettuce & similar*

Cress	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
Lamb's lettuce	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
Lettuce	1	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
Scarole	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*

(b) (b) *Spinach & similar*

Spinach	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*
Beet leaves (chard)	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acephate</i>	<i>Aldicarb</i>	<i>Aldrin &amp; Dieldrin</i>	<i>Aminotriazoles</i>	<i>Amitrole</i>	<i>Aramite</i>	<i>Atrazine</i>	<i>Azoxystrobin</i>
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	(c) <i>Waldorf</i>	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	(d) <i>Wild</i>	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	(e) <i>Herbs</i>								
Chervil		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Chives		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Parsley		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Celery leaves		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Others		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
<b>(vi) LEGUME VEGETABLES (fresh)</b>									
Beans (with pods)	3		0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Beans (without pods)		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Peas (with pods)	3		0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Peas (without pods)		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Others			0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
<b>(vii) STEM VEGETABLES</b>									
Asparagus	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Cardoons	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Celery	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Fennel	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Globe artichokes	0.2	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Leeks	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Rhubarb	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
<b>(viii) FUNGI</b>									

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & Dieldrin	Aminotriazine (Amitrole)	Ametraz	Aramite	Atrazine	Azoxystrobin
	Cultivated mushrooms	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Wild mushrooms	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
<b>3. PULSES</b>									
Beans	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Lentils	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Peas	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
<b>4. OILSEEDS</b>									
Linseed	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Peanuts	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Poppy seed	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Sesame seed	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Sunflower seed	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Rape seed	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Soya bean	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Mustard seed	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
Cotton seed	0.02*	0.05*		0.05*	1	0.01*	0.1*	0.05*	
Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*	
<b>5. POTATOES</b>									
Early potatoes	0.02*	0.5		0.05*	0.02*	0.01*	0.1*	0.05*	
Ware potatoes	0.02*	0.5		0.05*	0.02*	0.01*	0.1*	0.05*	
<b>6. TEA</b>									
(dried leaves and stalks, fermented)	0.1*	0.05*	0.02	0.1*	0.1*	0.1*	0.1*	0.1*	

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & Dieldrin	Aminotriazole	Amitraz (Amitrole)	Aramite	Atrazine	Azoxystrobin
	or otherwise, <i>Camellia sinensis</i> )								
<b>7. HOPS (dried)</b>									
	including hop pellets & unconcentrated powder	0.1*	0.05*		0.1*	50	0.1*	0.1*	0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyl	Benfuracarb	Benzapacryl	Biphenthrin	Bromophos	Bromopropylate	Chlorothalonil
							ethyl		(Toxaphene)

#### **1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts**

##### **(i) CITRUS FRUIT**

Grapefrui	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Lemons	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Limes	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Mandarin	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
(inc clementines & similar hybrids)						
Oranges	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Pomelos	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

##### **(ii) TREE NUTS (shelled or unshelled)**

Almonds	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Brazil nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Cashew nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Chestnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Coconuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups include	Barban	Benalaxyll	Benfuracil	Bnapacryl	Biphenthr	Bromophan	Bromopropylate	Chlorophenoxy
	Hazelnuts	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Macadamia nuts	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Pecans	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Pine nuts	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Pistachios	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Walnuts	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
(iii) POME FRUIT									
	Apples	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Pears	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Quinces	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
(iv) STONE FRUIT									
	Apricots	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Cherries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Plums	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
(v) BERRIES AND SMALL FRUIT									
	(a) Table grapes								
	Table grapes	0.05*	0.2	0.05*	0.05*		0.05*		0.1*
	Wine grapes	0.05*	0.2	0.05*	0.05*		0.05*		0.1*
	Strawberries (other than wild)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	(c) Cane Fruit (other than wild)								

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include	Barban	Benalaxyl	Benfuracarb	Bnapacryl	Biphenthrin	Bromophos	Bromopropylate	Chlorothephene	(Toxaphene)
	Blackberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Dewberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Loganberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Raspberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
(d)	(d) Other small fruit & berries (other than wild)									
	Bilberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Cranberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Currants (red, black & white)	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Gooseberries	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Wild berries & wild fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
(vi)	MISCELLANEOUS FRUIT									
	Avocados	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Bananas	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Dates	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Figs	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Kiwi fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Kumquats	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Litchis	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Mangoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Olives (table consumption)	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Olives (oil extract)	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Papaya		0.05*	0.05*						

Group to which food belongs	Groups include	Barban	Benalaxyll	Benfuracil	Bnapacryl	Biphenthr	Bromophan	Bromopropyl	Guanachlor	(Toxaphene)
	Passion fruit	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Pineapple	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Pomegranates	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>										
(i) ROOT AND TUBER VEGETABLES										
	Beetroot	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Carrots	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Celeriac	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Horseradish	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Jerusalem artichokes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Parsnips	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Parsley root	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Radishes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Salsify	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Sweet potatoes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Swedes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Turnips	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Yams	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
(ii) BULB VEGETABLES										
	Garlic	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Onions	0.05*	0.2	0.05*	0.05*		0.05*		0.1*	
	Shallots	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Spring onions	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*	
(iii) FRUITING VEGETABLES										
	(a) Tomatoes	(a) Solanacea								
	Tomatoes	0.05*	0.2	0.05*	0.05*		0.05*		0.1*	

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include	Barban	Benalaxyloxyfuranacarbonyl	Benzapropacrylate	Biphenethyl	Bromophenyl	Bromopropyl	Gammaphenyl	Heptachlor (Toxaphene)
	Peppers	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*	
	Chilli peppers	0.05*							
	Aubergine	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*	
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
(b)	(b) <i>Cucurbits-edible peel</i>								
	Cucumber	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Gherkins	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Courgette	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
(c)	(c) <i>Cucurbits-inedible peel</i>								
	Melons	0.05*	0.1	0.05*	0.05*	0.05*	0.05*	0.1*	
	Squashes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Watermelon	0.05*	0.1	0.05*	0.05*	0.05*	0.05*	0.1*	
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	
	Sweetcorn	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*	

#### (iv) BRASSICA VEGETABLES

	(a) (a) <i>Flowering Brassicas</i>							
	Broccoli	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Cauliflower	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
(b)	(b) <i>Head Brassicas</i>							
	Brussels sprouts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Head cabbage	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
(c)	(c) <i>Leafy Brassicas</i>							
	Chinese cabbage	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Kale	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups include	Barban	Benalaxyl	Benfuracarb	Bnapacryl	Biphenthrin	Bromophan	Bromopropylate	Chlorothephene
		(d) 0.05*	Kohlrabi	0.05*	0.05*		0.05*		(Toxaphene)
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>									
	(a) (a) <i>Lettuce &amp; similar</i>								
	Cress	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Lamb's lettuce	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Lettuce	0.05*	0.05	0.05*	0.05*		0.05*		0.1*
	Scarole	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	(b) (b) <i>Spinach &amp; similar</i>								
	Spinach	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Beet leaves (chard)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	(c) 0.05* (c) <i>Waldorffress</i>	0.05*	0.05*				0.05*		0.1*
	(d) 0.05* (d) <i>Wild mint</i>	0.05*	0.05*				0.05*		0.1*
	(e) (e) <i>Herbs</i>								
	Chervil	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Chives	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Parsley	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Celery leaves	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
<b>(vi) LEGUME VEGETABLES (fresh)</b>									
	Beans (with pods)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Beans (without pods)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Peas (with pods)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include	Barban	BenzylBenfuracarb	Benzapacryl	Biphenthrin	Bromophos	Bromopropylate	Chlorophenoxy
								(Toxaphene)
	Peas (without pods)	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
(vii) STEM VEGETABLES								
	Asparagus	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Cardoons	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Celery	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Fennel	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Globe artichokes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Leeks	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Rhubarb	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
(viii) FUNGI								
	Cultivated mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Wild mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
<b>3. PULSES</b>								
	Beans	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Lentils	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Peas	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
<b>4. OILSEEDS</b>								
	Linseed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Peanuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Poppy seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Sesame seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Sunflower seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Rape seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups include	Barban	Benzylbenfuracarb	Benzapacryl	Biphenthrin	Bromophos	Bromopropylate	Chlorotheclor (Toxaphene)
	Soya bean	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Mustard seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Cotton seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
<b>5. POTATOES</b>								
	Early potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Ware potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
<b>6. TEA</b>								
	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.1*	0.1*	0.1*	0.1*	5	0.1*	0.1*
<b>7. HOPS (dried)</b>								
	including hop pellets & unconcentrated powder	0.1*	0.1*	5	0.1*	0.1*	0.1*	0.1*

Group to which food belongs	Groups include	Captafol	Carbendazim	Carbosulfan	Gartap	Chlorbensidazole	Chlorbutam
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts</b>							
(i) CITRUS FRUIT							
	Grapefruit	0.02*	5	0.3	0.05*	0.01*	0.05*
	Lemons	0.02*	5	0.3	0.05*	0.01*	0.05*
	Limes	0.02*	5	0.3	0.05*	0.01*	0.05*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups to include	Captafol	Carbendaz	Carbofuran	Carbosulfan	Martap	Chlorbensid	Chlorbufam
	Mandarins (inc clementines & similar hybrids)	0.02*	5	0.3	0.05*		0.01*	0.05*
	Oranges	0.02*	5	0.3	0.05*		0.01*	0.05*
	Pomelos	0.02*	5	0.3	0.05*		0.01*	0.05*
	Others	0.02*	5	0.3	0.05*		0.01*	0.05*
(ii) TREE NUTS (shelled or unshelled)								
	Almonds	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Brazil nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Cashew nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Chestnuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Coconuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Hazelnuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Macadamia nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pecans	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pine nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pistachios	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Walnuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
(iii) POME FRUIT								
	Apples	0.02*	2	0.1*	0.05*		0.01*	0.05*
	Pears	0.02*	2	0.1*	0.05*		0.01*	0.05*
	Quinces	0.02*	2	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	2	0.1*	0.05*		0.01*	0.05*
(iv) STONE FRUIT								
	Apricots	0.02*	1	0.1*	0.05*		0.01*	0.05*
	Cherries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Peaches (incl nectarines)	0.02*	1	0.1*	0.05*		0.01*	0.05*

Group to which food belongs	Groups to include	Captafol	Carbendaz	Carbofuran	Carbosulfan	Martap	Chlorbensid	Chlorbufam
	& similar hybrids)							
Plums	0.02*	0.5	0.1*	0.05*		0.01*	0.05*	
Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
(v) BERRIES AND SMALL FRUIT								
(a) (a) Table & wine grapes								
Table grapes	0.02*	2	0.1*	0.05*		0.01*	0.05*	
Wine grapes	0.02*	2	0.1*	0.05*		0.01*	0.05*	
Strawberries	0.02* (other than wild)	0.1*	0.1*	0.05*		0.01*	0.05*	
(c) (c) Cane Fruit (other than wild)								
Blackberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Dewberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Loganberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Raspberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
(d) (d) Other small fruit & berries (other than wild)								
Bilberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Cranberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Currants (red, black & white)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Gooseberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Wild berries & wild fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups to include	Captafol	Carbendazim	Carbofuran	Carbosulfan	Martap	Chlorbensidazole	Florbufam
<b>(vi) MISCELLANEOUS FRUIT</b>								
Avocados	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Bananas	0.02*	1	0.1*	0.05*		0.01*	0.05*	
Dates	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Figs	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Kiwi fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Kumquats	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Litchis	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Mangoes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Olives (table consumption)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Olives (oil extract)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Papaya		0.1*	0.1*	0.05*				
Passion fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Pineapples	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Pomegranates	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	

## 2. Vegetables, fresh or uncooked, frozen or dry

### (i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Carrots	0.02*	0.1*	0.3	0.1		0.01*	0.05*	
Celeriac	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Horseradish	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Jerusalem artichokes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Parsnips	0.02*	0.1*	0.3	0.1		0.01*	0.05*	
Parsley root	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Radishes	0.02*	0.1*	0.5	0.05*		0.01*	0.05*	
Salsify	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captafol</i>	<i>Carbendazim</i>	<i>Carbofuran</i>	<i>Carbosulfan</i>	<i>Martap</i>	<i>Chlorbensidazole</i>	<i>Chlorbufam</i>
	Sweet potatoes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Swedes	0.02*	0.1*	0.2	0.05*		0.01*	0.05*
	Turnips	0.02*	0.1*	0.2	0.05*		0.01*	0.05*
	Yams	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
(ii) BULB VEGETABLES								
	Garlic	0.02*	0.1*	0.3	0.05*		0.01*	0.05*
	Onions	0.02*	0.1*	0.3	0.05*		0.01*	0.05*
	Shallots	0.02*	0.1*	0.3	0.05*		0.01*	0.05*
	Spring onions	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
(iii) FRUITING VEGETABLES								
	(a) (a) <i>Solanaceae</i>							
	Tomatoes	0.02*	0.5	0.1*	0.05*		0.01*	0.05*
	Peppers	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Chilli peppers						0.01*	0.05*
	Aubergines	0.02*	0.5	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	(b) (b) <i>Cucurbits-edible peel</i>							
	Cucumbers	0.02*	1	0.1*	0.05*		0.01*	0.05*
	Gherkins	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Courgettes	0.02*	0.3	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	(c) (c) <i>Cucurbits-inedible peel</i>							
	Melons	0.02*	0.5	0.2	0.05*		0.01*	0.05*
	Squashes	0.02*	0.5	0.2	0.05*		0.01*	0.05*
	Watermelons	0.02*	0.1*	0.2	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.2	0.05*		0.01*	0.05*
	<i>Stink</i> corn	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captafol</i>	<i>Carbendaz</i>	<i>Carbofuran</i>	<i>Carbosulfan</i>	<i>Martap</i>	<i>Chlorbensid</i>	<i>Chlorbufam</i>
<b>(iv) BRASSICA VEGETABLES</b>								
(a) (a) <i>Flowering Brassicas</i>								
Broccoli	0.02*	0.1*	0.2	0.05*		0.01*	0.05*	
Cauliflower	0.02*	0.1*	0.2	0.05*		0.01*	0.05*	
Others	0.02*	0.1*	0.2	0.05*		0.01*	0.05*	
(b) (b) <i>Head Brassicas</i>								
Brussels sprouts	0.02*	0.5	0.1*	0.05*		0.01*	0.05*	
Head cabbage	0.02*	3	0.1*	0.05*		0.01*	0.05*	
Others	0.02*	3	0.1*	0.05*		0.01*	0.05*	
(c) (c) <i>Leafy Brassicas</i>								
Chinese cabbage	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Kale	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
(d) 0.02* <i>Kohlrabi</i>								
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>								
(a) (a) <i>Lettuce &amp; similar</i>								
Cress	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Lamb's lettuce	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Lettuce	0.02*	5	0.1*	0.05*		0.01*	0.05*	
Scarole	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
(b) (b) <i>Spinach &amp; similar</i>								
Spinach	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Beet leaves (chard)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
(c) 0.02* <i>Watercress</i>								
(d) 0.02* <i>Witloof</i>								
(e) (e) <i>Herbs</i>								

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captafol</i>	<i>Carbendazim</i>	<i>Carbofuran</i>	<i>Carbosulfan</i>	<i>Martap</i>	<i>Chlorbensidazole</i>	<i>Chlorbufam</i>
	Chervil	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Chives	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Parsley	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Celery leaves	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
(vi) LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Beans (without pods)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Peas (with pods)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Peas (without pods)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
(vii) STEM VEGETABLES								
	Asparagus	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Cardoons	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Celery	0.02*	2	0.1*	0.05*		0.01*	0.05*
	Fennel	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Globe artichokes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Leeks	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Rhubarb	0.02*	2	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
(viii) FUNGI								
	Cultivated mushrooms	0.02*	1	0.1*	0.05*		0.01*	0.05*
	Wild mushrooms	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

### 3. PULSES

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captafol</i>	<i>Carbendazim</i>	<i>Carbofuran</i>	<i>Carbosulfan</i>	<i>Martap</i>	<i>Chlorbensidazole</i>	<i>Chlorbufam</i>
	Beans	0.02*	2	0.1*	0.05*		0.01*	0.05*
	Lentils	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Peas	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
<b>4. OILSEEDS</b>								
	Linseed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Peanuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Poppy seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Sesame seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Sunflower seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Rape seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Soya bean	0.02*	0.2	0.1*	0.05*		0.01*	0.05*
	Mustard seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Cotton seed	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
<b>5. &gt;POTATOES</b>								
	Early potatoes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Ware potatoes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
<b>6. TEA</b>								
	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.1*	0.1*	0.2*	0.1*	0.1*	0.1*	0.1*
<b>7. HOPS (dried)</b>								

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captafol</i>	<i>Carbendazim</i>	<i>Carbofuran</i>	<i>Carbosulfan</i>	<i>Martap</i>	<i>Chlorbensidazole</i>	<i>Chlorbufam</i>
	including hop pellets & unconcentrated powder	0.1*	0.1*	10	1		0.1*	0.1*

  

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Chlordane</i>	<i>Chlorsenone</i>	<i>Chlormequatchlorobenzilate</i>	<i>Chlorobenzilate</i>	<i>Chlorothal</i>	<i>Chloroxuracil</i>	<i>Chlorpyrifos</i>

### 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

#### (i) CITRUS FRUIT

Grapefruit	0.01*	0.05*	0.02*	0.01*	0.05*	0.3
Lemons	0.01*	0.05*	0.02*	0.01*	0.05*	0.2
Limes	0.01*	0.05*	0.02*	0.01*	0.05*	0.3
Mandarins (inc clementines & similar hybrids)	0.01*	0.05*	0.02*	0.01*	0.05*	2
Oranges	0.01*	0.05*	0.02*	0.01*	0.05*	0.3
Pomelos	0.01*	0.05*	0.02*	0.01*	0.05*	0.3
Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.3

#### (ii) TREE NUTS (shelled or unshelled)

Almonds	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
Brazil nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
Cashew nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
Chestnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
Coconuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
Hazelnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
Macadamia nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
Pecans	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
Pine nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Chlordane</i>	<i>Chlorfenson</i>	<i>Chlormequatchlorobenzilate</i>	<i>Chlorothal</i>	<i>Chloroxuron</i>	<i>Chlorpyrifos</i>
	Pistachios	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
	Walnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
	Others	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
<b>(iii) POME FRUIT</b>							
	Apples	0.01*	0.05*	0.02*	1	0.05*	0.5
	Pears	0.01*	0.5	0.02*	1	0.05*	0.5
	Quinces	0.01*	0.05*	0.02*	1	0.05*	0.5
	Others	0.01*	0.05*	0.02*	1	0.05*	0.5
<b>(iv) STONE FRUIT</b>							
	Apricots	0.01*	0.05*	0.02*	1	0.05*	0.05*
	Cherries	0.01*	0.05*	0.02*	0.01*	0.05*	0.3
	Peaches (incl nectarines & similar hybrids)	0.01*	0.05*	0.02*	1	0.05*	0.2
	Plums	0.01*	0.05*	0.02*	0.01*	0.05*	0.2
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
<b>(v) BERRIES AND SMALL FRUIT</b>							
	<b>(a) (a) Table &amp; wine grapes</b>						
	Table grapes	0.01*	0.05*	0.02*	1	0.05*	0.5
	Wine grapes	0.01*	0.05*	0.02*	3	0.05*	0.5
	Strawberries	0.01*	0.05*	0.02*	3	0.05*	0.2
	<b>(b) (b) (other than wild)</b>						
	<b>(c) (c) Cane Fruit (other than wild)</b>						
	Blackberries	0.01*	0.05*	0.02*	10	0.05*	0.5
	Dewberries	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Loganberries	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Raspberries	0.01*	0.05*	0.02*	10	0.05*	0.5
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	<b>(d) (d) Other small fruit &amp; berries (other than wild)</b>						

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenson	Chlormequat	Chlorobenzilate	Chlorothal	Chloroxuron	Chlorpyrifos
	Bilberries	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Cranberries	0.01*	0.05*	0.02*	2	0.05*	0.05*	
	Currants (red, black & white)	0.01*	0.05*	0.02*	10	0.05*	1	
	Gooseberries	0.01*	0.05*	0.02*	10	0.05*	1	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Wild berries & wild fruit	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
(vi) MISCELLANEOUS FRUIT								
	Avocados	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Bananas	0.01*	0.05*	0.02*	0.2	0.05*	3	
	Dates	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Figs	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Kiwi fruit	0.01*	0.05*	0.02*	0.01*	0.05*	2	
	Kumquats	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Litchis	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Mangoes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Olives (table consumption)	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Olives (oil extract)	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Papaya		0.05*		0.01*			
	Passion fruit	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Pineapples	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Pomegranates	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	

## 2. Vegetables, fresh or uncooked, frozen or dry

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Chlordane</i>	<i>Chlorfenson</i>	<i>Chlormequatchlorobenzilate</i>	<i>Chlorothal</i>	<i>Chloroxuron</i>	<i>Chlorpyrifos</i>
<b>(i) ROOT AND TUBER VEGETABLES</b>							
Beetroot		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
Carrots		0.01*	0.05*	0.02*	1	0.05*	0.1
Celeriac		0.01*	0.05*	0.02*	0.5	0.05*	0.05*
Horseradish		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
Jerusalem artichokes		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
Parsnips		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
Parsley root		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
Radishes		0.01*	0.05*	0.02*	0.01*	0.05*	0.2
Salsify		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
Sweet potatoes		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
Swedes		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
Turnips		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
Yams		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
<b>(ii) BULB VEGETABLES</b>							
Garlic		0.01*	0.05*	0.02*	0.5	0.05*	0.05*
Onions		0.01*	0.05*	0.02*	0.5	0.05*	0.2
Shallots		0.01*	0.05*	0.02*	0.5	0.05*	0.05*
Spring onions		0.01*	0.05*	0.02*	5	0.05*	0.05*
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
<b>(iii) FRUITING VEGETABLES</b>							
(a)		<i>(a) Solanaceae</i>					
Tomatoes		0.01*	0.05*	0.02*	2	0.05*	0.5
Peppers		0.01*	0.05*	0.02*	2	0.05*	0.5
Chilli peppers		0.01*		0.02*		0.05*	
Aubergines		0.01*	0.05*	0.02*	2	0.05*	0.5
Others		0.01*	0.05*	0.02*	2	0.05*	0.5

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Chlordane</i>	<i>Chlorfenson</i>	<i>Chlormequatchlorobenzilate</i>	<i>Chlorothal</i>	<i>Chloroxuron</i>	<i>Chlorpyrifos</i>
	(b) (b) <i>Cucurbits-edible peel</i>						
	Cucumbers	0.01*	0.05*	0.02*	1	0.05*	0.05*
	Gherkins	0.01*	0.05*	0.02*	5	0.05*	0.05*
	Courgettes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	(c) (c) <i>Cucurbits-inedible peel</i>						
	Melons	0.01*	0.05*	0.02*	1	0.05*	0.05*
	Squashes	0.01*	0.05*	0.02*	1	0.05*	0.05*
	Watermelons	0.01*	0.05*	0.02*	1	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	1	0.05*	0.05*
	<i>Starter corn</i>	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*

## (iv) BRASSICA VEGETABLES

	(a) (a) <i>Flowering Brassicas</i>						
	Broccoli	0.01*	0.05*	0.02*	3	0.05*	0.05*
	Cauliflower	0.01*	0.05*	0.02*	3	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	3	0.05*	0.05*
	(b) (b) <i>Head Brassicas</i>						
	Brussels sprouts	0.01*	0.05*	0.02*	0.5	0.05*	0.05*
	Head cabbage	0.01*	0.05*	0.02*	3	0.05*	1
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	(c) (c) <i>Leafy Brassicas</i>						
	Chinese cabbage	0.01*	0.05*	0.02*	0.01*	0.05*	0.5
	Kale	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	(d) (d) <i>Kohlrabi</i>	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*

## (v) LEAF VEGETABLES AND FRESH HERBS

	(a) (a) <i>Lettuce &amp; similar</i>						
	Cress	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Chlordane</i>	<i>Chlorfenson</i>	<i>Chlormequatchlorobenzilate</i>	<i>Chlorothal</i>	<i>Chloroxuron</i>	<i>Chlorpyrifos</i>
	Lamb's lettuce	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Lettuce	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Scarole	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
(b)	(b) <i>Spinach &amp; similar</i>						
	Spinach	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Beet leaves (chard)	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
(c)	(c) <i>Watercress</i>		0.05*	0.02*	0.01*	0.05*	0.05*
(d)	(d) <i>Witloof</i>		0.01*	0.05*	0.02*	0.01*	0.05*
(e)	(e) <i>Herbs</i>						
	Chervil	0.01*	0.05*	0.02*	5	0.05*	0.05*
	Chives	0.01*	0.05*	0.02*	5	0.05*	0.05*
	Parsley	0.01*	0.05*	0.02*	5	0.05*	0.05*
	Celery leaves	0.01*	0.05*	0.02*	5	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	5	0.05*	0.05*
(vi)	LEGUME VEGETABLES (fresh)						
	Beans (with pods)	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Beans (without pods)	0.01*	0.05*	0.02*	0.05	0.05*	0.05*
	Peas (with pods)	0.01*	0.05*	0.02*	2	0.05*	0.05*
	Peas (without pods)	0.01*	0.05*	0.02*	0.3	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
(vii)	STEM VEGETABLES						
	Asparagus	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Chlordane</i>	<i>Chlorfenson</i>	<i>Chlormequatchlorobenzilate</i>	<i>Chlorothal</i>	<i>Chloroxuron</i>	<i>Chlorpyrifos</i>
	Cardoons	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Celery	0.01*	0.05*	0.02*	10	0.05*	0.05*
	Fennel	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Globe artichokes	0.01*	0.05*	0.02*	0.01*	0.05*	1
	Leeks	0.01*	0.05*	0.02*	10	0.05*	0.05*
	Rhubarb	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
<b>(viii) FUNGI</b>							
	<i>Cultivated mushrooms</i>	(a) 0.01*	10	0.02*	2	0.05*	0.05*
	<i>Wild mushrooms</i>	(b) 0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
<b>3. PULSES</b>							
	Beans	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Lentils	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Peas	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*
<b>4. OILSEEDS</b>							
	Linseed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
	Peanuts	0.01*	0.1*	0.02*	0.05	0.05*	0.05*
	Poppy seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
	Sesame seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
	Sunflower seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
	Rape seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
	Soya bean	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
	Mustard seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
	Cotton seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*
	Others	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Chlordane</i>	<i>Chlorfenson</i>	<i>Chlormequat</i>	<i>Chlorobenzilate</i>	<i>Chlorothal</i>	<i>Chloroxuron</i>	<i>Chlorpyrifos</i>
<b>5. POTATOES</b>								
	Early potatoes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Ware potatoes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
<b>6. TEA</b>								
	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.02*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*
<b>7. HOPS (dried)</b>								
	including hop pellets & unconcentrated powder	0.1*	0.1*	0.1*	50	0.1*	0.1*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Chlorpyrifos</i>	<i>Fluthrin</i>	<i>Cypermethrin</i>	<i>Diaminozoide</i>	<i>DDT</i>	<i>Deltamethrin</i>	<i>Disulfotonate</i>	<i>Diazinon</i>
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts</b>									
(i) CITRUS FRUIT									
Grapefruits	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.05*	1
Lemons	0.3	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Limes	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
Mandarins (inc clementines & similar hybrids)	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
Oranges	0.5	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.05*	1
Pomelos	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.05*	1
Others	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*

<i>Group to which the food belongs</i>	<i>Groups include the following products</i>	<i>Chlorpyrifos</i>	<i>fluthrin</i>	<i>Cypermethrin</i>	<i>Diaminozide</i>	<i>DDT</i>	<i>Deltamethrin</i>	<i>Diallate</i>	<i>Diazinon</i>
<b>(ii) TREE NUTS (shelled or unshelled)</b>									
	Almonds	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Brazil nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cashew nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Chestnuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Coconuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Hazelnuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Macadamia nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pecans	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pine nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pistachios	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Walnuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
<b>(iii) POME FRUIT</b>									
	Apples	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.3
	Pears	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.3
	Quinces	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.02*
	Others	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.02*
<b>(iv) STONE FRUIT</b>									
	Apricots	0.05*	0.5	2	0.02*	0.05*	0.1	0.05*	0.02*
	Cherries	0.05*	0.2	1	0.02*	0.05*	0.1	0.05*	0.3
	Peaches (incl nectarines & similar hybrids)	0.5	0.5	2	0.02*	0.05*	0.1	0.05*	0.02*
	Plums	0.05*	0.2	1	0.02*	0.05*	0.1	0.05*	0.1
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*
<b>(v) BERRIES AND SMALL FRUIT</b>									
	(a) Table & wine grapes								

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include	Chlorpyrifos	fluthrin	Cypermet	Diaminozo	DDT	Deltameth	Diallate	Diazinon
	methyl								
Table grapes	0.2	0.3	0.5	0.02*	0.05*	0.1	0.05*	0.02*	
Wine grapes	0.2	0.3	0.5	0.02*	0.05*	0.1	0.05*	0.02*	
Strawberries (other than wild)	0.5(b)	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
(c) Cane Fruit (other than wild)									
Blackberries	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.02*	
Dewberries	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.05*	0.02*	
Loganberries	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.05*	0.02*	
Raspberries	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.02*	
Others	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.05*	0.02*	
(d) Other small fruit & berries (other than wild)									
Bilberries	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.2	
Cranberries	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
Currants (red, black & white)	0.05*	0.02*	0.05*	0.02*	0.05*	0.2	0.05*	0.2	
Gooseberries	0.05*	0.02*	0.05*	0.02*	0.05*	0.2	0.05*	0.2	
Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
(e) Wild berries & wild fruit	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.02*	
(vi) MISCELLANEOUS FRUIT									
Avocados	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
Bananas	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
Dates	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
Figs	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	
Kiwi fruit	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.2	
Kumquats	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	

Group to which food belongs	Groups include	Chlorpyrifos	fluthrin	Cypermethrin	Diaminozoate	DDT	Deltamethrin	Diallate	Diazinon
	methyl								
	Litchis	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Mangoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Olives (table consumption)	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.05*	0.02*
	Olives (oil extract)	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.05*	0.02*
	Papaya		0.02*						0.02*
	Passion fruit	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Pineapple	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Pomegranates	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*

## 2. Vegetables, fresh or uncooked, frozen or dry

### (i) ROOT AND TUBER VEGETABLES

Beetroot	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Carrots	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.2
Celeriac	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Horseradish	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Jerusalem artichokes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Parsnips	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Parsley root	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Radishes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Salsify	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Sweet potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Swedes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Turnips	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Yams	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*

### (ii) BULB VEGETABLES

Garlic	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.02*
--------	-------	-------	-----	-------	-------	-----	-------	-------

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include	Chlorpyrifos	fluthrin	Cypermet	Diaminozo	DDT	Deltameth	Diallate	Diazinon
	include methyl								
	Onions	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.02*
	Shallots	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.02*
	Spring onions	0.05*	0.02*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
<b>(iii) FRUITING VEGETABLES</b>									
	(a) Solanaceae								
	Tomatoes	0.5	0.05	0.5	0.02*	0.05*	0.2	0.05*	0.5
	Peppers	0.5	0.3	0.5	0.02*	0.05*	0.2	0.05*	0.5
	Chilli peppers								0.05*
	Aubergines	0.5	0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5
	Others	0.5	0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5
	(b) Cucurbits-edible peel								
	Cucumbers	0.05*	0.1	0.2	0.02*	0.05*	0.1	0.05*	0.02*
	Gherkins	0.05*	0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.02*
	Courgettes	0.05*	0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.02*
	Others	0.05*	0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.02*
	(c) Cucurbits-inedible peel								
	Melons	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.02*
	Squashes	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.02*
	Watermelons	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.02*
	Sweet corn	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
<b>(iv) BRASSICA VEGETABLES</b>									
	(a) Flowering Brassicas								
	Broccoli	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*	0.02*
	Cauliflower	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*	0.02*
	Others	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*	0.02*
	(b) Head Brassicas								
	Brussels sprouts	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*	0.02*

Group to which food belongs	Groups include	Chlorpyrifos	fluthrin	Cypermethrin	Diaminozoate	DDT	Deltamethrin	Diallate	Diazinon
	include methyl								
	Head cabbage	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*	0.02*
	Others	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*	0.02*
(c)	(c) Leafy Brassicas								
Chinese cabbage	0.05*	0.3	1	0.02*	0.05*	0.5	0.05*	0.02*	
Kale	0.05*	0.3	1	0.02*	0.05*	0.5	0.05*	0.02*	
Others	0.05*	0.3	1	0.02*	0.05*	0.5	0.05*	0.02*	
(d)	(d) KohlRabi	0.05*	0.2	0.02*	0.05*	0.05*	0.05*	0.02*	
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>									
	(a) Lettuce & similar								
Cress	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.02*	
Lamb's lettuce	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.02*	
Lettuce	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.02*	
Scarole	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.02*	
Others	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.02*	
	(b) Spinach & similar								
Spinach	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.02*	
Beet leaves (chard)	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.02*	
Others	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.02*	
(c)	(c) Watercress	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
(d)	(d) Wild	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	(e) Herbs								
Chervil	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.02*	
Chives	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.02*	
Parsley	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.02*	
Celery leaves	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.02*	
Others	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.02*	
<b>(vi) LEGUME VEGETABLES (fresh)</b>									

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include the following products	Chlorpyrifos	fluthrin	Cypermet	Diaminozo	DDT	Deltameth	Diallate	Diazinon
	methyl								
	Beans (with pods)	0.05*	0.05	0.5	0.02*	0.05*	0.2	0.05*	0.02*
	Beans (without pods)	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Peas (with pods)	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*	0.02*
	Peas (without pods)	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
<b>(vii) STEM VEGETABLES</b>									
	Asparagus	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Cardoons	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Celery	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Fennel	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Globe artichokes	0.05*	0.02*	2	0.02*	0.05*	0.1	0.05*	0.02*
	Leeks	0.05*	0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.02*
	Rhubarb	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
<b>(viii) FUNGI</b>									
	Cultivated mushrooms	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Wild mushrooms	0.05*	0.02*	1	0.02*	0.05*	0.05*	0.05*	0.02*
<b>3. PULSES</b>									
	Beans	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	0.02*
	Lentils	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	0.02*
	Peas	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	0.02*
<b>4. OILSEEDS</b>									
	Linseed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*
	Peanuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Chlorpyrifos</i>	<i>fluthrin</i>	<i>Cypermethrin</i>	<i>Diaminozoate</i>	<i>DDT</i>	<i>Deltamethrin</i>	<i>Diallate</i>	<i>Diazinon</i>
	Poppy seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*
	Sesame seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*
	Sunflower seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*
	Rape seed	0.05*	0.05	0.2	0.05*	0.05*	0.1	0.05*	0.05*
	Soya bean	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Mustard seed	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cotton seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
<b>5. POTATOES</b>									
	Early potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Ware potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.5	0.05*	0.02*
<b>6. TEA</b>									
	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.1*	0.1*	0.5	0.1*	0.2	5	0.1*	0.05*
<b>7. HOPS (dried)</b>									
	including hop pellets & unconcentrated powder	0.1*	20	30	0.1*	0.05*	5	0.1*	0.05*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include</i>	<i>I,2-Dibromoethane</i>	<i>Dichloropropane</i>	<i>Dichlorvos</i>	<i>Dicofol</i>	<i>I,I-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane</i>	<i>Dimethoate</i>	<i>Dinoseb</i>
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts</b>								
(i) CITRUS FRUIT								
Grapefruit	0.01*	0.05*		2	0.01*		0.05*	
Lemons	0.01*	0.05*		2	0.01*		0.05*	
Limes	0.01*	0.05*		2	0.01*		0.05*	
Mandarins (inc clementines & similar hybrids)	0.01*	0.05*		2	0.01*		0.05*	
Oranges	0.01*	0.05*		2	0.01*		0.05*	
Pomelos	0.01*	0.05*		2	0.01*		0.05*	
Others	0.01*	0.05*		2	0.01*		0.05*	
(ii) TREE NUTS (shelled or unshelled)								
Almonds	0.01*	0.05*		0.05*	0.01*		0.05*	
Brazil nuts	0.01*	0.05*		0.05*	0.01*		0.05*	
Cashew nuts	0.01*	0.05*		0.05*	0.01*		0.05*	
Chestnuts	0.01*	0.05*		0.05*	0.01*		0.05*	
Coconuts	0.01*	0.05*		0.05*	0.01*		0.05*	
Hazelnuts	0.01*	0.05*		0.05*	0.01*		0.05*	
Macadamia nuts	0.01*	0.05*		0.05*	0.01*		0.05*	
Pecans	0.01*	0.05*		0.05*	0.01*		0.05*	
Pine nuts	0.01*	0.05*		0.05*	0.01*		0.05*	
Pistachios	0.01*	0.05*		0.05*	0.01*		0.05*	
Walnuts	0.01*	0.05*		0.05*	0.01*		0.05*	
Others	0.01*	0.05*		0.05*	0.01*		0.05*	
(iii) POME FRUIT								
Apples	0.01*	0.05*		0.02*	0.01*		0.05*	
Pears	0.01*	0.05*		0.02*	0.01*		0.05*	
Quinces	0.01*	0.05*		0.02*	0.01*		0.05*	
Others	0.01*	0.05*		0.02*	0.01*		0.05*	

<i>Group to which food belongs</i>	<i>Groups to include</i>	<i>I,2-Dibromoethane</i>	<i>Dichloropropane</i>	<i>Dichlorvos</i>	<i>Dicofol</i>	<i>I,I-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane</i>	<i>Dimethoate</i>	<i>Dinoseb</i>
<b>(iv) STONE FRUIT</b>								
Apricots	0.01*	0.05*			0.02*	0.01*		0.05*
Cherries	0.01*	0.05*			0.02*	0.01*		0.05*
Peaches (incl nectarines & similar hybrids)	0.01*	0.05*			0.02*	0.01*		0.05*
Plums	0.01*	0.05*			0.02*	0.01*		0.05*
Others	0.01*	0.05*			0.02*	0.01*		0.05*
<b>(v) BERRIES AND SMALL FRUIT</b>								
(a) (a) <i>Table &amp; wine grapes</i>								
Table grapes	0.01*	0.05*		2		0.01*		0.05*
Wine grapes	0.01*	0.05*		2		0.01*		0.05*
Strawberries (other than wild)	0.01*	0.05*			0.02*	0.01*		0.05*
(c) (c) <i>Cane Fruit (other than wild)</i>								
Blackberries	0.01*	0.05*			0.02*	0.01*		0.05*
Dewberries	0.01*	0.05*			0.02*	0.01*		0.05*
Loganberries	0.01*	0.05*			0.02*	0.01*		0.05*
Raspberries	0.01*	0.05*			0.02*	0.01*		0.05*
Others	0.01*	0.05*			0.02*	0.01*		0.05*
(d) (d) <i>Other small fruit &amp; berries (other than wild)</i>								
Bilberries	0.01*	0.05*			0.02*	0.01*		0.05*
Cranberries	0.01*	0.05*			0.02*	0.01*		0.05*
Currants (red, black & white)	0.01*	0.05*			0.02*	0.01*		0.05*
Gooseberries	0.01*	0.05*			0.02*	0.01*		0.05*
Others	0.01*	0.05*			0.02*	0.01*		0.05*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups to include</i>	<i>I,2-Dibromoethane</i>	<i>Dichloropropane</i>	<i>Dichlorvos</i>	<i>Dicofol</i>	<i>I,I-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane</i>	<i>Dimethoate</i>	<i>Dinoseb</i>
	<i>(Wild berries &amp; wild fruit)</i>	0.01*	0.05*		0.02*	0.01*		0.05*

#### (vi) MISCELLANEOUS FRUIT

Avocados	0.01*	0.05*	0.02*	0.01*	0.05*
Bananas	0.01*	0.05*	0.02*	0.01*	0.05*
Dates	0.01*	0.05*	0.02*	0.01*	0.05*
Figs	0.01*	0.05*	0.02*	0.01*	0.05*
Kiwi fruit	0.01*	0.05*	0.02*	0.01*	0.05*
Kumquats	0.01*	0.05*	0.02*	0.01*	0.05*
Litchis	0.01*	0.05*	0.02*	0.01*	0.05*
Mangoes	0.01*	0.05*	0.02*	0.01*	0.05*
Olives (table consumption)	0.01*	0.05*	0.02*	0.01*	0.05*
Olives (oil extract)	0.01*	0.05*	0.02*	0.01*	0.05*
Papaya			0.02*		
Passion fruit	0.01*	0.05*	0.02*	0.01*	0.05*
Pineapples	0.01*	0.05*	0.02*	0.01*	0.05*
Pomegranates	0.01*	0.05*	0.02*	0.01*	0.05*
Others	0.01*	0.05*	0.02*	0.01*	0.05*

#### 2. Vegetables, fresh or uncooked, frozen or dry

##### (i) ROOT AND TUBER VEGETABLES

Beetroot	0.01*	0.05*	0.02*	0.01*	0.05*
Carrots	0.01*	0.05*	0.02*	0.01*	0.05*
Celeriac	0.01*	0.05*	0.02*	0.01*	0.05*
Horseradish	0.01*	0.05*	0.02*	0.01*	0.05*
Jerusalem artichokes	0.01*	0.05*	0.02*	0.01*	0.05*
Parsnips	0.01*	0.05*	0.02*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups to include</i>	<i>I,2-Dibromoethane</i>	<i>Dichloropropane</i>	<i>Dichlorvos</i>	<i>Dicofol</i>	<i>I,I-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane</i>	<i>Dimethoate</i>	<i>Dinoseb</i>
	Parsley root	0.01*	0.05*		0.02*	0.01*		0.05*
	Radishes	0.01*	0.05*		0.02*	0.01*		0.05*
	Salsify	0.01*	0.05*		0.02*	0.01*		0.05*
	Sweet potatoes	0.01*	0.05*		0.02*	0.01*		0.05*
	Swedes	0.01*	0.05*		0.02*	0.01*		0.05*
	Turnips	0.01*	0.05*		0.02*	0.01*		0.05*
	Yams	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
(ii) BULB VEGETABLES								
	Garlic	0.01*	0.05*		0.02*	0.01*		0.05*
	Onions	0.01*	0.05*		0.02*	0.01*		0.05*
	Shallots	0.01*	0.05*		0.02*	0.01*		0.05*
	Spring onions	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
(iii) FRUITING VEGETABLES								
	(a)	(a) <i>Solanaceae</i>						
	Tomatoes	0.01*	0.05*		1	0.01*		0.05*
	Peppers	0.01*	0.05*		0.02*	0.01*		0.05*
	Chilli peppers					0.01*		
	Aubergines	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
	(b)	(b) <i>Cucurbits-edible peel</i>						
	Cucumbers	0.01*	0.05*		0.2	0.01*		0.05*
	Gherkins	0.01*	0.05*		0.2	0.01*		0.05*
	Courgettes	0.01*	0.05*		0.2	0.01*		0.05*
	Others	0.01*	0.05*		0.2	0.01*		0.05*
	(c)	(c) <i>Cucurbits-inedible peel</i>						
	Melons	0.01*	0.05*		0.5	0.01*		0.05*
	Squashes	0.01*	0.05*		0.5	0.01*		0.05*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups to include</i>	<i>I,2-Dibromoethane</i>	<i>Dichloropropane</i>	<i>Dichlorvos</i>	<i>Dicofol</i>	<i>I,I-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane</i>	<i>Dimethoate</i>	<i>Dinoseb</i>
	Watermelons	0.01*	0.05*	0.5	0.01*	0.01*	0.05*	
	Others	0.01*	0.05*	0.5	0.01*	0.01*	0.05*	
	<i>Sweet corn</i>	0.01*	0.05*		0.02*	0.01*		0.05*

## (iv) BRASSICA VEGETABLES

(a) (a) *Flowering Brassicas*

Broccoli	0.01*	0.05*	0.02*	0.01*	0.05*
Cauliflower	0.01*	0.05*	0.02*	0.01*	0.05*
Others	0.01*	0.05*	0.02*	0.01*	0.05*

(b) (b) *Head Brassicas*

Brussels sprouts	0.01*	0.05*	0.02*	0.01*	0.05*
Head cabbage	0.01*	0.05*	0.02*	0.01*	0.05*
Others	0.01*	0.05*	0.02*	0.01*	0.05*

(c) (c) *Leafy Brassicas*

Chinese cabbage	0.01*	0.05*	0.02*	0.01*	0.05*
Kale	0.01*	0.05*	0.02*	0.01*	0.05*
Others	0.01*	0.05*	0.02*	0.01*	0.05*

(d) 0.01\* *Kohlrabi* 0.05\*

## (v) LEAF VEGETABLES AND FRESH HERBS

(a) (a) *Lettuce & similar*

Cress	0.01*	0.05*	0.02*	0.01*	0.05*
Lamb's lettuce	0.01*	0.05*	0.02*	0.01*	0.05*
Lettuce	0.01*	0.05*	0.02*	0.01*	0.05*
Scarole	0.01*	0.05*	0.02*	0.01*	0.05*
Others	0.01*	0.05*	0.02*	0.01*	0.05*

(b) (b) *Spinach & similar*

Spinach	0.01*	0.05*	0.02*	0.01*	0.05*
Beet leaves (chard)	0.01*	0.05*	0.02*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups include</i>	<i>I,2-Dibromoethane</i>	<i>Dichloropropane</i>	<i>Dichlorvos</i>	<i>Dicofol</i>	<i>I,I-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane</i>	<i>Dimethoate</i>	<i>Dinoseb</i>
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
	(c)	0.01*	Water	0.05*		0.02*	0.01*	0.05*
	(d)	0.01*	Witloof	0.05*		0.02*	0.01*	0.05*
	(e)	(e) Herbs						
	Chervil	0.01*	0.05*		0.02*	0.01*		0.05*
	Chives	0.01*	0.05*		0.02*	0.01*		0.05*
	Parsley	0.01*	0.05*		0.02*	0.01*		0.05*
	Celery leaves	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
(vi) LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.01*	0.05*		0.02*	0.01*		0.05*
	Beans (without pods)	0.01*	0.05*		0.02*	0.01*		0.05*
	Peas (with pods)	0.01*	0.05*		0.02*	0.01*		0.05*
	Peas (without pods)	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
(vii) STEM VEGETABLES								
	Asparagus	0.01*	0.05*		0.02*	0.01*		0.05*
	Cardoons	0.01*	0.05*		0.02*	0.01*		0.05*
	Celery	0.01*	0.05*		0.02*	0.01*		0.05*
	Fennel	0.01*	0.05*		0.02*	0.01*		0.05*
	Globe artichokes	0.01*	0.05*		0.02*	0.01*		0.05*
	Leeks	0.01*	0.05*		0.02*	0.01*		0.05*
	Rhubarb	0.01*	0.05*		0.02*	0.01*		0.05*
	Others	0.01*	0.05*		0.02*	0.01*		0.05*
(viii) FUNGI								

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups to include</i>	<i>I,2-Dibromoethane</i>	<i>Dichloropropane</i>	<i>Dichlorvos</i>	<i>Dicofol</i>	<i>I,I-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane</i>	<i>Dimethoate</i>	<i>Dinoseb</i>
	Cultivated mushrooms	0.01*	0.05*		0.02*	0.01*		0.05*
	Wild mushrooms	0.01*	0.05*		0.02*	0.01*		0.05*
<b>3. PULSES</b>								
Beans		0.01*	0.05*		0.02*	0.01*		0.05*
Lentils		0.01*	0.05*		0.02*	0.01*		0.05*
Peas		0.01*	0.05*		0.02*	0.01*		0.05*
Others		0.01*	0.05*		0.02*	0.01*		0.05*
<b>4. OILSEEDS</b>								
Linseed		0.01*	0.05*		0.05*	0.01*		0.05*
Peanuts		0.01*	0.05*		0.05*	0.01*		0.05*
Poppy seed		0.01*	0.05*		0.05*	0.01*		0.05*
Sesame seed		0.01*	0.05*		0.05*	0.01*		0.05*
Sunflower seed		0.01*	0.05*		0.05*	0.01*		0.05*
Rape seed		0.01*	0.05*		0.05*	0.01*		0.05*
Soya bean		0.01*	0.05*		0.05*	0.01*		0.05*
Mustard seed		0.01*	0.05*		0.05*	0.01*		0.05*
Cotton seed		0.01*	0.05*		0.1	0.01*		0.05*
Others		0.01*	0.05*		0.05*	0.01*		0.05*
<b>5. POTATOES</b>								
Early potatoes		0.01*	0.05*		0.02*	0.01*		0.05*
Ware potatoes		0.01*	0.05*		0.02*	0.01*		0.05*
<b>6. TEA</b>								
(dried leaves and stalks, fermented)		0.1*	0.1*	0.1*	20	0.1*	0.2	0.1*

<i>Group to which food belongs</i>	<i>Groups to include the following products</i>	<i>I,2-Dibromoethane</i>	<i>Dichloropropane</i>	<i>Dichlorvos</i>	<i>Dicofol</i>	<i>I,I-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane</i>	<i>Dimethoate</i>	<i>Dinoseb</i>
	or otherwise, <i>Camellia sinensis</i> )							

**7. HOPS (dried)**

including hop pellets & unconcentrated powder	0.01*	0.1*	50	0.1*	0.1*
---	-------	------	----	------	------

<i>Group to which food belongs</i>	<i>Groups to include the following products</i>	<i>Dioxathion</i>	<i>Diphenylamine</i>	<i>Disulfoton</i>	<i>Endosulfan</i>	<i>Endrin</i>	<i>Ethephon</i>	<i>Ethion</i>

**1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts**

(i) CITRUS FRUIT

Grapefruit	0.05*	0.05*	0.02*	0.5	0.01*	0.05*
Lemons	0.05*	0.05*	0.02*	0.5	0.01*	0.05*
Limes	0.05*	0.05*	0.02*	0.5	0.01*	0.05*
Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.02*	0.5	0.01*	0.05*
Oranges	0.05*	0.05*	0.02*	0.5	0.01*	0.05*
Pomelos	0.05*	0.05*	0.02*	0.5	0.01*	0.05*
Others	0.05*	0.05*	0.02*	0.5	0.01*	0.05*

(ii) TREE NUTS (shelled or unshelled)

Almonds	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
Brazil nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
Cashew nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
Chestnuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
Coconuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*
Hazelnuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Dioxathion</i>	<i>Diphenylamine</i>	<i>Disulfoton</i>	<i>Endosulfan</i>	<i>Endrin</i>	<i>Ethephon</i>	<i>Ethion</i>
	Macadamia nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Pecans	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Pine nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Pistachios	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Walnuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Others	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
<b>(iii) POME FRUIT</b>								
	Apples	0.05*	5	0.02*	0.3	0.01*	3	
	Pears	0.05*	10	0.02*	0.3	0.01*	3	
	Quinces	0.05*	0.05*	0.02*	0.3	0.01*	3	
	Others	0.05*	0.05*	0.02*	0.3	0.01*	3	
<b>(iv) STONE FRUIT</b>								
	Apricots	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Cherries	0.05*	0.05*	0.02*	0.05*	0.01*	3	
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.02*	0.5	0.01*	0.05*	
	Plums	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
<b>(v) BERRIES AND SMALL FRUIT</b>								
	(a)	<i>(a) Table &amp; wine grapes</i>						
	Table grapes	0.05*	0.05*	0.02*	0.5	0.01*	0.05*	
	Wine grapes	0.05*	0.05*	0.02*	0.5	0.01*	0.05*	
	Strawberries (other than wild)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	(c)	<i>(c) Cane Fruit (other than wild)</i>						
	Blackberries	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Dewberries	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Dioxathion</i>	<i>Diphenylamine</i>	<del><i>Disulfoton</i></del>	<i>Endosulfan</i>	<i>Endrin</i>	<i>Ethephon</i>	<i>Ethion</i>
	Loganberries	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Raspberries	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	(d) Other small fruit & berries (other than wild)							
	Bilberries	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Cranberries	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Currants (red, black & white)	0.05*	0.05*	0.02*	0.05*	0.01*	5	
	Gooseberries	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Wild berries & wild fruit	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
(vi) MISCELLANEOUS FRUIT								
	Avocados	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Bananas	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Dates	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Figs	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Kiwi fruit	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Kumquats	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Litchis	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Mangoes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Olives (table consumption)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Olives (oil extract)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Papaya			0.02*	0.05*		0.05*	
	Passion fruit	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Dioxathion</i>	<i>Diphenylamine</i>	<del><i>Disulfoton</i></del>	<i>Endosulfan</i>	<i>Endrin</i>	<i>Ethephon</i>	<i>Ethion</i>
	Pineapples	0.05*	0.05*	0.02*	0.05*	0.01*	0.5	
	Pomegranates	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>								
(i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Carrots	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Celeriac	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Horseradish	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Jerusalem artichokes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Parsnips	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Parsley root	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Radishes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Salsify	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Sweet potatoes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Swedes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Turnips	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Yams	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
(ii) BULB VEGETABLES								
	Garlic	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Onions	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Shallots	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Spring onions	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
(iii) FRUITING VEGETABLES								
	(a)	(a) <i>Solanaceae</i>						
	Tomatoes	0.05*	0.05*	0.02*	0.5	0.01*	3	
	Peppers	0.05*	0.05*	0.02*	1	0.01*	3	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Dioxathion</i>	<i>Diphenylamine</i>	<del><i>Diazofoton</i></del>	<i>Endosulfan</i>	<i>Endrin</i>	<i>Ethephon</i>	<i>Ethion</i>
	Chilli peppers							
Aubergines	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
(b)	(b) <i>Cucurbits-edible peel</i>							
Cucumbers	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Gherkins	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Courgettes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
(c)	(c) <i>Cucurbits-inedible peel</i>							
Melons	0.05*	0.05*	0.02*	0.3	0.01*	0.05*		
Squashes	0.05*	0.05*	0.02*	0.3	0.01*	0.05*		
Watermelons	0.05*	0.05*	0.02*	0.3	0.01*	0.05*		
Others	0.05*	0.05*	0.02*	0.3	0.01*	0.05*		
<i>Sweet corn</i>	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		

## (iv) BRASSICA VEGETABLES

(a)	(a) <i>Flowering Brassicas</i>							
Broccoli	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Cauliflower	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
(b)	(b) <i>Head Brassicas</i>							
Brussels sprouts	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Head cabbage	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
(c)	(c) <i>Leafy Brassicas</i>							
Chinese cabbage	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Kale	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
(d)	0.05* <i>Kohlrabi</i> 0.05*							

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Dioxathion</i>	<i>Diphenylamine</i>	<del><i>Dioxofoton</i></del>	<i>Endosulfan</i>	<i>Endrin</i>	<i>Ethephon</i>	<i>Ethion</i>
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>								
(a)      (a) <i>Lettuce &amp; similar</i>								
Cress	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Lamb's lettuce	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Lettuce	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Scarole	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
(b)      (b) <i>Spinach &amp; similar</i>								
Spinach	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Beet leaves (chard)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
(c)      0.05* <i>Watercress</i>								
(d)      0.05* <i>Witloof</i>								
(e)      (e) <i>Herbs</i>								
Chervil	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Chives	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Parsley	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Celery leaves	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
<b>(vi) LEGUME VEGETABLES (fresh)</b>								
Beans (with pods)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Beans (without pods)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Peas (with pods)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Peas (without pods)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Dioxathion</i>	<i>Diphenylamine</i>	<del><i>Diazofoton</i></del>	<i>Endosulfan</i>	<i>Endrin</i>	<i>Ethephon</i>	<i>Ethion</i>
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
<b>(vii) STEM VEGETABLES</b>								
	Asparagus	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Cardoons	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Celery	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Fennel	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Globe artichokes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Leeks	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Rhubarb	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
<b>(viii) FUNGI</b>								
	<i>Cultivated mushrooms</i>	<del>0.05*</del>	0.05*	0.02*	0.05*	0.01*	0.05*	
	<i>Wild mushrooms</i>	<del>0.05*</del>	0.05*	0.02*	0.05*	0.01*	0.05*	
<b>3. PULSES</b>								
	Beans	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Lentils	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Peas	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
<b>4. OILSEEDS</b>								
	Linseed	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
	Peanuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
	Poppy seed	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
	Sesame seed	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
	Sunflower seed	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
	Rape seed	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
	Soya bean	0.05*	0.05*	0.02*	0.5	0.01*	0.05*	

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Dioxathion</i>	<i>Diphenylamine</i>	<del><i>Disulfoton</i></del>	<i>Endosulfan</i>	<i>Endrin</i>	<i>Ethephon</i>	<i>Ethion</i>
	Mustard seed	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
	Cotton seed	0.05*	0.05*	0.02*	0.3	0.01*	2	
	Others	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
<b>5. POTATOES</b>								
	Early potatoes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Ware potatoes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
<b>6. TEA</b>								
	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.1*	0.05*	0.05*	30	0.01*	0.1*	2
<b>7. HOPS (dried)</b>								
	including hop pellets & unconcentrated powder	0.1*	0.05*	0.05*	0.1*	0.1*	0.1*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Fenarimol</i>	<i>Fenbutatin</i>	<i>Fenchlorphos</i>	<del><i>Nitrothiofentin</i></del>	<i>Fenvalerate</i>	<i>Esfenvalerate</i>
						<i>Sum of RR and SS isomers</i>	<i>Sum of RS and SR isomers</i>

#### **1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts**

##### **(i) CITRUS FRUIT**

Grapefruit	0.02*	5	0.01*		0.05*	0.02*	0.02*
Lemons	0.02*	5	0.01*		0.05*	0.02*	0.02*
Limes	0.02*	5	0.01*		0.05*	0.02*	0.02*
Mandarins (inc clementines)	0.02*	5	0.01*		0.05*	0.02*	0.02*

<i>Group to which food belongs</i>	<i>Groups include</i>	<i>Fenarimol</i>	<i>Fenbutatin</i>	<i>Fenchlorphoxide</i>	<i>Fenitrothiofen</i>	<i>Fenvalerate</i>	<i>Esfenvalerate</i>
					<i>Sum of RR and SS isomers and</i>	<i>Sum of RS and SR isomers</i>	
<b>&amp; similar hybrids)</b>							
similar hybrids							
Oranges	0.02*	5	0.01*		0.05*	0.02*	0.02*
Pomelos	0.02*	5	0.01*		0.05*	0.02*	0.02*
Others	0.02*	5	0.01*		0.05*	0.02*	0.02*
<b>(ii) TREE NUTS (shelled or unshelled)</b>							
Almonds	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Brazil nuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Cashew nuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Chestnuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Coconuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Hazelnuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Macadamia nuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Pecans	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Pine nuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Pistachios	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Walnuts	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
<b>(iii) POME FRUIT</b>							
Apples	0.3	2	0.01*		0.05*	0.05	0.02*
Pears	0.3	2	0.01*		0.05*	0.05	0.02*
Quinces	0.3	2	0.01*		0.05*	0.05	0.02*
Others	0.3	2	0.01*		0.05*	0.05	0.02*
<b>(iv) STONE FRUIT</b>							
Apricots	0.5	0.05*	0.01*		0.05*	0.02*	0.02*
Cherries	1	0.05*	0.01*		0.05*	0.02*	0.02*
Peaches (incl nectarines)	0.5	0.05*	0.01*		0.05*	0.02*	0.02*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups to include</i>	<i>Fenarimol</i>	<i>Fenbutatin</i>	<i>Fenchlorphos</i>	<i>Fenitrothion</i>	<i>Fentolin</i>	<i>Fenvalerate</i>	<i>Esfenvalerate</i>
							Sum of RR and SS isomers	Sum of RS and SR isomers
& similar hybrids)								
Plums	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
<b>(v) BERRIES AND SMALL FRUIT</b>								
(a) (a) <i>Table &amp; wine grapes</i>								
Table grapes	0.3	2	0.01*		0.05*	0.1	0.02*	
Wine grapes	0.3	2	0.01*		0.05*	0.1	0.02*	
Strawberries	0.3b (other than wild)	1	0.01*		0.05*	0.02*	0.02*	
(c) (c) <i>Cane Fruit (other than wild)</i>								
Blackberries	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Dewberries	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Loganberries	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Raspberries	0.1	0.05*	0.01*		0.05*	0.02*	0.02*	
Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
(d) (d) <i>Other small fruit &amp; berries (other than wild)</i>								
Bilberries	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Cranberries	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Currants (red, black & white)	1	0.05*	0.01*		0.05*	0.02*	0.02*	
Gooseberries		0.05*	0.01*		0.05*	0.02*	0.02*	
Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Wild berries & fruit	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
<b>(vi) MISCELLANEOUS FRUIT</b>								

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Fenarimol</i>	<i>Fenbutatin</i>	<i>Fenchlorphos</i>	<i>Fenitrothion</i>	<i>Fentin</i>	<i>Fenvalerate</i>	<i>Fesfenvalerate</i>
							Sum of RR and SS isomers and	Sum of RS and SR isomers
	Avocados	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Bananas	0.3	3	0.01*		0.05*	0.02*	0.02*
	Dates	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Figs	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Kiwi fruit	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Kumquats	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Litchis	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Mangoes	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Olives (table consumption)	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Olives (oil extract)	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Papaya	0.02*	0.05*				0.02*	0.02*
	Passion fruit	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Pineapples	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Pomegranate	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*

## 2. Vegetables, fresh or uncooked, frozen or dry

### (i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Carrots	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Celeriac	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Horseradish	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Jerusalem artichokes	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Parsnips	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Parsley root	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Radishes	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Salsify	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin oxide	Fenchlorphos	Fenitrothiofentin	Fenvalerate Sum of RR and SS isomers	Fenvalerate Sum of RS and SR isomers
	Sweet potatoes	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Swedes	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Turnips	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Yams	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
(ii) BULB VEGETABLES							
	Garlic	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Onions	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Shallots	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Spring onions	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
(iii) FRUITING VEGETABLES							
	(a) Solanaceae						
	Tomatoes	0.5	1	0.01*	0.05*	0.05	0.02*
	Peppers	0.5	0.05*	0.01*	0.05*	0.02*	0.02*
	Chilli peppers						
	Aubergines	0.02*	1	0.01*	0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	(b) Cucurbits-edible peel						
	Cucumbers	0.2	0.5*	0.01*	0.05*	0.02*	0.02*
	Gherkins	0.2	0.05*	0.01*	0.05*	0.02*	0.02*
	Courgettes	0.2	0.5	0.01*	0.05*	0.02*	0.02*
	Others	0.2	0.05*	0.01*	0.05*	0.02*	0.02*
	(c) Cucurbits-inedible peel						
	Melons	0.05	0.05*	0.01*	0.05*	0.02*	0.02*
	Squashes	0.05	0.05*	0.01*	0.05*	0.02*	0.02*
	Watermelons	0.05*	0.01*		0.05*	0.02*	0.02*
	Others	0.05	0.05*	0.01*	0.05*	0.02*	0.02*

Group to which food belongs	Groups to include	Fenarimol	Fenbutatin	Fenchlorphoxim	Fenitrothion	Fentolin	Fenvalerate	Esfenvalerate
						Sum of RR and SS isomers	Sum of RS and SR isomers	
	Solanaceae corn	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
(iv) BRASSICA VEGETABLES								
	(a) (a) Flowering Brassicas							
Broccoli	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Cauliflower	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
	(b) (b) Head Brassicas							
Brussels sprouts	0.02*	0.05*	0.01*		0.05*	0.05	0.02*	
Head cabbage	0.02*	0.05*	0.01*		0.05*	0.05	0.02*	
Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
	(c) (c) Leafy Brassicas							
Chinese cabbage	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Kale	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
	(d) 0.02* Kohlrausch	0.05*	0.01*		0.05*	0.02*	0.02*	
(v) LEAF VEGETABLES AND FRESH HERBS								
	(a) (a) Lettuce & similar							
Cress	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Lamb's lettuce	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Lettuce	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Scarole	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
	(b) (b) Spinach & similar							
Spinach	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Beet leaves (chard)	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Fenarimol</i>	<i>Fenbutatin oxide</i>	<i>Fenchlorphos</i>	<i>Fonitrothiofentin</i>	<i>Fenvalerate</i>	<i>Esfenvalerate</i>
					<i>Sum of RR and SS isomers</i>	<i>Sum of RS and SR isomers</i>	
	(c) Watercress	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	(d) Witloof	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	(e) Herbs						
Chervil	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Chives	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Parsley	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Celery leaves	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
(vi) LEGUME VEGETABLES (fresh)							
Beans (with pods)	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Beans (without pods)	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Peas (with pods)	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Peas (without pods)	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
(vii) STEM VEGETABLES							
Asparagus	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Cardoons	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Celery	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Fennel	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Globe artichokes	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Leeks	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Rhubarb	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
(viii) FUNGI							

Group to which food belongs	Groups include	Fenarimol oxide	Fenbutatin oxide	Fenchlorphos	Fenitrothiofentin	Fenvalerate Sum of RR and SS isomers	Esfenvalerate Sum of RS and SR isomers
	Cultivated mushrooms	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
	Wild mushrooms	0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
<b>3. PULSES</b>							
Beans		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
Lentils		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
Peas		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
Others		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*
<b>4. OILSEEDS</b>							
Linseed		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Peanuts		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Poppy seed		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Sesame seed		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Sunflower seed		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Rape seed		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Soya bean		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Mustard seed		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Cotton seed		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
Others		0.02*	0.05*	0.01*	0.05*	0.05*	0.05*
<b>5. POTATOES</b>							
Early potatoes		0.02*	0.05*	0.01*	0.1	0.02*	0.02*
Ware potatoes		0.02*	0.05*	0.01*	0.1	0.02*	0.02*
<b>6. TEA</b>							
(dried leaves and stalks,		0.05*	0.1*	0.1*	0.5	0.1*	0.05*
							0.05*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include	Fenarimol oxide	Fenbutatin oxide	Fenchlorphos	Fenitrothiofentin	Fenvalerate Sum of RR and SS isomers	Esfenvalerate Sum of RS and SR isomers
	fermented or otherwise, ( <i>Camellia sinensis</i> )						
7. HOPS (dried)	) including hop pellets & unconcentrated powder	5	0.1*	0.1*	0.5	0.05*	0.05*

Group to which food belongs	Groups include	Flucythrinate	Furathion	Glyphosate	Heptachlor	Hexachlorobenzene	Hexachlorocyclohexane
						(HCB)	(HCH) $\alpha$
							(HCH) $\beta$

## 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

### (i) CITRUS FRUIT

Grapefruit	0.05*	0.1*	0.01*
Lemons	0.05*	0.1*	0.01*
Limes	0.05*	0.1*	0.01*
Mandarins (inc clementines & similar hybrids)	0.05*	0.1*	0.01*
Oranges	0.05*	0.1*	0.01*
Pomelos	0.05*	0.1*	0.01*
Others	0.05*	0.1*	0.01*

### (ii) TREE NUTS (shelled or unshelled)

Almonds	0.05*	0.1*	0.01*
Brazil nuts	0.05*	0.1*	0.01*
Cashew nuts	0.05*	0.1*	0.01*
Chestnuts	0.05*	0.1*	0.01*
Coconuts	0.05*	0.1*	0.01*

Group to which food belongs	Groups include	Flucythrinate	Furathiocarb	Glyphosate	Heptachlor	Hexachlorobenzene	Hexachloro-cyclohexane	Hexachloro-cyclohexane
						(HCB)	(HCH)	(HCH)
						$\alpha$	$\beta$	
	Hazelnuts		0.05*	0.1*	0.01*			
	Macadamia nuts		0.05*	0.1*	0.01*			
	Pecans		0.05*	0.1*	0.01*			
	Pine nuts		0.05*	0.1*	0.01*			
	Pistachios		0.05*	0.1*	0.01*			
	Walnuts		0.05*	0.1*	0.01*			
	Others		0.05*	0.1*	0.01*			
(iii) POME FRUIT								
	Apples		0.05*	0.1*	0.01*			
	Pears		0.05*	0.1*	0.01*			
	Quinces		0.05*	0.1*	0.01*			
	Others		0.05*	0.1*	0.01*			
(iv) STONE FRUIT								
	Apricots		0.05*	0.1*	0.01*			
	Cherries		0.05*	0.1*	0.01*			
	Peaches (incl nectarines & similar hybrids)		0.05*	0.1*	0.01*			
	Plums		0.05*	0.1*	0.01*			
	Others		0.05*	0.1*	0.01*			
(v) BERRIES AND SMALL FRUIT								
	(a) (a) <i>Table &amp; wine grapes</i>							
	Table grapes		0.05*	0.1*	0.01*			
	Wine grapes	10	0.05*	0.1*	0.01*			
	Strawberries (b) (other than wild)		0.05*	0.1*	0.01*			
	(c) (c) <i>Cane Fruit (other than wild)</i>							

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include	Flucythrinate	Furathiocarb	Glyphosate	Heptachlor	Hexachlorobenzene	Hexachloro-cyclohexane	Hexachloro-cyclohexane
						(HCB)	(HCH)	(HCH)
						$\alpha$	$\beta$	
	Blackberries	0.05*	0.1*	0.01*				
	Dewberries	0.05*	0.1*	0.01*				
	Loganberries	0.05*	0.1*	0.01*				
	Raspberries	0.05*	0.1*	0.01*				
	Others	0.05*	0.1*	0.01*				
(d)	(d) Other small fruit & berries (other than wild)							
	Bilberries	0.05*	0.1*	0.01*				
	Cranberries	0.05*	0.1*	0.01*				
	Currants (red, black & white)	0.05*	0.1*	0.01*				
	Gooseberries	0.05*	0.1*	0.01*				
	Others	0.05*	0.1*	0.01*				
(e)	(e) Wild berries & wild fruit	0.05*	0.1*	0.01*				
(vi)	MISCELLANEOUS FRUIT							
	Avocados	0.05*	0.1*	0.01*				
	Bananas	0.05*	0.1*	0.01*				
	Dates	0.05*	0.1*	0.01*				
	Figs	0.05*	0.1*	0.01*				
	Kiwi fruit	0.05*	0.1*	0.01*				
	Kumquats	0.05*	0.1*	0.01*				
	Litchis	0.05*	0.1*	0.01*				
	Mangoes	0.05*	0.1*	0.01*				
	Olives (table consumption)	0.05*	0.1*	0.01*				
	Olives (oil extract)	0.05*	2	0.01*				
	Papaya	0.05*						

Group to which food belongs	Groups include	Flucythrifop	Furathiocarb	Glyphosate	Heptachlor	Hexachlorobenzene	Dexachloro cyclohexane	Dexachloro cyclohexane	
					(HCB)	(HCH)	(HCH)	$\alpha$	$\beta$
	Passion fruit	0.05*	0.1*	0.01*					
	Pineapples	0.05*	0.1*	0.01*					
	Pomegranates	0.05*	0.1*	0.01*					
	Others	0.05*	0.1*	0.01*					
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>									
(i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.05*	0.1*	0.01*					
	Carrots	0.05*	0.1*	0.01*					
	Celeriac	0.05*	0.1*	0.01*					
	Horseradish	0.05*	0.1*	0.01*					
	Jerusalem artichokes	0.05*	0.1*	0.01*					
	Parsnips	0.05*	0.1*	0.01*					
	Parsley root	0.05*	0.1*	0.01*					
	Radishes	0.05*	0.1*	0.01*					
	Salsify	0.05*	0.1*	0.01*					
	Sweet potatoes	0.05*	0.1*	0.01*					
	Swedes	0.05*	0.1*	0.01*					
	Turnips	0.05*	0.1*	0.01*					
	Yams	0.05*	0.1*	0.01*					
	Others	0.05*	0.1*	0.01*					
(ii) BULB VEGETABLES									
	Garlic	0.05*	0.1*	0.01*					
	Onions	0.05*	0.1*	0.01*					
	Shallots	0.05*	0.1*	0.01*					
	Spring onions	0.05*	0.1*	0.01*					
	Others	0.05*	0.1*	0.01*					
(iii) FRUITING VEGETABLES									
	(a) Tomatoes	(a) Solanacea							
	Tomatoes	0.05*	0.1*	0.01*					

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include	Flucythrinate	Furathiocarb	Glyphosate	Heptachlor	Hexachlorobenzene	Hexachloro-cyclohexane	Hexachloro-cyclohexane
						(HCB)	(HCH)	(HCH)
						$\alpha$	$\beta$	
	Peppers		0.05*	0.1*	0.01*			
	Chilli peppers		0.05*	0.1*	0.01*			
	Aubergines		0.05*	0.1*	0.01*			
	Others		0.05*	0.1*	0.01*			
	(b) (b) <i>Cucurbits-edible peel</i>							
	Cucumbers		0.05*	0.1*	0.01*			
	Gherkins		0.05*	0.1*	0.01*			
	Courgettes		0.05*	0.1*	0.01*			
	Others		0.05*	0.1*	0.01*			
	(c) (c) <i>Cucurbits-inedible peel</i>							
	Melons		0.05*	0.1*	0.01*			
	Squashes		0.05*	0.1*	0.01*			
	Watermelons		0.05*	0.1*	0.01*			
	Others		0.05*	0.1*	0.01*			
	(d) <i>Sweet corn</i>		0.05*	0.1*	0.01*			

#### (iv) BRASSICA VEGETABLES

	(a) (a) <i>Flowering Brassicas</i>				
	Broccoli	0.1	0.1*	0.01*	
	Cauliflower	0.1	0.1*	0.01*	
	Others	0.1	0.1*	0.01*	
	(b) (b) <i>Head Brassicas</i>				
	Brussels sprouts	0.05*	0.1*	0.01*	
	Head cabbage	0.05*	0.1*	0.01*	
	Others	0.05*	0.1*	0.01*	
	(c) (c) <i>Leafy Brassicas</i>				
	Chinese cabbage	0.05*	0.1*	0.01*	
	Kale	0.05*	0.1*	0.01*	
	Others	0.05*	0.1*	0.01*	

Group to which food belongs	Groups include	Flucythrinate	Furathioic acid	Glyphosate	Heptachlor	Hexachlorobenzene	Hexachloro- (HCB)	Hexachloro- cyclohexane	Hexachloro- (HCH)	Hexachloro- $\alpha$	Hexachloro- $\beta$
	(d) Kohlrabi	0.05*	0.1*	0.01*							

## (v) LEAF VEGETABLES AND FRESH HERBS

(a) *Lettuce & similar*

Cress	0.05*	0.1*	0.01*
Lamb's lettuce	0.05*	0.1*	0.01*
Lettuce	0.05*	0.1*	0.01*
Scarole	0.05*	0.1*	0.01*
Others	0.05*	0.1*	0.01*

(b) *Spinach & similar*

Spinach	0.05*	0.1*	0.01*
Beet leaves (chard)	0.05*	0.1*	0.01*
Others	0.05*	0.1*	0.01*

(c) *Watercress*(d) *Witloof*(e) *Herbs*

Chervil	0.05*	0.1*	0.01*
Chives	0.05*	0.1*	0.01*
Parsley	0.05*	0.1*	0.01*
Celery leaves	0.05*	0.1*	0.01*
Others	0.05*	0.1*	0.01*

## (vi) LEGUME VEGETABLES (fresh)

Beans (with pods)	0.05*	0.1*	0.01*
Beans (without pods)	0.05*	0.1*	0.01*
Peas (with pods)	0.05*	0.1*	0.01*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Flucythrinate</i>	<i>Furathiocarbamate</i>	<i>Glyphosate</i>	<i>Heptachlor</i>	<i>Hexachlorobenzene</i>	<i>Hexachloro-cyclohexane</i>	<i>Hexachloro-cyclohexane</i>
						(HCB)	(HCH)	(HCH)
						$\alpha$	$\beta$	
Peas (without pods)		0.05*	0.1*	0.01*				
Others		0.05*	0.1*	0.01*				
<b>(vii) STEM VEGETABLES</b>								
Asparagus		0.05*	0.1*	0.01*				
Cardoons		0.05*	0.1*	0.01*				
Celery		0.05*	0.1*	0.01*				
Fennel		0.05*	0.1*	0.01*				
Globe artichokes		0.05*	0.1*	0.01*				
Leeks		0.05*	0.1*	0.01*				
Rhubarb		0.05*	0.1*	0.01*				
Others		0.05*	0.1*	0.01*				
<b>(viii) FUNGI</b>								
<i>Cultivated mushrooms</i>	(a)	0.05*	0.1*	0.01*				
<i>Wild mushrooms</i>	(b)	0.05*	50	0.01*				
<b>3. PULSES</b>								
Beans		0.05*	2	0.01*				
Lentils		0.05*	0.1*	0.01*				
Peas		0.05*	3	0.01*				
Others		0.05*	0.1*	0.01*				
<b>4. OILSEEDS</b>								
Linseed		0.05*	10	0.01*				
Peanuts		0.05*	0.1*	0.01*				
Poppy seed		0.05*	0.1*	0.01*				
Sesame seed		0.05*	0.1*	0.01*				
Sunflower seed		0.05*	0.1*	0.01*				
Rape seed		0.05*	10	0.01*				

Group to which food belongs	Groups include the following products	Flucythrinate	Furathiocarbamate	Glyphosate	Heptachlor	Hexachlorobenzene	Hexachloro-cyclohexane	Hexachloro-cyclohexane (HCB)	Hexachloro-cyclohexane (HCH) $\alpha$	Hexachloro-cyclohexane (HCH) $\beta$
	Soya bean		0.05*	20	0.01*					
	Mustard seed		0.05*	10	0.01*					
	Cotton seed		0.05*	10	0.01*					
	Others		0.05*	0.1*	0.01*					
<b>5. POTATOES</b>										
	Early potatoes		0.05*	0.1*	0.01*					
	Ware potatoes		0.05*	0.1*	0.01*					
<b>6. TEA</b>	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.1*		0.1*	0.1*	0.02*	0.01*	0.2	} sum of alpha and beta	
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder		5		0.1*	0.01*				
Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane	$\gamma$ -azalil (HCH)	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Malathion	Maleic hydrazide	Maneb, Mancozeb, Metiram, Propineb and Zineb	
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts</b>										
	<b>(i) CITRUS FRUIT</b>									
	Grapefruit	5		0.02*	0.05*	0.02*		1*	5	
	Lemons	5		5	0.05*	0.02*		1*	5	
	Limes	5		0.02*	0.05*	0.02*		1*	5	

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Hexachlorazalil cyclohexane (HCH)</i>	<i>Iprodione</i>	<i>Kresoxim-methyl</i>	<i>Lambda-cyhalothrin</i>	<i>Malathion</i>	<i>Maleic hydrazide</i>	<i>Maneb, Mancozeb, Metiram, Propineb and Zineb</i>
Mandarins (inc clementines & similar hybrids)	5	2	0.05*	0.02*		1*	5	
Oranges	5	0.02*	0.05*	0.02*		1*	5	
Pomelos	5	0.02*	0.05*	0.02*		1*	5	
Others	5	0.02*	0.05*	0.02*		1*	5	
(ii) TREE NUTS (shelled or unshelled)								
Almonds	0.02*	0.02*	0.1*	0.05*		1*	0.1*	
Brazil nuts	0.02*	0.02*	0.1*	0.05*		1*	0.1*	
Cashew nuts	0.02*	0.02*	0.1*	0.05*		1*	0.1*	
Chestnuts	0.02*	0.02*	0.1*	0.05*		1*	0.1*	
Coconuts	0.02*	0.02*	0.1*	0.05*		1*	0.1*	
Hazelnuts	0.02*	0.2	0.1*	0.05*		1*	0.1*	
Macadamia nuts	0.02*	0.02*	0.1*	0.05*		1*	0.1*	
Pecans	0.02*	0.02*	0.1*	0.05*		1*	0.1*	
Pine nuts	0.02*	0.02*	0.1*	0.05*		1*	0.1*	
Pistachios	0.02*	0.02*	0.1*	0.05*		1*	0.1*	
Walnuts	0.02*	0.02*	0.1*	0.05*		1*	0.1*	
Others	0.02*	0.02*	0.1*	0.05*		1*	0.1*	
(iii) POME FRUIT								
Apples	5	10	0.2	0.1		1*	3	
Pears	5	10	0.2	0.1		1*	3	
Quinces	5	10	0.2	0.1		1*	3	
Others	5	10	0.2	0.1		1*	3	
(iv) STONE FRUIT								
Apricots	0.02*	5	0.05*	0.2		1*	2	
Cherries	0.02*	5	0.05*	0.1		1*	1	

Group to which food belongs	Groups include the following products	Hexachlorazalil cyclohexane (HCH)	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Malathion	Maleic hydrazide	Maneb, Mancozeb, Metiram, Propineb and Zineb
-----------------------------	---------------------------------------	-----------------------------------	-----------	-----------------	--------------------	-----------	------------------	--

Peaches (incl nectarines & similar hybrids)	0.02*	5	0.05*	0.2		1*	2
Plums	0.02*	5	0.05*	0.1		1*	1
Others	0.02*	5	0.05*	0.1		1*	0.05*

## (v) BERRIES AND SMALL FRUIT

(a)	(a)	Table & wine grapes					
Table grapes	0.02*	10	1	0.2		1*	2
Wine grapes	0.02*	10	1	0.2		1*	2
Strawberries (b) (other than wild)	0.02*	10	0.05*	0.5		1*	2
(c)	(c)	Cane Fruit (other than wild)					
Blackberries	0.02*	5	0.05*	0.02*		1*	0.05*
Dewberries	0.02*	5	0.05*	0.02*		1*	0.05*
Loganberries	0.02*	5	0.05*	0.02*		1*	0.05*
Raspberries	0.02*	5	0.05*	0.02*		1*	0.05*
Others	0.02*	5	0.05*	0.02*		1*	0.05*
(d)	(d)	Other small fruit & berries (other than wild)					
Bilberries	0.02*	10	0.05*	0.02*		1*	0.05*
Cranberries	0.02*	0.02*	0.05*	0.02*		1*	0.05*
Currants (red, black & white)	0.02*	10	0.05*	0.1		1*	5
Gooseberries	0.02*	10	0.05*	0.1		1*	5
Others	0.02*	0.02*	0.05*	0.02*		1*	0.05*
Wild berries &	0.02*	0.02*	0.05*	0.02*		1*	0.05*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include the following products	Hexachlorazalil cyclohexane (HCH)	Iprodione Kresoxim-methyl	Lambda-cyhalothrin	Malathion hydrazide	Maleic Mancozeb, Metiram, Propineb and Zineb
-----------------------------	---------------------------------------	---	------------------------------	--------------------	------------------------	--

wild  
fruit

(vi) MISCELLANEOUS FRUIT

Avocados	0.02*	0.02*	0.05*	0.02*	1*	0.05*
Bananas	2	3	0.05*	0.02*	1*	0.05*
Dates	0.02*	0.02*	0.05*	0.02*	1*	0.05*
Figs	0.02*	0.02*	0.05*	0.02*	1*	0.05*
Kiwi fruit	0.02*	5	0.05*	0.02*	1*	0.05*
Kumquats	0.02*	0.02*	0.05*	0.02*	1*	0.05*
Litchis	0.02*	0.02*	0.05*	0.02*	1*	0.05*
Mangoes	0.02*	0.02*	0.05*	0.02*	1*	0.05*
Olives (table consumption)	0.02*	0.02*	0.2	0.02*	1*	5
Olives (oil extract)	0.02*	0.02*	0.2	0.02*	1*	5
Papaya				0.02*		
Passion fruit	0.02*	0.02*	0.05*	0.02*	1*	0.05*
Pineapples	0.02*	0.02*	0.05*	0.02*	1*	0.05*
Pomegranates	0.02*	0.02*	0.05*	0.02*	1*	0.05*
Others	0.02*	0.02*	0.05*	0.02*	1*	0.05*

**2. Vegetables, fresh or uncooked, frozen or dry**

(i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.5	0.05*	0.02*	1*	0.05*
Carrots	0.02*	0.3	0.05*	0.02*	30	0.2
Celeriac	0.02*	0.02*	0.05*	0.1	1*	0.2
Horseradish	0.02*	0.1	0.05*	0.02*	1*	0.05*
Jerusalem artichokes	0.02*	0.02*	0.05*	0.02*	1*	0.05*
Parsnips	0.02*	0.1	0.05*	0.02*	30	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Hexachlorazalil cyclohexane (HCH)</i>	<i>Iprodione</i>	<i>Kresoxim-methyl</i>	<i>Lambda-cyhalothrin</i>	<i>Malathion</i>	<i>Maleic hydrazide</i>	<i>Maneb, Mancozeb, Metiram, Propineb and Zineb</i>
Parsley root		0.02*	0.02*	0.05*	0.02*		1*	0.05*
Radishes		0.02*	0.3	0.05*	0.1		1*	0.2
Salsify		0.02*	0.02*	0.05*	0.02*		1*	0.2
Sweet potatoes		0.02*	0.02*	0.05*	0.02*		1*	0.05*
Swedes		0.02*	0.02*	0.05*	0.02*		1*	0.05*
Turnips		0.02*	0.02*	0.05*	0.02*		1*	0.05*
Yams		0.02*	0.02*	0.05*	0.02*		1*	0.05*
Others		0.02*	0.02*	0.05*	0.02*		1*	0.05*
<b>(ii) BULB VEGETABLES</b>								
Garlic		0.02*	5	0.05*	0.02*		10	0.5
Onions		0.02*	5	0.05*	0.02*		10	0.5
Shallots		0.02*	5	0.05*	0.02*		10	0.5
Spring onions		0.02*	5	0.05*	0.02*		1*	0.05*
Others		0.02*	0.02*	0.05*	0.02*		10	0.05*
<b>(iii) FRUITING VEGETABLES</b>								
(a)		<i>(a) Solanaceae</i>						
Tomatoes	0.5	5	0.5	0.5		1*	3	
Peppers	0.02*	5	1	0.1		1*	2	
Chilli peppers								
Aubergines	0.02*	5	0.5	0.5		1*	2	
Others	0.02*	5	0.05*	0.02*		1*	2	
(b)		<i>(b) Cucurbits-edible peel</i>						
Cucumbers	0.2	2	0.05*	0.1		1*	0.5	
Gherkins	0.2	2	0.05*	0.1		1*	2	
Courgettes	0.2	2	0.05*	0.1		1*	2	
Others	0.2	2	0.05*	0.1		1*	0.05*	
(c)		<i>(c) Cucurbits-inedible peel</i>						
Melons	2	0.3	0.2	0.05		1*	0.5	

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include the following products	Hexachlorazalil cyclohexane (HCH)	Iprodione Kresoxim-methyl	Lambda-cyhalothrin	Malathion hydrazide	Maleic Mancozeb, Metiram, Propineb and Zineb
Squashes	0.02*	0.02*	0.2	0.05	1*	0.5
Watermelons	0.02*	0.02*	0.2	0.05	1*	0.5
Others	0.02*	0.02*	0.2	0.05	1*	0.5
<i>Set corn</i>	0.02*	0.02*	0.05*	0.02*	1*	0.05*

## (iv) BRASSICA VEGETABLES

(a) (a) *Flowering Brassicas*

Broccoli	0.02*	0.05	0.05*	0.1	1*	1
Cauliflower	0.02*	0.05	0.05*	0.1	1*	1
Others	0.02*	0.05	0.05*	0.1	1*	1

(b) (b) *Head Brassicas*

Brussels sprouts	0.02*	0.5	0.05*	0.05	1*	1
Head cabbage	0.02*	5	0.05*	0.2	1*	1
Others	0.02*	0.02*	0.05*	0.02*	1*	1

(c) (c) *Leafy Brassicas*

Chinese cabbage	0.02*	5	0.05*	0.02*	1*	0.5
Kale	0.02*	0.02*	0.05*	0.02*	1*	0.5
Others	0.02*	0.02*	0.05*	0.02*	1*	0.5

(d) (d) *Kohlrabi*

0.1	0.05*	0.02*	1*	0.1*
-----	-------	-------	----	------

## (v) LEAF VEGETABLES AND FRESH HERBS

(a) (a) *Lettuce & similar*

Cress	0.02*	10	0.05*	1	1*	5
Lamb's lettuce	0.02*	10	0.05*	1	1*	5
Lettuce	0.02*	10	0.05*	1	1*	5
Scarole	0.02*	10	0.05*	1	1*	5
Others	0.02*	10	0.05*	1	1*	5

(b) (b) *Spinach & similar*

Spinach	0.02*	0.02*	0.05*	0.02*	1*	0.05*
---------	-------	-------	-------	-------	----	-------

Group to which food belongs	Groups include the following products	Hexachlorazalil cyclohexane (HCH)	Iprodione Kresoxim-methyl	Kresoxim-Lambda-cyhalothrin	Malathion hydrazide	Maleic Mancozeb, Metiram, Propineb and Zineb
Beet leaves (chard)		0.02*	0.02*	0.05*	0.02*	1* 0.05*
Others		0.02*	0.02*	0.05*	0.02*	1* 0.05*
(c)	(c) <i>Waldo</i>	0.02*	0.02*	0.05*	0.02*	1* 0.3
(d)	(d) <i>Wild</i>	0.02*	2	0.05*	0.02*	1* 0.2
(e)	(e) <i>Herbs</i>					
Chervil		0.02*	10	0.05*	1	1* 5
Chives		0.02*	10	0.05*	1	1* 5
Parsley		0.02*	10	0.05*	1	1* 5
Celery leaves		0.02*	10	0.05*	1	1* 5
Others		0.02*	10	0.05*	1	1* 5
(vi) LEGUME VEGETABLES (fresh)						
Beans (with pods)		0.02*	5	0.05*	0.2	1* 1
Beans (without pods)		0.02*		0.05*	0.02*	1* 0.1
Peas (with pods)		0.02*	1	0.05*	0.2	1* 1
Peas (without pods)		0.02*	0.2	0.05*	0.02*	1* 0.1
Others		0.02*	0.02*	0.05*	0.02*	1* 0.05*
(vii) STEM VEGETABLES						
Asparagus		0.02*	0.02*	0.05*	0.02*	1* 0.05*
Cardoons		0.02*	0.02*	0.05*	0.02*	1* 0.05*
Celery		0.02*	0.02*	0.05*	0.3	1* 0.5
Fennel		0.02*	0.02*	0.05*	0.02*	1* 0.05*
Globe artichokes		0.02*	0.02*	0.05*	0.02*	1* 0.05*
Leeks		0.02*	0.02*	0.05*	0.02*	1* 3

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include the following products	Hexachlorazalil cyclohexane (HCH)	Iprodione Kresoxim-methyl	Kresoxim-Lambda-cyhalothrin	Malathion	Maleic hydrazide	Maneb, Mancozeb, Metiram, Propineb and Zineb
Rhubarb		0.02*	0.2	0.05*	0.02*	1*	0.05*
Others		0.02*	0.02*	0.05*	0.02*	1*	0.05*
<b>(viii) FUNGI</b>							
Cultivated mushrooms	(a)	0.02*	0.02*	0.05*	0.02*	1*	0.05*
Wild mushrooms	(b)	0.02*	0.02*	0.05*	0.02*	1*	0.05*
<b>3. PULSES</b>							
Beans		0.02*	0.2	0.05*	0.02*	1*	0.05*
Lentils		0.02*	0.2	0.05*	0.02*	1*	0.05*
Peas		0.02*	0.2	0.05*	0.02*	1*	0.05*
Others		0.02*	0.2	0.05*	0.02*	1*	0.05*
<b>4. OILSEEDS</b>							
Linseed		0.02*	0.1	0.1*	0.02*	1*	0.1*
Peanuts		0.02*	0.02*	0.1*	0.02*	1*	0.1*
Poppy seed		0.02*	0.02*	0.1*	0.02*	1*	0.1*
Sesame seed		0.02*	0.02*	0.1*	0.02*	1*	0.1*
Sunflower seed		0.02*	0.02*	0.1*	0.02*	1*	0.1*
Rape seed		0.02*	0.5	0.1*	0.02*	1*	0.5
Soya bean		0.02*	0.02*	0.1*	0.02*	1*	0.1*
Mustard seed		0.02*	0.02*	0.1*	0.02*	1*	0.1*
Cotton seed		0.02*	0.02*	0.1*	0.02*	1*	0.1*
Others		0.02*	0.02*	0.1*	0.02*	1*	0.1*
<b>5. POTATOES</b>							
Early potatoes		0.02*	0.02*	0.05*	0.02*	1*	0.05*
Ware potatoes		5	0.02*	0.05*	0.02*	50	0.05*
<b>6. TEA</b>							

Group to which food belongs	Groups include the following products	Hexachlorazalil cyclohexane (HCH)	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Malathion	Maleic hydrazide	Maneb, Mancozeb, Metiram, Propineb and Zineb
(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )		0.2	0.1*	0.1*	0.1*	1	0.5	1* 0.1*
<b>7. HOPS (dried)</b>								
including hop pellets & unconcentrated powder			0.1*	0.1*	0.1*	10	1*	25

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxyl	Methamidophos	Methidathion	Methomyl	Methoxychlordicarb	Methyl bromide
-----------------------------	---------------------------------------	----------	-----------	---------------	--------------	----------	--------------------	----------------

**1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts**

(i) CITRUS FRUIT

Grapefruit	0.05*	0.5	0.2	2	0.5	0.01*	0.05*
Lemons	0.05*	0.05*	0.2	2	1	0.01*	0.05*
Limes	0.05*	0.05*	0.2	2	1	0.01*	0.05*
Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.2	2	1	0.01*	0.05*
Oranges	0.05*	0.5	0.2	2	0.5	0.01*	0.05*
Pomelos	0.05*	0.5	0.2	2	0.5	0.01*	0.05*
Others	0.05*	0.05*	0.2	2	0.05*	0.01*	0.05*

(ii) TREE NUTS (shelled or unshelled)

Almonds	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Brazil nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups to include the following products</i>	<i>Mecarbam</i>	<i>Metalaxyl</i>	<i>Methamidophos</i>	<del><i>Methidathion</i></del>	<i>Methomyl</i>	<i>Methoxychlordime</i>	<i>Methyl bromide</i>
	Cashew nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Chestnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Coconuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Hazelnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Macadamia nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Pecans	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Pine nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Pistachios	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Walnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
<b>(iii) POME FRUIT</b>								
	Apples	0.05*	1	0.05	0.3	0.2	0.01*	0.05*
	Pears	0.05*	1	0.05	0.3	0.2	0.01*	0.05*
	Quinces	0.05*	1	0.05	0.3	0.2	0.01*	0.05*
	Others	0.05*	1	0.05	0.3	0.2	0.01*	0.05*
<b>(iv) STONE FRUIT</b>								
	Apricots	0.05*	0.05*	0.1	0.2	0.2	0.01*	
	Cherries	0.05*	0.05*	0.01*	0.02*	0.1	0.01*	
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.05	0.2	0.2	0.01*	
	Plums	0.05*	0.05*	0.3	0.2	0.5	0.01*	
	Others	0.05*	0.05*	0.01*	0.2	0.05*	0.01*	
<b>(v) BERRIES AND SMALL FRUIT</b>								
	(a) Table grapes							
	Table grapes	0.05*	2	0.01*	0.5	0.05*	0.01*	
	Wine grapes	0.05*	1	0.01*	0.5	1	0.01*	
	Strawberries (other)	0.05*	0.5	0.01*	0.02*	0.05*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups to include the following products</i>	<i>Mecarbam</i>	<i>Metalaxyl</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl</i>	<i>Methoxychlordime</i>	<i>Methyl bromide</i>
	(than wild)							
(c)	(c) <i>Cane Fruit (other than wild)</i>							
Blackberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Dewberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Loganberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Raspberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
(d)	(d) <i>Other small fruit &amp; berries (other than wild)</i>							
Bilberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Cranberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Currants (red, black & white)	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Gooseberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
<i>Wild berries &amp; wild fruit</i>	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
(vi) MISCELLANEOUS FRUIT								
Avocados	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Bananas	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Dates	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Figs	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		
Kiwi fruit	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Kumquats	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Litchis	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Mangoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Olives (table consumption)	0.05*	0.05*	0.01*	1	0.05*	0.01*	0.05*	

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxyl	Methamidophos	Methidathion	Methomyl	Methoxychlor	Methyl bromide
	Olives (oil extract)	0.05*	0.05*	0.01*	1	0.05*	0.01*	0.05*
	Papaya	0.05*	0.05*		0.02*	0.05*		
	Passion fruit	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Pineapples	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Pomegranate	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>								
(i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Carrots	0.05*	0.1	0.01*	0.02*	0.05*	0.01*	0.05*
	Celeriac	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Horseradish	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Jerusalem artichokes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Parsnips	0.05*	0.1	0.01*	0.02*	0.05*	0.01*	0.05*
	Parsley root	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Radishes	0.05*	0.05*	0.01*	0.02*	0.5	0.01*	0.05*
	Salsify	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Sweet potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Swedes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Turnips	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Yams	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
(ii) BULB VEGETABLES								
	Garlic	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Onions	0.05*	0.5	0.01*	0.02*	0.05*	0.01*	0.05*
	Shallots	0.05*	0.5	0.01*	0.02*	0.05*	0.01*	0.05*
	Spring onions	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Mecarbam</i>	<i>Metalaxyl</i>	<i>Methamidophos</i>	<del><i>Methidathion</i></del>	<i>Methomyl</i>	<i>Methoxychlordicarb</i>	<i>Methyl bromide</i>
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
<b>(iii) FRUITING VEGETABLES</b>								
(a) (a) <i>Solanaceae</i>								
Tomatoes	0.05*	0.05*	0.5	0.02*	0.5	0.01*	0.05*	
Peppers	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Chilli peppers						0.01*		
Aubergines	0.05*	0.05*	0.2	0.02*	0.5	0.01*	0.05*	
Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
(b) (b) <i>Cucurbits-edible peel</i>								
Cucumbers	0.05*	0.5	1	0.02*	0.05*	0.01*	0.05*	
Gherkins	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Courgettes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
(c) (c) <i>Cucurbits-inedible peel</i>								
Melons	0.05*	0.2	0.01*	0.02*	0.05*	0.01*	0.05*	
Squashes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
Watermelons	0.05*	0.2	0.01*	0.02*	0.05*	0.01*	0.05*	
Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
<i>Sweet corn</i>	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
<b>(iv) BRASSICA VEGETABLES</b>								
(a) (a) <i>Flowering Brassicas</i>								
Broccoli	0.05*	0.1	0.5	0.02*	0.05*	0.01*	0.05*	
Cauliflower	0.05*	0.1	0.5	0.02*	0.05*	0.01*	0.05*	
Others	0.05*	0.1	0.5	0.02*	0.05*	0.01*	0.05*	
(b) (b) <i>Head Brassicas</i>								
Brussels sprouts	0.05*	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	
Head cabbage	0.05*	1	0.5	0.02*	0.05*	0.01*	0.05*	
Others	0.05*	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	
(c) (c) <i>Leafy Brassicas</i>								

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Mecarbam</i>	<i>Metalaxyl</i>	<i>Methamidophos</i>	<del><i>Methidathion</i></del>	<i>Methomyl</i>	<i>Methoxychlordicarb</i>	<i>Methyl bromide</i>
	Chinese cabbage	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Kale	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
(d)	<del>0.05*</del> <i>Kohlrabi</i>	<del>0.05*</del>	0.01*	0.02*	0.05*	0.01*	0.05*	
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>								
	(a) <i>Lettuce &amp; similar</i>							
	Cress	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Lamb's lettuce	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Lettuce	0.05*	1	0.2	0.02*	2	0.01*	0.05*
	Scarole	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	(b) <i>Spinach &amp; similar</i>							
	Spinach	0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*
	Beet leaves (chard)	0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*
(c)	<del>0.05*</del> <i>Watercress</i>	<del>0.05*</del>	0.01*	0.02*	0.05*	0.01*	0.05*	
(d)	<del>0.05*</del> <i>Witloof</i>	<del>0.05*</del>	0.01*	0.02*	0.05*	0.01*	0.05*	
	(e) <i>Herbs</i>							
	Chervil	0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*
	Chives	0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*
	Parsley	0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*
	Celery leaves	0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*
<b>(vi) LEGUME VEGETABLES (fresh)</b>								
	Beans (with pods)	0.05*	0.05*	0.5	0.02*	0.05*	0.01*	0.05*
	Beans (without pods)	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Mecarbam</i>	<i>Metalaxyl</i>	<i>Methamidophos</i>	<del><i>Methidathion</i></del>	<i>Methomyl</i>	<i>Methoxychlordime</i>	<i>Methyl bromide</i>
	Peas (with pods)	0.05*	0.05*	0.5	0.02*	0.05*	0.01*	0.05*
	Peas (without pods)	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*		0.02*	0.05*	0.01*	0.05*
<b>(vii) STEM VEGETABLES</b>								
	Asparagus	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Cardoons	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Celery	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Fennel	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Globe artichokes	0.05*	0.05*	0.1	0.02*	0.05*	0.01*	0.05*
	Leeks	0.05*	0.2	0.01*	0.02*	0.05*	0.01*	0.05*
	Rhubarb	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
<b>(viii) FUNGI</b>								
	<i>Cultivated mushrooms</i>	<del>0.05*</del>	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	<i>Wild mushrooms</i>	<del>0.05*</del>	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
<b>3. PULSES</b>								
	Beans	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Lentils	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Peas	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
<b>4. OILSEEDS</b>								
	Linseed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Peanuts	0.05*	0.05*	0.01*	0.02*	0.1	0.01*	0.1*
	Poppy seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Sesame seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Sunflower seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	Mecarbam	Metalaxyl	Methamidophos	<del>Methidathion</del>	<del>Methomyl</del>	Methoxychlordicarb	<del>Methyl bromide</del>
	Rape seed	0.05*	0.05*	0.01*	0.05	0.05*	0.01*	0.1*
	Soya bean	0.05*	0.05*	0.01*	0.02*	0.1	0.01*	0.1*
	Mustard seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Cotton seed	0.05*	0.05*	0.01	0.02*	0.1	0.01*	0.1*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
<b>5. POTATOES</b>								
	Early potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Ware potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
<b>6. TEA</b>								
	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*
<b>7. HOPS (dried)</b>								
	including hop pellets & unconcentrated powder	0.1*	10	2	3	10	0.1*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	Monocrotophos	Oklosoa	Paraquat	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos	Procymidone methyl
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts</b>										
(i) CITRUS FRUIT										
	Grapefruit		0.05*	0.5	0.05*			1	0.02*	
	Lemons		0.05*	0.5	0.05*			1	0.02*	

(34) Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.

Group to which the food belongs	Groups include	Monocrotophos	Applequat	Paraquat	Permethrin	Dithorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone
Limes		0.05*	0.5	0.05*			1	0.02*		
Mandarins (inc clementines & similar hybrids)		0.05*	0.5	0.05*			2	0.02*		
Oranges		0.05*	0.5	0.05*			1	0.02*		
Pomelos		0.05*	0.5	0.05*			1	0.02*		
Others		0.05*	0.5	0.05*			1	0.02*		
(ii) TREE NUTS (shelled or unshelled)										
Almonds		0.05*	0.1	0.05*			0.05*	0.05*		
Brazil nuts		0.05*	0.05*	0.05*			0.05*	0.05*		
Cashew nuts		0.05*	0.05*	0.05*			0.05*	0.05*		
Chestnuts		0.05*	0.05*	0.05*			0.05*	0.05*		
Coconuts		0.05*	0.05*	0.05*			0.05*	0.05*		
Hazelnuts		0.05*	0.05*	0.05*			0.05*	0.05*		
Macadamia nuts		0.05*	0.05*	0.05*			0.05*	0.05*		
Pecans		0.05*	0.05*	0.05*			0.05*	0.05*		
Pine nuts		0.05*	0.05*	0.05*			0.05*	0.05*		
Pistachios		0.05*	0.05*	0.05*			0.05*	0.05*		
Walnuts		0.05*	0.05*	0.05*			0.05*	0.05*		
Others		0.05*	0.05*	0.05*			0.05*	0.05*		
(iii) POME FRUIT										
Apples		0.05*	1	0.05*			0.05*	0.02*		
Pears		0.05*	1	0.05*			0.05*	1		
Quinces		0.05*	1	0.05*			0.05*	0.02*		
Others		0.05*	1	0.05*			0.05*	0.02*		
(iv) STONE FRUIT										
Apricots		0.05*	1	0.05*			0.05*	2		

(34) Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which the food belongs	Groups include	Monocrotophos	Dipel	Malathion	Raraquat	Permethrin	Florrate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone
	Cherries	0.05*	1	0.05*				0.05*	0.02*		
	Peaches (incl nectarines & similar hybrids)	0.05*	1	0.05*				0.05*	2		
	Plums	0.05*	1	0.05*				0.05*	2		
	Others	0.05*	1	0.05*				0.05*	2		
<b>(v) BERRIES AND SMALL FRUIT</b>											
	(a) (a) <i>Table &amp; wine grapes</i>										
	Table grapes	0.05*	1	0.05*				0.05*	5		
	Wine grapes	0.05*	1	0.05*				2	5		
	Strawberries	(b) (other than wild)		0.05*	1	0.05*			0.05*	5	
	(c) (c) <i>Cane Fruit (other than wild)</i>										
	Blackberries	0.05*	0.05*	0.05*				0.05*	0.02*		
	Dewberries	0.05*	0.05*	0.05*				0.05*	0.02*		
	Loganberries	0.05*	0.05*	0.05*				0.05*	0.02*		
	Raspberries	0.05*	0.05*	0.05*				0.05*	10		
	Others	0.05*	0.05*	0.05*				0.05*	0.02*		
	(d) (d) <i>Other small fruit &amp; berries (other than wild)</i>										
	Bilberries	0.05*	0.05*	0.05*				0.05*	0.02*		
	Cranberries	0.05*	0.05*	0.05*				0.05*	0.02*		
	Currants (red, black & white)	0.05*	0.05*	0.05*				0.05*	0.02*		
	Gooseberries	0.05*	0.05*	0.05*				0.05*	0.02*		
	Others	0.05*	0.05*	0.05*				0.05*	0.02*		

(34) Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.

Group to which the food following belongs	Groups include	Monocrotophoshosoda	Diphenotarquat	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphosmethyl	Procymidone
---	----------------	---------------------	----------------	------------	---------	---------	--------	------------------	-------------

Wild (e)  
berries  
&  
wild  
fruit

## (vi) MISCELLANEOUS FRUIT

Avocados	0.05*	0.05*	0.05*		0.05*	0.02*
Bananas	0.05*	0.05*	0.05*		0.05*	0.02*
Dates	0.05*	0.05*	0.05*		0.05*	0.02*
Figs	0.05*	0.05*	0.05*		0.05*	0.02*
Kiwi fruit	0.05*	1	0.05*		2	5
Kumquats	0.05*	0.05*	0.05*		0.05*	0.02*
Litchis	0.05*	0.05*	0.05*		0.05*	0.02*
Mangoes	0.05*	0.05*	0.05*		0.05*	0.02*
Olives (table consumption)	0.05*	0.05*	0.05*		0.05*	0.02*
Olives (oil extract)	0.05*	0.05*	0.05*		0.05*	0.02*
Papaya			0.05*		0.05*	
Passion fruit	0.05*	0.05*	0.05*		0.05*	0.02*
Pineapples	0.05*	0.05*	0.05*		0.05*	0.02*
Pomegranates	0.05*	0.05*	0.05*		0.05*	0.02*
Others	0.05*	0.05*	0.05*		0.05*	0.02*

**2. Vegetables, fresh or uncooked, frozen or dry**

## (i) ROOT AND TUBER VEGETABLES

Beetroot	0.05*	0.05*	0.05*		0.05*	0.02*
Carrots	0.05*	0.05*	0.05*		1	0.02*
Celeriac	0.05*	0.1	0.05*		0.05*	0.02*
Horseradish	0.05*	0.05*	0.05*		0.05*	0.02*
Jerusalem artichokes	0.05*	0.05*	0.05*		0.05*	0.02*

(34) Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which the food belongs	Groups include	Monocrotophos	Dipel	Paraquat	Permethrin	Fluoride	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone
	Parsnips	0.05*	0.05*	0.05*			0.05*	0.02*		
	Parsley root	0.05*	0.05*	0.05*			0.05*	0.02*		
	Radishes	0.05*	0.1	0.05*			0.05*	0.02*		
	Salsify	0.05*	0.05*	0.05*			0.05*	0.02*		
	Sweet potatoes	0.05*	0.05*	0.05*			0.05*	0.02*		
	Swedes	0.05*	0.05*	0.05*			0.05*	0.02*		
	Turnips	0.05*	0.05*	0.05*			0.05*	0.02*		
	Yams	0.05*	0.05*	0.05*			0.05*	0.02*		
	Others	0.05*	0.05*	0.05*			0.05*	0.02*		
(ii) BULB VEGETABLES										
	Garlic	0.05*	0.05*	0.05*			0.05*	0.2		
	Onions	0.05*	0.05*	0.05*			0.05*	0.2		
	Shallots	0.05*	0.05*	0.05*			0.05*	0.2		
	Spring onions	0.05*	0.05*	0.05*			0.05*	0.02*		
	Others	0.05*	0.05*	0.05*			0.05*	0.02*		
(iii) FRUITING VEGETABLES										
	(a)	(a) Solanaceae								
	Tomatoes	0.05*	0.5	0.05*			1	2		
	Peppers	0.05*	0.5	0.05*			1	2		
	Chilli peppers							2		
	Aubergines	0.05*	0.5	0.05*			0.05*	2		
	Others	0.05*	0.5	0.05*			0.05*			
	(b)	(b) Cucurbits-edible peel								
	Cucumbers	0.05*	0.1	0.05*			0.1	1		
	Gherkins	0.05*	0.1	0.05*			0.05*	1		
	Courgettes	0.05*	0.1	0.05*			0.05*	1		
	Others	0.05*	0.1	0.05*			0.05*	1		
	(c)	(c) Cucurbits-inedible peel								

(34) Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.

Group to which the food belongs	Groups include	Monocrotophos	Dipel	Paraquat	Permethrin	Fluoride	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone
Melons		0.05*	0.1	0.05*			1	1		
Squashes		0.05*	0.1	0.05*			0.05*	1		
Watermelons		0.05*	0.1	0.05*			0.05*	1		
Others		0.05*	0.1	0.05*			0.05*	1		
<i>Sweet corn</i>	(d)	0.05*	0.1	0.05*			0.05*	0.02*		

## (iv) BRASSICA VEGETABLES

(a) (a) *Flowering Brassicas*

Broccoli	0.05*	0.05*	0.05*		1	0.02*
Cauliflower	0.05*	0.1	0.05*		1	0.02*
Others	0.05*	0.05*	0.05*		1	0.02*

(b) (b) *Head Brassicas*

Brussels sprouts	0.05*	0.05*	0.05*		2	0.02*
Head cabbage	0.05*	0.1	0.05*		0.05*	0.02*
Others	0.05*	0.05*	0.05*		0.05*	0.02*

(c) (c) *Leafy Brassicas*

Chinese cabbage	0.05*	1	0.05*		0.05*	0.02*
Kale	0.05*	1	0.05*		0.05*	0.02*
Others	0.05*	1	0.05*		0.05*	0.02*

(d) (d) *Kohlrabi*

0.05*	0.05*	0.05*		0.05*	0.02*
-------	-------	-------	--	-------	-------

## (v) LEAF VEGETABLES AND FRESH HERBS

(a) (a) *Lettuce & similar*

Cress	0.05*	2	0.05*		0.05*	5
Lamb's lettuce	0.05*	2	0.05*		0.05*	5
Lettuce	0.05*	2	0.05*		0.05*	5
Scarole	0.05*	2	0.05*		0.05*	5
Others	0.05*	2	0.05*		0.05*	5

(b) (b) *Spinach & similar*

(34) Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which the food belongs	Groups include	Monocrotophos	Malathion	Raraquat	Permethrin	Dithorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone
	Spinach	0.05*	1	0.05*			0.05*	0.02*		
	Beet leaves (chard)	0.05*	1	0.05*			0.05*	0.02*		
	Others	0.05*	1	0.05*			0.05*	0.02*		
(c)	(c) Watercress	0.05*	0.05*	0.05*			0.05*	0.02*		
(d)	(d) Witloof	0.05*	0.05*	0.05*			0.05*	2		
(e)	(e) Herbs									
	Chervil	0.05*	2	0.05*			0.05*	0.02*		
	Chives	0.05*	2	0.05*			0.05*	0.02*		
	Parsley	0.05*	2	0.05*			0.05*	0.02*		
	Celery leaves	0.05*	2	0.05*			0.05*	0.02*		
	Others	0.05*	2	0.05*			0.05*	0.02*		
(vi) LEGUME VEGETABLES (fresh)										
	Beans (with pods)	0.05*	0.5	0.05*			0.05*	2		
	Beans (without pods)	0.05*	0.05*	0.05*			0.05*	0.02*		
	Peas (with pods)	0.05*	0.1	0.05*			0.05*	1		
	Peas (without pods)	0.05*	0.05*	0.05*			0.05*	0.3		
	Others	0.05*	0.05*	0.05*			0.05*	0.02*		
(vii) STEM VEGETABLES										
	Asparagus	0.05*	0.05*	0.05*			0.05*	0.02*		
	Cardoons	0.05*	0.05*	0.05*			0.05*	0.02*		
	Celery	0.05*	2	0.05*			0.05*	0.02*		
	Fennel	0.05*	0.05*	0.05*			0.05*	0.02*		
	Globe artichokes	0.05*	0.05*	0.05*			0.05*	0.02*		

(34) Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.

Group to which the food belongs	Groups include	Monocrotophos	Diphenotarsone	Raraquat	Permethrin	Fluorinate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone
	Leeks	0.05*	0.5	0.05*			0.05*	0.02*		
	Rhubarb	0.05*	2	0.05*			0.05*	0.02*		
	Others	0.05*	0.05*	0.05*			0.05*	0.02*		
(viii) FUNGI										
	Cultivated mushrooms	0.05*	0.05*	0.05*			2	0.02*		
	Wild mushrooms	0.05*	0.05*	0.05*			0.05*	0.02*		
<b>3. PULSES</b>										
	Beans	0.05*	0.05*	0.05*			0.05*	0.02*		
	Lentils	0.05*	0.05*	0.05*			0.05*	0.02*		
	Peas	0.05*	0.05*	0.05*			0.05*	0.2		
	Others	0.05*	0.05*	0.05*			0.05*	0.02*		
<b>4. OILSEEDS</b>										
	Linseed	0.05*	0.05*	0.05*			0.05*	0.05*		
	Peanuts	0.05*	0.1	0.1			0.05*	0.05*		
	Poppy seed	0.05*	0.05*	0.05*			0.05*	0.05*		
	Sesame seed	0.05*	0.05*	0.05*			0.05*	0.05*		
	Sunflower seed	0.05*	0.05*	0.05*			0.05*	1/0.05 <sup>(34)</sup>		
	Rape seed	0.05*	0.1	0.05*			0.05*	1		
	Soya bean	0.05*	0.05*	0.05*			0.05*	1		
	Mustard seed	0.05*	0.1	0.05*			0.05*	0.05*		
	Cotton seed	0.05*	0.2	0.05*			0.05*	0.05*		
	Others	0.05*	0.05*	0.05*			0.05*	0.05*		
<b>5. POTATOES</b>										
	Early potatoes	0.05*	0.05*	0.05*			0.05*	0.02*		

(34) Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to include which the food following belongs products	Groups	Monocrotophos	Dipel	soParaquat	Permethrin	Fluoride	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone
Ware potatoes		0.05*	0.05*	0.05*				0.05*	0.02*	
<b>6. TEA</b>										
(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )		0.1*	0.1	0.1*	2	0.1*	0.1*	0.1*	0.05*	0.1*
<b>7. HOPS (dried)</b>										
including hop pellets & unconcentrated powder		0.1*	0.1*	0.1*				0.05*	0.1*	

(34) Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.

Group to include which the food following belongs products	Groups	Profenophos	Dipropargite	Propiconazole	Endosulfan	Poxur	Propyzam	Quinalphos	EPP	Thiabendazole
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts</b>										
(i) CITRUS FRUIT										
Grapefruit		0.05*	0.05*	0.02*	0.05*	0.01*	5			
Lemons		0.05*	0.3	0.02*	0.05*	0.01*	5			
Limes		0.05*	0.3	0.02*	0.05*	0.01*	5			
Mandarins (inc clementines & similar hybrids)		0.05*	0.3	0.02*	0.05*	0.01*	5			
Oranges		0.05*	0.05*	0.02*	0.05*	0.01*	5			
Pomelos		0.05*	0.05*	0.02*	0.05*	0.01*	5			
Others		0.05*	0.05*	0.02*	0.05*	0.01*	5			
(ii) TREE NUTS (shelled or unshelled)										

Group to which food belongs	Groups include	Profenophate	Isopropargite	Propiconazole	Propoxur	Propyzam	Quinalphos	EPP	Thiabendazole
	Almonds	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*		
	Brazil nuts	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*		
	Cashew nuts	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*		
	Chestnuts	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*		
	Coconuts	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*		
	Hazelnuts	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*		
	Macadamia nuts	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*		
	Pecans	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*		
	Pine nuts	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*		
	Pistachios	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*		
	Walnuts	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*		
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.1*		
(iii) POME FRUIT									
	Apples	0.05*	0.05*	0.02*	0.05*	0.01*	5		
	Pears	0.05*	0.05*	0.02*	0.05*	0.01*	5		
	Quinces	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
(iv) STONE FRUIT									
	Apricots	0.2	0.05*	0.02*	0.05*	0.01*	0.05*		
	Cherries	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Peaches (incl nectarines & similar hybrids)	0.2	0.05*	0.02*	0.05*	0.01*	0.05*		
	Plums	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
(v) BERRIES AND SMALL FRUIT									
	(a) (a) <i>Table &amp; wine grapes</i>								

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include	Profenophate	Propargite	Propiconazole	Propoxur	Propyzam	Quinalphos	EPP	Thiabendazole
Table grapes		0.5	0.05*	0.02*	0.05*	0.01*	0.05*		
Wine grapes		0.5	0.05*	0.02*	0.05*	0.01*	0.05*		
Strawberries (b) (other than wild)		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
(c) Cane Fruit (other than wild)									
Blackberries		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Dewberries		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Loganberries		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Raspberries		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
(d) Other small fruit & berries (other than wild)									
Bilberries		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Cranberries		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Currants (red, black & white)		0.05*	0.2	0.02*	0.05*	0.01*	0.05*		
Gooseberries		0.05*	0.2	0.02*	0.05*	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Wild berries & wild fruit	(e)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
(vi) MISCELLANEOUS FRUIT									
Avocados		0.05*	0.05*	0.02*	0.05*	0.01*	15		
Bananas		0.1	0.05*	0.02*	0.05*	0.01*	5		
Dates		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Figs		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Kiwi fruit		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
Kumquats		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		

Group to which food belongs	Groups include the following products	Profenophate	Propargite	Propiconazole	Propoxur	Propyzam	Quinalphos	EPP	Thiabendazole
	Litchis	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Mangoes	0.05*	0.05*	0.02*	0.05*	0.01*	5		
	Olives (table consumption)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Olives (oil extract)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Papaya	0.05*	0.05*	0.02*	0.05*		10		
	Passion fruit	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Pineapples	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Pomegranates	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>									
(i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Carrots	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Celeriac	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Horseradish	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Jerusalem artichokes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Parsnips	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Parsley root	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Radishes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Salsify	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Sweet potatoes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Swedes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Turnips	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Yams	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
(ii) BULB VEGETABLES									
	Garlic	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include the following products	Profenophate	Propargite	Propiconazole	Propoxur	Propyzam	Quinalphos	SEPP	Thiabendazole
	Onions	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Shallots	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Spring onions	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
<b>(iii) FRUITING VEGETABLES</b>									
	(a) (a) <i>Solanaceae</i>								
	Tomatoes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Peppers	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Chilli peppers								
	Aubergines	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	(b) (b) <i>Cucurbits-edible peel</i>								
	Cucumbers	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Gherkins	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Courgettes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	(c) (c) <i>Cucurbits-inedible peel</i>								
	Melons	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Squashes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Watermelons	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	(d) <i>Sweet corn</i>	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
<b>(iv) BRASSICA VEGETABLES</b>									
	(a) (a) <i>Flowering Brassicas</i>								
	Broccoli	0.05*	0.5	0.02*	0.05*	0.01*	5		
	Cauliflower	0.05*	0.5	0.02*	0.05*	0.01*	0.05*		
	Others	0.05*	0.5	0.02*	0.05*	0.01*	0.05*		
	(b) (b) <i>Head Brassicas</i>								
	Brussels sprouts	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		

Group to which food belongs	Groups include	Profenophate	Isopropargite	Propiconazole	Endosulfan	Propoxur	Propyzam	Quinalphos	EPP	Thiabendazole
	Head cabbage	0.05*	0.5	0.02*	0.05*	0.01*	0.05*			
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
(c)	(c) Leafy Brassicas									
	Chinese cabbage	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
	Kale	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
(d)	(d) Kohlrabi	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>										
	(a) Lettuce & similar									
	Cress	0.05*	0.05*	1	0.05*	0.01*	0.05*			
	Lamb's lettuce	0.05*	0.05*	1	0.05*	0.01*	0.05*			
	Lettuce	0.05*	0.05*	1	0.05*	0.01*	0.05*			
	Scarole	0.05*	0.05*	1	0.05*	0.01*	0.05*			
	Others	0.05*	0.05*	1	0.05*	0.01*	0.05*			
	(b) Spinach & similar									
	Spinach	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
	Beet leaves (chard)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
(c)	(c) Watercress	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
(d)	(d) Witloof	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*			
(e)	(e) Herbs									
	Chervil	0.05*	0.05*	1	0.05*	0.01*	0.05*			
	Chives	0.05*	0.05*	1	0.05*	0.01*	0.05*			
	Parsley	0.05*	0.05*	1	0.05*	0.01*	0.05*			
	Celery leaves	0.05*	0.05*	1	0.05*	0.01*	0.05*			
	Others	0.05*	0.05*	1	0.05*	0.01*	0.05*			

**(vi) LEGUME VEGETABLES (fresh)**

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include the following products	Profenophate	Propargite	Propiconazole	Propoxur	Propyzam	Quinalphos	EPP	Thiabendazole
	Beans (with pods)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Beans (without pods)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Peas (with pods)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Peas (without pods)	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
<b>(vii) STEM VEGETABLES</b>									
	Asparagus	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Cardoons	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Celery	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Fennel	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Globe artichokes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Leeks	0.05*	1	0.02*	0.05*	0.01*	0.05*		
	Rhubarb	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
<b>(viii) FUNGI</b>									
	<i>Cultivated</i> (a) mushrooms	0.05*	0.05*	0.02*	0.05*	0.01*	10		
	<i>Wild</i> (b) mushrooms	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
<b>3. PULSES</b>									
	Beans	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Lentils	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Peas	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
<b>4. OILSEEDS</b>									
	Linseed	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		
	Peanuts	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*		

Group to which food belongs	Groups include the following products	Profenophate	Isopropargite	Propiconazole	Propoxur	Propyzam	Quinalphos	EPP	Thiabendazole
	Poppy seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Sesame seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Sunflower seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Rape seed	0.05*	0.05*	0.1	0.05*	0.05*	0.01*	0.05*	
	Soya bean	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Mustard seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Cotton seed	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
<b>5. POTATOES</b>									
	Early potatoes	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
	Ware potatoes	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	15	
<b>6. TEA</b>									
	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.1*	5	0.1*	0.1*	0.05*	0.1*	0.02*	0.1*
<b>7. HOPS (dried)</b>									
	including hop pellets & unconcentrated powder	0.1*	0.1*	0.05*	0.1*	0.02*	0.1*		

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Ggroups include the following products</i>	<i>Triazophos</i>	<i>Triforine</i>	<i>2,4,5-T</i>	<i>Vinclozolin</i>
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts</b>					
(i) CITRUS FRUIT					
	Grapefruit	0.02*	0.05*	0.05*	0.05*
	Lemons	0.02*	0.05*	0.05*	0.05*
	Limes	0.02*	0.05*	0.05*	0.05*
	Mandarins (inc clementines & similar hybrids)	0.02*	0.05*	0.05*	0.05*
	Oranges	0.02*	0.05*	0.05*	0.05*
	Pomelos	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
(ii) TREE NUTS (shelled or unshelled)					
	Almonds	0.02*	0.05*	0.05*	0.05*
	Brazil nuts	0.02*	0.05*	0.05*	0.05*
	Cashew nuts	0.02*	0.05*	0.05*	0.05*
	Chestnuts	0.02*	0.05*	0.05*	0.05*
	Coconuts	0.02*	0.05*	0.05*	0.05*
	Hazelnuts	0.02*	0.05*	0.05*	0.05*
	Macadamia nuts	0.02*	0.05*	0.05*	0.05*
	Pecans	0.02*	0.05*	0.05*	0.05*
	Pine nuts	0.02*	0.05*	0.05*	0.05*
	Pistachios	0.02*	0.05*	0.05*	0.05*
	Walnuts	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
(iii) POME FRUIT					
	Apples	0.02*	2	0.05*	1
	Pears	0.02*	2	0.05*	1
	Quinces	0.02*	2	0.05*	1
	Others	0.02*	2	0.05*	1
(iv) STONE FRUIT					
	Apricots	0.02*	2	0.05*	2

<i>Group to which food belongs</i>	<i>Ggroups include the following products</i>	<i>Triazophos</i>	<i>Triforine</i>	<i>2,4,5-T</i>	<i>Vinclozolin</i>
	Cherries	0.02*	2	0.05*	0.5
	Peaches (incl nectarines & similar hybrids)	0.02*	2	0.05*	0.05*
	Plums	0.02*	1	0.05*	2
	Others	0.02*	0.05*	0.05*	0.05*
<b>(v) BERRIES AND SMALL FRUIT</b>					
		<i>(a) (a) Table &amp; wine grapes</i>			
	Table grapes	0.02*	0.05*	0.05*	5
	Wine grapes	0.02*	0.05*	0.05*	5
	<i>Strawberries</i> (other than wild)	0.02*	0.05*	0.05*	5
		<i>(c) (c) Cane Fruit (other than wild)</i>			
	Blackberries	0.02*	0.05*	0.05*	5
	Dewberries	0.02*	0.05*	0.05*	5
	Loganberries	0.02*	0.05*	0.05*	5
	Raspberries	0.02*	0.05*	0.05*	5
	Others	0.02*	0.05*	0.05*	5
		<i>(d) (d) Other small fruit &amp; berries (other than wild)</i>			
	Bilberries	0.02*	0.05*	0.05*	0.05*
	Cranberries	0.02*	0.05*	0.05*	0.05*
	Currants (red, black & white)	0.02*	2	0.05*	10
	Gooseberries	0.02*	2	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
		<i>(e) Wild berries &amp; wild fruit</i>			
<b>(vi) MISCELLANEOUS FRUIT</b>					
	Avocados	0.02*	0.05*	0.05*	0.05*
	Bananas	0.02*	0.05*	0.05	0.05*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Ggroups include the following products</i>	<i>Triazophos</i>	<i>Triforine</i>	<i>2,4,5-T</i>	<i>Vinclozolin</i>
Dates	0.02*	0.05*	0.05*	0.05*	0.05*
Figs	0.02*	0.05*	0.05*	0.05*	0.05*
Kiwi fruit	0.02*	0.05*	0.05*	10	
Kumquats	0.02*	0.05*	0.05*	0.05*	
Litchis	0.02*	0.05*	0.05*	0.05*	
Mangoes	0.02*	0.05*	0.05*	0.05*	
Olives (table consumption)	0.02*	0.05*	0.05*	0.05*	
Olives (oil extract)	0.02*	0.05*	0.05*	0.05*	
Papaya	0.02*	0.05*			
Passion fruit	0.02*	0.05*	0.05*	0.05*	
Pineapples	0.02*	0.05*	0.05*	0.05*	
Pomegranates	0.02*	0.05*	0.05*	0.05*	
Others	0.02*	0.05*	0.05*	0.05*	

## **2. Vegetables, fresh or uncooked, frozen or dry**

### (i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.05*	0.05*	0.05*
Carrots	0.02*	0.05*	0.05*	0.5
Celeriac	0.02*	0.05*	0.05*	0.05*
Horseradish	0.02*	0.05*	0.05*	0.05*
Jerusalem artichokes	0.02*	0.05*	0.05*	0.05*
Parsnips	0.02*	0.05*	0.05*	0.05*
Parsley root	0.02*	0.05*	0.05*	0.05*
Radishes	0.02*	0.05*	0.05*	0.05*
Salsify	0.02*	0.05*	0.05*	0.05*
Sweet potatoes	0.02*	0.05*	0.05*	0.05*
Swedes	0.02*	0.05*	0.05*	0.05*
Turnips	0.02*	0.05*	0.05*	0.05*
Yams	0.02*	0.05*	0.05*	0.05*
Others	0.02*	0.05*	0.05*	0.05*

### (ii) BULB VEGETABLES

Garlic	0.02*	0.05*	0.05*	1
--------	-------	-------	-------	---

<i>Group to which food belongs</i>	<i>Ggroups include the following products</i>	<i>Triazophos</i>	<i>Triforine</i>	<i>2,4,5-T</i>	<i>Vinclozolin</i>
	Onions	0.02*	0.05*	0.05*	1
	Shallots	0.02*	0.05*	0.05*	1
	Spring onions	0.02*	0.05*	0.05*	1
	Others	0.02*	0.05*	0.05*	1

## (iii) FRUITING VEGETABLES

(a) (a) *Solanaceae*

Tomatoes	0.02*	0.05*	0.05*	0.05*
Peppers	0.02*	0.05*	0.05*	3
Chilli peppers				
Aubergines	0.02*	0.05*	0.05*	3
Others	0.02*	0.05*	0.05*	3

(b) (b) *Cucurbits-edible peel*

Cucumbers	0.02*	0.5	0.05*	1
Gherkins	0.02*	0.5	0.05*	1
Courgettes	0.02*	0.5	0.05*	1
Others	0.02*	0.5	0.05*	1

(c) (c) *Cucurbits-inedible peel*

Melons	0.02*	0.05*	0.05*	1
Squashes	0.02*	0.05*	0.05*	1
Watermelons	0.02*	0.05*	0.05*	1
Others	0.02*	0.05*	0.05*	1

(d) *Swe(d) corn*

## (iv) BRASSICA VEGETABLES

(a) (a) *Flowering Brassicas*

Broccoli	0.02*	0.05*	0.05*	0.05*
Cauliflower	0.02*	0.05*	0.05*	0.05*
Others	0.02*	0.05*	0.05*	0.05*

(b) (b) *Head Brassicas*

Brussels sprouts	0.02*	0.05*	0.05*	0.05*
Head cabbage	0.02*	0.05*	0.05*	0.05*
Others	0.02*	0.05*	0.05*	0.05*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Ggroups include the following products</i>	<i>Triazophos</i>	<i>Triforine</i>	<i>2,4,5-T</i>	<i>Vinclozolin</i>
(c)	(c) <i>Leafy Brassicas</i>				
Chinese cabbage	0.02*	0.05*	0.05*	2	
Kale	0.02*	0.05*	0.05*	0.05*	
Others	0.02*	0.05*	0.05*	0.05*	
(d)	(d) <del>Kale</del> <i>Trabi</i>	0.05*	0.05*	0.05*	
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>					
(a)	(a) <i>Lettuce &amp; similar</i>				
Cress	0.02*	0.05*	0.05*	5	
Lamb's lettuce	0.02*	0.05*	0.05*	5	
Lettuce	0.02*	0.05*	0.05*	5	
Scarole	0.02*	0.05*	0.05*	5	
Others	0.02*	0.05*	0.05*	5	
(b)	(b) <i>Spinach &amp; similar</i>				
Spinach	0.02*	0.05*	0.05*	0.05*	
Beet leaves (chard)	0.02*	0.05*	0.05*	0.05*	
Others	0.02*	0.05*	0.05*	0.05*	
(c)	(c) <del>Watercress</del>	0.05*	0.05*	0.05*	
(d)	(d) <del>Watercress</del>	0.05*	0.05*	2	
(e)	(e) <i>Herbs</i>				
Chervil	0.02*	0.05*	0.05*	0.05*	
Chives	0.02*	0.05*	0.05*	0.05*	
Parsley	0.02*	0.05*	0.05*	0.05*	
Celery leaves	0.02*	0.05*	0.05*	0.05*	
Others	0.02*	0.05*	0.05*	0.05*	
<b>(vi) LEGUME VEGETABLES (fresh)</b>					
Beans (with pods)	0.02*	0.05*	0.05*	2	
Beans (without pods)	0.02*	0.05*	0.05*	0.5	
Peas (with pods)	0.02*	0.05*	0.05*	2	

<i>Group to which food belongs</i>	<i>Ggroups include the following products</i>	<i>Triazophos</i>	<i>Triforine</i>	<i>2,4,5-T</i>	<i>Vinclozolin</i>
	Peas (without pods)	0.02*	0.05*	0.05*	0.3
	Others	0.02*	0.05*	0.05*	0.05*
<b>(vii) STEM VEGETABLES</b>					
	Asparagus	0.02*	0.05*	0.05*	0.05*
	Cardoons	0.02*	0.05*	0.05*	0.05*
	Celery	0.02*	0.05*	0.05*	0.05*
	Fennel	0.02*	0.05*	0.05*	0.05*
	Globe artichokes	0.02*	0.05*	0.05*	0.05*
	Leeks	0.02*	0.05*	0.05*	0.05*
	Rhubarb	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
<b>(viii) FUNGI</b>					
	(a) <i>Cultivated mushrooms</i>	0.02*	0.05*	0.05*	0.05*
	(b) <i>Wild mushrooms</i>	0.02*	0.05*	0.05*	0.05*
<b>3. PULSES</b>					
	Beans	0.02*	0.05*	0.05*	0.5
	Lentils	0.02*	0.05*	0.05*	0.05*
	Peas	0.02*	0.05*	0.05*	0.5
	Others	0.02*	0.05*	0.05*	0.05*
<b>4. OILSEEDS</b>					
	Linseed	0.02*	0.05*	0.05*	0.05*
	Peanuts	0.02*	0.05*	0.05*	0.05*
	Poppy seed	0.02*	0.05*	0.05*	0.05*
	Sesame seed	0.02*	0.05*	0.05*	0.05*
	Sunflower seed	0.02*	0.05*	0.05*	0.05*
	Rape seed	0.02*	0.05*	0.05*	1
	Soya bean	0.02*	0.05*	0.05*	0.05*
	Mustard seed	0.02*	0.05*	0.05*	0.05*
	Cotton seed	0.1	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Triazophos</i>	<i>Triforine</i>	<i>2,4,5-T</i>	<i>Vinclozolin</i>			
<b>5. POTATOES</b>								
	Early potatoes	0.02*	0.05*	0.05*	0.05*			
	Ware potatoes	0.02*	0.05*	0.05*	0.05*			
<b>6. TEA</b>								
	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.05*	0.1*	0.05*	0.1*			
<b>7. HOPS (dried)</b>								
	including hop pellets & unconcentrated powder	0.05*	30	0.05*	40			
<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acephate</i>	<i>Aldicarb</i>	<i>Aldrin &amp; Dieldrin</i>	<i>Amitraz</i>	<i>Aramite</i>	<i>AzoxystroB</i>	
<b>8. CEREALS</b>						<i>Barban</i>		
	Wheat	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Rye	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Barley	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Sorghum	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Oats	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Triticale	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Maize	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Buckwheat	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Millet	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Rice <sup>(1)</sup>	0.02*	0.05*	0.01	0.02*	0.01*	5	0.05*
	Other cereals <sup>(2)</sup>	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>								
	Meat, fat & preparations of meat <sup>(3)</sup>	0.02*	0.01*	0.2	0.02* <sup>(9)</sup>	0.01*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acephate</i>	<i>Aldicarb</i>	<i>Aldrin &amp; Dieldrin</i>	<i>Amitraz</i>	<i>Aramite</i>	<i>AzoxystroB</i>	<i>Barban</i>
Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>	0.02*	0.01*	0.006		0.01*	0.01*	0.05*	
Eggs <sup>(6)</sup>	0.02*	0.01*	0.02	0.02*	0.01* <sup>(7)</sup>	0.05*	0.05* <sup>(7)</sup>	

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

\* Level at or about the limit of determination *no MRL* – refers to the particular active/commodity combination

FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Other cereals do not include rice.
- (3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.  
In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (5) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (6) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (7) For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
- (9) Poultry meat only.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Benalaxyl</i>	<i>Benfuracarb</i>	<i>Bptafol</i>	<i>Carbaryl</i>	<i>Carbendazim</i>	<i>Carbofuran</i>	<i>Carbon disulphide</i>	<i>tetrachloride</i>
<b>8. CEREALS</b>									

Wheat	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
Rye	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
Barley	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
Sorghum	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
Oats	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
Triticale	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
Maize	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include the following products	Benalaxyl	Benfuracarb	Captafol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide	Carbon tetrachloride
	Buckwheat	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Millet	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Rice <sup>(1)</sup>	0.05*	0.05*	0.05*	1	0.1*	0.1*	0.1	0.1
	Other cereals <sup>(2)</sup>	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1

## 9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations of meat <sup>(3)</sup>	0.05*	0.05*		0.1*	0.1*
Milk <sup>(4)</sup> &	0.05*	0.05*		0.1*	0.1*
Dairy produce <sup>(5)</sup>					
Eggs <sup>(6)</sup>	0.05*	0.05*		0.1*	0.1*

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

\* Level at or about the limit of determination *no MRL* – refers to the particular active/commodity combination

FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Other cereals do not include rice.
- (3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.  
In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (5) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (6) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

Group to which food belongs	Groups include	Carbosulfan	Chlorbufan	Chlordane	Chlorfenson	Chlorobenzaldehyde	Chloroxurochlorbenside
<b>8. CEREALS</b>							
	Wheat	0.05*	0.05*	0.02	0.01*	0.02*	0.05*
	Rye	0.05*	0.05*	0.02	0.01*	0.02*	0.05*
	Barley	0.05*	0.05*	0.02	0.01*	0.02*	0.05*
	Sorghum	0.05*	0.05*	0.02	0.01*	0.02*	0.05*
	Oats	0.05*	0.05*	0.02	0.01*	0.02*	0.05*
	Triticale	0.05*	0.05*	0.02	0.01*	0.02*	0.05*
	Maize	0.05*	0.05*	0.02	0.01*	0.02*	0.05*
	Buckwheat	0.05*	0.05*	0.02	0.01*	0.02*	0.05*
	Millet	0.05*	0.05*	0.02	0.01*	0.02*	0.05*
	Rice <sup>(1)</sup>	0.05*	0.05*	0.02	0.01*	0.02*	0.05*
	Other cereals <sup>(2)</sup>	0.05*	0.05*	0.02	0.01*	0.02*	0.05*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>							
	Meat, fat & preparations of meat <sup>(3)</sup>	0.05*	0.05*	0.05	0.05*	0.1*	0.05*
	Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>	0.05*	0.05*	0.002	0.05*	0.1*	0.05*
	Eggs <sup>(6)</sup>	0.05*	0.05* <sup>(7)</sup>	0.005	0.05* <sup>(7)</sup>	0.1* <sup>(7)</sup>	0.05* <sup>(7)</sup>

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

\* Level at or about the limit of determination *no MRL* – refers to the particular active/commodity combination

## FOOTNOTES:

(1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

(2) Other cereals do not include rice.

(3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.

In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

(4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

(5) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

— if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (6) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (7) For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

<i>Group to which the food belongs</i>	<i>Groups include</i>	<i>Chloromeq</i>	<i>Chlorothal</i>	<i>Chlpyri</i>	<i>Chlorpyrifos</i>	<i>Cyfluthrin</i>	<i>Cypermethin</i>	<i>Diaminozid</i>	<i>DDT</i>
<i>methyl</i>									
<b>8. CEREALS</b>									
	Wheat	2	0.1	0.05*	3	0.02*	0.05*	0.02*	0.05
	Rye	2	0.1	0.05*	3	0.02*	0.05*	0.02*	0.05
	Barley	2	0.1	0.2	3	0.02*	0.2	0.02*	0.05
	Sorghum	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Oats	5	0.1	0.05*	3	0.02*	0.2	0.02*	0.05
	Triticale	2	0.1	0.05*	3	0.02*	0.05*	0.02*	0.05
	Maize	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Buckwheat	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Millet	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Rice <sup>(1)</sup>	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Other cereals <sup>(2)</sup>	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>									
	Meat, fat & preparation	0.01*	0.05* <sup>(9)</sup>	0.05*	0.05	0.05* <sup>(9)</sup>	0.05*	1	
	of meat <sup>(3)</sup>	0.2 <sup>(11)</sup>				0.2 <sup>(17)</sup>			
		0.1 <sup>(12)</sup>							
		0.05* <sup>(35)</sup>							
	Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>	0.05	0.01*	0.01*	0.01*	0.02*	0.02	0.05*	0.04
	Eggs <sup>(6)</sup>	0.05*	0.01*	0.01*	0.01*	0.02*	0.05*	0.05*	0.05

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

\* Level at or about the limit of determination *no MRL* – refers to the particular active/commodity combination

FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Other cereals do not include rice.
- (3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.  
In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (5) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (6) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (9) Poultry meat only.
- (10) Chicken liver.
- (11) Cattle kidney.
- (12) Cattle liver.
- (17) Other meat products.
- (35) Meat and meat products other than those at footnotes 10, 11 and 12.

Group to which the food belongs	Groups include the following products	Deltamethrin- dichloro-2,2- bis(4-ethyl- phenyl)-ethane	Diallate Diazinon 1,2-Dibromo- ethane	1,2-Dichloro- ethane	Dicofol	Disulfoton
<b>8. CEREALS</b>						
	Wheat	1	0.01*	0.05*	0.02*	0.01*
	Rye	1	0.01*	0.05*	0.02*	0.01*
	Barley	1	0.01*	0.05*	0.02*	0.01*
	Sorghum	1	0.01*	0.05*	0.02*	0.01*
	Oats	1	0.01*	0.05*	0.02*	0.01*
	Triticale	1	0.01*	0.05*	0.02*	0.01*
	Maize	1	0.01*	0.05*	0.02*	0.01*
	Buckwheat		0.01*	0.05*	0.02*	0.01*
	Millet	1	0.01*	0.05*	0.02*	0.01*
	Rice <sup>(1)</sup>	1	0.01*	0.05*	0.02*	0.01*
	Other cereals <sup>(2)</sup>	1	0.01*	0.05*	0.02*	0.01*

**9. PRODUCTS OF ANIMAL ORIGIN**

Meat, fat & preparations	0.05* <sup>(9)</sup>	0.01*	0.2*	0.5 <sup>(21)</sup>	0.02*
				0.1 <sup>(9)</sup>	

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include the following products	Deltamethrin- dichloro-2,2-bis(4-ethyl-phenyl)-ethane	Diallate	Diazinon	1,2-Dibromoethane	Dichlorvos	Dicofol	Disulfoton
	of meat <sup>(3)</sup>					0.05*( <sup>22</sup> )		
Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>		0.01*	0.2*	0.01*		0.02	0.02	1 <sup>(23)</sup>
Eggs <sup>(6)</sup>	0.05*	0.01* <sup>(7)</sup>	0.2* <sup>(7)</sup>			0.05*	0.02*	

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

\* Level at or about the limit of determination *no MRL* – refers to the particular active/commodity combination

FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Other cereals do not include rice.
- (3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.  
In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (5) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (6) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (7) For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
- (9) Poultry meat only.
- (21) Meat of cattle, sheep and goats.
- (22) Other than meat or liver of cattle, sheep and goats, and poultry meat.
- (23) Liver of cattle, sheep and goats. The residue definition for this MRL is: 1,1-bis-(parachlorophenol)-2,2-dichloroethanol (PP'-FW152), expressed as dicofol.

Group to which food belongs	Groups include the following products	Endosulfan	Endrin	Ethephon	Fenarimol	Fenbutatin	Fentin oxide	Fenvaleate	Fenvalerate
							Sum of RR and SS isomers	Sum of RS and SR isomers	

## 8. CEREALS

Wheat	0.05*	0.01	0.2	0.02*	0.05*	0.05*	0.05	0.02*
-------	-------	------	-----	-------	-------	-------	------	-------

Group to which food belongs	Groups include the following products	Endosulfan	Endrin	Ethephon	Fenarimol	Fenbutatin oxide	Fentiazine	Fenvalerate	Fenvalerate
							Sum of RR and SS isomers	Sum of RS and SR isomers	
	Rye	0.05*	0.01	0.5	0.02*	0.05*	0.05*	0.05	0.02*
	Barley	0.05*	0.01	0.5	0.02*	0.05*	0.05*	0.2	0.05
	Sorghum	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*
	Oats	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.2	0.05
	Triticale	0.05*	0.01	0.2	0.02*	0.05*	0.05*	0.05	0.02*
	Maize	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*
	Buckwheat	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*
	Millet	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*
	Rice <sup>(1)</sup>	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*
	Other cereals <sup>(2)</sup>	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>									
	Meat, fat & preparations of meat <sup>(3)</sup>	0.1 <sup>(8)</sup>	0.05	0.05*	0.02* <sup>(13)</sup>	0.05*	0.05*	0.2 <sup>(8)</sup>	0.05 <sup>(8)</sup>
	Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>	0.004	0.0008	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*
	Eggs <sup>(6)</sup>	0.1* <sup>(7)</sup>	0.005	0.05*	0.02*	0.05*	0.05*	0.02* <sup>(7)</sup>	0.02* <sup>(7)</sup>

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

\* Level at or about the limit of determination *no MRL* – refers to the particular active/commodity combination

FOOTNOTES:

(1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

(2) Other cereals do not include rice.

(3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.

In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

(4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

(5) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

— if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (6) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (7) For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
- (8) All meat except poultry meat.
- (9) Poultry meat only.
- (13) All meat except liver and kidney.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Furathiocarb</i>	<i>Glyphosate</i>	<i>Heptachlor</i>	<i>Hexachloro-benzene</i>	<i>Hexachloro-cyclohexane</i>	<i>(HCB)</i>	<i>(HCH) α</i>	<i>(HCH) β</i>
<b>8. CEREALS</b>									
	Wheat	0.05*	5	0.01	0.01	0.02			}
	Rye	0.05*	5	0.01	0.01	0.02			}
	Barley	0.05*	20	0.01	0.01	0.02			}
	Sorghum	0.05*	20	0.01	0.01	0.02			}
	Oats	0.05*	20	0.01	0.01	0.02			}
	Triticale	0.05*	5	0.01	0.01	0.02			sum of alpha & beta
	Maize	0.05*	0.1*	0.01	0.01	0.02			}
	Buckwheat	0.05*	0.1*	0.01	0.01	0.02			}
	Millet	0.05*	0.1*	0.01	0.01	0.02			}
	Rice <sup>(1)</sup>	0.05*	0.1*	0.01	0.01	0.02			}
	Other cereals <sup>(2)</sup>	0.05*	0.1*	0.01	0.01	0.02			}
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>									
Meat, fat &		0.05*	0.5 <sup>(24)</sup>	0.2	0.2	0.2			0.1
preparations			2 <sup>(25)</sup>						
of meat <sup>(3)</sup>			0.1* <sup>(17)</sup>						
Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>		0.05*	0.1*	0.004	0.01	0.004			0.003
Eggs <sup>(6)</sup>		0.05*	0.1*	0.02	0.02	0.02			0.01

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

\* Level at or about the limit of determination *no MRL* – refers to the particular active/commodity combination

FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Other cereals do not include rice.
- (3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.  
In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (5) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (6) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (17) Other meat products.
- (24) Pig kidney.
- (25) Cattle, goat and sheep kidney.

Group to which the food following γ belongs	Groups include the following γ products	Hexachlorobenzene	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Inorganic bromide	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin <sup>(27)</sup>
---	---	-------------------	------------------	--------------------	----------	-------------------	-----------	-----------------	------------------------------------

#### 8. CEREALS

Wheat	0.1	15	0.1	0.02*	50	0.5	0.05*	0.02*
Rye	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Barley	0.1	15	0.1	0.02*	50	1	0.05*	0.05
Sorghum	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Oats	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Triticale	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Maize	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Buckwheat	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Millet	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Rice <sup>(1)</sup>	0.1	15	0.1	0.02*	50	3	0.05*	0.02*
Other cereals <sup>(2)</sup>	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*

#### 9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparation <sup>(5)</sup> of meat <sup>(3)</sup>	2 <sup>(26)</sup>	0.02*	0.05*	0.02* <sup>(14)(15)</sup> 0.5 <sup>(8)</sup>
			0.05 <sup>(14)(16)</sup>	0.02*

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>HexachloroHydrogenHydrogenImazalil cyclohexa<del>oxy</del>yanide phosphide (HCH)</i>	<i>Inorganic bromide</i>	<i>Iprodione</i>	<i>Kresoxim-Lambda-methyl cyhalothrin<sup>(27)</sup></i>
	Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>	0.008	0.02*	0.05*	0.05* <sup>(18)</sup> 0.05
	Eggs <sup>(6)</sup>	0.1	0.02*	0.05*	0.02* 0.02*

#### UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

#### KEY:

\* Level at or about the limit of determination *no MRL* – refers to the particular active/commodity combination

#### FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Other cereals do not include rice.
- (3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.  
In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (5) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (6) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (8) All meat except poultry meat.
- h Poultry meat only.
- (14) The residue definition for this MRL is: 2-methoxyimino-2-[2-(0-tolyloxymethyl)phenyl]acetic acid.
- (15) Meat, liver, fat.
- (16) Kidney.
- (18) The residue definition for this MRL is: 2-[2-(4-hydroxy-2-methylphenoxy)methyl]phenyl]-2-methoxy-iminoacetic acid.
- (26) Sheepmeat only.
- (27) All meat except sheepmeat.
- (28) For animal products MRLs relate to cyhalothrin (sum of isomers).

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Malathion Maneb, Mancozeb, Metiram, Propineb and Zineb</i>	<i>Mecarbam Metalaxyl</i>	<i>Methamidophos</i>	<i>Metidathion</i>	<i>Methomyl</i>	<i>thiodicarb</i>
------------------------------------	--	---	---------------------------	----------------------	--------------------	-----------------	-------------------

#### 8. CEREALS

Wheat	8	1	0.05*	0.05*	0.01*	0.02*	0.05*
-------	---	---	-------	-------	-------	-------	-------

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Malathion Maneb, Mancozeb, Metiram, Propineb and Zineb</i>	<i>Mecarbam</i>	<i>Metalexyl</i>	<i>Methamidophos</i>	<i>Methidathis</i>	<i>Methomyl</i>	<i>thiodicarb</i>
Rye	8	1	0.05*	0.05*	0.01*	0.02*	0.05*	
Barley	8	2	0.05*	0.05*	0.01*	0.02*	0.05*	
Sorghum	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
Oats	8	2	0.05*	0.05*	0.01*	0.02*	0.05*	
Triticale	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
Maize	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
Buckwheat	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
Millet	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
Rice <sup>(1)</sup>	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
Other cereals <sup>(2)</sup>	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	

  

<b>9. PRODUCTS OF ANIMAL ORIGIN</b>						
Meat, fat & preparations of meat <sup>(3)</sup>	0.05*		0.05*	0.01*	0.02*	0.02
Milk <sup>(4)</sup> &	0.05*		0.05*	0.01*	0.02*	0.02
Dairy produce <sup>(5)</sup>					0.02*	0.02
Eggs <sup>(6)</sup>	0.05*		0.05*	0.01*	0.02*	0.02

## UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

## KEY:

\* Level at or about the limit of determination *no MRL* – refers to the particular active/commodity combination

## FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Other cereals do not include rice.
- (3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.  
In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (5) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- (6) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

Group to which the food belongs	Groups include the following products	Methoxychlorfenthiazine	Methyl bromide	Permethrin	Phorate	Phosphamidon	Hanimiphos	Procymidone methyl
<b>8. CEREALS</b>								
	Wheat	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Rye	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Barley	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Sorghum	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Oats	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Triticale	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Maize	0.01*	0.1	0.2	0.05*	0.05	5	0.02*
	Buckwheat	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Millet	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Rice <sup>(1)</sup>	0.01*	0.1	2	0.05*	0.05	5	0.02*
	Other cereals <sup>(2)</sup>	0.01*	0.1	2	0.05*	0.05	5	0.02*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>								
	Meat, fat & preparations of meat <sup>(3)</sup>	0.01*		0.5	0.05*		0.05*	0.05*
	Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>	0.01*		0.05	0.02*		0.05*	0.05*
	Eggs <sup>(6)</sup>	0.01* <sup>(7)</sup>		0.05	0.05*		0.05*	0.05*

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

\* Level at or about the limit of determination *no MRL* – refers to the particular active/commodity combination

FOOTNOTES:

(1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

(2) Other cereals do not include rice.

(3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.

In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

(4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

- (5) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (6) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (7) For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

<i>Group to include which the food belongs</i>	<i>Groups which the following products</i>	<i>Propiconazole</i>	<i>Dtopoxur</i>	<i>Propyzamide</i>	<i>Pyrethrins</i>	<i>Thiabendazole</i>	<i>Eazophos</i>	<i>Trichlorfon</i>
--	--	----------------------	-----------------	--------------------	-------------------	----------------------	-----------------	--------------------

## 8. CEREALS

Wheat	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
Rye	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
Barley	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
Sorghum	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
Oats	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
Triticale	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
Maize	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
Buckwheat	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
Millet	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
Rice <sup>(1)</sup>	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
Other cereals <sup>(2)</sup>	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1

## 9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations of meat <sup>(3)</sup>	0.1 <sup>(29)</sup>	0.05*	0.05* <sup>(31)(33)</sup>	0.1 <sup>(19)</sup>	0.02*
Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>	0.01*	0.05*	0.01* <sup>(33)</sup>		0.02*
Eggs <sup>(6)</sup>	0.05*	0.05*	0.02* <sup>(33)</sup>	0.1*	0.02* <sup>(7)</sup>

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

\* Level at or about the limit of determination *no MRL* – refers to the particular active/commodity combination

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

## FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Other cereals do not include rice.
- (3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.  
In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (5) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (6) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (7) For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
- (19) With the exception of meat and other ovine, bovine and caprine products.
- (29) Ruminant liver.
- (30) All meat except ruminant liver.
- (31) Fat, liver and kidney.
- I Other than fat, liver and kidney.
- (33) The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Triforine</i>	<i>Vinclozolin</i>
<b>8. CEREALS</b>			
	Wheat	0.1	0.05*
	Rye	0.1	0.05*
	Barley	0.1	0.05*
	Sorghum	0.05*	0.05*
	Oats	0.1	0.05*
	Triticale	0.1	0.05*
	Maize	0.05*	0.05*
	Buckwheat	0.05*	0.05*
	Millet	0.05*	0.05*
	Rice <sup>(1)</sup>	0.05*	0.05*
	Other cereals <sup>(2)</sup>	0.05*	0.05*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>			
	Meat, fat & preparations of meat <sup>(3)</sup>	0.05*	0.05*
	Milk <sup>(4)</sup> & Dairy produce <sup>(5)</sup>	0.05*	0.05*
	Eggs <sup>(6)</sup>	0.05*	0.05*

## UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

## KEY:

\* Level at or about the limit of determination *no MRL* – refers to the particular active/commodity combination

## FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Other cereals do not include rice.
- (3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.  
In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (5) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (6) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

## SCHEDEULE 3

Regulation 6(a)

*Note:* The word "fresh" is taken to extend to products which have been chilled.

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar: nuts		
(i) Citrus Fruit	Grapefruit	} Whole Product
	Lemons	
	Limes	
	Mandarins (including clementines and similar hybrids)	
	Oranges	
	Pomelos	
	Others	
(ii) Tree Nuts (shelled or unshelled)	Almonds	} Whole product after removal of shell
	Brazil nuts	

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
	Cashew nuts	
	Chestnuts	
	Coconuts	
	Hazelnuts	
	Macadamia nuts	
	Pecans	
	Pine nuts	
	Pistachios	
	Walnuts	
	Others	
(iii) Pome Fruit	Apples	} Whole product after removal of stems
	Pears	
	Quinces	
	Others	
(iv) Stone Fruit	Apricots	} Whole product after removal of stems
	Cherries	
	Peaches (including nectarines and similar hybrids)	
	Plums	
	Others	
(v) Berries and Small Fruit	(a) (a) <i>Table and wine grapes</i>	} Whole product after removal of caps and stems (if any) and, in the case of currants, fruits with stems
	Table grapes	
	Wine grapes	
	(b) <i>Strawberries</i> (other than wild)	
	(c) <i>Cane fruit</i> (other than wild)	
	Blackberries	
	Dewberries	
	Loganberries	

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
	Raspberries Others	
	(d) <i>Other small fruit and berries</i> (other than wild)	
	Bilberries Cranberries Currants (red, black and white) Gooseberries Others	
	(e) <i>Wild berries and wild fruit</i>	
(vi) Miscellaneous Fruit	Avocados	{ Whole fruit after removal of stems (if any) and in the case of pineapple, after removal of the crown
	Bananas	
	Dates	
	Figs	{† Whole fruit after removal of stems (if any) after removal of soil (if any) by rinsing in running water
	Kiwi fruit	
	Kumquats	
	Litchis	
	Mangoes	
	Olives (table consumption)†	
	Olives (oil extract)	
	Papaya	
	Passion fruit	
	Pineapples	
	Pomegranates	
	Others	
2. Vegetables, fresh or uncooked, frozen or dry		
(i) Root and Tuber Vegetables	Beetroot Carrots	{ Whole product after removal of tops and adhering soil (if any) (removal of soil by

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
	Celeriac	rinsing in running water or by gentle brushing of the dry product)
	Horseradish	
	Jerusalem artichokes	
	Parsnips	
	Parsley root	
	Radishes	
	Salisfy	
	Sweet potatoes	
	Swedes	
	Turnips	
	Yams	
	Others	
(ii) Bulb Vegetables	Garlic	{ For dry onions, shallots and garlic: whole product after removal of easily detachable skin and soil (if any) Onions, shallots and garlic other than dry, spring onions: whole product after removal of roots and soil (if any)
	Onions	
	Shallots	
	Spring Onions	
	Others	
(iii) Fruiting Vegetables	(a) (a) <i>Solancea</i> Tomatoes Peppers Chilli peppers Aubergines Others	{ Whole product after removal of stems
	(b) <i>Cucurbits-edible peel</i> Cucumbers Gherkin Courgettes Others	
	(c) <i>Cucurbits-inedible peel</i> Melons Squashes	

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
	Watermelons Others	
(iv) Brassica Vegetables	(d) (d) <i>Sweet corn</i> (a) (a) <i>Flowering brassicas</i> Broccoli Cauliflower Others	} Kernels or cobs without husks } Cauliflower and broccoli curd only
	(b) (b) <i>Head brassicas</i> Brussels sprouts Head cabbage Others	} Product after removal of decayed leaves (if any)
	(c) <i>Leafy brassicas</i> Chinese cabbage Kale Others	
	(d) (d) <i>Kohlrabi</i>	} Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
(v) Leaf Vegetables and Fresh Herbs	(a) (a) <i>Lettuce and similar</i> Cress Lamb's lettuce Lettuce Scarole Others	} Whole product after removal of decayed outer leaves, root and soil (if any)
	(b) <i>Spinach and similar</i> Spinach Beet leaves (chard) Others	
	(c) <i>Watercress</i>	
	(d) <i>Witloof</i>	
	(e) <i>Herbs</i> Chervil Chives Parsley Celery leaves Others	

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
(vi) Legume Vegetables (Fresh)	Beans (with pods) Beans (without pods)	{ Whole product after removal of pods or with pods if they are intended to be eaten
	Peas (with pods)	
	Peas (without pods)	
	Others	
(vii) Stem Vegetables	Asparagus Cardoons Celery Fennel Globe artichokes Leeks Rhubarb Others	{ Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any)
(viii) Fungi	Mushrooms (other than wild) Wild Mushrooms	{ Whole product after removal of soil or growing medium
3. Pulses	Beans Lentils Peas Others	{ Whole product
4. Oil seeds	Linseed Peanuts Poppy seed Rape seed Sesame seed	{ Whole seed or kernal after removal of shell and husk, when possible * Whole seed including shell, when present, and whole seed without shell, when shell is absent

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
	Sunflower seed*	
	Soya bean	
	Others	
5. Potatoes		
	Early potatoes	} Whole product after removal of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
	Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )		} Whole product
7. Hops (dried), including hop pellets and unconcentrated powder		} Whole product
8. Cereal grains		
	Wheat	} Whole commodity without husk
	Rye	
	Barley	
	Sorghum	
	Oats	
	Triticale	
	Maize	
	Buckwheat	
	Millet	
	Rice	
	Other cereals	
9. Products of animal origin		
	Meat, fat and preparations of meat	} Whole commodity (for fat soluble pesticides a portion of carcass fat is analysed and MRLs apply to carcass fat)
	Milk	} Whole commodity

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
	Eggs	{ Whole egg whites and yolks combined after removal of shells
10. Spices		
	Cumin seed	} Whole product
	Juniper berries	
	Nutmeg	
	Pepper, black and white	
	Vanilla pods	
	Others	

## SCHEDULE 4

Regulation 7

## Revocations

<i>Title</i>	<i>Number</i>
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (EEC Limits) Regulations (Northern Ireland) 1995	S.R. 1995 No. 33
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (EEC Limits) (Amendment) Regulations (Northern Ireland) 1995	S.R. 1995 No. 461
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (EEC Limits) (Amendment) Regulations (Northern Ireland) 1996	S.R. 1996 No. 527
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (EEC Limits) (Amendment) Regulations (Northern Ireland) 1997	S.R. 1997 No. 244
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (EEC Limits) (Amendment) Regulations (Northern Ireland) 1999	S.R. 1999 No. 114
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (EEC Limits)	S.R. 1999 No. 321
(Amendment) Regulations (Northern Ireland) 1999	

<i>Title</i>	<i>Number</i>
(Amendment No. 2) Regulations (Northern Ireland) 1999	
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (National Limits) Regulations (Northern Ireland) 1995	S.R. 1995 No. 32
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (National Limits) (Amendment) Regulations (Northern Ireland) 1995	S.R. 1995 No. 460
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (National Limits) (Amendment) Regulations (Northern Ireland) 1996	S.R. 1996 No. 526
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (National Limits) (Amendment) Regulations (Northern Ireland) 1997	S.R. 1997 No. 243
Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (National Limits) (Amendment) Regulations (Northern Ireland) 1999	S.R. 1999 No. 320

## **EXPLANATORY NOTE**

*(This note is not part of the Regulations.)*

These Regulations are made under section 2(2) of the European Communities Act 1972 and section 16(2) of the Food and Environment Protection Act 1985 and consolidate and replace the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (EEC Limits) Regulations (Northern Ireland) 1995 ([S.R. 1995 No. 33](#) as amended by [S.R. 1995 No. 461](#), [S.R. 1996 No. 527](#), [S.R. 1997 No. 244](#), [S.R. 1999 No. 114](#) and [S.R. 1999 No. 321](#)) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (National Limits) Regulations (Northern Ireland) 1995 ([S.R. 1995 No. 32](#) as amended by [S.R. 1995 No. 460](#), [S.R. 1996 No. 526](#), [S.R. 1997 No. 243](#) and [S.R. 1999 No. 320](#)).

To the extent that the Regulations are made under the European Communities Act 1972, regulation 4 and Schedule 2 Part II specify maximum levels of pesticide residues which crops, food and feeding stuffs may contain in implementation of Council Directive [86/362/EEC](#) (O.J. No. L221, 7.8.86, p. 37) and Council Directive [86/363/EEC](#) (O.J. No. L221, 7.8.86, p. 43) as regards cereals and products of animal origin, each as last amended by Commission Directive [2000/58/EC](#) (O.J. No. L244, 29.9.2000, p. 78) and Council Directive [90/642/EEC](#) (O.J. No. L350, 14.12.90, p. 71) as regards certain products of plant origin (including fruit and vegetables), (as amended by Council Directives [93/58/EEC](#) (O.J. No. L211, 23.8.93, p. 6), [94/30/EC](#) (O.J. No. L189, 23.7.94, p. 70), [95/38/EC](#) (O.J. No. L197, 22.8.95, p. 14), [95/61/EC](#) (O.J. No. L292, 7.12.95, p. 27), [96/32/EC](#) (O.J. No. L144,

**Status:** This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

18.6.96, p. 12), [97/41/EC](#), (O.J. No. L184, 12.7.97, p. 33) and Commission Directives [97/71/EC](#) (O.J. No. L347, 18.12.97, p. 42), [98/82/EC](#) (O.J. No. L290, 29.10.98, p. 25), [1999/65/EC](#) (O.J. No. L172, 8.7.99, p. 40), [1999/71/EC](#) (O.J. No. L194, 27.7.99, p. 36), [2000/24/EC](#) (O.J. No. L107, 4.5.2000, p. 28), [2000/42/EC](#) (O.J. No. L158, 30.6.2000, p. 51), [2000/48/EC](#) (O.J. No. L197, 3.8.2000, p. 26), [2000/57/EC](#) (O.J. No. L244, 29.9.2000, p. 76), [2000/58/EC](#) (O.J. No. L244, 29.9.2000, p. 78) and [2001/35/EC](#) (O.J. No. L136, 18.5.2001, p. 42)) (these Directives as so amended being referred to in these Regulations as “the Residues Directives”). In particular, these Regulations specify for the first time maximum residue levels for the pesticide Azoxystrobin in implementation of Commission Directive [1999/71/EC](#). Regulation 4 also creates offences, specifies penalties, provides defences and confers enforcement powers where these maximum residue levels have been exceeded in respect of products put into circulation.

To the extent that these Regulations are made under the Food and Environment Protection Act 1985, they specify maximum levels of pesticide residues which may be left in crops, food and feeding stuffs which are not the subject of the Residues Directives. Since they are made under section 16(2) (k) of that Act, regulation 3 and Schedule 2 Part I do no more than specify the maximum residue level which may be left in a particular product. Offences and penalties for contravention of regulation 3 are prescribed respectively by sections 16(12) and 21(3) of that Act.

The Regulations also confer powers to seize and dispose of products where maximum residue levels have been exceeded (regulation 5) and prescribe how much of a particular product is to be taken into account in determining whether a maximum residue level has been exceeded in accordance with Council Directive [90/642/EEC](#) (regulation 6 and Schedule 3). Provision is also made with regard to the manner for determining whether maximum residue levels have been exceeded when found in dried or processed products or composite foods, so far as these are subject of the Residues Directives (regulation 6).

The Regulations include certain drafting improvements to the preceding legislation, in particular omitting reference to the means by which a pesticide residue may come to be in any product (see regulations 2(3), 3(1) and 4(1)) and clarifying the provisions setting maximum residue levels in their application to dried or processed products or composite foods (see regulations 3(2), 4(2) and (3)).

These Regulations revoke the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (EEC Limits) Regulations (Northern Ireland) 1995 ([S.R. 1995 No. 33](#) as amended by [S.R. 1995 No. 461](#), [S.R. 1996 No. 527](#), [S.R. 1997 No. 244](#), [S.R. 1999 No. 114](#) and [S.R. 1999 No. 321](#)) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (National Limits) Regulations (Northern Ireland) 1995 ([S.R. 1995 No. 32](#) as amended by [S.R. 1995 No. 460](#), [S.R. 1996 No. 526](#), [S.R. 1997 No. 243](#) and [S.R. 1999 No. 320](#)).