
STATUTORY RULES OF NORTHERN IRELAND

2003 No. 123

AGRICULTURE PESTICIDES

Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations (Northern Ireland) 2003

Made - - - - -

3rd March 2003

Coming into operation

11th April 2003

The Department of Agriculture and Rural Development, being a Department designated(1) for the purposes of section 2(2) of the European Communities Act 1972(2) in relation to the common agricultural policy of the European Community, in exercise of the powers conferred on it by the said section 2(2) and of every other power enabling it in that behalf, hereby makes the following Regulations:

Citation, commencement and interpretation

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations (Northern Ireland) 2003 and shall come into operation on 11th April 2003.

(2) The Interpretation Act (Northern Ireland) 1954(3) shall apply to these Regulations as it applies to an Act of the Northern Ireland Assembly.

Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2002

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2002(4) shall be amended in accordance with this regulation.

(2) In regulation 2(1), for the definition of the “Residues Directives” there shall be substituted the following definition:

(1) S.I. 2000/2812

(2) 1972 c. 68

(3) 1954 c. 33 (N.I.)

(4) S.R. 2002 No. 20 as amended by S.R. 2002 No. 27 and S.R. 2002 No. 250

““the Residues Directives” means Council Directive 86/362/EEC(5), Council Directive 86/363/EEC(6) and Council Directive 90/642/EEC(7), in each case amended as at the date of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations (Northern Ireland) 2003.”.

- (3) For paragraph (b) of regulation 6 there shall be substituted the following paragraph–
- “(b) the procedure to be followed for sampling for the determination of pesticide residues shall–
- (i) be that set out in the Annex to Commission Directive 2002/63/EC(8) for the residues covered by Part II of Schedule 2; and
 - (ii) so far as is practicable, be that set out in the Codex Alimentarius Commission ‘Recommended Method of Sampling for the Determination of Pesticides Residues for compliance with MRLs; CAC/GL 33-1999’ for the residues not covered by Part II of Schedule 2.”.

- (4) In Schedule 1 there shall be inserted at the appropriate places in Columns 1 and 2 the following entries (the entries for Dimethoate and Quintozene being substituted for the existing ones):

Column 1 <i>Pesticide</i>	Column 2 <i>Residues</i>
Bentazone	bentazone (sum of bentazone and conjugates 6-OH- and 8-OH-bentazone expressed as bentazone)
Dimethoate	dimethoate (sum of dimethoate and omethoate expressed as dimethoate)
Formothion	formothion
Lindane	lindane (hexachlorocyclohexane γ)
Metsulfuron methyl	metsulfuron methyl
Oxydemeton methyl	oxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)
Pyridate	pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
Quintozene	quintozene (sum of quintozene and pentachloroaniline) expressed as quintozene

- (5) In Part I of Schedule 2 the following pesticide columns together with any residue level inserted under the respective columns shall be deleted–

- (a) Dimethoate, Hexachlorocyclohexane (HCH) γ and Quintozene;
- (b) Parathion (which shall be deleted with effect on and from 1st May 2003).

-
- (5) O.J. No. L221, 7.8.86, p. 37. The last amending instrument is Commission Directive 2002/76/EC (O.J. No. L240, 7.9.2002, p. 45)
 - (6) O.J. No. L221, 7.8.86, p. 43. The last amending instrument is Commission Directive 2002/71/EC (O.J. No. L225, 22.8.2002, p. 21)
 - (7) O.J. No. L350, 14.12.90, p. 71. The last amending instrument is Commission Directive 2002/100/EC (O.J. No. L2, 7.1.2003, p. 33)
 - (8) O.J. No. L187, 16.7.02, p. 30

(6) In Part II of Schedule 2–

- (a) there shall be inserted, in the appropriate place to preserve the alphabetical ordering from left to right, columns of maximum permitted levels for residues of the pesticides Bentazone, Formothion, Lindane, Metsulfuron methyl, Oxydemeton methyl, Parathion, Pyridate and Quintozene as specified in the Schedule to these Regulations;
- (b) for the columns relating to the pesticides Azoxystrobin, Dimethoate and Permethrin there shall be substituted the columns of maximum permitted levels for residues of these pesticides as specified in the Schedule to these Regulations;
- (c) for the pesticide Hexachlorocyclohexane (HCH) γ the pesticide column together with any residue level inserted under the respective column shall be deleted; and
- (d) for mg/kg of ethion on tea delete “2” and insert “3”.

(7) The following footnotes shall be added at the end of Part II of Schedule 2–

“39 All kidney except poultry kidney.

40 Broccoli includes calabrese.

41 MRL is based on Codex MRL.

42 These MRLs are based on Codex MRLs (extraneous residue limits) and do not result from the use of plant protection products”.

Sealed with the Official Seal of the Department of Agriculture and Rural Development on 3rd March 2003.

L.S.

David Small
A senior officer of the
Department of Agriculture and Rural
Development

SCHEDULE

Regulation 2(6)

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Azoxystrobin</i>	<i>Bentazone</i>	<i>Dimethoate</i>	<i>Formothion</i>	<i>Lindane</i>	<i>Metsulfuron-methyl</i>
------------------------------------	--	---------------------	------------------	-------------------	-------------------	----------------	---------------------------

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

(i) CITRUS FRUIT

Grapefruit	1	0.1*	0.02*	0.02*	0.01*	0.05*
Lemons	1	0.1*	0.02*	0.02*	0.01*	0.05*
Limes	1	0.1*	0.02*	0.02*	0.01*	0.05*
Mandarins (inc clementines & similar hybrids)	1	0.1*	0.02*	0.02*	0.01*	0.05*
Oranges	1	0.1*	0.02*	0.02*	0.01*	0.05*
Pomelos	1	0.1*	0.02*	0.02*	0.01*	0.05*
Others	1	0.1*	0.02*	0.02*	0.01*	0.05*

(ii) TREE NUTS (shelled or unshelled)

Almonds	0.1*	0.1*	0.05*	0.05*	0.01*	0.05*
Brazil nuts	0.1*	0.1*	0.05*	0.05*	0.01*	0.05*
Cashew nuts	0.1*	0.1*	0.05*	0.05*	0.01*	0.05*
Chestnuts	0.1*	0.1*	0.05*	0.05*	0.01*	0.05*
Coconuts	0.1*	0.1*	0.05*	0.05*	0.01*	0.05*
Hazelnuts	0.1*	0.1*	0.05*	0.05*	0.01*	0.05*
Macadamia nuts	0.1*	0.1*	0.05*	0.05*	0.01*	0.05*
Pecans	0.1*	0.1*	0.05*	0.05*	0.01*	0.05*
Pine nuts	0.1*	0.1*	0.05*	0.05*	0.01*	0.05*
Pistachios	0.1*	0.1*	0.05*	0.05*	0.01*	0.05*
Walnuts	0.1*	0.1*	0.05*	0.05*	0.01*	0.05*
Others	0.1*	0.1*	0.05*	0.05*	0.01*	0.05*

(iii) POME FRUIT

Apples	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
Pears	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
Quinces	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Azoxystrobin</i>	<i>Bentazone</i>	<i>Dimethoate</i>	<i>Formothion</i>	<i>Lindane</i>	<i>Metsulfuron-methyl</i>
	<i>Others</i>	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
(iv) STONE FRUIT							
	Apricots	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Cherries	0.05*	0.1*	1	0.02*	0.01*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Plums	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Others	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
(v) BERRIES AND SMALL FRUIT							
	(a) <i>Table & wine grapes</i>						
	Table grapes	2	0.1*	0.02*	0.02*	0.01*	0.05*
	Wine grapes	2	0.1*	0.02*	0.02*	0.01*	0.05*
	Strawberries (other than wild)	2b)	0.1*	0.02*	0.02*	0.01*	0.05*
	(c) <i>Cane Fruit (other than wild)</i>						
	Blackberries	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Dewberries	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Loganberries	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Raspberries	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Others	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	(d) <i>Other small fruit & berries (other than wild)</i>						
	Bilberries	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Cranberries	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Currants (red, black & white)	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Gooseberries	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Others	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Group to which food belongs	Groups include the following products	Azoxystrobin	Bentazone	Dimethoate	Formothion	Lindane	Metsulfuron-methyl
		(Wild berries & wild fruit)	0.05*	0.1*	0.02*	0.02*	0.01*
(vi) MISCELLANEOUS FRUIT							
Avocados	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*	
Bananas	2	0.1*	0.02*	0.02*	0.01*	0.05*	
Dates	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*	
Figs	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*	
Kiwi fruit	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*	
Kumquats	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*	
Litchis	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*	
Mangoes	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*	
Olives (table consumption)	0.05*	0.1*	2	0.02*	0.01*	0.05*	
Olives (oil extract)	0.05*	0.1*	2	0.02*	0.01*	0.05*	
Papaya	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*	
Passion fruit	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*	
Pineapples	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*	
Pomegranates	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*	
Others	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*	

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

Beetroot	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
Carrots	0.2	0.1*	0.02*	0.02*	0.01*	0.05*
Celeriac	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
Horseradish	0.2	0.1*	0.02*	0.02*	0.01*	0.05*
Jerusalem artichokes	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
Parsnips	0.2	0.1*	0.02*	0.02*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Azoxystrobin</i>	<i>Bentazone</i>	<i>Dimethoate</i>	<i>Formothion</i>	<i>Lindane</i>	<i>Metsulfuron-methyl</i>
	Parsley root	0.2	0.1*	0.02*	0.02*	0.01*	0.05*
	Radishes	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Salsify	0.2	0.1*	0.02*	0.02*	0.01*	0.05*
	Sweet potatoes	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Swedes	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Turnips	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Yams	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Others	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
(ii) BULB VEGETABLES							
	Garlic	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Onions	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Shallots	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Spring onions	0.05*	0.1*	2	0.02*	0.01*	0.05*
	Others	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
(iii) FRUITING VEGETABLES							
	(a) (a) <i>Solanaceae</i>						
	Tomatoes	2	0.1*	0.02*	0.02*	0.01*	0.05*
	Peppers	2	0.1*	0.02*	0.02*	0.01*	0.05*
	Chilli peppers	2	0.1*	0.02*	0.02*	0.01*	0.05*
	Aubergines	2	0.1*	0.02*	0.02*	0.01*	0.05*
	Others	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	(b) (b) <i>Cucurbits-edible peel</i>						
	Cucumbers	1	0.1*	0.02*	0.02*	0.01*	0.05*
	Gherkins	1	0.1*	0.02*	0.02*	0.01*	0.05*
	Courgettes	1	0.1*	0.02*	0.02*	0.01*	0.05*
	Others	1	0.1*	0.02*	0.02*	0.01*	0.05*
	(c) (c) <i>Cucurbits-inedible peel</i>						
	Melons	0.5	0.1*	0.02*	0.02*	0.01*	0.05*
	Squashes	0.5	0.1*	0.02*	0.02*	0.01*	0.05*

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Azoxystrobin</i>	<i>Bentazone</i>	<i>Dimethoate</i>	<i>Formothion</i>	<i>Lindane</i>	<i>Metsulfuron-methyl</i>
	<i>Applying from 1 Apr 2003</i>						
	Watermelon	0.5	0.1*	0.02*	0.02*	0.01*	0.05*
	Others	0.5	0.1*	0.02*	0.02*	0.01*	0.05*
	<i>Sweet corn</i>	<i>0.05*</i>	0.1*	0.02*	0.02*	0.01*	0.05*

(iv) BRASSICA VEGETABLES

(a) (a) *Flowering Brassicas*

Broccoli	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
Cauliflower	0.05*	0.1*	0.2	0.02*	0.01*	0.05*
Others	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*

(b) (b) *Head Brassicas*

Brussels sprouts	0.05*	0.1*	0.3	0.02*	0.01*	0.05*
Head cabbage	0.05*	0.1*	1	0.02*	0.01*	0.05*
Others	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*

(c) (c) *Leafy Brassicas*

Chinese cabbage	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
Kale	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
Others	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
(d) Kohlrabi	<i>0.05*</i>	<i>0.1*</i>	<i>0.02*</i>	<i>0.02*</i>	<i>0.01*</i>	<i>0.05*</i>

(v) LEAF VEGETABLES AND FRESH HERBS

(a) (a) *Lettuce & similar*

Cress	3	0.1*	0.02*	0.02*	0.01*	0.05*
Lamb's lettuce	3	0.1*	0.02*	0.02*	0.01*	0.05*
Lettuce	3	0.1*	0.5	0.02*	0.01*	0.05*
Scarole	3	0.1*	0.02* ⁽³⁷⁾	0.02* ⁽³⁷⁾	0.01* ⁽³⁷⁾	0.05*
Others	3	0.1*	0.02*	0.02*	0.01*	0.05*

(b) (b) *Spinach & similar*

Spinach	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
Beet leaves (chard)	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Azoxystrobin</i>	<i>Bentazone</i>	<i>Dimethoate</i>	<i>Formothion</i>	<i>Lindane</i>	<i>Metsulfuron-methyl</i>
	<i>Applying from 1 Apr 2003</i>						
	Others	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	(c) (d)	0.05* Watercress	0.1*	0.02*	0.02*	0.01*	0.05*
	(d)	0.05* Witloof	0.1*	0.02*	0.02*	0.01*	0.05*
	(e)	<i>(e) Herbs</i>					
	Chervil	3	0.1*	0.02*	0.02*	0.01*	0.05*
	Chives	3	0.1*	0.02*	0.02*	0.01*	0.05*
	Parsley	3	0.1*	0.02*	0.02*	0.01*	0.05*
	Celery leaves	3	0.1*	0.02*	0.02*	0.01*	0.05*
	Others	3	0.1*	0.02*	0.02*	0.01*	0.05*
(vi) LEGUME VEGETABLES (fresh)							
	Beans (with pods)	1	0.1*	0.02*	0.02*	0.01*	0.05*
	Beans (without pods)	0.2	0.1*	0.02*	0.02*	0.01*	0.05*
	Peas (with pods)	0.5	0.5	1	0.02*	0.01*	0.05*
	Peas (without pods)	0.2	0.2	0.02*	0.02*	0.01*	0.05*
	Others	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
(vii) STEM VEGETABLES							
	Asparagus	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Cardoons	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Celery	5	0.1*	0.02*	0.02*	0.01*	0.05*
	Fennel	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Globe artichokes	1	0.1*	0.02*	0.02*	0.01*	0.05*
	Leeks	0.1	0.1*	0.02*	0.02*	0.01*	0.05*
	Rhubarb	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	Others	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
(viii) FUNGI							

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Azoxystrobin</i>	<i>Bentazone</i>	<i>Dimethoate</i>	<i>Formothion</i>	<i>Lindane</i>	<i>Metsulfuron-methyl</i>
	<i>Applying from 1 Apr 2003</i>						
	<i>Cultivated mushrooms</i>	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
	<i>(Wild mushrooms)</i>	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*
3. PULSES							
Beans	0.1	0.1*	0.02*	0.02*	0.01*	0.05*	
Lentils	0.1	0.1*	0.02*	0.02*	0.01*	0.05*	
Peas	0.1	0.1*	0.02*	0.02*	0.01*	0.05*	
Others	0.1	0.1*	0.02*	0.02*	0.01*	0.05*	
4. OILSEEDS							
Linseed	0.05*	0.1*	0.05*	0.05*	0.01*	0.1*	
Peanuts	0.05*	0.1*	0.05*	0.05*	0.01*	0.1*	
Poppy seed	0.05*	0.1*	0.05*	0.05*	0.01*	0.1*	
Sesame seed	0.05*	0.1*	0.05*	0.05*	0.01*	0.1*	
Sunflower seed	0.05*	0.1*	0.05*	0.05*	0.01*	0.1*	
Rape seed	0.5	0.1*	0.05*	0.05*	0.01*	0.1*	
Soya bean	0.05*	0.1	0.05*	0.05*	0.01*	0.1*	
Mustard seed	0.05*	0.1*	0.05*	0.05*	0.01*	0.1*	
Cotton seed	0.05*	0.1*	0.05*	0.05*	0.01*	0.1*	
Others	0.05*	0.1*	0.05*	0.05*	0.01*	0.1*	
5. POTATOES							
Early potatoes	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*	
Ware potatoes	0.05*	0.1*	0.02*	0.02*	0.01*	0.05*	
6. TEA							
(dried leaves and stalks, fermented or	0.1*	0.1	0.05*	0.05*	0.05*	0.1*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Azoxystrobin</i>	<i>Bentazone</i>	<i>Dimethoate</i>	<i>Formothion</i>	<i>Lindane</i>	<i>Metsulfuron-methyl</i>
	(otherwise, <i>Camellia sinensis</i>)						
7. HOPS (dried)							
	including hop pellets & unconcentrated powder	20	0.1*	0.05*	0.05*	0.05*	0.1*
<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxydemeton-methyl</i>	<i>Parathion</i>	<i>Permethrin</i>	<i>Pyridate</i>	<i>Quintozone</i>	
			Applying 1 May 2003				
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts							
(i) CITRUS FRUIT	Grapefruit	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*
	Lemons	0.02*	0.05*	0.05*	0.05*	0.02*	
	Limes	0.02*	0.05*	0.05*	0.05*	0.02*	
	Mandarins (inc similar hybrids)	0.02*	0.05*	0.05*	0.05*	0.02*	
	Oranges	0.02*	0.05*	0.05*	0.05*	0.02*	
	Pomelos	0.02*	0.05*	0.05*	0.05*	0.02*	
	Others	0.02*	0.05*	0.05*	0.05*	0.02*	
(ii) TREE NUTS (shelled or unshelled)							
	Almonds	0.02*	0.05*	0.05*	0.05*	0.02*	
	Brazil nuts	0.02*	0.05*	0.05*	0.05*	0.02*	
	Cashew nuts	0.02*	0.05*	0.05*	0.05*	0.02*	
	Chestnuts	0.02*	0.05*	0.05*	0.05*	0.02*	
	Coconuts	0.02*	0.05*	0.05*	0.05*	0.02*	
	Hazelnuts	0.02*	0.05*	0.05*	0.05*	0.02*	
	Macadamia nuts	0.02*	0.05*	0.05*	0.05*	0.02*	

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxydemeton-methyl</i>	<i>Parathion Applying 1 May 2003</i>	<i>Permethrin Pyridate</i>	<i>Quintozene</i>
	Pecans	0.02*	0.05*	0.05*	0.02*
	Pine nuts	0.02*	0.05*	0.05*	0.02*
	Pistachios	0.02*	0.05*	0.05*	0.02*
	Walnuts	0.02*	0.05*	0.05*	0.02*
	Others	0.02*	0.05*	0.05*	0.02*
(iii) POME FRUIT					
	Apples	0.02*	0.05*	0.05*	0.02*
	Pears	0.02*	0.05*	0.05*	0.02*
	Quinces	0.02*	0.05*	0.05*	0.02*
	Others	0.02*	0.05*	0.05*	0.02*
(iv) STONE FRUIT					
	Apricots	0.02*	0.05*	0.05*	0.02*
	Cherries	0.02*	0.05*	0.05*	0.02*
	Peaches (incl similar hybrids)	0.02*	0.05*	0.05*	0.02*
	Plums	0.02*	0.05*	0.05*	0.02*
	Others	0.02*	0.05*	0.05*	0.02*
(v) BERRIES AND SMALL FRUIT					
	(a) (a) <i>Table & wine grapes</i>				
	Table grapes	0.02*	0.05*	0.05*	0.02*
	Wine grapes	0.02*	0.05*	0.05*	0.02*
	(b) (b) <i>Strawberries</i>		0.05*	0.05*	0.02*
	(c) (c) <i>Cane Fruit</i>				
	Blackberries	0.02*	0.05*	0.05*	0.02*
	Dewberries	0.02*	0.05*	0.05*	0.02*
	Loganberries	0.02*	0.05*	0.05*	0.02*
	Raspberries	0.02*	0.05*	0.05*	0.02*
	Others	0.02*	0.05*	0.05*	0.02*
	(d) (d) <i>Other small fruit & berries (other than wild)</i>				

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxydemeton-methyl</i>	<i>Parathion Applying 1 May 2003</i>	<i>Permethrin Pyridate</i>	<i>Quintozene</i>
	Bilberries	0.02*	0.05*	0.05*	0.02*
	Cranberries	0.02*	0.05*	0.05*	0.02*
	Currants (red, black & white)	0.02*	0.05*	0.05*	0.02*
	Gooseberries	0.02*	0.05*	0.05*	0.02*
	Others	0.02*	0.05*	0.05*	0.02*
	(<i>Wild berries & wild fruit</i>)	0.02*	0.05*	0.05*	0.02*
(vi) MISCELLANEOUS FRUIT					
	Avocados	0.02*	0.05*	0.05*	0.02*
	Bananas	0.02*	0.05*	0.05*	0.02*
	Dates	0.02*	0.05*	0.05*	0.02*
	Figs	0.02*	0.05*	0.05*	0.02*
	Kiwi fruit	0.02*	0.05*	0.05*	0.02*
	Kumquats	0.02*	0.05*	0.05*	0.02*
	Litchis	0.02*	0.05*	0.05*	0.02*
	Mangoes	0.02*	0.05*	0.05*	0.02*
	Olives (table consumption)	0.02*	0.05*	0.05*	0.02*
	Olives (oil extract)	0.02*	0.05*	0.05*	0.02*
	Papaya	0.02*	0.05*	0.05*	0.02*
	Passion fruit	0.02*	0.05*	0.05*	0.02*
	Pineapples	0.02*	0.05*	0.05*	0.02*
	Pomegranates	0.02*	0.05*	0.05*	0.02*
	Others	0.02*	0.05*	0.05*	0.02*
2. Vegetables, fresh or uncooked, frozen or dry					
(i) ROOT AND TUBER VEGETABLES					
	Beetroot	0.02*	0.05*	0.05*	0.02*

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxydemeton-methyl</i>	<i>Parathion Applying 1 May 2003</i>	<i>Permethrin Pyridate</i>	<i>Quintozene</i>
	Carrots	0.02*	0.05*	0.05*	0.02*
	Celeriac	0.02*	0.05*	0.05*	0.02*
	Horseradish	0.02*	0.05*	0.05*	0.02*
	Jerusalem artichokes	0.02*	0.05*	0.05*	0.02*
	Parsnips	0.02*	0.05*	0.05*	0.02*
	Parsley root	0.02*	0.05*	0.05*	0.02*
	Radishes	0.02*	0.05*	0.05*	0.02*
	Salsify	0.02*	0.05*	0.05*	0.02*
	Sweet potatoes	0.02*	0.05*	0.05*	0.02*
	Swedes	0.02*	0.05*	0.05*	0.02*
	Turnips	0.02*	0.05*	0.05*	0.02*
	Yams	0.02*	0.05*	0.05*	0.02*
	Others	0.02*	0.05*	0.05*	0.02*
(ii) BULB VEGETABLES					
	Garlic	0.02*	0.05*	0.05*	0.02*
	Onions	0.02*	0.05*	0.05*	0.02*
	Shallots	0.02*	0.05*	0.05*	0.02*
	Spring onions	0.02*	0.05*	0.05*	0.02*
	Others	0.02*	0.05*	0.05*	0.02*
(iii) FRUITING VEGETABLES					
	(a)	(a) <i>Solanacea</i>			
	Tomatoes	0.02*	0.05*	0.05*	0.02*
	Peppers	0.02*	0.05*	0.05*	0.02*
	Chilli peppers	0.02*	0.05*	0.05*	0.02*
	Aubergines	0.02*	0.05*	0.05*	0.02*
	Others	0.02*	0.05*	0.05*	0.02*
	(b)	(b) <i>Cucurbits-edible peel</i>			
	Cucumbers	0.02*	0.05*	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxydemeton-methyl</i>	<i>Parathion Applying 1 May 2003</i>	<i>Permethrin Pyridate</i>	<i>Quintozene</i>
	Gherkins	0.02*	0.05*	0.05*	0.02*
	Courgettes	0.02*	0.05*	0.05*	0.02*
	Others	0.02*	0.05*	0.05*	0.02*
	(c) (c) <i>Cucurbits-inedible peel</i>				
	Melons	0.02*	0.05*	0.05*	0.02*
	Squashes	0.02*	0.05*	0.05*	0.02*
	Watermelon	0.02*	0.05*	0.05*	0.02*
	Others	0.02*	0.05*	0.05*	0.02*
	<i>Sweet corn</i>	0.02*	0.05*	0.05*	0.02*

(iv) BRASSICA VEGETABLES

(a)	(a) <i>Flowering Brassicas</i>				
Broccoli	0.02*	0.05*	0.05*	0.05*	0.02*
Cauliflower	0.02*	0.05*	0.05*	0.05*	0.02*
Others	0.02*	0.05*	0.05*	0.05*	0.02*
(b)	(b) <i>Head Brassicas</i>				
Brussels sprouts	0.05	0.05*	0.05*	0.05*	0.02*
Head cabbage	0.05	0.05*	0.05*	0.05*	0.02*
Others	0.02*	0.05*	0.05*	0.05*	0.02*
(c)	(c) <i>Leafy Brassicas</i>				
Chinese cabbage	0.02*	0.05*	0.05*	0.05*	0.02*
Kale	0.02*	0.05*	0.05*	0.2	0.02*
Others	0.02*	0.05*	0.05*	0.05*	0.02*
(d)	<i>0.05 Kohlrabi</i>	0.05*	0.05*	0.05*	0.02*

(v) LEAF VEGETABLES AND FRESH HERBS

(a)	(a) <i>Lettuce & similar</i>				
Cress	0.05	0.05*	0.05*	0.05*	0.02*
Lamb's lettuce	0.05	0.05*	0.05*	0.05*	0.02*
Lettuce	0.05	0.05*	0.05*	0.05*	0.02*

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxydemeton-methyl</i>	<i>Parathion Applying 1 May 2003</i>	<i>Permethrin Pyridate</i>	<i>Quintozene</i>
	Scarole	0.05 ⁽³⁷⁾	0.05* ⁽³⁷⁾	0.05* ⁽³⁷⁾	0.05*
	Others	0.05	0.05*	0.05*	0.02*
	(b) (b) <i>Spinach & similar</i>				
	Spinach	0.02*	0.05*	0.05*	0.02*
	Beet leaves (chard)	0.02*	0.05*	0.05*	0.02*
	Others	0.02*	0.05*	0.05*	0.02*
	(c) (c) <i>Watercress</i>	0.02*	0.05*	0.05*	0.02*
	(d) (d) <i>Witloof</i>	0.05*	0.05*	0.05*	0.02*
	(e) (e) <i>Herbs</i>				
	Chervil	0.02*	0.05*	0.05*	0.02*
	Chives	0.02*	0.05*	0.05*	0.02*
	Parsley	0.02*	0.05*	0.05*	0.02*
	Celery leaves	0.02*	0.05*	0.05*	0.02*
	Others	0.02*	0.05*	0.05*	0.02*
(vi)	LEGUME VEGETABLES (fresh)				
	Beans (with pods)	0.02*	0.05*	0.05*	0.02*
	Beans (without pods)	0.02*	0.05*	0.05*	0.02*
	Peas (with pods)	0.02*	0.05*	0.05*	0.02*
	Peas (without pods)	0.02*	0.05*	0.05*	0.02*
	Others	0.02*	0.05*	0.05*	0.02*
(vii)	STEM VEGETABLES				
	Asparagus	0.02*	0.05*	0.05*	0.02*
	Cardoons	0.02*	0.05*	0.05*	0.02*
	Celery	0.02*	0.05*	0.05*	0.02*
	Fennel	0.02*	0.05*	0.05*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxydemeton-methyl</i>	<i>Parathion Applying 1 May 2003</i>	<i>Permethrin Pyridate</i>	<i>Quintozene</i>
	Globe artichokes	0.02*	0.05*	0.05*	0.05*
	Leeks	0.02*	0.05*	0.05*	1
	Rhubarb	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.02*
(viii) FUNGI					
	<i>Cultivated mushrooms</i>	0.02*	0.05*	0.05*	0.02*
	<i>Wild mushrooms</i>	0.02*	0.05*	0.05*	0.02*
3. PULSES					
	Beans	0.02*	0.05*	0.05*	0.05*
	Lentils	0.02*	0.05*	0.05*	0.05*
	Peas	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
4. OILSEEDS					
	Linseed	0.05*	0.05*	0.05*	0.05*
	Peanuts	0.05*	0.05*	0.05*	0.05*
	Poppy seed	0.05*	0.05*	0.05*	0.05*
	Sesame seed	0.05*	0.05*	0.05*	0.05*
	Sunflower seed	0.05*	0.05*	0.05*	0.05*
	Rape seed	0.05*	0.05*	0.05*	0.05*
	Soya bean	0.05*	0.05*	0.05*	0.05*
	Mustard seed	0.05*	0.05*	0.05*	0.05*
	Cotton seed	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*
5. POTATOES					
	Early potatoes	0.02*	0.05*	0.05*	0.05*

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxydemeton-methyl</i>	<i>Parathion Applying 1 May 2003</i>	<i>Permethrin</i>	<i>Pyridate</i>	<i>Quintozene</i>
	Ware potatoes	0.02*	0.05*	0.05*	0.05*	0.02*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.05*	0.1*	0.1*	0.1*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	0.1*	0.1*	0.1*	0.05*
<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Azoxystrobin</i>	<i>Bentazone</i>	<i>Dimethoate</i>	<i>Formothiol</i>	<i>Lindane</i>
	Applying from 1 Apr 2003					<i>Metsulfuron-methyl</i>
8. CEREALS						
	Wheat	0.3	0.1*	0.3	0.02*	0.01*
	Rye	0.3	0.1*	0.3	0.02*	0.01*
	Barley	0.3	0.1*	0.02*	0.02*	0.01*
	Sorghum	0.05*	0.1*	0.02*	0.02*	0.01*
	Oats	0.3	0.1*	0.02*	0.02*	0.01*
	Triticale	0.3	0.1*	0.3	0.02*	0.01*
	Maize	0.05*	0.1*	0.02*	0.02*	0.01*
	Buckwheat	0.05*	0.1*	0.02*	0.02*	0.01*
	Millet	0.05*	0.1*	0.02*	0.02*	0.01*
	Rice ⁽¹⁾	5	0.1*	0.02*	0.02*	0.01*
	Other cereals ⁽²⁾	0.05*	0.1*	0.02*	0.02*	0.01*
9. PRODUCTS OF ANIMAL ORIGIN						

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>AzoxystroBentazone DimethoatFormothioLindane</i>	<i>Metsulfuron-methyl</i>
<i>Applying from 1 Apr 2003</i>			
Meat, fat & preparations	0.05*	0.05*	0.7 ⁽⁹⁾⁽⁴²⁾
of meat ⁽³⁾			0.02 ⁽⁸⁾
Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.01*	0.02*	0.001*
Eggs ⁽⁶⁾	0.05*	0.05*	0.1 ⁽⁴²⁾

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxydemeton-methyl</i>	<i>Parathion Applying from 1 May 2003</i>	<i>Permethrin</i>	<i>Pyridate</i>	<i>Quintozen</i>
<i>Applying from 1 May 2003</i>						

8. CEREALS

Wheat	0.02*	0.05*	0.05*	0.05*	0.02*
Rye	0.02*	0.05*	0.05*	0.05*	0.02*
Barley	0.1	0.05*	0.05*	0.05*	0.02*
Sorghum	0.02*	0.05*	0.05*	0.05*	0.02*
Oats	0.1	0.05*	0.05*	0.05*	0.02*
Triticale	0.02*	0.05*	0.05*	0.05*	0.02*
Maize	0.02*	0.05*	0.05*	0.05*	0.02*
Buckwheat	0.02*	0.05*	0.05*	0.05*	0.02*
Millet	0.02*	0.05*	0.05*	0.05*	0.02*
Rice ⁽¹⁾	0.02*	0.05*	0.05*	0.05*	0.02*
Other cereals ⁽²⁾	0.02*	0.05*	0.05*	0.05*	0.02*

9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations	0.02*	0.05*	0.5	0.05*	0.01*
of meat ⁽³⁾				0.4 ⁽³⁹⁾	
Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.02*	0.05*	0.05	0.05*	0.01*

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxydemeton-methyl</i>	<i>Parathion Applying from 1 May 2003</i>	<i>Permethrin</i>	<i>Pyridate</i>	<i>Quintozene</i>
Eggs ⁽⁶⁾		0.02*	0.05*	0.05	0.05*	0.01*

EXPLANATORY NOTE

(This note is not part of the Regulations.)

These Regulations, which are made under section 2(2) of the European Communities Act 1972, further amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2002 ([S.R. 2002 No. 20](#), as amended by [S.R. 2002 No. 27](#) and [S.R. 2002 No. 250](#)) (“the principal Regulations”).

These Regulations add new residue levels in Part II of Schedule 2 that have been set by recent amendments to the three Commission Directives: Council Directive [86/362/EEC](#), Council Directive [86/363/EEC](#) and Council Directive [90/642/EEC](#). The following new or substituted maximum residue levels are implemented in Part II of Schedule 2 in these Regulations (regulation 2(6))–

Commission Directive [2002/42/EC](#) (O.J. No. L134, 22.5.2002, p. 29) for bentazone and pyridate;

Commission Directive [2002/66/EC](#) (O.J. No. L192, 20.7.2002, p. 47) for lindane, quintozene, parathion and permethrin;

Commission Directive [2002/71/EC](#) (O.J. No. L225, 22.8.02, p. 21) for formothion, dimethoate and oxydemeton-methyl;

Commission Directive [2002/76/EC](#) (O.J. No. L240, 7.9.2002, p. 45) for metsulfuron methyl;

Commission Directive [2002/100/EC](#) (O.J. No. L2, 7.1.2003, p. 33) for azoxystrobin.

The definition of “the Residues Directives” is updated to take account of the latest Directives being implemented (regulation 2(2)).

Regulation 2(3) substitutes a new regulation 6(b) in the principal Regulations. The new regulation 6(b)(i) provides for the Sampling Procedure as contained in the Annex to Commission Directive [2002/63/EC](#) to apply for the determination of pesticide residues set by the Community (Part II of Schedule 2). The new regulation 6(b)(ii) provides for the sampling of pesticide residues still set nationally to be carried out, so far as is practicable, in accordance with the methods and procedures recommended by the Codex Alimentarius Commission ‘Recommended methods of sampling for the determination of pesticide residues for compliance with MRLs; CAC/GL 33 –1999’. Copies are available from their website from their list of standards at www.codexalimentarius.net. Alternatively the document is available from the Department for Environment, Food and Rural Affairs library situated at Nobel House, Smith Square, London SW1 (E-mail: defra.library@defra.gsi.gov.uk).

These Regulations remove certain pesticide residues, that had previously been set nationally by virtue of powers contained in the Food and Environment Protection Act 1985, from the list contained in Part I of Schedule 2 to the principal Regulations as they have been replaced by Community levels (regulation 2(5)).

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.