
STATUTORY RULES OF NORTHERN IRELAND

2006 No. 501

**AGRICULTURE
PESTICIDES**

**Pesticides (Maximum Residue Levels in
Crops, Food and Feeding Stuffs) (Amendment)
Regulations (Northern Ireland) 2006**

Made - - - -

5th December 2006

Coming into operation-

18th January 2007

The Department of Agriculture and Rural Development, being a Department designated(1) for the purposes of section 2(2) of the European Communities Act 1972(2) in relation to the common agricultural policy of the European Community, in exercise of the powers conferred on it makes the following Regulations:

Citation, commencement and interpretation

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations (Northern Ireland) 2006 and shall come into operation on 18th January 2007.

(2) The Interpretation Act (Northern Ireland) 1954(3) shall apply to these Regulations as it applies to an Act of the Northern Ireland Assembly.

**Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs)
Regulations (Northern Ireland) 2006**

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2006(4) shall be amended in accordance with this regulation.

(2) In regulation 2(1), for the definition of the Residues Directives substitute the following definition:

(1) S.I. 2000/2812

(2) 1972 c. 68

(3) 1954 c. 33 (N.I.)

(4) S.R. 2006 No. 220

“the Residues Directives” means Directive 76/895(5), Directive 86/362(6), Directive 86/363(7) and Directive 90/642(8), in each case as amended at the date of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations (Northern Ireland) 2006.”.

- (3) In Schedule 1 the following entry shall be substituted for the corresponding existing entry;

Column 1	Column 2
<i>Pesticides</i>	<i>Residues</i>
Deltamethrin	(1) for products of plant origin other than cereals and for foodstuffs of animal origin: deltamethrin (cis-deltamethrin) (2) for cereals: deltamethrin

- (4) In Part I of Schedule 2 the columns relating to Carbaryl and Fenitrothion shall be deleted.
- (5) In Part II of Schedule 2 substitute the following maximum residue levels—
- (a) for mg/kg of Benomyl/Carbendazim on Papaya delete “0.1*” and insert “0.2”;
 - (b) for mg/kg of Chlormequat on Pears delete “0.3” and insert “0.2”;
 - (c) for mg/kg of Thiophanate-methyl on Papaya delete “0.1*” and insert “1”.
- (6) In Part II of Schedule 2—
- (a) insert, in the appropriate place to preserve the alphabetical ordering from left to right, the columns of maximum permitted levels for residues of the pesticides Carbaryl and Fenitrothion as specified in the Schedule to these Regulations;
 - (b) for the columns relating to the pesticides Cyazofamid, Deltamethrin, Endosulfan Fenbutatin-oxide, Fenhexamid, Linuron, Methidathion, Pyrimozine and Triadimefon and Triadimenol substitute the columns of maximum permitted levels for residues of those pesticides as specified in the Schedule to these Regulations.
- (7) The following footnote shall be added at the end of Part II to Schedule 2—

“47. Poultry and poultry products.”.

- (8) In Schedule 3, in paragraph 2(v)(a) (Lettuce and similar), in column 2, beneath “Scarole” insert “Ruccola” and beneath that insert “Leaves and stems of brassica”.

- (9) On the 21st January 2007:

- (a) in Schedule 1 the following entries for—
 - (i) Cyfluthrin, shall be substituted for the corresponding existing entry; and
 - (ii) Fenthion shall be inserted at the appropriate place in Columns 1 and 2;

Column 1	Column 2
<i>Pesticides</i>	<i>Residues</i>
Cyfluthrin	cyfluthrin including other mixtures of constituent isomers (sum of isomers)

(5) O.J. No. L340, 9.12.1976, p. 26, as last amended by Commission Directive 2006/59/EC (O.J. No. L175, 29.6.2006, p. 61)
 (6) O.J. No. L221, 7.8.1986, p. 37, as last amended by Commission Directive 2006/61/EC (O.J. No. L206, 27.7.2006, p. 12)
 (7) O.J. No. L221, 7.8.1986, p. 43, as last amended by Commission Directive 2006/61/EC (O.J. No. L206, 27.7.2006, p. 12)
 (8) O.J. No. L350, 14.12.1990, p. 71, as last amended by Commission Directive 2006/61/EC (O.J. No. L206, 27.7.2006, p. 12)

Column 1	Column 2
<i>Pesticides</i>	<i>Residues</i>
Fenthion	fenthion and its oxygen analogue, their sulfoxides and sulfones express as parent

- (b) in Part II of Schedule 2 maximum residue levels shall be substituted as follows—
- (i) for mg/kg of Abamectin on Blackberries and Raspberries delete “0.01*” and insert “0.1”, and on Cucumbers, Gherkins, Courgettes and Other Cucurbits-edible peel delete “0.01*” and insert “0.02”;
 - (ii) for mg/kg of Fenpropimorph on Leeks delete “0.5” and insert “1”;
 - (iii) for mg/kg of Myclobutanil on Beans (with pods) delete “0.02*” and insert “0.3”;
 - (iv) for mg/kg of Thiabendazole on Witloof delete “0.05*” and insert “1”;
 - (v) for mg/kg of Trifloxystrobin on Plums delete “0.02*” and insert “0.2”, and on Strawberries “0.02*” and insert “0.5*” and on Beans (with pods) “0.02*” and insert “0.5”;
- (c) in Part II of Schedule 2—
- (i) insert, in the appropriate place to preserve the alphabetical ordering from left to right, the column of maximum permitted levels for the residue of the pesticide Fenthion as specified in the Schedule to these Regulations;
 - (ii) for the columns relating to the pesticides Atrazine, Azinphos-ethyl, Cyfluthrin, Ethephon, Methamidophos, Methomyl thiodicarb, Paraquat and Triazophos substitute the columns of maximum permitted levels for residues of those pesticides as specified in the Schedule to these Regulations; and
- (d) in Schedule 3, paragraph 3 (Pulses), column 2, beneath “Peas” insert “Lupins”.

(10) On the 21st April 2007:

- (a) in Part II of Schedule 2 maximum residue levels shall be substituted as follows—
- (i) for mg/kg of Glyphosate—except trimesium salt (applying from 21st April 2007) on Grapefruit and Lemons delete “0.1” and insert “0.1*”, on Mandarins delete “0.1” and insert “0.5” and on the products except for Olives (oil extract) listed under the group Miscellaneous Fruit delete “0.05*” and insert “0.1*”;
 - (ii) for mg/kg of Glyphosate-as trimesium salt on Mandarins delete “0.05*” and insert “0.5”;
- (b) in Part II of Schedule 2, for the column relating to the pesticide Pyraclostrobin substitute the column of maximum permitted levels for residue of that pesticide as specified in the Schedule to these Regulations.

(11) On the 30th December 2007:

- (a) in Schedule 1 insert at the appropriate place in Columns 1 and 2 the following entry:

Column 1	Column 2
<i>Pesticides</i>	<i>Residues</i>
Oxamyl	Oxamyl

- (b) in Part II of Schedule 2 insert, in the appropriate place to preserve the alphabetical ordering from left to right, the columns of maximum permitted levels for residues of the pesticides Oxamyl as specified in the Schedule to these Regulations.

Sealed with the Official Seal of the Department of Agriculture and Rural Development on 5th December 2006.



D. Small

A senior officer of the Department of Agriculture
and Rural Development.

SCHEDULE

Regulation 2

<i>Group to which food products belongs</i>	<i>Groups to include the following</i>	<i>(applying from 21/1/07)</i>	<i>Atrazine</i>	<i>Azinphos-methyl</i>	<i>Carbamoylazofamid</i>	<i>Cyfluthrin</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Ethephon</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
Grapefruit	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*
Lemons	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*
Limes	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*
Mandarins (inc clementines & similar hybrids)	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*
Oranges	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*
Pomelos	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*
Others	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*
(ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.1*	0.1	
Brazil nuts	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.1*	0.1	
Cashew nuts	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.1*	0.1	
Chestnuts	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.1*	0.1	
Coconuts	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.1*	0.1	
Hazelnuts	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.1*	0.1	
Macadamia nuts	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.1*	0.1	
Pecans	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.1*	0.1	
Pine nuts	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.1*	0.1	
Pistachios	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.1*	0.1	
Walnuts	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.1*	0.1	
Others	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.1*	0.1	
(iii) POME FRUIT									
Apples	0.05*	0.02*	0.05*	0.01*	0.2	0.2	0.05*	0.5	
Pears	0.05*	0.02*	0.05*	0.01*	0.2	0.1	0.3	0.05*	
Quinces	0.05*	0.02*	0.05*	0.01*	0.2	0.1	0.05*	0.05*	
Others	0.05*	0.02*	0.05*	0.01*	0.2	0.1	0.05*	0.05*	

<i>Group to which food products belongs</i>	<i>Groups include the following</i>	<i>Atrazine</i>	<i>Azinphos-Carbamyl</i>	<i>Glyzofamid</i>	<i>fluthid</i>	<i>Deltameth</i>	<i>Endosulf</i>	<i>Ethephon</i>
		(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	
(iv) STONE FRUIT								
Apricots		0.05*	0.02*	0.05*	0.01*	0.3	0.1	0.05* 0.05*
Cherries		0.05*	0.02*	0.05*	0.01*	0.2	0.2	0.05* 3
Peaches (incl. nectarines & similar hybrids)		0.05*	0.02*	0.05*	0.01*	0.3	0.1	0.05* 0.05*
Plums		0.05*	0.02*	0.05*	0.01*	0.2	0.1	0.05* 0.05*
Others		0.05*	0.02*	0.05*	0.01*	0.02*	0.1	0.05* 0.05*
(v) BERRIES AND SMALL FRUIT								
(a) <i>Table & wine grapes</i>								
Table grapes		0.05*	0.02*	0.05*	0.5	0.3	0.2	0.5 1
Wine grapes		0.05*	0.02*	0.05*	0.5	0.3	0.2	0.5 1
(b) <i>Strawberries (other than wild)</i>								
		0.05*	0.02*	0.05*	0.01*	0.02*	0.2	0.05* 0.05*
(c) <i>Cane Fruit (other than wild)</i>								
Blackberries		0.05*	0.02*	0.05*	0.01*	0.02*	0.5	0.05* 0.05*
Dewberries		0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05* 0.05*
Loganberries		0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05* 0.05*
Raspberries		0.05*	0.02*	0.05*	0.01*	0.02*	0.5	0.05* 0.05*
Others		0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05* 0.05*
(d) <i>Other small fruit & berries (other than wild)</i>								
Bilberries		0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05* 0.05*
Cranberries		0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05* 0.05*
Currants (red, black & white)		0.05*	0.02*	0.05*	0.01*	0.02*	0.5	0.05* 5
Gooseberries		0.05*	0.02*	0.05*	0.01*	0.02*	0.2	0.05* 0.05*
Others		0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05* 0.05*

<i>Group to which food products belongs</i>	<i>Groups include the following</i>	<i>Atrazine</i>	<i>Azinphos-Carbamyl</i>	<i>Glyazofamid</i>	<i>fluthiDeltameth</i>	<i>Endosulf</i>	<i>Ethephon</i>
		(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	

(e) *Wild berries & wild fruit* 0.05* 0.02* 0.05* 0.01* 0.02* 0.05* 0.05* 0.05*

(vi) MISCELLANEOUS FRUIT

Avocados	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Bananas	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Dates	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Figs	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Kiwi fruit	0.05*	0.02*	0.05*	0.01*	0.02*	0.2	0.05*	0.05*
Kumquats	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Litchis	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Mangoes	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Olives (table consumption)	0.05*	0.02*	5	0.01*	0.02*	1	0.05*	0.05*
Olives (oil extract)	0.05*	0.02*	5	0.01*	0.02*	1	0.05*	0.05*
Papaya	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Passion fruit	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Pineapples	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	2
Pomegranates	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Others	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

Beetroot	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Carrots	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Cassava	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Celeriac	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Horseradish	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Jerusalem artichokes	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Parsnips	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Atrazine</i>	<i>Azinphos-Carbamyl</i>	<i>Glyzofamid</i>	<i>fluthiDeltameth</i>	<i>Endosulf</i>	<i>Ethephon</i>
		(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)
	Parsley root	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*
	Radishes	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*
	Salsify	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*
	Sweet potatoes	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*
	Swedes	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*
	Turnips	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*
	Yams	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*
	Others	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*

(ii) BULB VEGETABLES

Garlic	0.05*	0.02*	0.05*	0.01*	0.02*	0.1	0.05*	0.05*
Onions	0.05*	0.02*	0.05*	0.01*	0.02*	0.1	0.05*	0.05*
Shallots	0.05*	0.02*	0.05*	0.01*	0.02*	0.1	0.05*	0.05*
Spring onions	0.05*	0.02*	0.05*	0.01*	0.02*	0.1	0.05*	0.05*
Others	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*

(iii) FRUITING VEGETABLES

(a) *Solanaceae*

Tomatoes	0.05*	0.02*	0.5	0.2	0.05	0.3	0.5	1
Peppers	0.05*	0.02*	0.05*	0.01*	0.3	0.2	1	3
Chili peppers	0.05*	0.02*	0.05*	0.01*	0.3	0.2	1	3
Aubergines	0.05*	0.02*	0.05*	0.01*	0.02*	0.3	0.05*	0.05*
Okra	0.05*	0.02*	0.05*	0.01*	0.02*	0.3	0.05*	0.05*
Others	0.05*	0.02*	0.05*	0.01*	0.02*	0.2	0.05*	0.05*

(b) *Cucurbits-edible peel*

Cucumbers	0.05*	0.02*	0.05*	0.1	0.1	0.2	0.05*	0.05*
Gherkins	0.05*	0.02*	0.05*	0.1	0.02*	0.2	0.05*	0.05*
Courgettes	0.05*	0.02*	0.05*	0.1	0.02*	0.2	0.05*	0.05*
Others	0.05*	0.02*	0.05*	0.1	0.02*	0.2	0.05*	0.05*

(c) *Cucurbits-inedible peel*

Melons	0.05*	0.02*	0.05*	0.1	0.02*	0.2	0.05*	0.05*
--------	-------	-------	-------	-----	-------	-----	-------	-------

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Carbamylfenthion</i>	<i>Glyazofamid</i>	<i>Fluthrin</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Ethephon</i>
		(applying from 21/1/07)							
	Squashes	0.05*	0.02*	0.05*	0.1	0.02*	0.2	0.05*	0.05*
	Watermelons	0.05*	0.02*	0.05*	0.1	0.02*	0.2	0.05*	0.05*
	Others	0.05*	0.02*	0.05*	0.1	0.02*	0.2	0.05*	0.05*
(d) <i>Sweet corn</i>		0.1	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*

(iv) BRASSICA VEGETABLES

(a) *Flowering Brassicas*

Broccoli	0.05*	0.02*	0.05*	0.01*(13)	0.05	0.1	0.05*	0.05*
Cauliflower	0.05*	0.02*	0.05*	0.01*	0.05	0.1	0.05*	0.05*
Others	0.05*	0.02*	0.05*	0.01*	0.05	0.1	0.05*	0.05*

(b) *Head Brassicas*

Brussels sprouts	0.05*	0.02*	0.05*	0.01*	0.2	0.1	0.05*	0.05*
Head cabbage	0.05*	0.02*	0.05*	0.01*	0.2	0.1	0.05*	0.05*
Others	0.05*	0.02*	0.05*	0.01*	0.2	0.1	0.05*	0.05*

(c) *Leafy Brassicas*

Chinese cabbage	0.05*	0.02*	0.05*	0.01*	0.3	0.5	0.05*	0.05*
Kale	0.05*	0.02*	0.05*	0.01*	0.3	0.5	0.05*	0.05*
Others	0.05*	0.02*	0.05*	0.01*	0.3	0.5	0.05*	0.05*

(d) *Kohlrabi*

Kohlrabi	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
----------	-------	-------	-------	-------	-------	-------	-------	-------

(v) LEAF VEGETABLES AND FRESH HERBS

(a) *Lettuce & similar*

Cress	0.05*	0.02*	0.05*	0.01*	0.5	0.5	0.05*	0.05*
Lamb's lettuce	0.05*	0.02*	0.05*	0.01*	0.5	0.5	0.05*	0.05*
Lettuce	0.05*	0.02*	0.05*	0.01*	0.5	0.5	0.05*	0.05*
Scarole	0.05*	0.02*	0.05*	0.01*(6)	0.5	0.5	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Atrazine</i>	<i>Azinphos-Carbamyl</i>	<i>Glyzofamid</i>	<i>fluthidione</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Ethephon</i>
		(applying ethyl from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	
	Ruccola	0.05*	0.02*	0.05*	0.01*	0.5	0.5	0.05* 0.05*
	Leaves and stems of brassica	0.05*	0.02*	0.05*	0.01*	0.5	0.5	0.05* 0.05*
	Others	0.05*	0.02*	0.05*	0.01*	0.5	0.5	0.05* 0.05*
(b) Spinach & similar								
	Spinach	0.05*	0.02*	0.05*	0.01*	0.02*	0.5	0.05* 0.05*
	Beet leaves (chard)	0.05*	0.02*	0.05*	0.01*	0.02*	0.5	0.05* 0.05*
	Others	0.05*	0.02*	0.05*	0.01*	0.02*	0.5	0.05* 0.05*
(c) Watercress								
		0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05* 0.05*
(d) Witloof								
		0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05* 0.05*
(e) Herbs								
	Chervil	0.05*	0.02*	0.05*	0.01*	0.02*	0.5	0.05* 0.05*
	Chives	0.05*	0.02*	0.05*	0.01*	0.02*	0.5	0.05* 0.05*
	Parsley	0.05*	0.02*	0.05*	0.01*	0.02*	0.5	0.05* 0.05*
	Celery leaves	0.05*	0.02*	0.05*	0.01*	0.02*	0.5	0.05* 0.05*
	Others	0.05*	0.02*	0.05*	0.01*	0.02*	0.5	0.05* 0.05*
(vi) LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.05*	0.02*	0.05*	0.01*	0.05	0.2	0.05* 0.05*
	Beans (without pods)	0.05*	0.02*	0.05*	0.01*	0.05	0.2	0.05* 0.05*
	Peas (with pods)	0.05*	0.02*	0.05*	0.01*	0.05	0.2	0.05* 0.05*
	Peas (without pods)	0.05*	0.02*	0.05*	0.01*	0.05	0.2	0.05* 0.05*
	Others	0.05*	0.02*	0.05*	0.01*	0.05	0.2	0.05* 0.05*
(vii) STEM VEGETABLES								

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Atrazine</i>	<i>Azinphos-Carbamyl</i>	<i>Glyzofamid</i>	<i>Dithiophate</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Ethephon</i>
		(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	
	Asparagus	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*
	Cardoons	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*
	Celery	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*
	Fennel	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*
	Globe artichokes	0.05*	0.02*	0.05*	0.01*	0.02*	0.1	0.05*
	Leeks	0.05*	0.02*	0.05*	0.01*	0.02*	0.2	0.05*
	Rhubarb	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*
	Others	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*
<hr/>								
(viii) FUNGI								
	(a) <i>Cultivated mushrooms</i>	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*
	(b) <i>Wild mushrooms</i>	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*
<hr/>								
3. PULSES								
	Beans	0.05*	0.02*	0.05*	0.01*	0.02*	1	0.05*
	Lentils	0.05*	0.02*	0.05*	0.01*	0.02*	1	0.05*
	Peas	0.05*	0.02*	0.05*	0.01*	0.02*	1	0.05*
	Lupins	0.05*	0.02*	0.05*	0.01*	0.02*	1	0.05*
	Others	0.05*	0.02*	0.05*	0.01*	0.02*	1	0.05*
<hr/>								
4. OILSEEDS								
	Linseed	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.1*
	Peanuts	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.1*
	Poppy seed	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.1*
	Sesame seed	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.1*
	Sunflower seed	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.1*
	Rape seed	0.05*	0.02*	0.05*	0.02*	0.05	0.1	0.1*
	Soya bean	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.5
	Mustard seed	0.05*	0.02*	0.05*	0.02*	0.02*	0.1	0.1*
	Cotton seed	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	5
	Hemp seed	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following food products</i>	<i>Atrazine</i>	<i>Azinphos-Carbamyl</i>	<i>Glyazofamid</i>	<i>fluthiDeltameth</i>	<i>Endosulf</i>	<i>Ethephon</i>
		(applying ethyl from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	(applying from 21/1/07)	

5. POTATOES

Early potatoes	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*
Ware potatoes	0.05*	0.02*	0.05*	0.01*	0.02*	0.05*	0.05*	0.05*

6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.05*	0.1*	0.02*	0.1*	5	30	0.1*
--------	--	------	-------	------	-------	------	---	----	------

7. HOPS	including hop pellets & unconcentrated powder	0.1*	0.05*	0.1*	0.02*	20	5	0.1*	0.1*
---------	---	------	-------	------	-------	----	---	------	------

8. SPICES

Cumin seed
Juniper seed
Nutmeg
Pepper, black and white
Vanilla pods
Others

9. CEREALS

Wheat	0.05*	0.05*	0.5	0.02*	0.02*	2	0.05*	0.2
Rye	0.05*	0.05*	0.5	0.02*	0.02*	2	0.05*	0.5
Barley	0.05*	0.05*	0.5	0.02*	0.02*	2	0.05*	0.5
Sorghum	0.05*	0.05*	0.5	0.02*	0.02*	2	0.05*	0.05*
Oats	0.05*	0.05*	0.5	0.02*	0.02*	2	0.05*	0.05*
Triticale	0.05*	0.05*	0.5	0.02*	0.02*	2	0.05*	0.2
Maize	0.05*	0.05*	0.5	0.02*	0.02*	2	0.05*	0.05*
Buckwheat	0.05*	0.05*	0.5	0.02*	0.02*	2	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Atrazine</i>	<i>Azinphos-Carbamyl</i>	<i>Glyazofamid</i>	<i>Difluthid</i>	<i>Deltameth</i>	<i>Endosulf</i>	<i>Ethephon</i>
		(applying from 21/1/07)	(applying from 21/1/07)		(applying from 21/1/07)		(applying from 21/1/07)	
	Millet	0.05*	0.05*	0.5	0.02*	0.02*	2	0.05* 0.05*
	Rice ⁽¹⁾	0.05*	0.05*	1	0.02*	0.02*	2	0.05* 0.05*
	Other cereals	0.05*	0.05*	0.5	0.02*	0.02*	2	0.05* 0.05*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.01*	0.05*	0.05	0.03*(⁽¹¹⁾)	0.1 ⁽¹⁷⁾	0.05*	0.1 ⁽⁴⁷⁾	0.5 ⁽⁹⁾
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.01*	0.05*	0.02*	0.05	0.004	0.05*		
Eggs ⁽⁵⁾	0.01*	0.05*	0.02*	0.05*	0.1* ⁽⁷⁾	0.05*		

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Fenbutatin oxide</i>	<i>Fenhexan</i>	<i>Fenitrothid</i>	<i>Fenthion</i>	<i>Linum</i>	<i>Methamidophos</i>	<i>Pethidathion</i>	<i>Methomyl</i>	<i>Thiodicarb</i>
				(applying from 21/1/07)		(applying from 21/1/07)		(applying from 21/1/07)		(applying from 21/1/07)

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

(i) CITRUS FRUIT

Grapefruit	5	0.05*	0.01*	3	0.05*	0.01*	2	0.5
Lemons	5	0.05*	0.01*	3	0.05*	0.01*	2	1
Limes	5	0.05*	0.01*	3	0.05*	0.01*	2	1
Mandarins (inc clementines & similar hybrids)	5	0.05*	0.01*	3	0.05*	0.01*	2	1
Oranges	5	0.05*	0.01*	3	0.05*	0.01*	2	0.5
Pomelos	5	0.05*	0.01*	3	0.05*	0.01*	2	0.5
Others	5	0.05*	0.01*	3	0.05*	0.01*	2	0.05*

(ii) TREE NUTS (shelled or unshelled)

Almonds	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.05*	0.05*
---------	-------	-------	-------	-------	-------	-------	-------	-------

<i>Group to which food belongs</i>	<i>Groups include the oxide</i>	<i>Fenbutat</i>	<i>Mfenhexan</i>	<i>Fdinitrothid</i>	<i>Fenthio</i>	<i>Linum</i>	<i>Methamid</i>	<i>Methidathion</i>	<i>Methomyl</i>	<i>Thiodicarb</i>
					(applying from 21/1/07)		(applying from 21/1/07)			(applying from 21/1/07)
Brazil nuts		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.05*	0.05*	
Cashew nuts		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.05*	0.05*	
Chestnuts		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.05*	0.05*	
Coconuts		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.05*	0.05*	
Hazelnuts		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.05*	0.05*	
Macadamia nuts		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.05*	0.05*	
Pecans		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.05*	0.05*	
Pine nuts		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.05*	0.05*	
Pistachios		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.05*	0.05*	
Walnuts		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.05*	0.05*	
Others		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.05*	0.05*	

(iii) POME FRUIT

Apples	2	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.2
Pears	2	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.2
Quinces	2	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.2
Others	2	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.2

(iv) STONE FRUIT

Apricots	0.05*	5	0.01*	0.01*	0.05*	0.1	0.02*	0.2
Cherries	0.05*	5	0.01*	2	0.05*	0.01*	0.02*	0.1
Peaches (incl. nectarines & similar hybrids)	0.05*	5	0.01*	0.01*	0.05*	0.05	0.05	0.2
Plums	0.05*	1	0.01*	0.01*	0.05*	0.01*	0.2	0.5
Others	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*

(v) BERRIES AND SMALL FRUIT

(a) *Table & wine grapes*

<i>Group to which food belongs</i>	<i>Groups include the oxide following</i>	<i>FenbutatafenhexanFenthrothidFenthioLinumMethamidofenthidathionMethomyl</i>	<i>(applying from 21/1/07)</i>	<i>(applying from 21/1/07)</i>	<i>(applying from 21/1/07)</i>	<i>Thiodicarb (applying from 21/1/07)</i>			
	Table grapes	2	5	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
	Wine grapes	2	5	0.01*	0.01*	0.05*	0.01*	0.02*	1
(b) <i>Strawberries (other than wild)</i>		1	5	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
(c) <i>Cane Fruit (other than wild)</i>									
	Blackberries	5	10	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
	Dewberries	0.05*	10	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
	Loganberries	0.05*	10	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
	Raspberries	5	10	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
	Others	0.05*	10	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
(d) <i>Other small fruit & berries (other than wild)</i>									
	Bilberries	0.05*	5	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
	Cranberries	0.05*	5	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
	Currants (red, black & white)	0.05*	5	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
	Gooseberries	0.05*	5	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
	Others	0.05*	5	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
(e) <i>Wild berries & wild fruit</i>	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	
(vi) MISCELLANEOUS FRUIT									
	Avocados	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
	Bananas	3	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
	Dates	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
	Figs	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
	Kiwi fruit	0.05*	10	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
	Kumquats	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the oxide</i>	<i>Fenbutat</i>	<i>Mfenhexan</i>	<i>Fdinitrothid</i>	<i>Fenthio</i>	<i>Linum</i>	<i>Methamid</i>	<i>Methidathion</i>	<i>Methomyl</i>	<i>Thiodicarb</i>
					(applying from 21/1/07)		(applying from 21/1/07)			(applying from 21/1/07)
Litchis		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	
Mangoes		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	
Olives (table consumption)	0.05*	0.05*	0.01*	1	0.05*	0.01*	1	0.05*		
Olives (oil extract)	0.05*	0.05*	0.01*	1	0.05*	0.01*	1	0.05*		
Papaya		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	
Passion fruit		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	
Pineapples		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	
Pomegranates		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	
Others		0.05*	0.05	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

Beetroot	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	
Carrots	0.05*	0.05*	0.01*	0.01*	0.2	0.01*	0.02*	0.05*	
Cassava	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	
Celeriac	0.05*	0.05*	0.01*	0.01*	0.5	0.01*	0.02*	0.05*	
Horseradish	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	
Jerusalem artichokes	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	
Parsnips	0.05*	0.05*	0.01*	0.01*	0.2	0.01*	0.02*	0.05*	
Parsley root	0.05*	0.05*	0.01*	0.01*	0.2	0.01*	0.02*	0.05*	
Radishes	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.5	
Salsify	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	
Sweet potatoes	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	
Swedes	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	
Turnips	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	
Yams	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	
Others	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*	

<i>Group to which food belongs</i>	<i>Groups include the oxide following</i>	<i>FenbutatafenhexanFenthrothidFenthioLinumMethamidofenthidathionMethomyl/</i>	<i>(applying from 21/1/07)</i>	<i>(applying from 21/1/07)</i>	<i>(applying from 21/1/07)</i>	<i>Thiodicarb (applying from 21/1/07)</i>
(ii) BULB VEGETABLES						
Garlic	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*
Onions	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*
Shallots	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*
Spring onions	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*
Others	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*
(iii) FRUITING VEGETABLES						
(a) <i>Solanaceae</i>						
Tomatoes	1	1	0.01*	0.01*	0.05*	0.01*
Peppers	1	2	0.01*	0.01*	0.05*	0.01*
Chili peppers	1	2	0.01*	0.01*	0.05*	0.01*
Aubergines	1	1	0.01*	0.01*	0.05*	0.01*
Okra	1	0.05*	0.01*	0.01*	0.05*	0.01*
Others	1	0.05*	0.01*	0.01*	0.05*	0.01*
(b) <i>Cucurbits-edible peel</i>						
Cucumbers	0.5	1	0.01*	0.01*	0.05*	0.01*
Gherkins	0.05*	1	0.01*	0.01*	0.05*	0.01*
Courgettes	0.5	1	0.01*	0.01*	0.05*	0.01*
Others	0.05*	1	0.01*	0.01*	0.05*	0.01*
(c) <i>Cucurbits-inedible peel</i>						
Melons	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*
Squashes	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*
Watermelons	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*
Others	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*
(d) <i>Sweet corn</i>						
	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the oxide</i>	<i>Fenbutat</i>	<i>fenhexan</i>	<i>Fenthrothid</i>	<i>Fenthio</i>	<i>Linum</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl</i>
				(applying from 21/1/07)		(applying from 21/1/07)			<i>Thiodicarb</i> (applying from 21/1/07)

(iv) BRASSICA VEGETABLES

(a) *Flowering Brassicas*

Broccoli	0.05*(¹³)	0.05*(¹³)	0.01*	0.01*	0.05*(¹³)	0.02	0.02*	0.2
Cauliflower	0.05*	0.05*	0.01*	0.01*	0.05*	0.02	0.02*	0.05*
Others	0.05*	0.05*	0.01*	0.01*	0.05*	0.02	0.02*	0.05*

(b) *Head Brassicas*

Brussels sprouts	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
Head cabbage	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
Others	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*

(c) *Leafy Brassicas*

Chinese cabbage	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
Kale	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
Others	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*

(d) *Kohlrabi*

	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
--	-------	-------	-------	-------	-------	-------	-------	-------

(v) LEAF VEGETABLES AND FRESH HERBS

(a) *Lettuce & similar*

Cress	0.05*	30	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
Lamb's lettuce	0.05*	30	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
Lettuce	0.05*	30	0.01*	0.01*	0.05*	0.01*	0.02*	0.3
Scarole	0.05* ⁽⁶⁾	30 ⁽⁶⁾	0.01*	0.01*	0.05* ⁽⁶⁾	0.01*	0.02*	0.05*
Ruccola	0.05*	30	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
Leaves and stems of brassica	0.05*	30	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
Others	0.05*	30	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*

(b) *Spinach & similar*

<i>Group to which food belongs</i>	<i>Groups include the oxide</i>	<i>FenbutatafenhexanFenthrothidFenthioLinumMethamidofenthidathionMethomyl/</i>	<i>(applying from 21/1/07)</i>	<i>(applying from 21/1/07)</i>	<i>(applying from 21/1/07)</i>	<i>Thiodicarb (applying from 21/1/07)</i>
	Spinach	0.05*	0.05*	0.01*	0.01*	0.05*
	Beet leaves (chard)	0.05*	0.05*	0.01*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.01*	0.05*
(c) <i>Watercress</i>		0.05*	0.05*	0.01*	0.01*	0.05*
(d) <i>Witloof</i>		0.05*	0.05*	0.01*	0.01*	0.05*
(e) <i>Herbs</i>						
	Chervil	0.05*	30	0.01*	0.01*	1
	Chives	0.05*	30	0.01*	0.01*	1
	Parsley	0.05*	30	0.01*	0.01*	1
	Celery leaves	0.05*	30	0.01*	0.01*	1
	Others	0.05*	30	0.01*	0.01*	1
<hr/>						
(vi) LEGUME VEGETABLES (fresh)						
	Beans (with pods)	0.05*	0.05*	0.01*	0.01*	0.05*
	Beans (without pods)	0.05*	0.05*	0.01*	0.01*	0.1
	Peas (with pods)	0.05*	0.05*	0.01*	0.01*	0.05*
	Peas (without pods)	0.05*	0.05*	0.01*	0.01*	0.1
	Others	0.05*	0.05*	0.01*	0.01*	0.05*
<hr/>						
(vii) STEM VEGETABLES						
	Asparagus	0.05*	0.05*	0.01*	0.01*	0.05*
	Cardoons	0.05*	0.05*	0.01*	0.01*	0.05*
	Celery	0.05*	0.05*	0.01*	0.01*	0.1
	Fennel	0.05*	0.05*	0.01*	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the oxide</i>	<i>Fenbutat</i>	<i>Mfenhexan</i>	<i>Fidnitrothid</i>	<i>Fenthio</i>	<i>Linum</i>	<i>Methamid</i>	<i>Methidathion</i>	<i>Methomyl</i>
				(applying from 21/1/07)		(applying from 21/1/07)			<i>Thiodicarb</i> (applying from 21/1/07)
Globe artichokes		0.05*	0.05*	0.01*	0.01*	0.05*	0.1	0.02*	0.05*
Leeks		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
Rhubarb		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
Others		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*

(viii) FUNGI									
(a) <i>Cultivated mushrooms</i>		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
(b) <i>Wild mushrooms</i>		0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*

3. PULSES

Beans	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
Lentils	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
Peas	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
Lupins	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
Others	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*

4. OILSEEDS

Linseed	0.05*	0.1*	0.01*	0.02*	0.1*	0.01*	0.02*	0.05*
Peanuts	0.05*	0.1*	0.01*	0.02*	0.1*	0.01*	0.02*	0.1
Poppy seed	0.05*	0.1*	0.01*	0.02*	0.1*	0.01*	0.02*	0.05*
Sesame seed	0.05*	0.1*	0.01*	0.02*	0.1*	0.01*	0.02*	0.05*
Sunflower seed	0.05*	0.1*	0.01*	0.02*	0.1*	0.01*	0.02*	0.05*
Rape seed	0.05*	0.1*	0.01*	0.02*	0.1*	0.01*	0.05	0.05*
Soya bean	0.05*	0.1*	0.01*	0.02*	0.1*	0.2	0.02*	0.1
Mustard seed	0.05*	0.1*	0.01*	0.02*	0.1*	0.01*	0.02*	0.05*
Cotton seed	0.05*	0.1*	0.01*	0.02*	0.1*	0.2	0.02*	0.1
Hemp seed	0.05*	0.1*	0.01*	0.02*	0.1*	0.01*	0.02*	0.05*
Others	0.05*	0.1*	0.01*	0.02*	0.1*	0.01*	0.02*	0.05*

<i>Group to which food products belongs</i>	<i>Groups include the oxide</i>	<i>FenbutatafenhexanFenthrothidFenthioLinumMethamidofenthidathionMethomyl/</i>	<i>(applying from 21/1/07)</i>	<i>(applying from 21/1/07)</i>	<i>Thiodicarb (applying from 21/1/07)</i>
---	---------------------------------	--	--------------------------------	--------------------------------	---

5. POTATOES

Early potatoes	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*
Ware potatoes	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*	0.02*	0.05*

6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.1*	0.5	0.1*	0.1*	0.02*	0.1*	0.1*
--------	--	------	------	-----	------	------	-------	------	------

7. HOPS	including hop pellets & unconcentrated powder	0.1*	0.1*	0.02*	0.1*	0.1*	0.02*	0.1*	10
---------	---	------	------	-------	------	------	-------	------	----

8. SPICES

Cumin seed
Juniper seed
Nutmeg
Pepper, black and white
Vanilla pods
Others

9. CEREALS

Wheat	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
Rye	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
Barley	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
Sorghum	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
Oats	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
Triticale	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
Maize	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
Buckwheat	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the oxide following</i>	<i>FenbutatafenhexanFenthrothidFenthioLinumMethamidofenthidathionMethomyl</i>	<i>(applying from 21/1/07)</i>	<i>(applying from 21/1/07)</i>	<i>(applying from 21/1/07)</i>	<i>Thiodicarb (applying from 21/1/07)</i>
------------------------------------	---	---	--------------------------------	--------------------------------	--------------------------------	---

Millet	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
Rice ⁽¹⁾	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*
Other cereals	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.05*	0.05*	0.05*	0.01*	0.02*	0.02
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.05*	0.05*	0.01*	0.01*	0.02*	0.02
Eggs ⁽⁵⁾	0.05*	0.05*		0.01*	0.02*	0.02

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxamyl (applying from 30/12/07)</i>	<i>Paraquat (applying from 21/1/07)</i>	<i>Pymetrozine (applying from 21/4/07)</i>	<i>Pyraclostrobin and Triadimenol (applying from 21/4/07)</i>	<i>Triadimenol (applying from 21/1/07)</i>	<i>Triazophos (applying from 21/1/07)</i>
------------------------------------	--	--	---	--	---	--	---

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

(i) CITRUS FRUIT

Grapefruit	0.01*	0.02*	0.3	1	0.1*	0.01*
Lemons	0.01*	0.02*	0.3	1	0.1*	0.01*
Limes	0.01*	0.02*	0.3	1	0.1*	0.01*
Mandarins (inc clementines & similar hybrids)	0.02	0.02*	0.3	1	0.1*	0.01*
Oranges	0.01*	0.02*	0.3	1	0.1*	0.01*
Pomelos	0.01*	0.02*	0.3	1	0.1*	0.01*
Others	0.01*	0.02*	0.3	1	0.1*	0.01*

(ii) TREE NUTS (shelled or unshelled)

Almonds	0.01*	0.02*	0.02*	0.02*	0.2*	0.01*
---------	-------	-------	-------	-------	------	-------

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxamyl (applying from 30/12/07)</i>	<i>Paraquat (applying from 21/1/07)</i>	<i>Pymetrozole (applying from 21/4/07)</i>	<i>Pyraclostrobin (applying from 21/4/07)</i>	<i>Triadimefon and Tridimenol (applying from 21/4/07)</i>	<i>Triazophos (applying from 21/1/07)</i>
Brazil nuts		0.01*	0.02*	0.02*	0.02*	0.2*	0.01*
Cashew nuts		0.01*	0.02*	0.02*	0.02*	0.2*	0.01*
Chestnuts		0.01*	0.02*	0.02*	0.02*	0.2*	0.01*
Coconuts		0.01*	0.02*	0.02*	0.02*	0.2*	0.01*
Hazelnuts		0.01*	0.02*	0.02*	0.02*	0.2*	0.01*
Macadamia nuts		0.01*	0.02*	0.02*	0.02*	0.2*	0.01*
Pecans		0.01*	0.02*	0.02*	0.02*	0.2*	0.01*
Pine nuts		0.01*	0.02*	0.02*	0.02*	0.2*	0.01*
Pistachios		0.01*	0.02*	0.02*	1	0.2*	0.01*
Walnuts		0.01*	0.02*	0.02*	0.02*	0.2*	0.01*
Others		0.01*	0.02*	0.02*	0.02*	0.2*	0.01*
<hr/>							
(iii) POME FRUIT							
Apples		0.01*	0.02*	0.02*	0.3	0.2	0.01*
Pears		0.01*	0.02*	0.02*	0.3	0.1*	0.01*
Quinces		0.01*	0.02*	0.02*	0.3	0.1*	0.01*
Others		0.01*	0.02*	0.02*	0.3	0.1*	0.01*
<hr/>							
(iv) STONE FRUIT							
Apricots		0.01*	0.02*	0.05	0.2	0.1*	0.01*
Cherries		0.01*	0.02*	0.02*	0.2	0.1*	0.01*
Peaches (incl. nectarines & similar hybrids)		0.01*	0.02*	0.05	0.2	0.1*	0.01*
Plums		0.01*	0.02*	0.02*	0.1	0.1*	0.01*
Others		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
<hr/>							
(v) BERRIES AND SMALL FRUIT							
(a) Table & wine grapes							
Table grapes		0.01*	0.02*	0.02*	1	2	0.01*
Wine grapes		0.01*	0.02*	0.02*	2	2	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxamyl (applying from 30/12/07)</i>	<i>Paraquat (applying from 21/1/07)</i>	<i>Pymetrozole (applying from 21/4/07)</i>	<i>Pyraclostrobin (applying from 21/4/07)</i>	<i>Triadimefon and Tridimenol (applying from 21/1/07)</i>	<i>Triazophos (applying from 21/1/07)</i>
(b) <i>Strawberries (other than wild)</i>		0.01*	0.02*	0.02*	0.5	0.5	0.01*
(c) <i>Cane Fruit (other than wild)</i>							
Blackberries		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
Dewberries		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
Loganberries		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
Raspberries		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
Others		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
(d) <i>Other small fruit & berries (other than wild)</i>							
Bilberries		0.01*	0.02*	0.02*	0.02*	1	0.01*
Cranberries		0.01*	0.02*	0.02*	0.02*	1	0.01*
Currants (red, black & white)		0.01*	0.02*	0.02*	0.02*	1	0.01*
Gooseberries		0.01*	0.02*	0.02*	0.02*	1	0.01*
Others		0.01*	0.02*	0.02*	0.02*	1	0.01*
(e) <i>Wild berries & wild fruit</i>	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*	
<hr/>							
(vi) MISCELLANEOUS FRUIT							
Avocados		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
Bananas		0.01*	0.02*	0.02*	0.02*	0.2	0.01*
Dates		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
Figs		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
Kiwi fruit		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
Kumquats		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
Litchis		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
Mangoes		0.01*	0.02*	0.02*	0.05	0.1*	0.01*
Olives (table consumption)		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxamyl (applying from 30/12/07)</i>	<i>Paraquat (applying from 21/1/07)</i>	<i>Pymetrozole (applying from 21/4/07)</i>	<i>Pyraclostrobin (applying from 21/4/07) and Tridimenol (applying from 21/4/07)</i>	<i>Triadimefon (applying from 21/1/07)</i>	<i>Triazophos (applying from 21/1/07)</i>
	Olives (oil extract)	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
	Papaya	0.01*	0.02*	0.02*	0.05	0.1*	0.01*
	Passion fruit	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
	Pineapples	0.01*	0.02*	0.02*	0.02*	3	0.01*
	Pomegranates	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
	Others	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*

2. Vegetables, fresh or uncooked, frozen or dry							
(i) ROOT AND TUBER VEGETABLES							
	Beetroot	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
	Carrots	0.01*	0.02*	0.02*	0.1	0.1*	0.01*
	Cassava	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
	Celeriac	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
	Horseradish	0.01*	0.02*	0.02*	0.3	0.1*	0.01*
	Jerusalem artichokes	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
	Parsnips	0.01*	0.02*	0.02*	0.3	0.1*	0.01*
	Parsley root	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
	Radishes	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
	Salsify	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
	Sweet potatoes	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
	Swedes	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
	Turnips	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
	Yams	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
	Others	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*

(ii) BULB VEGETABLES							
	Garlic	0.01*	0.02*	0.02*	0.2	0.1*	0.01*
	Onions	0.01*	0.02*	0.02*	0.2	0.5	0.01*
	Shallots	0.01*	0.02*	0.02*	0.2	0.1*	0.01*
	Spring onions	0.01*	0.02*	0.02*	0.02*	1	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxamyl (applying from 30/12/07)</i>	<i>Paraquat (applying from 21/1/07)</i>	<i>Pymetrozole (applying from 21/4/07)</i>	<i>Pyraclostrobin (applying from 21/4/07) and Tridimenol (applying from 21/1/07)</i>	<i>Triadimefon (applying from 21/1/07)</i>	<i>Triazophos (applying from 21/1/07)</i>
Others		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*

(iii) FRUITING VEGETABLES

(a) *Solanaceae*

Tomatoes	0.02	0.02*	0.5	0.2	0.3	0.01*
Peppers	0.02	0.02*	1	0.5	0.5	0.01*
Chili peppers	0.02	0.02*	1	0.5	0.5	0.01*
Aubergines	0.02	0.02*	0.5	0.2	0.1*	0.01*
Okra	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
Others	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*

(b) *Cucurbits-edible peel*

Cucumbers	0.02	0.02*	0.5	0.02*	0.1*	0.01*
Gherkins	0.02	0.02*	0.5	0.02*	0.1*	0.01*
Courgettes	0.03	0.02*	0.5	0.02*	0.1*	0.01*
Others	0.01*	0.02*	0.5	0.02*	0.1*	0.01*

(c) *Cucurbits-inedible peel*

Melons	0.01*	0.02*	0.2	0.02*	0.1*	0.01*
Squashes	0.01*	0.02*	0.2	0.02*	0.1*	0.01*
Watermelons	0.01*	0.02*	0.2	0.02*	0.1*	0.01*
Others	0.01*	0.02*	0.2	0.02*	0.1*	0.01*

(d) *Sweet corn*

	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
--	-------	-------	-------	-------	------	-------

(iv) BRASSICA VEGETABLES

(a) *Flowering Brassicas*

Broccoli	0.01*	0.02*	0.02*(13)	0.1 ⁽¹³⁾	0.1*(13)	0.01*
Cauliflower	0.01*	0.02*	0.02*	0.1	0.1*	0.01*
Others	0.01*	0.02*	0.02*	0.1	0.1*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxamyl (applying from 30/12/07)</i>	<i>Paraquat (applying from 21/1/07)</i>	<i>Pymetrozole (applying from 21/4/07)</i>	<i>Pyraclostrobin (applying from 21/4/07)</i>	<i>Triadimefon and Tridimenol (applying from 21/1/07)</i>	<i>Triazophos (applying from 21/1/07)</i>
(b) <i>Head Brassicas</i>							
Brussels sprouts	0.01*	0.02*	0.02*	0.2	0.1*	0.01*	
Head cabbage	0.01*	0.02*	0.05	0.2	0.1*	0.01*	
Others	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*	
(c) <i>Leafy Brassicas</i>							
Chinese cabbage	0.01*	0.02*	0.2	0.02*	0.1*	0.01*	
Kale	0.01*	0.02*	0.2	0.02*	0.1*	0.01*	
Others	0.01*	0.02*	0.2	0.02*	0.1*	0.01*	
(d) <i>Kohlrabi</i>	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*	
(v) LEAF VEGETABLES AND FRESH HERBS							
(a) <i>Lettuce & similar</i>							
Cress	0.01*	0.02*	2	2	0.1*	0.01*	
Lamb's lettuce	0.01*	0.02*	2	2	0.1*	0.01*	
Lettuce	0.01*	0.02*	2	2	0.1*	0.01*	
Scarole	0.01*	0.02*	2 ⁽⁶⁾	2 ⁽⁶⁾	0.1* ⁽⁶⁾	0.01*	
Ruccola	0.01*	0.02*	2	2	0.1*	0.01*	
Leaves and stems of brassica	0.01*	0.02*	2	2	0.1*	0.01*	
Others	0.01*	0.02*	2	2	0.1*	0.01*	
(b) <i>Spinach & similar</i>							
Spinach	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*	
Beet leaves (chard)	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*	
Others	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*	
(c) <i>Watercress</i>	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*	
(d) <i>Witloof</i>	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxamyl (applying from 30/12/07)</i>	<i>Paraquat (applying from 21/1/07)</i>	<i>Pymetrozole (applying from 21/4/07)</i>	<i>Pyraclostrobin (applying from 21/4/07)</i>	<i>Triadimefon and Tridimenol (applying from 21/1/07)</i>	<i>Triazophos (applying from 21/1/07)</i>
(e) Herbs							
Chervil		0.01*	0.02*	1	2	0.1*	0.01*
Chives		0.01*	0.02*	1	2	0.1*	0.01*
Parsley		0.01*	0.02*	1	2	0.1*	0.01*
Celery leaves		0.01*	0.02*	1	2	0.1*	0.01*
Others		0.01*	0.02*	1	2	0.1*	0.01*
(vi) LEGUME VEGETABLES (fresh)							
Beans (with pods)		0.01*	0.02*	1	0.02*	0.1*	0.01*
Beans (without pods)		0.01*	0.02*	1	0.02*	0.1*	0.01*
Peas (with pods)		0.01*	0.02*	1	0.02*	0.1*	0.01*
Peas (without pods)		0.01*	0.02*	1	0.02*	0.1*	0.01*
Others		0.01*	0.02*	1	0.02*	0.1*	0.01*
(vii) STEM VEGETABLES							
Asparagus		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
Cardoons		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
Celery		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
Fennel		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
Globe artichokes		0.01*	0.02*	0.02*	0.02*	1	0.01*
Leeks		0.01*	0.02*	0.02*	0.5	0.1*	0.01*
Rhubarb		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
Others		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
(viii) FUNGI							
(a) <i>Cultivated mushrooms</i>		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
(b) <i>Wild mushrooms</i>		0.01*	0.02*	0.02*	0.02*	0.1*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxamyl (applying from 30/12/07)</i>	<i>Paraquat (applying from 21/1/07)</i>	<i>Pymetrozole (applying from 21/4/07)</i>	<i>Pyraclostrobin (applying from 21/4/07)</i>	<i>Triadimefon and Tridimenol (applying from 21/4/07)</i>	<i>Triazophos (applying from 21/1/07)</i>
3. PULSES							
	Beans	0.01*	0.02*	0.02*	0.3	0.1*	0.01*
	Lentils	0.01*	0.02*	0.02*	0.3	0.1*	0.01*
	Peas	0.01*	0.02*	0.02*	0.3	0.1*	0.01*
	Lupins	0.01*	0.02*	0.02*	0.3	0.1*	0.01*
	Others	0.01*	0.02*	0.02*	0.3	0.1*	0.01*
4. OILSEEDS							
	Linseed	0.02*	0.02*	0.02*	0.02*	0.2*	0.01*
	Peanuts	0.02*	0.02*	0.02*	0.02*	0.2*	0.01*
	Poppy seed	0.02*	0.02*	0.02*	0.02*	0.2*	0.01*
	Sesame seed	0.02*	0.02*	0.02*	0.02*	0.2*	0.01*
	Sunflower seed	0.02*	0.02*	0.02*	0.02*	0.2*	0.01*
	Rape seed	0.02*	0.02*	0.02*	0.02*	0.2*	0.01*
	Soya bean	0.02*	0.02*	0.02*	0.02*	0.2*	0.01*
	Mustard seed	0.02*	0.02*	0.02*	0.02*	0.2*	0.01*
	Cotton seed	0.02*	0.02*	0.05	0.02*	0.2*	0.01*
	Hemp seed	0.02*	0.02*	0.02*	0.02*	0.2*	0.01*
	Others	0.02*	0.02*	0.02*	0.02*	0.2*	0.01*
5. POTATOES							
	Early potatoes	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
	Ware potatoes	0.01*	0.02*	0.02*	0.02*	0.1*	0.01*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.02	0.05*	0.1*	0.05*	0.2*	0.02*
7. HOPS	including (dried) pellets	hop &	0.02	0.05*	15	10	10
							0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxamyl (applying from 30/12/07)</i>	<i>Paraquat (applying from 21/1/07)</i>	<i>Pymetrozole (applying from 21/1/07)</i>	<i>Pyraclostrobin (applying from 21/4/07)</i>	<i>Triadimefon and Tridimenol (applying from 21/4/07)</i>	<i>Triazophos (applying from 21/1/07)</i>
	unconcentrated powder						

8. SPICES

- Cumin seed
- Juniper seed
- Nutmeg
- Pepper, black and white
- Vanilla pods
- Others

9. CEREALS

Wheat	0.01*	0.02*	0.1	0.2	0.02*
Rye	0.01*	0.02*	0.1	0.2	0.02*
Barley	0.01*	0.02*	0.3	0.2	0.02*
Sorghum	0.01*	0.02*	0.02*	0.1*	0.02*
Oats	0.01*	0.02*	0.3	0.2	0.02*
Triticale	0.01*	0.02*	0.1	0.2	0.02*
Maize	0.01*	0.02*	0.02*	0.1*	0.02*
Buckwheat	0.01*	0.02*	0.02*	0.1*	0.02*
Millet	0.01*	0.02*	0.02*	0.1*	0.02*
Rice ⁽¹⁾	0.01*	0.02*	0.02*	0.1*	0.02*
Other cereals	0.01*	0.02*	0.02*	0.1*	0.02*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.01*	0.05*	0.1*	0.01*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.01*	0.01*	0.1*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Oxamyl (applying from 30/12/07)</i>	<i>Paraquat (applying from 21/1/07)</i>	<i>Pymetrozine (applying from 21/1/07)</i>	<i>Pyraclostrobin (applying from 21/4/07)</i>	<i>Triadimefon (applying from 21/4/07)</i>	<i>Triadimenol (applying from 21/1/07)</i>	<i>Triazophos (applying from 21/1/07)</i>
Eggs ⁽⁵⁾				0.01*	0.05*	0.1*	0.01*	

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which are made under section 2(2) of the European Communities Act 1972, amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2006 ([S.R. 2006 No. 220](#) “the principal Regulations”).

The Regulations implement Commission Directives [2006/53/EC](#) (O.J. No. L154, 8.6.2006, p. 11), [2006/59/EC](#) (O.J. No. L175, 29.6.2006, p. 61), [2006/60/EC](#) (O.J. No. L206, 27.7.2006, p. 1) and [2006/61/EC](#) (O.J. No. L206, 27.7.2006, p. 12).

The definition of “the Residues Directives” is updated (regulation 2(2)).

Regulation 2(3) amends Schedule 1, for the entry Deltamethrin.

Regulation 2(4) deletes the columns for the pesticides Carbaryl and Fenitrothion from Part I of Schedule 2.

Regulation 2(5) amends maximum residue levels for Papaya listed under the Benomyl group.

Regulation 2(6) inserts or substitutes new maximum residue levels for a number of pesticides in Part II to Schedule 2 to the principal Regulations.

On the 21st January 2007 the Regulations insert or substitute:

- (a) new residue definitions for pesticides Cyfluthrin and Fenthion in Schedule 1 to the principal Regulations which identifies the pesticide residues that are taken into account in the measuring of residue levels for each pesticide; and
- (b) new maximum residue levels for a number of pesticides in Part II to Schedule 2 to the principal Regulations (regulation 2(9)(b) and (c)).

On the 21st April 2007 maximum residue levels are substituted in Part II to Schedule 2 for residues of the pesticides Glyphosate and Pyraclostrobin (regulation 2(10)).

On the 30th December 2007 the pesticide and residue Oxamyl is inserted into Schedule 1 and new maximum residue levels for this pesticide are inserted into Part II to Schedule 2 (regulation 2(11)).