
STATUTORY RULES OF NORTHERN IRELAND

2007 No. 31

[^{F1}HEALTH AND SAFETY

The Control of Asbestos Regulations (Northern Ireland) 2007

Made - - - - *22nd January 2007*

Coming into operation

*All Regulations except
regulation 20(4)* *1st March 2007*

Regulation 20(4) *6th April 2007*

The Department of Enterprise, Trade and Investment⁽¹⁾, being the Department concerned⁽²⁾ makes the following Regulations in exercise of the powers conferred on it by Articles 17(1) to (6), 20(2), 54(1) and 55(2) of, and paragraphs 1(1) to (4), 2(2), 3, 5, 7 to 10, 12(1) and (3), 13, 14(1), 15 and 19 of Schedule 3 to the Health and Safety at Work (Northern Ireland) Order 1978⁽³⁾ (“the 1978 Order”). It is a Department designated for the purposes of section 2(2) of the European Communities Act 1972⁽⁴⁾ in relation to the regulation and control of classification, packaging and labelling of dangerous substances and preparations⁽⁵⁾, and persistent organic pollutants, dangerous substances, preparations and chemicals⁽⁶⁾. The Regulations give effect without modifications to proposals submitted to it by the Health and Safety Executive for Northern Ireland under Article 13(1A)⁽⁷⁾ of the 1978 Order after the Executive had carried out consultations in accordance with Article 46(3)⁽⁸⁾ of the 1978 Order.

Textual Amendments

F1 Regulations revoked with savings (28.5.2012) by [The Control of Asbestos Regulations \(Northern Ireland\) 2012 \(S.R. 2012/179\)](#), **reg. 33(1)** (with regs. 3(5), 33(3))

-
- (1) Formerly the Department of Economic Development, *see* [S.I. 1982/846 \(N.I. 11\)](#), Article 3 and [S.I. 1999/283 \(N.I. 1\)](#), Article 3(5)
- (2) *See* Article 2(2) of [S.I. 1978/1039](#) (9)
- (3) [S.I. 1978/1039 \(N.I. 9\)](#); the general purposes of Part II referred to in Article 17(1) were extended by [S.I. 1992/1728 \(N.I. 17\)](#), Articles 3(1) and 4(1). Article 55(2) was amended by [S.I. 1998/2795 \(N.I. 18\)](#), Article 6(1) and Schedule 2, paragraph 19
- (4) [1972 c. 68](#); the enabling powers conferred by section 2(2) were extended by virtue of section 1 of the European Economic Area Act 1993 (c. 51)
- (5) [S.I. 1976/897](#)
- (6) [S.I. 2006/608](#)
- (7) Article 13(1) was substituted by [S.I. 1998/2795 \(N.I. 18\)](#), Article 4
- (8) Article 46(3) was amended by [S.I. 1998/2795 \(N.I. 18\)](#), Article 6(1) and Schedule 1, paragraphs 8 and 18

PART 1

PRELIMINARY

Citation and Commencement

1. These Regulations may be cited as the Control of Asbestos Regulations (Northern Ireland) 2007 and shall come into operation on 1st March 2007, except regulation 20(4) which shall come into operation on 6th April 2007.

Commencement Information

II [Reg. 1](#) in operation at 1.3.2007, see [reg. 1](#)

Interpretation

2.—(1) In these Regulations

“adequate” means adequate having regard only to the nature and degree of exposure to asbestos;

“appointed doctor” means a registered medical practitioner appointed for the time being in writing by the Executive for the purpose of these Regulations;

“approved” means approved for the time being in writing by the Executive ;

“asbestos” means the following fibrous silicates—

- (a) asbestos actinolite, CAS No 77536-66-4(*);
- (b) asbestos grunerite (amosite) CAS No 12172-73-5(*);
- (c) asbestos anthophyllite, CAS No 77536-67-5(*);
- (d) chrysotile, CAS No 12001-29-5;
- (e) crocidolite, CAS NO 12001-28-4(*); and
- (f) asbestos tremolite, CAS No 77536-68-6(*),

and references to “CAS” followed by a numerical sequence are references to CAS Registry Numbers assigned to chemicals by the Chemical Abstracts Service, a division of the American Chemical Society;

“the control limit” means a concentration of asbestos in the atmosphere when measured in accordance with the 1997 WHO recommended method, or by a method giving equivalent results to that method approved by the Executive, of 0.1 fibres per cubic centimetre of air averaged over a continuous period of 4 hours;

“control measure” means a measure taken to prevent or reduce exposure to asbestos (including the provision of systems of work and supervision, the cleaning of workplaces, premises, plant and equipment, and the provision and use of engineering controls and personal protective equipment);

“emergency services” include-

- (a) Police, Fire, Rescue and Ambulance services;
- (b) Her Majesty’s Coastguard;

“employment medical adviser” means an employment medical adviser appointed under article 48(3) of the 1978 Order;

“enforcing authority” means the Executive or district council, determined in accordance with the provisions of the Health and Safety (Enforcing Authority) Regulations (Northern Ireland) 1999 (9);

“the Executive” means the Health and Safety Executive for Northern Ireland;

“ISO 17020” means European Standard EN ISO/IEC 17020, “General criteria for the operation of various types of bodies performing inspection” as revised or reissued from time to time and accepted by the Comité Européen de Normalisation Electrotechnique (CEN/CENELEC)(10);

“ISO 17025” means European Standard EN ISO/IEC 17025, “General requirements for the competence of testing and calibration laboratories” as revised or reissued from time to time and accepted by the Comité Européen de Normalisation Electrotechnique (CEN/CENELEC)(11);

“medical examination” includes any laboratory tests and X-rays that a relevant doctor may require;

“personal protective equipment” means all equipment (including clothing) which is intended to be worn or held by a person at work and which protects that person against one or more risks to his health, and any addition or accessory designed to meet that objective;

“relevant doctor” means an appointed doctor or an employment medical adviser;

“risk assessment” means the assessment of risk required by regulation 6(1)(a);

“territorial sea” means the territorial sea of the United Kingdom adjacent to Northern Ireland and “within the territorial sea” includes on, over and under it.

“the 1997 WHO recommended method” means the publication “Determination of airborne fibre concentrations. A recommended method, by phase-contrast optical microscopy (membrane filter method)”, WHO (World Health Organisation), Geneva 1997(12);

(2) For the purposes of these Regulations, except in accordance with regulation 11(3) and (5), in determining whether an employee is exposed to asbestos or whether the extent of such exposure exceeds the control limit, no account shall be taken of respiratory protective equipment which, for the time being, is being worn by that employee.

(3) A reference to work with asbestos in these Regulations shall include—

- (a) work which consists of the removal, repair or disturbance of asbestos or materials containing asbestos;
- (b) work which is ancillary to such work; and
- (c) supervision of such work and such ancillary work.

(4) The Interpretation Act (Northern Ireland) 1954(13) shall apply to these Regulations as it applies to an Act of the Northern Ireland Assembly.

Commencement Information

I2 [Reg. 2](#) in operation at 1.3.2007, see [reg. 1](#)

Application

3.—(1) These Regulations shall apply to a self-employed person as they apply to an employer and an employee and as if that self-employed person were both an employer and an employee.

(9) 1999 No 90, as amended by S.R. 2003 No. 33

(10) The most recent version is Reference number EN ISO/IEC 17020: 2004, accepted by CEN/CENELEC on 15th July 2004

(11) The most recent version is Reference number EN ISO/IEC 17025: 2005, accepted by CEN/CENELEC on 15th March 2005

(12) ISBN 92 4 154496 1

(13) 1954 c. 33 (N.I.)

(2) Subject to paragraph (3), regulations 8 (licensing), 9 (notification of work with asbestos), 15(1) (arrangements to deal with accidents, incidents and emergencies), 18(1)(a) (asbestos areas) and 22 (health records and medical surveillance) shall not apply where—

- (a) the exposure of employees to asbestos is sporadic and of low intensity;
- (b) it is clear from the risk assessment that the exposure of any employee to asbestos will not exceed the control limit; and
- (c) the work involves—
 - (i) short, non-continuous maintenance activities;
 - (ii) removal of materials in which the asbestos fibres are firmly linked in a matrix;
 - (iii) encapsulation or sealing of asbestos-containing materials which are in good condition; or
 - (iv) air monitoring and control, and the collection and analysis of samples to ascertain whether a specific material contains asbestos.

(3) No exposure to asbestos will be sporadic and of low intensity within the meaning of paragraph (2)(a) if the concentration of asbestos in the atmosphere when measured in accordance with the 1997 WHO recommended method or by a method giving equivalent results to that method approved by the Executive exceeds or is liable to exceed the concentration approved in relation to the specified reference period approved for the purposes of this paragraph by the Executive.

(4) Where a duty is placed by these Regulations on an employer in respect of his employees, he shall, so far as is reasonably practicable, be under a like duty in respect of any other person, whether at work or not, who may be affected by the work activity carried out by the employer except that the duties of the employer—

- (a) under regulation 10 (information, instruction and training) shall not extend to persons who are not his employees unless those persons are on the premises where the work is being carried out; and
- (b) under regulation 22 (health records and medical surveillance) shall not extend to persons who are not his employees.

(5) Regulation 17, insofar as it requires an employer to ensure that premises are thoroughly cleaned, shall not apply to—

- (a) the fire and rescue authority for Northern Ireland within the meaning of article 3 of the Fire and Rescue Services (Northern Ireland) Order 2006(14), in respect of premises attended by its employees for the purpose of fighting a fire or in an emergency; or
- (b) the employer of persons who attend a ship in dock premises for the purpose of fighting a fire or in an emergency, in respect of any ship so attended,

and in this paragraph “ship” includes all vessels and hovercraft which operate on water or land and water, and “dock premises” means a dock, wharf, quay, jetty or other place at which ships load or unload goods or embark or disembark passengers, together with neighbouring land or water which is used or occupied, or intended to be used or occupied, for those or incidental activities, and any part of a ship when used for those or incidental activities.

(6) These Regulations shall not apply to the master or crew of a ship or to the employer of such persons in respect of the normal shipboard activities of a ship’s crew which are carried out solely by the crew under the direction of the master, and for the purposes of this paragraph “ship” includes every description of vessel used in navigation, other than a ship forming part of Her Majesty’s Navy.

Commencement Information

I3 Reg. 3 in operation at 1.3.2007, see [reg. 1](#)

PART 2

GENERAL REQUIREMENTS

Duty to manage asbestos in non-domestic premises

4.—(1) In this regulation “the dutyholder” means—

- (a) every person who has, by virtue of a contract or tenancy, an obligation of any extent in relation to the maintenance or repair of non-domestic premises or any means of access thereto or egress therefrom; or
- (b) in relation to any part of non-domestic premises where there is no such contract or tenancy, every person who has, to any extent, control of that part of those non-domestic premises or any means of access thereto or egress therefrom,

and where there is more than one such dutyholder, the relative contribution to be made by each such person in complying with the requirements of this regulation will be determined by the nature and extent of the maintenance and repair obligation owed by that person.

(2) Every person shall co-operate with the dutyholder so far as is necessary to enable the dutyholder to comply with his duties under this regulation.

(3) In order to enable him to manage the risk from asbestos in non-domestic premises, the dutyholder shall ensure that a suitable and sufficient assessment is carried out as to whether asbestos is or is liable to be present in the premises.

(4) In making the assessment—

- (a) such steps as are reasonable in the circumstances shall be taken; and
- (b) the condition of any asbestos which is, or has been assumed to be, present in the premises shall be considered.

(5) Without prejudice to the generality of paragraph (4), the dutyholder shall ensure that—

- (a) account is taken of building plans or other relevant information and of the age of the premises; and
- (b) an inspection is made of those parts of the premises which are reasonably accessible.

(6) The dutyholder shall ensure that the assessment is reviewed forthwith if—

- (a) there is reason to suspect that the assessment is no longer valid; or
- (b) there has been a significant change in the premises to which the assessment relates.

(7) The dutyholder shall ensure that the conclusions of the assessment and every review are recorded.

(8) Where the assessment shows that asbestos is or is liable to be present in any part of the premises the dutyholder shall ensure that—

- (a) a determination of the risk from that asbestos is made;
- (b) a written plan identifying those parts of the premises concerned is prepared; and
- (c) the measures which are to be taken for managing the risk are specified in the written plan.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (9) The measures to be specified in the plan for managing the risk shall include adequate measures for—
- (a) monitoring the condition of any asbestos or any substance containing or suspected of containing asbestos;
 - (b) ensuring any asbestos or any such substance is properly maintained or where necessary safely removed; and
 - (c) ensuring that information about the location and condition of any asbestos or any such substance is—
 - (i) provided to every person liable to disturb it; and
 - (ii) made available to the emergency services.
- (10) The dutyholder shall ensure that—
- (a) the plan is reviewed and revised at regular intervals, and forthwith if—
 - (i) there is reason to suspect that the plan is no longer valid; or
 - (ii) there has been a significant change in the premises to which the plan relates;
 - (b) the measures specified in the plan are implemented; and
 - (c) the measures taken to implement the plan are recorded.
- (11) In this regulation, a reference to—
- (a) “the assessment” is a reference to the assessment required by paragraph (3);
 - (b) “the premises” is a reference to the non-domestic premises referred to in paragraph (1); and
 - (c) “the plan” is a reference to the plan required by paragraph (8).

Commencement Information

I4 [Reg. 4](#) in operation at 1.3.2007, see [reg. 1](#)

Identification of the presence of asbestos

- 5.** An employer shall not undertake work in demolition, maintenance, or any other work which exposes or is liable to expose his employees to asbestos in respect of any premises unless either—
- (a) he has carried out a suitable and sufficient assessment as to whether asbestos, what type of asbestos, contained in what material and in what condition is present or is liable to be present in those premises; or
 - (b) if there is doubt as to whether asbestos is present in those premises he—
 - (i) assumes that asbestos is present, and that it is not chrysotile alone; and
 - (ii) observes the applicable provisions of these Regulations.

Commencement Information

I5 [Reg. 5](#) in operation at 1.3.2007, see [reg. 1](#)

Assessment of work which exposes employees to asbestos

- 6.—(1)** An employer shall not carry out work which is liable to expose his employees to asbestos unless he has—

- (a) made a suitable and sufficient assessment of the risk created by that exposure to the health of those employees and of the steps that need to be taken to meet the requirements of these Regulations;
 - (b) recorded the significant findings of that risk assessment as soon as is practicable after the risk assessment is made; and
 - (c) implemented the steps referred to in sub-paragraph (a).
- (2) Without prejudice to the generality of paragraph (1), the risk assessment shall—
- (a) subject to regulation 5, identify the type of asbestos to which employees are liable to be exposed;
 - (b) determine the nature and degree of exposure which may occur in the course of the work;
 - (c) consider the effects of control measures which have been or will be taken in accordance with regulation 11;
 - (d) consider the results of monitoring of exposure in accordance with regulation 19;
 - (e) set out the steps to be taken to prevent that exposure or reduce it to the lowest level reasonably practicable;
 - (f) consider the results of any medical surveillance that is relevant; and
 - (g) include such additional information as the employer may need in order to complete the risk assessment.
- (3) The risk assessment shall be reviewed regularly and forthwith if—
- (a) there is reason to suspect that the existing risk assessment is no longer valid;
 - (b) there is a significant change in the work to which the risk assessment relates; or
 - (c) the results of any monitoring carried out pursuant to regulation 19 show it to be necessary,
- and where, as a result of the review, changes to the risk assessment are required, those changes shall be made and, where they relate to the significant findings of the risk assessment or are themselves significant, recorded.
- (4) Where, in accordance with the requirement in paragraph (2)(b), the risk assessment has determined that the exposure of his employees to asbestos may exceed the control limit, the employer shall keep a copy of the significant findings of the risk assessment at those premises at which, and for such time as, the work to which that risk assessment relates is being carried out.

Commencement Information

16 [Reg. 6](#) in operation at 1.3.2007, see [reg. 1](#)

Plans of work

7.—(1) An employer shall not undertake any work with asbestos unless he has prepared a suitable written plan of work detailing how that work is to be carried out.

(2) The employer shall keep a copy of the plan of work at those premises at which the work to which the plan relates is being carried out for such time as that work continues.

(3) In cases of final demolition or major refurbishment of premises, the plan of work shall, so far as is reasonably practicable, and unless it would cause a greater risk to employees than if the asbestos had been left in place, specify that asbestos shall be removed before any other major works begin.

(4) The plan of work shall include in particular details of—

- (a) the nature and probable duration of the work;

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (b) the location of the place where the work is to be carried out;
 - (c) the methods to be applied where the work involves the handling of asbestos or materials containing asbestos;
 - (d) the characteristics of the equipment to be used for—
 - (i) protection and decontamination of those carrying out the work; and
 - (ii) protection of other persons on or near the worksite;
 - (e) the measures which the employer intends to take in order to comply with the requirements of regulation 11; and
 - (f) the measures which the employer intends to take in order to comply with the requirements of regulation 17.
- (5) The employer shall ensure, so far as is reasonably practicable, that the work to which the plan of work relates is carried out in accordance with that plan and any subsequent written changes to it.

Commencement Information

I7 Reg. 7 in operation at 1.3.2007, see **reg. 1**

Licensing of work with asbestos

8.—(1) Subject to regulation 3(2), an employer shall not undertake any work with asbestos unless he holds a licence granted under paragraph (2) of this regulation.

(2) The Executive may grant a licence for work with asbestos if it considers it appropriate to do so and—

- (a) the person who wishes the licence to be granted to him has made application for it on a form approved for the purposes of this regulation by the Executive; and
- (b) the application was made at least 28 days before the date from which the licence is to run, or such shorter period as the Executive may allow.

(3) A licence under this regulation—

- (a) shall come into operation on the date specified in the licence, and shall be valid for any period up to a maximum of three years that the Executive may specify in it; and
- (b) may be granted subject to such conditions as the Executive may consider appropriate.

(4) The Executive may vary the terms of a licence under this regulation if it considers it appropriate to do so and in particular may—

- (a) add further conditions and vary or omit existing ones; and
- (b) reduce the period for which the licence is valid or extend that period up to a maximum of three years from the date on which the licence first came into operation.

(5) The Executive may revoke a licence under this regulation if it considers it appropriate to do so.

[^{F2}5A) This paragraph applies to the following actions in relation to a licence under this regulation, that is to say—

- (a) the refusal to grant the licence;
- (b) the specification of any maximum period of validity for the licence where that period is less than 3 years;
- (c) making the grant of the licence subject to any conditions;
- (d) the variation or refusal to vary the terms of a licence under paragraph (4); or

(e) the revocation of the licence.

(5B) The Executive shall not take any action to which paragraph (5A) applies unless it has followed the procedure set out in Chapter II of the model rules as if—

- (a) the Executive were an enforcement officer; and
- (b) the action were an enforcement action,

for the purposes of those rules.

(5C) Any person aggrieved by an action of the Executive to which paragraph (5A) applies may appeal against that action to a Tribunal and Chapter I of the model rules shall apply for the purposes of such an appeal as if—

- (a) the Executive were an Authority;
- (b) the Department were the responsible Department; and
- (c) the action in question were an enforcement action,

for the purposes of those rules.

(5D) For the purposes of paragraphs (5B) and (5C), the model rules are those set out in the Schedule to the Deregulation (Model Appeal Provisions) Order (Northern Ireland) 1997 and for the purposes of paragraph (5C), the Tribunal is a Tribunal appointed in accordance with Chapter I of those model rules.]

(6) The holder of a licence under this regulation shall return the licence to the Executive—

- (a) when required by the Executive for any amendment; or
- (b) following its revocation.

Textual Amendments

F2 [Reg. 8\(5A\)-\(5C\)](#) substituted for [Reg. 8\(5A\)-\(5D\)](#) (14.6.2010) by [The Control of Asbestos \(Amendment\) Regulations \(Northern Ireland\) 2010](#) (S.R. 2010/187), [reg. 2](#) (with [Sch. 36 para. 51](#))

Commencement Information

I8 [Reg. 8](#) in operation at 1.3.2007, see [reg. 1](#)

Notification of work with asbestos

9.—(1) Subject to regulation 3(2), an employer shall not undertake any work with asbestos unless he has notified the appropriate office of the enforcing authority in writing of the particulars specified in Schedule 1 at least 14 days before commencing that work or such shorter time before as the enforcing authority may agree.

(2) Where an employer has notified work in accordance with paragraph (1) and there is a material change in that work which might affect the particulars so notified (including the cessation of the work), the employer shall forthwith notify the appropriate office of the enforcing authority in writing of that change.

Commencement Information

I9 [Reg. 9](#) in operation at 1.3.2007, see [reg. 1](#)

Information, instruction and training

10.—(1) Every employer shall ensure that adequate information, instruction and training is given to those of his employees—

- (a) who are or who are liable to be exposed to asbestos, or who supervise such employees, so that they are aware of—
 - (i) the properties of asbestos and its effects on health, including its interaction with smoking;
 - (ii) the types of products or materials likely to contain asbestos;
 - (iii) the operations which could result in asbestos exposure and the importance of preventive controls to minimise exposure;
 - (iv) safe work practices, control measures, and protective equipment;
 - (v) the purpose, choice, limitations, proper use and maintenance of respiratory protective equipment;
 - (vi) emergency procedures;
 - (vii) hygiene requirements;
 - (viii) decontamination procedures;
 - (ix) waste handling procedures;
 - (x) medical examination requirements; and
 - (xi) the control limit and the need for air monitoring;in order to safeguard themselves and other employees; and
- (b) who carry out work in connection with the employer's duties under these Regulations, so that they can carry out that work effectively.

(2) The information, instruction and training required by paragraph (1) shall be—

- (a) given at regular intervals;
- (b) adapted to take account of significant changes in the type of work carried out or methods of work used by the employer; and
- (c) provided in a manner appropriate to the nature and degree of exposure identified by the risk assessment, and so that the employees are aware of—
 - (i) the significant findings of the risk assessment; and
 - (ii) the results of any air monitoring carried out with an explanation of the findings.

Commencement Information

I10 Reg. 10 in operation at 1.3.2007, see [reg. 1](#)

Prevention or reduction of exposure to asbestos

11.—(1) Every employer shall—

- (a) prevent the exposure of his employees to asbestos so far as is reasonably practicable;
- (b) where it is not reasonably practicable to prevent such exposure—
 - (i) take the measures necessary to reduce the exposure of his employees to asbestos to the lowest level reasonably practicable by measures other than the use of respiratory protective equipment; and

(ii) ensure that the number of his employees who are exposed to asbestos at any one time is as low as is reasonably practicable.

(2) Where it is not reasonably practicable for the employer to prevent the exposure of his employees to asbestos in accordance with paragraph (1)(a), the measures referred to in paragraph (1)(b)(i) shall include, in order of priority—

- (a) the design and use of appropriate work processes, systems and engineering controls and the provision and use of suitable work equipment and materials in order to avoid or minimise the release of asbestos; and
- (b) the control of exposure at source, including adequate ventilation systems and appropriate organisational measures,

and the employer shall so far as is reasonably practicable provide the employees concerned with suitable respiratory protective equipment in addition to the measures required by sub-paragraphs (a) and (b).

(3) Where it is not reasonably practicable to reduce the exposure of an employee to asbestos to below the control limit by the measures referred to in paragraph (1)(b)(i), then, in addition to taking those measures, the employer shall provide that employee with suitable respiratory protective equipment which will reduce the concentration of asbestos in the air inhaled by the employee (after taking account of the effect of that respiratory protective equipment) to a concentration which is—

- (a) below the control limit and
- (b) is as low as is reasonably practicable.

(4) Personal protective equipment provided by an employer in accordance with this regulation or with regulation 14(1) shall be suitable for its purpose and shall—

- (a) comply with any provision of the Personal Protective Equipment Regulations 2002(15) which is applicable to that item of personal protective equipment; or
- (b) in the case of respiratory protective equipment, where no provision referred to in sub-paragraph (a) applies, be of a type approved or shall conform to a standard approved, in either case, by the Executive.

(5) The employer shall—

- (a) ensure that no employee is exposed to asbestos in a concentration in the air inhaled by that worker which exceeds the control limit; or
- (b) if the control limit is exceeded—
 - (i) forthwith inform any employees concerned and their representatives and ensure that work does not continue in the affected area until adequate measures have been taken to reduce employees' exposure to asbestos to below the control limit;
 - (ii) as soon as is reasonably practicable identify the reasons for the control limit being exceeded and take the appropriate measures to prevent it being exceeded again, and
 - (iii) check the effectiveness of the measures taken pursuant to sub-paragraph (ii) by carrying out immediate air monitoring.

Commencement Information

111 Reg. 11 in operation at 1.3.2007, see [reg. 1](#)

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Use of control measures etc.

12.—(1) Every employer who provides any control measure, other thing or facility pursuant to these Regulations shall take all reasonable steps to ensure that it is properly used or applied as the case may be.

(2) Every employee shall make full and proper use of any control measure, other thing or facility provided pursuant to these Regulations and, where relevant, shall—

- (a) take all reasonable steps to ensure that it is returned after use to any accommodation provided for it; and
- (b) if he discovers a defect therein report it forthwith to his employer.

Commencement Information

I12 [Reg. 12](#) in operation at 1.3.2007, see [reg. 1](#)

Maintenance of control measures etc.

13.—(1) Every employer who provides any control measure to meet the requirements of these Regulations shall ensure that—

- (a) in the case of plant and equipment, including engineering controls and personal protective equipment, it is maintained in an efficient state, in efficient working order, in good repair and in a clean condition; and
- (b) in the case of provision of systems of work and supervision and of any other measure, it is reviewed at suitable intervals and revised if necessary.

(2) Where exhaust ventilation equipment or respiratory protective equipment (except disposable respiratory protective equipment) is provided to meet the requirements of these Regulations, the employer shall ensure that thorough examinations and tests of that equipment are carried out at suitable intervals by a competent person.

(3) Every employer shall keep a suitable record of the examinations and tests carried out in accordance with paragraph (2) and of repairs carried out as a result of those examinations and tests, and that record or a suitable summary thereof shall be kept available for at least 5 years from the date on which it was made.

Commencement Information

I13 [Reg. 13](#) in operation at 1.3.2007, see [reg. 1](#)

Provision and cleaning of protective clothing

14.—(1) Every employer shall provide adequate and suitable protective clothing for such of his employees as are exposed or are liable to be exposed to asbestos, unless no significant quantity of asbestos is liable to be deposited on the clothes of the employee while he is at work.

(2) The employer shall ensure that protective clothing provided in pursuance of paragraph (1) is either disposed of as asbestos waste or adequately cleaned at suitable intervals.

(3) The cleaning required by paragraph (2) shall be carried out either on the premises where the exposure to asbestos has occurred, where those premises are suitably equipped for such cleaning, or in a suitably equipped laundry.

(4) The employer shall ensure that protective clothing which has been used and is to be removed from the premises referred to in paragraph (3) (whether for cleaning, further use or disposal) is

packed, before being removed, in a suitable receptacle which shall be labelled in accordance with the provisions of Schedule 2 as if it were a product containing asbestos or, in the case of protective clothing intended for disposal as waste, in accordance with regulation 24(3).

(5) Where, as a result of the failure or improper use of the protective clothing provided in pursuance of paragraph (1), a significant quantity of asbestos is deposited on the personal clothing of an employee, then for the purposes of paragraphs (2), (3) and (4) that personal clothing shall be treated as if it were protective clothing.

Commencement Information

I14 [Reg. 14](#) in operation at 1.3.2007, see [reg. 1](#)

Arrangements to deal with accidents, incidents and emergencies

15.—(1) Subject to regulation 3(2) and to paragraph (3) of this regulation, and without prejudice to the relevant provisions of the Management of Health and Safety at Work Regulations (Northern Ireland) 2000(16), in order to protect the health of his employees from an accident, incident or emergency related to the use of asbestos in a work process or to the removal or repair of asbestos-containing materials at the workplace, the employer shall ensure that—

- (a) procedures, including the provision of relevant safety drills (which shall be tested at regular intervals), have been prepared which can be put into effect when such an event occurs;
- (b) information on emergency arrangements, including—
 - (i) details of relevant work hazards and hazard identification arrangements; and
 - (ii) specific hazards likely to arise at the time of an accident, incident or emergency, is available; and
- (c) suitable warning and other communication systems are established to enable an appropriate response, including remedial actions and rescue operations, to be made immediately when such an event occurs.

(2) The employer shall ensure that information on the procedure and systems required by paragraph (1)(a) and (c) and the information required by paragraph (1)(b) is—

- (a) made available to the relevant emergency services to enable those services, whether internal or external to the workplace, to prepare their own response procedures and precautionary measures; and
- (b) displayed at the workplace, if this is appropriate.

(3) Paragraph (1) shall not apply where—

- (a) the results of the risk assessment show that, because of the quantity of asbestos present at the workplace, there is only a slight risk to the health of employees; and
- (b) the measures taken by the employer to comply with the duty under regulation 11(1) are sufficient to control that risk.

(4) In the event of an accident, incident or emergency related to the unplanned release of asbestos at the workplace, the employer shall ensure that—

- (a) immediate steps are taken to—
 - (i) mitigate the effects of the event;
 - (ii) restore the situation to normal; and

(16) S.R. 2000 No. 388, as amended by S.R. 2003 No. 454

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

- (iii) inform any person who may be affected; and
- (b) only those persons who are responsible for the carrying out of repairs and other necessary work are permitted in the affected area and they are provided with—
 - (i) appropriate respiratory protective equipment and protective clothing, and
 - (ii) any necessary specialised safety equipment and plant;
 which shall be used until the situation is restored to normal.

Commencement Information

I15 [Reg. 15](#) in operation at 1.3.2007, see [reg. 1](#)

Duty to prevent or reduce the spread of asbestos

16. Every employer shall prevent or, where this is not reasonably practicable, reduce to the lowest level reasonably practicable the spread of asbestos from any place where work under his control is carried out.

Commencement Information

I16 [Reg. 16](#) in operation at 1.3.2007, see [reg. 1](#)

Cleanliness of premises and plant

17. Every employer who undertakes work which exposes or is liable to expose his employees to asbestos shall ensure that—

- (a) the premises, or those parts of the premises where that work is carried out, and the plant used in connection with that work are kept in a clean state; and
- (b) where such work has been completed, the premises, or those parts of the premises where the work was carried out, are thoroughly cleaned.

Commencement Information

I17 [Reg. 17](#) in operation at 1.3.2007, see [reg. 1](#)

Designated areas

18.—(1) Every employer shall ensure that any area in which work under his control is carried out is designated as—

- (a) an asbestos area, subject to regulation 3(2), where any employee would be liable to be exposed to asbestos in that area;
- (b) a respirator zone where the concentration of asbestos fibres in the air in that area would exceed or would be liable to exceed the control limit.

(2) Asbestos areas and respirator zones shall be clearly and separately demarcated and identified by notices indicating—

- (a) that the area is an asbestos area or a respirator zone or both, as the case may be; and
- (b) in the case of a respirator zone, that the exposure of an employee who enters it is liable to exceed the control limit and that respiratory protective equipment must be worn.

(3) The employer shall not permit any employee, other than an employee who by reason of his work is required to be in an area designated as an asbestos area or a respirator zone, to enter or remain in any such area and only employees who are so permitted shall enter or remain in any such area.

(4) Every employer shall ensure that only competent employees shall—

- (a) enter a respirator zone; and
- (b) supervise any employees who enter a respirator zone,

and for the purposes of this paragraph a competent employee means an employee who has received adequate information, instruction and training.

(5) Every employer shall ensure that—

- (a) his employees do not eat, drink or smoke in an area designated as an asbestos area or a respirator zone; and
- (b) arrangements are made for such employees to eat or drink in some other place.

Commencement Information

I18 [Reg. 18](#) in operation at 1.3.2007, see [reg. 1](#)

Air monitoring

19.—(1) Subject to paragraph (2), every employer shall monitor the exposure of his employees to asbestos by measurement of asbestos fibres present in the air—

- (a) at regular intervals; and
- (b) when a change occurs which may affect that exposure.

(2) Paragraph (1) shall not apply where—

- (a) the exposure of an employee is not liable to exceed the control limit; or
- (b) the employer is able to demonstrate by another method of evaluation that the requirements of regulation 11(1) and (5) have been complied with.

(3) The employer shall keep a suitable record of—

- (a) monitoring carried out in accordance with paragraph (1); or
- (b) where he decides that monitoring is not required because paragraph 2(b) applies, the reason for that decision.

(4) The record required by paragraph (3), or a suitable summary thereof, shall be kept—

- (a) in a case where exposure is such that a health record is required to be kept under regulation 22 for at least 40 years; or
- (b) in any other case, for at least 5 years,

from the date of the last entry made in it.

(5) In relation to the record required by paragraph (3), the employer shall—

- (a) on reasonable notice being given, allow an employee access to his personal monitoring record;
- (b) provide the Executive with copies of such monitoring records as the Executive may require; and
- (c) if he ceases to trade, notify the Executive forthwith in writing and make available to the Executive all monitoring records kept by him.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

Commencement Information

I19 [Reg. 19](#) in operation at 1.3.2007, see [reg. 1](#)

Standards for air testing and site clearance certification

20.—(1) In paragraph (4) “site clearance certificate for reoccupation” means a certificate issued to confirm that premises or parts of premises where work with asbestos has been carried out have been thoroughly cleaned upon completion of that work in accordance with regulation 17(b).

(2) Every employer who carries out any measurement of the concentration of asbestos fibres present in the air shall ensure that he meets criteria equivalent to those set out in the paragraphs of ISO 17025 which cover organisation, quality systems, control of records, personnel, accommodation and environmental conditions, test and calibration methods, method validation, equipment, handling of test and calibration items, and reporting results.

(3) Every employer who requests a person to carry out any measurement of the concentration of asbestos fibres present in the air shall ensure that that person is accredited by an appropriate body as competent to perform work in compliance with ISO 17025.

(4) Every employer who requests a person to assess whether premises or parts of premises where work with asbestos has been carried out have been thoroughly cleaned upon completion of that work and are suitable for reoccupation such that a site clearance certificate for reoccupation can be issued shall ensure that that person is accredited by an appropriate body as competent to perform work in compliance with the paragraphs of ISO 17020 and ISO 17025 which cover organisation, quality systems, control of records, personnel, accommodation and environmental conditions, test and calibration methods, method validation, equipment, handling of test and calibration items, and reporting results.

(5) Paragraphs (2) and (3) shall not apply to work carried out in a laboratory for the purposes only of research.

Commencement Information

I20 [Reg. 20](#) in operation at 1.3.2007, see [reg. 1](#)

I21 [Reg. 20\(4\)](#) in operation at 6.4.2007, see [reg. 1](#)

Standards for analysis

21.—(1) Every employer who analyses a sample of any material to determine whether it contains asbestos shall ensure that he meets criteria equivalent to those set out in the paragraphs of ISO 17025 which cover organisation, quality systems, control of records, personnel, accommodation and environmental conditions, test and calibration methods, method validation, equipment, handling of test and calibration items, and reporting results.

(2) Every employer who requests a person to analyse a sample of any material taken to determine whether it contains asbestos shall ensure that that person is accredited by an appropriate body as competent to perform work in compliance with ISO 17025.

(3) Paragraphs (1) and (2) shall not apply to work carried out in a laboratory for the purposes only of research.

Commencement Information

I22 Reg. 21 in operation at 1.3.2007, see **reg. 1**

Health records and medical surveillance

- 22.**—(1) Subject to regulation 3(2), every employer shall ensure that—
- (a) a health record, containing particulars approved by the Executive, relating to each of his employees who is exposed to asbestos is maintained; and
 - (b) that record or a copy thereof is kept available in a suitable form for at least 40 years from the date of the last entry made in it.
- (2) Subject to regulation 3(2), every employer shall ensure that each of his employees who is exposed to asbestos is under adequate medical surveillance by a relevant doctor.
- (3) The medical surveillance required by paragraph (2) shall include—
- (a) a medical examination not more than 2 years before the beginning of such exposure; and
 - (b) periodic medical examinations at intervals of not more than 2 years or such shorter time as the relevant doctor may require while such exposure continues,
- and each such medical examination shall include a specific examination of the chest.
- (4) Where an employee has been examined in accordance with paragraph (3), the relevant doctor shall issue a certificate to the employer and employee stating—
- (a) that the employee has been so examined; and
 - (b) the date of the examination,
- and the employer shall keep that certificate or a copy thereof for at least 4 years from the date on which it was issued.
- (5) An employee to whom this regulation applies shall, when required by his employer and at the cost of the employer, present himself during his working hours for such examination and tests as may be required for the purposes of paragraph (3) and shall furnish the relevant doctor with such information concerning his health as the relevant doctor may reasonably require.
- (6) Where, for the purpose of carrying out his functions under these Regulations, a relevant doctor requires to inspect any record kept for the purposes of these Regulations, the employer shall permit him to do so.
- (7) Where medical surveillance is carried out on the premises of the employer, the employer shall ensure that suitable facilities are made available for the purpose.
- (8) The employer shall—
- (a) on reasonable notice being given, allow an employee access to his personal health record;
 - (b) provide the Executive with copies of such personal health records as the Executive may require; and
 - (c) if he ceases to trade, notify the Executive forthwith in writing and make available to the Executive all personal health records kept by him.
- (9) Where, as a result of medical surveillance, an employee is found to have an identifiable disease or adverse health effect which is considered by a relevant doctor to be the result of exposure to asbestos at work the employer of that employee shall—
- (a) ensure that a suitable person informs the employee accordingly and provides the employee with information and advice regarding further medical surveillance;
 - (b) review the risk assessment;

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (c) review any measure taken to comply with regulation 11 taking into account any advice given by a relevant doctor or by the Executive;
- (d) consider assigning the employee to alternative work where there is no risk of further exposure to asbestos, taking into account any advice given by a relevant doctor; and
- (e) provide for a review of the health of every other employee who has been similarly exposed, including a medical examination (which shall include a specific examination of the chest) where such an examination is recommended by a relevant doctor or by the Executive.

Commencement Information

I23 [Reg. 22](#) in operation at 1.3.2007, see [reg. 1](#)

Washing and changing facilities

23.—(1) Every employer shall ensure that, for any of his employees who is exposed or liable to be exposed to asbestos, there are provided—

- (a) adequate washing and changing facilities;
 - (b) where he is required to provide protective clothing, adequate facilities for the storage of—
 - (i) that protective clothing; and
 - (ii) personal clothing not worn during working hours; and
 - (c) where he is required to provide respiratory protective equipment, adequate facilities for the storage of that equipment.
- (2) The facilities provided under paragraph (1) for the storage of—
- (a) personal protective clothing;
 - (b) personal clothing not worn during working hours; and
 - (c) respiratory protective equipment,

shall be separate from each other.

Commencement Information

I24 [Reg. 23](#) in operation at 1.3.2007, see [reg. 1](#)

Storage, distribution and labelling of raw asbestos and asbestos waste

24.—(1) Every employer who undertakes work with asbestos shall ensure that raw asbestos or waste which contains asbestos is not—

- (a) stored;
- (b) received into or despatched from any place of work; or
- (c) distributed within any place of work, except in a totally enclosed distribution system,

unless it is in a sealed receptacle, or where more appropriate, sealed wrapping, clearly marked in accordance with paragraphs (2) and (3) showing that it contains asbestos.

- (2) Raw asbestos shall be labelled in accordance with the provisions of Schedule 2.
- (3) Waste containing asbestos shall be labelled—

- (a) where the Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations (Northern Ireland) [^{F3}2010](17) apply, in accordance with those Regulations; and
- (b) in any other case in accordance with the provisions of Schedule 2.

Textual Amendments

F3 Reg. 24(3)(a) text amended (19.5.2010) by The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations (Northern Ireland) 2010 (S.R. 2010/160), Sch. 5

Commencement Information

I25 Reg. 24 in operation at 1.3.2007, see reg. 1

PART 3

PROHIBITIONS AND RELATED PROVISIONS

Interpretation of prohibitions

25.—(1) In this Part—

^{F4}
...

“asbestos spraying” means the application by spraying of any material containing asbestos to form a continuous surface coating;

“extraction of asbestos” means the extraction by mining or otherwise of asbestos as the primary product of such extraction, but shall not include extraction which produces asbestos as a by-product of the primary activity of extraction;

“supply” means supply by way of sale, lease, hire, hire-purchase, loan, gift or exchange for a consideration other than money, whether (in all cases) as principal or as agent for another; and

^{F4}
...

(a)

(b)

(2) Any prohibition imposed on any person by this Part shall apply only to acts done in the course of a trade, business or other undertaking (whether for profit or not) carried on by him.

^{F5}(3)

(4) Where in this Part it is stated that asbestos has intentionally been added to a product or is intentionally added, it will be presumed where—

(a) asbestos is present in any product; and

(b) asbestos is not a naturally occurring impurity of that product, or of any component or constituent thereof,

that the asbestos has intentionally been added or is intentionally added, as the case may be, subject to evidence to the contrary being adduced in any proceedings.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Textual Amendments

F4 Words in [reg. 25\(1\)](#) omitted (1.12.2008) by virtue of [The REACH Enforcement Regulations 2008 \(S.I. 2008/2852\)](#), [Sch. 10 Pt. 5 para. 8](#)

F5 [Reg. 25\(3\)](#) revoked (1.6.2009) by [The REACH Enforcement Regulations 2008 \(S.I. 2008/2852\)](#), [Sch. 10 Pt. 4](#)

Commencement Information

I26 [Reg. 25](#) in operation at 1.3.2007, see [reg. 1](#)

Prohibitions of exposure to asbestos

- 26.**—(1) No person shall undertake asbestos spraying or working procedures that involve using low-density (less than 1g/cm³) insulating or soundproofing materials which contain asbestos.
- (2) Every employer shall ensure that no employees are exposed to asbestos during the extraction of asbestos.
- (3) Every employer shall ensure that no employees are exposed to asbestos during the manufacture of asbestos products or of products containing intentionally added asbestos.
- (4) In the case of chrysotile only, the prohibition in paragraph (3) is subject to the exception in paragraph 2 of Schedule 3.

Commencement Information

I27 [Reg. 26](#) in operation at 1.3.2007, see [reg. 1](#)

Prohibition of the supply of asbestos

^{F6}**27.**

Textual Amendments

F6 [Reg. 27](#) revoked (1.6.2009) by [The REACH Enforcement Regulations 2008 \(S.I. 2008/2852\)](#), [Sch. 10 Pt. 4](#)

Prohibition of the use of asbestos

^{F7}**28.**

Textual Amendments

F7 [Reg. 28](#) revoked (1.6.2009) by [The REACH Enforcement Regulations 2008 \(S.I. 2008/2852\)](#), [Sch. 10 Pt. 4](#)

Labelling of products containing asbestos

29.—(1) Subject to paragraph (2), a person shall not supply under an exception in Schedule 3 or an exemption granted pursuant to regulation 31 or regulation 32 a product which contains asbestos unless that product is labelled in accordance with the provisions of Schedule 2.

(2) Where a component of a product contains asbestos, it shall be sufficient compliance with this regulation if that component is labelled in accordance with the provisions of Schedule 2 except that where the size of that component makes it impossible for a label to be fixed to it neither that component nor the product need be labelled.

Commencement Information

I28 Reg. 29 in operation at 1.3.2007, see **reg. 1**

Additional provisions in the case of exceptions and exemptions

30.—(1) Where under an exception in Schedule 3 or an exemption granted pursuant to regulation 31 or regulation 32 asbestos is used in a work process or is produced by a work process, the employer shall ensure that the quantity of asbestos and materials containing asbestos at the premises where the work is carried out is reduced to as low a level as is reasonably practicable.

(2) Subject to paragraph (3), where under an exception in Schedule 3 or an exemption granted pursuant to regulation 31 or regulation 32 a manufacturing process which gives rise to asbestos dust is carried out in a building, the employer shall ensure that any part of the building in which the process is carried out is—

- (a) so designed and constructed as to facilitate cleaning; and
- (b) is equipped with an adequate and suitable vacuum cleaning system which shall, where reasonably practicable, be a fixed system.

(3) Paragraph 2(a) shall not apply to a building in which, prior to 25th April 1988, there was carried out a process to which either—

- (a) as then in operation, regulation 13 of the Asbestos Regulations (Northern Ireland) 1969(18) applied and the process was carried out in compliance with that regulation; or
- (b) that regulation did not apply.

Commencement Information

I29 Reg. 30 in operation at 1.3.2007, see **reg. 1**

PART 4
MISCELLANEOUS

Exemption certificates

31.—(1) Subject to paragraph (4), the Executive may, by a certificate in writing, exempt any person or class of persons or any product containing asbestos or class of such products from all or any of the requirements or prohibitions imposed by regulations 4, 8, 12, 13, 21 and 22(5) to (7) and any such exemption may be granted subject to conditions and to a limit of time and may be varied or revoked by a further certificate in writing at any time.

^{F8}(2)

(3) Subject to paragraph (4), the Executive may exempt emergency services from all or any of the requirements or prohibitions imposed by regulations 7 and 9 and any such exemption may be granted

(18) 1969 No. 337—revoked by S.R. 1988 No. 74

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

subject to conditions and to a limit of time and may be varied or revoked by a further certificate in writing at any time.

(4) The Executive shall not grant any exemption under paragraph (1), (2) or (3) unless having regard to the circumstances of the case and in particular to—

- (a) the conditions, if any, which it proposes to attach to the exemption; and
- (b) any other requirements imposed by or under any enactments which apply to the case,

it is satisfied that the health or safety of persons who are likely to be affected by the exemption will not be prejudiced in consequence of it.

Textual Amendments

F8 [Reg. 31\(2\)](#) revoked (1.6.2009) by [The REACH Enforcement Regulations 2008 \(S.I. 2008/2852\)](#), [Sch. 10 Pt. 4](#)

Commencement Information

I30 [Reg. 31](#) in operation at 1.3.2007, see [reg. 1](#)

Exemptions relating to the Ministry of Defence

32. The Secretary of State for Defence may, in the interests of national security, exempt any person or class of persons from [^{F9}the prohibition] imposed by Part 3 of these Regulations by a certificate in writing, and any such exemption may be granted subject to conditions and to a limit of time and may be varied or revoked by a further certificate in writing at any time.

Textual Amendments

F9 Words in [reg. 32](#) omitted and substituted (1.12.2008) by virtue of [The REACH Enforcement Regulations 2008 \(S.I. 2008/2852\)](#), [Sch. 10 Pt. 5 para. 9](#)

Commencement Information

I31 [Reg. 32](#) in operation at 1.3.2007, see [reg. 1](#)

Application within the territorial sea

33. Within the territorial sea these Regulations shall apply only to and in relation to the premises and activities to which any of paragraphs 2 to 6 of Schedule 4 applies.

Commencement Information

I32 [Reg. 33](#) in operation at 1.3.2007, see [reg. 1](#)

Existing Licences and Exemption Certificates.

34.—(1) An existing licence issued by the Executive under regulation 4(1) of the Asbestos (Licensing) Regulations (Northern Ireland) 1984⁽¹⁹⁾ shall—

- (a) continue to have effect as if it had been granted under regulation 8(2) of these Regulations;

⁽¹⁹⁾ 1984 No. 205, as amended by [S.R. 2000 No.100](#)

- (b) be of the duration and subject to the conditions specified in it as if that duration and those conditions had been specified under regulation 8(3); and
- (c) be liable to variation and revocation under regulation 8(4) and (5),

and any requirement in such a licence concerning notification and any exception to such a requirement shall have effect as a requirement for notification under regulation 9 of and as an exception to such a requirement under regulation 3(2) of these Regulations.

(2) An existing exemption granted by the Executive under regulation 7(1) of the Asbestos (Licensing) Regulations (Northern Ireland) 1984, regulation 7(1) of the Asbestos (Prohibitions) Regulations (Northern Ireland) 1993⁽²⁰⁾, or regulation 25(1) of the Control of Asbestos at Work Regulations (Northern Ireland) 2003⁽²¹⁾ shall continue to have effect and be subject to any limitation of time or any conditions specified in it and liable to revocation as if it had been granted under regulation 31(1)^{F10} ... or (3) of these Regulations.

(3) An existing exemption granted by the Secretary of State for Defence under regulation 7(3) of the Asbestos (Prohibitions) Regulations (Northern Ireland) 1993 shall continue to have effect and be subject to any limitation of time or any conditions specified in it and liable to revocation as if it had been granted under regulation 32 of these Regulations.

Textual Amendments

F10 Words in [reg. 34\(2\)](#) omitted (1.12.2008) by virtue of [The REACH Enforcement Regulations 2008 \(S.I. 2008/2852\)](#), [Sch. 10 Pt. 5 para. 10](#)

Commencement Information

I33 [Reg. 34](#) in operation at 1.3.2007, see [reg. 1](#)

Revocations, amendments and savings

35.—(1) The revocations listed in Schedule 5 shall have effect.

(2) The amendments listed in Schedule 6 shall have effect.

(3) Any record or register required to be kept under any Regulations revoked either by paragraph (1) or by regulation 27(1) of the Control of Asbestos at Work Regulations (Northern Ireland) 2003 shall, notwithstanding that revocation, be kept in the same manner and for the same period as specified in those Regulations as if these Regulations had not been made, except that the Executive may approve the keeping of records at a place or in a form other than at the place where, or in the form which, records were required to be kept under the Regulations so revoked.

Commencement Information

I34 [Reg. 35](#) in operation at 1.3.2007, see [reg. 1](#)

Defence

36. Subject to regulation 21 of the Management of Health and Safety at Work Regulations (Northern Ireland) 2000⁽²²⁾, in any proceedings for an offence consisting of a contravention of Part 2 of these Regulations it shall be a defence for any person to prove that he took all reasonable precautions and exercised all due diligence to avoid the commission of that offence.

⁽²⁰⁾ [S.R. 1993 No.25](#), as amended by [S.R. 2000 No.99](#)

⁽²¹⁾ [S.R. 2003 No.33](#)

⁽²²⁾ [S.R. 2000 No. 388](#), amended by [SR. 2003 No 454](#)

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

.....

Commencement Information

I35 [Reg. 36](#) in operation at 1.3.2007, see [reg. 1](#)

Sealed with the Official Seal of the Department of Enterprise, Trade and Investment on 22nd January 2007.



Michael J. Bohill
A senior officer of the Department of Enterprise,
Trade and Investment

SCHEDULE 1

Regulation 9(1)

PARTICULARS TO BE INCLUDED IN A NOTIFICATION

Commencement Information

I36 Sch. 1 in operation at 1.3.2007, see [reg. 1](#)

The following particulars are to be included in a notification made in accordance with regulation 9(1), namely—

- (a) the name and address of the notifier and the address and telephone number of his usual place of business;
- (b) a brief description of—
 - (i) the location of the work site;
 - (ii) the types of asbestos to be used or handled (classified in accordance with regulation 2);
 - (iii) the maximum quantity of asbestos of each type to be held at any one time at the premises at which the work is to take place;
 - (iv) the activities and processes involved;
 - (v) the number of workers involved; and
 - (vi) the measures taken to limit the exposure of employees to asbestos; and
- (c) the date of the commencement of the work and its expected duration.

SCHEDULE 2

Regulations 14(4), 24(2) and (3) and 29

THE LABELLING OF RAW ASBESTOS, ASBESTOS WASTE AND PRODUCTS CONTAINING ASBESTOS

1.—(1) Subject to sub-paragraphs (2) and (3) of this paragraph, the label to be used on—


- (a) raw asbestos (together with the labelling required under ^[^{F11}]the Chemicals (Hazard Information and Packaging for Supply) Regulations (Northern Ireland) 2009)(**23**) and the Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations (Northern Ireland) [^{F12}2010](**24**);
- (b) asbestos waste, when required to be so labelled by regulation 24(3); and
- (c) products containing asbestos, including used protective clothing to which regulation 14(4) applies,

shall be in the form and in the colours of the following diagram and shall comply with the specifications set out in paragraphs 2 and 3.

(23) S.R. 2002 No. 301, as amended by S.R. 2005 No. 463

(24) S.R. 2006 No. 173

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes



(2) In the case of a product containing crocidolite, the words “contains asbestos” shown in the diagram shall be replaced by the words “contains crocidolite/blue asbestos”.

(3) Where the label is printed directly onto a product, a single colour contrasting with the background colour may be used.

Textual Amendments

- F11 Sch. 2 para. 1(1)(a) text amended (27.7.2009) by [The Chemicals \(Hazard Information and Packaging for Supply\) Regulations \(Northern Ireland\) 2009 \(S.R. 2009/238\)](#), [Sch. 7](#)
- F12 Sch. 2 para. 1(1)(a) text amended (19.5.2010) by [The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations \(Northern Ireland\) 2010 \(S.R. 2010/160\)](#), [Sch. 5](#)

Commencement Information

- I37 Sch. 2 para. 1 in operation at 1.3.2007, see [reg. 1](#)

2. The dimensions in millimetres of the label referred to in paragraph 1(1) shall be those shown on the diagram in that paragraph, except that larger measurements may be used, but in that case the dimension indicated as h on the diagram shall be 40% of the dimension indicated as H.

Commencement Information

- I38 Sch. 2 para. 2 in operation at 1.3.2007, see [reg. 1](#)

3. The label shall be clearly and indelibly printed so that the words in the lower half of the label can be easily read, and those words shall be printed in black or white.

Commencement Information

- I39 Sch. 2 para. 3 in operation at 1.3.2007, see [reg. 1](#)

4.—(1) Where a product containing asbestos may undergo processing or finishing it shall bear a label containing safety instructions appropriate to the particular product and in particular the following instructions—

(2) Additional safety information given on a label shall not detract from or contradict the safety information given in accordance with sub-paragraph (1).

Commencement Information

I40 Sch. 2 para. 4 in operation at 1.3.2007, see [reg. 1](#)

5.—(1) Labelling of packaged and unpackaged products containing asbestos in accordance with the foregoing paragraphs shall be effected by means of—

- (a) an adhesive label firmly affixed to the product or its packaging, as the case may be;
- (b) a tie-on label firmly attached to the product or its packaging, as the case may be; or
- (c) direct printing onto the product or its packaging, as the case may be.

(2) Where, in the case of an unpackaged product containing asbestos, it is not reasonably practicable to comply with the provisions of sub-paragraph (1) the label shall be printed on a suitable sheet accompanying the product.

(3) Labelling of raw asbestos and asbestos waste shall be effected in accordance with sub-paragraph (1)(a) or (c).

(4) For the purposes of this Schedule but subject to sub-paragraph (5), a product supplied in loose plastic or other similar wrapping (including plastic and paper bags) but no other packaging, shall be treated as being supplied in a package whether the product is placed in such wrapping at the time of its supply or was already so wrapped previously.

(5) No wrapping in which a product is placed at the time of its supply shall be regarded as packaging if any product contained in it is labelled in accordance with the requirements of this Schedule or any other packaging in which that product is contained is so labelled.

Commencement Information

I41 Sch. 2 para. 5 in operation at 1.3.2007, see [reg. 1](#)

SCHEDULE 3

Regulations 26(4), 27(3), 28(6) and 30(1)

EXCEPTIONS TO THE PROHIBITIONS ON THE SUPPLY AND USE OF CHRYSOTILE

1. Regulations 27(1) and 28(1) shall not apply to the products described in paragraph 3 of this Schedule.

Commencement Information

I42 Sch. 3 para. 1 in operation at 1.3.2007, see [reg. 1](#)

2. Where it is not practicable for an employer to substitute for chrysotile a substance which, under the conditions of its use, does not create a risk to the health of his employees or creates a lesser risk than that created by chrysotile, regulations 26(3), 27(1) and 28(1) shall not apply to—

- (a) the products described in paragraph 4 of this Schedule,
- (b) chrysotile, or products to which chrysotile has intentionally been added, required solely for the manufacture of the products described in paragraph 4 of this Schedule.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Commencement Information
I43 Sch. 3 para. 2 in operation at 1.3.2007, see **reg. 1**

3. Brake linings within the meaning of the Road Vehicles (Brake Linings Safety) Regulations 1999(25).

Commencement Information
I44 Sch. 3 para. 3 in operation at 1.3.2007, see **reg. 1**

4. Diaphragms for use in electrolytic cells in existing electrolysis plants for chlor-alkali manufacture.

Commencement Information
I45 Sch. 3 para. 4 in operation at 1.3.2007, see **reg. 1**

^{F13}5.

Textual Amendments
F13 Sch. 3 para. 5 revoked (13.7.2009) by The Health and Safety (Miscellaneous Amendments and Revocation) Regulations (Northern Ireland) 2009 (S.R. 2009/227), **reg. 4**

Commencement Information
I46 Sch. 3 para. 5 in operation at 1.3.2007, see **reg. 1**

SCHEDULE 4

Regulation 33

PREMISES AND ACTIVITIES WITHIN THE TERRITORIAL SEA

Interpretation

1.—(1) In this Schedule—

“designated area” means any area designated by Order under section 1(7) of the Continental Shelf Act 1964(26) and “within a designated area” includes over and under it;

“diving project” has the meaning assigned to it by regulation 2(1) of the Diving at Work Regulations (Northern Ireland) 2005(27) save that it includes an activity in which a person takes part as a diver wearing an atmospheric pressure suit and without breathing in air or other gas at a pressure greater than atmospheric pressure;

“vessel” includes a hovercraft and any floating structure which is capable of being staffed.

(a) For the purposes of this Schedule, any structures and devices on top of a well shall be treated as forming part of the well.

(25) S.I. 1999/2978, as amended by S.I. 2003/3314

(26) 1964 c. 29; section 1 was amended by the Oil and Gas (Enterprise) Act 1982 (1982 c. 23), Schedule 3, paragraph 1

(27) S.R. 2005 No. 45

- (b) Any reference in this Schedule to premises and activities includes a reference to any person, article or substance on those premises or engaged in, or, as the case may be, used or for use in connection with any such activity, but does not include a reference to an aircraft which is airborne.

Commencement Information

I47 Sch. 4 para. 1 in operation at 1.3.2007, see [reg. 1](#)

Offshore installations

2.—(1) This paragraph shall apply to and in relation to—

- (a) any offshore installation and any activity on it;
- (b) any activity in connection with an offshore installation, or any activity which is immediately preparatory thereto, whether carried on from the installation itself, in or from a vessel or in any other manner, other than—
 - (i) transporting, towing or navigating the installation; and
 - (ii) any activity in or from a vessel being used as a stand-by vessel;
- (c) a diving project involving—
 - (i) the survey and preparation of the sea bed for an offshore installation;
 - (ii) the survey and restoration of the sea bed consequent on the removal of an offshore installation.

(2) Subject to sub-paragraph (3), in this paragraph, “offshore installation” means a structure which is, or is to be, or has been, used while standing or stationed in water, or on the foreshore or other land intermittently covered with water—

- (a) for the exploitation, or exploration with a view to exploitation, of mineral resources by means of a well;
- (b) for the storage of gas in or under the shore or bed of any water or the recovery of gas so stored;
- (c) for the conveyance of things by means of a pipe; or
- (d) mainly for the provision of accommodation for persons who work on or from a structure falling within any of the provisions of this sub-paragraph,

together with any supplementary unit which is ordinarily connected to it, and all the connections.

(3) Any reference in sub-paragraph (2) to a structure or unit does not include—

- (a) a structure which is connected with dry land by a permanent structure providing access at all times and for all purposes;
- (b) a well;
- (c) a structure which has ceased to be used for any of the purposes specified in sub-paragraph (2) and has since been used for a purpose not so specified;
- (d) a mobile structure which has been taken out of use and is not yet being moved with a view to its being used for any of the purposes specified in sub-paragraph (2); and
- (e) any part of a pipeline.

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Commencement Information

I48 Sch. 4 para. 2 in operation at 1.3.2007, see **reg. 1**

Wells

- 3.—(1) Subject to sub-paragraph (2), this paragraph applies to and in relation to—
- (a) a well and any activity in connection with it; and
 - (b) an activity which is immediately preparatory to any activity in head (a).
- (2) Sub-paragraph (1) includes keeping a vessel on station for the purpose of working on a well but otherwise does not include navigation or an activity connected with navigation.

Commencement Information

I49 Sch. 4 para. 3 in operation at 1.3.2007, see **reg. 1**

Pipelines

- 4.—(1) This paragraph applies to and in relation to—
- (a) any pipeline;
 - (b) any pipeline works;
 - (c) the following activities in connection with pipeline works—
 - (i) the loading, unloading, fuelling or provisioning of a vessel;
 - (ii) the loading, unloading, fuelling, repair and maintenance of an aircraft in a vessel, being in either case a vessel which is engaged in pipeline works.
- (2) In this paragraph—
- “pipeline” means a pipe or system of pipes for the conveyance of any thing, together with—
- (a) any apparatus for inducing or facilitating the flow of any thing through, or through part of, the pipe or system;
 - (b) any apparatus for treating or cooling any thing which is to flow through, or through part of, the pipe or system;
 - (c) valves, valve chambers and similar works which are annexed to, or incorporated in the course of, the pipe or system;
 - (d) apparatus for supplying energy for the operation of any such apparatus or works as are mentioned in heads (a) to (c);
 - (e) apparatus for the transmission of information for the operation of the pipe or system;
 - (f) apparatus for the cathodic protection of the pipe or system; and
 - (g) a structure used or to be used solely for the support of a part of the pipe or system;
- but not including a pipeline of which no initial or terminal point is situated in the United Kingdom, within the territorial sea adjacent to the United Kingdom, or within a designated area;
- “pipeline works” means—
- (a) assembling or placing a pipeline or length of pipeline including the provision of internal or external protection for it;

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (b) inspecting, testing, maintaining, adjusting, repairing, altering or renewing a pipeline or length of pipeline;
- (c) changing the position of or dismantling or removing a pipeline or length of pipeline;
- (d) opening the bed of the sea for the purposes of the works mentioned in heads (a) to (c), and tunnelling or boring for those purposes;
- (e) any activities incidental to the activities described in heads (a) to (d);
- (f) a diving project in connection with any of the works mentioned in heads (a) to (e) or for the purpose of determining whether a place is suitable as part of the site of a proposed pipeline and the carrying out of surveying operations for settling the route of a proposed pipeline.

Commencement Information

I50 Sch. 4 para. 4 in operation at 1.3.2007, see **reg. 1**

Mines

5.—(1) This paragraph applies to and in relation to a mine within the territorial sea or extending beyond it, and any activity in connection with it, while it is being worked.

(2) In this paragraph “mine” has the same meaning as in the Mines Act (Northern Ireland) 1969(28).

Commencement Information

I51 Sch. 4 para. 5 in operation at 1.3.2007, see **reg. 1**

Other activities

6.—(1) Subject to paragraph (2), this paragraph applies to and in relation to—

- (a) the construction, reconstruction, alteration, repair, maintenance, cleaning, use, operation, demolition and dismantling of any building, energy structure or other structure, not being in any case a vessel, or any preparation for any such activity;
- (b) the transfer of people or goods between a vessel or aircraft and a structure (including a building) mentioned in head (a);
- (c) the loading, unloading, fuelling or provisioning of a vessel;
- (d) a diving project;
- (e) the construction, reconstruction, finishing, refitting, repair, maintenance, cleaning or breaking up of a vessel except when carried out by the master or any officer or member of the crew of that vessel;
- (f) the maintaining on a station of a vessel which would be an offshore installation were it not a structure to which paragraph 2(3)(d) applies;
- (g) the operation of a cable for transmitting electricity from an energy structure to shore;
- (h) the transfer of people or goods between a vessel or aircraft and a structure mentioned in head (f).

(28) 1969 c. 6 (N.I.)

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (2) This paragraph shall not apply—
- (a) to a case where paragraph 2, 3, 4 or 5 applies; or
 - (b) to vessels which are registered outside the United Kingdom and are on passage through the territorial sea.

Commencement Information

I52 [Sch. 4 para. 6](#) in operation at 1.3.2007, see [reg. 1](#)

SCHEDULE 5

Regulation 35(1)

REVOCATIONS

Commencement Information

I53 [Sch. 5](#) in operation at 1.3.2007, see [reg. 1](#)

<i>Instruments revoked</i>	<i>References</i>	<i>Extent of revocation</i>
The Asbestos (Licensing) Regulations (Northern Ireland) 1984	1984 No 205	The whole Regulations
The Personal Protective Equipment at Work Regulations (Northern Ireland) 1993	1993 No 20	Schedule 2 Part V
The Asbestos (Prohibitions) Regulations (Northern Ireland) 1993	1993 No. 25	The whole Regulations
The Asbestos (Licensing) (Amendment) Regulations (Northern Ireland) 2000	S.R. 2000 No. 100	The whole Regulations
The Asbestos (Prohibitions) (Amendment) Regulations (Northern Ireland) 2000	S.R. 2000 No. 99	The whole Regulations
The Control of Asbestos at Work Regulations (Northern Ireland) 2003	S.R. 2003 No. 33	The whole Regulations
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations (Northern Ireland) 2006	S.R. 2006 No. 173	Schedule 13 paragraph 8

SCHEDULE 6

Regulation 35(2)

AMENDMENTS

Commencement Information

I54 Sch. 6 in operation at 1.3.2007, see **reg. 1**

<i>^{F14}Instruments amended</i>	<i>References</i>	<i>Amendments to have effect</i>
The Personal Protective Equipment at Work Regulations (Northern Ireland) 1993	1993 No. 20	In regulation 3(3)(c) for the words “the Control of Asbestos at Work Regulations (Northern Ireland) 1988” substitute “the Control of Asbestos Regulations (Northern Ireland) 2007”
The Health and Safety (Enforcing Authority) Regulations (Northern Ireland) 1999	1999 No. 90	In Schedule 2 paragraph 4A for the words “the Control of Asbestos at Work Regulations (Northern Ireland) 2003” substitute “the Control of Asbestos Regulations (Northern Ireland) 2007”
The Provision and Use of Work Equipment Regulations (Northern Ireland) 1999	1999 No. 305	In regulation 12(5)(b) for the reference to the Control of Asbestos at Work Regulations (Northern Ireland) 1988 substitute “the Control of Asbestos Regulations (Northern Ireland) 2007”
The Control of Substances Hazardous to Health Regulations (Northern Ireland) 2003	S.R. 2003 No. 34	In regulation 5(1)(a)(ii) for the reference to the Control of Asbestos at Work Regulations (Northern Ireland) 2003 substitute “the Control of Asbestos Regulations (Northern Ireland) 2007”
The Health and Safety (Fees) Regulations (Northern Ireland) 2005	S.R. 2005 No. 523	In regulation 4(4) for the words “the Control of Asbestos at Work Regulations (Northern Ireland) 2003” substitute “the Control of Asbestos Regulations (Northern Ireland) 2007”
		In the heading to regulation 7 for the words “the Asbestos (Licensing) Regulations (Northern Ireland) 1984” substitute “regulation 8 of the Control of Asbestos Regulations (Northern Ireland) 2007”.
		In regulation 7(1) for the words “the Asbestos (Licensing) Regulations (Northern Ireland) 1984 (“the 1984 Regulations”)” substitute “regulation 8 of the Control of Asbestos Regulations (Northern Ireland) 2007 (“the 2007 Regulations”)”
		In regulation 7(3) for the words “the 1984 Regulations” substitute “regulation 8 of the 2007 Regulations”
		In regulation 7(5) and (7) for the words “the 1984 Regulations” insert on each occasion the words “the

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

<i>F14</i> Instruments amended	References	Amendments to have effect
		Asbestos (Licensing) Regulations (Northern Ireland) 1984 or regulation 8 of the 2007 Regulations”
		In Schedule 2 row (b) column 1 for the words “Regulation 21 of the Control of Asbestos at Work Regulations (Northern Ireland) 2003” substitute “Regulation 22 of the Control of Asbestos Regulations (Northern Ireland) 2007.
		In Schedule 2 row (b) column 2 for the words “S.R. 2003 No.33” substitute “S.R. 2007 No. 31”
		In the heading to Schedule 4 for the words “the Asbestos (Licensing) Regulations (Northern Ireland) 1984” substitute “regulation 8 of the Control of Asbestos Regulations (Northern Ireland) 2007”
		In Schedule 4 Table 1 column 1 after the words “work with asbestos” delete the words “insulation or asbestos coating or asbestos insulating board”]

Textual Amendments

F14 Sch. 6 revoked in part (2.4.2007) by [The Health and Safety \(Fees\) Regulations \(Northern Ireland\) 2007 \(S.R. 2007/62\)](#), **Sch. 10**

EXPLANATORY NOTE

(This note is not part of the Regulations)

1. These Regulations revoke and replace the Control of Asbestos at Work Regulations (Northern Ireland) 2003 ([S.R. 2003 No. 33](#)) and revoke and re-enact with modifications, the Asbestos (Licensing) Regulations (Northern Ireland) 1984 ([1984 No. 205](#)) as amended, and the Asbestos (Prohibitions) Regulations (Northern Ireland) 1993 ([1993. No. 25](#)) as amended. They implement as respects Northern Ireland—

- (a) Council Directive [76/769/EEC](#) (“the Marketing and Use Directive”) (OJ No L 262, 27.9.76, p.201), as amended by Council Directives [83/478/EEC](#) (OJ No L 263, 24.9.83 p.33) and [85/467/EEC](#) (OJ No L 269, 11.10.85 p.56), and Commission Directives [91/659/EEC](#) (OJ No L 363, 31.12.91 p.36) and [1999/43/EC](#) (OJ No L 207, 6.8.99 p.18), on the approximation of the laws, regulations and administrative provisions of the Member States relating to restrictions on the marketing and use of certain dangerous substances and preparations, insofar as it relates to asbestos;

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (b) Council Directive [83/477/EEC](#) (OJ No L 263, 24.9.83, p.25) as amended by Council Directive [91/382/EEC](#) (OJ No L 206, 29.7.91 p.16) and Directive [2003/18/EC](#) of the European Parliament and of the Council (OJ No L 97, 15.4.03, p.48) on the protection of workers from the risks related to exposure to asbestos at work;
- (c) Council Directive [90/394/EEC](#) (OJ No L 196, 26.7.90, p.38) on the protection of workers from the risks related to exposure to carcinogens at work (sixth individual Directive within the meaning of Article 16(1) of Directive [89/391/EEC](#)) insofar as it relates to asbestos; and
- (d) Council Directive [98/24/EC](#) (OJ No L131, 5.5.93, p.11) on the protection of the health and safety of workers from the risks related to exposure to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive [89/391/EEC](#)) insofar as it relates to risks to health from exposure to asbestos.

Textual Amendments

F1 [Regulations](#) revoked with savings (28.5.2012) by [The Control of Asbestos Regulations \(Northern Ireland\) 2012 \(S.R. 2012/179\)](#), **reg. 33(1)** (with regs. 3(5), 33(3))

2. The licensing requirements of the Asbestos (Licensing) (Northern Ireland) Regulations 1984 ([S.R. 1984 No. 205](#), as amended by [S.R. 2000 No. 100](#)) are re-enacted in regulation 8, and licenses made subject to a maximum duration of three years. Provision for exemptions is made in regulation 31(1) and for the validity of existing licenses in regulation 34(1).

Textual Amendments

F1 [Regulations](#) revoked with savings (28.5.2012) by [The Control of Asbestos Regulations \(Northern Ireland\) 2012 \(S.R. 2012/179\)](#), **reg. 33(1)** (with regs. 3(5), 33(3))

3. Part 3 of the Regulations re-enact the prohibitions in the Asbestos (Prohibitions) (Northern Ireland) Regulations 1993 ([S.R. 1993 No. 25](#), as amended by [S.R. 2000 No.99](#)) in updated form omitting expired derogations. Provision for exemptions is carried forward in regulations 31(2) and 32.

Textual Amendments

F1 [Regulations](#) revoked with savings (28.5.2012) by [The Control of Asbestos Regulations \(Northern Ireland\) 2012 \(S.R. 2012/179\)](#), **reg. 33(1)** (with regs. 3(5), 33(3))

4. Part 2 of the Regulations replaces the Control of Asbestos at Work Regulations 2003 ([S.R. 2003 No.33](#)) and in addition to minor and drafting amendments makes changes of substance including the following —

- (a) includes certain further definitions and introduce a new control limit common to all types of asbestos and lower than that applying previously to any (regulation 2(1));
- (b) provides for the measurement of the control limit by the 1997 World Health Organisation (“WHO”) recommended method set out in the publication “Determination of airborne fibre concentrations. A recommended method, by phase-contrast optical microscopy (membrane filter method)”, WHO Geneva 1997 (ISBN 92 4 154496 1) (regulation 2(1));
- (c) applies the duties in the Regulations to all work with asbestos, save for exceptions in respect of licensing, notification, accident and emergency arrangements, asbestos areas and health surveillance in respect of sporadic and low intensity exposure (regulation 3(2));
- (d) disapplies these Regulations in respect of ships other than naval ships (regulation 3(6));

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

- (e) extends the list of topics on which information, instruction and training must be given to employees (regulation 10(1));
- (f) provides for the provision of respiratory protective equipment so far as is reasonably practicable to any employee who is exposed to asbestos (regulation 11(2));
- (g) provides that the control limit shall not be exceeded and for the actions to be taken if this should occur (regulation 11(5));
- (h) provides that only competent persons should enter respirator zones or supervise employees in respirator zones (regulation 18(4));
- (i) provides for accreditation of persons who are requested to assess premises for the issue of a site clearance certificate for reoccupation (regulation 20(4)); and
- (j) omits labelling requirements which are now found in Part 3 (regulation 29).

Textual Amendments

F1 Regulations revoked with savings (28.5.2012) by [The Control of Asbestos Regulations \(Northern Ireland\) 2012 \(S.R. 2012/179\)](#), **reg. 33(1)** (with regs. 3(5), 33(3))

5. European Standards EN ISO/IEC 17020 “General criteria for the operation of various types of bodies performing inspection” accepted by CEN/CENELEC on 15th July 2004 and 17025 “General requirements for the competence of testing and calibration laboratories” accepted by CEN/CENELEC on 15th March 2005 can be obtained from the British Standards Institution, BSI Library and Bookshop, 389 Chiswick High Road, London W4 4AL, or through British Standards Online at www.bsonline.bsi-global.com.

Textual Amendments

F1 Regulations revoked with savings (28.5.2012) by [The Control of Asbestos Regulations \(Northern Ireland\) 2012 \(S.R. 2012/179\)](#), **reg. 33(1)** (with regs. 3(5), 33(3))

6. The publication “Determination of airborne fibre concentrations. A recommended method, by phase-contrast optical microscopy (membrane filter method)”, WHO Geneva 1997 (ISBN 92 4 154496 1) can be obtained online at www.who.int/publications/.

Textual Amendments

F1 Regulations revoked with savings (28.5.2012) by [The Control of Asbestos Regulations \(Northern Ireland\) 2012 \(S.R. 2012/179\)](#), **reg. 33(1)** (with regs. 3(5), 33(3))

7. In Great Britain the corresponding legislation is the Control of Asbestos Regulations 2006 (S.I. 2006/2739) The Great Britain Health and Safety Executive has prepared a regulatory impact assessment in respect of these Regulations and a copy of that assessment together with a Northern Ireland supplement prepared by the Health and Safety Executive for Northern Ireland, are held at the offices of that Executive at 83 Ladas Drive, Belfast, BT6 9FR from where copies may be obtained. A copy of the transposition note in relation to implementation of the Directives set out in paragraph 1 can be obtained from the Health and Safety Executive, International Branch, Rose Court, 2 Southwark Bridge, London SE1 9HS]

Changes to legislation: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) [View outstanding changes](#)

Textual Amendments

- F1** Regulations revoked with savings (28.5.2012) by [The Control of Asbestos Regulations \(Northern Ireland\) 2012 \(S.R. 2012/179\)](#), **reg. 33(1)** (with regs. 3(5), 33(3))

Changes to legislation:

There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Control of Asbestos Regulations (Northern Ireland) 2007. Any changes that have already been made by the team appear in the content and are referenced with annotations.

[View outstanding changes](#)

Changes and effects yet to be applied to :

- Sch. 2 para. 1(1)(a) words substituted by [S.R. 2010/160 reg. 30Sch. 5](#)
- Sch. 6 revoked by [S.R. 2007/62 reg. 13\(1\)Sch. 10](#)
- reg. 24(3)(a) words substituted by [S.R. 2010/160 reg. 30Sch. 5](#)