
STATUTORY RULES OF NORTHERN IRELAND

2007 No. 465

AGRICULTURE
PESTICIDES

**Pesticides (Maximum Residue Levels in
Crops, Food and Feeding Stuffs) (Amendment
No. 2) Regulations (Northern Ireland) 2007**

Made - - - -

7th November 2007

Coming into operation-

19th December 2007

The Department of Agriculture and Rural Development, being a Department designated(1) for the purposes of section 2(2) of the European Communities Act 1972(2) in relation to the common agricultural policy of the European Community, in exercise of the powers conferred on it makes the following Regulations:

Citation, commencement and interpretation

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment No. 2) Regulations (Northern Ireland) 2007 and shall come into operation on 19th December 2007.

(1) The Interpretation Act (Northern Ireland) 1954(3) shall apply to these Regulations as it applies to an Act of the Northern Ireland Assembly.

**Amendment to the Pesticides (Maximum Residue Levels in Crops Food and Feeding Stuffs)
Regulations (Northern Ireland) 2006**

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2006(4) shall be amended in accordance with this regulation.

(2) In regulation 2(1), for the definition of the Residues Directives substitute the following definition:

(1) S.I. 2000/2812

(2) 1972 c. 68

(3) 1954 c. 33 (N.I.)

(4) S.R. 2006 No. 220 as amended by S.R. 2006 No. 501 and S.R. 2007 No. 428

““the Residues Directives” means Directive 76/895(5), Directive 86/362(6), Directive 86/363(7) and Directive 90/642(8), in each case as amended at the date of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment No. 2) Regulations (Northern Ireland) 2007.”.

(3) In Schedule 1—

- (a) the existing entry for Mevinphos shall be substituted by the following—

Column 1	Column 2
<i>Pesticides</i>	<i>Residues</i>
Mevinphos	mevinphos, sum of E- and Z-isomers

- (b) insert at the appropriate place in Columns 1 and 2 the following entries—

Column 1	Column 2
<i>Pesticides</i>	<i>Residues</i>
Acetamiprid	(1) for products of plant origin: acetamiprid (2) for foodstuffs of animal origin: acetamiprid and IM-2-1 metabolite
Imazosulfuron	imazosulfuron
Methoxyfenozide	methoxyfenozide
Milbemectin	(1) for products of plant origin other than cereals: sum of MA4 + 8, 9Z-MA4, expressed as milbemectin (2) for cereals: milbemectin
S-metholachlor	metholachlor including other mixtures of constituent isomers including s-metolachlor (sum of isomers)
Thiacloprid	thiacloprid
Tribenuron-methyl	tribenuron-methyl

(4) In Part I of Schedule 2 delete the column relating to Mevinphos.

(5) in Part II of Schedule 2—

- (a) insert, in the appropriate place to preserve the alphabetical ordering from left to right, the columns of maximum permitted levels for the residues of the pesticides Acetamiprid, Imazosulfuron, Methoxyfenozide, Mevinphos, Milbemectin, S-metholachlor, Thiacloprid and Tribenuron-methyl as specified in the Schedule to these Regulations;
- (b) for the columns relating to the pesticides Abemectin, Aldicarb, Benomyl and Carbendazim, Bifenthrin, Lambda-cyhalothrin, Linuron, Methomyl-thiodicarb, Penconazole, Phosphamidon and Pyrimethamine substitute the columns of maximum permitted levels for residues of those pesticides as specified in the Schedule to these Regulations;
- (c) at the end of Part II to Schedule 2 add the following footnote—

(5) O.J. No. L340, 9.12.1976, p. 26, as last amended by Commission Directive 2007/8/EC (O.J. No. L63, 1.3.2007, p. 9)

(6) O.J. No. L221, 7.8.1986, p. 37, as last amended by Commission Directive 2007/11/EC (O.J. No. L63, 1.3.2007 p. 26)

(7) O.J. No. L221, 7.8.1986, p. 43, as last amended by Commission Directive 2007/11/EC (O.J. No. L63, 1.3.2007, p. 26)

(8) O.J. No. L350, 14.12.1990, p. 71, as last amended by Commission Directive 2007/12/EC (O.J. No. L59, 27.2.2007, p. 75)

“49. All fat.”.

Sealed with the Official Seal of the Department of Agriculture and Rural Development on 7th November 2007.



John Speers

A senior officer of the Department of Agriculture
and Rural Development.

SCHEDEULE

Regulation 2

<i>Group to which food belongs</i>	<i>Groups include</i>	<i>Abamectin</i>	<i>Acetamipri</i>	<i>Aldicarb</i>	<i>Benomyl</i>	<i>Bisenthiazolin</i>	<i>Famoxuron</i>	<i>Lambda-cyhalothrin</i>
<hr/>								
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
(i) CITRUS FRUIT								
Grapefruit	0.01*	1	0.02*	0.5	0.1	0.01*	0.1	
Lemons	0.01*	1	0.02*	0.5	0.1	0.01*	0.2	
Limes	0.01*	1	0.02*	0.5	0.1	0.01*	0.2	
Mandarins (inc. clementines & similar hybrids)	0.01*	1	0.02*	0.5	0.1	0.01*	0.2	
Oranges	0.01*	1	0.02*	0.5	0.1	0.01*	0.1	
Pomelos	0.01*	1	0.02*	0.5	0.1	0.01*	0.1	
Others	0.01*	1	0.02*	0.5	0.1	0.01*	0.02*	
<hr/>								
(ii) TREE NUTS (shelled or unshelled)								
Almonds	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	
Brazil nuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	
Cashew nuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	
Chestnuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	
Coconuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	
Hazelnuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	
Macadamia nuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	
Pecans	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	
Pine nuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	
Pistachios	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	
Walnuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	
Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	
<hr/>								
(iii) POME FRUIT								
Apples	0.01*	0.1	0.02*	0.2	0.3	0.01*	0.1	
Pears	0.01*	0.1	0.02*	0.2	0.3	0.01*	0.1	
Quinces	0.01*	0.1	0.02*	0.2	0.3	0.01*	0.1	
Others	0.01*	0.1	0.02*	0.2	0.3	0.01*	0.1	

<i>Group to which food belongs</i>	<i>Groups include</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Benomyl</i>	<i>Bisenthiazolinones</i>	<i>SulfuronLambda-cyhalothrin</i>
<hr/>							
(iv) STONE FRUIT	Apricots	0.01*	0.1	0.02*	0.2	0.2	0.01*
	Cherries	0.01*	0.2	0.02*	0.5	0.2	0.01*
	Peaches (inc. nectarines & similar hybrids)	0.01*	0.1	0.02*	0.2	0.2	0.01*
	Plums	0.01*	0.02	0.02*	0.5	0.2	0.01*
	Others	0.01*	0.01*	0.02*	0.1*	0.2	0.01*
<hr/>							
(v) BERRIES AND SMALL FRUIT							
(a) <i>Table & wine grapes</i>	Table grapes	0.01*	0.01*	0.02*	0.3	0.2	0.01*
	Wine grapes	0.01*	0.01*	0.02*	0.5	0.2	0.01*
(b) <i>Strawberries</i> (other than wild)	0.1	0.01*	0.02*	0.1*	0.5	0.01*	0.5
(c) <i>Cane Fruit</i> (other than wild)	Blackberries	0.1	0.01*	0.02*	0.1*	0.3	0.01*
	Dewberries	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*
	Loganberries	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*
	Raspberries	0.1	0.01*	0.02*	0.1*	0.3	0.01*
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*
<hr/>							
(d) <i>Other small fruit & berries</i> (other than wild)	Bilberries	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*
	Cranberries	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*
	Currants (red, black & white)	0.01*	0.01*	0.02*	0.1*	0.5	0.01*
	Gooseberries	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include</i>	<i>Abamectin</i>	<i>Ametripri-</i>	<i>Aldicarb</i>	<i>Benomyl</i>	<i>Bisenthiazolinone</i>	<i>Sulfuron</i>	<i>Lambda-</i>
								<i>cyhalothrin</i>
(e) Wild berries & wild fruit		0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.2
(vi) MISCELLANEOUS FRUIT								
Avocados		0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*
Bananas		0.01*	0.01*	0.02*	0.1*	0.1	0.01*	0.02*
Dates		0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*
Figs		0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*
Kiwi fruit		0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*
Kumquats		0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*
Litchis		0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*
Mangoes		0.01*	0.01*	0.02*	0.1*	0.3	0.01*	0.02*
Olives (table consumption)		0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5
Olives (oil extract)		0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5
Papaya		0.05	0.01*	0.02*	0.2	0.5	0.01*	0.02*
Passion fruit		0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*
Pineapples		0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*
Pomegranates		0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*
Others		0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

Beetroot	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*
Carrots	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*
Cassava	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*
Celeriac	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.1
Horseradish	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*
Jerusalem artichokes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*
Parsnips	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*
Parsley root	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Benomyl</i>	<i>Bisenthiazolinone</i>	<i>Fumazosulfuron</i>	<i>Lambda-cyhalothrin</i>
Radishes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.1	
Salsify	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
Sweet potatoes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
Swedes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
Turnips	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
Yams	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
<hr/>								
(ii) BULB VEGETABLES								
Garlic	0.01*	0.01*	0.05	0.1*	0.05*	0.01*	0.02*	
Onions	0.01*	0.01*	0.05	0.1*	0.05*	0.01*	0.02*	
Shallots	0.01*	0.01*	0.05	0.1*	0.05*	0.01*	0.02*	
Spring onions	0.01*	0.01*	0.05	0.1*	0.05*	0.01*	0.05	
Others	0.01*	0.01*	0.05	0.1*	0.05*	0.01*	0.02*	
<hr/>								
(iii) FRUITING VEGETABLES								
(a) <i>Solanaceae</i>								
Tomatoes	0.02	0.1	0.02*	0.5	0.2	0.01*	0.1	
Peppers	0.05	0.3	0.02*	0.1*	0.2	0.01*	0.1	
Chili peppers	0.05	0.3	0.02*	0.1*	0.2	0.01*	0.1	
Aubergines	0.02	0.1	0.02*	0.5	0.2	0.01*	0.5	
Okra	0.01*	0.01*	0.02*	2	0.2	0.01*	0.02*	
Others	0.01*	0.01*	0.02*	0.1*	0.2	0.01*	0.02*	
<hr/>								
(b) <i>Cucurbits-edible peel</i>								
Cucumbers	0.02	0.3	0.02*	0.1*	0.1	0.01*	0.1	
Gherkins	0.02	0.3	0.02*	0.1*	0.1	0.01*	0.1	
Courgettes	0.02	0.3	0.02*	0.1*	0.1	0.01*	0.1	
Others	0.02	0.3	0.02*	0.1*	0.1	0.01*	0.1	
<hr/>								
(c) <i>Cucurbits-inedible peel</i>								
Melons	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05	

<i>Group to which food belongs</i>	<i>Groups include</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Benomyl</i>	<i>Bisenthiazolinone</i>	<i>Carbendazim</i>	<i>Cyhalothrin</i>
Squashes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05	
Watermelons	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05	
Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05	
(d) Sweet corn	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05	

(iv) BRASSICA VEGETABLES

(a) *Flowering Brassicas*

Broccoli	0.01*(13)	0.01*	0.02*	0.1*(13)	0.2(13)	0.01*	0.1(13)
Cauliflower	0.01*	0.01*	0.02*	0.1*	0.2	0.01*	0.1
Others	0.01*	0.01*	0.02*	0.1*	0.2	0.01*	0.1

(b) *Head Brassicas*

Brussels sprouts	0.01*	0.01*	0.02*	0.5	1	0.01*	0.05
Head cabbage	0.01*	0.01*	0.02*	0.1*	1	0.01*	0.2
Others	0.01*	0.01*	0.02*	0.1*	1	0.01*	0.02*

(c) *Leafy Brassicas*

Chinese cabbage	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	1
Kale	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	1
Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	1

(d) Kohlrabi	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*
--------------	-------	-------	-------	------	-------	-------	-------

(v) LEAF VEGETABLES AND FRESH HERBS

(a) *Lettuce & similar*

Cress	0.1	0.01*	0.02*	0.1*	2	0.01*	1
Lamb's lettuce	0.1	5	0.02*	0.1*	2	0.01*	1
Lettuce	0.1	5	0.02*	0.1*	2	0.01*	1
Scarole	0.1 ⁽⁶⁾	0.01*	0.02* ⁽⁶⁾	0.1* ⁽⁶⁾	2 ⁽⁶⁾	0.01*	1 ⁽⁶⁾

<i>Group to which food belongs</i>	<i>Groups include</i>	<i>Abamectin</i>	<i>Cetamipri</i>	<i>Aldicarb</i>	<i>Benomyl</i>	<i>Bisenthiazolin</i>	<i>Sulfuron</i>	<i>Lambda-cyhalothrin</i>
Ruccola	0.1	0.01*	0.02*	0.1*	2	0.01*	1	
Leaves and stems of brassica	0.1	0.01*	0.02*	0.1*	2	0.01*	1	
Others	0.1	0.01*	0.02*	0.1*	2	0.01*	1	
(b) Spinach & similar								
Spinach	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5	
Beet leaves (chard)	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5	
Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5	
(c) Watercress								
	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
(d) Witloof								
	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
(e) Herbs								
Chervil	1	0.01*	0.02*	0.1*	0.05*	0.01*	1	
Chives	1	0.01*	0.02*	0.1*	0.05*	0.01*	1	
Parsley	1	0.01*	0.02*	0.1*	0.05*	0.01*	1	
Celery leaves	1	0.01*	0.02*	0.1*	0.05*	0.01*	1	
Others	1	0.01*	0.02*	0.1*	0.05*	0.01*	1	
(vi) LEGUME VEGETABLES (fresh)								
Beans (with pods)	0.01*	0.01*	0.02*	0.2	0.5	0.01*	0.2	
Beans (without pods)	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
Peas (with pods)	0.01*	0.01*	0.02*	0.2	0.1	0.01*	0.2	
Peas (without pods)	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.2	
Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
(vii) STEM VEGETABLES								
Asparagus	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	

<i>Group to which food belongs</i>	<i>Groups include</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Benomyl</i>	<i>Bisenthiazolinone</i>	<i>Carbendazim</i>	<i>Cyhalothrin</i>
Cardoons	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
Celery	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.3	
Fennel	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.3	
Globe artichokes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
Leeks	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.3	
Rhubarb	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
<hr/>								
(viii) FUNGI								
(a) <i>Cultivated mushrooms</i>	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
(b) <i>Wild mushrooms</i>	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5	
<hr/>								
3. PULSES								
Beans	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
Lentils	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
Peas	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
Lupins	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	
<hr/>								
4. OILSEEDS								
Linseed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	
Peanuts	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	
Poppy seed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	
Sesame seed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	
Sunflower seed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	
Rape seed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	
Soya bean	0.02*	0.01*	0.05*	0.2	0.1*	0.01*	0.02*	
Mustard seed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	
Cotton seed	0.02*	0.02	0.05*	0.1*	0.1*	0.01*	0.02*	
Hemp seed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	
Others	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	

<i>Group to which food belongs</i>	<i>Groups include</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Benomyl</i>	<i>Bisenthiazolinone</i>	<i>Cyhalothrin</i>
<hr/>							
<hr/>							
5. POTATOES							
	Early potatoes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*
	Ware potatoes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0.02*	0.1*	0.05*	0.1*	5	0.02*
7. HOPS (dried)	including pellets	0.05	0.1*	0.05*	0.1*	10	0.02*
	hop & unconcentrated powder						10
<hr/>							
<hr/>							
8. SPICES							
	Cumin seed						
	Juniper seed						
	Nutmeg						
	Pepper, black and white						
	Vanilla pods						
	Others						
<hr/>							
<hr/>							
9. CEREALS							
	Wheat	0.01*	0.01*	0.05*	0.1	0.5	0.01*
	Rye	0.01*	0.01*	0.05*	0.1	0.05*	0.01*
	Barley	0.01*	0.01*	0.05*	2	0.5	0.01*
	Sorghum	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*
	Oats	0.01*	0.01*	0.05*	2	0.5	0.01*
	Triticale	0.01*	0.01*	0.05*	0.1	0.5	0.01*
	Maize	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*
	Buckwheat	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*
	Millet	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Benomyl</i>	<i>Bisenthiazolinone</i>	<i>Carbendazim</i>	<i>Imazosulfuron</i>	<i>Lambda-cyhalothrin</i>
------------------------------------	-----------------------	------------------	--------------------	-----------------	----------------	--------------------------	--------------------	----------------------	---------------------------

Rice ⁽¹⁾	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.01*	0.02*
Other cereals	0.01*	0.01*	0.05*	0.01*	0.05*	0.01*	0.01*	0.02*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.02* (12) 0.01* (9)	0.05*(10) 0.1 ⁽⁴²⁾ 0.2 ⁽³⁰⁾	0.01*	0.05*(46)	0.1 ⁽¹⁶⁾ 0.05* (9)	0.02*(14) 0.5 ⁽¹⁷⁾
Milk ⁽³⁾ & Dairy Produce	0.005*	0.05*	0.01*	0.05*(46)	0.01*	0.05
Eggs ⁽⁵⁾	0.01*	0.05*	0.01*	0.05*(46)	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include</i>	<i>Linuron</i>	<i>Methomyl</i>	<i>Methoxy-Mevinphos</i>	<i>Milbemecillinam</i>	<i>Penconazole</i>	<i>Phosphamidon</i>
------------------------------------	-----------------------	----------------	-----------------	--------------------------	------------------------	--------------------	---------------------

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

(i) CITRUS FRUIT

Grapefruit	0.05*	0.5	1	0.01*	0.05*	0.05*	0.01*
Lemons	0.05*	1	1	0.01*	0.05*	0.05*	0.01*
Limes	0.05*	1	1	0.01*	0.05*	0.05*	0.01*
Mandarins (inc. clementines & similar hybrids)	0.05*	1	1	0.01*	0.05*	0.05*	0.01*
Oranges	0.05*	0.5	1	0.01*	0.05*	0.05*	0.01*
Pomelos	0.05*	0.5	1	0.01*	0.05*	0.05*	0.01*
Others	0.05*	0.05*	1	0.01*	0.05*	0.05*	0.01*

(ii) TREE NUTS (shelled or unshelled)

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Linuron</i>	<i>Methomyl</i>	<i>MethoxyMevinphthalide</i>	<i>Thiodicarb</i>	<i>fenozide</i>	<i>MalbemechelanconazBkosphamidon</i>
Almonds	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.01*
Brazil nuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.01*
Cashew nuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.01*
Chestnuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.01*
Coconuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.01*
Hazelnuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.01*
Macadamia nuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.01*
Pecans	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.01*
Pine nuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.01*
Pistachios	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.01*
Walnuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.01*
Others	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.01*
<hr/>							
(iii) POME FRUIT							
Apples	0.05*	0.2	2	0.01*	0.05*	0.2	0.01*
Pears	0.05*	0.2	2	0.01*	0.05*	0.2	0.01*
Quinces	0.05*	0.2	2	0.01*	0.05*	0.2	0.01*
Others	0.05*	0.2	2	0.01*	0.05*	0.2	0.01*
<hr/>							
(iv) STONE FRUIT							
Apricots	0.05*	0.2	0.02*	0.01*	0.05*	0.1	0.01*
Cherries	0.05*	0.1	0.02*	0.01*	0.05*	0.05*	0.01*
Peaches (inc. nectarines & similar hybrids)	0.05*	0.2	0.3	0.01*	0.05*	0.1	0.01*
Plums	0.05*	0.5	0.02*	0.01*	0.05*	0.05*	0.01*
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
<hr/>							
(v) BERRIES AND SMALL FRUIT							
(a) Table & wine grapes							
Table grapes	0.05*	0.05*	1	0.01*	0.05*	0.2	0.01*
Wine grapes	0.05*	1	1	0.01*	0.05*	0.2	0.01*

<i>Group to which food belongs</i>	<i>Groups include</i>	<i>Linuron</i>	<i>Methomyl</i>	<i>MethoxyMevinphthalide</i>	<i>Thiodicarb</i>	<i>fenozide</i>	<i>Malbemecillinam</i>	<i>Fluconazole</i>	<i>Bkosphamidon</i>
(b) <i>Strawberries</i> (other than wild)		0.05*	0.05*	0.02*	0.01*	0.05*	0.5	0.01*	
(c) <i>Cane Fruit</i> (other than wild)									
Blackberries		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Dewberries		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Loganberries		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Raspberries		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Others		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
(d) <i>Other small fruit & berries</i> (other than wild)									
Bilberries		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Cranberries		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Currants (red, black & white)		0.05*	0.05*	0.02*	0.01*	0.05*	0.5	0.01*	
Gooseberries		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Others		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
(e) <i>Wild berries & wild fruit</i>		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
(vi) MISCELLANEOUS FRUIT									
Avocados		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Bananas		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Dates		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Figs		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Kiwi fruit		0.05*	0.05*	1	0.01*	0.05*	0.05*	0.01*	
Kumquats		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Litchis		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Mangoes		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Olives (table consumption)		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Linuron</i>	<i>Methomyl</i>	<i>MethoxyMevinphthalide</i>	<i>Thiodicarb</i>	<i>Milbemectin</i>	<i>Fenconazole</i>	<i>Bkosphamidon</i>
	Olives (oil extract)	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
	Papaya	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
	Passion fruit	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
	Pineapples	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
	Pomegranates	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

Beetroot	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Carrots	0.2	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Cassava	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Celeriac	0.5	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Horseradish	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Jerusalem artichokes	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Parsnips	0.2	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Parsley root	0.2	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Radishes	0.05*	0.5	0.02*	0.01*	0.05*	0.05*	0.01*
Salsify	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Sweet potatoes	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Swedes	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Turnips	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Yams	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*

(ii) BULB VEGETABLES

Garlic	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Onions	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Shallots	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Spring onions	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include</i>	<i>Linuron</i>	<i>Methomyl</i>	<i>MethoxyMevinphthalide</i>	<i>Thiodicarb</i>	<i>fenoazole</i>	<i>Fluconazole</i>	<i>Bkosphamidon</i>
------------------------------------	-----------------------	----------------	-----------------	------------------------------	-------------------	------------------	--------------------	---------------------

(iii) FRUITING VEGETABLES

(a) *Solanaceae*

Tomatoes	0.05*	0.2	2	0.01*	0.05*	0.1	0.01*
Peppers	0.05*	0.2	1	0.01*	0.05*	0.2	0.01*
Chili peppers	0.05*	0.2	1	0.01*	0.05*	0.2	0.01*
Aubergines	0.05*	0.2	0.5	0.01*	0.05*	0.1	0.01*
Okra	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*

(b) *Cucurbits-edible peel*

Cucumbers	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.01*
Gherkins	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.01*
Courgettes	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.01*
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.01*

(c) *Cucurbits-inedible peel*

Melons	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.01*
Squashes	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.01*
Watermelons	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.01*
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.01*

(d) *Sweet corn*

	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
--	-------	-------	-------	-------	-------	-------	-------

(iv) BRASSICA VEGETABLES

(a) *Flowering Brassicas*

Broccoli	0.05*(¹³)	0.2(¹³)	0.02*	0.01*(¹³)	0.05*	0.05*(¹³)	0.01*(¹³)
Cauliflower	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Linuron</i>	<i>Methomyl</i>	<i>MethoxyMevinphthalide</i>	<i>Thiodicarb</i>	<i>Fenozone</i>	<i>Malbemecillinam</i>	<i>Fluconazole</i>	<i>Bkosphamidon</i>
<hr/>									
(b) <i>Head Brassicas</i>									
Brussels sprouts	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Head cabbage	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
(c) <i>Leafy Brassicas</i>									
Chinese cabbage	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Kale	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
(d) <i>Kohlrabi</i>	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
<hr/>									
(v) LEAF VEGETABLES AND FRESH HERBS									
(a) <i>Lettuce & similar</i>									
Cress	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Lamb's lettuce	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Lettuce	0.05*	0.3	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Scarole	0.05*(6)	0.05*(6)	0.02*	0.01*(6)	0.05*	0.05*(6)	0.05*(6)	0.01*(6)	
Ruccola	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Leaves and stems of brassica	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
(b) <i>Spinach & similar</i>									
Spinach	0.05*	0.05	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Beet leaves (chard)	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
(c) <i>Watercress</i>	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
(d) <i>Witloof</i>	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Linuron</i>	<i>Methomyl</i>	<i>MethoxyMevinphthalide</i>	<i>Thiodicarb</i>	<i>fenozide</i>	<i>Malbemecillinam</i>	<i>Fluconazole</i>	<i>Bkosphamidon</i>
<hr/>									
<hr/>									
(e) <i>Herbs</i>									
Chervil	1	0.3	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Chives	1	0.3	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Parsley	1	0.3	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Celery leaves	1	0.3	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Others	1	0.3	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
<hr/>									
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.05*	0.05*	0.2	0.01*	0.05*	0.05*	0.05*	0.01*	
Beans (without pods)	0.1	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Peas (with pods)	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Peas (without pods)	0.1	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
<hr/>									
(vii) STEM VEGETABLES									
Asparagus	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Cardoons	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Celery	0.1	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Fennel	0.1	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Globe artichokes	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.2	0.01*	
Leeks	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Rhubarb	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
<hr/>									
(viii) FUNGI									
(a) <i>Cultivated mushrooms</i>	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	
(b) <i>Wild mushrooms</i>	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*	0.01*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Linuron</i>	<i>Methomyl</i>	<i>MethoxyMevinphthalide</i>	<i>Thiodicarb</i>	<i>fenozide</i>	<i>Malbemecillinam</i>	<i>Fluconazole</i>	<i>Biosphamidon</i>
<hr/>									
3. PULSES									
Beans		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Lentils		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Peas		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Lupins		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Others		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
<hr/>									
4. OILSEEDS									
Linseed		0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	0.01*	
Peanuts		0.1*	0.1	0.05*	0.01*	0.1*	0.05*	0.01*	
Poppy seed		0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	0.01*	
Sesame seed		0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	0.01*	
Sunflower seed		0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	0.01*	
Rape seed		0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	0.01*	
Soya bean		0.1*	0.1	2	0.01*	0.1*	0.05*	0.01*	
Mustard seed		0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	0.01*	
Cotton seed		0.1*	0.1	2	0.01*	0.1*	0.05*	0.01*	
Hemp seed		0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	0.01*	
Others		0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	0.01*	
<hr/>									
5. POTATOES									
Early potatoes		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
Ware potatoes		0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.01*	
<hr/>									
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0.1*	0.1*	0.05*	0.02*	0.1*	0.1*	0.02*	
<hr/>									
7. HOPS (dried)	including pellets & unconcentrated powder	0.1*	10	0.05*	0.02*	0.1*	0.5	0.02*	

<i>Group to which food belongs</i>	<i>Groups include Linuron Methomyl MethoxyMevinphthalimide thiodicarb fenozide</i>	<i>Milbemecillinam flaconazole flusophamidon</i>
------------------------------------	--	--

8. SPICES

Cumin seed
 Juniper seed
 Nutmeg
 Pepper, black and white
 Vanilla pods
 Others

9. CEREALS

Wheat	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Rye	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Barley	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Sorghum	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Oats	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Triticale	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Maize	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Buckwheat	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Millet	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Rice ⁽¹⁾	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*
Other cereals	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*

10. FOODSTUFFS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.02	0.01*	0.05*
Milk ⁽³⁾ & Dairy Produce ⁽⁴⁾	0.02	0.01*	0.01* ⁽³⁾
Eggs ⁽⁵⁾	0.02	0.01*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	Pymetrozine	S-metholachlor	Thiacloprid	Tribenuron-methyl
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts					
(i) CITRUS FRUIT					
Grapefruit	0.3	0.05*	0.02*	0.01*	
Lemons	0.3	0.05*	0.02*	0.01*	
Limes	0.3	0.05*	0.02*	0.01*	
Mandarins (inc clementines & similar hybrids)	0.3	0.05*	0.02*	0.01*	
Oranges	0.3	0.05*	0.02*	0.01*	
Pomelos	0.3	0.05*	0.02*	0.01*	
Others	0.3	0.05*	0.02*	0.01*	
(ii) TREE NUTS (shelled or unshelled)					
Almonds	0.02*	0.05*	0.02*	0.01*	
Brazil nuts	0.02*	0.05*	0.02*	0.01*	
Cashew nuts	0.02*	0.05*	0.02*	0.01*	
Chestnuts	0.02*	0.05*	0.02*	0.01*	
Coconuts	0.02*	0.05*	0.02*	0.01*	
Hazelnuts	0.02*	0.05*	0.02*	0.01*	
Macadamia nuts	0.02*	0.05*	0.02*	0.01*	
Pecans	0.02*	0.05*	0.02*	0.01*	
Pine nuts	0.02*	0.05*	0.02*	0.01*	
Pistachios	0.02*	0.05*	0.02*	0.01*	
Walnuts	0.02*	0.05*	0.02*	0.01*	
Others	0.02*	0.05*	0.02*	0.01*	
(iii) POME FRUIT					
Apples	0.02*	0.05*	0.3	0.01*	
Pears	0.02*	0.05*	0.3	0.01*	
Quinces	0.02*	0.05*	0.3	0.01*	
Others	0.02*	0.05*	0.3	0.01*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pymetrozine</i>	<i>S-metholachlor</i>	<i>Thiacloprid</i>	<i>Tribenuron-methyl</i>
(iv) STONE FRUIT					
Apricots	0.05	0.05*	0.3	0.01*	
Cherries	0.02*	0.05*	0.3	0.01*	
Peaches (incl nectarines & similar hybrids)	0.05	0.05*	0.3	0.01*	
Plums	0.02*	0.05*	0.1	0.01*	
Others	0.02*	0.05*	0.02*	0.01*	
(v) BERRIES AND SMALL FRUIT					
(a) <i>Table & wine grapes</i>					
Table grapes	0.02*	0.05*	0.02*	0.01*	
Wine grapes	0.02*	0.05*	0.02*	0.01*	
(b) <i>Strawberries (other than wild)</i>					
	0.5	0.05*	0.5	0.01*	
(c) <i>Cane Fruit (other than wild)</i>					
Blackberries	3	0.05*	1	0.01*	
Dewberries	0.02*	0.05*	1	0.01*	
Loganberries	0.02*	0.05*	1	0.01*	
Raspberries	3	0.05*	1	0.01*	
Others	0.02*	0.05*	1	0.01*	
(d) <i>Other small fruit & berries (other than wild)</i>					
Bilberries	0.02*	0.05*	1	0.01*	
Cranberries	0.02*	0.05*	1	0.01*	
Currants (red, black & white)	0.1	0.05*	1	0.01*	
Gooseberries	0.02*	0.05*	1	0.01*	
Others	0.02*	0.05*	1	0.01*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	Pymetrozine	S-metholachlor	Thiacloprid	Tribenuron-methyl
(e) Wild berries & wild fruit		0.02*	0.05*	0.02*	0.01*
(vi) MISCELLANEOUS FRUIT					
Avocados		0.02*	0.05*	0.02*	0.01*
Bananas		0.02*	0.05*	0.02*	0.01*
Dates		0.02*	0.05*	0.02*	0.01*
Figs		0.02*	0.05*	0.02*	0.01*
Kiwi fruit		0.02*	0.05*	0.02*	0.01*
Kumquats		0.02*	0.05*	0.02*	0.01*
Litchis		0.02*	0.05*	0.02*	0.01*
Mangoes		0.02*	0.05*	0.02*	0.01*
Olives (table consumption)		0.02*	0.05*	0.02*	0.01*
Olives (oil extract)		0.02*	0.05*	0.02*	0.01*
Papaya		0.02*	0.05*	0.02*	0.01*
Passion fruit		0.02*	0.05*	0.02*	0.01*
Pineapples		0.02*	0.05*	0.02*	0.01*
Pomegranates		0.02*	0.05*	0.02*	0.01*
Others		0.02*	0.05*	0.02*	0.01*

2. Vegetables, fresh or uncooked, frozen or dry**(i) ROOT AND TUBER VEGETABLES**

Beetroot	0.02*	0.05*	0.02*	0.01*
Carrots	0.02*	0.05*	0.02*	0.01*
Cassava	0.02*	0.05*	0.02*	0.01*
Celeriac	0.02*	0.05*	0.02*	0.01*
Horseradish	0.02*	0.05*	0.02*	0.01*
Jerusalem artichokes	0.02*	0.05*	0.02*	0.01*
Parsnips	0.02*	0.05*	0.02*	0.01*
Parsley root	0.02*	0.05*	0.02*	0.01*
Radishes	0.02*	0.05*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pymetrozine</i>	<i>S-metholachlor</i>	<i>Thiacloprid</i>	<i>Tribenuron-methyl</i>
	Salsify	0.02*	0.05*	0.02*	0.01*
	Sweet potatoes	0.02*	0.05*	0.02*	0.01*
	Swedes	0.02*	0.05*	0.02*	0.01*
	Turnips	0.02*	0.05*	0.02*	0.01*
	Yams	0.02*	0.05*	0.02*	0.01*
	Others	0.02*	0.05*	0.02*	0.01*
<hr/>					
(ii) BULB VEGETABLES					
	Garlic	0.02*	0.05*	0.02*	0.01*
	Onions	0.02*	0.05*	0.02*	0.01*
	Shallots	0.02*	0.05*	0.02*	0.01*
	Spring onions	0.02*	0.05*	0.02*	0.01*
	Others	0.02*	0.05*	0.02*	0.01*
<hr/>					
(iii) FRUITING VEGETABLES					
(a) <i>Solanaceae</i>					
	Tomatoes	0.5	0.05*	0.5	0.01*
	Peppers	1	0.05*	1	0.01*
	Chili peppers	1	0.05*	1	0.01*
	Aubergines	0.5	0.05*	0.5	0.01*
	Okra	0.02*	0.05*	0.02*	0.01*
	Others	0.02*	0.05*	0.02*	0.01*
<hr/>					
(b) <i>Cucurbits-edible peel</i>					
	Cucumbers	0.5	0.05*	0.3	0.01*
	Gherkins	0.5	0.05*	0.3	0.01*
	Courgettes	0.5	0.05*	0.3	0.01*
	Others	0.5	0.05*	0.3	0.01*
<hr/>					
(c) <i>Cucurbits-inedible peel</i>					
	Melons	0.2	0.05*	0.2	0.01*
	Squashes	0.2	0.05*	0.02*	0.01*
	Watermelons	0.2	0.05*	0.2	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	Pymetrozine	S-metholachlor	Thiacloprid	Tribenuron-methyl
	Others	0.2	0.05*	0.02*	0.01*

(d) *Sweet corn* 0.02* 0.05* 0.02* 0.01*

(iv) BRASSICA VEGETABLES

(a) *Flowering Brassicas*

Broccoli	0.02*(13)	0.05*	0.02*	0.01*
Cauliflower	0.02*	0.05*	0.02*	0.01*
Others	0.02*	0.05*	0.02*	0.01*

(b) *Head Brassicas*

Brussels sprouts	0.02*	0.05*	0.02*	0.01*
Head cabbage	0.05	0.05*	0.02*	0.01*
Others	0.02*	0.05*	0.02*	0.01*

(c) *Leafy Brassicas*

Chinese cabbage	0.2	0.05*	0.02*	0.01*
Kale	0.2	0.05*	0.02*	0.01*
Others	0.2	0.05*	0.02*	0.01*

(d) *Kohlrabi* 0.02* 0.05* 0.02* 0.01*

(v) LEAF VEGETABLES AND FRESH HERBS

(a) *Lettuce & similar*

Cress	2	0.05*	2	0.01*
Lamb's lettuce	2	0.05*	2	0.01*
Lettuce	2	0.05*	2	0.01*
Scarole	2 ⁽⁶⁾	0.05*	2	0.01*
Ruccola	2	0.05*	2	0.01*
Leaves and stems of brassica	2	0.05*	2	0.01*
Others	2	0.05*	2	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pymetrozine</i>	<i>S-metholachlor</i>	<i>Thiacloprid</i>	<i>Tribenuron-methyl</i>
(b) <i>Spinach & similar</i>					
Spinach		0.02*	0.05*	0.02*	0.01*
Beet leaves (chard)		0.02*	0.05*	0.02*	0.01*
Others		0.02*	0.05*	0.02*	0.01*
(c) <i>Watercress</i>		0.02*	0.05*	0.02*	0.01*
(d) <i>Witloof</i>		0.02*	0.05*	0.02*	0.01*
(e) <i>Herbs</i>					
Chervil	1	0.05*	3	0.01*	
Chives	1	0.05*	3	0.01*	
Parsley	1	0.05*	3	0.01*	
Celery leaves	1	0.05*	3	0.01*	
Others	1	0.05*	3	0.01*	
(vi) LEGUME VEGETABLES (fresh)					
Beans (with pods)	1	0.05*	1	0.01*	
Beans (without pods)	1	0.05*	0.02*	0.01*	
Peas (with pods)	1	0.05*	0.02*	0.01*	
Peas (without pods)	1	0.05*	0.02*	0.01*	
Others	1	0.05*	0.02*	0.01*	
(vii) STEM VEGETABLES					
Asparagus	0.02*	0.05*	0.02*	0.01*	
Cardoons	0.02*	0.05*	0.02*	0.01*	
Celery	0.02*	0.05*	0.02*	0.01*	
Fennel	0.02*	0.05*	0.02*	0.01*	
Globe artichokes	0.02*	0.05*	0.02*	0.01*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	Pymetrozine	S-metholachlor	Thiacloprid	Tribenuron-methyl
	Leeks	0.02*	0.05*	0.02*	0.01*
	Rhubarb	0.02*	0.05*	0.02*	0.01*
	Others	0.02*	0.05*	0.02*	0.01*
<hr/>					
(viii) FUNGI					
	(a) <i>Cultivated mushrooms</i>	0.02*	0.05*	0.02*	0.01*
	(b) <i>Wild mushrooms</i>	0.02*	0.05*	0.02*	0.01*
<hr/>					
3. PULSES					
	Beans	0.02*	0.05*	0.02*	0.01*
	Lentils	0.02*	0.05*	0.02*	0.01*
	Peas	0.02*	0.05*	0.02*	0.01*
	Lupins	0.02*	0.05*	0.02*	0.01*
	Others	0.02*	0.05*	0.02*	0.01*
<hr/>					
4. OILSEEDS					
	Linseed	0.02*	0.1*	0.05*	0.01*
	Peanuts	0.02*	0.1*	0.05*	0.01*
	Poppy seed	0.02*	0.1*	0.05*	0.01*
	Sesame seed	0.02*	0.1*	0.05*	0.01*
	Sunflower seed	0.02*	0.1*	0.05*	0.01*
	Rape seed	0.02*	0.1*	0.3	0.01*
	Soya bean	0.02*	0.1*	0.05*	0.01*
	Mustard seed	0.02*	0.1*	0.05*	0.01*
	Cotton seed	0.05	0.1*	0.05*	0.01*
	Hemp seed	0.02*	0.1*	0.05*	0.01*
	Others	0.02*	0.1*	0.05*	0.01*
<hr/>					
5. POTATOES					
	Early potatoes	0.02*	0.05*	0.02*	0.01*
	Ware potatoes	0.02*	0.05*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pymetrozine</i>	<i>S-metholachlor</i>	<i>Thiacloprid</i>	<i>Tribenuron-methyl</i>
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0.1*	0.1*	0.05*	0.02*
7. HOPS (dried)	including hop pellets & unconcentrated powder	15	0.1*	0.05*	0.02*

8. SPICES
Cumin seed
Juniper seed
Nutmeg
Pepper, black and white
Vanilla pods
Others

9. CEREALS				
Wheat	0.02*	0.05*	0.02*	0.01*
Rye	0.02*	0.05*	0.02*	0.01*
Barley	0.02*	0.05*	0.02*	0.01*
Sorghum	0.02*	0.05*	0.02*	0.01*
Oats	0.02*	0.05*	0.02*	0.01*
Triticale	0.02*	0.05*	0.02*	0.01*
Maize	0.02*	0.05*	0.02*	0.01*
Buckwheat	0.02*	0.05*	0.02*	0.01*
Millet	0.02*	0.05*	0.02*	0.01*
Rice ⁽¹⁾	0.02*	0.05*	0.02*	0.01*
Other cereals	0.02*	0.05*	0.02*	0.01*

10. FOODSTUFFS OF ANIMAL ORIGIN

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Pymetrozine</i>	<i>S-metholachlor</i>	<i>Thiacloprid</i>	<i>Tribenuron-methyl</i>
	Meat, edible offal, fat & preparations of meat and edible offal ⁽²⁾	0.01*		0.05 ⁽¹⁰⁾ 0.3 ⁽¹¹⁾ 0.05 ⁽⁴⁹⁾	
	Milk ⁽³⁾ & Dairy Produce	0.01*		0.03	
	Eggs ⁽⁵⁾	0.01*		0.01*	

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which are made under section 2(2) of the European Communities Act 1972, further amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2006 ([S.R. 2006 No. 220](#) “the principal Regulations”).

The Regulations implement Commission Directive [2007/7/EC](#) (O.J. No. L43, 15.2.2007, p. 19) (as regards Abamectin, Bifenthrin, Lambda-cyhalothrin, Linuron, Methomyl, Penconazole and Pymetrozine), Commission Directive [2007/8/EC](#) (O.J. No. L63, 1.3.2007, p. 9), Commission Directive [2007/9/EC](#) (O.J. No. L63, 1.3.2007, p. 17), Commission Directive [2007/11/EC](#) (O.J. No. L63, 1.3.2007 p. 26) and Commission Directive [2007/12/EC](#) (O.J. No. L59, 27.2.2007 p. 75).

The definition of “the Residues Directives” is updated (regulation 2(2)).

Regulation 2(3)(a) substitutes the pesticide/active substance Mevinphos in Schedule 1.

Regulation 2(3)(b) inserts the new entries Acetamiprid, Imazosulfuron, Methoxyfenozide, Milbemectin, S-metholachlor, Thiacloprid and Tribenuron-methyl into Schedule 1.

Regulation 2(4) deletes the column for the pesticides Mevinphos from Part I to Schedule 2.

Regulation 2(5) inserts or substitutes maximum residue levels for a number of pesticides in Part II to Schedule 2 to the principal Regulations.

Regulation 2(5)(c) adds a footnote at the end of Part II to Schedule 2.