
STATUTORY RULES OF NORTHERN IRELAND

2009 No. 255

WATER AND SEWERAGE SERVICES

The Water Supply (Water Fittings)
Regulations (Northern Ireland) 2009

Made - - - - 2nd July 2009

Coming into operation 3rd August 2009

THE WATER SUPPLY (WATER FITTINGS)
REGULATIONS (NORTHERN IRELAND) 2009

PART I

1. Citation, commencement, and interpretation
2. Application of Regulations

PART II

3. Restriction on installation etc. of water fittings
4. Requirements for water fittings etc.
5. Notification
6. Contractor's certificate

PART III

ETC.

7. Penalties for contravening Regulations
 8. Inspections, measurements and tests
 9. Enforcement
 10. Relaxation of requirements
 11. Approval by the water undertaker
 12. Disputes
 13. Publication of information
 14. Contamination incidents; remedial works and recovery of expenses
 15. Revocation of Regulations
- Signature

SCHEDULE 1 FLUID CATEGORIES

1

- Fluid category 1
- Fluid category 2
- Fluid category 3
- Fluid category 4
- Fluid category 5

SCHEDULE 2 REQUIREMENTS FOR WATER FITTINGS

2

Interpretation

1. In this Schedule— “backflow” means flow upstream, that is in...

Materials and substances in contact with water

2. (1) Subject to sub-paragraph (2) below, no material or substance,...

Requirements for water fittings

- 3. Every water fitting shall— (a) be immune to or protected...
- 4. Every water fitting shall— (a) be watertight;
- 5. Every water fitting shall be capable of withstanding an internal...
- 6. No water fitting shall be installed, connected or used which...
- 7. (1) No water fitting shall be embedded in any wall...

Water system design and installation

- 8. No water fitting shall be installed in such a position,...
- 9. Any pipe supplying cold water for domestic purposes to any...
- 10. (1) Every supply pipe or distributing pipe providing water to...
- 11. Water systems shall be capable of being drained down and...
- 12. (1) The water system shall be capable of withstanding an...
- 13. Every water system shall be tested, flushed and where necessary...

Prevention of cross connection to unwholesome water

14. (1) Any water fitting conveying— (a) rain water, greywater, reclaimed...

Backflow prevention

15. (1) Subject to the following provisions of this paragraph, every...

Cold water services

16. (1) Every pipe supplying water connected to a storage cistern...

Hot water services

- 17. (1) Every unvented water heater, not being an instantaneous water...
- 18. Appropriate vent pipes, temperature control devices and combined temperature pressure...
- 19. Discharges from temperature relief valves, combined temperature pressure and relief...

20. (1) No vent pipe from a primary circuit shall terminate...
21. Every expansion cistern or expansion vessel, and every cold water...
22. (1) Every expansion valve, temperature relief valve or combined temperature...
23. (1) A temperature relief valve or combined temperature and pressure...
24. No supply pipe or secondary circuit shall be permanently connected...

WC's, flushing devices and urinals

25. (1) Subject to the following provisions of this paragraph—

Baths, sinks, showers and taps

26. All premises supplied with water for domestic purposes shall have...
27. A drinking water tap shall be supplied with wholesome water...
28. (1) Subject to paragraph (2), every bath, wash basin, sink...

Washing machines, dishwashers and other appliances

29. (1) Subject to paragraph (2), clothes washing machines, clothes washer-driers...

Water for outside use

30. Every pipe which conveys water to a drinking vessel for...
 31. Every pond, fountain or pool shall have an impervious lining...
- Explanatory Note

Changes to legislation:

There are currently no known outstanding effects for the The Water Supply (Water Fittings) Regulations (Northern Ireland) 2009.