

SCHEDULE 1

Work not required to be notified under regulation 5

1. Work with ionising radiation is not required to be notified in accordance with regulation 5 when the only such work being carried out is in one or more of the following categories—

- (a) where the concentration of activity per unit mass of a radioactive substance does not exceed the concentration specified in column 2 of Part 1 of Schedule 7 (for artificial radionuclides and naturally occurring radionuclides which are processed for their radioactive, fissile or fertile properties) or column 2 of Part 2 of Schedule 7 (for naturally occurring radionuclides which are not processed for their radioactive, fissile or fertile properties);
- (b) where the quantity of radioactive substance involved does not exceed the quantity specified in column 3 of Part 1 of Schedule 7 (for artificial radionuclides and naturally occurring radionuclides which are processed for their radioactive, fissile or fertile properties) or column 3 of Part 2 of Schedule 7 (for naturally occurring radionuclides which are not processed for their radioactive, fissile or fertile properties);
- (c) where the concentration of activity per unit mass or quantity of a radioactive substance does not exceed values which may be approved by the Executive for specific types of work and where such work satisfies the exemption criteria set out in paragraphs 2 and 3 below;
- (d) where apparatus contains radioactive substances in a quantity exceeding the values specified in sub-paragraphs (a) and (b) provided that—
 - (i) the apparatus is of a type approved—
 - (aa) by the Executive; or
 - (bb) by the Great Britain Executive in accordance with paragraph 1(d) of Schedule 1 to the Great Britain Regulations;
 - (ii) the apparatus is constructed in the form of a sealed source;
 - (iii) the apparatus does not under normal operating conditions cause a dose rate of more than $1 \mu\text{Sv h}^{-1}$ at a distance of 0.1m from any accessible surface; and
 - (iv) conditions for the disposal of the apparatus have been specified by the chief inspector;
- (e) the operation of any electrical apparatus to which these Regulations apply other than apparatus referred to in sub-paragraph (f) provided that—
 - (i) the apparatus is of a type approved—
 - (aa) by the Executive; or
 - (bb) by the Great Britain Executive in accordance with paragraph 1(e) of Schedule 1 to the Great Britain Regulations; and
 - (ii) the apparatus does not under normal operating conditions cause a dose rate of more than $1 \mu\text{Sv h}^{-1}$ at a distance of 0.1m from any accessible surface;
- (f) the operation of—
 - (i) any cathode ray tube intended for the display of visual images; or
 - (ii) any other electrical apparatus operating at a potential difference not exceeding 30kV, provided that the operation of the tube or apparatus does not under normal operating conditions cause a dose rate of more than $1 \mu\text{Sv h}^{-1}$ at a distance of 0.1m from any accessible surface; or

Changes to legislation: There are currently no known outstanding effects for the The Ionising Radiations Regulations (Northern Ireland) 2017, Paragraph 1. (See end of Document for details)

- (g) where the work involves contaminated material resulting from authorised releases which the chief inspector has declared not to be subject to further control.

Changes to legislation:

There are currently no known outstanding effects for the The Ionising Radiations Regulations (Northern Ireland) 2017, Paragraph 1.