## SCHEDULE 4

Restrictions on the landing in and movement within Northern Ireland of relevant material

## PART A

Relevant material, originating in third countries, which may only be landed in Northern Ireland if special requirements are complied with

Item	Description of relevant material	Requirement of landing
1.		The plants must be accompanied by an official statement that they have been produced in a nursery and that the place of production is free from <i>pissodes</i> spp. (non-European)
2.		The plants must be accompanied by an official statement that no symptoms of <i>Scirrhia acicula</i> (Dearn.) Siggers or <i>Scirrhiapini</i> Funk and Parker have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
3.	Larix Mill., Picea A. Dietr., Pinus L., Pseudotsuga Carr. or Tsuga Carr.,	The plants must be accompanied by an official statement that no symptoms of <i>Melampsora medusa</i> Thümen have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
4.	Plants, other than fruit or seeds, of <i>Quercus</i> L., originating in the USA	The plants must be accompanied by an official statement that they originate in an area known to be free from <i>Ceratocystis fagacearum</i> (Bretz) Hunt
5.		The plants must be accompanied by an official statement that no signs of <i>Cronartium</i> spp. (non-European) have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
6.	Plants, other than seeds, of <i>Castanea</i> Mill. or <i>Quercus</i> L., intended for planting, originating in any third country	
		(a) they originate in an area known to be free from <i>Cryphonectria parasitica</i> (Murrill) Barr; or
		(b) no symptoms of <i>Cryphonectria</i> <i>parasitica</i> (Murrill) Barr have been observed at the place of production or in its

Item	Description of relevant material	Requirement of landing
		immediate vicinity since the beginning of the last complete cycle of vegetation
7.	Plants, other than seeds, of Corylus L., intended for planting, originating in Canada or the USA	
		(a) originate in an area established in the country of export by the national plant protection organisation in that country as being free from <i>Anisogramma anomala</i> (Peck) E. Müller, in accordance with ISPM No. 4, and which is mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration"; or
		(b) originate in a place of production established in the country of export by the national plant protection organisation in that country as being free from <i>Anisogramma anomala</i> (Peck) E. Müller on official inspections carried out at the place of production or in its immediate vicinity since the beginning of the last three complete cycles of vegetation, in accordance with ISPM No. 10, and which is mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration" and declared free from <i>Anisogramma anomala</i> (Peck) E. Müller
8.	but including cut branches with or without foliage, of Fraxinus L., Juglans xmlns"=http://www.tso.co.uk/assets/ namespace/legislatio"n>ailantifolia Carr., Juglans mandshurica Maxim.,	certificate or phytosanitary certificate for re-

9.

USA

originating in any third country

Republic of Korea, Russia, Taiwan or the

Plants of Betula L., other than fruit The plants must be accompanied by an or seeds, but including cut branches official statement that they originate in a of Betula L., with or without foliage, country known to be free of Agrilus anxius Gory

<sup>(1)</sup> Part A of Annex IV to Council Directive 2000/29/EC (OJ No L 169, 10.7.2000, p. 1), as last amended by Regulation (EU) No 652/2014 (OJ No L 189, 27.6.2014, p. 1).

Item	Description of relevant material	Requirement of landing
10.	Plants, other than seeds, of <i>Platanus</i> L., intended for planting, originating in Armenia, Switzerland or the USA	The plants must be accompanied by an official statement that no symptoms of <i>Ceratocystis platani</i> (J.M. Walter) Engelbr. & Harr. have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
11.		The plants must be accompanied by an official statement that no symptoms of <i>Melampsora medusa</i> Thümen have been observed at the palce of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
12.		The plants must be accompanied by an official statement that no symptoms of <i>Mycosphaerella populorum</i> G.E. Thompson have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
13.		The plants must be accompanied by an official statement that no symptoms of <i>Candidatus</i> Phytoplasma ulmi have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
14.	<ul> <li>Plants, other than scions, cuttings, plants in tissue culture, pollen or seeds, of <i>Amelanchier</i> Medik., <i>Aronia</i> Medik., <i>Cotoneaster</i> Medik., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyracantha</i> M. Roem., <i>Pyrus</i> L. or <i>Sorbus</i> L., intended for planting, originating in</li> </ul>	(a) they have been grown throughout their life in an area free from <i>Saperda</i> <i>candida</i> Fabricius, established by the
	Canada or the USA	the country of origin in accordance with ISPM No. 4, and which is mentioned on the phytosanitary certificate or the phytosanitary certificate for re- export under the heading "Additional declaration"; or
		(b) they have been grown during a period of at least two years prior to export, or in the case of plants which are younger than two years, have been grown throughout their life, in a place of production established as free from <i>Saperda candida</i> Fabricius in accordance with ISOM No. 10:

Item	Description of relevant material	Requirement of landing
		(i) which id registered and supervised by the national plant protection organisation in the country of origin;
		(ii) which has been subjected annually to two official inspections for any signs of <i>Saperda candida</i> Fabricius carried out at appropriate times;
		(iii) where the plants have been grown in a site with complete physical protection against the introduction of <i>Saperda</i> <i>candida</i> Fabricius or with the application of appropriate preventive treatments and surrounded by a buffer zone with a width of at least 500 m in which the absence of <i>Saperda candida</i> Fabricius has been confirmed by official surveys carried out annually at appropriate times; and
		(iv) immediately prior to export, the plants, and in particular their stems, have been subjected to a meticulous inspection for the presence of <i>Saperda candida</i> Fabricius, which included destructive sampling, where appropriate
15.	Fruits of Citrus L., Fortunella Swingle, Poncirus Raf., Microcitrus Swingle, Naringi Adans. or Swinglea Merr.,	The fruits shall be accompanied by an official statement that:
	originating in any third country	(a) they originate in a country recognised as being free from <i>Xanthomonas citri</i> pv. <i>citri</i> and <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> in accordance with ISPM No. 4, and which has been previously notified in writing to the European Commission by the relevant national plant protection organisation;
		(b) they originate in an area established by the national plant protection organisation in the country of origin as being free as being free from <i>Xanthomonas citri</i> pv. <i>citri</i> and <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> in accordance with ISPM No. 4, and which is mentioned on the phytosanitary certificate or the phytosanitary certificate for re- export under the heading "Additional declaration" and has been previously notified in writing to the European Commission by the relevant national plant protection organisation;

Item Description	f relevant material Requirement of landing
	(c) they originate in a place of production established by the national plant protection organisation in the country of origin as being free from <i>Xanthomonas citri</i> pv. <i>citri</i> and <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> in accordance with ISPM No. 10, and which is mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration"; or
	(d) they:
	(i) have been subjected to a treatment with sodium orthophenylphenate or any other effective treatment which is mentioned on the phytosanitary certificate or
	Phytosanitary certificate for re-export and which treatment method has been previously notified in writing to the European Commission by the relevant national plant protection organisation;
	(ii) originate in a site of production, which along with the immediate vicinity, are subject to appropriate treatments and cultural practices against <i>Xanthomonas</i> <i>citri</i> pv. <i>citri</i> and <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> ;
	(iii) are free from symptoms of <i>Xanthomonas citri</i> pv. <i>citri</i> and <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> , as shown from official inspections carried out at appropriate times prior to export; and
	(iv) are traceable from information included in the phytosanitary certificate or phytosanitary certificate for re-export; or
	(e) in the case of fruits destined for industrial processing in the European Union they:
	(i) have been found free from symptoms of <i>Xanthomonas citri</i> pv. <i>citri</i> and <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> during official inspections carried out prior to export;

Item	Description of relevant material	Requirement of landing
		(ii) originate in a site of production which, along with the immediate vicinity, is subject to appropriate treatments and cultural practices against <i>Xanthomonas</i> <i>citri</i> pv. <i>citri</i> and <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> ;
		(iii) are subject to a licence granted under article 41(1) of this Order authorising their movement within Northern Ireland and, where applicable, their processing and storage in Northern Ireland;
		(iv) are transported in individual packages bearing a label, which contains a traceability code and indicates that the fruits are destined for industrial processing; and
		(v) are traceable from information on traceability included in the phytosanitary certificate or phytosanitary certificate for re-export
16.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf., originating in any third	The fruits shall be:
	country	(a) free from peduncles and leaves and the packaging, any label attached to the packaging or any document normally used for trade purposes which accompanies the consignment must bear an appropriate origin mark (which may be a reference to the name of the country of origin);
		(b) accompanied by an official statement that:
		(i) they originate in a country recognised as being free from <i>Cercospora angolensis</i> Carv. et Mendes in accordance with ISPM No. 4, and which has been previously notified in writing to the European Commission by the relevant national plant protection organisation;
		(ii) they originate in an area recognised as being free from <i>Cercospora angolensis</i> Carv. Et Mendes in accordance with ISPM No. 4, and which is mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration" and has been

Description of relevant material	Requirement of landing
	previously notified in writing to the European Commission by the relevant national plant protection organisation; or
	(iii) no symptoms of <i>Cercospora</i> <i>angolensis</i> Carv. et Mendes have been observed in the site of production and in its immediate vicinity since the beginning of the last cycle of vegetation, and none of the fruits harvested in the site of production has shown, in appropriate official examination, symptoms of this plant pest
Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf., other than fruits of <i>Citrus aurantium</i> I. or Citrus latifolia	
Tanaka, originating in third countries,	(a) they originate in a country recognised as being free from <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa in accordance with ISPM No. 4, and which has been previously notified in writing to the European Commission by the relevant national plant protection organisation;
	(b) they originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa in accordance with ISPM No. 4, and which is mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration" and has been previously notified in writing to the European Commission by the relevant national plant protection organisation;
	(c) they:
	(i) originate in a place of production established by the national plant protection organisation in the country of origin as being free from <i>Phyllosticta</i> <i>citricarpa</i> (McAlpine) Van der Aa in accordance with ISPM No. 10, and which is mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration"; and
	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf ., other than fruits of <i>Citrus aurantium</i> L., or Citrus latifolia Tanaka, originating in third countries, other than Argentina, Brazil, South Africa

Item	Description of relevant material	Requirement of landing
		(ii) have been found free of symptoms
		of Phyllosticta citricarpa (McAlpine)
		Van der Aa by official inspection of
		a representative sample defined in
		accordance with ISPM No. 31;
		(d) they:
		(i) originate in a site of production:
		(aa) subjected to appropriate treatments
		and cultural measures against Phyllosticta
		citricarpa (McAlpine) Van der Aa;
		(bb) in which official inspections have been carried out during the growing
		season since the beginning of the last
		cycle of vegetation, and no symptoms of
		Phyllosticta citricarpa (McAlpine) Van d
		Aa have been detected in the fruits; and
		(cc) from which the harvested fruits
		have been found free of symptoms of
		Phyllosticta citricarpa (McAlpine) Van d
		Aa during an official inspection, prior to
		export, of a representative sample, define
		in accordance with ISPM No. 31; and
		(ii) are traceable from information on
		traceability included in the phytosanitary
		certificate or the phytosamitary certificat
		for re-export;
		(e) in the case of fruits destined for
		industrial processing in the European
		Union they:
		(i) have been found free of symptoms of
		<i>Phyllosticta citricarpa</i> (McAlpine) Van
		der Aa prior to export during an official
		inspection of a representative sample
		defined in accordance with ISPM No. 31
		(ii) originate in a site of production which
		was subject to appropriate treatments
		against Phyllosticta citricarpa (McAlpine
		Van der Aa at appropriate times and
		which is mentioned on the phytosanitary
		certificate or phytosanitary certificate for
		re-export under the heading "Additio declaration";

Item	Description of relevant material	Requirement of landing
		(iii) are subject to a licence granted under article 41(1) of this Order authorising their movement within Northern Ireland and, where applicable, their processing and storage in Northern Ireland;
		(iv) are transported in individual packages bearing a label which contains a traceability code and indicates that the fruits are destined for industrial processing; and
		(v) are traceable from information on traceability included in the phytosanitary certificate or phytosanitary certificate for re-export
18.	Fruits of <i>Citrus latifolia</i> Tanaka originating in Brazil, South Africa or Uruguay	The fruits must be accompanied by an official statement that:
	Ciuguay	(a) they originate in an area recognised as being free from <i>Phyllostica citricarpa</i> (McAlpine) Van der Aa (all strains pathogenic to Citrus), as referred to in Article 3(2) of Decision 2006/473/EC, and which is mentioned on the phytosanitary certificate or phytosanitary certificate for re-export;
		(b) no symptoms of <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa (all strains pathogenic to Citrus) have been observed in the field of production or in its immediate vicinity since the beginning of the last cycle of vegetation, and none of the fruits harvested in the field of production has shown, in appropriate official examination, symptoms of this plant pest; or
		(c) the fruits originate in a field of production subjected to appropriate treatments against <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa (all strains pathogenic to Citrus), and none of the fruits harvested in the field of production has shown, in appropriate official examination, symptoms of this plant pest
19.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf., other than fruits of <i>Citrus aurantium</i> L. or <i>Citrus latifolia</i> Tanaka, which originate in Argentina,	(a) originate in a country recognised as free

9

Item	Description of relevant material	Requirement of landing
	Brazil, South Africa or Uruguay and are not destined exclusively for industrial processing into juice	
		(b) be accompanied by an official statement that they originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa in accordance wit ISPM No. 4 and which is mentioned on th phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration" and has been previously notified in writing to the European Commission by the relevant national plant protection organisation;
		(c) in the case of fruits originating in Brazil, be accompanied by a phytosanitary certificate which includes an official statement under the heading "Additional declaration" that they meet th requirements specified in Articles 4 and 7(a) and (b) of Decision (EU) 2016/715;
		(d) in the case of fruits originating in Sout Africa or Uruguay, be accompanied by a phytosanitary certificate which includes an official statement under the heading "Additional declaration" that they meet th requirements specified in Articles 5 and 7 of Decision (EU) 2016/715; or
		(e) in the case of fruits originating in Argentina, be accompanied by a phytosanitary certificate which includes an official statement under the heading "Additional declaration" that they meet th requirements specified in Articles 5a and of Decision (EU) 2016/715
20.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf., other than fruits of <i>Citrus</i> <i>aurantium</i> L. or <i>Citrus latifolia</i> Tanaka, which originate in Argentina, Brazil, South Africa or Uruguay and are destined	(a) be accompanied by an official statement that:
	exclusively for industrial processing into juice in the European Union	(i) they originate in a country recognised as free from <i>Phyllosticta citricarpa</i>

Item	Description of relevant material	Requirement of landing
		(McAlpine) Van der Aa, in accordance with ISPM No. 4 provided that this
		freedom status has been communicated in
		advance in writing by the national plant
		protection organisation of the third countr
		concerned or to the Commission; or
		(ii) they originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa in accordance with ISPM No. 4, and which is mentioned on the phytosanitary certificate or the phytosanitary certificate for re-export under the heading "Additional declaration and has been previously notified in writing to the European Commission by the relevant national plant protection organisation; or
		(iii) they:
		(aa) originate in a place of production established by the national plant protection organisation in the country of origin as being free from <i>Phyllosticta</i> <i>citricarpa</i> (McAlpine) Van der Aa in accordance with ISPM No. 10, and which is mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration"; and
		(bb) have been found free of symptoms of <i>Phyllosticta citricarpa</i> (McAlpine) Van der Aa by official inspection of a representative sample defined in accordance with ISPM No. 31; or
		(b) they:
		(i) originate in a site of production subjected to appropriate treatments and cultural measures against <i>Phyllosticta</i> <i>citricarpa</i> (McAlpine) Van der Aa, and
		(ii) official inspections have been carried out in the site of production during the growing season since the beginning of the last cycle of vegetation, and no symptoms

Item	Description of relevant material	Requirement of landing
		of <i>Phyllosticta citricarpa</i> (McAlpine) Var der Aa; or
		(c) in the case of fruits introduced into the European Union under the derogation specified in Article 8 of Decision (EU) 2016/715, the fruits must be:
		(i) accompanied by a phytosanitary certificate which includes an official statement:
		(aa) that they originate in a place of production officially registered with the national plant protection organisation in the country of origin and their movement from the place of production to the point of export to the European Union has been officially registered, as required by Article 10 of Decision (EU) 2016/715; and
		(bb) which, under the heading "Additiona declaration", includes the statements and the registered production code specified in Articles 9(1) and 10 of Decision (EU) 2016/715 and the information specified in Article 9(2) of that Decision;
		(ii) packaged and labelled in accordance with Article 17 of that Decision; and
		(iii) subject to a licence granted under article 41 of this Order authorising their introduction into, and movement within Northern Ireland and, where applicable, their processing and storage in Northern Ireland
1.	Fruits of <i>Capsicum</i> (L.), <i>Citrus</i> L. other than <i>Citrus limon</i> (L.) Osbeck. o	r official statement that:
	<i>Citrus auranti-folia</i> (Christm.) Swingle, <i>Prunus persica</i> (L.) Batsch or <i>Punica</i> <i>granatum</i> L., originating in any country of the African continent, Cape Verde, Saint Helena, Madagascar, La Reunion, Mauritius or Israel	<ul> <li>a (a) they originate in a country recognised</li> <li>as being free from <i>Thaumatotibia</i></li> <li><i>leucotreta</i> (Meyrick) in accordance with</li> </ul>
		(b) they originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Thaumatotibia leucotreta</i> (Meyrick) in accordance with ISPM No. 4, and which is mentioned on the phytosanitary

Item	Description of relevant material	Requirement of landing
		certificate or phytosanitary certificate for
		re-export under the heading "Additional declaration";
		declaration,
		(c) they:
		(i) originate in a place of production established by the national plant protection organisation in the country of origin as being free from <i>Thaumatotibia leucotreta</i> (Meyrick) in accordance with ISPM No. 10 and information on their traceability has been included in the phytosanitary certificate or phytosanitary certificate for re-export; and
		(ii) are free from that plant pest as shown from official inspections carried out in the place of production at appropriate times during the growing season, which included a visual examination on representative samples of fruit; or
		(d) in the case of fruits which have been subjected to an effective cold treatment or any other effective treatment to ensure freedom from <i>Thaumatotibia leucotreta</i> (Meyrick) which has previously been notified in writing to the European Commission by the relevant national plant protection organisation, they have been subjected to such a treatment, and the treatment data is indicated in the phytosanitary certificate or phytosanitary certificate for re-export
22.	Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf., originating in any third country where Tephritidae (non-	1 1
	European) are known to occur on these fruits	(a) they originate in an area known to be free from Tephritidae (non-European);
		(b) no signs of Tephritidae (non-European) have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation, on official inspections carried out at least monthly during the three months prior to harvesting, and none of the fruits harvested at the place of production has shown, in appropriate

Item	Description of relevant material	Requirement of landing
		official examination, signs of Tephritidae (non-European);
		(c) they have been shown, in appropriate official examination on representative samples, to be free from Tephritidae (non-European) in all stages of their development; or
		(d) the fruits have been subjected to an appropriate treatment, any acceptable vapour heat treatment, cold treatment, or quick freeze treatment, which has been shown to be efficient against Tephritidae (non-European) without damaging the fruit, or, where not available, chemical treatment as far as it is acceptable under European Union legislation
23.	Med., Chaenomeles Lindl., Cotoneaster Ehrh., Crataegus L., Cydonia Mill., Eriobotrya Lindl., Malus Mill., Mespilus	The plants must be accompanied by an official statement that the plants in the field of production or its immediate vicinity which have shown symptoms of <i>Erwinia amylovora</i> (Burr.) Winsl. <i>et al.</i> have been removed
24.	Plants, other than fruit or seeds, of <i>Citrus</i> L., <i>Fortunella</i> Swingle or <i>Poncirus</i> Raf., or plants of Araceae, Marantaceae, Musaceae, <i>Persea</i> spp. or Strelitziaceae,	
		free from <i>Radopholus citrophilus</i> Huettel <i>et al.</i> and <i>Radopholus similis</i> (Cobb)
		(b) representative samples of soil and roots from the place of production have been subjected, since the beginning of the last complete cycle of vegetation, to official nematological testing for at least <i>Radopholus citrophilus</i> Huettel <i>et al.</i> and <i>Radopholus similis</i> (Cobb) Thorne and have been found to be free from those plant pests
25.	including seeds, of Aegle Corrěa, Aeglopsis Swingle, Afraegle Engl., Atalantia Corrěa, Balsamocitrus Stapf,	The plants must be accompanied by an official statement that they originate in a country recognised as being free from <i>Candidatus</i> Liberibacter spp., a causal agent of Huanglongbing disease of citrus/citrus greening

Item	Description of relevant material	Requirement of landing
	Murraya J. Koenig ex L., Pamburus Swingle, Severinia Ten., Swinglea Merr., Triphasia Lour. or Vepris Comm., originating in any third country; or seeds of Citrus L., Fortunella Swingle or Poncirus Raf., originating in any third country	
26.	Plants, other than fruit or seeds, of <i>Casimiroa</i> La Llave, <i>Choisya</i> Kunth, <i>Clausena</i> Burm. F., <i>Murraya</i> J. Keonig ex L., <i>Vepris</i> Comm. or <i>Zanthoxylum</i> L.,originating in any third country	official statement that:
		(b) they originate in an area free from <i>Trioza erytreae</i> Del Guercio, established by the national plant protection organisation in accordance with ISPM No. 4, and which is mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration"; or
		(c) they have been grown in a place of production:
		(i) which is registered and supervised by the national plant protection organisation in the country of origin;
		(ii) where the plants were placed in a site with complete physical protection against the introduction of <i>Trioza erytreae</i> Del Guercio; and
		(iii) where two official inspections were carried out at appropriate times during the last complete cycle of vegetation prior to their movement from the site, and no signs of that plant pest were observed in that site or in the surrounding area with a width of at least 200 m
27.	of Aegle Corrêa, Aeglopsis Swingle, Afraegle Engl., Amyris P. Browne, Atlantia Corrêa, Balsamocitrus Stapf, Choisya Kunth, Citropsis Swingle	
	& Kellermen, Clausena Burm. F., Eremocitrus Swingle, Esenbeckia Kunth., Glycosmis Corrêa, Limonia L., Merrilia Swingle, Microcitrus Swingle, Murraya	

Item	Description of relevant material	Requirement of landing
	Pamburus Swingle, Severinia Ten.,	ISPM No. 4, which is mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration"
28.	Plants, other than fruits or seeds, of <i>Microcitrus</i> Swingle, <i>Naringi</i> Adans. or <i>Swinglea</i> Merr., originating in any third country	official statement that:
		(b) they originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Xanthomonas citri</i> pv. <i>citri</i> and <i>Xanthomonas citri</i> pv. <i>aurantifolii</i> on accordance with ISPM No. 4, and which is mentioned on the phytosantary certificate or phytosanitary certificate for re-export under the heading "Additional declaration" and has been notified in writing to the European Commission by the national plant protection organisation
29.	intended for planting, originating in any	The plants must be accompanied by an official statement that no symptoms of <i>Phyllosticta solitaria</i> Ell. and Ev. have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation
30.	<ul> <li>Plants, other than seeds, of <i>Cydonia</i></li> <li>Mill., <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Prunus</i></li> <li>L., <i>Pyrus</i> L., <i>Ribes</i> L., or <i>Rubus</i> L., intended for planting, originating in any third country where the following plant pests are known to occur on the following genera:</li> <li>— on <i>Fragaria</i> L.:</li> <li>— <i>Phytophthora fragariae</i> Hickman, var. <i>fragariae.</i>,</li> <li>— Arabis mosaic virus,</li> <li>— Raspberry ringspot virus,</li> <li>— Strawberry latent ringspot virus,</li> </ul>	The plants must be accompanied by an official statement that no symptoms of diseases caused by the plant pests listed in column 2 of this item have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation

Item	Description of relevant material	Requirement of landing
	<ul> <li>Strawberry mild yellow edge virus,</li> <li>Tomato black ring virus, or</li> <li><i>Xanthomonas fragariae</i> Kennedy and King;</li> <li>on Malus Mill.:</li> <li><i>Phyllosticta solitaria</i> Ell. and Ev.;</li> <li>on <i>Prunus</i> L.:</li> <li>Apricot chlorotic leafroll mycoplasma, or</li> <li><i>Xanthomonas arboricola</i> pv. pruni (Smith) Vauterin et al.;</li> <li>on <i>Prunus persica</i> (L.) Batsch:</li> <li><i>Psuedomonas syringae</i> pv. persicae (Prunier et al.) Young et al.;</li> <li>on <i>Pyrus</i> L.:</li> <li>Arabis mosaic virus,</li> <li>Raspberry ringspot virus,</li> <li>Strawberry latent ringspot virus, or</li> <li>Tomato black ring virus; or</li> <li>on all species:</li> <li>non-European viruses or virus-like organisms</li> </ul>	
31.	Mill. or <i>Pyrus</i> L., intended for planting, originating in any third country where	The plants must be accompanied by an official statement that plants at the place of production or in its immediate vicinity which have shown symptoms giving rise to the suspicion of contamination by Pear decline mycoplasma, have been rogued out at that place within the last three complete cycles of vegetation
32.	<ul> <li>Plants, other than seeds, of <i>Fragaria</i> L., intended for planting, originating in any third country where the following plant pests are known to occur: <ul> <li>Strawberry latent "C" virus,</li> <li>Strawberry vein banding virus, or</li> <li>Strawberry witches' broom mycoplasm</li> </ul> </li> </ul>	<ul> <li>The plants must be accompanied by an official statement that:</li> <li>(a) the plants, other than those raised from seed, have been:</li> <li>(i) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least the plant pests in column 2 of this item using appropriate indicators or equivalent methods and has been found free from those plant pests; or</li> </ul>

(ii) derived in direct line from material which has been maintained under

Item	Description of relevant material	Requirement of landing
		appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least the plant pests in column 2 of this item using appropriate indicators or equivalent methods and has been found free from those plant pests; and
		(b) no symptoms of diseases caused by the plant pests listed in column 2 of this item have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation
33.	Plants, other than seeds, of <i>Fragaria</i> L., intended for planting, originating in	
	any third country where <i>Aphelenchoides</i> besseyi Christie is known to occur	(a) no symptoms of <i>Aphelenchoides</i> <i>besseyi</i> Christie have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation; or
		(b) in the case of plants in tissue culture, the plants have been derived from plants which complied with paragraph (a) or have been officially tested by appropriate nematological methods and have been found free from <i>Aphelenchoides besseyi</i> Christie
34.		The plants must be accompanied by an official statement that they originate in an area known to be free from <i>Anthonomus signatus</i> Say and <i>Anthonomus bisignifer</i> (Schenkling)
35.	<ul> <li>intended for planting, originating in any third country where the following plant pests are known to occur on <i>Malus</i> Mill.:</li> <li>Cherry rasp leaf virus (American), or</li> <li>Tomato ringspot virus</li> <li>—</li> </ul>	The plants must be accompanied by an official statement that:
		(a) they have been:
		(i) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least the plant pests in column 2 of this item using appropriate indicators or equivalent methods and has been found free from those plant pests; or

Item	Description of relevant material	Requirement of landing
		(ii) derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least the plant pests in column 2 of this item using appropriate indicators or equivalent methods and has been found free from those plant pests; or
		(b) no symptoms of disease caused by the palnt pests listed in column 2 of this item have been observed on plants at the palce of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation
36.	Plants, other than seeds, of <i>Malus</i> Mill., intended for planting, originating in any	· · · ·
	third country where Apple proliferation mycoplasma is known to occur	(a) they originate in an area known to be free from Apple proliferation mycoplasm; or
		(b) other than plants raised from seeds, they have been:
		(i) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least Apple proliferation mycoplasm using appropriate indicators or equivalent methods and has been found free from that plant pest; or
		(ii) derived in direct line from material which has been maintained under appropriate conditions and has been subjected at least once within the last six complete cycles of vegetation, to official testing for at least Apple proliferation mycoplasm using appropriate indicators or equivalent methods and has been found free, in these tests, from that plant pest; and
		(iii) no symptoms of diseases caused by Apple proliferation mycoplasm have been observed on plants at the place of production, or on susceptible plants in its

Item	Description of relevant material	Requirement of landing
		immediate vicinity, since the beginning of the last three complete cycles of vegetation
37.	Plants, other than seeds, of the following species of <i>Prunus</i> L., intended for planting, originating in any third country	The plants must be accompanied by an official statement that:
	where Plum pox virus is known to occur: — Prunus amygdalus Batsch, — Prunus armeniaca L.,	(a) other than plants raised from seed, they have been:
	<ul> <li>Prunus blireiana Andre,</li> <li>Prunus brigantine Vill.,</li> <li>Prunus cerasifera Ehrh.,</li> <li>Prunus cistena Hansen,</li> <li>Prunus curdica Fenzl and Fritsch.,</li> <li>Prunus domestica spp. domestica L.,</li> <li>Prunus domestica spp. insititia (L.) C.K. Schneid.,</li> </ul>	(i) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least Plum pox virus using appropriate indicators or equivalent methods and has been found free from that plant pest; or
	<ul> <li>Prunus domestica spp. italic (Borkh.) Hegi.,</li> <li>Prunus glandulosa Thunb.,</li> <li>Prunus holosericea Batal.,</li> <li>Prunus hortulana Bailey,</li> <li>Prunus japonica Thunb.,</li> <li>Prunus mandshurica (Maxim.) Koehne,</li> <li>Prunus maritime Marsh.,</li> <li>Prunus mume Sieb and Zucc.,</li> <li>Prunus nigra Ait.,</li> </ul>	(ii) derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least Plum pox virus using appropriate indicators or equivalent methods and has been found free from that plant pest; and
	<ul> <li>Prunus persica (L.) Batsch,</li> <li>Prunus salicina L.,</li> <li>Prunus sibirica L.,</li> <li>Prunus simonii Carr.,</li> <li>Prunus spinosa L.,</li> <li>Prunus tomentosa Thunb.,</li> <li>Prunus triloba Lindl., or</li> </ul>	(b) no symptoms of the diseases caused by Plum pox virus have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation; or
	<ul> <li>other species of <i>Prunus</i></li> <li>L.susceptible to Plum pox virus</li> </ul>	(c) plants at the place of production which have shown symptoms of disease caused by other viruses or virus-like pathogens, have been rogued out
38.	Plants of <i>Prunus</i> L., intended for planting:	The plants must be accompanied by an official statement that:
	<ul> <li>originating in any third country where Tomato ringspot virus is known to occur on <i>Prunus</i> L.:</li> </ul>	(a) they have been:
	<ul> <li>other than seeds, originating in any third country where the following plant pests are known to occur:</li> <li>Cherry rasp leaf virus (American),</li> <li>Peach mosaic virus (American),</li> <li>Peach phony rickettsia,</li> <li>Peach rosette mycoplasma,</li> </ul>	(i) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least the relevant plant pests in column 2 of this item using appropriate

Item	Description of relevant material	Requirement of landing
nem	<ul> <li>Peach yellows mycoplasma,</li> <li>Plum line pattern virus (American), or</li> </ul>	indicators or equivalent methods and has been found free from those plant pests; or
	<ul> <li>Peach X-disease mycoplasm;</li> <li>other than seeds, originating in any country outside Europe where Little cherry pathogen is known to occur</li> </ul>	(ii) derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least the relevant plant pests listed in column 2 of this item using appropriate indicators or equivalent methods and has been found free from those plant pests; and
		(b) no symptoms of diseases caused by the relevant plant pests listed in column 2 of this item have been observed on the plants at the place of production, or on susceptible plants in its vicinity, since the beginning of the last three complete cycles of vegetation
39.	Plants of <i>Rubus</i> L., intended for planting:	The plants must be accompanied by an official statement that they have been:
	<ul> <li>originating in any third country where the following plant pests are known to occur on <i>Rubus</i> L.:</li> <li>Tomato ringspot virus,</li> <li>Black raspberry latent virus,</li> <li>Cherry leaf roll virus, or</li> <li>Prunus necrotic ringspot virus:</li> <li>other than seeds, originating in any third country where the following plant pests are known to occur:</li> </ul>	(a) officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and has been subjected to official testing for at least the relevant plant pests in column 2 of this item using appropriate indicators or equivalent methods and has been found free from those plant pests; or
	<ul> <li>Raspberry leaf curl virus (American), or</li> <li>Cherry rasp leaf virus (American)</li> </ul>	(b) derived in direct line from material which has been maintained under appropriate conditions and has been subjected, at least once within the last three complete cycles of vegetation, to official testing for at least the relevant plant pests in column 2 of this item using appropriate indicators or equivalent methods and has been found free from those plant pests; and
		(c) no symptoms of diseases caused by the relevant plant pests in column 2 of this item have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation

Item	Description of relevant material	Requirement of landing
40.	originating in any third country where	The tubers must be accompanied by an official statement that they originate in an area known to be free from <i>Synchytrium endobioticum</i> (Schilbersky) Percival (all races other than Race 1, the common European race), and no symptoms <i>Synchytrium endobioticum</i> (Schilbersky) Percival have been observed at the place of production or in its immediate vicinity since the beginning of an adequate period
41.	Tubers of <i>Solanum tuberosum</i> L., other than early potatoes, originating in any third country where Potato Spindle tuber viroid is known to occur	
42.	Tubers of <i>Solanum tuberosum</i> L., intended for planting, originating in any third country	1 1
	unite country	(a) they originate from a field known to be free from <i>Globodera rostochiensis</i> (Wollenweber) Behrens and <i>Globodera</i> <i>pallida</i> (Stone) Behrens;
		(b) they originate in an area in which <i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al. is known not to occur; and
		(c) they originate in an area where <i>Meloidogyne chitwoodi</i> Golden et al. (all populations) and <i>Meloidogyne fallax</i> Karssen are known not to occur; or
		(d) in areas where <i>Meloidogyne chitwoodi</i> Golden <i>et al.</i> (all populations) and <i>Meloidogyne fallax</i> Karssen are known to occur:
		(i) they originate from a place of production which has been found free from <i>Meloidogyne chitwoodi</i> Golden <i>et al.</i> (all populations) and <i>Meloidogyne fallax</i> Karssen based on an annual survey of host crops by visual inspection of host plants at appropriate times and by visual inspection both externally and by cutting of tubers after harvest from potato crops grown at the place of production; or
		(ii) the tubers after harvest have been randomly sampled and, either checked for the presence of symptoms after an

Item	Description of relevant material	Requirement of landing
		appropriate method to induce symptoms, or laboratory tested, as well as inspected visually both externally and by cutting the tubers, at appropriate times and in all cases at the time of sealing of the packages or containers before marketing according to the provisions on sealing in Council Directive 2002/56/EC on the marketing of seed potatoes, and no symptoms of <i>Meloidogyne chitwoodi</i> Golden <i>et al.</i> (all populations) or <i>Meloidogyne fallax</i> Karssen have been found
43.	Tubers of <i>Solanum tuberosum</i> L., other than those intended for planting, originating in any third country	The tubers must be accompanied by an official statement that they originate in an area in which <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> is not known to occur
44.	Tubers of <i>Solanum tuberosum</i> L., originating in any third country	The tubers must be accompanied by an official statement that they originate in:
		(a) a country known to be free from <i>Clavibacter michiganensis</i> spp. <i>sepedonicus</i> (Speickermann and Kottoff) Davis <i>et al.</i> : and either
		(b) a country where <i>Scrobipalpopsis</i> <i>solanivora</i> Povolny is not known to occur; or
		(c) an area free from <i>Scrobipalpopsis</i> <i>solanivora</i> Povolny, established by the national plant protection organisation in accordance with ISPM No. 4
45.	intended for planting, originating in	The plants must be accompanied by an official statement that no symptoms of Potato stolbur mycoplasm have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation
46.	planting, other than tubers of <i>Solanum</i> <i>tuberosum</i> L. or seeds of <i>Solanum</i> <i>lycopersicum</i> L., originating in any third	The plants must be accompanied by an official statement that no symptoms of Potato spindle tuber viroid have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation
47.	Plants, other than seeds, of <i>Capsicum</i> anuum L., Solanum lycopersicum L., Musa L., Nicotiana L. or Solanum melongena L., intended for planting,	

Item	Description of relevant material	Requirement of landing
		(a) they originate in an area which has been found free from <i>Ralstonia solanacearum</i> (Smith) Yabuuchi <i>et al.</i> ; or
		(b) no symptoms of <i>Ralstonia</i> <i>solanacearum</i> (Smith) Yabuuchi <i>et al.</i> have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation
48.	Plants, other than fruits or seeds of Solanum lycopersicum L. or Solanum melongena L., originating in any third	
	country	(a) they originate in a country recognised as being free from <i>Keiferia lycopersicella</i> (Walsingham) in accordance with ISPM No. 4; or
		(b) they originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Keiferia lycopersicella</i> (Walsingham) in accordance with ISPM No. 4, and which is mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration"
49.	Fruits of <i>Solanum lycopersicum</i> L. or <i>Solanum melongena</i> L., originating in any third country	
		(a) they originate in a country recognised as being free from <i>Keiferia lycopersicella</i> (Walsingham) in accordance with ISPM No. 4;
		(b) they originate in an area established by the national plant protection organisation in the country of origin as being free from <i>Keiferia lycopersicella</i> (Walsingham) in accordance with ISPM No. 4, and which is mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration"; or
	24	(c) they originate in a place of production established by the national plant protection organisation in the country of origin as being free from <i>Keiferia lycopersicella</i> (Walsingham) on the basis of official inspections and surveys carried out during the last three months prior to export, and which is mentioned on

Item	Description of relevant material	Requirement of landing
		the phytosanitary certificate or the phytosanitary certificate for re-export under the heading "Additional declaration"
50.		The plants must be accompanied by an official statement that no symptoms of <i>Verticillium albo-atrum</i> Reinke and Berthold or <i>Verticillium dahlia</i> Klebahn have been observed on hops at the place of production since the beginning of the last complete cycle of vegetation
51.		The plants must be accompanied by an official statement that:
	Ait., intended for planting, originating in any third country	
		(b) no signs of <i>Helicoverpa armigera</i> (Hübner) or <i>Spodoptera littoralis</i> (Boisd.) have been observed at the place of production since the beginning of the last complete cycle of vegetation; or
		(c) the plants have undergone appropriate treatment to protect them from those plant pests
52.	<i>Dendranthema</i> (DC.) Des Moul., <i>Dianthus</i> L., or <i>Pelargonium</i> l'Herit. ex Ait., originating in any third country	The plants must be accompanied by an official statement that:
		(a) they originate in an area free from <i>Spodoptera eridania</i> (Cramer), <i>Spodoptera frugiperda</i> Smith and <i>Spodoptera litura</i> (Fabricius), established by the national plant protection organisation in accordance with ISPM No. 4;
		(b) no signs of <i>Spodoptera eridania</i> (Cramer), <i>Spodoptera frugiperda</i> Smith or <i>Spodoptera litura</i> (Fabricius) have been observed at the place of production since the beginning of the last complete cycle of vegetation; or
		(c) the plants have undergone appropriate treatment to protect them from those plant pests

Item	Description of relevant material	Requirement of landing
53.		The plants must be accompanied by an official statement that:
	third country	(a) they are no more than third generation stock derived from material which has been found to be free from Chrysanthemum stunt viroid during virological tests, or are directly derived from material of which a representative sample of at least 10% has been found to be free from Chrysanthemum stunt viroid during an official inspection carried out at the time of flowering;
		(b) the plants or cuttings:
		(i) have come from premises which have been officially inspected at least monthly during the three months prior to dispatch and on which no symptoms of <i>Puccinia</i> <i>horiana</i> Hennings have been observed during that period, and in the immediate vicinity of which no symptoms of <i>Puccinia</i> <i>horiana</i> Hennings have been known to have occurred during the three months prior to export; or
		(ii) have undergone appropriate treatment against <i>Puccinia horiana</i> Hennings; and
		(c) in the case of unrooted cuttings, no symptoms of <i>Didymella ligulicola</i> (Baker, Dimock and Davis) v. Arx were observed either on the cuttings or on the plants from which the cuttings were derived, or that, in the case of rooted cuttings, no symptoms o <i>Didymella ligulicola</i> (Baker, Dimock and Davis) v. Arx were observed either on the cuttings or on the rooting bed
54.		The plants must be accompanied by an official statement that they:
	planting, originating in any third country	(a) have been grown throughout their life in a country free from Chrysanthemum stem necrosis virus;
		(b) have been grown throughout their life in an area established by the national plant protection organisation in the country of export as being free from Chrysanthemum

Item	Description of relevant material	Requirement of landing
		stem necrosis virus in accordance with ISPM No. 4; or
		(c) the plants have been grown throughout their life in a place of production, established as being free from Chrusanthemum stem necrosis virus and verified through official inspections and, where appropriate, testing
55.	Plants, other than seeds, of <i>Dianthus</i> L., intended for planting, originating in any third country	
		(a) they have been derived in direct line from mother plants which have been found free from <i>Erwinia chrysanthemi</i> pv. <i>Dianthecola</i> (Hellmers) Dickey, <i>Pseudomonas caryophylli</i> (Burkholder) Starr and Burkholder and <i>Phialophora</i> <i>cinerescens</i> (Wollenw.) Van Beyma on officially approved tests, carried out at least once within the two previous years; and
		(b) no symptoms of these plant pests have been observed on the plants
56.	other than those for which there is evidence from their packaging, or from other means, that they are intended for	The bulbs must be accompanied by an official statement that no symptoms of <i>Ditylenchus dipsaci</i> (Kühn) Filipjev have been observed on the plants since the beginning of the last complete cycle of vegetation
57.	Plants, other than seeds, of <i>Pelargonium</i> l'Hérit. ex Ait., intended for planting, originating in any third country where:	The plants must be accompanied by an official statement that they:
	<ul> <li>Tomato ringspot virus is known to occur, and</li> <li><i>Xiphinema americanum</i> Cobb <i>sensu lato</i> (non-European</li> </ul>	(a) are directly derived from a place of production known to be free from Tomato ringspot virus; or
	populations) or other vectors of Tomato ringspot virus are not known to occur	(b) are of no more than fourth generation stock, derived from mother plants found to be free from Tomato ringspot virus under an officially approved system of virological testing
58.	Plants, other than seeds, of <i>Pelargonium</i> l'Hérit. ex Ait., intended for planting, originating in any third country where:	The plants must be accompanied by an official statement that they:
	<ul> <li>Tomato ringspot virus is known to occur, and</li> </ul>	(a) are directly derived from a place of production known to be free from Tomato

<i>sensu lato</i> (non-European stock, derived fr populations) or other vectors of to be free from T	re than second generation om mother plants found Fomato ringspot virus
populations) or other vectors of Tomato ringspot virus are known under an official	
Tomato ringspot virus are known under an official	Tomato ringspot virus
	1 1 1
to occur virological testin	lly approved system of
	ıg
	be accompanied by an at that they have been ery and:
— plants of the family <i>Gramineae</i> ,	2
	an area established in the
— seeds, or country of expor	rt by the national plant
— tubers, intended for planting, protection organ	isation in that country
originating in any third country as being free fro	m Liriomyza sativae
•	Amauromyza maculosa
	cordance with ISPM
	h is mentioned on the
	ertificate or phytosanitary
"Additional decl	-export under the headin laration";
(b) originate in a	a place of production
	e country of export by th
	otection organisation in
-	being free from <i>Liriomyz</i> ard) and <i>Amauromyza</i>
	och), in accordance with
	nd which is mentioned
	itary certificate and
	y certificate for re-
	heading "Additional
declaration", and	d declared free from
-	e (Blanchard) and
-	aculosa (Malloch) on
1	ons carried out at least
	the three months prior to
export;	
	prior to export, have bee
	appropriate treatment
	za sativae (Blanchard) ar
	aculosa (Malloch) and ha
	nspected and found free sativae (Blanchard) and
IFOM LIFIOMYZA.	sativae (Blanchard) and
A ma an income a ma	
Amauromyza ma of the treatment	must be mentioned on th
of the treatment	
of the treatment	ertificate or phytosanitary

(d) they originate from plant material (explant) which is free from *Liriomyza* sativae (Blanchard) and *Amauromyza* 

Item	Description of relevant material	Requirement of landing
		<i>maculosa</i> (Malloch), are grown <i>in vitro in</i> a sterile medium under sterile conditions that preclude the possibility of infestation with <i>Liriomyza sativae</i> (Blanchard) and <i>Amauromyza maculosa</i> (Malloch) and are shipped in transparent containers under sterile conditions
0.	Cut flowers of <i>Dendranthems</i> (DC.) Des Moul., <i>Dianthus</i> L., <i>Gypsophila</i> L., <i>Solidago</i> L. or leafy vegetables of <i>Apium</i> <i>graveolens</i> L. or <i>Ocimum</i> L, originating	
	in any third country	(a) originate in a country free from <i>Liriomyza sativae</i> (Blanchard) and <i>Amauromyza maculosa</i> (Malloch); or
		(b) immediately prior to their export, have been officially inspected and found free from <i>Liriomyza sativae</i> (Blanchard) and <i>Amauromyza maculosa</i> (Malloch)
1.	Plants of herbaceous species, other than: — bulbs, — corms	The plants must be accompanied by an official statement that:
	— rhizomes, — seeds,	<ul> <li>(a) they originate in an area known to be free from <i>Liriomyza huidobrensis</i></li> <li>(Blanchard) and <i>Liriomyza trifolii</i></li> <li>(Burgess);</li> </ul>
	originating in any tinte country	(b) no signs of <i>Liriomyza huidobrensis</i> (Blanchard) or <i>Liriomyza trifolii</i> (Burgess) have been observed at the place of production, on official inspections carried out at least monthly during the three months prior to harvesting;
		(c) immediately prior to their export, they have been officially inspected and found free from <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess) and have been subjected to an appropriate treatment against <i>Liriomyza</i> <i>huidobrensis</i> (Blanchard) and <i>Liriomyza</i> <i>trifolii</i> (Burgess); or
		(d) they originate from plant material (explant) which is free from <i>Liriomyza</i> <i>huidobrensis</i> (Blanchard) and <i>Liriomyza</i> <i>trifolii</i> (Burgess), are grown in vitro in a sterile medium under sterile conditions that preclude the possibility of infestation with <i>Liriomyza huidobrensis</i> (Blanchard) or <i>Liriomyza trifolii</i> (Burgess) and are

Item	Description of relevant material	Requirement of landing
		shipped in transparent containers under sterile conditions
62.	Plants with roots, planted or intended for planting, grown in the open air, originating in any third country	
		(a) the place of production is known to be free from <i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i> (Spieckermann and Kotthoff) Davis <i>et al.</i> and <i>Synchytrium endobioticum</i> (Schilbersky) Percival; and
		(b) the plants originate from a field known to be free from <i>Globodera pallida</i> (Stone) Behrens and <i>Globodera rostochiensis</i> (Wollenweber) Behrens
63.	Soil or growing medium that: — is attached to, or accompanies, plants for the purposes of	The growing material must be accompanied by an official statement that:
	plants for the purposes of sustaining the vitality of those plants,	(a) at the time of planting it was:
	<ul> <li>consists wholly or partly of soil or any solid organic substance such as</li> </ul>	(i) free from soil and organic matter;
	<ul> <li>parts of plants or humus (including peat or bark) or partly of any solid inorganic substance, and</li> <li>originates in Belarus, Georgia, Moldova, Russia, Turkey, Ukraine</li> </ul>	(ii) found to be free from insects and harmful nematodes and subjected to appropriate examination or heat treatment or fumigation to ensure that it was free from other plant pests; or
	or any country outside Europe, other than Algeria, Egypt, Israel, Libya, Morocco or Tunisia	(iii) subjected to appropriate heat treatment or fumigation to ensure freedom from plant pests; and
		(b) since planting:
		(i) appropriate measures have been taken to ensure that the growing material has been maintained free from plant pests; or
		(ii) within two weeks prior to dispatch, the plants were shaken free from the material leaving the minimum amount necessary to sustain vitality during transport, and, if replanted, the growing material used for that purpose meets the requirements in paragraph (a)
64.		The plants must be accompanied by an official statement that no symptoms of Beet curly top virus (non-European isolates) have been observed since the beginning of the last complete cycle of vegetation

Item	Description of relevant material	Requirement of landing
65.	Plants, other than seeds, of <i>Beta vulgaris</i> L., intended for planting, originating in any third country in which Beet leaf curl	
	virus is known to occur	(a) Beet leaf curl virus has not been known to occur in the area of production; and
		(b) no symptoms of Beet curly top virus have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation
66.	Plants, other than: — -bulbs, — -corms,	The plants must be accompanied by an official statement that they have been grown in a nursery and:
	<ul> <li>-tubers, intended for planting, originating in any third country</li> </ul>	(a) originate in an area established in the country of export by the national plant protection organisation in that country as being free from <i>Thrips palmi</i> Karny, in accordance with ISPM No. 4, and which is mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration";
		(b) originate in a place of production established in the country of export by the national plant protection organisation in that country as being free from <i>Thrips</i> <i>palmi</i> Karny, in accordance with ISPM No. 10, and which is mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration", and declared free from <i>Thrips palmi</i> Karny on official inspections carried out at least monthly during the three months prior to export;
		(c) immediately prior to export, have been subjected to an appropriate treatment against <i>Thrips palmi</i> Karny and have been officially inmspected and found free from <i>Thrips palmi</i> Karny. Details of the treatment must be mentioned on the phytosanitary certificate or phytosanitary certificate for re-export; or
		(d) they originate from plant material (explant) which is free from <i>Thrips palmi</i> Karny, are grown in vitro in a sterile medium under sterile conditions that

Item	Description of relevant material	Requirement of landing
		preclude the possibility of infestation with <i>Thrips palmi</i> Karny and are shipped in transparent containers under sterile conditions
67.	Cut flowers of Orchidaceae or fruits of <i>Momordica</i> L. or <i>Solanum melongena</i> L., originating in any third country	The cut flowers and fruits must be accompanied by an official statement that:
		(a) they originate in a country free from <i>Thrips palmi</i> Karny; or
		(b) immediately prior to their export, they have been officially inspected and found free from <i>Thrips palmi</i> Karny
68.	Belize, Costa Rica, Dominican Republic, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Nicaragua, Panama,	
		Anthonomus eugenii Cano, established by
		(b) originate in a place of production, established in the country of export by the national plant protection organisation in that country, as being free from <i>Anthonomus eugenii</i> Cano in accordance with ISPM No. 10, and which is mentioned on the phytosanitary certificate or phytosanitary certificate for re- export under the heading "Additional declaration", and declared free from <i>Anthonomus eugenii</i> Cano on official inspections carried out at least monthly during the two months prior to export at the place of production and its immediate vicinity
69.	Specified plants within the meaning of Article 1(b) of Decision 2018/638, originating in Africa or in the Americas	
		(a) originate in a third country where the specified organism is not known to be present; or
		(b) originate in an area free from Spodoptera frugiperda (Smith) as established by the national plant protection

Item	Description of relevant material	Requirement of landing
		organisation in accordance with ISPM
		No. 4, and which is mentioned on the
		phytosanitary certificate or phytosanitary
		certificate for re-export under the heading "Additional declaration"; or
		(c) originate in areas other than those
		referred to in points (a) and (b), and they
		comply with the following conditions:
		(i) the plants have been produced in a
		production site which is registered and
		supervised by the national plant protection organisation in the country of origin;
		(ii) official inspections have been carried
		out in the production site during the three months prior to export, and no presence of
		Spodoptera frugiperda (Smith) has been
		detected on the plants;
		(iii) prior to their export, the plants have
		been subject to an official inspection and
		found free from <i>Spodoptera frugiperda</i> (Smith);
		(iv) information ensuring the traceability
		of the plants to their site of production ha been ensured during their movement prio
		to export;
		(v) the plants have been produced in a
		production site which is provided with
		complete physical protection against the introduction of <i>Spodoptera frugiperda</i>
		(Smith); or
		(d) originate in areas other than those
		referred to in points (a) and (b), and they
		(i) comply with points (c)(i) to (iv); and
		(ii) have been subjected to an effective
		treatment to ensure freedom from
		Spodoptera frugiperda (Smith); or
		(e) have been subjected to an effective
		post-harvest treatment to ensure freedom
		from <i>Spodoptera frugiperda</i> (Smith), and the treatment is indicated on the
		and the detailent is indicated on the

Item	Description of relevant material	Requirement of landing
		phytosanitary certificate or phytosanitary certificate for re-export
0.	Plants, other than seeds, of Palmae, intended for planting, originating in any country outside Europe	
		(a) they originate in an area known to be free from Palm lethal yellowing mycoplasma and Cadang-Cadang viroid, and no symptoms have been observed at the place of production or in its immediat vicinity since the beginning of the last complete cycle of vegetation;
		(b) no symptoms of Palm lethal yellowing mycoplasm or Cadang-Cadang viroid have been observed on the plants since the beginning of the last complete cycle of vegetation, and plants at the place production which have shown symptoms giving rise to the suspicion of contamination by the diseases have been rogued out at that place and the plants have undergone appropriate treatment to rid them of <i>Mynchus crudus</i> Van Duzzee; or
		<ul><li>(c) in the case of plants in tissue culture, the plants were derived from plants which have met the requirements in paragraphs</li><li>(a) or (b)</li></ul>
1.	Plants of Palmae, intended for planting, having a diameter of the stem at the base of over 5cm and belonging to the	The plants must be accompanied by an official statement that they:
	following genera: — Brahea Mart, — Butia Becc., — Chamaerops L.,	(a) have been grown throughout their life in a country where <i>Paysandisia archon</i> (Burmeister) is not known to occur;
	<ul> <li>Jubaea Kunth,</li> <li>Livistona R. Br.,</li> <li>Phoenix L.,</li> <li>Sabal Adans.,</li> <li>Syagrus Mart.,</li> <li>Trachycarpus H. Wendl.,</li> </ul>	(b) have been grown throughout their life in an area free from <i>Patsandisia archon</i> (Burmeister), established by the national plant protection organisation in accordance with ISPM No. 4;
	— <i>Trithrinax</i> Mart., — <i>Washingtonia</i> Raf.	(c) have, during a period of at least two years prior to export, been grown in a pla- of production:
		(i) which is registered and supervised by the national plant protection organisation in the country of origin;

Item	Description of relevant material	Requirement of landing
		(ii) where the plants were placed in a site with complete physical protection against the introduction of <i>Paysandisia archon</i> (Burmeister) or with the application of appropriate preventive treatments; and
		(iii) where, during three official inspections per year carried out at appropriate times, including immediately prior to export, no signs of <i>Paysandisia archon</i> (Burmeister) have been observed
72.		The plants must be accompanied by an official statement that no symptoms of <i>Aculops fuchsiae</i> Keifer have been observed at the place of production and that immediately prior to export the plants have been inspected and found free from <i>Aculops</i> <i>fuchsiae</i> Keifer
73.	in tissue culture, intended for planting,	
	originating in any third country other than a country in the Euro-Mediterranean area	
		(b) are free from plant debris, flowers and fruits; and
		(c) have been inspected at appropriate times and prior to export and found free from symptoms of harmful bacteria, viruses, and virus-like organisms, and either found free from signs or symptoms of harmful nematodes, insects, mites and fungi, or have been subjected to appropriate treatment to eliminate such organisms
74.		
75.	Annual or biennial plants, other than plants of <i>Gramineae</i> or seeds, intended for planting, originating in any third country other than a country in the Euro- Mediterranean area	official statement that they:
	25	(c) have been inspected at appropriate times and prior to export; and

Item	Description of relevant material	Requirement of landing
		(i) found free from symptoms of harmful bacteria, viruses and virus-like organisms; and
		(ii) found free from signs or symptoms of harmful nematodes, insects, mites and fungi, or have been subjected to appropriate treatment to eliminate such organisms
76.	Plants, other than seeds, of the family <i>Gramineae</i> , of ornamental perennial grasses of the subfamilies <i>Bambusoideae</i> , <i>Panicoideae</i> or of the genera <i>Buchloe</i> , <i>Bouteloua</i> Lag., <i>Calamagrostis</i> ,	official statement that they:
		(a) have been grown in a nursery;
	Schreb., <i>Stipa</i> L. or <i>Uniola</i> L., intended for planting, originating in any third	(c) have been inspected at appropriate
	country other than a country in the Euro- Mediterranean area	(i) found free from symptoms of harmful bacteria, viruses and virus-like organisms and
		(ii) found free from signs or symptoms of harmful nematodes, insects, mites and fungi, or have been subjected to appropriate treatment to eliminate such organisms
77.		
		(a) the plants, including those collected directly from natural habitats, have been grown, held and trained for at least two consecutive years prior to dispatch in an officially registered nursery which is subject to an officially supervised control regime; and
		(b) the plants have at least during that period:
		(i) been potted in pots which have been placed on shelves at least 50 cm above ground;
	36	(ii) have been subjected to appropriate treatments to ensure freedom from non- European rusts (and the active ingredient, concentration and date of application of

Item	Description of relevant material	Requirement of landing
		these treatments must be mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "disinfestation and/or disinfection
		treatment"); (iii) have been officially inspected at least six times a year at appropriate intervals for the presence of plant pests mentioned in the Schedules to this Order, along with the plants in the immediate vicinity of the nursery, by visual examination of each row in the field or nursery and all parts of the plantabove the growing medium, using a random sample of at least 300 plants from a given genus where the number of plants of that genus is not more than 3,000 plants, or 10% of the plants if there are more than 3,000 plants from that genus;
		(iv) have been found free, in the inspections referred to in paragraph (iii), from the relevant plant pests or where infested, have been removed, and the remaining plants have been effectively treated and held for an appropriate period and inspected to ensure freedom from such plant pests;
		(v) have been planted in an unused artificial growing medium or in a natural growing medium which has been treated by fumigation or by appropriate heat treatment and examined afterwards and found free of any plant pests; and
		(vi) have been kept under conditions which ensure that the growing medium has been maintained free from plant pests and within two weeks prior to dispatch, have been:
		(aa) shaken and washed with clean water to remove the original growing medium and kept bare rooted; or
		(bb) shaken and washed with clean water to remove the original growing medium and replanted in growing medium which meets the conditions in paragraph (v); or
		(cc) subjected to appropriate treatments to ensure that the growing medium is

Item	Description of relevant material	Requirement of landing
		free from plant pests (and the active ingredient, concentration and date of application of these treatments must be mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "disinfestation and/or disinfection treatment"); and
		(c) the plants have been packed in closed containers which have been officially sealed and bear the registration number of the regiostered nursery, and the registration number must be indicated on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration" for identification purposes
78	Herbaceous perennial plants, other than seeds, intended for planting, of the families Caryophyllaceae (except	-
	<i>Dianthus</i> L.), Compositae (except <i>Dendranthema</i> (DC.) Des Moul.),	(a) have been grown in a nursery;
	Cruciferae, Leguminosae or Rosaceae (except <i>Fragaria</i> L.,), originating in any third country other than a country in the Euro-Mediterranean area	(b) are free from plant debris, flowers and fruits; and
		(c) have been inspected at appropriate times and prior to export; and found free from:
		(i) symptoms of harmful bacteria, viruses, and virus-like organisms; and
		(ii) signs or symptoms of harmful nematodes, insects, mites and fungi, or have been subjected to appropriate treatment to eliminate such organisms
79.		
		(a) they originate in an area established in the country of export by the national plant protection organisation in that country as being free from <i>Bemisia tabaci</i> Genn. (non-European populations), in accordance with ISPM No. 4, and which is mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration";

Item	Description of relevant material	Requirement of landing
		(b) they originate in a place of production established in the country of export by the national plant protection organisation in that country as being free from <i>Bemisia</i> <i>tabaci</i> Genn. (non-European populations) in accordance with ISPM No. 10, and which is mentioned on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "Additional declaration", and declared free from <i>Bemisia tabaci</i> Genn. (non-European populations) on official inspections carrie out at least once each three weeks during
		the nine weeks prior to export: (c) in cases where <i>Bemisia tabaci</i> Genn. (non-European populations) has been found at the place of production, they are held or produced in this place of production and have undergone an appropriate treatment to ensure freedom from <i>Bemisia tabaci</i> Genn. (non-European populations) and subsequently this place of production has been found free from <i>Bemisia tabaci</i> Genn. (non-European populations) as a consequence of the implementation of appropriate procedures aimed at eradicating <i>Bemisia tabaci</i> Genn (non-European populations) in official inspections carried out weekly during the nine weeks prior to export and in monitoring procedures throughout the period. Details of the treatment must be mentioned on the phytosanitary certificate or phytosanitary certificate for re-export; or
		(d) they originate from plant material (explant) which is free from <i>Bemisia</i> <i>tabaci</i> Genn. (non-European populations) are grown <i>in vitro</i> in a sterile medium under sterile conditions that preclude the possibility of infestation with <i>Bemisia</i> <i>tabaci</i> Genn. (non-European populations) and are shipped in transparent containers under sterile conditions
80.		The cut flowers and leafy flowers must be accompanied by an official statement that

39

originating in any country outside Europe

Item	Description of relevant material	Requirement of landing
		(a) they originate in a country free from <i>Bemisia tabaci</i> Genn. (non-European populations); or
		(b) immediately prior to their export, they have been officially inspected and found free from <i>Bemisia tabaci</i> Genn. (non- European populations)
81.	lycopersicum L., intended for planting,	The plants must be accompanied by an official statement that no symptoms of Tomato yellow leaf curl virus have been observed on the plants
82.	Plants, other than seeds, of <i>Solanum lycopersicum</i> L., intended for planting, originating in any third country where	
		(a) no symptoms of Tomato yellow leaf curl virus have been observed on the plants; and
		(i) the plants originate in an area known to be free from <i>Bemisia tabaci</i> Genn.; or
		(ii) the place of production has been found free from <i>Bemisia tabaci</i> Genn. On official inspections carried out at least monthly during the three months prior to export; or
		(b) no symptoms of Tomato yellow leaf curl virus have been observed at the place of production and the place of production has been subjected to an appropriate treatment and monitoring regime to ensure freedom from <i>Bemisia tabaci</i> Genn.
83.	<ul> <li>Plants, other than seeds, bulbs, tubers, corms or rhizomes, intended for planting, originating in any third country where the following plant pests are known to occur:</li> <li>Bean golden mosaic virus,</li> <li>Cowpea mild mottle virus,</li> <li>Lettuce infectious yellow virus,</li> <li>Pepper mild tigré virus,</li> <li>Squash leaf curl virus, or</li> <li>other viruses transmitted by <i>Bemisia tabaci</i> Genn., and where <i>Bemisia tabaci</i> Genn. (non-European populations) or other</li> </ul>	The plants must be accompanied by an official statement that no symptoms of the relevant plant pests in column 2 of this item have been observed on the plants during their complete cycle of vegetation

Item	Description of relevant material	Requirement of landing
	vectors of the relevant plant pests are not known to occur	
84.	<ul> <li>Plants, other than seeds, bulbs, tubers, corms or rhizomes, intended for planting, originating in any third country where the following plant pests are known to occur:</li> <li>— -Bean golden mosaic virus,</li> </ul>	The plants must be accompanied by an official statement that no symptoms of the relevant plant pests in column 2 of this item have been observed on the plants during an adequate period, and:
	<ul> <li>-Cowpea mild mottle virus,</li> <li>-Lettuce infectious yellow virus,</li> <li>-Pepper mild tigré virus,</li> <li>-Squash leaf curl virus, or</li> </ul>	(a) the plants originate in an area known to be free from <i>Bemisia tabaci</i> Genn. and other vectors of the plant pests;
	<ul> <li></li></ul>	(b) the place of production has been found free from <i>Bemisia tabaci</i> Genn. and other vectors of the plant pests on official inspections carried out at appropriate times;
		(c) the plants have been subjected to an appropriate treatment aimed at eradicating <i>Bemisia tabaci</i> Genn.; or
		(d) the plants originate from plant material (explant) which is free from <i>Bemisia</i> <i>tabaci</i> Genn. (non-European populations) and which did not show any symptoms of <i>Bemisia tabaci</i> Genn. (non-European populations), are grown in vitro in a sterile medium under sterile conditions that preclude the possibility of infestation with <i>Bemisia tabaci</i> Genn. (non-European populations) and are shipped in transparent containers under sterile conditions
85.	Seeds of <i>Helianthus annuus</i> L. originating in any third country	, The seeds must be accompanied by an official statement that:
		(a) they originate in an area known to be free from P <i>lasmopara halstedii</i> (Farlow) Berl. and de Toni; or
		(b) other than those that have been produced on varieties resistant to all races of <i>Plasmopara halstedii</i> (Farlow) Berl. and de Toni present in the area of production, they have been subjected to an appropriate treatment against <i>Plasmopara halstedii</i> (Farlow) Berl. and de Toni
86.	Seeds of <i>Solanum lycopersicum</i> L. originating in any third country	The seeds must be accompanied by an official statement that they have been

Item	Description of relevant material	Requirement of landing
		obtained by means of an appropriate acid extraction method and:
		<ul> <li>(a) they originate in an area where Clavibacter michiganensis ssp.</li> <li>michiganensis (Smith) Davis et al., Xanthomonas campestris pv. vesicatoria</li> <li>(Doidge) Dye or Potato spindle tuber viroid are not known to occur;</li> </ul>
		(b) no symptoms of the diseases caused by those plant pests have been observed on the plants at the place of production during their complete cycle of vegetation; or
		(c) the seeds have been subjected to official testing for at least those plant pests on a representative sample and using appropriate methods, and have been found free from those plant pests
87.	Seeds of <i>Medicago sativa</i> L., originating in any third country	The seeds must be accompanied by an official statement that:
		(a) no symptoms of <i>Ditylenchus dipsaci</i> (Kühn) Filipjev have been observed at the place of production since the beginning of the last complete cycle of vegetation and no <i>Ditylenchus dipsaci</i> (Kühn) Filipjev has been revealed by laboratory tests on a representative sample;
		(b) fumigation has taken place prior to export; or
		(c) the seeds have been subjected to an appropriate physical treatment against <i>Ditylenchus dipsaci</i> (Kühn) Filipjev and have been found to be free of <i>Ditylenchus</i> <i>dipsaci</i> (Kühn) Filipjev after laboratory tests on a representative sample
88.	Seeds of <i>Medicago sativa</i> L., originating in any third country where <i>Clavibacter</i>	1 1
	<i>michiganensis</i> ssp. <i>insidiosus</i> Davis <i>et al.</i> is known to occur	(a) <i>Clavibacter michiganensis</i> ssp. <i>insidiosus</i> David <i>et al.</i> has not been known to occur on the farm or in its immediate vicinity since the beginning of the last 10 years;
		(b) either:

Item	Description of relevant material	Requirement of landing
		(i) the crop belongs to a variety recognised
		as being highly resistant to <i>Clavibacter</i>
		michiganensis ssp. insidiosus Davis et al.;
		(ii) it has not yet started its fourth complete
		cycle of vegetation from sowing when
		the seed was harvested, and there was not
		more than one preceding seed harvest from
		the crop; or
		(iii) the content of inert matter which has
		been determined in accordance with the
		rules applicable for the certification of seed
		marketed in the European Union, does not exceed 0.1% by weight;
		(c) no symptoms of <i>Clavibacter</i>
		michiganensis ssp. insidiosus Davis et
		<i>al.</i> have been observed at the place of
		production, or on any Medicago sativa L.
		crop adjacent to it, during the last complete
		cycle of vegetation or, where appropriate,
		the last two cycles of vegetation; and
		(d) the crop has been grown on land on
		which no previous Medicago sativa L. crop
		has been present during the last three years
		prior to sowing
89.	Seeds of Oryza sativa L., originating in	The seeds must be accompanied by an
	any third country	official statement that:
		(a) they have been officially tested by
		appropriate nematological tests and have
		been found free from Aphelenchoides
		besseyi Christie; or
		(b) they have been subjected to an
		appropriate hot water treatment or
		other appropriate treatment against
		Aphelenchoides besseyi Christie
90.	Seeds of <i>Phaseolus</i> L., originating in any	
	third country	official statement that:
		(a) they originate in an area known to be
		free from Xanthomonas campestris pv.
		phaseoli (Smith) Dye; or
		(b) a representative sample of the seeds
		has been tested and found free from

Item	Description of relevant material	Requirement of landing
		<i>Xanthomonas campestris</i> pv. p <i>haseoli</i> (Smith) Dye
91.	Seeds of <i>Zea mays</i> L., originating in any third country	The seeds must be accompanied by an official statement that:
		(a) they originate in an area known to be free from <i>Erwinia stewartii</i> (Smith) Dye; or
		(b_) a representative sample of the seeds has been tested and found free from <i>Erwinia stewartii</i> (Smith) Dye
92.	XTriticosecale from Afghanistan, India, Iraq, Mexico, Nepal, Pakistan, South	The seeds must be accompanied by an official statement that they originate in an area where <i>Tilletia indica</i> Mitra is known not to occur, and the name of the area must be mentioned on the phytosanitary certificate or the phytosanitary certificate for re-export
93.	Grain of the genera <i>Triticum, Secale</i> or <i>XTriticosecale</i> from Afghanistan, India,	official statement that:
	Iraq, Mexico, Nepal, Pakistan, South Africa or the USA where <i>Tilletia indica</i> Mitra is known to occur	(a) it originates in an area where <i>Tilletia</i> <i>indica</i> Mitra is known not to occur, and the name of the area must vbe mentioned on the phytosanitary certificate or the phytosanitary certificate for re-export under the heading "place or origin"; or
		(b) no symptoms of <i>Tilletia indica</i> Mitra have been observed on the plants at the place of production during their last complete cycle of vegetation and representative samples of the grain have been taken both at the time of harvest and before shipment and have been tested and found free from <i>Tilletia indica</i> Mitra, which must be evidenced by a statement "tested and found free from <i>Tilletia indica</i> Mitra" on the phytosanitary certificate or phytosanitary certificate for re-export under the heading "name of produce"
94.	Susceptible plants within the meaning of Article 1(2) of Decision 2002/757/EC originating in the USA	
		(a) an official statement under the heading "Additional declaration" that they:

Item	Description of relevant material	Requirement of landing
		(i) meet the requirements in point 1a(a) or 1a(b) of Annex 1 to Decision 2002/757/ EC; and
		(ii) have been found free from non- European isolates of <i>Phytophthora</i> <i>ramorum</i> Werres, De Cock & Man in't Veld sp. nov.; and
		(b) where point 1a(a) of that Annex applies, the name of the area in which they originate under the heading "place of origin"
95.	Specified plants within the meaning given in Article 1(2) of Decision 2007/433/EC originating in any third country	The plants must be accompanied by a phytosanitary certificate or a phytosanitary certificate for re-export which includes an official statement under the heading "Additional declaration" that they:
		(a) originate in a place of production which is registered and supervised by the national plant protection organisation in the country of origin; and
		(b) meet the requirements specified in point 1(a), (b) or (c) of Annex 1 to Decision 2007/433/EC
96.	Specified plants within the meaning of Article 1(a) of Decision 2012/138/EU originating in China	The plants must be accompanied by a phytosanitary certificate or phytosanitary certificate for re-export which includes:
		(a) an official statement under the heading "Additional declaration" in accordance with point 1 of Section 1(B) of Annex 1 to Decision 2012/138/EU; and
		(b) where point 1(b) of that Section applies, the place of production of the plants must meet the requirements specified in Article 3(c) of Decision 2012/138/EU
97.	Specified plants within the meaning of Article 1(a) of Decision 2012/138/ EU originating in any third country where <i>Anoplophora chinensis</i> (Forster) is known to be present, other than China	phytosanitary certificate or phytosanitary
		(a) an official statement under the heading "Additional declaration" in accordance with point 1 of Section 1(A) of Annex 1 to Decision 2012/138/EU; and

Item	Description of relevant material	Requirement of landing
		(b) where point 1(a) of that Section applies, the name of the relevant pest-free area under the heading "place of origin"
98.	intended for planting, originating in any third country where <i>Epitrix cucumeris</i> (Harris), <i>Epitrix papa</i> sp. n, <i>Epitrix</i>	The tubers must be accompanied by a phytosanitary certificate which includes an official statement under the heading "Additional declaration" in accordance with Section 1 of Annex 1 to Decision 2012/270/EU
99.	planting, which can only grow in water or soil that is permanently saturated with	The plants must be accompanied by a phytosanitary certificate which includes an official statement under the heading "Additional declaration" in accordance with Section 1 of Annex 1 to Decision 2012/697/EU
100.	other than seeds, of Actinidia Lindl.	The live pollen or plants must be accompanied by a phytosanitary certificate which includes an official statement under the heading "Additional declaration" in accordance with Section 1 of Annex 1 to Decision 2012/756/EU
101.	Specified plants within the meaning of Article 1(a) of Desirior (EU) 2015/780	The plants must:
	Article 1(c) of Decision (EU) 2015/789 originating in any third country, other than a third country where <i>Xyella fastidiosa</i> (Wells et al.) is known to be present	
		(b) be accompanied by a phytosanitary certificate which includes an official statement under the heading "Additional declaration":
		(i) in accordance with Article 16(b) of that Decision; or
		(ii) in the case of plants, other than seeds, intended for planting, of <i>Coffea</i> , <i>Lavandula</i> <i>dentata</i> L., <i>Nerium oleander</i> L., <i>Olea</i> <i>europaea</i> L., <i>Polygala myrtifolia</i> L., or <i>Prunus dulcis</i> (Mill.) D.A. Webb, in accordance with Article 16(b) and the second subparagraph of Article 16 of that Decision.

Item	Description of relevant material	Requirement of landing
102.	Specified plants within the meaning of Article 1(c) of Decision (EU) 2015/789 originating in any third country where <i>Xylella fastidiosa</i> (Wells et al.) is known to be present	
		(a) in the case of plants originating in an area which has been established as free from <i>Xylella fastidiosa</i> (Wells et al.) in accordance with ISPM No. 4 and has been notified to the European Commission by the relevant national plant protection organisation in accordance with Article 17(2)(a) of Decision 2015/789, the name of the area under the heading "place of origin";
		(b) in the case of plants which originate in an area where <i>Xylella fastidiosa</i> (Wells et al.) is known to be present and have not been grown for their entire production cycle in <i>vitro</i> :
		(i) an official statement under the heading "Additional declaration" in accordance with Article 17(3) of that Decision; and
		(ii) the name of the site from which they originate under the heading "place of origin";
		(c) in the case of plants which originate in an area where <i>Xylella fastidiosa</i> (Wells et al.) is known to be present and have been grown for their entire production cycle <i>in</i> <i>vitro</i> :
		(i) an official statement under the heading "Additional declaration" in accordance with Article 17(3a) of that Decision; and
		(ii) the name of the site from which they originate under the heading "place of origin"
103.	Plants, other than seeds, of <i>Mangifera</i> L., originating in India	The plants must be accompanied by a phytosanitary certificate which includes an official statement under the heading "Additional declaration" describing the appropriate measures taken to ensure freedom from harmful organisms
104.	Specified plants within the meaning of Article 1(a) of Decision (EU) 2015/893 originating in any third country where	phytosanitary certificate or a phytosanitary

Item	Description of relevant material	Requirement of landing
	Anoplophora glabripennis (Motschulsky) is known to be present	<ul> <li>(a) an official statement under the heading "Additional declaration" that they meet the requirements specified in point (1)(a),</li> <li>(b) or (c) of Section 1(A) of Annex II to Decision (EU) 2015/893; and</li> <li>(b) where point (1)(a) of that Section applies, the name of the relevant pest-free area under the heading "place of origin"</li> </ul>
105.	Plants of <i>Fraxinus</i> L., intended for planting originating in any third country	The plants must be accompanied by a phytosanitary certificate which has been issued by the national plant protection organisation of the country from which the plants originate and which includes under the heading "Additional declaration" an official statement that the plants have been grown throughout their life in an area which has been established and is maintained as an area free from <i>Chalara fraxinea</i> T. Kowalski (including its teleomorph <i>Hymenoscyphus pseudoalbidus</i> ) in accordance with ISPM No. 4