SCHEDULE 2 Regulation 3

PART 1

Group or product to including the following food products	**Aldrin & Dieldrin**	**Amitraz**	**Bifenazate**	**Bifenthrin**	**Carbofuran**	**Chlorpyrifos**	**Cyfluthrin**	**Cyhalothrin**	**Cypermethrin**	**Deltamethrin**	**Dimethomorph**	**Endosulfan**	**Etofenprox**	**Etoxazole**	**Fenbutatin oxide**	**Fenpyroximate**	**Flubendiamide**	**Flutriafol**	**Fluxapyroxad**	**Formetanate**	**Gamma cyhalothrin**	**Hexythiazox**	**Imidacloprid**	**Indoxacarb**	**Lambda cyhalothrin**	**Lufenuron**	**Mandipropamid**	**Methiocarb**	**Methomyl**	**Metrafenone**	**Mevinphos**	**Novaluron**	**Pyraclostrobin**
	Aldrin & Dieldrin (HCH) γ	Amitraz	Bifenazate	Bifenthrin	Carbofuran	Chlorpyrifos	Cyfluthrin	Cyhalothrin	Cypermethrin	Deltamethrin	Dimethomorph	Endosulfan	Etofenprox	Etoxazole	Fenbutatin oxide	Fenpyroximate	Flubendiamide	Flutriafol	Fluxapyroxad	Formetanate	Gamma cyhalothrin	Hexythiazox	Imidacloprid	Indoxacarb	Lambda cyhalothrin	Lufenuron	Mandipropamid	Methiocarb	Methomyl	Metrafenone	Mevinphos	Novaluron	Pyraclostrobin
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts																																	
(i) CITRUS FRUIT																																	
Grapefruit	0.05	2	0.7	2	0.02	2*	1	5	0.1	1	2	2	2	1	30	2	5	0.2	1	1	0.2	1											
Lemons	0.05	2	0.7	2	0.02	2*	1	5	0.1	1	2	2	2	1	30	2	5	0.2	1	1	0.2	1											
Limes	0.05	2	0.7	2	0.02	2*	1	5	0.1	1	2	2	2	1	30	2	5	0.2	1	1	0.2	1											
Mandarins (inc clementines & similar hybrids)	0.05	2	0.7	2	0.02	2*	1	5	0.1	1	2	2	2	1	30	2	5	0.2	1	1	0.2	1											
Oranges	0.05	2	0.7	2	0.02	2*	1	5	0.1	1	2	2	2	1	30	2	5	0.2	1	1	0.2	1											
Pomelos	0.05	2	0.7	2	0.02	2*	1	5	0.1	1	2	2	2	1	30	2	5	0.2	1	1	0.2	1											
Others	0.05	2	0.7	2	0.02	2*	1	5	0.1	1	2	2	2	1	30	2	5	0.2	1	1	0.2	1											
(ii) TREE NUTS (shelled or unshelled)																																	
Almonds																																	
Brazil nuts																																	
Cashew nuts																																	
Chesnuts																																	
Coconuts																																	
Hazelnuts																																	
Macadamia nuts																																	
Pecans																																	
Pine nuts																																	
Pistachios																																	
Walnuts																																	
Others																																	

Groups to which food belongs / Group including the following products	Aldrin & Dieldrin																								
(iii) POME FRUIT																									
Apples	0.05	1	1	3	5		1	0.02*	0.05	5	0.1		1	1		0.5	0.5	0.01*	5	20	0.5	0.02	0.2	0.2	2
Pears	0.05	1	1	3	5		1	0.02*	0.05	5	0.1		1	1		0.5	0.5	0.01*	5	20	0.5	0.02	0.2	0.2	2
Quinces	0.05	1	1	3	5		1	0.02*	0.05	5	0.1		1	1		0.5	0.5	0.01*	5	20	0.5	0.02	0.2	0.2	2
Others	0.05	1	1	3	5		1	0.02*	0.05	5	0.1		1	1		0.5	0.5	0.01*	5	20	0.5	0.02	0.2	0.2	2
(iv) STONE FRUIT																									
Apricots	0.05	4	1	2	10		1	0.02*	0.05	5	0.1	5		2		0.5	0.5		1	20	0.5		0.2	1	2
Cherries																									
Peaches (inc nectarines and similar hybrids)	0.05	4	1	2	10		1	0.02*	0.05	5	0.1	5		2		0.5	0.5		1	20	0.5		0.5	1	2
Plums	0.05	1	1	2	10		1	0.02*	0.05	5	0.1	5	1	2		0.5	0.5		1	20	0.5		0.5	1	1
Others																									
(v) BERRIES AND SMALL FRUIT																									
(a) Table & wine grapes																									
Table grapes	0.05	2		3	5			0.02*	0.05	15	0.1			1		0.5	0.5		0.5	20	0.5		0.1	1	1
Wine grapes	0.05	2		3	5			0.02*	0.05	15	0.1			1		0.5	0.5		0.5	20	0.5		0.1	1	1
(b) Strawberries (other than wild)	0.05	1		3	7	5		0.02*	0.05	10	0.1			1	2	0.1	0.5		3	30	0.5		0.1	1	1
(c) Cane Fruit (other than wild)																									
Blackberries	0.05	1		3	10			0.02*	0.05	15	0.1			1	2	0.1	0.5		3	20	0.5		0.1	1	1

Groups to include the following food products	**Aldrin & Dieldrin**	**Azinphos-methyl**	**Captan**	**Carbaryl**	**Chlorpyrifos**	**Cyfluthrin**	**Cyhalothrin (lambda)**	**Cypermethrin**	**Deltamethrin**	**Dimethoate**	**Endosulfan**	**Endrin**	**Fenitrothion**	**Fenvalerate**	**Flusilazole**	**Formothion**	**Heptachlor**	**Hexachlorobenzene**	**Hexachlorocyclohexane (HCH) γ**	**Iprodione**	**Malathion**	**Methamidophos**	**Methidathion**	**Methomyl**	**Monocrotophos**	**Parathion**	**Parathion-methyl**	**Pirimiphos-methyl**	**Quinalphos**	**Vinchlozolin**
Loganberries	0.05	3	10	0.02*	0.05	150.1	1	0.1	0.5	3	20	0.5	0.1	1	1															
Raspberries	0.05	3	105	0.02*	0.05	150.1	1	0.1	0.5	3	20	0.5	0.1	1	1															
Others	0.05	1	3	10	0.02*	0.05	150.1	1	0.1	0.5	3	20	0.5	0.1	1	1														
(d) Other small fruit & berries (other than wild)																														
Bilberries	0.05	1	3	10	0.02*	0.05	150.1	2	0.1	0.5	3	20	0.5	0.1	1	1														
Cranberries	0.05	1	3	10	0.02*	0.05	150.1	2	0.1	0.5	3	20	0.5	0.1	1	1														
Currants (red, black & white)	0.05	1	3	10	0.02*	0.05	150.15	2	2	0.1	0.5	3	20	0.5	0.1	1	1													
Gooseberries	0.05	1	3	10	0.02*	0.05	150.1	2	2	0.1	0.5	3	20	0.5	0.1	1	1													
Others	0.05	1	3	10	0.02*	0.05	150.1	2	0.1	0.5	3	20	0.5	0.1	1	1														
(e) Wild berries & wild fruit																														
(vi) MISCELLANEOUS FRUIT																														
Avocados																														
Bananas	0.05	1	0.5	5	0.02*	0.05	5	0.1	1	0.1	0.5	1	20	0.5	0.2	1	1													
Dates																														
Figs																														
Kiwi fruit																														
Kumquats																														
Litchis																														
Mangoes																														
Olives																														

Groups to include within the food commodity below	**Aldrin & Dieldrin**	**Amitraz**	**Bifenthrin**	**Captan**	**Chlorpyrifos**	**Cyhalothrin, lambda-**	**Cypermethrin**	**DDT**	**Deltamethrin**	**Endosulfan**	**Endrin**	**Fenitrothion**	**Fenpropathrin**	**Fenvalerate**	**Flusilazole**	**Hexachlorobenzene (HCB)**	**Hexachlorocyclohexane (HCH) γ-isomer**	**Lindane**	**Malathion**	**Methamidophos**	**Methidathion**	**Methomyl**	**Monocrotophos**	**Omethoate**	**Oxamyl**	**Pirimiphos-methyl**	**Quinalphos**	**Tetradifon**	**Vinclozolin**
Passion fruit																													
Pineapples																													
Pomegranates																													
Others																													
2. Vegetables, fresh or uncooked, frozen or dry																													
(i) ROOT AND TUBER VEGETABLES																													
Beetroot																													
Carrots	0.05	0.5	0.1	2	0.02	0.05*	5	0.5	1	0.1	0.5	0.01*	0.2	0.5	0.02	0.1	0.2	0.1											
Celeriac																													
Horseradish	0.05	0.5	0.1	2	0.02	0.05*	5	0.5	1	0.1	0.5	0.01*	0.2	0.5	0.02	0.1	0.2	0.1											
Jerusalem artichokes																													
Parsnips	0.05	0.5	0.1	2	0.02	0.05*	5	0.5	1	0.1	0.5	0.01*	0.2	0.5	0.02	0.1	0.2	0.1											
Parsley root	0.05	0.5	0.1	2	0.02	0.05*	5	0.5	1	0.1	0.5	0.01*	0.2	0.5	0.02	0.1	0.2	0.1											
Radishes																													
Salsify	0.05	0.5	0.1	2	0.02	0.05*	5	0.5	1	0.1	0.5	0.01*	0.2	0.5	0.02	0.1	0.2	0.1											
Sweet potatoes																													
Swedes	0.05	0.5	0.1	2	0.02	0.05*	5	0.5	1	0.1	0.5	0.01*	1	0.5	0.02	0.1	2	0.1											
Turnips	0.05	0.5	0.1	1	0.02	0.05*	5	0.5	1	0.1	0.5	0.01*	1	0.5	0.02	0.1	0.2	0.1											
Yams																													
Others																													
(ii) BULB VEGETABLES																													
Garlic	0.05	0.5	0.1	1	0.02	0.05*	5	0.5	1	0.1	0.5	0.01*	1	0.5	0.02	0.1	0.1	1	0.05*										
Onions	0.05	0.5	0.1	1	0.02	0.05*	5	0.5	1	0.1	0.5	0.01*	1	0.5	0.02	0.1	0.1	1	0.05*										
Shallots	0.05	0.5	0.1	1	0.02	0.05*	5	0.5	1	0.1	0.5	0.01*	1	0.5	0.02	0.1	0.1	1	0.05*										
Spring Onions																													
Others																													
(iii) FRUITING VEGETABLES																													
(a) Solanacea																													

Groups to include the following products	**Aldrin & Dieldrin**	**Amitraz**	**Bifenthrin**	**Captan**	**Carbofuran**	**Chlorpyrifos-methyl**	**Cyfluthrin**	**Cyhalothrin**	**Cyhexatin**	**Cypermethrin**	**DDT**	**Deltamethrin**	**Diazinon**	**Dichlofluanid**	**Dichlorvos**	**Dicofol**	**Dimethoate**	**Endosulfan**	**Endrin**	**Fenitrothion**	**Fenpropathrin**	**Fenvalerate**	**Flusilazole**	**Formetanate hydrochloride**	**Formothion**	**Hexaconazole**	**Hexythiazox**	**Iprodione**	**Malathion**	**Methamidophos**	**Methidathion**	**Methomyl**	**Monocrotophos**	**Nuarimol**	**Oxamyl**	**Pirimicarb**	**Procymidone**	**Propargite**	**Quinalphos**	**Tetradifon**	**Vinclozolin**	**Zoxamide**
																									γ-Hexachlorocyclohexane (γ-HCH)																		
Tomatoes	0.05	0.5	3	5	0.02*	1	5	0.5	1	1	0.1	0.5	2	75	3	0.02	0.1	1	0.1																								
Peppers	0.05	0.5	3	5	0.02*	1	5	0.5	1	1	0.1	0.5	2	75	3	0.02	0.1	1	0.1																								
Aubergines	0.05	0.5	3	5	0.02*	1	5	0.5	1	1	0.1	0.5	2	75	3	0.02	0.1	1	0.1																								
Others	0.05	0.5	3	5	0.02*	1	5	0.5	1	1	0.1	0.5	2	75	3	0.02	0.1	1	0.1																								
(b) Cucurbits-edible peel																																											
Cucumbers	0.05	0.5	0.1	5	0.02*	1	5	0.5		2	0.1	0.5	1	50	3	0.02	0.1	0.2	1																								
Gherkins	0.05	0.5	0.1	5	0.02*	1	5	0.5		2	0.1	0.5	1	50	3	0.02	0.1	0.2	1																								
Courgettes	0.05	0.5	0.1	5	0.02*	1	5	0.5		2	0.1	0.5	1	50	3	0.02	0.1	0.2	1																								
Others	0.05	0.5	0.1	5	0.02*	1	5	0.5		2	0.1	0.5	1	50	3	0.02	0.1	0.2	1																								
(c) Cucurbits-inedible peel																																											
Melons																																											
Squashes																																											
Watermelons																																											
Others																																											
(d) Sweet corn																																											
(iv) BRASSICA VEGETABLES																																											
(a) Flowering Brassicas																																											
Broccoli																																											
Cauliflower	0.05	0.5	0.1	5	0.02*	1	5	0.5		2	0.1	0.5	2		3	0.02	0.1	0.2	1	0.02																							
Others																																											
(b) Head Brassicas																																											
Brussels sprouts	0.05	0.5	0.1	5	0.02*	1	5	0.5	1	2	0.1	0.5	2		3	0.02	0.1	0.2	1		0.1																					

Groups to include the following products	**Aldrin & Dieldrin**	**Amitraz**	**Carbofuran**	**Chlorpyrifos**	**Cyfluthrin**	**Cyhalothrin**	**Cypermethrin**	**Deltamethrin**	**Endosulfan**	**Fenpropathrin**	**Fenvalerate**	**Flubendiamide**	**Hexaconazole**	**Hexythiazox**	**Imidacloprid**	**Indoxacarb**	**Lambda-cyhalothrin**	**Lufenuron**	**Methamidophos**	**Methomyl**	**Novaluron**	**Pyriproxyfen**	**Spinosad**	**Tebufenozide**	**Tebufenpyrad**	**Thiacloprid**	**Thiamethoxam**	**Thiodicarb**	**Vamidothion**
																		γ-Hexachlorocyclohexane (HCH)											
Head cabbage	0.05	0.5	0.5	0.02	1*	5	0.5	1	2	0.1	0.5	2	100	3	0.02	0.1	0.2	1	0.02	0.1									
Others																													
(c) Leafy Brassicas																													
Chinese cabbage																													
Kale																													
Others																													
(d) Kohlrabi																													
(v) LEAF VEGETABLES AND FRESH HERBS																													
(a) Lettuce & similar																													
Cress																													
Lamb's lettuce																													
Lettuce	0.05	0.5	2	10	0.02	1*	10	1	2	0.1	0.5	2		3	0.02	0.5	0.2	1	3	2									
Scarole																													
Others																													
(b) Spinach & similar																													
Beet leaves (chard)																													
(c) Watercress																													
(d) Witloof																													
(e) Herbs																													
Chervil																													

Groups to which the following belong	**Aldrin & Dieldrin**	**Amitraz**	**Bifenthrin**	**Captan**	**Carbaryl**	**Chlorpyrifos**	**Cyfluthrin**	**Cyhalothrin**	**Cypermethrin**	**DDT**	**Deltamethrin**	**Diazinon**	**Dichlorvos**	**Dicofol**	**Endosulfan**	**Endrin**	**Fenvalerate**	**Flumethrin**	**Fluvalinate**	**Formetanate hydrochloride**	**Formothion**	**Hexachlorobenzene (HCB)**	**Hexachlorocyclohexane (HCH) γ**	**Iprodione**	**Malathion**	**Methamidophos**	**Methidathion**	**Methomyl**	**Monocrotophos**	**Nuarimol**	**Oxamyl**	**Pirimicarb**	**Procymidone**	**Propoxur**	**Quinalphos**	**Tetradifon**	**Vinclozolin**
Chives																																					
Parsley																																					
Celery leaves																																					
Others																																					
(vi) LEGUME VEGETABLES (fresh)																																					
Beans (with pods)	0.05	0.5	2	5		0.02*		5	0.5		2		0.1	0.5		1		3		0.1	0.2		1	0.01												
Beans (without pods)																																					
Peas (with pods)	0.05	0.5	2	5		0.02*		5	0.5		1		0.1	0.5		0.1		3		0.1	0.2		1														
Peas (without pods)																																					
Others																																					
(vii) STEM VEGETABLES																																					
Asparagus																																					
Cardoons																																					
Celery	0.05	2	0.1	3		0.02*			0.5		1		0.1	0.5		1	300	3	0.02	0.1	0.2		1														5
Fennel																																					
Globe artichokes																																					
Leeks	0.05	0.5	2	1		0.02*		5	0.5		1		0.1	0.5		1		3	0.02	0.1	0.2		1														
Rhubarb	0.05	2	0.1	3		0.02*			0.5		1		0.1	0.5		1		3	0.02	0.1	0.2		1														
Others																																					
(viii) FUNGI																																					
(a) Cultivated mushrooms	0.05		0.1	1		0.02*	0.05		0.5	5	0.1	1		0.1	0.5		1		3	0.02	0.1	0.2		1													
(b) Wild mushrooms																																					

Groups to which the following belongs	**Aldrin & Dieldrin**	**Azinphos-methyl**	**Carbaryl**	**Chlordane**	**Chlorfenvinphos**	**Chlorpyrifos**	**Cyfluthrin**	**Cyhalothrin**	**Cypermethrin**	**DDT**	**Deltamethrin**	**Diazinon**	**Dichlofluanid**	**Dichlorvos**	**Dicofol**	**Dimethoate**	**Endosulfan**	**Endrin**	**Fenitrothion**	**Fenpropathrin**	**Fenvalerate**	**Flucythrinate**	**Fluvalinate**	**Formothion**	**Heptachlor**	**Hexachlorobenzene**	**Hexachlorocyclohexane (HCH) γ**	**Lindane**	**Malathion**	**Methamidophos**	**Methidathion**	**Methomyl**	**Monocrotophos**	**Parathion**	**Parathion-methyl**	**Permethrin**	**Phosphamidon**	**Pirimiphos-methyl**	**Quinalphos**	**Tetradifon**	**Vinclozolin**
3. PULSES																																									
Beans																																									
Lentils																																									
Peas																																									
Others																																									
4. OILSEEDS																																									
Linseed																																									
Peanuts																																									
Poppy seed																																									
Sesame seed																																									
Sunflower seed																																									
Rape seed																																									
Soya bean																																									
Mustard seed																																									
Cotton seed																																									
Others																																									
5. POTATOES																																									
Early Potatoes	0.05	0.2	0.1	0.2	0.02	0.5	0.1	0.5	0.1	0.05	0.2	0.05	0.01	0.01	0.05*	0.5	0.02	0.1	0.05	0.1	0.2	5	0.05*																		
Ware Potatoes	0.05	0.2	0.1	0.2	0.02	0.5	0.1	0.5	0.1	0.05	0.2	0.05	0.01	0.01	0.05*	0.5	0.02	0.1	0.05	0.1	0.2		0.05*																		
6. TEA																																									
(dried leaves and stalks, fermented or otherwise,																																									

Group to which food belongs	Groups include the following products	[illegible] (overlapping column headings; legible fragments: Aldrin & Dieldrin … benzilate … fluanid … sulfan … cyclohexane (HCH) γ … compounds … methyl)
	Camellia sinensis)	
7. HOPS (dried)		
	including hop pellets & unconcentrated powder	

Group to which food belongs	Groups include the following products	Chlorfenvinphos	Diazinon	Dichlorvos	Diflubenzuron	Etrimfos	Fenitrothion	Mercury compounds	Methacrifos
8. CEREALS									
	Wheat					5	5	0.02	5
	Rye					5	5	0.02	5
	Barley					5	5	0.02	5
	Oats					5	5	0.02	5
	Triticale					5	5	0.02	5
	Maize					5	5	0.02	5
	Rice(1)								
	Other cereals(2)					5	5	0.02	5
9. PRODUCTS OF ANIMAL ORIGIN									
	Meat, fat & preparations of meat(3)	0.2	0.7	0.05	0.05*				
	Milk(4) & Dairy produce(5)	0.008	0.02	0.02	0.05*				
	Eggs(6)			0.05*	0.05*				

FOOTNOTES

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

2. Other cereals do not include rice.

3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

5. For preserved, concentrated or sweetened cow's milk, for raw milk and whole cream milk of another origin: and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

— if the fat content is less than 2% by weight. the MRL is taken as half that set for raw milk and whole cream milk;

— if the content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

Regulation 4(1)

PART 2

Groups and examples of individual products to which the MRLs apply	(Amitrole)	Aldrin / Dieldrin	(Toxaphene)	Dibromoethane	Oxide	(HCH) αβγ	Metiram / Propineb / Zineb	T
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
(i) CITRUS FRUIT								
Grapefruit	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Lemons	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Limes	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Mandarins (inc clementines & similar hybrids)	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Oranges	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

Groups and examples of individual products to which the following levels apply	[illegible]
Pomelos	[illegible]
Others	[illegible]
(ii) TREE NUTS (shelled or unshelled)	
Almonds	[illegible]
Brazil nuts	[illegible]
Cashew nuts	[illegible]
Chestnuts	[illegible]
Coconuts	[illegible]
Hazelnuts	[illegible]
Macadamia nuts	[illegible]
Pecans	[illegible]
Pine nuts	[illegible]
Pistachios	[illegible]
Walnuts	[illegible]
Others	[illegible]
(iii) POME FRUIT	
Apples	[illegible]
Pears	[illegible]
Quinces	[illegible]
Others	[illegible]
(iv) STONE FRUIT	
Apricots	[illegible]
Cherries	[illegible]
Peaches (inc nectarines and similar hybrids)	[illegible]
Plums	[illegible]
Others	[illegible]

Legible header fragments: (Amitrole) (Toxaphene) Dibromoethane Oxide (HCH) αβγ Dieldrin Hydrazide Mancozeb Metiram Propineb Zineb T

Groups and examples of individual products to which the following apply	(Amitrole)	(Toxaphene)	Dibromoethane	Oxide	(HCH) αβγ	Metiram Propineb Zineb	T
(v) BERRIES AND SMALL FRUIT							
(a) Table & wine grapes							
Table grapes	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Wine grapes	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
(b) Strawberries (other than wild)	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
(c) Cane Fruit (other than wild)							
B[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
D[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Lo[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
R[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
O[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
(d) Other small fruit & berries (other than wild)							
B[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
C[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Currants (red, black	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

Groups and examples of individual products to which the MRLs apply	(Amitrole) Aldrin Dieldrin	(Toxaphene)	Dibromoethane	Oxide	(HCH) αβγ	Hydroxide Metiram Propineb Zineb	T
& white)							
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
(e) Wild berries & wild fruit	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

(vi) MISCELLANEOUS FRUIT

A[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Ba[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
D[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
F[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
K[illegible] fruit	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
K[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
L[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
M[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
O[illegible] (table consumption)	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
O[illegible] (oil extract)	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
P[illegible] fruit	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
P[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
P[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
O[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

B[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
C[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
C[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

Groups to which the following products belong	(Acrinitrole)	(Toxaphene)	Dibromoethane	Oxide	(HCH, γ-isomer, Lindane) αβγ	Metiram Propineb Zineb	T
Horseradish							
Jerusalem artichokes							
Parsnips							
Parsley root							
Radishes							
Salsify							
Sweet potatoes							
Swedes							
Turnips							
Yams							
Other							
(ii) BULB VEGETABLES							
Garlic							
Onions							
Shallots							
Spring Onions Onions							
Other							
(iii) FRUITING VEGETABLES							
(a) Solanacea							
Tomatoes							
Peppers							
Aubergines							
Other							
(b) Cucurbits-edible peel							
Cucumbers							
Gherkins							

Groups or individual compounds to include in the residue definition, which are the following products	[illegible]	[illegible] (Toxaphene)	Dibromoethane	Oxide	[illegible] αβγ	[illegible] Metiram Propineb Zineb	[illegible] T	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
(c) Cucurbits-inedible peel								
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
(d) Sweet corn	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
(iv) BRASSICA VEGETABLES								
(a) Flowering Brassicas								
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
(b) Head Brassicas								
[illegible] sprouts	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible] cabbage	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
(c) Leafy Brassicas								
[illegible] cabbage	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
(d) Kohlrabi	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

Groups and examples of individual products to which the following apply	[illegible] (Amitrole) Dieldrin (Toxaphene) Dibromoethane Oxide (HCH) αβγ Hydrochloride Metiram Propineb Zineb T
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce & similar	
[illegible]	[illegible]
Lamb's lettuce	[illegible]
Lettuce	[illegible]
[illegible]	[illegible]
Others	[illegible]
(b) Spinach & similar	
Spinach	[illegible]
Beet leaves (chard)	[illegible]
Others	[illegible]
(c) Watercress	[illegible]
(d) Witloof	[illegible]
(e) Herbs	
[illegible]	[illegible]
[illegible]	[illegible]
Parsley	[illegible]
Celery leaves	[illegible]
Others	[illegible]
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	[illegible]

Groups to which the following pesticides belong	[illegible]	(Toxaphene)	Dibromoethane	Oxide	[illegible] αβγ	[illegible] Metiram Propineb Zineb	[illegible] T
Beans (without pods)	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Peas (with pods)	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Peas (without pods)	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Other	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
(vii) STEM VEGETABLES							
Asparagus	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Cardoons	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Celery	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Fennel	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Globe artichokes	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Leeks	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Rhubarb	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Other	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
(viii) FUNGI							
(a) Cultivated mushrooms	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
(b) Wild mushrooms	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
3. PULSES							
Beans	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Lentils	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Peas	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Other	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
4. OILSEEDS							
Linseed	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Poppy seed	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

Groups and examples of individual products to which the following levels apply	Residue limits (columns overprinted: Amitrole; Aldrin/Dieldrin; Toxaphene; Dibromoethane; Oxide; HCH αβγ; Dithiocarbamates (Maneb, Metiram, Propineb, Zineb); T …)
Poppy seed	[illegible]
Sesame seed	[illegible]
Sunflower seed	[illegible]
Rape seed	[illegible]
Soya bean	[illegible]
Mustard seed	[illegible]
Cotton seed	[illegible]
Others	[illegible]
5. POTATOES	
Early Potatoes	[illegible]
Ware Potatoes	[illegible]
6. TEA	
(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	[illegible] (… of alpha and beta)
7. HOPS (dried)	
including hop pellets & unconcentrated powder	[illegible]

Commodities to which the following MRLs apply	Dieldrin	Dimethoate	Dibromoethane	Dithiocarbamates (DTC) αβγ	Metiram	Propineb	Zineb	Ethylenethiourea
8. CEREALS								
Wheat	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Rye	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Barley	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Oats	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Maize	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Rice	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Millets	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Buckwheat	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Other cereals	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Commodities to which the following MRLs apply	Aldrin & Dieldrin	Dithiocarbamates (expressed as CS2)	Ethylene dibromide	Hexachlorobenzene	Beta-isomer of Hexachlorocyclohexane (HCH)	Gamma-isomer of Hexachlorocyclohexane (HCH)	Lindane	Methiocarb	Methomyl	Metiram	Propineb	Zineb	Endosulfan
					alpha & beta								
Rice	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] of alpha & beta	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
Other cereals[2]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible] of alpha & beta	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
9. PRODUCTS OF ANIMAL ORIGIN													
Meat fat & preparations of meat[3]	[illegible]	0.2[10]	0.1[8]	0.05*[13]	1[9]	0.02*[8]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0.05*[17]	0.02*[25]
			0.05*[22]	0.1*[10]									
Milk & Dairy produce[5]	[illegible]	[illegible]	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0.01*	[illegible]
	0.01*		0.02							0.02*	0.05*		
Eggs	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0.02*	[illegible]

FOOTNOTES

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
2. Other cereals do not include rice.
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

5. For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

— if the fat content is less than 2% by weight. the MRL is taken as half that set for raw milk and whole cream milk;

— if the content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

7. Sheepmeat only.

8. Poultrymeat only.

9. All meat except sheepmeat.

10. Other meat products.

11. All meat except poultrymeat.

12. Pig kidney.

13. Cattle, goat and sheep kidney.

14. Procymidone:

1 mg/kg applies to whole seed

0.05 mg/kg applies to seed without shell.

15. All meat except liver and kidney.

16. Ruminant liver.

17. All meat except ruminant liver.

18. For animal products MRLs relate to cyhalothrin (sum of isomers)

19. With the exception of meat and other ovine, bovine and caprine products.

20. Footnotes 3, 5 and 6 do not apply in cases where the lower limit of analytical determination is indicated.

21. Meat of cattle, sheep and goats.

22. Other than meat or liver of cattle, sheep and goats, and poultry meat.

23. Liver of cattle, sheep and goats. The residue definition for this MRL is: 1,1-bis-(parachlorophenol)-2,2-dichloroethanol (PP'-FW152), expressed as dicofol.

24. Fat, liver and kidney.

25. Other than fat, liver and kidney.

26. The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyazime.