

---

SCOTTISH STATUTORY INSTRUMENTS

---

**2001 No. 206**

**WATER RESOURCES**

**The Control of Pollution (Silage, Slurry and  
Agricultural Fuel Oil) (Scotland) Regulations 2001**

<i>Made</i>	- - - -	<i>6th June 2001</i>
<i>Laid before the Scottish Parliament</i>	- - - -	<i>6th June 2001</i>
<i>Coming into force</i>	- -	<i>1st July 2001</i>

The Scottish Ministers, in exercise of the powers conferred by sections 31A, 104(1)(a) and 105(1) of the Control of Pollution Act 1974(1) and of all other powers enabling them in that behalf, hereby make the following Regulations:

**Citation, commencement, interpretation and extent**

1.—(1) These Regulations may be cited as the Control of Pollution (Silage, Slurry and Agricultural Fuel Oil) (Scotland) Regulations 2001 and shall come into force on 1st July 2001.

(2) In these Regulations—

“the 1991 Regulations” means the Control of Pollution (Silage, Slurry and Agricultural Fuel Oil) (Scotland) Regulations 1991(2);

“construct” includes install and cognate expressions shall be construed accordingly;

“farm” means land occupied as a unit for agricultural purposes;

“forage crop” means any crop grown as food for livestock;

“fuel oil” means oil intended for use as a fuel for the production of heat or power but does not include oil intended for use exclusively as a fuel for heating a farmhouse or other residential premises on a farm and which is stored separately from other oil;

“livestock” means—

- (a) any animals kept for the production of food or wool; or
- (b) any birds kept for the production of food;

---

(1) 1974 c. 40; section 31A was inserted by the Water Act 1989 (c. 15), Schedule 23, paragraph 4 and section 31A(2) was amended by the Environmental Protection Act 1990 (c. 43), section 145(2) and by the Environment Act 1995 (c. 25), Schedule 22, paragraph 29(2); section 104 was amended by the Water Act 1989, Schedule 23, paragraph 7 and was repealed in part by the Environment Act 1995, Schedule 22, paragraph 29(34) and Schedule 24; section 105(1) contains definitions of “prescribed” and “regulations” which are relevant to the exercise of the statutory powers under which these Regulations are made. The functions of the Secretary of State were transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998 (c. 46).

(2) S.I.1991/346, amended by S.I. 1996/973.

“reception pit” means a pit used for the collection of slurry before it is transferred into a slurry storage tank or for the collection of slurry discharged from such a tank;

“relevant substance” means—

- (a) slurry;
- (b) any crop which is being made, or has been made, into silage; and
- (c) fuel oil;

“silage” means any forage crop which is being, or has been, conserved by fermentation or preservation (including the use of additives), or both, and which is intended for consumption by livestock;

“silage effluent” means—

- (a) effluent produced from any forage crop which is being made, or has been made, into silage; and
- (b) a mixture consisting wholly of or containing such effluent, rain or groundwater emanating from a silo, silage effluent collection system or drain;

“silo” means any structure used for making or storing silage;

“slurry” means—

- (a) excreta, including any liquid fraction, produced by livestock whilst in a yard or building; or
- (b) a mixture consisting wholly of or containing such excreta, bedding, feed residues, rainwater and washings from a building or yard used by livestock, dungsteads or middens, high level slatted buildings and weeping wall structures or any combination of these, provided such excreta is present,

of a consistency that allows it to be pumped or discharged by gravity at any stage in the handling process;

“slurry storage system” means—

- (a) a slurry storage tank;
- (b) any reception pit and any effluent tank used in connection with the slurry storage tank; and
- (c) any channels and pipes used in connection with the slurry storage tank, any reception pit or any effluent tank;

“slurry storage tank” includes a lagoon, pit (other than a reception pit) or tower used for the storage of slurry.

(3) In these Regulations, unless the context otherwise requires, any reference to a numbered regulation or Schedule is a reference to the regulation in, or Schedule to, these Regulations bearing that number and any reference in a regulation or Schedule to a numbered paragraph is a reference to the paragraph in that regulation or Schedule bearing that number.

(4) These Regulations shall extend to Scotland only.

### **Making and storage of silage**

2.—(1) Subject to regulation 6, no person shall have custody or control of any crop which is being made into silage or of any silage which is being stored unless—

- (a) it is kept in a silo in relation to which the requirements of Schedule 1 are satisfied or which is an exempt structure by virtue of regulation 5; or

- (b) it is compressed in the form of bales which are wrapped and sealed within impermeable membranes (or are enclosed in impermeable bags) and are stored at least 10 metres from any inland or coastal waters.

(2) No person having custody or control of any crop which is being or has been made into silage in the manner described in paragraph (1)(b) shall open or remove the wrapping of any bales unless that person does so at a place at least 10 metres from any inland or coastal waters.

### **Storage of slurry**

3.—(1) Subject to paragraph (2), a person having custody or control of slurry shall store it in a slurry storage system in relation to which the requirements of Schedule 2 are satisfied or which is an exempt structure by virtue of regulation 5.

(2) Paragraph (1) shall not apply to slurry while it is stored temporarily in a tanker with a capacity not exceeding 18,000 litres which is used for transporting slurry on roads or about a farm.

### **Storage of fuel oil on farms**

4.—(1) Subject to paragraph (2), no person shall have custody or control of fuel oil on a farm unless it is stored—

- (a) in a fuel storage tank within a storage area in relation to which the requirements of Schedule 3 are satisfied;
- (b) in drums within such a storage area;
- (c) temporarily in a tanker used for transporting fuel oil on roads or about the farm;
- (d) in a fuel storage tank which is an exempt structure by virtue of regulation 5; or
- (e) in an underground fuel storage tank.

(2) Paragraph (1) shall not apply if the total quantity of fuel stored on the farm does not exceed 1,250 litres.

### **Exemptions**

5. A silo, slurry storage system or fuel storage tank is for the time being an exempt structure if—

- (a) it was an exempt structure under the 1991 Regulations and had not ceased to be an exempt structure on the date immediately before the coming into force of these Regulations ; and
- (b) it does not cease to be an exempt structure by virtue of regulation 7(1).

6.—(1) Subject to paragraph (2), regulation 2 shall not apply where a person makes bulk bagged silage on a farm in bags which—

- (a) are made of 1000 gauge polyethylene or material of at least equivalent impermeability and durability;
- (b) are kept sealed to prevent the escape of silage effluent; and
- (c) are stored on a firm level surface and incorporate a facility designed to enable the safe removal of excess effluent when present.

(2) A person shall not be entitled to rely on the exemption conferred by paragraph (1) unless that person stores any bags in which silage is being made or stored at a place at least 10 metres from any inland or coastal waters.

(3) No person having custody or control of any crop which has been made into silage in the manner described in paragraph (1) shall open or empty any bag in which silage has been made unless that person does so at a place at least 10 metres from any inland or coastal waters.

### Loss of exemption

7.—(1) A structure to which the circumstances set out at regulation 5(a) apply shall cease to be an exempt structure if—

- (a) any requirement of a notice under regulation 8(1) is not complied with within the period stated in the notice; or
- (b) it is substantially enlarged; or
- (c) it is substantially reconstructed, unless, in the opinion of SEPA, which opinion shall be notified in writing to the person concerned, the risks of pollution will be reduced by such works.

(2) Any reference in paragraph (1) to the period stated in a notice is to that period as extended if it has been extended under regulation 8(5) or by virtue of regulation 9(5) or (6) and any reference in that paragraph to a requirement of a notice is to that requirement as modified if it has been modified under regulation 8(5) or by virtue of regulation 9(5).

### Notice requiring works etc.

8.—(1) SEPA may serve notice on any person, who has custody or control of any relevant substance in circumstances in which these Regulations apply, requiring that person to carry out such works, take such precautions or take such other steps as are specified in the notice and which, in the opinion of SEPA, are appropriate, having regard to any requirements of these Regulations in relation to that substance, for reducing to a minimum any significant risk of pollution of inland or coastal waters arising from the custody or control of that substance.

(2) The notice shall specify or describe the works, precautions or other steps which the person is required to carry out or take, state the period within which any such requirement is to be complied with and inform that person of the effect in relation to the notice of regulation 9.

(3) The works, precautions or other steps as may be specified or described in the notice may include the requirement to establish and implement a Farm Waste Management Plan in accordance with the code of practice approved under section 51(1) of the Control of Pollution Act 1974(3).

(4) Any period for compliance stated in the notice shall be such period as SEPA may consider reasonable in the circumstances, but no period shall end earlier than on the expiry of the period of 28 days beginning with the day on which the notice is served.

(5) SEPA may at any time—

- (a) withdraw the notice;
- (b) extend the period for compliance with any requirement of the notice;
- (c) with the consent of the person on whom the notice is served, modify any requirement of the notice,

and shall do so, if so directed by the Scottish Ministers under regulation 9(5).

### Appeals against notices

9.—(1) A person served with a notice under regulation 8 may within the period of 28 days beginning with the day on which that notice is served (or within such longer period as the Scottish Ministers may allow) appeal to the Scottish Ministers against the notice.

(2) An appeal under this regulation shall be made by the appellant serving notice on the Scottish Ministers and the notice shall contain or be accompanied by a statement of the grounds of appeal.

---

(3) The code of practice at present in force is the Code of Good Practice for the Prevention of Environmental Pollution from Agricultural Activity approved by S.I. 1997/1584.

(3) At the same time as serving such notice on the Scottish Ministers, the appellant shall send a copy of the notice and any accompanying statement to SEPA.

(4) Before determining an appeal under this regulation the Scottish Ministers shall, if requested to do so by the appellant or SEPA, afford them an opportunity of appearing before and being heard by a person appointed by the Scottish Ministers for that purpose.

(5) On determining an appeal under this regulation, the Scottish Ministers may—

(a) direct SEPA to—

(i) withdraw the notice;

(ii) extend the period for compliance with any requirement of the notice; or

(iii) modify any requirement of the notice.

(b) dismiss the appeal.

(6) The period for compliance with a notice under regulation 8 shall, subject to any direction under paragraph (5), be extended so that it expires on the date on which the Scottish Ministers finally determine the appeal or, if the appeal is withdrawn, the date on which it is withdrawn.

### **Notification requirements**

**10.** A person who proposes to have custody or control of any relevant substance which is to be kept or stored on a farm in a silo, slurry storage system or, as the case may be, fuel storage area constructed, substantially enlarged or substantially reconstructed on or after 1st July 2001 shall serve notice on SEPA specifying the type of structure to be used and its location at least 28 days before it is to be used for such purpose.

### **Offences**

**11.** A person who contravenes regulation 2(1), 2(2), 3(1), 4(1), 6(3) or 10 shall be guilty of an offence and liable—

(a) on summary conviction, to imprisonment for a term not exceeding three months or to a fine not exceeding £20,000 or to both;

(b) on conviction on indictment, to imprisonment for a term not exceeding two years or to a fine or to both.

### **Revocations and transitional provisions**

**12.—**(1) Subject to paragraph (2) the 1991 Regulations are revoked.

(2) The 1991 Regulations shall continue to apply in relation to any notices served under regulation 9 of those Regulations.

(3) Paragraph 12 of the Schedule to The Environment Act 1995 (Consequential and Transitional Provisions) (Scotland) Regulations 1996(4) is revoked.

St Andrew's House, Edinburgh  
6th June 2001

*ROSS FINNIE*  
A member of the Scottish Executive

SCHEDULE 1

Regulation 2(1)(a)

REQUIREMENTS FOR SILOS

1. The requirements which have to be satisfied in relation to a silo are that—
  - (a) it complies with the following provisions of this Schedule; or
  - (b) it is designed and constructed in accordance with the standard on cylindrical forage tower silos published by the British Standards Institution and numbered BS 5502 (parts relating to Cylindrical Forage Towers).
2. The base of the silo shall, where the silo has retaining walls made other than of earth, extend beyond those walls and shall in all cases be provided with channels so constructed as to collect any silage effluent which may escape from the silo and adequate provision shall be made for the drainage of that effluent from the channels to an effluent tank through a channel or pipe.
- 3.—(1) Subject to sub paragraph (2) below, the capacity of the effluent tank—
  - (a) in the case of a silo with a capacity of less than 1500 cubic metres, shall be not less than 3 cubic metres for each 150 cubic metres or part thereof of silo capacity;
  - (b) in the case of a silo with a capacity of 1500 cubic metres or more, shall be not less than 30 cubic metres plus 1 cubic metre for each 150 cubic metres or part thereof of silo capacity in excess of 1500 cubic metres.

(2) The effluent collection system associated with silos may, with the agreement of SEPA, incorporate a system of pumps and sumps, together with detailed sizing, pumping and management requirements, designed to reduce the capacity of the effluent tank.
4. The base of the silo, the base and walls of its effluent tank and channels and the walls of any pipes shall be impermeable.
5. The base and any walls of the silo, its effluent tank and channels and the walls of any pipes shall, so far as reasonably practicable, be resistant to attack by silage effluent and, where the walls are made of earth, they shall be lined with an impermeable membrane.
6. No part of the silo, its effluent tank or channels or any associated pipes shall be situated within 10 metres of any inland or coastal waters which silage effluent could enter if it were to escape.
7. If the silo has retaining walls—
  - (a) the retaining walls shall be capable of withstanding minimum wall loadings calculated on the assumptions and in the manner indicated by paragraph 15.6.1 to 15.6.3 of the Code of Practice on Buildings and Structures for Agriculture published by the British Standards Institution and numbered BS 5502: Part 22: 1993;
  - (b) the silo shall at no time be loaded to a depth exceeding the maximum depth consistent with the design assumption made in respect of the loadings of the retaining walls; and
  - (c) notices shall be displayed on the retaining walls in accordance with paragraph 9.2 of the Code of Practice referred to in sub-paragraph (a) above.
8. Subject to paragraph 9, the silo, its effluent tank and channels and any pipes shall be designed and constructed so that with proper maintenance they are likely to satisfy the requirements of paragraphs 2 to 5 and, if applicable, 7(a) for a period of at least 20 years.
9. Where any part of an effluent tank is installed below ground level, it shall be designed and constructed in accordance with the Code of Practice referred to in paragraph 7(a) so that with proper maintenance it is likely to satisfy the requirements of paragraphs 4 and 5 for a period of at least 20 years.

## SCHEDULE 2

Regulation 3(1)

### REQUIREMENTS FOR SLURRY STORAGE SYSTEMS

1. The requirements which have to be satisfied in relation to a slurry storage system are as follows.
2. The base of the slurry storage tank, the base and walls of any effluent tank, channels and reception pit and the walls of any pipes shall be impermeable.
3. The base and walls of the slurry storage tank, any effluent tank, channels and reception pit and the walls of any pipes shall be protected against corrosion in accordance with paragraph 7.2 of the Code of Practice on Buildings and Structures for Agriculture published by the British Standards Institution and numbered BS 5502: Part 50: 1993.
4. The base and walls of the slurry storage tank and any reception pit shall be capable of withstanding characteristic loads calculated on the assumptions and in the manner indicated by paragraph 5 of that Code of Practice.
- 5.—(1) Any facilities used for the temporary storage of slurry before it is transferred to a slurry storage tank shall have adequate capacity to store the maximum quantity of slurry which (disregarding any slurry which will be transferred directly into a slurry storage tank) is likely to be produced on the premises in any two day period, or such smaller capacity as SEPA may agree in writing is adequate to avoid any significant risk of pollution of inland or coastal waters.  
(2) Where slurry flows into a channel before discharging into a reception pit and the flow of slurry out of the channel is controlled by means of a sluice, the capacity of the reception pit shall be adequate to store the maximum quantity of slurry which can be released by opening the sluice.
- 6.—(1) Subject to sub-paragraph (2) below, the slurry storage tank shall have adequate storage capacity for the likely quantities of slurry produced from time to time on the premises in question having regard to—
  - (a) the proposed method of disposal of the slurry (including the likely rates and times of disposal); and
  - (b) the matters mentioned in sub-paragraph (3) below.  
(2) Where it is proposed to dispose of the slurry on the premises by spreading it on the land, nothing in sub-paragraph (1) above shall require the tank to have a greater storage capacity than is adequate, having regard to the matters mentioned in sub-paragraph (3) below, to store the maximum quantity of slurry which is likely to be produced in any continuous six month period.
- (3) The matters to which regard is to be had under sub-paragraphs (1) and (2) above are—
  - (a) the storage capacity of any other slurry storage tank on the premises in question;
  - (b) the likely quantities of rainfall (including any fall of snow, hail or sleet) which may fall or drain into the slurry storage tank during the likely maximum storage period; and
  - (c) the need to make provision for not less than 750 millimetres of freeboard in the case of a tank with walls made of earth and 300 millimetres of freeboard in all other cases.
7. No part of the slurry storage tank or any effluent tank, channels, pipes or reception pit shall be situated within 10 metres of any inland or coastal waters which slurry could enter if it were to escape.
8. The slurry storage tank and any effluent tank, channels, pipes and reception pit shall be designed and constructed so that with proper maintenance they are likely to satisfy the requirements of paragraphs 2 to 4 for a period of at least 20 years.
9. Where the walls of the slurry storage tank are not impermeable, the base of the tank shall extend beyond its walls and shall be provided with channels designed and constructed so as to collect

any slurry which may escape from the tank and adequate provision shall be made for the drainage of the slurry from the channels to an effluent tank through a channel or pipe.

**10.**—(1) Subject to sub-paragraph (2) below, where the slurry storage tank, any effluent tank or reception pit is fitted with a drainage pipe, there shall be two valves in series on the pipe and each valve shall be capable of stopping the flow of slurry through the pipe and shall be kept shut and locked in that position when not in use.

(2) Sub-paragraph (1) above does not apply in relation to a slurry storage tank which drains through the pipe into another slurry storage tank of equal or greater capacity or where the tops of the tanks are at the same level.

**11.** In the case of a slurry storage tank with walls which are made of earth, the tank shall not be filled to a level which allows less than 750 millimetres of freeboard, and in all other cases the tank shall not be filled to a level which allows less than 300 millimetres of freeboard.

### SCHEDULE 3

Regulation 4(1)

#### REQUIREMENTS FOR FUEL OIL STORAGE AREAS

1. The requirements which have to be satisfied in relation to a fuel oil storage area are as follows.
2. The fuel oil storage area shall be surrounded by a bund capable of retaining within the area—
  - (a) in a case where all the fuel oil within the storage area is contained in one fuel storage tank, a volume of fuel oil not less than 110 per cent of the capacity of the tank;
  - (b) in a case where all the fuel oil within the storage area is contained in more than one fuel storage tank, a volume of fuel oil not less than whichever is the greater of—
    - (i) 110 per cent of the capacity of the largest tank within the storage area; and
    - (ii) 25 per cent of the total volume of such oil which could be stored in tanks within the area;
  - (c) in any other case, a volume of fuel oil not less than whichever is the greater of—
    - (i) 110 per cent of the capacity of the largest container within the storage area; and
    - (ii) 25 per cent of the total volume of such oil at any time stored within the area.
3. The bund and the base of the storage area shall be impermeable and shall be designed and constructed so that with proper maintenance they are likely to remain so for a period of at least 20 years.
4. Every part of any fuel storage tank shall be within the bund.
5. Any tap or valve permanently fixed to the tank through which fuel oil can be discharged to the open shall also be within the bund, shall be so arranged as to discharge vertically downwards and shall be shut and locked in that position when not in use.
6. Where fuel from the tank is discharged through a flexible pipe which is permanently attached to the tank—
  - (a) it shall be fitted with a tap or valve at its end which closes automatically when not in use; and
  - (b) it shall be kept locked in a way which ensures that it is kept within the bund when not in use.
7. No part of the fuel oil storage area or the bund enclosing it shall be situated within 10 metres of any inland or coastal waters which fuel oil could enter if it were to escape.

---

## EXPLANATORY NOTE

*(This note is not part of the Regulations)*

These Regulations re-enact, with changes the Control of Pollution (Silage, Slurry and Agricultural Fuel Oil) (Scotland) Regulations 1991 (“the 1991 Regulations”), which require persons with custody or control of a crop being made into silage, of livestock slurry or of certain fuel oil to carry out works and take precautions and other steps for preventing pollution of inland or coastal waters.

The principal changes are—

- (a) to clarify the meaning of the term “silage”;
- (b) to make provision to ensure that places where silage is proposed to be stored are at least 10 metres from inland or coastal waters;
- (c) to allow persons making bulk bagged silage on farms to do so without restrictions where bags in which that silage is kept incorporate a facility which allows for the safe removal of excess effluent;
- (d) to remove the 30 days notice provision in the 1991 Regulations where bulk bagged silage is made in an acceptable manner since that provision is now considered to be unnecessary;
- (e) to allow for substantial reconstruction of an exempt structure with the agreement of SEPA, where the risk of pollution will be reduced;
- (f) to extend the powers available to SEPA to serve notices in respect of all structures used for purposes covered by the 1991 Regulations rather than being restricted to exempt structures where there is a significant risk of pollution identified; and
- (g) to allow SEPA in cases where a notice requiring works is necessary to require the drawing up and implementation of a Farm Waste Management Plan in accordance with methods identified for the collection, storage and land application of slurry and manure contained within guidance currently contained within the Code of Good Practice for the Prevention of Environmental Pollution From Agricultural Activity.

Copies of the documents published by the British Standards Institution referred to in the Regulations may be obtained from any of the sales outlets of the British Standards Institution or by post from the British Standards Institution, Linford Wood, Milton Keynes, MK14 6LE (Telephone number: Milton Keynes 01908 220022) and copies of the Code of Good Practice for the Prevention of Environmental Pollution From Agricultural Activity may be obtained free of charge from the Scottish Executive Rural Affairs Department, 47 Robb’s Loan, Edinburgh EH14 1TY or from SERAD local area offices. A Regulatory Impact Assessment in relation to these Regulations has been placed in the Scottish Parliament Information Centre and copies can be obtained from the Environment Protection Unit, the Scottish Executive Rural Affairs Department, Victoria Quay, Edinburgh EH6 6QQ.