

SCHEDULE 2

Regulations 5(5) and 6

UPPER AND LOWER ASSESSMENT THRESHOLDS AND EXCEEDANCES

PART I

UPPER AND LOWER ASSESSMENT THRESHOLDS

The following upper and lower assessment thresholds will apply:

(a) SULPHUR DIOXIDE

	<i>Health protection</i>	<i>Ecosystem protection</i>
Upper assessment threshold	60% of 24-hour limit value (75 µg/m ³ , not to be exceeded more than 3 times in any calendar year)	60% of winter limit value (12 µg/m ³)
Lower assessment threshold	40% of 24-hour limit value (50 µg/m ³ , not to be exceeded more than 3 times in any calendar year)	40% of winter limit value (8 µg/m ³)

(b) NITROGEN DIOXIDE AND OXIDES OF NITROGEN

	<i>Hourly limit value for the protection of human health (NO₂)</i>	<i>Annual limit value for the protection of human health (NO₂)</i>	<i>Annual limit value for the protection of Vegetation (NO_x)</i>
Upper assessment threshold	70% of limit value (140 µg/m ³ , not to be exceeded more than 18 times in any calendar year)	80% of limit value (32 µg/m ³)	80% of limit value (24 µg/m ³)
Lower assessment threshold	50% of limit value (100 µg/m ³ , not to be exceeded more than 18 times in any calendar year)	65% of limit value (26 µg/m ³)	65% of limit value (19.5 µg/m ³)

(c) PARTICULATE MATTER(1)

- (1) The upper and lower assessment thresholds for PM₁₀ are based on the following indicative limit values for 1st January 2010, which will be reviewed in the light of further information on health and environmental effects, technical feasibility and experience in the application of the existing "Stage 1" limit values:

	<i>Averaging period</i>	<i>Limit value</i>	<i>Margin of tolerance</i>	<i>Date by which limit value is to be met</i>
1. 24-hour limit value for the production of human health	24 hours	50 µg/m ³ PM ₁₀ not to be exceeded more than 7 times a calendar year	To be derived from date and to be equivalent to Stage 1 limit value	1st January 2010
2. Annual limit value for the protection of human health	Calendar year	20 µg/m ³ PM ₁₀	50% on 1st January 2005 reducing every 12 months thereafter by equal percentages	1st January 2010

Status: This is the original version (as it was originally made).

	<i>24-hour average</i>	<i>Annual average</i>
Upper assessment threshold	60% of limit (30 µg/m ³ , not to be exceeded more than seven times in any calendar year)	70% of limit value (14 µg/m ³)
Lower assessment threshold	40% of limit value (20 µg/m ³ , not to be exceeded more than seven times in any calendar year)	50% of limit value (10 µg/m ³)

(d) LEAD

	<i>Annual average</i>
Upper assessment threshold	70% of limit value (0.35 µg/m ³)
Lower assessment threshold	50% of limit value (0.25 µg/m ³)

PART II

DETERMINATION OF EXCEEDANCES OF UPPER AND LOWER ASSESSMENT THRESHOLDS

Exceedances of upper and lower assessment thresholds must be determined on the basis of concentrations during the previous five years where sufficient data are available. An assessment threshold will be deemed to have been exceeded if during those five years the total number of exceedances of the numerical concentration of the threshold is more than three times the number of exceedances allowed each year.

Where fewer than five years' data are available, measurement campaigns of short duration during the period of the year and at locations likely to be typical of the highest pollution levels may be combined with results obtained from information from emission inventories and modelling to determine exceedances of the upper and lower assessment thresholds.

<i>Averaging period</i>	<i>Limit value</i>	<i>Margin of tolerance</i>	<i>Date by which limit value is to be met</i>
		to reach 0% by 1st January 2010	