
SCOTTISH STATUTORY INSTRUMENTS

2003 No. 445

AGRICULTURE

PESTICIDES

**The Pesticides (Maximum Residue Levels in
Crops, Food and Feeding Stuff) (Scotland)
Amendment (No. 2) Regulations 2003**

Made - - - - *18th September 2003*
Laid before the Scottish
Parliament - - - - *19th September 2003*
Coming into force - - *24th October 2003*

The Scottish Ministers, in exercise of the powers conferred by section 2(2) of the European Communities Act 1972(1) and of all other powers enabling them in that behalf, hereby make the following Regulations:

Citation and commencement

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Amendment (No. 2) Regulations 2003 and shall come into force on 24th October 2003.

Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000(2) are amended in accordance with this regulation.

(2) In Schedule 1, at the appropriate places in alphabetical order in column 1, there are inserted, together with the corresponding entries in column 2, the following entries (with the entries for Amitrole replacing those for Aminotriazole):—

(1) 1972 c. 68; section 2(2) was amended by the Scotland Act 1998 (c. 46), Schedule 8, paragraph 15. The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, (c.68), insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998 (c. 46).
(2) S.S.I. 2000/22 amended by S.S.I. 2001/84, 221 and 435, 2002/271 and 489, and 2003/118.

<i>Column 1</i> <i>Pesticide</i>	<i>Column 2</i> <i>Residues</i>
Acibenzolar-S-methyl	Acibenzolar-S-methyl
Amitrole	Amitrole
Cinidon-ethyl	Cinidon-ethyl (sum of cinidon-ethyl and its E-isomer)
Cyclanilide	Cyclanilide
Cyhalofop butyl	Cyhalofop butyl (sum of cyhalofop butyl and its free acids)
Diquat	Diquat
Ethofumesate	Ethofumesate (sum of ethofumesate and the metabolite 2,3-dihydro-3,3-dimethyl-2-oxo-benzofuran-5-yl methane sulphonate expressed as ethofumesate)
Famoxadone	Famoxadone
Fenhexamid	Fenhexamid
Florasulam	Florasulam
Flumioxazine	Flumioxazine
Iprovalicarb	Iprovalicarb
Isoproturon	Isoproturon
Metalaxyl-M	(1) For cereals – metalaxyl-M (2) For other products– metalaxyl-M including other mixtures of constituent isomers (sum of isomers)
Picolinafen	Picolinafen
Prosulfuron	Prosulfuron
Pyraflufen-ethyl	Pyraflufen-ethyl
Sulfosulfuron	Sulfosulfuron

(3) In Schedule 1, with effect from 1st July 2004, at the appropriate places in alphabetical order in column 1, there are inserted, together with the corresponding entries in column 2, the following entries:–

<i>Column 1</i> <i>Pesticide</i>	<i>Column 2</i> <i>Residues</i>
Chlorfenapyr	Chlorfenapyr
Fentin acetate	Fentin acetate
Fentin hydroxide	Fentin hydroxide

(4) In Part 1 of Schedule 2, the entry relating to Omethoate, together with all residue levels relevant thereto, is omitted.

- (5) In Part 2 of Schedule 2 maximum residue levels are amended as follows:–
- (a) for mg/kg of Chlormequat on pears, for “0.5” substitute “0.3”;
 - (b) for mg/kg of Dimethoate on tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*), omit “0.2”;
 - (c) for mg/kg of Kresoxim-methyl on strawberries (other than wild), for “0.2” substitute “1”;
and
 - (d) for mg/kg of Maneb, Mancozeb, Metiram, Propineb and Zineb–
 - (i) on radishes, for “0.2” substitute “2”;
 - (ii) on spring onions, for “0.05*” substitute “1”.
- (6) In Part 2 of Schedule 2–
- (a) for existing maximum permitted levels for residues of the pesticides Aminotriazole (Amitrole), Azoxystrobin, Clofentezine, Hexaconazole, Lambda-cyhalothrin, Myclobutanil and Prochloraz, there are substituted the maximum permitted levels specified in Schedule 1 to these Regulations (with the heading ‘Aminotriazole (Amitrole)’ being replaced by the heading ‘Amitrole’);
 - (b) the heading ‘Aminotriazole (Amitrole)’, together with all residue levels relevant thereto, is moved to the appropriate place in alphabetical order; and
 - (c) there are inserted, in the appropriate places to preserve the alphabetical ordering from left to right, the maximum permitted levels for residues of the pesticides Acibenzolar-S-methyl, Chlorfenapyr, Cinidon-ethyl, Cyclanilide, Cyhalofop butyl, Diquat, Ethofumesate, Famoxadone, Fenhexamid, Fentin acetate, Fentin hydroxide, Florasulam, Flumioxazine, Iprovalicarb, Isoproturon, Metalaxyl-M, Picolinafen, Prosulfuron, Pyraflufen-ethyl and Sulfosulfuron specified in Schedule 1 to these Regulations in relation to the products so specified.
- (7) For Schedule 5, there is substituted the Schedule set out in Schedule 2 to these Regulations.

Revocations

3. Regulation 2(6) of, and Schedule 2 to, the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Amendment Regulations 2003(3) are hereby revoked.

St Andrew’s House,
Edinburgh
18th September 2003

ROSS FINNIE
A member of the Scottish Executive

SCHEDULE 1

Regulation 2(6)

Group to include whichever food products belong	Acidic ethyl	Chlorophen ethyl	Cyanide butyl	Fenitrothion acetate	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	Fenitrothion oxide	
	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

(i) CITRUS FRUIT

Grapes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	1.0	5.3	0.03*	0.02*	0.05*
Lemons	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	2.0	5.3	0.03*	0.02*	0.05*
Limes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	2.0	5.3	0.03*	0.02*	0.05*
Mandarin (inc clementines & similar hybrids)	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	2.0	5.3	0.03*	0.02*	0.05*
Oranges	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	1.0	5.3	0.03*	0.02*	0.05*
Pomegranates	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	1.0	5.3	0.03*	0.02*	0.05*
Other citrus	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	2.5	5.3	0.03*	0.02*	0.05*

(ii) TREE NUTS (shelled or unshelled)

Almonds	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Brazil nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Cashews	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Chestnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Coconuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Hazelnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Macadamia nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Peanuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pine nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Pistachios	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Walnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*

Group to include	Azinphos methyl	Chlorpyrifos ethyl	Cyfluthrin	Imidacloprid	Fenprophosphor butyl	Permethrin	Spinosad	Chlorantraniliprole	Cyhalothrin	Lambda cyhalothrin	Triazophos	Bifenthrin	Abamectin	Hexythiazox	Spinetoram	Piriproxyfen	Flufenoxuron
whittle methyl following belonging		Applying from 1 July 2004		Applying from 1 July 2004													

Other 0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.05*0.05*1 0.05*0.05*0.05*0.05*0.02*0.05*0.05*1 0.02*1 0.05*

(iii) POME FRUIT

Apples 0.02*0.05*0.05*0.05*5 0.05*0.02*0.05*0.05*0.02*0.05*0.05*0.05*0.05*1 0.05*0.05*1 0.02*5 0.05*0.05*0.02*0.05*

Pears 0.02*0.05*0.05*0.05*5 0.05*0.02*0.05*0.05*0.02*0.05*0.05*0.05*0.05*1 0.05*0.05*1 0.02*5 0.05*0.05*0.02*0.05*

Quinces 0.02*0.05*0.05*0.05*5 0.05*0.02*0.05*0.05*0.02*0.05*0.05*0.05*0.05*1 0.02*5 0.05*0.05*0.02*0.05*

Others 0.02*0.05*0.05*0.05*5 0.05*0.02*0.05*0.05*0.02*0.05*0.05*0.05*0.05*1 0.02*5 0.05*0.05*0.02*0.05*

(iv) STONE FRUIT

Apples 0.02*0.05*0.05*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.05*0.05*0.05*0.05*2 0.02*3 0.05*0.05*0.02*0.05*

Cherries 0.02*0.05*0.05*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.05*0.05*0.05*0.05*1 0.02* 0.05*0.05*0.02*0.05*

Peaches 0.02*0.05*0.05*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.05*0.05*0.05*0.05*2 0.02*5 0.05*0.05*0.02*0.05*

(incl nectarines & similar hybrids)

Plums 0.02*0.05*0.05*0.05*2 0.05*0.02*0.05*0.05*0.02* 0.05*0.05*0.05*0.05*0.02*0.05*0.05*1 0.02*5 0.05*0.05*0.02*0.05*

Others 0.02*0.05*0.05*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.05*0.05*0.05*1 0.02*0.02*0.05*0.05*0.02*0.05*

(v) BERRIES AND SMALL FRUIT

(a) Table grapes

0.02*0.02* 0.05*0.05*0.02*0.05*0.02*0.05*0.05* 5 0.05*0.05*0.05*1 2 0.05*2 1 1 0.05*0.05*0.02*0.05*

Wine grapes 0.02*0.02* 0.05*0.05* 0.05*0.02*0.05*0.05* 5 0.05*0.05*0.05*1 2 0.05*2 1 1 0.05*0.05*0.02*0.05*

(b) Strawberries 0.02*0.05* 0.05*0.05* 0.05*0.02*0.05*0.05*0.05* 0.05*0.05*0.05*2 0.05*0.05* 5 0.31 0.05*0.05*0.02*0.05* (other than wild)

(c) Cane Fruit (other than wild)

Blackberries 0.02*0.05* 0.05*0.05* 0.05*0.02*0.05*0.05*0.05* 0.05*0.05*0.05*0.05*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.05*

Deerberries 0.02*0.05* 0.05*0.05* 0.05*0.02*0.05*0.05*0.05* 0.05*0.05*0.05*0.05*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.05*

Loganberries 0.02*0.05* 0.05*0.05* 0.05*0.02*0.05*0.05*0.05* 0.05*0.05*0.05*0.05*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.05*

Raspberries 0.02*0.05* 0.05*0.05* 0.05*0.02*0.05*0.05*0.05* 0.05*0.05*0.05*0.05*0.02*0.05*0.05*0.05*0.02*0.05*0.05*0.05*

Status: This is the original version (as it was originally made).

Group to include	Acidic herbicides	ethoxy	ethoxy	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos	Chlorpyrifos

Other small fruit & berries (other than wild)

(d) Other small fruit & berries (other than wild)

Billberry

Cranberry

Currant (red, black & white)

Gooseberry

Other

(e) Wild berries & wild fruit

(vi) MISCELLANEOUS FRUIT

Avocado

Banana

Date

Figs

Kiwifruit

Kumquat

Litchi

Mango

Olive (table consumption)

Olive (oil extract)

Papaya

Group to include	Acidic ethyl	alkaline butyl	Cyanide acetyl	Furfural acetyloxy	Lead	Cyanide	Lead	Cyanide	Mothrin	ethyl	Sulfon
whittle methyl food following belongducts	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004	Applying from 1 July 2004							

Pas 1.0 0.0 0.5 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Pineapple 1.0 0.5 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5* 0.0 0.2 0.2 0.5*

Pomegranates 0.5 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Others 0.2 0.0 0.5 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

Beetroots 0.2 0.0 0.5 0.5 0.5 0.2 0.5 0.2 0.5 1.0 0.2 0.5 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Carrots 0.2 0.0 0.2 0.0 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 1.0 0.2 0.5 0.5 0.2 0.2 0.5*

Celeriac 0.2 0.0 0.3 0.0 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 1.0 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Horseradish 0.2 0.0 0.2 0.0 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Jerusalem artichokes 0.2 0.0 0.2 0.0 0.5 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Parsnips 0.2 0.0 0.2 0.0 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Parasol root 0.2 0.0 0.2 0.0 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Radishes 0.2 0.0 0.5 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 1.0 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Salsify 0.2 0.0 0.2 0.0 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Sweet potatoes 0.2 0.0 0.5 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Sweet potatoes 0.2 0.0 0.5 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Turip 0.2 0.0 0.5 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Yarbs 0.2 0.0 0.5 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Others 0.2 0.0 0.5 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

(ii) BULB VEGETABLES

Garlic 0.2 0.0 0.5 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Onions 0.2 0.0 0.5 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Shallots 0.2 0.0 0.5 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Spring onions 0.2 0.0 0.5 0.5 0.5 0.2 0.5 0.2 0.5 0.5 0.2 0.5 0.5 0.0 0.5 0.2 0.5 0.5 0.2 0.2 0.5 0.5 0.2 0.2 0.5*

Status: This is the original version (as it was originally made).

Group to include	Acidic	Alkaline	Others	Chlorophyll	Carotenoids	Flavonoids	Phenolics	Terpenoids	Alkaloids	Enzymes	Other
ethyl											
butyl											
acetate											
oxide											
cyhalothrin											
Mothrin											
ethyl											
Applying from 1 July 2004											
Applying from 1 July 2004											

Other: 0.02* 0.05* 0.05* 0.05* 0.02* 0.05* 0.05* 0.02* 0.05* 0.05* 0.01* 0.05* 0.02* 0.05* 0.02* 0.02* 0.05* 0.02* 0.05*

(iii) FRUITING VEGETABLES

(a) Solanacea

Tomato	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.02*	0.05*
Pepper	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.02*	0.05*
Chilli peppers																			0.05*
Aubergine	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.02*	0.05*
Other	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.02*	0.05*

(b) Cucurbits-edible peel

Cucumber	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.02*	0.05*
Gherkin	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.02*	0.05*
Courgette	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.02*	0.05*
Other	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.02*	0.05*

(c) Cucurbits-inedible peel

Melon	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.02*	0.05*
Squash	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.02*	0.05*
Watermelon	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.02*	0.05*
Other	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.02*	0.05*

(d) Sweet corn

(iv) BRASSICA VEGETABLES

(a) Flowering Brassicas

Broccoli	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.02*	0.05*
Cauliflower	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.02*	0.05*
Other	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.02*	0.05*

(b) Head Brassicas

Brussels sprouts	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.02*	0.02*	0.05*	0.02*	0.05*
------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------

Group to include	Acidic	Alkyl	Chloro	Cyano	Diethyl	Ethyl	Hydroxy	Isobutyl	Methyl	Nonyl	Propyl	Styrene	Tert-butyl	Xenyl	Other
Head cabbage	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Other	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
(c) Leafy Brassicas															
Chicory	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Kale	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Other	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
(d) Kohlrabi															
(v) LEAF VEGETABLES AND FRESH HERBS															
(a) Lettuce & similar															
Cress	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Larbs	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Lettuce	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Scallop	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Other	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
(b) Spinach & similar															
Spinach	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Beet leaves (chard)	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Other	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
(c) Watercress															
(d) Wild radish															
(e) Herbs															
Chervil	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Chicory	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Parley	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05

Group to include	Acidic	Acidic	Acidic	Acidic	Acidic	Acidic	Acidic	Acidic	Acidic	Acidic	Acidic	Acidic	Acidic	Acidic	Acidic	Acidic	Acidic	Acidic	Acidic	Acidic	Acidic
white																					
following																					
belongs																					

Celery leaves 0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

Other 0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

(vi) LEGUME VEGETABLES (fresh)

Beans (with pods) 0.05*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

Beans (without pods) 0.05*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

Peas (with pods) 0.05*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

Peas (without pods) 0.05*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

Other 0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

(vii) STEM VEGETABLES

Asparagus 0.05*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

Cardinalis 0.05*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

Celery 0.05*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

Fennel 0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

Globe artichokes 0.05*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

Leeks 0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

Rhubarb 0.05*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

Other 0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

(viii) FUNGI

(a) Cultivated mushrooms 0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

(b) Wild mushrooms 0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*0.02*0.05*

3. PULSES

Status: This is the original version (as it was originally made).

Group	Active ingredients	Product	Application	Product	Application
to include while methyl food following belong to	ethyl	butyl	Applying from 1 July 2004	acetate	Applying from 1 July 2004
				oxide	
				cyhalothrin	

Beans 0.2*0.01*1.0.05*0.5*0.2*0.5*0.2*2.0.05*0.2*0.5*0.5*0.5*0.01*0.5*0.2*0.5*0.5*0.2*0.2*0.2*0.5*0.5*0.5*0.2*0.5*
Lentils 0.2*0.01*1.0.05*0.5*0.2*0.5*0.2*0.5*0.5*0.2*0.5*0.5*0.5*0.01*0.5*0.2*0.5*0.5*0.2*0.2*0.2*0.5*0.5*0.5*0.2*0.5*
Peas 0.2*0.01*1.0.05*0.5*0.2*0.5*0.2*2.0.05*0.2*0.5*0.5*0.5*0.01*0.5*0.2*0.5*0.5*0.2*0.2*0.2*0.5* 0.05*0.2*0.5*
Other 0.2*0.01*1.0.05*0.5*0.2*0.5*0.2*0.5*0.5*0.2*0.5*0.5*0.5*0.01*0.5*0.2*0.5*0.5*0.2*0.2*0.2*0.5*0.5*0.5*0.2*0.5*

4. OILSEEDS

Linseed 0.2*0.05*1*0.1*0.05*0.5*0.5* 0.1*0.05*1*0.1*0.1*0.1*0.1*0.05*1*0.1*0.02*0.5*0.5*1*0.50.1*0.05*1*
Peas 0.05*0.2*0.5*1*0.1*0.05*0.5*0.5*1*0.1*0.05*1*0.1*0.1*0.1*0.1*0.05*1*0.1*0.02*0.5*0.5*1*0.1*0.1*0.05*1*
Poppy seed 0.5*0.2*0.5*1*0.1*0.05*0.5*0.5*1*0.1*0.05*1*0.1*0.1*0.1*0.1*0.05*1*0.1*0.02*0.5*0.5*1*0.1*0.1*0.05*1*
Sesame seed 0.6*0.2*0.5*1*0.1*0.05*0.5*0.5*1*0.1*0.05*1*0.1*0.1*0.1*0.1*0.05*1*0.1*0.02*0.5*0.5*1*0.1*0.1*0.05*1*
Sunflower seed 1.05*0.2*0.5*1*0.1*0.05*0.5*0.5*1*0.1*0.05*1*0.1*0.1*0.1*0.1*0.05*1*0.1*0.02*0.5*0.5*1*0.50.1*0.05*1*
Rapeseed 0.05*0.2*5.0.1*0.1*0.05*0.5*0.5*1*0.1*0.05*1*0.1*0.1*0.1*0.1*0.05*1*0.1*0.02*0.5*0.5*1*0.50.1*0.05*1*
Soybean 0.05*0.2*5.0.1*0.1*0.05*0.5*0.5*5.0.1*0.05*1*0.1*0.1*0.1*0.1*0.05*1*0.1*0.02*0.5*0.5*1*0.1*0.1*0.05*1*
Mustard seed 0.6*0.2*0.5*1*0.1*0.05*0.5*0.5*1*0.1*0.05*1*0.1*0.1*0.1*0.1*0.05*1*0.1*0.02*0.5*0.5*1*0.1*0.1*0.05*1*
Cottonseed 0.05*0.2*0.5*1*0.1*0.05*2.0.05*1*0.1*0.05*1*0.1*0.1*0.1*0.1*0.05*1*0.1*0.02*0.5*0.5*1*0.1*0.1*0.05*1*
Other 0.05*0.2*0.5*1*0.1*0.05*0.5*0.5*1*0.1*0.05*1*0.1*0.1*0.1*0.1*0.05*1*0.1*0.02*0.5*0.5*1*0.1*0.1*0.05*1*

5. POTATOES

Early potatoes 0.2*0.01*0.5*0.5*0.5*0.2*0.5*0.2*0.5*0.5*0.5*0.5*0.01*0.5*0.2*0.5*0.5*0.2*0.2*0.2*0.5*0.5*0.2*0.2*0.5*
Waxy potatoes 0.2*0.01*0.5*0.5*0.5*0.2*0.5*0.2*0.5*0.5*0.5*0.5*0.01*0.5*0.2*0.5*0.5*0.2*0.2*0.2*0.5*0.5*0.2*0.2*0.5*

6. TEA

(dried) leaves and stalks, fermented or 0.05*0.2*1.0.1*0.1*0.05*1*0.05*1*0.1*0.05*1*0.1*0.1*0.1*0.1*0.05*1*0.1* 0.05*0.5*1*0.1*0.1*0.05*1*

Status: This is the original version (as it was originally made).

Group to include white food belonging otherwise, Camellia sinensis)	Acid	Chlorobutyl	Chlorobutyl	Chlorobutyl	Chlorobutyl	Chlorobutyl	Chlorobutyl	Chlorobutyl	Chlorobutyl	Chlorobutyl	Chlorobutyl	Chlorobutyl	Chlorobutyl	Chlorobutyl	Chlorobutyl
	ethyl	ethyl	ethyl	ethyl	ethyl	ethyl	ethyl	ethyl	ethyl	ethyl	ethyl	ethyl	ethyl	ethyl	ethyl
	butyl	butyl	butyl	butyl	butyl	butyl	butyl	butyl	butyl	butyl	butyl	butyl	butyl	butyl	butyl
	acetyl	acetyl	acetyl	acetyl	acetyl	acetyl	acetyl	acetyl	acetyl	acetyl	acetyl	acetyl	acetyl	acetyl	acetyl
	oxide	oxide	oxide	oxide	oxide	oxide	oxide	oxide	oxide	oxide	oxide	oxide	oxide	oxide	oxide
	cyh	Mo	thrin	ethyl											
Applying from 1 July 2004			Applying from 1 July 2004												

7. HOPS (dried)

including hop pellets & unconcentrated powder	0.1	0.1	0.05	0.1	0.1	0.1	0.1	0.1	0.05	0.1	1	0	2	0.1	0.1	0.05	1
---	-----	-----	------	-----	-----	-----	-----	-----	------	-----	---	---	---	-----	-----	------	---

8. CEREALS

Wheat	0.03	0.05	0.02	0.05	0.02	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Rye	0.03	0.05	0.02	0.05	0.02	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Barley	0.03	0.05	0.02	0.05	0.02	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Sorghum	0.05	0.05	0.02	0.05	0.02	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Oat	0.03	0.05	0.02	0.05	0.02	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Triticale	0.03	0.05	0.02	0.05	0.02	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Millet	0.05	0.05	0.02	0.05	0.02	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Buckwheat	0.05	0.05	0.02	0.05	0.02	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Millet cereals	0.05	0.05	0.02	0.05	0.02	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Rice cereals	0.05	0.05	0.02	0.05	0.02	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
Other cereals	0.05	0.05	0.02	0.05	0.02	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05

9. PRODUCTS OF ANIMAL ORIGIN

Meat fat & preparations of meat	0.02	0.05	0.1	0.01	0.05	0.05			0.05	0.05	0.01	0.2	0.05					
Milk & Dairy produce	0.02	0.01	0.05	0.01	0.05	0.05			0.05	0.05	0.01	0.02	0.05					

Status: This is the original version (as it was originally made).

Group to include	Active ingredient	MRL (mg/kg)	Units	Group to include	Active ingredient	MRL (mg/kg)	Units
Eggs	ethyl	0.02*	0.05*	Eggs	butyl	0.02*	0.01*
	ethyl	0.05*	0.02*		ethyl	0.01*	0.1*

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

no MRL – refers to the particular active/commodity combination

FOOTNOTES:

- a Paddy or rough rice, husked rice and semi-milled or wholly milled rice
- b Other cereals do not include rice
- c Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg
- d These levels are for fresh raw cow’s milk and fresh whole cream cow’s milk expressed on the whole milk.
- e For preserved, concentrated or sweetened cow’s milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow’s milk or other milk of a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk
- f Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)
- g For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
- h All meat except poultrymeat.
- i Poultrymeat only.
- j Chicken liver.
- k Cattle kidney.
- l Cattle liver.
- m All meat except liver and kidney.
- n The residue definition for this MRL is: 2-methoxyimino-2-[2-(0-tolyloxymethyl)phenyl]acetic acid.
- o Meat, liver, fat.
- p Kidney
- q Other meat products
- r The residue definition for this MRL is: 2-[2-(4-hydroxy-2-methylphenoxyethyl)phenyl]-2-methoxy-iminoacetic acid.
- s With the exception of meat and other ovine, bovine and caprine products.

Status: This is the original version (as it was originally made).

- t** These MRLs are based on Codex MRLs (extraneous residue limits) and do not result from the use of plant protection products.
- u** Meat of cattle, sheep and goats.
- v** Other than meat or liver of cattle, sheep and goats, and poultrymeat.
- w** Liver of cattle, sheep and goats. The residue definition for this MRL is: 1,1-bis-(parachlorophenol)-2,2-dichloroethanol(PP'-FW152), expressed as dicofol.
- x** Pig kidney.
- y** Cattle, goat and sheep kidney.
Ruminant liver.
- aa** All meat except ruminant liver.
- bb** Fat liver and kidney.
- cc** Other than fat, liver and kidney.
- dd** The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide.
- ee** All kidney except poultry kidney.
- ff** Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.
- gg** Meat and meat products other than those at footnotes 10, 11 and 12.
- hh** The residues definition for this MRL is: spiroxamine carboxylic acid expressed as spiroxamine
- ii** Scarole includes broad-leaf endive.
- jj** Liver and kidney.
- kk** Broccoli includes calabrese.
- ll** MRL is based on Codex MRL
- mm** For animal products the MRLs relate to cyhalothrin (sum of isomers).
- nn** This figure is the sum of the alpha and beta isomers.
- oo** Cattle fat.
- pp** Bovine fat.
- qq** Bovine liver.
- rr** Bovine kidney.
- ss** Meat of cattle.
- tt** Liver of cattle, goat, pig, sheep.
- uu** Kidney of cattle, goat, pig, sheep.
- vv** Poultry meat, fat, edible offal.
- ww** Meat of cattle goat, pig, sheep.
- xx** All products except sheep.
- yy** Liver of sheep cattle and goat. The residue definition is sum of all compounds containing the 2-chlorobenzoyl moiety expressed as clofentezine.
This MRL also applies to spelt.
- aaa** Except spelt.

SCHEDULE 2

Regulation 2(7)

“SCHEDULE 5

Regulation 2(1)

DEFINITION OF RESIDUE DIRECTIVES

“The Residue Directives” means Council Directive [1986/362/EEC](#)(4) as amended by–

<i>Directive</i>	<i>Reference</i>
Council Directive 1988/298/EEC	O.J. No. L 126, 20.5.88, p.53
Council Directive 1990/654/EEC	O.J. No. L 353, 17.12.90, p.48
Council Directive 1993/57/EEC	O.J. No. L 211, 23.8.93, p.1
Council Directive 1994/29/EC	O.J. No. L 189, 23.7.94, p.67
Council Directive 1995/39/EC	O.J. No. L 197, 22.8.95, p.29
Council Directive 1996/33/EC	O.J. No. L 144, 18.6.96, p.35
Council Directive 1997/41/EC	O.J. No. L 184, 12.7.97, p.33
Commission Directive 1997/71/EC	O.J. No. L 347, 18.12.97, p.42
Commission Directive 1998/82/EC	O.J. No. L 290, 29.10.98, p.25
Commission Directive 1999/65/EC	O.J. No. L 172, 8.7.99, p.40
Commission Directive 1999/71/EC	O.J. No. L 194, 27.7.99, p.36
Commission Directive 2000/24/EC	O.J. No. L 107, 4.5.00, p.28
Commission Directive 2000/42/EC	O.J. No. L 158, 30.6.00, p.51
Commission Directive 2000/48/EC	O.J. No. L 197, 3.8.00, p.26
Commission Directive 2000/58/EC	O.J. No. L 244, 29.9.00, p.78
Commission Directive 2000/81/EC	O.J. No. L 326, 22.12.00, p.56
Commission Directive 2000/82/EC	O.J. No. L 3, 6.1.01, p.18
Commission Directive 2001/39/EC	O.J. No. L 148, 1.6.01, p.70
Commission Directive 2001/48/EC	O.J. No. L 180, 3.7.01, p.26
Commission Directive 2001/57/EC	O.J. No. L 208, 1.8.01, p.36
Commission Directive 2002/23/EC	O.J. No. L 64, 7.3.02, p.13
Commission Directive 2002/42/EC (5)	O.J. No. L 134, 22.5.02, p.29
Commission Directive 2002/66/EC	O.J. No. L 192, 20.7.02, p.47
Commission Directive 2002/71/EC	O.J. No. L 225, 22.8.02, p.21
Commission Directive 2002/76/EC	O.J. No. L 240, 7.9.02, p.45
Commission Directive 2002/79/EC	O.J. No. L 291, 28.10.02, p.1
Commission Directive 2002/97/EC	O.J. No. L 343, 18.12.02, p.23
Commission Directive 2003/60/EC	O.J. No. L 155, 24.6.03, p.15

(4) O.J. No. L 221, 7.8.86, p.37.

(5) As amended by Corrigendum to Commission Directive [2002/42/EC](#), O.J. No. L 140, 30.5.02, p.39.

Status: This is the original version (as it was originally made).

<i>Directive</i>	<i>Reference</i>
Commission Directive 2003/62/EC	O.J. No. L 154, 21.6.03, p.70

together with Council Directive [1986/363/EEC](#)(6) as amended by–

<i>Directive</i>	<i>Reference</i>
Council Directive 1993/57/EEC	O.J. No. L 211, 23.8.93, p.1
Council Directive 1994/29/EEC	O.J. No. L 189, 23.7.94, p.67
Council Directive 1995/39/EC	O.J. No. L 197, 22.8.95, p.29
Council Directive 1996/33/EC	O.J. No. L 144, 18.6.96, p.35
Council Directive 1997/41/EC	O.J. No. L 184, 12.7.97, p.33
Commission Directive 1997/71/EC	O.J. No. L 347, 18.12.97, p.42
Commission Directive 1998/82/EC	O.J. No. L 290, 29.10.98, p.25
Commission Directive 1999/71/EC	O.J. No. L 194, 27.7.99, p.36
Commission Directive 2000/24/EC	O.J. No. L 107, 4.5.00, p.28
Commission Directive 2000/81/EC	O.J. No. L 326, 22.12.00, p.56
Commission Directive 2000/82/EC	O.J. No. L 3, 6.1.01, p.18
Commission Directive 2001/39/EC	O.J. No. L 148, 1.6.01, p.70
Commission Directive 2001/57/EC	O.J. No. L 208, 1.8.01, p.36
Commission Directive 2002/23/EC	O.J. No. L 64, 7.3.02, p.13
Commission Directive 2002/42/EC	O.J. No. L 134, 22.5.02, p.29
Commission Directive 2002/66/EC	O.J. No. L 192, 20.7.02, p.47
Commission Directive 2002/71/EC	O.J. No. L 225, 22.8.02, p.21
Commission Directive 2002/79/EC	O.J. No. L 291, 28.10.02, p.1
Commission Directive 2002/97/EC	O.J. No. L 343, 18.12.02, p.23
Commission Directive 2003/60/EC	O.J. No. L 155, 24.6.03, p.15

and Council Directive [1990/642/EEC](#)(7) as amended by–

<i>Directive</i>	<i>Reference</i>
Council Directive 1993/58/EEC	O.J. No. L 211, 23.8.93, p.6
Council Directive 1994/30/EC	O.J. No. L 189, 23.7.94, p.70
Council Directive 1995/38/EC	O.J. No. L 197, 22.8.95, p.14
Council Directive 1995/61/EC	O.J. No. L 292, 7.12.95, p.27
Council Directive 1996/32/EC	O.J. L 144, 18.6.96, p.12
Council Directive 1997/41/EC	O.J. No. L 184, 12.7.97, p.33

(6) O.J. No. L 221, 7.8.86, p.43.

(7) O.J. No. L 350, 14.12.90, p.71.

<i>Directive</i>	<i>Reference</i>
Commission Directive 1997/71/EC	O.J. No. L 347, 18.12.97, p.42
Commission Directive 1998/82/EC	O.J. No. L 290, 29.10.98, p.25
Commission Directive 1999/65/EC	O.J. No. L 172, 8.7.99, p.40
Commission Directive 1999/71/EC	O.J. No. L 194, 27.7.99, p.36
Commission Directive 2000/24/EC	O.J. No. L 107, 4.5.00, p.28
Commission Directive 2000/42/EC	O.J. No. L 158, 30.6.00, p.51
Commission Directive 2000/48/EC	O.J. No. L 197, 3.8.00, p.26
Commission Directive 2000/57/EC	O.J. No. L 244, 29.9.00, p.76
Commission Directive 2000/58/EC	O.J. No. L 244, 29.9.00, p.78
Commission Directive 2000/81/EC	O.J. No. L 326, 22.12.00, p.56
Commission Directive 2000/82/EC	O.J. No. L 3, 6.1.01, p.18
Commission Directive 2001/35/EC	O.J. No. L 136, 18.5.01, p.42
Commission Directive 2001/48/EC	O.J. No. L 180, 3.7.01, p.26
Commission Directive 2001/57/EC	O.J. No. L 208, 1.8.01, p.36
Commission Directive 2002/5/EC	O.J. No. L 34, 5.2.02, p.7
Commission Directive 2002/23/EC	O.J. No. L 64, 7.3.02, p.13
Commission Directive 2002/42/EC	O.J. No. L 134, 22.5.02, p.29
Commission Directive 2002/66/EC	O.J. No. L 192, 20.7.02, p.47
Commission Directive 2002/71/EC	O.J. No. L 225, 22.8.02, p.21
Commission Directive 2002/76/EC	O.J. No. L 240, 7.9.02, p.45
Commission Directive 2002/79/EC	O.J. No. L 291, 28.10.02, p.1
Commission Directive 2002/97/EC	O.J. No. L 343, 18.12.02, p.23
Commission Directive 2002/100/EC	O.J. No. L 2, 7.1.03, p.33
Commission Directive 2003/60/EC	O.J. No. L 155, 24.6.03, p.15
Commission Directive 2003/62/EC	O.J. No. L 154, 21.6.03, p.70
Commission Directive 2003/69/EC	O.J. No. L 175, 15.7.03, p.37”

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which extend to Scotland only, further amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2000 (“the principal Regulations”).

The Regulations insert into the principal Regulations references to the pesticides Acibenzolar-S-methyl, Chlorfenapyr, Cinidon-ethyl, Cyclanilide, Cyhalofop butyl, Diquat, Ethofumesate, Famoxadone, Fenhexamid, Fentin acetate, Fentin hydroxide, Florasulam, Flumioxazine, Iprovalicarb, Isoproturon, Metalaxyl-M, Picolinafen, Prosulfuron, Pyraflufen-ethyl and Sulfosulfuron and their residues, to reflect Commission Directives [2003/60/EC](#), [2003/62/EC](#) and [2003/69/EC](#) (regulation 2(2) and 2(3)). The Regulations specify maximum residue levels of these pesticides which crops, food and feeding stuffs may contain (regulation 2(6)(c)).

The Regulations substitute the maximum residue levels for Aminotriazole (Amitrole), Azoxystrobin, Clofentezine, Hexaconazole, Lambda-cyhalothrin, Myclobutanil and Prochloraz in the principal Regulations with new maximum residue levels to reflect Commission Directives [2003/62/EC](#) and [2003/69/EC](#). The column of entries headed ‘Aminotriazole (Amitrole)’ is replaced by ‘Amitrole’ (regulation 2(6)(a) and Schedule 1).

To complete implementation of Commission Directive [2002/71/EC](#) (O.J. No. L 225, 22.8.02, p.21), the Regulations remove pesticide residue levels for Omethoate, which had previously been set nationally by virtue of powers contained in the Food and Environment Protection Act 1985, from the list contained in Part 1 of Schedule 2 to the principal Regulations because they have been replaced by Community levels (regulation 2(4)).

Other minor alterations to implement changes of pesticide residue for other pesticides, namely Chlormequat, Dimethoate, Kresoxim-methyl and Maneb, Mancozeb, Metiram, Propineb and Zineb, are made to specified products (regulation 2(5)).

The Regulations also update the definition of “Residue Directives” in the principal Regulations (by substituting Schedule 5 to the principal Regulations) to incorporate—

- (a) Commission Directive [2003/60/EC](#) (O.J. No. L 155, 24.6.03, p.15);
- (b) Commission Directive [2003/62/EC](#) (O.J. No. L 154, 21.6.03, p.70); and
- (c) Commission Directive [2003/69/EC](#) (O.J. No. L 175, 15.7.03, p.37) (regulation 2(7) and Schedule 2).

Regulation 3 makes revocations.

No Regulatory Impact Assessment has been produced in relation to these Regulations.