

SCHEDULE

Regulation 2(6)

Group to which food belongs	Groups include the following products	Acephate	Parathion-methyl
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts			
i) CITRUS FRUIT			
	Grapefruit	0.02*	0.02*
	Lemons	0.02*	0.02*
	Limes	0.02*	0.02*
	Mandarins (inc clementines & similar hybrids) similar hybrids	0.02*	0.02*
	Oranges	0.02*	0.02*
	Pomelos	0.02*	0.02*
	Others	0.02*	0.02*
ii) TREE NUTS (shelled or unshelled)			
	Almonds	0.02*	0.02*
	Brazil nuts	0.02*	0.02*
	Cashew nuts	0.02*	0.02*
	Chestnuts	0.02*	0.02*
	Coconuts	0.02*	0.02*
	Hazelnuts	0.02*	0.02*
	Macadamia nuts	0.02*	0.02*
	Pecans	0.02*	0.02*
	Pine nuts	0.02*	0.02*
	Pistachios	0.02*	0.02*
	Walnuts	0.02*	0.02*
	Others	0.02*	0.02*
iii) POME FRUIT			
	Apples	0.02*	0.02*
	Pears	0.02*	0.02*
	Quinces	0.02*	0.02*
	Others	0.02*	0.02*
iv) STONE FRUIT			
	Apricots	0.02*	0.02*
	Cherries	0.02*	0.02*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Acephate	Parathion-methyl
	Peaches (inc nectarines & similar hybrids)	0.02*	0.02*
	Plums	0.02*	0.02*
	Others	0.02*	0.02*
v) BERRIES AND SMALL FRUIT			
	(a) (a) Table & wine grapes		
	Table grapes	0.02*	0.02*
	Wine grapes	0.02*	0.02*
	(b) Strawberry (other than wild)	0.02*	0.02*
	(c) (c) Cane Fruit (other than wild)		
	Blackberries	0.02*	0.02*
	Dewberries	0.02*	0.02*
	Loganberries	0.02*	0.02*
	Raspberries	0.02*	0.02*
	Others	0.02*	0.02*
	(d) (d) Other small fruit & berries (other than wild)		
	Bilberries	0.02*	0.02*
	Cranberries	0.02*	0.02*
	Currants (red, black & white)	0.02*	0.02*
	Gooseberries	0.02*	0.02*
	Others	0.02*	0.02*
	(e) (e) Wild berries & wild fruit	0.02*	0.02*
vi) MISCELLANEOUS FRUIT			
	Avocados	0.02*	0.02*
	Bananas	0.02*	0.02*

Group to which food belongs	Groups include the following products	Acephate	Parathion-methyl
	Dates	0.02*	0.02*
	Figs	0.02*	0.02*
	Kiwi fruit	0.02*	0.02*
	Kumquats	0.02*	0.02*
	Litchis	0.02*	0.02*
	Mangoes	0.02*	0.02*
	Olives (table consumption)	0.02*	0.02*
	Olives (oil extract)	0.02*	0.02*
	Papaya	0.02*	0.02*
	Passion fruit	0.02*	0.02*
	Pineapples	0.02*	0.02*
	Pomegranates	0.02*	0.02*
	Others	0.02*	0.02*

2. Vegetables, fresh or uncooked, frozen or dry

i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.02*
Carrots	0.02*	0.02*
Celeriac	0.02*	0.02*
Horseradish	0.02*	0.02*
Jerusalem artichokes	0.02*	0.02*
Parsnips	0.02*	0.02*
Parsley root	0.02*	0.02*
Radishes	0.02*	0.02*
Salsify	0.02*	0.02*
Sweet potatoes	0.02*	0.02*
Swedes	0.02*	0.02*
Turnips	0.02*	0.02*
Yams	0.02*	0.02*
Others	0.02*	0.02*

ii) BULB VEGETABLES

Garlic	0.02*	0.02*
Onions	0.02*	0.02*
Shallots	0.02*	0.02*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Acephate	Parathion-methyl
	Spring onions	0.02*	0.02*
	Others	0.02*	0.02*
iii) FRUITING VEGETABLES			
	(a) (a) Solanacea		
	Tomatoes	0.02*	0.02*
	Peppers	0.02*	0.02*
	Chili peppers	0.02*	0.02*
	Aubergines	0.02*	0.02*
	Others	0.02*	0.02*
	(b) (b) Cucurbits- edible peel		
	Cucumbers	0.02*	0.02*
	Gherkins	0.02*	0.02*
	Courgettes	0.02*	0.02*
	Others	0.02*	0.02*
	(c) (c) Cucurbits- inedible peel		
	Melons	0.02*	0.02*
	Squashes	0.02*	0.02*
	Watermelons	0.02*	0.02*
	Others	0.02*	0.02*
	(d) (d) Sweet corn	0.02*	0.02*
iv) BRASSICA VEGETABLES			
	(a) (a) Flowering Brassicas		
	Broccoli	0.02*	0.02*
	Cauliflower	0.02*	0.02*
	Others	0.02*	0.02*
	(b) (b) Head Brassicas		
	Brussels sprouts	0.02*	0.02*
	Head cabbage	0.02*	0.02*
	Others	0.02*	0.02*
	(c) (c) Leafy Brassicas		

Group to which food belongs	Groups include the following products	Acephate	Parathion-methyl
	Chinese cabbage	0.02*	0.02*
	Kale	0.02*	0.02*
	Others	0.02*	0.02*
	(d) (d) Kohlrabi	0.02*	0.02*
v) LEAF VEGETABLES AND FRESH HERBS			
	(a) (a) Lettuce & similar		
	Cress	0.02*	0.02*
	Lamb's lettuce	0.02*	0.02*
	Lettuce	0.02*	0.02*
	Scarole	0.02*	0.02*
	Others	0.02*	0.02*
	(b) (b) Spinach & similar		
	Spinach	0.02*	0.02*
	Beet leaves (chard)	0.02*	0.02*
	Others	0.02*	0.02*
	(c) (c) Watercress	0.02*	0.02*
	(d) (d) Witloof	0.02*	0.02*
	(e) (e) Herbs		
	Chervil	0.02*	0.02*
	Chives	0.02*	0.02*
	Parsley	0.02*	0.02*
	Celery leaves	0.02*	0.02*
	Others	0.02*	0.02*
vi) LEGUME VEGETABLES (fresh)			
	Beans (with pods)	0.02*	0.02*
	Beans (without pods)	0.02*	0.02*
	Peas (with pods)	0.02*	0.02*
	Peas (without pods)	0.02*	0.02*
	Others	0.02*	0.02*
vii) STEM VEGETABLES			
	Asparagus	0.02*	0.02*
	Cardoons	0.02*	0.02*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups include the following products	Acephate	Parathion-methyl
	Celery	0.02*	0.02*
	Fennel	0.02*	0.02*
	Globe artichokes	0.02*	0.02*
	Leeks	0.02*	0.02*
	Rhubarb	0.02*	0.02*
	Others	0.02*	0.02*
viii) FUNGI			
	(a) Cultivated mushrooms	0.02*	0.02*
	(b) Wild mushrooms	0.02*	0.02*
3. PULSES			
	Beans	0.02*	0.02*
	Lentils	0.02*	0.02*
	Peas	0.02*	0.2
	Others	0.02*	0.02*
4. OILSEEDS			
	Linseed	0.05*	0.05*
	Peanuts	0.05*	0.05*
	Poppy seed	0.05*	0.05*
	Sesame seed	0.05*	0.05*
	Sunflower seed	0.05*	0.05*
	Rape seed	0.05*	0.05*
	Soya bean	0.05*	0.05*
	Mustard seed	0.05*	0.05*
	Cotton seed	0.05*	0.05*
	Others	0.05*	0.05*
5. POTATOES			
	Early potatoes	0.02*	0.02*
	Ware potatoes	0.02*	0.02*
6. TEA			
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Parathion-methyl
7. HOPS (dried)			
	including hop pellets & unconcentrated powder	0.05*	0.05*
8. CEREALS			
	Wheat	0.02*	0.02*
	Rye	0.02*	0.02*
	Barley	0.02*	0.02*
	Sorghum	0.02*	0.02*
	Oats	0.02*	0.02*
	Triticale	0.02*	0.02*
	Maize	0.02*	0.02*
	Buckwheat	0.02*	0.02*
	Millet	0.02*	0.02*
	Rice ⁽¹⁾	0.02*	0.02*
	Other cereals ⁽²⁾	0.02*	0.02*
9. PRODUCTS OF ANIMAL ORIGIN			
	Meat, fat & preparations of meat ⁽³⁾	0.02*	0.02*
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.02*	0.02*
	Eggs ⁽⁶⁾	0.02*	0.02*

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

(1) Paddy or rough rice, husked rice and semi milled or wholly milled rice.

(2) Other cereals do not include rice.

(3) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

(4) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

(5) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd, whether made from cow's milk or other milk of a combination, the following levels apply:
— if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
— if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

Status: *This is the original version (as it was originally made).*

- (6) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).