

SCHEDULE 1

Regulation 2(3)

Group to which food belongs	Groups to include the following products	Azoxystrobin	Benlate	Carbendazim	Chlorpyrifos	Chlorpyrifos methyl	Mancozeb	Metalaxyl M	Metalaxyl	Methomyl	Myclobutanil	Panconazole
							Mancozeb					
							Metiram					
							Propineb					
							Zineb					

1.

FRUIT,  
FRESH,  
DRIED OR  
UNCOOKED,  
PRESERVED  
BY  
FREEZING  
NOT  
CONTAINING  
ADDED  
SUGAR:  
NUTS

**i) CITRUS FRUIT**

Grapefruit	0.05*	0.05*	0.05*	5	0.5		0.5	3	0.05*
Lemons	1	0.05*	0.05*	0.05*	5	0.5	1	3	0.05*
Limes	1	0.05*	0.05*	0.05*	5	0.5	1	3	0.05*
Mandarins (inc clementines & similar hybrids)		0.05*	0.05*	0.05*	5	0.5	1	3	0.05*
Oranges	1	0.05*	0.05*	0.05*	5	0.5	0.5	3	0.05*
Pomelos	1	0.05*	0.05*	0.05*	5	0.5	0.5	3	0.05*
Others	1	0.05*	0.05*	0.05*	5	0.5	0.05*	3	0.05*

**ii) TREE NUTS (shelled or unshelled)**

Almonds	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*
Brazil nuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*
Cashew nuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*
Chestnuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*
Coconuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	Azoxystrobin	Fenhexamid	Fenpropiadin	Propiconazole	Mancozeb	Metalaxyl-M	Metalaxyl	Methomyl	Myclobutanil	Fludioxonazole
						Mancozeb					
						Metiram					
						Propineb					
						Zineb					
	Hazelnuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*	0.05*	0.05*
	Macadamia nuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*	0.05*	0.05*
	Pecans	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*	0.05*	0.05*
	Pine nuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*	0.05*	0.05*
	Pistachios	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*	0.05*	0.05*
	Walnuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*	0.05*	0.05*
	Others	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*	0.05*	0.05*
<b>iii)</b>	<b>POME FRUIT</b>										
	Apples	0.05*	0.05*	0.05*	0.05*	3	1		0.2	0.5	0.2
	Pears	0.05*	0.05*	0.05*	0.05*	3	1		0.2	0.5	0.2
	Quinces	0.05*	0.05*	0.05*	0.05*	3	1		0.2	0.5	0.2
	Others	0.05*	0.05*	0.05*	0.05*	3	1		0.2	0.5	0.2
<b>iv)</b>	<b>STONE FRUIT</b>										
	Apricots	0.05*	5	0.05*	0.05*	2	0.05*		0.2	0.3	0.1
	Cherries	0.05*	5	0.05*	0.05*	1	0.05*		0.1	1	0.05*
	Peaches (incl nectarines & similar hybrids)	0.05*	5	0.05*	0.05*	2	0.05*		0.2	0.5	0.1
	Plums	0.05*	1	0.05*	0.05*	1	0.05*		0.5	0.5	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	0.05*
<b>v)</b>	<b>BERRIES AND SMALL FRUIT</b>										
	(a) Table & wine grapes										
	Table grapes	2	5	0.05*	2	2	2		0.05*	1	0.2
	Wine grapes	2	5	0.05*	2	2	1		1	1	0.2

Group to which food belongs	Groups to include the following products	Azoxystrobin	Chlorantraniliprole	Fluxfenoxipropyl	Propiconazole	Mancozeb	Metalaxyl M	Methomyl	Myclobutanil	Panconazole
		(b) 5	1	0.05*	2	0.5		0.05*	1	0.05*
	Strawberries (other than wild)									
	(c) Cane Fruit (other than wild)									
	Blackberries	10	1	0.05*	0.05*	0.05*		0.05*	1	0.05*
	Dewberries	0.05*	10	1	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*
	Loganberries	0.05*	10	1	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*
	Raspberries	10	1	0.05*	0.05*	0.05*		0.05*	1	0.05*
	Others	0.05*	10	1	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*
	(d) Other small fruit & berries (other than wild)									
	Bilberries	0.05*	5	1	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*
	Cranberries	0.05*	5	1	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*
	Currants (red, black & white)	0.05*	5	1	0.05*	5	0.05*	0.05*	1	0.5
	Gooseberries	0.05*	5	1	0.05*	5	0.05*	0.05*	1	0.05*
	Others	0.05*	5	1	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*
	(e) Wild berries & wild fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*
<b>vi)</b>	<b>MISCELLANEOUS FRUIT</b>									
	Avocados	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*
	Bananas	2	0.05*	2	0.05*	0.05*	0.05*	0.05*	2	0.05*
	Dates	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*
	Figs	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*
	Kiwi fruit	0.05*	10	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*
	Kumquats	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*

Status: This is the original version (as it was originally made).

Group to which the food belongs	Groups to include the following products	Azoxystrobin	Chlorantraniliprole	Fluxusfenoxipropyl	Propiconazole	Mancozeb	Metalaxyl M	Metalaxyl M thiodicarb	Methomyl	Myclobutanil	Pandazazole
						Mancozeb					
						Metiram					
						Propineb					
						Zineb					
	Litchis	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	0.05*
	Mangoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	0.05*
	Olives (table consumption)	0.05*	0.05*	0.05*	0.05*	5	0.05*		0.05*	0.02*	0.05*
	Olives (oil extract)	0.05*	0.05*	0.05*	0.05*	5	0.05*		0.05*	0.02*	0.05*
	Papaya	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	0.05*
	Passion fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	0.05*
	Pineapples	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	0.05*
	Pomegranates	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	0.05*

2.

VEGETABLES,  
FRESH OR  
UNCOOKED,  
FROZEN OR  
DRY

i) ROOT AND TUBER VEGETABLES

Beetroot	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	0.05*
Carrots	0.2	0.05*	0.05*	0.05*	0.2	0.1		0.05*	0.2	0.05*
Celeriac	0.3	0.05*	0.05*	0.05*	0.2	0.05*		0.05*	0.02*	0.05*
Horse radish	0.2	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.2	0.05*
Jerusalem artichokes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	0.05*
Parsnips	0.2	0.05*	0.05*	0.05*	0.05*	0.1		0.05*	0.2	0.05*
Parsley root	0.2	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.2	0.05*
Radishes	0.05*	0.05*	0.05*	0.05*	2	0.05*		0.5	0.02*	0.05*
Salsify	0.2	0.05*	0.05*	0.05*	0.2	0.05*		0.05*	0.02*	0.05*

Group to which the food belongs	Groups to include the following products	Azoxystrobin	Fenhexamid	Fludioxonil	Propiconazole	Propiconazole	Mancozeb	Metalaxyl-M	Metalaxyl-M	Methomyl	Myclobutanil	Pandazazole
							Mancozeb					
							Metiram					
							Propineb					
							Zineb					
	Sweet potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*			0.05*	0.02*	0.05*
	Swedes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*			0.05*	0.02*	0.05*
	Turnips	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*			0.05*	0.02*	0.05*
	Yams	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*			0.05*	0.02*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*			0.05*	0.02*	0.05*
<b>ii) BULB VEGETABLES</b>												
	Garlic	0.05*	0.05*	0.05*	0.05*	0.5	0.5			0.05*	0.02*	0.05*
	Onions	0.05*	0.05*	0.05*	0.1	0.5	0.5			0.05*	0.02*	0.05*
	Shallots	0.05*	0.05*	0.05*	0.05*	0.5	0.5			0.05*	0.02*	0.05*
	Spring onions	2	0.05*	0.05*	0.05*	1	0.2			0.05*	0.02*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*			0.05*	0.02*	0.05*
<b>iii) FRUITING VEGETABLES</b>												
<b>(a) (a) Solanacea</b>												
	Tomatoes	2	1	0.05*	1	3	0.2			0.5	0.3	0.05*
	Peppers	2	2	0.05*	0.05*	2	0.5			0.05*	0.5	0.05*
	Chili peppers	2	2	0.05*	0.05*	2	0.5			0.05*	0.5	0.05*
	Aubergines	2	1	0.05*	0.05*	2	0.05*			0.5	0.3	0.05*
	Others	2	2	0.05*	0.05*	2	0.05*			0.05*	0.02*	0.05*
<b>(b) (b) Cucurbits-edible peel</b>												
	Cucumbers	2	1	0.05*	0.1	0.5	0.5			0.05*	0.1	0.05*
	Gherkins	2	1	0.05*	0.1	2	0.05*			0.05*	0.1	0.05*
	Courgettes	2	1	0.05*	0.1	2	0.05*			0.05*	0.1	0.05*
	Others	2	1	0.05*	0.05*	0.05*	0.05*			0.05*	0.1	0.05*
<b>(c) (c) Cucurbits-inedible peel</b>												
	Melons	0.5	0.5	0.05*	0.05*	0.2	0.5	0.2		0.05*	0.2	0.1
	Squashes	0.5	0.5	0.05*	0.05*	0.05*	0.5	0.05*		0.05*	0.2	0.1
	Watermelons	0.5	0.5	0.05*	0.05*	0.2	0.5	0.2		0.05*	0.2	0.1

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	Azoxystrobin	Fenhexamid	Fludioxonil	Propiconazole	Propiconazole	Mancozeb	Metalaxyl-M	Metalaxyl-M	Methomyl	Myclobutanil	Fludioxonil	Propiconazole
							Mancozeb						
							Metiram						
							Propineb						
							Zineb						
	Others	0.5	0.05*	0.05*	0.05*	0.5	0.05*		0.05*	0.2		0.1	
	Subgroup (d) corn	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*		0.05*	
<b>iv) BRASSICA VEGETABLES</b>													
<b>(a) (a) Flowering Brassicas</b>													
	Broccoli	0.5	0.05*	0.05*	0.05*	1	0.1			0.2	0.02*	0.05*	
	Cauliflower	0.5	0.05*	0.05*	0.05*	1	0.1			0.05*	0.02*	0.05*	
	Others	0.05*	0.05*	0.05*	0.05*	1	0.1			0.05*	0.02*	0.05*	
<b>(b) (b) Head Brassicas</b>													
	Brussels sprouts	0.1	0.05*	0.5	0.05*	1	0.05*			0.05*	0.02*	0.05*	
	Head cabbage	0.3	0.05*	0.05*	0.05*	1	1			0.05*	0.02*	0.05*	
	Others	0.05*	0.05*	0.05*	0.05*	1	0.05*			0.05*	0.02*	0.05*	
<b>(c) (c) Leafy Brassicas</b>													
	Chinese cabbage	5	0.05*	0.05*	0.05*	0.5	0.05*			0.05*	0.02*	0.05*	
	Kale	5	0.05*	0.05*	0.05*	2	0.2			0.05*	0.02*	0.05*	
	Others	5	0.05*	0.05*	0.05*	0.5	0.05*			0.05*	0.02*	0.05*	
	Others	0.2	0.05*	0.05*	0.05*	0.1*	0.05*			0.05*	0.02*	0.05*	
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>													
<b>(a) (a) Lettuce &amp; similar</b>													
	Cress	3	0.05*	0.05*	1	5	0.05*			0.05*	0.02*	0.05*	
	Lamb's lettuce	3	0.05*	0.05*	1	5	0.05*			0.05*	5	0.05*	
	Lettuce	3	30	0.05*	1	5	2			2	0.02*	0.05*	
	Scarole	3	0.05*	0.05*	1	5	1			0.05*	0.02*	0.05*	
	Others	3	0.05*	0.05*	1	5	0.05*			0.05*	0.02*	0.05*	
<b>(b) (b) Spinach &amp; similar</b>													
	Spinach	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*			2	0.02*	0.05*	

Group to which the food belongs	Groups to include the following products	Azoxystrobin	Fenhexamid	Fluorfenoxim	Propiconazole	Propiconazole	Mancozeb	Metalaxyl M	Metalaxyl M	Methomyl	Myclobutanil	Fludioxonazole
							Mancozeb					
							Metiram					
							Propineb					
							Zineb					
	Beet leaves (chard)	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		2		0.02*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		2		0.02*	0.05*
	(c) Others	0.05*	0.05*	0.05*	0.05*	0.3	0.05*		0.05*		0.02*	0.05*
	(d) Others	0.2	0.05*	0.05*	0.05*	0.2	0.3		0.05*		0.02*	0.05*
	(e) Herbs											
	Chervil	3	0.05*	0.05*	0.05*	5	1		2		0.02*	0.05*
	Chives	3	0.05*	0.05*	0.05*	5	1		2		0.02*	0.05*
	Parsley	3	0.05*	0.05*	0.05*	5	1		2		0.02*	0.05*
	Celery leaves	3	0.05*	0.05*	0.05*	5	1		2		0.02*	0.05*
	Others	3	0.05*	0.05*	0.05*	5	1		2		0.02*	0.05*
<b>vi)</b>	<b>LEGUME VEGETABLES (fresh)</b>											
	Beans (with pods)	1	0.05*	0.05*	0.05*	1	0.05*		0.05*		0.02*	0.05*
	Beans (without pods)	0.2	0.05*	0.05*	0.05*	0.1	0.05*		0.05*		0.02*	0.05*
	Peas (with pods)	0.5	0.05*	0.05*	0.05*	1	0.05*		0.05*		0.02*	0.05*
	Peas (without pods)	0.2	0.05*	0.05*	0.05*	0.1	0.05*		0.05*		0.02*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*		0.02*	0.05*
<b>vii)</b>	<b>STEM VEGETABLES</b>											
	Asparagus	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*		0.02*	0.05*
	Cardoon	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*		0.02*	0.05*
	Celery	5	0.05*	0.05*	0.05*	0.5	0.05*		0.05*		0.02*	0.05*
	Fennel	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*		0.02*	0.05*

Status: This is the original version (as it was originally made).

Group to which food belongs	Groups to include the following products	Azoxystrobin	Fenhexamid	Fludioxonil	Propiconazole	Propiconazole	Mancozeb	Metalaxyl M	Metalaxyl M	Methomyl	Myclobutanil	Pandazazole
							Mancozeb					
							Metiram					
							Propineb					
							Zineb					
	Globe artichokes	1	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5	0.2	
	Leeks	0.1	0.05*	0.5	0.05*	3	0.2	0.05*	0.02*	0.05*		
	Rhubarb	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*		
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*		
<b>viii)</b>	<b>FUNGI</b>											
	Cultivated mushrooms	0.05*(a)	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*		
	Wild mushrooms	0.05*(b)	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*		
3.												
	<b>PULSES</b>											
	Beans	0.1	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*		
	Lentils	0.1	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*		
	Peas	0.1	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*		
	Others	0.1	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*		
4.												
	<b>OILSEEDS</b>											
	Linseed	0.05*	0.1*	0.05*	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*		
	Peanuts	0.05*	0.1*	0.05*	0.1*	0.1*	0.1*	0.1	0.05*	0.05*		
	Poppy seed	0.05*	0.1*	0.05*	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*		
	Sesame seed	0.05*	0.1*	0.05*	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*		
	Sunflower seed	0.05*	0.1*	0.05*	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*		
	Rape seed	0.5	0.1*	0.05*	0.1*	0.5	0.1*	0.05*	0.05*	0.05*		
	Soya bean	0.5	0.1*	0.05*	0.1*	0.1*	0.1*	0.1	0.05*	0.05*		
	Mustard seed	0.05*	0.1*	0.05*	0.1*	0.1*	0.1*	0.05*	0.05*	0.05*		



Group to which the food belongs	Groups to include the following products	Azoxystrobin	Fenhexamid	Fludioxonil	Propiconazole	Mancozeb	Metalaxyl-M	Metalaxyl	Methomyl	Myclobutanil	Pandazole
						Mancozeb					
						Metiram					
						Propineb					
						Zineb					
	Cotton seed	0.05*	0.1*	0.05*	0.1*	0.1*	0.1*		0.1	0.05*	0.05*
	Others	0.05*	0.1*	0.05*	0.1*	0.1*	0.1*		0.05*	0.05*	0.05*
5.	POTATOES										
	Early potatoes	0.05*	0.05*	0.05*	0.05*	0.1	0.05*		0.05*	0.02*	0.05*
	Ware potatoes	0.05*	0.05*	0.05*	0.05*	0.1	0.05*		0.05*	0.02*	0.05*
6.	TEA										
	(dried leaves and stalks, fermented or otherwise, Camellia sinesis)	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*		0.1*	0.05*	0.1*
7.	HOPS (dried)										
	including hop pellets & unconcentrated powder	0.1*	0.1*	10	0.1*	25	10		10	2	0.5
8.	CEREALS										
	Wheat	0.3	0.05*	0.5(52)	0.05*	1	0.05*	0.02*	0.05*	0.02*	0.05*
	Rye	0.3	0.05*	0.5	0.05*	1	0.05*	0.02*	0.05*	0.02*	0.05*
	Barley	0.3	0.05*	0.5	0.05*	2	0.05*	0.02*	0.05*	0.02*	0.05*
	Sorghum	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*

Status: This is the original version (as it was originally made).

Group to which the food belongs	Groups to include the following products	Azoxystrobin	Fenhexamid	Fenpropiadin	Propiconazole	Mancozeb	Metalaxyl-M	Metalaxyl	Methomyl	Myclobutanil	Fludioxonazole
						Mancozeb					
						Metiram					
						Propineb					
						Zineb					
	Oats	0.3	0.05*	0.5	0.05*	2	0.05*	0.02*	0.05*	0.02*	0.05*
	Triticale	0.3	0.05*	0.5	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*
	Maize	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*
	Buckwheat	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*
	Millet	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*
	Rice (1)	5	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*
	Other cereals	0.05*	0.05*	0.05*(53)	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*

9.

PRODUCTS OF ANIMAL ORIGIN

	Meat, edible offal, fat & preparations of meat and edible offal (2)	0.05*	0.05*	0.3 (46) 0.05 (47) 0.01* (48) 0.02 (49)		0.05*	0.05*		0.02	0.01*	0.05*
				0.01 (17)							
	Milk (3) & Dairy Produce (4)	0.01*	0.05*	0.01		0.05*	0.05*		0.02	0.01*	0.01*
	Eggs (5)	0.05*	0.05*	0.01*		0.05*	0.05*		0.02	0.01*	0.05*

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

\* Level at or about the limit of determination.

FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
2. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
3. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
4. For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd. Whether made from cow's milk or other milk of a combination, the following levels apply: – if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; – if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk
5. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
6. Scarole includes broad-leaf endive.
7. All meat except poultrymeat.
8. Kidney except of poultry.
9. All other meat, edible offal, fat and preparations of meat and edible offal.
10. All meat.
11. All liver and kidney.
12. Liver of bovine animals.
13. Meat of poultry.
14. Meat of bovine animals.
15. Fat of bovine animals.
16. Except poultry.
17. Broccoli includes calabrese.
18. Liver of chicken.
19. Kidney of bovine animals.
20. Liver of bovine animals, sheep and goats.
21. Except foodstuffs of ovine origin.
22. Meat of bovinr animals, sheep and goats.
23. Except meet and liver of bovine animals, sheep and poultry or meat of poultry.
24. This MRL also applies to spelt.
25. Except spelt.
26. Liver of bovine animals, sheep, goats, and swine.

**Status:** This is the original version (as it was originally made).

27. Kidney of bovine animals, sheep, goats, and swine.
28. Meat of poultry, fat and edible offal.
29. Meat of bovine animals, sheep, goats, and swine.
30. All kidney.
31. Kidney of swine
32. Kidney of bovine animals sheep and goats.
33. This figure is the sum of the alpha and beta isomers. For meat, fat & preparations of meat MRL for alpha isomer is 0.2 mg/kg and MRL for beta isomer is 0.1 mg/kg. For milk and dairy produce MRL for alpha isomer is 0.004 mg/kg and MRL for beta isomer is 0.003 mg/kg. For eggs MRL for alpha isomer is 0.02 mg/kg and MRL for beta isomer is 0.01 mg/kg.
34. All meat, liver and fat.
35. 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.
36. Ruminant liver.
37. Fat liver and kidney.
38. With the exception of meat and other ovine, bovine and caprine products.
39. Seed without shell.