SCOTTISH STATUTORY INSTRUMENTS

2005 No. 599

AGRICULTURE PESTICIDES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005

Made	28th November 2005
Laid before the Scottish	
Parliament	30th November 2005
	22nd December
Coming into force	2005

The Scottish Ministers, in exercise of the powers conferred by section 2(2) of the European Communities Act 1972(1) and of all other powers enabling them in that behalf, hereby make the following Regulations:

Citation, commencement and extent

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005 and shall come into force on 22nd December 2005.

(2) These Regulations shall extend to Scotland only.

Interpretation

2.—(1) In these Regulations–

"Directive 76/895" means Council Directive 76/895/EEC relating to the fixing of maximum levels for pesticide residues in and on fruit and vegetables(2);

"Directive 86/362" means Council Directive 86/362/EEC on the fixing of maximum levels for pesticide residues in and on cereals(**3**);

^{(1) 1972} c. 68. Section 2(2) was amended by the Scotland 1998 (c. 46), Schedule 8, paragraph 15(3). The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scotlish Ministers by virtue of section 53 of the Scotland Act 1998.

⁽²⁾ O.J. No. L 340, 9.12.1976, p.26, as last amended by Council Regulation (EC) No. 807/2003 (O.J. No. L 122, 16.5.2003, p.36).

⁽³⁾ O.J. No. L 221, 7.8.1986, p.37, as last amended by Commission Directive 2005/48/EC (O.J. No. L 219, 24.8.05, p.29).

"Directive 86/363" means Council Directive 86/363/EEC on the fixing of maximum levels for pesticide residues in and on foodstuffs of animal origin(4);

"Directive 90/642" means Council Directive 90/642/EEC on the fixing of maximum levels for pesticide residues in and on certain products of plant origin, including fruit and vegetables(**5**);

"EEA State" means a Member State, Norway, Iceland or Liechtenstein;

"fruit or vegetable" means a product referred to in Article 1 of Directive 90/642;

"maximum residue level" means the maximum quantity of pesticide residue (measured in milligrams per kilogram of product) that a product is permitted to contain under regulation 3;

"pesticide" means any substance, preparation or organism listed in column 1 of Schedule 1;

"pesticide residue" means, in relation to any particular pesticide, the substance specified in column 2 of Schedule 1 in respect of that pesticide;

"product" means any crop, food or feeding stuff specified in Schedules 2 or 3;

"putting into circulation", in relation to any product, means handing it over (post harvest if the product is a fruit or vegetable), whether or not for consideration and any related expression shall be construed accordingly; and

"the Residues Directives" means Directive 76/895, Directive 86/362, Directive 86/363 and Directive 90/642, in each case as amended on the date these Regulations are made.

(2) The words and expressions "composite food", "drying" and "processing" when used in regulation 3 or in paragraph (c) or (d) of regulation 5 have the same meaning as when used in the Residues Directives and any related expressions shall be construed accordingly.

(3) Any reference in these Regulations to a numbered Schedule or regulation shall be construed as a reference to the Schedule or, as the case may be, regulation so numbered in these Regulations.

(4) Any reference in any Schedule to these Regulations to any product, figure or pesticide includes any qualifying words relating to that product, figure or pesticide in that Schedule.

Prohibition on putting into circulation products with excess residues

3.—(1) No person shall put into circulation a product named in Schedule 2 if it contains a quantity of pesticide residue, per kilogram of the product, greater than that specified in that Schedule in respect of that product and the pesticide in question, during the period (if any) specified.

(2) Subject to paragraph (3), paragraph (1) shall also apply in relation to the putting into circulation of -

- (a) any product which after drying or processing is obtained from any of the products named in Schedule 2, and
- (b) any composite food which includes any of the products named in that Schedule,

as it applies to the products so named.

(3) Where-

- (a) paragraph (1) applies in relation to a dried or processed product or a composite food by virtue of paragraph (2), and
- (b) in relation to that dried or processed product or composite food no quantity has been specified in Schedule 2 as the maximum residue level in respect of a pesticide residue which may be contained in that dried or processed product or composite food,

⁽⁴⁾ O.J. No. L 221, 7.8.1986, p.43, as last amended by Commission Directive 2005/48/EC (O.J. No. L 219, 24.8.05, p.29).

⁽⁵⁾ O.J. No. L 350, 14.12.1990, p.71, as last amended by Commission Directive 2005/48/EC (O.J. No. L 219, 24.8.05, p.29).

paragraph (1) applies as if the maximum residue level in respect of that pesticide residue were the quantity applicable under that Schedule as it has effect by virtue of regulation 5(c) or, as the case may be, (d).

(4) Any person who, without reasonable excuse, contravenes or causes or permits any other person to contravene the prohibition in paragraph (1) shall be guilty of an offence, and shall be liable–

- (a) on summary conviction, to a fine not exceeding the statutory maximum; and
- (b) on conviction on indictment, to a fine.

(5) In any proceedings for an offence under this regulation in relation to any product, whether or not dried or processed or a composite food, it is a defence for the person charged to prove that when the product was put into circulation–

- (a) it was so put with the intention of its being exported to a country which is not an EEA State and the contravention of the prohibition in paragraph (1) was caused by the product being treated in a manner-
 - (i) required by the country of destination in order to prevent the introduction of harmful organisms into its territory; or
 - (ii) necessary to protect the product from harmful organisms during transport to the country of destination and storage there, or
- (b) it was so put with the intention that-
 - (i) it be used in the manufacture of things other than foodstuffs and animal feed; or
 - (ii) it be used for sowing or planting.

(6) Sections 19 (enforcement powers), 21(5) (offences – penalties etc) and 22 (general defence of due diligence) of, and Schedule 2 (officers and their powers) to, the Food and Environment Protection Act 1985(6) shall apply for the purposes of this regulation as they apply for the purposes of that Act, taking references in those sections to that Act or any Part of it to be references to this regulation, and the general purposes of that Act to include the purposes of this regulation.

Seizure or disposal of crops, food or feeding stuffs

4.—(1) If any product contains a quantity of pesticide residue greater than that permitted under regulation 3(1), the Scottish Ministers may–

- (a) seize or dispose of the consignment containing that product, or any part of it, or require the owner or any person appearing to be in charge of it to dispose of it, or
- (b) direct the owner or any person appearing to be in charge of it to take such remedial action as appears to the Scottish Ministers to be necessary.

(2) Paragraph (1) applies to any product put into circulation in circumstances referred to in regulation 3(5)(a) or (b) as it applies to other products.

Sampling and analysis

5. In determining for the purposes of regulation 3(1) whether the quantity of pesticide residue contained in any product exceeds the maximum residue level–

(a) in relation to any product specified in column 2 of Schedule 3 (and falling within a group of products specified in column 1 of that Schedule) the whole or part only of that product shall, so far as is practicable, be taken into account as specified in column 3 of that Schedule;

- (b) the procedure to be followed for sampling for the determination of pesticide residues shall be that set out in the Annex to Commission Directive 2002/63/EC(7);
- (c) in the case of any product which has been dried or processed, Schedule 2 shall have effect where, in relation to a pesticide residue, no such maximum residue level is specified therein for the product in its dried or processed form, as if the maximum residue level specified in that Schedule in respect of that pesticide residue and in relation to the product in question were subject to an adjustment to take account of the concentration of the product caused by the drying process or, as the case may be, the dilution or concentration of the product caused by the processing; and
- (d) in a case where a product listed in Schedule 2 has been mixed with other products or ingredients to form a composite food, that Schedule shall have effect, in relation to that composite food, as if the products which have been mixed to form the composite food had not been mixed and accordingly the maximum residue levels specified for each of the pesticide residues specified applied in relation to each of those products separately taking into account—
 - (i) the relative concentrations of each of the products in the composite food; and
 - (ii) the provisions of paragraph (c).

Revocations

6. The Regulations specified in Schedule 4 are revoked.

St Andrew's House, Edinburgh 28th November 2005

ROSS FINNIE A member of the Scottish Executive

Regulation 2(1)

Column 1	Column 2
Pesticide	Residue
1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane	1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane
1,2-Dibromoethane	(1) for products of plant origin other than cereals: 1,2-dibromoethane (ethylene dibromide)
	(2) for cereals: 1,2-dibromoethane
1,2-Dichloroethane	1,2-dichloroethane
2,4-D	(1) for products of plant origin: 2,4-D (sum of 2,4-D and its esters) expressed as 2,4-D
	(2) for foodstuffs of animal origin: 2,4-D
2,4-DB	2,4-DB
2,4,5-T	2,4,5-T
Abamectin	abamectin (sum of avermectin B1a, avermectin B1b and delta-8, 9 isomer of avermectin B1a)
Acephate	acephate
Acibenzolar-S-methyl	acibenzolar-S-methyl
Aldicarb	sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
Aldrin and Dieldrin	(1) for products of plant origin other than cereals: aldrin and dieldrin combined expressed as dieldrin
	(2) for cereals and foodstuffs of animal origin: aldrin and dieldrin singly or combined, expressed as Dieldrin (HEOD)
Amitraz	amitraz including the metabolites containing the 2,4 dimethylaniline moiety expressed as amitraz
Amitrole	amitrole
Aramite	aramite
Atrazine	atrazine
Azimsulfuron	azimsulfuron
Azinphos-ethyl	azinphos-ethyl
Azinphos-methyl	azinphos-methyl
Azocyclotin and Cyhexatin	azocyclotin and cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin)
Azoxystrobin	azoxystrobin

Column 1	Column 2
Pesticide	Residue
Barban	barban
Benalaxyl	benalaxyl
Benfuracarb	benfuracarb
Benomyl, Carbendazim and Thiophanate- methyl	benomyl, carbendazim and thiophanate-methyl (expressed as carbendazim)
Bentazone	bentazone (sum of bentazone and conjugates 6-OH- and 8-OH- bentazone expressed as bentazone)
Bifenthrin	bifenthrin
Binapacryl	binapacryl
Bitertanol	bitertanol
Bromophos-ethyl	bromophos-ethyl
Bromopropylate	bromopropylate
Camphechlor (Toxaphene)	(1) for products of plant origin other than cereals: camphechlor (toxaphene)
	 (2) for cereals: Camphechlor (chlorinated camphen with 67–69% chlorine) (3) for foodstuffs of animal origin: camphechlor (sum of the three indicator compounds Parlar No 26 (2-endo, 3-exo, 5-endo, 6-exo, 8, 8, 10, 10-octachlorobornane), Parlar No 50 (2-endo, 3-exo, 5-endo, 6-exo, 8, 8, 9, 10, 10-nonachlorobornane) and Parlar No 62 (2, 2, 5, 5, 8, 9, 9, 10, 10-nonachlorobornane)
Captafol	captafol
Carbaryl	carbaryl
Carbofuran	sum of carbofuran and 3-hydroxy-carbofuran, expressed as carbofuran
Carbon disulphide	carbon disulphide
Carbon tetrachloride	carbon tetrachloride
Carbosulfan	carbosulfan
Carfentrazone-ethyl	carfentrazone-ethyl (determined as carfentrazone and expressed as carfentrazone- ethyl)
Cartap	cartap
Chlorbenside	chlorbenside
Chlorbufam	chlorbufam

Column 1	Column 2
Pesticide	Residue
Chlordane	(1) for products of plant origin other than cereals: chlordane (sum of cis- and trans- chlordane)
	(2) for cereals: chlordane (sum of cis- and trans-isomers expressed as chlordane)
	(3) for foodstuffs of animal origin: (sum of cis- and trans-isomers and oxychlordane expressed as chlordane)
Chlorfenapyr	chlorfenapyr
Chlorfenson	chlorfenson
Chlorfenvinphos	sum of E- and Z-isomers of chlorfenvinphos
Chlormequat	chlormequat
Chlorobenzilate	chlorobenzilate
Chlorothalonil	chlorothalonil
Chloroxuron	chloroxuron
Chlorpyrifos	chlorpyrifos
Chlorpyrifos-methyl	chlorpyrifos-methyl
Chlozolinate	chlozolinate
Cinidon-ethyl	cinidon-ethyl (sum of cinidon-ethyl and its E- isomer)
Clofentezine	(1) for products of plant origin other than cereals: clofentezine
	(2) for cereals and foodstuffs of animal origin: clofentezine (sum of all compounds containing the 2-chlorobenzoyl moiety expressed as clofentezine)
Cyazofamid	cyazofamid
Cyclanilide	cyclanilide
Cyfluthrin	(1) for products of plant origin other than cereals: cyfluthrin and b- cyfluthrin (sum of isomers)
	(2) for cereals and foodstuffs of animal origin: cyfluthrin, including other mixed isomeric constituents (sum of isomers)
Cyhalofop butyl	cyhalofop butyl (sum of cyhalofop butyl and its free acids)
Cypermethrin	cypermethrin, including other mixtures of constituent isomers (sum of isomers)
Cyromazine	cyromazine
	7

Column 1	Column 2
Pesticide	Residue
Daminozide	sum of daminozide and 1,1 -dimethyl- hydrazine expressed as daminozide
DDT	sum of pp'-DDT, op'-DDT, pp'-DDE and pp'- TDE (DDD) expressed as DDT
Deltamethrin	deltamethrin
Diallate	diallate
Diazinon	diazinon
Dichlofluanid	dichlofluanid
Dichlorprop	dichlorprop (including dichlorprop P)
Dichlorvos	dichlorvos
Dicofol	 (1) for products of plant origin and for foodstuffs of animal origin: except liver of cattle, sheep and goats: sum of P, P' and O, P' isomers (2) for foodstuffs of animal origin: liver of cattle sheep and goats: 1.1-bis-(parachlorophenol)-2,2-dichloroethanol (PP'-
	FW152), expressed as dicofol
Dimethoate	dimethoate (sum of dimethoate and omethoate expressed as dimethoate)
Dinoseb	dinoseb
Dinoterb	dinoterb
Dioxathion	dioxathion
Diphenylamine	diphenylamine
Diquat	diquat
Disulfoton	sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton
DNOC	DNOC
Endosulfan	sum of alpha- and beta- isomers and of endosulfan sulphate, expressed as endosulfan
Endrin	endrin
Ethephon	ethephon
Ethion	ethion
Ethofumesate	ethofumesate (sum of ethofumesate and the metabolite 2, 3-dihydro-3,3-dimethyl-2-oxo- benzofuran-5-yl methane sulphonate expressed as ethofumesate)
Ethoxysulfuron	ethoxysulfuron

Column 1	Column 2
Pesticide	Residue
Ethylene oxide	ethylene oxide (sum of ethylene oxide and 2- chloro-ethanol expressed as ethylene oxide)
Famoxadone	famoxadone
Fenamidone	fenamidone
Fenamiphos	fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos)
Fenarimol	fenarimol
Fenbutatin oxide	fenbutatin oxide
Fenchlorphos	fenchlorphos (sum of fenchlorphos and fenchlorphos oxon, expressed as fenchlorphos)
Fenhexamid	fenhexamid
Fenitrothion	fenitrothion
Fenpropimorph	(1) for products of plant origin: fenpropimorph
	(2) for foodstuffs of animal origin: fenpropimorph carboxylic acid (BF 421-2) expressed as fenpropimorph
Fentin	fentin expressed as triphenyltin cation
Fentin acetate	fentin acetate
Fentin hydroxide	fentin hydroxide
Fenvalarate and Esfenvalerate	(1) sum of RR and SS isomers
	(2) sum of RS and SR isomers
Florasulam	florasulam
Flucythrinate	(1) for products of plant origin other than cereals: flucythrinate
	(2) for cereals and foodstuffs of animal origin: sum of isomers expressed as flucythrinate
Flufenacet	(1) for products of plant origin other than cereals: flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet)
	(2) for cereals: flufenacet (sum of all compounds containing the N fluorophenyl- N-isopropyl moiety expressed as flufenacet equivalent)
Flumioxazine	flumioxazine
Flupyrsulfuron-methyl	flupyrsulfuron-methyl

Column 1	Column 2
Pesticide	Residue
Fluroxypyr	(1) for products of plant origin: fluroxypyr and its esters expressed as fluroxypyr
	(2) for foodstuffs of animal origin: fluroxypyr
Folpet	folpet
Foramsulfuron	foramsulfuron
Formothion	formothion
Fosthiazate	fosthiazate
Furathiocarb	furathiocarb
Glyphosate	glyphosate
Heptachlor	sum of heptachlor and heptachlor epoxide, expressed as heptachlor
Hexachlorobenzene (HCB)	hexachlorobenzene
Hexachlorocyclohexane (HCH)	HCH, sum of isomers except the gamma isomer
Hexaconazole	hexaconazole
Hydrogen cyanide	hydrogen cyanide, cyanides expressed as hydrogen cyanide
Hydrogen phosphide	hydrogen phosphide, phosphides expressed as hydrogen phosphide
Imazalil	imazalil
Imazamox	imazamox
Iodosulfuron-methyl sodium	iodosulfuron-methyl sodium (iodosulfuron- methyl including salts, expressed as iodosulfuron-methyl)
Iprodione	 (1) for products of plant origin: iprodione (2) for foodstuffs of animal origin: sum of compounds and all metabolites containing the 3,5-dichloroaniline moiety expressed as 3,5 dichloroaniline
Iprovalicarb	iprovalicarb
Isoproturon	isoproturon
Isoxaflutole	isoxaflutole (sum of isoxaflutole, RPA 202248 (2-cyano-3cyclopropyl-1-(2-methylsulfonyl-4- trifluoromethylphenyl) propane-1,3-dione) and RPA 203328 (2-methane-sulfonyl-4- trifluoromethylbenzoic acid) expressed as isoxaflutole)
Kresoxim-methyl	(1) for products of plant origin: kresoxim- methyl
	(2) for foodstuffs of animal origin:

Column 1	Column 2
Pesticide	Residue
	eggs: kresoxim-methyl; milk: 2-[2-(4-hydroxy-2- methylphenoxymethyl) phenyl]-2- methoxy-imino-acetic acid; meat, liver, fat and kidney: 2- methyloxyimino-2-[2-(o-tolyloxymethyl) phenyl] acetic acid
Lambda-cyhalothrin	(1) for products of plant origin: lambda- cyhalothrin(2) for foodstuffs of animal origin: lambda-
	cyhalothrin including other mixed isomeric constituents (sum of isomers)
Lindane	lindane (hexachloro-cylohexane ã)
Linuron	linuron
Malathion	malathion (sum of malathion and malaoxon, expressed as malathion
Maleic hydrazide	maleic hydrazide
Maneb, Mancozeb, Metiram, Propineb and Zineb	(1) for products of plant origin other than cereals: maneb, mancozeb, metiram, propineb and zineb (sum expressed as CS2)
	(2) for cereals and foodstuffs of animal origin: determined and expressed as carbon disulphide (CS2)
Mecarbam	mecarbam
Mecoprop	mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)
Mercury compounds	(1) for products of plant origin other than cereals: sum of mercury compounds expressed as mercury
	(2) for cereals: mercury compounds
	(3) for foodstuffs of animal origin: sum of mercury compounds
Mesotrione	mesotrione (sum of mesotrione and MNBA (4-methyl-sulfonyl-2-nitro benzoic acid), expressed as mesotrione
Metalaxyl	(1) for products of plant origin other than cereals: metalaxyl including other mixtures of constituent isomers including metalaxyl-m (sum of isomers)
	(2) for cereals and foodstuffs of animal origin: metalaxyl
Metalaxyl-M	metalaxyl-m

Column 1	Column 2
Pesticide	Residue
Methacrifos	methacrifos
Methamidophos	methamidophos
Methidathion	methidathion
Methomyl thiodicarb	(1) for products of plant origin other than cereals: methomyl/thiodicarb (sum expressed as methomyl)
	(2) for cereals and for foodstuffs of animal origin: sum of methomyl and thiodicarb expressed as methomyl
Methoxychlor	methoxychlor
Methyl bromide (bromomethane)	methyl bromide (bromomethane)
Metsulfuron methyl	metsulfuron methyl
Mevinphos	sum of cis- and trans- mevinphos
Molinate	molinate
Monocrotophos	monocrotophos
Monolurinon	monolurinon
Myclobutanil	(1) for products of plant origin: myclobutanil
	 (2) for foodstuffs of animal origin: Alpha - (3-hydroxybutyl) -alpha- (4-chloro-phenyl)- 1H 1,2,4 -triazole- 1 -propanenitrile (RH 9090) expressed as myclobutanil
Nitrofen	nitrofen
Oxadiargyl	oxadiargyl
Oxasulfuron	oxasulfuron
Oxydemeton methyl	oxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl)
Paraquat	paraquat
Parathion	parathion
Parathion-methyl	parathion-methyl (sum of Parathion-methyl and para-oxon-methyl expressed as Parathion- methyl)
Penconazole	penconazole
Pendimethalin	pendimethalin
Permethrin	permethrin (and sum of isomers)
Phorate	sum of phorate, its oxygen analogue and their sulfoxides and sulphones expressed as phorate

0	(0	~	/

Column 1	Column 2	
Pesticide	Residue	
Phosalone	phosalone	
Phosmet	sum of phosmet and phosmet oxon expressed as phosmet	
Phosphamidon	phosphamidon	
Phoxim	phoxim	
Picolinafen	picolinafen	
Picoxystrobin	picoxystrobin	
Pirimiphos-methyl	pirimiphos-methyl	
Prochloraz	prochloraz (sum of prochloraz and its metabolites containing the 2,4,6 - Trichlorophenol moiety expressed as prochloraz)	
Procymidone	 (1) for products of plant origin: procymidone (2) for foodstuffs of animal origin: sum of procymidone and all metabolites containing the 3,5-dichloroaniline moiety expressed as 3,5-dichloroaniline 	
Profenofos	profenofos	
Prohexadione	prohexadione and its salts expressed as prohexadione	
Propargite	propargite	
Propham	propham	
Propiconazole	propiconazole	
Propoxur	propoxur	
Propyzamide	 (1) for products of plant origin: propyzamide (2) for foodstuffs of animal origin: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide 	
Prosulfuron	prosulfuron	
Pymetrozine	pymetrozine	
Pyraflufen-ethyl	pyraflufen-ethyl	
Pyrazophos	pyrazophos	
Pyrethrins	sum of pyrethrins I and II, cinerins I and II, jasmolins I and II	
Pyridate	pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-	

Column 1	Column 2
Pesticide	Residue
	phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)
Quinalphos	quinalphos
Quintozene	(1) for products of plant origin: quintozene (sum of quintozene, and pentachloroaniline expressed as quintozene)
	(2) for foodstuffs of animal origin: quintozene
Resmethrin	resmethrin, including other mixtures of constituent isomers (sum of isomers)
Silthiofam	silthiofam
Spiroxamine	(1) for products of plant origin: spiroxamine
	(2) for foodstuffs of animal origin: spiroxamine carboxylic acid expressed as spiroxamine
Sulfosulfuron	sulfosulfuron
Tecnazene	tecnazene
TEPP	TEPP
Thiabendazole	(1) for products of plant origin: thiabendazole
	(2) for foodstuffs of animal origin: sum of thiabendazole and 5-hydroxy thiabendazole
Thifensulfuron methyl	thifensulfuron methyl
Triadimefon and Triadimenol	triadimefon and triadimenol (sum of triadimefon and triadimenol)
Triasulfuron	triasulfuron
Triazophos	triazophos
Trichlorfon	trichlorfon
Tridemorph	tridemorph
Trifloxystrobin	trifloxystrobin
Triforine	triforine
Vinclozolin	sum of vinclozolin and all metabolites containing 3, 5-dichloroaniline moiety, expressed as vinclozolin

Regulations 2(1), 3 and 5

MAXIMUM RESIDUE LEVELS

This table is to be read with the footnotes at the end

(Him how	Comparison of the second se
	Sum off RIS and SSR iscomens
1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS	
(i) CITRUS FRUIT	
	Reiningen ander and and and and and and and and and Reiningen ander ander ander ander ander and
Notice and the second s	
• /	Istranska kultura kultu
	A CONTRACTOR AND A CONTRACT

Gifferman		
till the second state of t	abistili bili kabidi belitiyi	Q findeladee(dirteeth(diff)))))))))))))))))))))))))))))))))))
whisehalelylighterop		4 Estén24alers24etiu(Childetiran24 24 224 24 Tritadimenol
ffettbylanguanyyeth	yl4	Decem Febrebry (Fight and Fighten dury ruary Feb ffighten ang cember
lp ertiloghilg2309 0077))	December	2006) 2002007)224007002666667666707) 20020070662007)2006)
phenyl-)ethane	2006)	Febru20006))
		2007)
		Sum
		aff
		RIS
		and
		SSR

(ii) TREE NUTS (shelled or unshelled)

nuts nuts antal months (so) (main himming marked and in a large second in the second for a large second in the Man nuts nuts Risson and the second Valander and the type of the second state of the Quinnersen hittors (s) (mainten and an and a statement in the statement of the (iii) POME FRUIT

(iv) STONE FRUIT

Arpaning Handel Hans Fallon in Anther Handel Hande

timestanders, Highelphilders,					
field Wullingungenethyld December problem (Eine and Spinnellegrunary Febriellingungenether 2006) 2002007 32002007 32002007 32002000 (20000) February Febriellingungenether 2006) 2002007 32002000 (20000) February Febriellingungenether 2006) 200200 (20000) February Februa					24 2241 24 Triadimenol
phenyl-jethane 2006) Februättinking Sum off ERS mml SSR issumates Incelational District (District Control Contender Controperation Control Control Contender Control	flothbylanguaryyethy		Decem FebFebr	A Fille And Antiputer State State Stat	Feb fffbbgaafgba uabgcember
Sum off RES and SSR isomerse Procession and the RANG to define the AND			2006) 20027007	Febru 20006)	200 220000060 007)2006)
Bits and SSR isomers Image: Sort state of the			Sum		
and SSR issumers Version of the Article Artic					
SSR isommerse functioness & similar hybrids Non-sectioness & similar hybrids Non-sectioness & similar hybrids Non-sectioness & (*) BERRIES AND SMALL FRUIT (a) (a) Table & wine grapes Total and the function of the functio					
Inclumentation (a)					
<pre>(inel nectarines & similar hybrids Pleasanteel Control of Con</pre>			15300002055		
nectarines & imilar hybrids Phone and the following states and the		FFD) (OUR DER BERGER		n Phoebus Estation (1997) (Phoenine Est	MURANA MURANA
similar hybrids Portestant and a second and a second and a second and a second a second and a second and a second a sec	`				
hybrids Phone and a fall of the second and a f					
Quantum control of the design of the desi					
 (v) BERRIES AND SMALL FRUIT (a) (a) Table & wine grapes Table & wine grapes Winter a Addition of the table of t	Rhomienesenikidekiide	ISO COMMINISTRATION CONTINUED	unistanti ol pravu skol meta distance so la co	MENINGERBERGONE (SECTION	MARINA MARINA AND AND AND AND AND AND AND AND AND A
 (a) (a) Table & wine grapes Toolstand P20020400 to ball block of the ball of	Colonic Coloni	FSD. Consultation and an		n Ekolis kirkingin Ca kana n mu	Million
Galaxies Galaxies <td< td=""><td>(v) BERRIES</td><td>AND SMALL FRU</td><td>IT</td><td></td><td></td></td<>	(v) BERRIES	AND SMALL FRU	IT		
grapes Winniem 1990; 20 for failed and a solution of the solut	(a) (a) 7	Table & wine grapes			
Windows W2000 Friends W2000		FOR MANAGEMENT AND A STREET	entrie Parlinetania and	NINDIVERSIONALIST	Műn Acimination (Alimin Szi ðs*
grapes translation of the function of the fun		FOD) CONSIDERING STOLEN FOR THE REAL PROCESSION OF THE REAL PROCESSI	na se	A V COLTON POLING MORE NO PAR A COLONIA DE CAL	MICONTRACTORIZATION AND AND AND AND AND AND AND AND AND AN
(other than wild) (c) (c) Cane Fruit (other than wild) Rhouse the second of the seco	grapes				
than wild) (c) (c) Cane Fruit (other than wild) fduite and the formation of the formation o		F9D (OUNDER DATE OF DESCRIPTION	annan an tart on annan ann an ta	A LINE DISTRICTION AND REMAINING	ANIONNA ANIO COMPANY AND
wild) (c) (c) Cane Fruit (other than wild) Rhusting and the following and the follow					
Folderal description of the State of th					
Image: Construction of the second of the	(c) (c) (Cane Fruit (other tha	n wild)		
Image: interfactor inte	Rhankingerikkerik	FOR CONSIGNATION STATEMENT OF CONSIGNATION		W PLODOROVICE AND A SUCCESSION OF	HILLING CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONT
Rempire and the first of t	I a construction and the construction of the c	FRD. COMMUNICATION OF THE STATE OF T		NEGONARCHINENHICH MARKING	ARCONTROLOGICAL ARCAN ARCAN ARCAN
Quantum and the control of the cont	Louis and the second	<u>FOLOUSAINANANANANANANANANANANANANANANANANANAN</u>			
Quantum and the control of the cont	Rommittentietetetetetetetetetetetetetetetete	F6() (maintaine Santaine Santaine An			
(d) (d) Other small fruit & berries (other than wild) Failing and the failed of the fa					
					//////////////////////////////////////
			Ϋ́Υ,	,	
(anna sa					
		FO. CO. SIM MARKAD IN SOME DATABASI ING	BEREIRA FOR DE COMPENSIONE DE COMPENSIONE DE COMPENSIONE DE COMPENSIONE DE COMPENSIONE DE COMPENSIONE DE COMPE	WILLING DUST DE STOLEN DE STOLE	WHICH HERE AND

((1)))))))))))))))))))))))))))))))))))	Min 1999 Hunterson and a second se
	Sum off RIS amd SSR isomens
black	
& white)	
	annanak kalunanan mananan 1000 oktokom manakan kalunan kalunan kalunan kalunan kalunan kaluna kaluna s
(Antonina and a state of the st	annan karannan karann
berries & wild	
fruit	
(vi) MISCELLANEOUS FRUIT	
Kananan mananan dalam din 1901 (malakan din makan sa sa sa sa	
I contradimentation and a contradimentation of the second second second second second second second second second	
	an and a second and a second secon
Advantage of the second secon	
Olimitation of the second seco	
Rugungi manina kana kana kana kana kana kana kana	anna an
Romania and a state of the stat	

CHERMAN AND THE TOTAL STATEMENT OF THE STATEMENT OF T	Q£nckabydfitedfiteffffffffffffffffffffffffffffff
Aliseh Dely Dy Barry and Angel (Angel Angel) Aliseh Dely Dely (Angel Angel) Angel Dy Barry (Angel Angel Angel Angel Angel An	4 Estánzálerszáliu((046)átáran24 24 241 24 Triadimenol Decem FebFubry(fiti)matzigiamiliagruary Febfiti?hynafighambrycember 2006) 2002007)224200009242066532606732007) 2002220000692007)2006) Febru2209066) 2007)
	Sum off RIS amd SSR iscomens
(incompany) and a second best of the second s	
Paramani galan tan tanan tang 1902 dan dan kanan dalam dalam dan dari kanan dalam dan dari kanan dari kanan da	ann an
(Athenistan and a street of the second street and the second street and stree	
2.	
VEGETABLES, FRESH	
OR UNCOOKED, FROZEN	
DR DRY	
(i) ROOT AND TUBER VEGETA	ABLES
Connection and a contraction of the second statement of th	
Geometrika se douber i de de de se de de se d	
Contentinenter indications and construction and a second	
	annalanninginannanningingingingingingingingingingingingin
(consideration of the solution	
An and a second s	
root	
root Raulaitaanaanaanaanaanaanaanaanaanaanaa	
root Raulaituusaa kainaitaisista kanintika kaina kaina Raulaituusaa kaina kaina kaina kaina kaina kaina kaina kaina	annan maannan maanaan ay ahaa ka k
root Radidiana antikanik fiktionikanikanikanikanikanikanikanikanikanika	annan maaraannan ar
root Radini fanns ministrik fild fan in filder manske stê Radini fan still filder fild fan fan fan fan fan ster Radini fan still filder fild fan fan fan fan fan ster Radini fan stêl filder fild fan fan fan fan fan ster Radini fan ster filder fild fan fan fan fan fan ster filder Radini fan ster filder fild fan fan fan fan fan ster filder	

http://www.anglightspiletedayly/ly/ http://www.anglightspiletedayly/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ anglestation/ ang	Providence of the second state of the second state of the second second second state of the second secon
Jienyi-Jeulane 2000)	2007)
	Sum
	off RIS
	and
	SSR isomæns
An houwith all states of the states of th	
(ii) BULB VEGETABLES	
	nan karan na karan na karan
Den na standar and a standard a st	
doomalineering and a start of the	and a second second and the second
	annan ar an
nions	
dalaan ka	
(iii) FRUITING VEGETABLES	
(a) (a) Solanacea	
innin hannan everen is för anannan att ander förat	MAN DI BAMANANANANANANANANANANANANANANANANANANA
	dalan 1945 Terminakan mananina Marthe Folger Danimata Persinakan se Demininakan menanan dan 1958-
	ANNAN TAANAA MAANAA MATATATATAA MAANAA MATATATATATATATATATATATATATATATATATAT
	andar Ma Madalan ana ang kang ang kang kang kang kang
dulum timent talak kan kan kan dulum talak kan talak kan du	
(b) (b) Cucurbits-edible pee	n da se
(b) (b) Cucurbits-edible pee	
(b) (b) Cucurbits-edible pee	nder her den kommunikanten forder der kommunikanten der kommunikanten (2015) 1
and a stand of the	nning her den son ander an den son ander son ander 1
miningun 2006 and a constant of the second and a constant of the second and a constant of the second and the se	nning her den sen ander ander ander den sen ander den sen ander den sen ander den sen ander 1 Ander in 1992 Den sen ander ander ander ander den sen a Ander in 1992 Den sen ander ander ander ander den sen a

(Himilet and the second	Providence of the second se
	Sum off RIS and SSR issomens
(Antimatical Antipation of the Installation of the Installation	
corn	
(iv) BRASSICA VEGETABLES	
(a) (a) Flowering Brassicas	
	n na
(b) (b) Head Brassicas	
sprouts	
Kamilian Kamili Kami	
Automanian and distances of the construction of the design of the construction of the	
(c) (c) Leafy Brassicas	
Characteristic Contract Contra	nen han han han han han han han han han ha
Kaalminin Hilden Karina	
(Athenikaan and a share for a substance of the substance	nan kanan kana
(v) LEAF VEGETABLES AND FE	RESH HERBS
(a) (a) Lettuce & similar	
	an a
	nnan kanan kana kana kana k
lettuce	and a standing and a stand of the stand of the standing of the standing of the standing of the standing of the

(Himmediated and the second and the	And Types Hitter Control of the second se
	off RIS and SSR issomens
	nan and an and an and an
	una serie and a series and a series of the
(b) (b) Spinach & similar	
leaves (chard)	
(Athenic and a statistic for the statistic for t	
()	
	ann an an an ann an an an an an an an an
(e) (e) Herbs	
	annana harana annana an Malar Sinta Araba Araba anna an Araallan an Araba.
Animican and a state of manufacture and the second	annan an annan ann an an an an an an an
Reconstruction and the second se	anna an
Contention and Contention of C	nan na
	nan kana kana kana kana kana kana kana
(vi) LEGUME VEGETABLES (fro	,
local and the second se	
Remains and the second se	
Reconciliation of the second standard second s	

() A COMPANY AND A COMPANY A COMPANY AND A COMPANY AND A COMPANY A	
ti Hilling and Angel Hilling and Hilling 	Q findeladydfintedi (H filli) H ffillid ffi dd ffillid y ffillid ffi aan (ffiydin)
whisehaldlyalyalicaphanate-	4 Estén24alerstetiu((Chapterar2)4 24 224 24 Triadimenol
fforthowlanguarysethy14	Decemberbrebry frithe frithe frithe frither by the
hattlanhatten()) December	2006) 20027007)224007007666666666667007) 2002260070669,007)2006)
phenyl-)ethane 2006)	Febru 2000)
	2007)
	Sum
	off
	RIS
	and
	SSR .
	istomets
(without	
pods)	
(vii) STEM VEGETABLES	
<u>∿02300000000000000000000000000000000000</u>	

(dialana and a second a second as

loominen ministerrichten onder Rechterrichten Bereichen Bereichten Bereichten Bereichten Bereichten Bereichten Richten Bereichterrichten onder Bereichten Bereichten Bereichten Bereichten Bereichten Bereichten Bereichten Ber Orten Bereichten Berteichten Bereichten Bereichten Bereichten Bereichten Bereichten Bereichten Bereichten Berteichten Berteichten Berteichten Berteichten Berteichten Berteichten Bert

Contrinuing and the contribution of the contri	Academic States and Stat	CHORIDON COMMONDATION	200 HALLOW HAL
mushrooms			

(maintenance) (m

3.

PULSES

4.

⁽viii) FUNGI

(CH) AND	Q And Ale and a state of the st	
tan sanganganganganganganganganganganganganga	4 Esténzélerszeliu(Mábá raszel Decem bebFebry(ftiftnát205)elendlug ruary 2006) 2002007 (220007)(2005)) Febru20006) 2007)	24 24 24 Tritadimenol
	Sium off IRIS and SSR issonmens	
DILSEEDS		
Lainnadhailteannainn a sin ansin an an sin an sin an sin an s	AMERICAN AND AND AND AND AND AND AND AND AND A	NURAD FOLINGIO FOLINITATION DO 19055
Paranan di kalingi kali		LANDO HATANAN HALANDAN HALAND LANDS
Parent and a seed	ANTER DE LE COMPANY DE LE C	NERO LA FALIGACIÓ FALIMATICA CALO TES
Samadaalidaanin biyo makanaki Sabaanin seed	ANTER DE LE COMPANY DE LE C	NGRO LO FROMENO FRANCISCI MONTO FRANCISCO
Som eller i din sente solo de la so seed	energi de la constant	$0.05^{*(358)}$
Runnalistik division to su invitation sufficient		NEW LOCATION DOCTORY DISC
Su undaliitekiitekiinekinekinekine bean	adistrational description of the substance of the substan	NGO LOFRICALIO FRANCIZZIACIONE
Munaling and the second states and second states and second second second second second second second second s	AMESTRATIONALIOTENESIS IN SUCCESSION DE SUCCESSION PROCESSION AND AND AND AND AND AND AND AND AND AN	NEROL O FALIGATIO FALIMATICA DA P ALOTS
Committee	ANTERNA	NEVER LEVERAL HOLE AND
		NEXTLO FRAMMENTALINA FRAMMENTALINES
5.		
POTATOES		
Randalina and a state of the st	annan saadadada ha ka sha sha aha sha sha sha sha sha sha sh	16.000100000000000000000000000000000000
Yaamina and a submitted and a s		ARMANINA MANAGARANA
6.		
TEA		
(domain and a second domain and a second domai	nii faan oo ahaan ah	DUM HILMU HIMPHU 200515
stalks,		
	24	

innand (dimentification) Adisieh EMBH (divilie) og		Qfnckaly(dfugfi(dfugfi))))))))) 4 Esfen24lerstellu(dfugfi)		24 Triadimenol
footbwllanguaryyeth	yl4	Decem FebFebry(Highmathangaten	n Hudyruary Feb Hilling	
pertiloghly300077))	December	2006) 2002007)220007000000000000000000000000	(bed 07) 200 2000	162 007)2006)
phenyl-)ethane	2006)	Febru 20006) 2007)		
		,		
		Sum off		
		IRIS III		
		amd		
		SSR		
		isomens		
fermented				
or otherwise,				
Camellia				
sinesis)				
7.				
HOPS				
dried)				
unconcentrated powder 3.				
S. CEREALS				
	and the construction of th			
-		OKTANIA VOLTANI UNITARIA AND AND AND AND AND AND AND AND AND AN		
		akhalinkinkinkinkinkina ana ana ana ana ana ana ana ana ana		
VACCONNECTION	Dirition and a state of the second second		del Frankrik de Berner (Brankrik)	CALIFORNIA DE DE COMPANY
	Ontional Antion Control	adia di kana kana kana kana kana kana kana kan	ISI X MANGANANAN ING MANANANAN	000000000000000000000000000000000000000
Andreastan and Andreastan	YAHUMAANA MANANA MANA	a fi a faluara ana ana ang kata ana ana ang kata	DEL E CELEBRANCE SUBSCIE SUBSCIESSIONE	000000000005
Rámani statistická statistické statistické statistické statistické statistické statistické statistické statist (1)	The Construction of Construction	aktraktion nämnen alti Pårkonnen nämne	NEX KARANAN KARANA TA KARANAN	0000000000000000000000000000000000000
Andreas in the state of the state	AN AND AND AND AND AND AND AND AND AND A			
	CHARLY CONTRACTOR CONTRACTOR OF A CONTRACT O		NUR A MODIOIONINOLOMOTOSE UNICOUDIOUDO	

cereals

tilling to the second s		1 (01			
	ha	4	nokalely:(dirtextif(dtf)(i)) EstAn3:41ero7	nyilyilyiline polehodad ti Maiu(Madi ran24	Ayın et(ayılinin fr ane(fiy) 24 24 24 Tritadimenol
					Feb Haltsnafiden Arscember
					200 292000 62007)2006)
phenyl-)ethane 2006				ebru 20006))	
	,		20	007)	
			Sum		
			œff		
			IRIS.		
			amd		
			SSR issonnæns		
			1501112155		
9.					
FOODSTUFFS					
OF					
ANIMAL					
ANIMAL ORIGIN					
ANIMAL ORIGIN MCMARIAN (15) (16) (16)	(18) (20)	(22) (17)	1111111111111111111111111111111111111	(14)	(16) (336) (8) (11)
ANIMAL ORIGIN MICHANICAL (15) (16) (10) of (20) (5*(9)	(18) (20) 0.2	(22) (17)	(26)(14) (30) (31)	(14) @.055	(16) (\$\$6) (8) (11) (() (0)2) ^{*(9)}
ANIMAL ORIGIN MICHARAMANA AND AND AND AND AND AND AND AND AND	$\begin{array}{c} (18) & (20) \\ 0.2 \\ 0.2 & 0.0^{\circ}3^{*(9)} \end{array}$	(22) (17)) 0.1	(261(14)) (30) (31) 0.05255.(12*(9)	(14) (0).055 (49):02	$\begin{array}{c} (16) (896) & (8) (11) \\ & (10) (002^{*(9)}) \\ 2 & (0) (05^{*}(5) (05^{*}(5)^{*(9)}) \end{array}$
ANIMAL ORIGIN (15) (16) (16) (15) (16) (16) (15) (16) (16) (15) (16) (15) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16)	(18) (20) 0.2	(22) (17)	(26)(14) (30) (31)	(14) @.055	(16) (\$\$6) (8) (11) (() (0)2) ^{*(9)}
ANIMAL ORIGIN MCCONCENTION (15) (16) edible (15) (16) (10) offorts*(9) fat(10).01*(9).05*(9) (10) & (10) preparations	(18) (20) 0.2 $0.2 \ 0.0^{93^{*(9)}}$ (19)	(22) (17)) 0.1 (14)	(264(14) (30) (31) ().()))))))))))))))))))))))))))))))))	(14) (0).055 (49):02	$\begin{array}{c} (16) (836) & (8) (11) \\ & (10) (9) \\ \hline (12) (9) \end{array} \\ (16) (836) & (8) (11) \\ \hline (10) (836) & (8) (11) \\ \hline (11) (836) & (8) (11) \\ \hline (11) (836) & (8) (11) \\ \hline (11) (11) & (11) (11) \\ \hline (11) (11) (11) & (11) (11) \\ \hline (11) ($
ANIMAL ORIGIN (15) (15) (16) (10) (15) (10) (10) (15) (10) (1	$\begin{array}{c} (18) & (20) \\ 0.2 \\ 0.2 & 0.0^{\circ}3^{*(9)} \end{array}$	(22) (17)) 0.1	(261(14)) (30) (31) 0.05255.(12*(9)	(14) (0).055 (49):02	$\begin{array}{c} (16) (896) & (8) (11) \\ & (10) (002^{*(9)}) \\ 2 & (0) (05^{*}(5) (05^{*}(5)^{*(9)}) \end{array}$
ANIMAL ORIGIN (15) (16) (16) (15) (16) (16) (15) (16) (16) (15) (16) (16) (15)	(18) (20) 0.2 $0.2 \ 0.0^{93^{*(9)}}$ (19) 0.1	(22) (17) (14) $0.05^{*(23)}$	$\begin{array}{c} (26)(14) & (30) & (31) \\ \hline 0.052 & (9) \\ (27) & (32) \\ \hline 0.01^{*(28)} & 0.1^{*(9)} \end{array}$	(14) (0).055 (49):02	$\begin{array}{c} (16) (806) & (8) (11) \\ & (10) (002^{*(0)}) \\ 2 & (0) (05^{*}(0) (05^{*}(3)^{*(9)}) \\ (12) & (9) \end{array}$
ANIMAL ORIGIN (15) (15) (16) $(16)(15)$ (16) $(16)(15)$ (16) $(16)(16)$ $(16)(16)$ $(16)(16)$ $(16)(16)$ $(16)(16)$ $(16)(16)$ $(16)(16)$ $(16)(16)$ $(16)(16)$ $(16)(16)$ $(16)(16)$ $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) $(16)(16)$ (16) (16) $(16)(16)$ (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16) (16)	(18) (20) 0.2 $0.2 \ 0.0^{\circ}3^{*(9)}$ (19) 0.1 (12)	(22) (17)) 0.1 (14)	(264(14) (30) (31) ().()))))))))))))))))))))))))))))))))	(14) (0).055 (49):02	$(16) (896) (8) (11) \\ (0) (0) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9$
ANIMAL ORIGIN 0100000000000000000000000000000000000	(18) (20) 0.2 $0.2 \ 0.0^{93^{*(9)}}$ (19) 0.1	(22) (17) (14) $0.05^{*(23)}$	(264(14)) (30) (31) 0.052(5)(52*(9) (27) (32) 0.01*(28) 0.1*(9) 0.02	(14) (0).055 (49):02	$\begin{array}{c} (16) (806) & (8) (11) \\ & (10) (002^{*(0)}) \\ 2 & (0) (05^{*}(0) (05^{*}(3)^{*(9)}) \\ (12) & (9) \end{array}$
ANIMAL ORIGIN 01500000000000000000000000000000000000	(18) (20) 0.2 $0.2 \ 0.0^{\circ}3^{*(9)}$ (19) 0.1 (12)	(22) (17) (14) $0.05^{*(23)}$	(264(14)) (30) (31) 0.052(5)(52*(9) (27) (32) 0.01*(28) 0.1*(9) 0.02	(14) (0).055 (49):02	$(16) (896) (8) (11) \\ (0) (0) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9$

&

Dairy

Produce⁽⁴⁾

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

(1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

(2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd. Whether made from cow's milk or other milk of a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (7) For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
- (8) Kidney except of poultry.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (10) All meat.
- (11) All liver and kidney.
- (12) Liver of bovine animals.
- (13) Broccoli includes calabrese.
- (14) Meat of poultry.
- (15) Meat of bovine animals.
- (16) Fat of bovine animals.
- (17) Except poultry.
- (18) Liver of chicken.
- (19) Kidney of bovine animals.
- (20) Liver of bovine animals, sheep and goats.
- (21) Except foodstuffs of ovine origin.
- (22) Meat of bovine animals, sheep and goats.
- (23) Except meet and liver of bovine animals, sheep and poultry or meat of poultry.
- (24) This MRL also applies to spelt.
- (25) Except spelt.
- (26) Liver of bovine animals, sheep, goats, and swine.
- (27) Kidney of bovine animals, sheep, goats, and swine.
- (28) Meat of poultry, fat and edible offal.
- (29) Meat of bovine animals, sheep, goats, and swine.
- (30) All kidney.
- (31) Kidney of swine
- (32) Kidney of bovine animals sheep and goats.
- (33) This figure is the sum of the alpha and beta isomers. For meat, fat & preparations of meat MRL for aplha isomer is 0.2 mg/kg and MRL for beta isomer is 0.1 mg/kg. For milk and dairy produce MRL for alpha isomer is 0.004 mg/kg and MRL for beta isomer is 0.003 mg/kg. For eggs MRL for alpha isomer is 0.02 mg/kg and MRL for beta isomer is 0.01 mg/kg.
- (34) All meat, liver and fat.
- (358) 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.
- (36) Ruminant liver.
- (37) Fat liver and kidney.
- (38) With the exception of meat and other ovine, bovine and caprine products.

Regulations 2(1) and 5(a)

Column 1	Column 2	Column 3
Group of products	Products included in the groups	Part of product to which maximum residue levels apply
1. Fruit, fresh, dried or unco	oked, preserved by freezing, no	ot containing added sugar; nuts
(i) CITRUS FRUIT	Grapefruit	Whole Product
	Lemons	
	Limes	
	Mandarins (including clementines and similar hybrids)	
	Oranges	
	Pomelos	
	Others	
(ii) TREE NUTS (shelled or	Almonds	Whole product after removal of shell
unshelled)	Brazil nuts	of shell
	Cashew nuts	
	Chestnuts	
	Coconuts	
	Hazelnuts	
	Macadamia nuts	
	Pecans	
	Pine nuts	
	Pistachios	
	Walnuts	
	Others	
(iii) POME FRUIT	Apples	Whole product after removal of stems
	Pears	

Column 1	Column 2		Column 3	
Group of products	Product. groups	s included in the	Part of product to which maximum residue levels apply	
	Quinces			
	Others			
(iv) STONE FRUIT	Apricots		Whole product after removal of stems	
	Cherries		of stems	
		(including nectarines ar hybrids)		
	Plums			
	Others			
(v) BERRIES ANI) (a)		Whole product after removal	
SMALL FRUIT		<i>grapes</i> Table grapes Wine grapes	of caps and stems (if any) and, in the case of currants, fruits with stems	
	(b)	<i>Strawberries</i> (other than wild)		
	(c)	<i>Cane fruit</i> (other than wild) Blackberries Dewberries Loganberries Raspberries Others		
	(d)	Other small fruit and berries (other than wild) Bilberries Cranberries Currants (red, black and white) Gooseberries Others		
	(e)	Wild berries and		
(vi) MISCELLANEOUS	Avocado	<i>wild fruit</i> s	Whole fruit after removal of	
	Bananas		stems (if any) and in the case of pineapple, after removal of	
	Dates		the crown	
	Figs			
Note: The word "fresh" extends to produ	-	e been chilled		

Note: The word "fresh" extends to products which have been chilled

Column 1	Column 2	Column 3		
Group of products	Products included in the groups	Part of product to which maximum residue levels apply		
	Kiwi fruit			
	Kumquats			
	Litchis			
	Mangoes			
	Olives (table consumption)†			
	Olives (oil extract)			
	Papaya			
	Passion fruit			
	Pineapples			
	Pomegranates			
	Others			
		† Whole fruit after removal of stems (if any), after removal of soil (if any) by rinsing in running water		
2. Vegetables, fresh or unco	oked, frozen or dry			
(i) ROOT AND TUBER VEGETABLES	Beetroot	Whole product after removal of tops and adhering soil		
VEGETABLES	Carrots	(if any) (removal of soil by rinsing in running water or		
	Celeriac	by gentle brushing of the dry product)		
	Horseradish	producty		
	Jerusalem artichokes			
	Parsnips Parsley root			
	Radishes			
	Salsify			
	Sweet potatoes			

Column 1	Column 2	2	Column 3	
Group of products	Products included in the groups		Part of product to which maximum residue levels apply	
	Swedes			
	Turnips			
	Yams			
	Others			
(ii) BULB VEGETABLES	Garlic		For dry onions, shallots and	
	Onions		garlic: whole product after removal of easily detachable	
	Shallots		skin and soil (if any); onions, shallots and garlic other than	
	Spring or	nions	dry, spring onions: whole product after removal of roots	
	Others		and soil (if any)	
(iii) FRUITING VEGETABLES	(a)	(a) <i>Solanacea</i> Tomatoes Peppers Chilli peppers Aubergines Others	Whole product after removal of stems	
	(b)	Cucurbits—edible		
		peel Cucumbers Gherkin Courgettes Others		
	(c)	Cucurbits—inedible		
		peel Melons Squashes Watermelons Others		
	(d)	(d) Sweet corn	Kernels or cobs without husks	
(iv) BRASSICA VEGETABLES	(a)	(a) Flowering brassicas Broccoli Cauliflower Others	Cauliflower and broccoli curd only	
	(b)	(b) Head brassicas Brussels sprouts Head cabbage	Product after removal of decayed leaves (if any)	

Column 1	Column 2		Column 3
Group of products	Products in groups	ncluded in the	Part of product to which maximum residue levels apply
	(c) <i>L</i>	Others eafy brassicas Chinese cabbage Kale Others	
	(d)	(d) Kohlrabi	Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
(v) LEAF VEGETABLES AND FRESH HERBS	(a) si	(a) <i>Lettuce and</i> <i>milar</i> Cress Lamb's lettuce Lettuce Scarole Others	<i>d</i> Whole product after removal of decayed outer leaves, root and soil (if any)
	(b) <i>S</i> ₁	pinach and similar Spinach Beet leaves (chard) Others	
	(c) <i>W</i>	<i>latercress</i>	
		<i>Vitloof</i>	
	(e) <i>H</i>	<i>Cerbs</i> Chervil Chives Parsley Celery Leaves Others	
	Beans (with	pods)	Whole product after removal
VEGETABLES (FRESH)	Beans (without pods)		of pods or with pods if they are intended to be eaten
	Peas (with pods)		
	Peas (witho	ut pods)	
	Others		
(vii) STEM VEGETABLES	Asparagus		Whole product after removal of decayed tissue and soil (if
	Cardoons		any); leeks and fennel: whole

Column 1	Column 2	Column 3	
Group of products	Products included in the groups	Part of product to which maximum residue levels apply	
	Celery	product after removal of roots and soil (if any)	
	Fennel		
	Globe artichokes		
	Leeks		
	Rhubarb		
	Others		
(viii) FUNGI	Mushrooms (other than wild)	Whole product after removal of soil or growing medium	
	Wild Mushrooms	of soli of growing incutum	
3. Pulses	Beans	Whole product	
	Lentils		
	Peas		
	Others		
4. Oil seeds	Linseed	Whole seed or kernel after	
	Peanuts	removal of shell and husk when possible	
	Poppy seed		
	Rape seed		
	Sesame seed		
	Sunflower seed()		
	Soya bean		
	Others		
		() Whole seed, including shell when present, and whole seed without shell, when the shell is absent	
		absent	

5. Potatoes

Note: The word "fresh" extends to products which have been chilled

⁰ 0

Column 1	Column 2	Column 3
Group of products	Products included in the groups	Part of product to which maximum residue levels apply
Early potatoes Ware potatoes	Whole product after removal of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)	
6. Tea	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	Whole product
7. Hops	(dried), including hop pellets and unconcentrated powder	Whole product
8. Cereals	Wheat	Whole grain without husk
	Rye	
	Barley	
	Sorghum	
	Oats	
	Triticale	
	Maize	
	Buckwheat	
	Millet	
	Rice	
	Other cereals	
9. Foodstuffs of animal origin	Meat, fat and preparations of meat	Whole commodity (for fat soluble pesticides a portion of carcase fat is analysed and maximum residue levels apply to carcase fat)
	Milk	Whole commodity
	Eggs	Whole egg whites and yolks combined after removal of shells
Note: The word "fresh" extends to produc	ts which have been chilled	

Regulation 6

Revocations

Title	Number
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000	S.S.I. 2000/22
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2001	S.S.I. 2001/84
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2001	S.S.I. 2001/221
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 3) Regulations 2001	S.S.I. 2001/435
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2002	S.S.I. 2002/271
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2002	S.S.I. 2002/489
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2003	S.S.I. 2003/118
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2003	S.S.I. 2003/445
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2004	S.S.I. 2004/104
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2004	S.S.I. 2004/220
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 3) Regulations 2004	S.S.I. 2004/399
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2005	S.S.I. 2005/109
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2005	S.S.I. 2005/281

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which extend to Scotland only, are made under section 2(2) of the European Communities Act 1972 and consolidate and replace the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000 (S.S.I. 2000/22) as amended by S.S.I. 2001/84, S.S.I. 2001/221, S.S.I. 2001/435, S.S.I. 2002/271, S.S.I. 2002/489, S.S.I. 2003/118, S.S.I. 2003/445, S.S.I. 2004/104, S.S.I. 2004/220, S.S.I. 2004/399, S.S.I. 2005/109 and S.S.I. 2005/281 – see regulation 6 and Schedule 4 for revocations.

The Regulations specify maximum levels of pesticide residues which crops, food and feeding stuffs may contain in implementation of: Council Directive 76/895/EEC (O.J. No. L 340, 9.12.1976, p.26) relating to fruit and vegetables; Council Directive 86/362/EEC (OJ No. L 221, 7.8.86, p.37) and Council Directive 86/363/EEC (O.J. No. L 221, 7.8.86, p.43) as regards cereals and products of animal origin; and Council Directive 90/642/EEC (O.J. No. L 350, 14.12.90, p.71) as regards certain products of plant origin (including fruit and vegetables), as amended (these Directives as so amended being referred to in these Regulations as "the Residues Directives").

In particular, these Regulations specify new maximum residue levels on products of plant origin including cereals for the pesticides Carfentrazone-ethyl, Fenamidone, Isoxaflutole, Maleic Hydrazide, Mecoprop, Propyzamide, Trifloxystrobin in implementation of Commission Directive 2005/37/EC (O.J. No. L 141, 4.6.2005, p.10); on products of plant origin, cereals and foodstuffs of animal origin for Amitraz in implementation of Commission Directive 2005/46/EC (O.J. No. L 177, 9.7.2005, p.35); and on products of plant origin, cereals and foodstuffs of animal origin for Flufenacet, Fosthiazate, Iodosulfuron-methyl sodium, Iprodione, Mesotrione, Molinate, Picoxystrobin, Propiconazole, Silthiofam in implementation of Commission Directive 2005/48/EC (O.J. No. L 219, 24.8.2005, p.29).

Regulation 3 also creates offences, specifies penalties, provides defences and confers enforcement powers where maximum residue levels have been exceeded in respect of products put into circulation.

The Regulations also confer powers to seize and dispose of products where maximum residue levels have been exceeded (regulation 4) and prescribe how much of a particular product is to be taken into account in determining whether a maximum residue level has been exceeded in accordance with Council Directive 90/642/EEC (regulation 5(a) and Schedule 3). Provision is also made with regard to the manner for determining whether maximum residue levels have been exceeded when found in dried or processed products or composite foods, so far as these are the subject of the Residues Directives (regulation 5(c) and (d)).

A regulatory impact assessment and transposition note have been prepared in respect of these Regulations and placed in the Scottish Parliament Information Centre. Copies of the assessment and note can be obtained from the Scottish Executive Environment and Rural Affairs Department, EPHAS2, Area 1-B, Pentland House, 47 Robb's Loan, Edinburgh, EH14 1TY.