
SCOTTISH STATUTORY INSTRUMENTS

2006 No. 548

AGRICULTURE

PESTICIDES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 3) Regulations 2006

Made

16th November 2006

Laid before the Scottish Parliament

17th November 2006

Coming into force in accordance with regulation 1(3) to (7)

The Scottish Ministers, in exercise of the powers conferred by section 2(2) of the European Communities Act 1972(a) and of all other powers enabling them in that behalf, hereby make the following Regulations:

Citation, interpretation and commencement

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 3) Regulations 2006.

(2) In these Regulations—

“the 2006 Amendment Regulations” means the Pesticides (Maximum Residue Levels in Crops, Foods and Feeding Stuffs) (Scotland) Amendment Regulations 2006(b); and

“the principal Regulations” means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005(c).

(3) Subject to paragraphs (4) to (7), these Regulations shall come into force on 9th December 2006.

(4) Regulation 4 shall come into force on 30th December 2006.

(5) Regulation 5 shall come into force on 21st January 2007.

(6) Regulation 6 shall come into force on 21st April 2007.

(7) Regulation 7 shall come into force on 30th December 2007.

Amendment of the principal Regulations

2. The principal Regulations are amended in accordance with regulations 3 to 7.

(a) 1972 c.68. Section 2(2) was amended by the Scotland Act 1998 (c.46), Schedule 8, paragraph 15(3). The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.

(b) S.S.I. 2006/151.

(c) S.S.I. 2005/599 as amended by S.S.I. 2006/151 and S.S.I. 2006/312.

Amendments coming into force on 9th December 2006

3.—(1) In regulation 2(1) (interpretation), for the definition of “the Residues Directives” substitute—

““the Residues Directives” means Directive 76/895(a), Directive 86/362(b), Directive 86/363(c) and Directive 90/642(d), in each case as amended at the date of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 3) Regulations 2006(e).”.

(2) In Schedule 2 (maximum residue levels)—

- (a) for the entries in the columns relating to the pesticides Benomyl and Carbendazim, Chlormequat, Cyazofamid, Fenbutatin Oxide, Fenhexamid, Linuron, Pymetrozine, Thiophanate-methyl and Triadimefon and Triadimenol, substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations;
- (b) in the column relating to the pesticide Oxadiargyl, for the entry for the food group 2(v)(a) (lettuce and similar) Lettuce, substitute “0.01*”; and
- (c) in the column relating to the pesticide Diquat—
 - (i) for the entry for the food group 2(iv)(a) (flowering brassicas) Broccoli, substitute “0.05*(¹³)”; and
 - (ii) for the entry for the food group 2(v)(a) (lettuce and similar) Scarole, substitute “0.05*(⁶)”.

(3) In Schedule 3, in paragraph 2(v)(a) (lettuce and similar), in column 2 beneath “Scarole” insert “Ruccola” and beneath that insert “Leaves and stems of brassica”.

Amendments coming into force on 30th December 2006

4. Schedules 1 (pesticide residues) and 2 (maximum residue levels) of the principal Regulations are amended as follows—

- (a) in Schedule 1, for the entry relating to Deltamethrin, substitute the entry for Deltamethrin set out in Schedule 2 to these Regulations; and
- (b) in Schedule 2—
 - (i) for the entries in the columns relating to Carbaryl, Deltamethrin, Endosulfan, Fenitrothion and Methidathion, substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations; and
 - (ii) at the end, insert as footnote 47 the footnote numbered (47) set out at the end of Schedule 1 to these Regulations.

Amendments coming into force on 21st January 2007

5. Schedules 1 (pesticide residues), 2 (maximum residue levels) and 3 of the principal Regulations are amended as follows—

- (a) in Schedule 1—
 - (i) for the entry for Cyfluthrin, substitute the entry for Cyfluthrin set out in Schedule 2 to these Regulations; and
 - (ii) in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Fenthion set out in Schedule 2 to these Regulations;

(a) O.J. No. L 340, 9.12.76, p.26, as last amended by Commission Directive 2006/59/EC (O.J. No. L 175, 29.06.06, p.61).

(b) O.J. No. L 221, 7.8.86, p.37, as last amended by Commission Directive 2006/61/EC (O.J. No. L 206, 27.07.06, p.12).

(c) O.J. No. L 221, 7.8.86, p.43, as last amended by Commission Directive 2006/61/EC (O.J. No. L 206, 27.07.06, p.12).

(d) O.J. No. L 350, 14.12.90, p.71, as last amended by Commission Directive 2006/61/EC (O.J. No. L 206, 27.07.06, p.12).

(e) S.S.I. 2006/548.

- (b) in Schedule 2—
- (i) for the entries in the columns relating to Abamectin, Atrazine, Azinphos-ethyl, Cyfluthrin, Ethephon, Fenpropimorph, Methamidophos, Methomyl thiodicarb, Myclobutanil, Paraquat, Thiabendazole, Triazophos and Trifloxystrobin substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations; and
 - (ii) in the appropriate place in the alphabetical sequence, insert the entries in the column relating to the pesticide Fenthion set out in Schedule 1 to these Regulations; and
- (c) in Schedule 3, in paragraph 3 (pulses), in column 2, beneath “Peas” insert “Lupins”.

Amendments coming into force on 21st April 2007

6. Schedules 1 (pesticide residues) and 2 (maximum residue levels) of the principal Regulations are amended as follows—

- (a) in Schedule 1—
 - (i) for the entry for Glyphosate, substitute the two entries for Glyphosate set out in Schedule 2 to these Regulations; and
 - (ii) in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Pyraclostrobin set out in Schedule 2 to these Regulations; and
- (b) in Schedule 2—
 - (i) for the column relating to Glyphosate, substitute the two columns relating to Glyphosate set out in Schedule 1 to these Regulations; and
 - (ii) in the appropriate place in the alphabetical sequence, insert the entries in the column relating to the pesticide Pyraclostrobin set out in Schedule 1 to these Regulations.

Amendments coming into force on 30th December 2007

7. Schedules 1 (pesticide residues) and 2 (maximum residue levels) of the principal Regulations are amended as follows—

- (a) in Schedule 1, in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Oxamyl set out in Schedule 2 to these Regulations; and
- (b) in Schedule 2, in the appropriate place in the alphabetical sequence, insert the entries in the column relating to the pesticide Oxamyl set out in Schedule 1 to these Regulations.

Amendment to and revocation of part of regulation 6 of the 2006 Amendment Regulations

8. In regulation 6 (amendments coming into force on 21st April 2007) of the 2006 Amendment Regulations—

- (a) in paragraphs (a)(ii) and (b)(ii) omit “Pyraclostrobin”; and
- (b) paragraphs (a)(i) and (b)(i) are revoked.

Amendment to Schedule 1 of the 2006 Amendment Regulations

9. In Schedule 1 (entries substituted or inserted in Schedule 2 to the principal Regulations) of the 2006 Amendment Regulations omit the columns for the pesticides Glyphosate (except trimesium salt), Glyphosate (as trimesium salt) and Pyraclostrobin.

Amendment to Schedule 3 of the 2006 Amendment Regulations

10. In Schedule 3 (entries substituted or inserted in Schedule 1 to the principal Regulations) of the 2006 Amendment Regulations—

- (a) omit “Glyphosate (except trimesium salt)” in column 1 and “glyphosate” in column 2;

- (b) omit “Glyphosate (as trimesium salt)” in column 1 and “trimethylsulfonium cation resulting from the use of glyphosate” in column 2; and
- (c) omit “Pyraclostrobin” in column 1 and “pyraclostrobin” in column 2.

ROSS FINNIE
A member of the Scottish Executive

St Andrew's House,
Edinburgh
16th November 2006

SCHEDULE 1

Regulations 3 to 7

ENTRIES SUBSTITUTED OR INSERTED IN SCHEDULE 2 TO THE PRINCIPAL REGULATIONS

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos- ethyl</i>	<i>Benomyl/ Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS									
i) CITRUS FRUIT									
Grapefruit	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Lemons	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Limes	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Mandarins (inc clementines & similar hybrids)	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Oranges	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Pomelos	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.02*	0.05*	0.02*		0.1*	0.05*	0.1*	0.01*	0.02*
Brazil nuts	0.02*	0.05*	0.02*		0.1*	0.05*	0.1*	0.01*	0.02*
Cashew nuts	0.02*	0.05*	0.02*		0.1*	0.05*	0.1*	0.01*	0.02*
Chestnuts	0.02*	0.05*	0.02*		0.1*	0.05*	0.1*	0.01*	0.02*
Coconuts	0.02*	0.05*	0.02*		0.1*	0.05*	0.1*	0.01*	0.02*
Hazelnuts	0.02*	0.05*	0.02*		0.1*	0.05*	0.1*	0.01*	0.02*
Macadamia nuts	0.02*	0.05*	0.02*		0.1*	0.05*	0.1*	0.01*	0.02*
Pecans	0.02*	0.05*	0.02*		0.1*	0.05*	0.1*	0.01*	0.02*
Pine nuts	0.02*	0.05*	0.02*		0.1*	0.05*	0.1*	0.01*	0.02*
Pistachios	0.02*	0.05*	0.02*		0.1*	0.05*	0.1*	0.01*	0.02*
Walnuts	0.02*	0.05*	0.02*		0.1*	0.05*	0.1*	0.01*	0.02*
Others	0.02*	0.05*	0.02*		0.1*	0.05*	0.1*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/ Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
iii) POME FRUIT									
	Apples	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.2
	Pears	0.01*	0.05*	0.02*	0.2	0.05*	0.2*	0.01*	0.2
	Quinces	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.2
	Others	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.2
iv) STONE FRUIT									
	Apricots	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.3
	Cherries	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	0.01*	0.2
	Peaches	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.3
	(including nectarines & similar hybrids)								
	Plums	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	0.01*	0.2
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
v) BERRIES AND SMALL FRUIT									
a) Table & wine grapes									
	Table grapes	0.01*	0.05*	0.02*	0.3	0.05*	0.05*	0.5*	0.3
	Wine grapes	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	0.5*	0.3
b) Strawberries (other than wild)									
		0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
c) Cane Fruit (other than wild)									
	Blackberries	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Dewberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Loganberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Raspberries	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
d) Other small fruit & berries (other than wild)									
	Bilberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/ Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
	Cranberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Currants (red, black & white)	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Gooseberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
e)	Wild berries & wild fruit	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
vi)	MISCELLANEOUS FRUIT								
	Avocados	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Bananas	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Dates	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Figs	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Kiwi fruit	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Kumquats	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Litchis	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Mangoes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Olives (table consumption)	0.01*	0.05*	0.02*	0.1*	5	0.1*	0.01*	0.02*
	Olives (oil extract)	0.01*	0.05*	0.02*	0.1*	5	0.1*	0.01*	0.02*
	Papaya	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.02*
	Passion fruit	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Pineapples	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Pomegranates	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos- ethyl</i>	<i>Benomyl/ Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY									
i) ROOT AND TUBER VEGETABLES									
Beetroot	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Carrots	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Cassava	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Celeriac	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Horseradish	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Jerusalem artichokes	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Parsnips	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Parsley root	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Radishes	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Salsify	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Sweet potatoes	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Swedes	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Turnips	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Yams	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
ii) BULB VEGETABLES									
Garlic	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Onions	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Shallots	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Spring onions	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
Others	0.01*	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.02*
iii) FRUITING VEGETABLES									
a) Solanaceae									
Tomatoes	0.02	0.05*	0.02*		0.5	0.05*	0.2*	0.05	0.05
Peppers	0.05	0.05*	0.02*		0.1*	0.05*	0.05*	0.01*	0.3

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos- ethyl</i>	<i>Benomyl/ Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
	Chili peppers	0.05	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3
	Aubergines	0.02	0.05*	0.02*	0.5	0.05*	0.05*	0.01*	0.02*
	Okra	0.01*	0.05*	0.02*	2	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
b)	Cucurbits-edible peel								
	Cucumbers	0.02	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.1
	Gherkins	0.02	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
	Courgettes	0.02	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
	Others	0.02	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
c)	Cucurbits-inedible peel								
	Melons	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
	Squashes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
	Watermelons	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
d)	Sweet corn								
		0.01*	0.1	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
iv) BRASSICA VEGETABLES									
a)	Flowering Brassicas								
	Broccoli	0.01*(13)	0.05*	0.02*	0.1* ⁽¹³⁾	0.05*	0.05*	0.01*(13)	0.05
	Cauliflower	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05
b)	Head Brassicas								
	Brussels sprouts	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	0.01*	0.2
	Head cabbage	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.2
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.2

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos- ethyl</i>	<i>Benomyl/ Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
c)	Leafy Brassicas	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3
	Chinese cabbage	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3
	Kale	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*		
d)	Kohlrabi	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
v) LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar								
	Cress	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
	Lamb's lettuce	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
	Lettuce	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
	Scarole	0.1 ⁽⁶⁾	0.05*	0.02*	0.1* ⁽⁶⁾	0.05*	0.05*	0.01* ⁽⁶⁾	0.5
	Ruccola	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
	Leaves and stems of brassica	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
	Others	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
b)	Spinach & similar								
	Spinach	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Beet leaves (chard)	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
c)	Watercress	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
d)	Witloof	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
e)	Herbs	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Chervil	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/ Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	Chives	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
Beans (without pods)	Parsley	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
Peas (with pods)	Celery leaves	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
Peas (without pods)	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
Others	Beans (with pods)	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.05
vii) STEM VEGETABLES									
Asparagus	Leeks	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
Cardoons	Rhubarb	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
Celery	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
Fennel	Globe artichokes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
Globe artichokes	Leeks	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
Others	Rhubarb	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
viii) FUNGI									
a) Cultivated mushrooms	Cultivated mushrooms	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
b) Wild mushrooms	Wild mushrooms	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos- ethyl</i>	<i>Benomyl/ Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
3. PULSES									
Beans	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Lentils	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Peas	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Lupins	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
4. OILSEEDS									
Linseed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*	
Peanuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*	
Poppy seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*	
Sesame seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*	
Sunflower seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*	
Rape seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*	
Soya bean	0.02*	0.05*	0.02*	0.2	0.05*	0.1*	0.02*	0.02*	
Mustard seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*	
Cotton seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*	
Hemp seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*	
Others	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*	
5. POTATOES									
Early potatoes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
Ware potatoes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.02*	0.1*	0.05*	0.1*	0.1*	0.02*	0.1*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos- ethyl</i>	<i>Benomyl/ Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05	0.1*	0.05*	0.1*	0.1*	0.1*	0.02*	20
8. CEREALS									
Wheat	0.01*	0.05*	0.05*	0.1	0.5	2	0.02*	0.02*	
Rye	0.01*	0.05*	0.05*	0.1	0.5	2	0.02*	0.02*	
Barley	0.01*	0.05*	0.05*	2	0.5	2	0.02*	0.02*	
Sorghum	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*	
Oats	0.01*	0.05*	0.05*	2	0.5	5	0.02*	0.02*	
Triticale	0.01*	0.05*	0.05*	0.1	0.5	2	0.02*	0.02*	
Maize	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*	
Buckwheat	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*	
Millet	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*	
Rice ⁽¹⁾	0.01*	0.05*	0.05*	0.01*	1	0.05*	0.02*	0.02*	
Other cereals	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*	
9. PRODUCTS OF ANIMAL ORIGIN									
Meat, fat & preparations of meat ⁽²⁾	0.02 ⁽¹²⁾ 0.01* ⁽⁹⁾	0.01*	0.05*(46)	0.05*	0.05 ⁽¹⁸⁾ 0.2 ⁽¹⁹⁾ 0.1 ⁽¹²⁾	0.05	0.05 ⁽¹⁸⁾ 0.2 ⁽¹⁹⁾ 0.1 ⁽¹²⁾	0.02*	
Milk ⁽³⁾ & Dairy produce ⁽⁴⁾	0.005*	0.01*	0.05*(46)	0.05*	0.05	0.05	0.05	0.02*	
Eggs ⁽⁵⁾	0.01*	0.01*	0.05*(46)	0.05*	0.05*	0.05*	0.05*	0.02*	

	<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos- ethyl</i>	<i>Benomyl/ Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
10. SPICES										

Cumin seed
Juniper seed
Nutmeg
Pepper, black
and white
Vanilla pods
Spices - others

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethin</i>	<i>Endosulfan</i>	<i>Etephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fentrothion</i>	<i>Fenpropimorph</i>	<i>Fenthion</i>
1. FRUIT, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS									
i) CITRUS FRUIT									
Grapefruit	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	0.01*	3
Lemons	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	0.01*	3
Limes	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	0.01*	3
Mandarins	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	0.01*	3
(inc clementines & similar hybrids)									
Oranges	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	0.01*	3
Pomelos	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	0.01*	3
Others	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	0.01*	3
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*	0.01*
Brazil nuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*	0.01*
Cashew nuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*	0.01*
Chestnuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*	0.01*
Coconuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*	0.01*
Hazelnuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*	0.01*
Macadamia nuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*	0.01*
Pecans	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*	0.01*
Pine nuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*	0.01*
Pistachios	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*	0.01*
Walnuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*	0.01*
Others	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Etephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropimorph</i>	<i>Fenthion</i>
iii) POME FRUIT									
Apples	0.2	0.05*	0.5	2	0.05*	0.01*	0.05*	0.01*	0.01*
Pears	0.1	0.3	0.05*	2	0.05*	0.01*	0.05*	0.01*	0.01*
Quinces	0.1	0.05*	0.05*	2	0.05*	0.01*	0.05*	0.01*	0.01*
Others	0.1	0.05*	0.05*	2	0.05*	0.01*	0.05*	0.01*	0.01*
iv) STONE FRUIT									
Apricots	0.1	0.05*	0.05*	0.05*	5	0.01*	0.05*	0.01*	0.01*
Cherries	0.2	0.05*	3	0.05*	5	0.01*	0.05*	0.01*	2
Peaches (including nectarines & similar hybrids)	0.1	0.05*	0.05*	0.05*	5	0.01*	0.05*	0.01*	0.01*
Plums	0.1	0.05*	0.05*	0.05*	1	0.01*	0.05*	0.01*	0.01*
Others	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*	0.01*
v) BERRIES AND SMALL FRUIT									
a) Table & wine grapes									
Table grapes	0.2	0.5	1	2	5	0.01*	0.05*	0.01*	0.01*
Wine grapes	0.2	0.5	1	2	5	0.01*	0.05*	0.01*	0.01*
b) Strawberries (other than wild)									
0.2	0.05*	0.05*	1	5	0.01*	1	0.01*		
c) Cane Fruit (other than wild)									
Blackberries	0.5	0.05*	0.05*	5	10	0.01*	1	0.01*	0.01*
Dewberries	0.05*	0.05*	0.05*	0.05*	10	0.01*	1	0.01*	0.01*
Loganberries	0.05*	0.05*	0.05*	0.05*	10	0.01*	1	0.01*	0.01*
Raspberries	0.5	0.05*	0.05*	5	10	0.01*	1	0.01*	0.01*
Others	0.05*	0.05*	0.05*	0.05*	10	0.01*	1	0.01*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Etephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropimorph</i>	<i>Fenthion</i>
d)	Other small fruit & berries (other than wild)								
	Bilberries	0.05*	0.05*	0.05*	0.05*	5	0.01*	1	0.01*
	Cranberries	0.05*	0.05*	0.05*	0.05*	5	0.01*	1	0.01*
	Currants (red, black & white)	0.5	0.05*	5	0.05*	5	0.01*	1	0.01*
	Gooseberries	0.2	0.05*	0.05*	0.05*	5	0.01*	1	0.01*
	Others	0.05*	0.05*	0.05*	0.05*	5	0.01*	1	0.01*
e)	Wild berries & wild fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
vi)	MISCELLANEOUS FRUIT								
	Avocados	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Bananas	0.05*	0.05*	0.05*	0.05*	3	0.01*	2	0.01*
	Dates	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Figs	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Kiwi fruit	0.2	0.05*	0.05*	0.05*	10	0.01*	0.05*	0.01*
	Kumquats	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Litchis	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Mangoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Olives (table consumption)	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	1
	Olives (oil extract)	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	1
	Papaya	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Passion fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Pineapples	0.05*	0.05*	2	0.05*	0.05*	0.01*	0.05*	0.01*
	Pomegranates	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Etephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropimorph</i>	<i>Fenthion</i>
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY									
i) ROOT AND TUBER VEGETABLES									
Beetroot	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Carrots	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Cassava	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Celeriac	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Horseradish	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Jerusalem artichokes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Parsnips	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Parsley root	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Radishes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Salsify	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Sweet potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Swedes	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Turnips	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Yams	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
ii) BULB VEGETABLES									
Garlic	0.1	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Onions	0.1	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Shallots	0.1	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Spring onions	0.1	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Etephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropimorph</i>	<i>Fenthion</i>
iii) FRUITING VEGETABLES									
a)	Solanaceae								
	Tomatoes	0.3	0.5	1	1	1	0.01*	0.05*	0.01*
	Peppers	0.2	1	3	1	2	0.01*	0.05*	0.01*
	Chili peppers	0.2	1	3	1	2	0.01*	0.05*	0.01*
	Aubergines	0.3	0.05*	0.05*	1	1	0.01*	0.05*	0.01*
	Okra	0.3	0.05*	0.05*	1	0.05*	0.01*	0.05*	0.01*
	Others	0.2	0.05*	0.05*	1	0.05*	0.01*	0.05*	0.01*
b)	Cucurbits-edible peel								
	Cucumbers	0.2	0.05*	0.05*	0.5	1	0.01*	0.05*	0.01*
	Gherkins	0.2	0.05*	0.05*	0.05*	1	0.01*	0.05*	0.01*
	Courgettes	0.2	0.05*	0.05*	0.5	1	0.01*	0.05*	0.01*
	Others	0.2	0.05*	0.05*	0.05*	1	0.01*	0.05*	0.01*
c)	Cucurbits-inedible peel								
	Melons	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Squashes	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Watermelons	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
d)	Sweet corn	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
iv) BRASSICA VEGETABLES									
a)	Flowering Brassicas								
	Broccoli	0.1	0.05*	0.05*	0.05*(13)	0.05*(13)	0.01*	0.05*(13)	0.01*
	Cauliflower	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
b)	Head Brassicas								
	Brussels sprouts	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.5	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Etephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropimorph</i>	<i>Fenthion</i>
	Head cabbage	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
c)	Leafy Brassicas Chinese cabbage	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Kale	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
d)	Kohlrabi	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
v)	LEAF VEGETABLES AND FRESH HERBS								
a)	Lettuce & similar								
	Cress	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Lamb's lettuce	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Lettuce	0.5*	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Scarole	0.5	0.05*	0.05*	0.05*	30 ⁽⁶⁾	0.01*	0.05*	0.01*
	Ruccola	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Leaves and stems of brassica	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Others	0.5*	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
b)	Spinach & similar								
	Spinach	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Beet leaves (chard)	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
c)	Watercress	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
d)	Witloof	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Etephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropimorph</i>	<i>Fenthion</i>
e)	Herbs	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Chervil	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Chives	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Parsley	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Celery leaves	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Others	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
vi)	LEGUME VEGETABLES (fresh)	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Beans (with pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Beans (without pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Peas (with pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Peas (without pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
vii)	STEM VEGETABLES	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Asparagus	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Cardoons	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Celery	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Fennel	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Globe artichokes	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Leeks	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	1	0.01*
	Rhubarb	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Etephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropimorph</i>	<i>Fenthion</i>
vii) FUNGI									
a)	Cultivated mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
b)	Wild mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
3. PULSES									
Beans	1	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Lentils	1	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Peas	1	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Lupins	1	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
Others	1	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
4. OILSEEDS									
Linseed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.01*	0.05*	0.02*
Peanuts	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.01*	0.05*	0.02*
Poppy seed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.01*	0.05*	0.02*
Sesame seed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.01*	0.05*	0.02*
Sunflower seed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.01*	0.05*	0.02*
Rape seed	0.1	0.1*	0.1*	0.05*	0.1*	0.01*	0.01*	0.05*	0.02*
Soya bean	0.05*	0.5	0.1*	0.05*	0.1*	0.01*	0.01*	0.05*	0.02*
Mustard seed	0.1	0.1*	0.1*	0.05*	0.1*	0.01*	0.01*	0.05*	0.02*
Cotton seed	0.05*	5	2	0.05*	0.1*	0.01*	0.01*	0.05*	0.02*
Hemp seed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.01*	0.05*	0.02*
Others	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.01*	0.05*	0.02*
5. POTATOES									
Early potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*
Ware potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.01*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Etephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropimorph</i>	<i>Fenthion</i>
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	5	30	0.1*	0.1*	0.1*	0.5	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrate d powder	5	0.1*	0.1*	0.1*	0.02*	10	0.1*	
8. CEREALS									
Wheat	2	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.5 ⁽²⁴⁾
Rye	2	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.5
Barley	2	0.05*	0.5	0.05*	0.05*	0.05*	0.05*	0.05*	0.5
Sorghum	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Oats	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.5
Triticale	2	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.5
Maize	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Buckwheat	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Millet	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Rice ⁽¹⁾	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
Other cereals	2	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*(25)

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethin</i>	<i>Endosulfan</i>	<i>Etephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropimorph</i>	<i>Fenthion</i>
9. PRODUCTS OF ANIMAL ORIGIN									
Meat, fat & preparations of meat ⁽²⁾	0.03*(¹¹) 0.1(⁴⁷) 0.5(⁹)	0.1(¹⁷)	0.05*	0.05*	0.05*	0.05*	0.3(²⁶) 0.05(²⁷) 0.01* ⁽²⁸⁾ 0.02(²⁹) 0.01(⁹)	0.05*	0.05*
Milk ⁽³⁾ & Dairy produce ⁽⁴⁾	0.05	0.004	0.05*	0.05*	0.05*	0.05*	0.01	0.01	0.01*
Eggs ⁽⁵⁾	0.05*	0.1* ⁽⁷⁾	0.05*	0.05*	0.05*	0.05*			
10. SPICES									
Cumin seed									
Juniper seed									
Nutmeg									
Pepper, black and white									
Vanilla pods									
Spices -others									

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/ thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
1. FRUIT, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS									
i) CITRUS FRUIT									
Grapefruit	0.1*	0.05*	0.05*	0.01*	2	0.5	3	3	0.01*
Lemons	0.1*	0.05*	0.05*	0.01*	2	1	3	3	0.01*
Limes	0.1*	0.05*	0.05*	0.01*	2	1	3	3	0.01*
Mandarins (inc clementines & similar hybrids)	0.5	0.5	0.05*	0.01*	2	1	3	3	0.02
Oranges	0.5	0.5	0.05*	0.01*	2	0.5	3	3	0.01*
Pomelos	0.1*	0.05*	0.05*	0.01*	2	0.5	3	3	0.01*
Others	0.1*	0.05*	0.05*	0.01*	2	0.05*	3	3	0.01*
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*
Brazil nuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*
Cashew nuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*
Chestnuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*
Coconuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*
Hazelnuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*
Macadamia nuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*
Pecans	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*
Pine nuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*
Pistachios	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*
Walnuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*
Others	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.01*
iii) POME FRUIT									
Apples	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.5	0.5	0.01*
Pears	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.5	0.5	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/ thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
iv) STONE FRUIT	Quinces	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.5	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.5	0.01*
v) BERRIES AND SMALL FRUIT	Apricots	0.1*	0.05*	0.05*	0.1	0.02*	0.2	0.3	0.01*
	Cherries	0.1*	0.05*	0.05*	0.01*	0.02*	0.1	1	0.01*
	Peaches	0.1*	0.05*	0.05*	0.05	0.05	0.2	0.5	0.01*
	(including nectarines & similar hybrids)								
a) Table & wine grapes	Plums	0.1*	0.05*	0.05*	0.01*	0.2	0.5	0.5	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
b) Strawberries (other than wild)									
		0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
c) Cane Fruit (other than wild)									
	Blackberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
	Dewberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Loganberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Raspberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	d) Other small fruit & berries (other than wild)								
d) Other small fruit & berries (other than wild)	Bilberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Cranberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Currants (red, black & white)	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/ thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
	Gooseberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
e)	Wild berries & wild fruit	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
vi)	MISCELLANEOUS FRUIT								
	Avocados	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Bananas	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	2	0.01*
	Dates	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Figs	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Kiwi fruit	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Kumquats	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Litchis	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Mangoes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Olives (table consumption)	0.1*	0.05*	0.05*	0.01*	1	0.05*	0.02*	0.01*
	Olives (oil extract)	1	1	0.05*	0.01*	1	0.05*	0.02*	0.01*
	Papaya	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Passion fruit	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Pineapples	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Pomegranates	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY									
i)	ROOT AND TUBER VEGETABLES								
	Beetroot	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Carrots	0.1*	0.05*	0.2	0.01*	0.02*	0.05*	0.2	0.01*
	Cassava	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/ thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
Celeriac	0.1*	0.05*	0.5	0.01*	0.02*	0.05*	0.02*	0.01*	0.01*
Horseradish	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*	0.01*
Jerusalem artichokes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	0.01*
Parsnips	0.1*	0.05*	0.2	0.01*	0.02*	0.05*	0.2	0.01*	0.01*
Parsley root	0.1*	0.05*	0.2	0.01*	0.02*	0.05*	0.2	0.01*	0.01*
Radishes	0.1*	0.05*	0.05*	0.01*	0.02*	0.5	0.02*	0.01*	0.01*
Salsify	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	0.01*
Sweet potatoes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	0.01*
Swedes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	0.01*
Turnips	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	0.01*
Yams	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	0.01*
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	0.01*
ii) BULB VEGETABLES									
Garlic	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	0.01*
Onions	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	0.01*
Shallots	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	0.01*
Spring onions	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	0.01*
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	0.01*
iii) FRUITING VEGETABLES									
a) Solanaceae									
Tomatoes	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.3	0.02	
Peppers	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.5	0.02	
Chili peppers	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.5	0.02	
Aubergines	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.3	0.02	
Okra	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/ thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
b)	Cucurbits-edible peel								
	Cucumbers	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.02
	Gherkins	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.02
	Courgettes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.03
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.01*
c)	Cucurbits-inedible peel								
	Melons	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*
	Squashes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*
	Watermelons	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*
d)	Sweet corn	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
iv) BRASSICA VEGETABLES									
a)	Flowering Brassicas								
	Broccoli	0.1*(¹³)	0.05*(¹³)	0.02	0.02*	0.2	0.02*(¹³)	0.01*	
	Cauliflower	0.1*	0.05*	0.02	0.02*	0.05*	0.02*	0.01*	
	Others	0.1*	0.05*	0.02	0.02*	0.05*	0.02*	0.01*	
b)	Head Brassicas								
	Brussels sprouts	0.1*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
	Head cabbage	0.1*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
	Others	0.1*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
c)	Leafy Brassicas								
	Chinese cabbage	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Kale	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
d)	Kohlrabi	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/ thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
v) LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar								
	Cress	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Lamb's lettuce	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	5	0.01*
	Lettuce	0.1*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.01*
	Scarole	0.1* ⁽⁶⁾	0.05* ⁽⁶⁾	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Ruccola	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Leaves and stems of brassica	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
b)	Spinach & similar								
	Spinach	0.1*	0.05*	0.05*	0.01*	0.02*	0.05	0.02*	0.01*
	Beet leaves (chard)	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
c)	Watercress	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
d)	Witloof	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
e)	Herbs								
	Chervil	0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*
	Chives	0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*
	Parsley	0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*
	Celery leaves	0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*
	Others	0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/ thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)	0.1*	0.05*	0.05*	0.5	0.02*	0.05*	0.3	0.01*
	Beans (without pods)	0.1*	0.05*	0.1	0.01*	0.02*	0.05*	0.02*	0.01*
	Peas (with pods)	0.1*	0.05*	0.05*	0.5	0.02*	0.05*	0.02*	0.01*
	Peas (without pods)	0.1*	0.05*	0.1	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
vii) STEM VEGETABLES									
	Asparagus	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Cardoons	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Celery	0.1	0.05*	0.1*	0.01*	0.02*	0.05*	0.02*	0.01*
	Fennel	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Globe artichokes	0.1*	0.05*	0.05*	0.1	0.02*	0.05*	0.5	0.01*
	Leeks	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Rhubarb	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
viii) FUNGI									
	a) Cultivated mushrooms	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	b) Wild mushrooms	50	20	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
3. PULSES									
	Beans	2	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Lentils	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/ thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
4. OILSEEDS	Peas	10	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Lupins	10	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
5. POTATOES									
Early potatoes	0.5	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*
	Ware potatoes	0.5	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	2	0.05*	0.1*	0.02*	0.1*	0.05*	0.02	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/ thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.05*	0.1*	0.02*	0.1*	10	2	0.02
8. CEREALS									
Wheat	10	5	5	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Rye	10	5	5	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Barley	20	10	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Sorghum	20	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*	0.02*	0.01*
Oats	20	10	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
Triticale	10	5	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*
Maize	1	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*
Buckwheat	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*
Millet	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*
Rice ⁽¹⁾	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*
Other cereals	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.02*	0.01*
9. PRODUCTS OF ANIMAL ORIGIN									
Meat, fat & preparations of meat ⁽²⁾	2 ⁽¹⁹⁾ 0.2 ⁽¹²⁾ 0.5 ⁽³¹⁾ 0.2 ⁽¹⁵⁾ 0.1 ⁽⁴⁴⁾ 0.05*(43)	0.2 ⁽¹⁹⁾ 0.5 ⁽¹²⁾ 0.2 ⁽¹⁵⁾ 0.1 ⁽⁴⁴⁾ 0.05*(45)	0.01*	0.02*	0.02*	0.01*	0.02*	0.01*	0.01*
Milk ⁽³⁾ & Dairy produce ⁽⁴⁾	0.1*	0.1	0.01*	0.02*	0.02*	0.01*	0.02*	0.01*	0.01*
Eggs ⁽⁵⁾	0.1*	0.01*	0.01*	0.02*	0.02*	0.01*	0.02*	0.01*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/ thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
10. SPICES									
	Cumin seed								
	Juniper seed								
	Nutmeg								
	Pepper, black and white								
	Vanilla pods								
	Spices -others								

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimenol and Triadimenol</i>	<i>Triazophos</i>	<i>Tri氟oxystrobin</i>
1. FRUIT, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS									
i) CITRUS FRUIT									
Grapefruit	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3	
Lemons	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3	
Limes	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3	
Mandarins (inc clementines & similar hybrids)	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3	
Oranges	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3	
Pomelos	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3	
Others	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3	
ii) TREE NUTS (shelled or unshelled)									
Almonds	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
Brazil nuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
Cashew nuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
Chestnuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
Coconuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
Hazelnuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
Macadamia nuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
Pecans	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
Pine nuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
Pistachios	0.02*	0.02*	1	0.1*	0.2	0.2*	0.01*	0.02*	
Walnuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
Others	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*	
iii) POME FRUIT									
Apples	0.02*	0.02*	0.3	5	0.5	0.2	0.01*	0.5	
Pears	0.02*	0.02*	0.3	5	0.5	0.1*	0.01*	0.5	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimenol and Triadimenol</i>	<i>Triazophos</i>	<i>Trifloxystrobin</i>
iv) STONE FRUIT	Quinces Others	0.02* 0.02*	0.02* 0.02*	0.3 0.3	0.05* 0.05*	0.5 0.5	0.1* 0.1*	0.01* 0.01*	0.5 0.5
	Apricots Cherries Peaches	0.02* 0.02* 0.02*	0.05 0.02* 0.05	0.2 0.2 0.2	0.05* 0.05* 0.05*	2 0.3 2	0.1* 0.1* 0.1*	0.01* 0.01* 0.01*	1 1 1
v) BERRIES AND SMALL FRUIT	(including nectarines & similar hybrids)								
a) Table & wine grapes	Plums Others	0.02* 0.02*	0.02* 0.02*	0.1 0.02*	0.05* 0.05*	0.3 0.1*	0.1* 0.1*	0.01* 0.01*	0.2 0.02*
b) Strawberries (other than wild)									
c) Cane Fruit (other than wild)	Blackberries Dewberries Loganberries Raspberries Others	0.02* 0.02* 0.02* 0.02* 0.02*	0.02* 0.02* 0.02* 0.02* 0.02*	0.5 0.5 0.5 0.02* 0.02*	0.05* 0.05* 0.05* 0.05* 0.05*	0.1* 0.1* 0.1* 0.1* 0.1*	0.5 0.5 0.5 0.1* 0.1*	0.01* 0.01* 0.01* 0.01* 0.01*	0.5* 0.5* 0.5* 0.02* 0.02*
d) Other small fruit & berries (other than wild)	Bilberries Cranberries Currants (red, black & white) Gooseberries	0.02* 0.02* 0.02* 0.02*	0.02* 0.02* 0.02* 0.02*	0.05* 0.05* 0.05* 0.05*	0.1* 0.1* 0.1* 0.1*	1 1 1 1	1 1 1 1	0.01* 0.01* 0.01* 0.01*	0.02* 0.02* 0.02* 1

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimenol and Triadimenol</i>	<i>Triazophos</i>	<i>Triplex</i>
e)	Wild berries & wild fruit	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	0.02*
Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
vi) MISCELLANEOUS FRUIT									
Avocados	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.02*	0.02*
Bananas	0.02*	0.02*	0.02*	5	0.1*	0.2	0.01*	0.05	0.05
Dates	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
Figs	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
Kiwi fruit	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
Kumquats	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
Litchis	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
Mangoes	0.02*	0.02*	0.02*	5	0.1*	0.1*	0.01*	0.02*	0.02*
Olives (table consumption)	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
Olives (oil extract)	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
Papaya	0.02*	0.02*	0.05	10	1	0.1*	0.01*	0.02*	0.02*
Passion fruit	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
Pineapples	0.02*	0.02*	0.02*	0.05*	0.1*	3	0.01*	0.02*	0.02*
Pomegranates	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY									
i) ROOT AND TUBER VEGETABLES									
Beetroot	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
Carrots	0.02*	0.02*	0.1	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
Cassava	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.02*	0.02*
Celeriac	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
Horseradish	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimenol and Triadimenol</i>	<i>Triazophos</i>	<i>Tri氟oxystrobin</i>
Jerusalem artichokes	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Parsnips	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Parsley root	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Radishes	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Salsify	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Sweet potatoes	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.01*	0.02*
Swedes	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Turnips	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Yams	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.01*	0.02*
Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
ii) BULB VEGETABLES									
Garlic	0.02*	0.02*	0.2	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Onions	0.02*	0.02*	0.2	0.05*	0.1*	0.5	0.01*	0.02*	0.02*
Shallots	0.02*	0.02*	0.2	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Spring onions	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	0.02*	0.02*
Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
iii) FRUITING VEGETABLES									
a) Solanaceae									
Tomatoes	0.02*	0.5	0.2	0.05*	2	0.3	0.01*	0.5	0.02*
Peppers	0.02*	1	0.5	0.05*	0.1*	0.5	0.01*	0.02*	0.02*
Chili peppers	0.02*	1	0.5	0.05*	0.1*	0.5	0.01*	0.02*	0.02*
Aubergines	0.02*	0.5	0.2	0.05*	2	0.1*	0.01*	0.02*	0.02*
Okra	0.02*	0.02*	0.02*	0.05*	1	0.1*	0.01*	0.02*	0.02*
Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
b) Cucurbits-edible peel									
Cucumbers	0.02*	0.5	0.02*	0.05*	0.1*	0.1*	0.01*	0.2	0.2
Gherkins	0.02*	0.5	0.02*	0.05*	0.1*	0.1*	0.01*	0.2	0.2

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimenol and Triadimenol</i>	<i>Triazophos</i>	<i>Tri氟oxystrobin</i>
c)	Courgettes Others	0.02* 0.02*	0.5 0.5	0.02* 0.02*	0.05* 0.05*	0.1* 0.1*	0.1* 0.1*	0.01* 0.01*	0.2 0.2
c)	Cucurbits-inedible peel Melons Squashes Watermelons	0.02* 0.02* 0.02* 0.02*	0.2 0.2 0.2 0.2	0.02* 0.02* 0.02* 0.02*	0.05* 0.05* 0.05* 0.05*	0.3 0.3 0.3 0.3	0.1* 0.1* 0.1* 0.1*	0.01* 0.01* 0.01* 0.01*	0.3 0.02* 0.02* 0.02*
d)	Others Sweet corn	0.02* 0.02*	0.02* 0.02*	0.02* 0.02*	0.05* 0.05*	0.3 0.1*	0.1* 0.1*	0.01* 0.01*	0.02* 0.02*
iv) BRASSICA VEGETABLES									
a)	Flowering Brassicas Broccoli Cauliflower Others		0.02*(13) 0.02* 0.02* 0.02*	0.1(13) 0.1 0.1 0.1	5(13) 0.05* 0.05* 0.05*	0.1*(13) 0.1* 0.1*	0.1*(13) 0.1* 0.1*	0.01* 0.01* 0.01*	0.02*(13) 0.02* 0.02*
b)	Head Brassicas Brussels sprouts		0.02*	0.2	0.05*	1	0.1*	0.01*	0.02*
c)	Leafy Brassicas Chinese cabbage Kale Others		0.02* 0.02* 0.02* 0.02*	0.2 0.02* 0.02* 0.02*	0.05* 0.05* 0.05* 0.05*	0.1* 0.1* 0.1* 0.1*	0.1* 0.1* 0.1* 0.1*	0.01* 0.01* 0.01* 0.01*	0.02* 0.02* 0.02*
d)	Kohlrabi								

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate- methyl</i>	<i>Triadimenol and</i>	<i>Triadimenol</i>	<i>Triazophos</i>	<i>Tri氟oxystrobin</i>
v) LEAF VEGETABLES AND FRESH HERBS										
a)	Lettuce & similar									
	Cress	0.02*								
	Lamb's lettuce	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
	Lettuce	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
	Scarole	0.02*	2 ⁽⁶⁾	2 ⁽⁶⁾	0.05*(⁽⁶⁾)	0.1*(⁽⁶⁾)	0.1*	0.01*	0.02*	0.02*
	Ruccola	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
	Leaves and stems of brassica	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
	Others	0.02*								
b)	Spinach & similar									
	Spinach	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
	Beet leaves (chard)	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
c)	Watercress	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
d)	Witloof	0.02*	0.02*	0.02*	1	0.1*	0.1*	0.01*	0.02*	0.02*
e)	Herbs									
	Chervil	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
	Chives	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
	Parsley	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
	Celery leaves	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
	Others	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
vi)	LEGUME VEGETABLES (fresh) Beans (with pods)		1	0.02*	0.05*	0.1*	0.1*	0.01*	0.5	0.5

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimenol and Triadimenol</i>	<i>Triazophos</i>	<i>Tri氟oxystrobin</i>
Beans (without pods)	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Peas (with pods)	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Peas (without pods)	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Others	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
vii) STEM VEGETABLES									
Asparagus	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Cardoons	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Celery	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Fennel	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Globe artichokes	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Leeks	0.02*	0.02*	0.5	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Rhubarb	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
viii) FUNGI									
a) Cultivated mushrooms	0.02*	0.02*	0.02*	10	0.1*	0.1*	0.01*	0.01*	0.02*
b) Wild mushrooms	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
3. PULSES									
Beans	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Lentils	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Peas	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Lupins	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*
Others	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimenfon and Triadimenol</i>	<i>Triazophos</i>	<i>Trifloxystrobin</i>
4. OILSEEDS									
	Linseed	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	0.05*
	Peanuts	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	0.05*
	Poppy seed	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	0.05*
	Sesame seed	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	0.05*
	Sunflower seed	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	0.05*
	Rape seed	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	0.05*
	Soya bean	0.02*	0.02*	0.05*	0.3	0.2*	0.01*	0.05*	0.05*
	Mustard seed	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	0.05*
	Cotton seed	0.02*	0.05	0.05*	0.1*	0.2*	0.01*	0.05*	0.05*
	Hemp seed	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	0.05*
	Others	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*	0.05*
5. POTATOES									
	Early potatoes	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
	Ware potatoes	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	0.02*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.1*	0.05*	0.1*	0.2*	0.02*	0.05*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	15	10	0.1*	0.1*	10	0.02*	30

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimenfon and Triadimenol</i>	<i>Triazophos</i>	<i>Trifloxystrobin</i>
8. CEREALS									
	Wheat	0.02*	0.1	0.05*	0.05	0.2	0.02*	0.05	0.05
	Rye	0.02*	0.1	0.05*	0.05	0.2	0.02*	0.05	0.05
	Barley	0.02*	0.3	0.05*	0.3	0.2	0.02*	0.3	0.3
	Sorghum	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*	0.02*
	Oats	0.02*	0.3	0.05*	0.3	0.2	0.02*	0.02*	0.02*
	Triticale	0.02*	0.1	0.05*	0.05	0.2	0.02*	0.05	0.05
	Maize	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*	0.02*
	Buckwheat	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*	0.02*
	Millet	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*	0.02*
	Rice ⁽¹⁾	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*	0.02*
	Other cereals	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*	0.02*
9. PRODUCTS OF ANIMAL ORIGIN									
	Meat, fat & preparations of meat ⁽²⁾	0.01*	0.05*	0.1	0.05*(46)	0.1*	0.01*		
	Milk ⁽³⁾ & Dairy produce ⁽⁴⁾	0.01*		0.01*	0.05*(46)	0.1*	0.01*		
	Eggs ⁽⁵⁾	0.01*		0.05*	0.1*	0.05*(46)	0.1*	0.01*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimenfon and Triadimenol</i>	<i>Triazophos</i>	<i>Triplex</i>
10. SPICES									
Cumin seed									
Juniper seed									
Nutmeg									
Pepper, black and white									
Vanilla pods									
Others									

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (7) For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
- (8) All other meat, edible offal, fat and preparations of meat and edible offal.
- (9) All liver and kidney.
- (10) Liver of bovine animals.
- (11) Broccoli includes calabrese.

- (15) Meat of bovine animals.
- (17) Except poultry.
- (18) Liver of chicken.
- (19) Kidney of bovine animals.
- (24) This MRL also applies to spelt.
- (25) Except spelt.
- (26) Liver of bovine animals, sheep, goats and swine.
- (27) Kidney of bovine animals, sheep, goats and swine.
- (28) Meat of poultry, fat and edible offal.
- (29) Meat of bovine animals, sheep, goats and swine.
- (31) Kidney of swine.
- (43) Except liver and kidney of bovine animals, and kidney of swine and poultry.
- (44) Kidney of poultry.
- (45) Except liver, kidney and meat of bovine animals, and kidney of poultry.
- (46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.
- (47) Poultry and poultry products.

SCHEDULE 2

Regulations 4 to 7

ENTRIES SUBSTITUTED OR INSERTED IN SCHEDULE 1 TO THE PRINCIPAL REGULATIONS

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Cyfluthrin	cyfluthrin including other mixtures of constituent isomers (sum of isomers)
Deltamethrin	(1) for products of plant origin other than cereals and for foodstuffs of animal origin: deltamethrin (cis-deltamethrin) (2) for cereals: deltamethrin
Fenthion	fenthion and its oxygen analogue, their sulfoxides and sulfones expressed as parent glyphosate
Glyphosate (except trimesium salt)	trimethylsulfonium cation resulting from the use of glyphosate
Glyphosate (as trimesium salt)	
Oxamyl	oxamyl
Pyraclostrobin	pyraclostrobin

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which are made under section 2(2) of the European Communities Act 1972, amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005 (S.S.I. 2005/599) ("the principal Regulations").

These Regulations implement Commission Directives 2006/53/EC (O.J. No. L 154, 8.6.06, p.11), 2006/59/EC (O.J. No. L 175, 29.6.06, p.61), 2006/60/EC (O.J. No. L 206, 27.7.06, p.1) and 2006/61/EC (O.J. No. L 206, 27.7.06, p.12).

These Regulations come into force in stages on dates between 9th December 2006 and 30th December 2007.

The Regulations substitute or insert:

- (a) new residue definitions for the pesticides Cyfluthrin, Deltamethrin, Fenthion, Glyphosate, Oxamyl and Pyraclostrobin in Schedule 1 to the principal Regulations; and
- (b) new maximum residue levels for pesticides:—

Abamectin, Atrazine, Azinphos-ethyl, Benomyl and Carbendazim, Carbaryl, Chlormequat, Cyazofamid, Cyfluthrin, Deltamethrin, Endosulfan, Etephon, Fenbutatin Oxide, Fenhexamid, Fenitrothion, Fenpropimorph, Fenthion, Glyphosate, Linuron, Methamidophos, Methidathion, Methomyl thiodicarb, Myclobutanil, Oxadiargyl, Oxamyl, Paraquat, Pymetrozine, Pyraclostrobin, Thiabendazole, Thiophanate-methyl, Triadimefon and Triadimenol, Triazophos and Trifloxystrobin in Schedule 2 to the principal Regulations.

The Regulations also amend and revoke in part the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2006 (S.S.I. 2006/151).

A Regulatory Impact Assessment ("RIA") was prepared in respect of the principal Regulations which provides a basis for establishing the impact of amendments to those Regulations. Copies of the RIA can be obtained from the Scottish Executive Environment and Rural Affairs Department, EPHAS2, Area 1-B, Pentland House, 47 Robb's Loan, Edinburgh, EH14 1TY. Copies have been placed in the Scottish Parliament Information Centre.

£7.50

© Crown Copyright 2006

Printed in the UK by The Stationery Office Limited
under the authority and superintendence of Carol Tullo, the Queen's Printer for Scotland