

---

SCOTTISH STATUTORY INSTRUMENTS

---

**2007 No. 142**

**AGRICULTURE  
PESTICIDES**

**The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2007**

*Made - - - - - 1st March 2007  
Laid before the Scottish Parliament - - - - - 5th March 2007  
Coming into force in accordance with regulation 1(3) to (5)*

The Scottish Ministers, in exercise of the powers conferred by section 2(2) of the European Communities Act 1972(1) and of all other powers enabling them in that behalf, hereby make the following Regulations:

**Citation, interpretation and commencement**

- 1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2007.
- (2) In these Regulations, “the principal Regulations” means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005(2).
- (3) Subject to paragraphs (4) and (5), these Regulations shall come into force on 31st March 2007.
- (4) Regulation 4 shall come into force on 11th May 2007.
- (5) Regulation 5 shall come into force on 21st January 2008.

**Amendment of the principal Regulations**

2. The principal Regulations are amended in accordance with regulations 3 to 5.

---

(1) [1972 c. 68](#). Section 2(2) was amended by the Scotland Act 1998 ([c. 46](#)), Schedule 8, paragraph 15(3). The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.  
(2) [S.S.I. 2005/599](#) as amended by [S.S.I. 2006/151](#), [S.S.I. 2006/312](#) and [S.S.I. 2006/548](#).

### **Amendments coming into force on 31st March 2007**

3.—(1) In regulation 2(1) (interpretation), for the definition of “the Residues Directives” substitute—

““the Residues Directives” means Directive 76/895(3), Directive 86/362(4), Directive 86/363(5) and Directive 90/642(6).”.

(2) In Schedule 2 (maximum residue levels), in the column relating to the pesticide Atrazine, for the entries for all products (Wheat, Rye, Barley, Sorghum, Oats, Triticale, Maize, Buckwheat, Millet, Rice, and Other Cereals), in the food group 8 (Cereals), substitute “0.1”.

### **Amendments coming into force on 11th May 2007**

4. Schedules 1 (pesticide residues) and 2 (maximum residue levels) of the principal Regulations are amended as follows—

- (a) in Schedule 1, in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Captan set out in Schedule 1 to these Regulations; and
- (b) in Schedule 2—
  - (i) for the entries in the columns relating to the pesticides Dichlorvos, Ethion and Folpet, substitute the entries in the columns relating to those pesticides set out in Schedule 2 to these Regulations;
  - (ii) in the appropriate place in the alphabetical sequence, insert the entries in the column relating to the pesticide Captan set out in Schedule 2 to these Regulations; and
  - (iii) at the end, insert as footnote 48, the footnote numbered (48) set out at the end of Schedule 2 to these Regulations.

### **Amendments coming into force on 21st January 2008**

5. Schedules 1 (pesticide residues) and 2 (maximum residue levels) of the principal Regulations are amended as follows—

- (a) in Schedule 1, in the appropriate place in the alphabetical sequence, insert the entries for the pesticides Desmedipham and Phenmedipham set out in Schedule 1 to these Regulations; and
- (b) in Schedule 2—
  - (i) for the entries in the column relating to the pesticide Chlорfenvinphos substitute the entries in the column relating to that pesticide set out in Schedule 2 to these Regulations; and
  - (ii) in the appropriate place in the alphabetical sequence, insert the entries in the columns relating to the pesticides Desmedipham and Phenmedipham set out in Schedule 2 to these Regulations.

---

(3) O.J. No. L 340, 9.12.76, p.26, as last amended by Commission Directive 2006/92/EC (O.J. No. L 311, 10.11.06, p.31).

(4) O.J. No. L 221, 7.8.86, p.37, as last amended by Commission Directive 2006/92/EC (O.J. No. L 311, 10.11.06, p.31).

(5) O.J. No. L 221, 7.8.86, p.43, as last amended by Commission Directive 2006/62/EC (O.J. No. L 206, 27.07.06, p.27).

(6) O.J. No. L 350, 14.12.90, p.71, as last amended by Commission Directive 2006/92/EC (O.J. No. L 311, 10.11.06, p.31).

St Andrew's House,  
Edinburgh  
1st March 2007

*ROSS FINNIE*  
A member of the Scottish Executive

## SCHEDULE 1

Regulations 4 and 5

## ENTRIES INSERTED IN SCHEDULE 1 TO THE PRINCIPAL REGULATIONS

<i>Column 1 Pesticide</i>	<i>Column 2 Residue</i>
Captan	captan
Desmedipham	desmedipham
Phenmedipham	(1) for products of plant origin: phenmedipham (2) for foodstuffs of animal origin: phenmedipham (Methyl-N-(3-hydroxyphenyl) carbamate (MHPC) expressed as phenmedipham)

## SCHEDULE 2

Regulations 3, 4 and 5

ENTRIES SUBSTITUTED OR INSERTED IN  
SCHEDULE 2 TO THE PRINCIPAL REGULATIONS

<i>Group to include which the food following belongs products</i>	<i>Captan</i>	<i>Chlorfenvincimide</i>	<i>Desmedipham</i>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>							
<b>i) CITRUS FRUIT</b>							
Grapefruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Lemons	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Limes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Mandarins (inc clementines & similar hybrids)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Oranges	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Pomelos	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
<b>ii) TREE NUTS (Shelled or Unshelled)</b>							
Almonds	0.3	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Brazil nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenpropidin</i>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>	
	Cashew nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Chestnuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Coconuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Hazelnuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Macadamia nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pecans	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pine nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pistachios	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Walnuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
<b>iii) POME FRUIT</b>								
	Apples	3	0.02*	0.05*	0.01*	0.01*	3	0.05*
	Pears	3	0.02*	0.05*	0.01*	0.01*	3	0.05*
	Quinces	3	0.02*	0.05*	0.01*	0.01*	3	0.05*
	Others	3	0.02*	0.05*	0.01*	0.01*	3	0.05*
<b>iv) STONE FRUIT</b>								
	Apricots	3	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Cherries	5	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Peaches (inc nectarines & similar hybrids)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Plums	1	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
<b>v) BERRIES AND SMALL FRUIT</b>								
a)	Table & wine grapes							
	Table grapes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Wine grapes	0.02*	0.02*	0.05*	0.01*	0.01*	5	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvincime</i>	<i>Diposediphacin</i>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
b)	Strawberries (other than wild)	0.02*	0.05*	0.01*	0.01*	3	0.1*	
c)	Cane fruit (other than wild)							
	Blackberries	0.02*	0.05*	0.01*	0.01*	3	0.05*	
	Dewberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Loganberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Raspberries	0.02*	0.05*	0.01*	0.01*	3	0.05*	
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Cranberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Currants	3	0.02*	0.05*	0.01*	0.01*	3	0.05*
	(red, black & white)							
	Gooseberries	0.02*	0.02*	0.05*	0.01*	0.01*	3	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
e)	Wild berries & wild fruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
<b>vi) MISCELLANEOUS FRUIT</b>								
	Avocados	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Bananas	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Dates	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Figs	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenimid</i>	<i>Dimesulfaphosphide</i>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Kiwi fruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Kumquats	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Litchis	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Mangoes	2	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Olives (Table Consumption)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Olives (Oil Extract)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Papaya	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Passion fruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pineapples	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pomegranate	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

## **2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY**

### **i) ROOT AND TUBER VEGETABLES**

Beetroot	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.1*
Carrots	0.1	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
Cassava	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Celeriac	0.1	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Horseradish	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Jerusalem artichokes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Parsnips	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
Parsley root	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Radishes	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
Salsify	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Sweet potatoes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Swedes	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
Turnips	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvincime</i>	<i>Dimesulfoph</i>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Yams	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
<b>ii) BULB VEGETABLES</b>								
	Garlic	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
	Onions	0.02*	0.02*	0.05*	0.01*	0.01*	0.1	0.05*
	Shallots	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
	Spring onions	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
<b>iii) FRUITING VEGETABLES</b>								
a)	Solanaceae							
	Tomatoes	2	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Peppers	0.1	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Chilli Peppers	0.1	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Aubergines	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Okra	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
b)	Cucurbits-edible peel							
	Cucumbers	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Gherkins	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Courgettes	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
c)	Cucurbits-inedible peel							
	Melons	0.1	0.02*	0.05*	0.01*	0.01*	1	0.05*
	Squashes	0.02*	0.02*	0.05*	0.01*	0.01*	1	0.05*
	Watermelons	0.02*	0.02*	0.05*	0.01*	0.01*	1	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	1	0.05*
d)	Sweet corn	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvincimezin</i>	<i>Dimesulfaphosphorus</i>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
------------------------------------	--	---------------	---------------------------	----------------------------	-------------------	---------------	---------------	---------------------

**iv) BRASSICA VEGETABLES**

a)	Flowering Brassicas	Broccoli	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
		Cauliflower	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
		Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
b)	Head Brassicas	Brussels sprouts	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
		Head cabbage	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
		Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
c)	Leafy Brassicas	Chinese cabbage	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
		Kale	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
		Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
d)	Kohlrabi	0.02*	0.3	0.05*	0.01*	0.01*	0.05	0.05*	

**v) LEAF VEGETABLES AND FRESH HERBS**

a)	Lettuce & similar	Cress	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
		Lamb's lettuce	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
		Lettuce	0.02*	0.02*	0.05*	0.01*	0.01*	2	0.05*
		Scarole	2	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
		Ruccola	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
		Leaves and stems of brassica	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
		Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
b)	Spinach & similar								

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvincimezin</i>	<i>Dimesulfaphosphine</i>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Spinach	0.1	0.1	0.05*	0.01*	0.01*	0.02*	0.5
	Beet leaves (chard)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.5
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.5
c)	Watercress	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
d)	Witloof	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
e)	Herbs							
	Chervil	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Chives	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Parsley	0.1	0.5	0.05*	0.01*	2	0.02*	0.05*
	Celery leaves	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
<b>vi) LEGUME VEGETABLES (Fresh)</b>								
	Beans (with pods)	2	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Beans (without pods)	2	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Peas (with pods)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Peas (without pods)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
<b>vii) STEM VEGETABLES</b>								
	Asparagus	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Cardoons	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Celery	0.1	0.5	0.05*	0.01*	0.1	0.02*	0.05*
	Fennel	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Globe artichokes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.2
	Leeks	2	0.1	0.05*	0.01*	0.01*	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenimid</i>	<del><i>Diposediph</i></del>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Rhubarb	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
<b>viii) FUNGI</b>								
a)	Cultivated mushrooms	0.02*	0.05	0.05*	0.01*	0.01*	0.02*	0.05*
b)	Wild mushrooms	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
<b>3. PULSES</b>								
	Beans	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Lentils	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Peas	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Lupins	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
<b>4. OILSEEDS</b>								
	Linseed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Peanuts	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Poppy seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Sesame seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Sunflower seed (with shell)	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Rape seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Soya bean	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Mustard seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Cotton seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Hemp seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Others	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
<b>5. POTATOES</b>								

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvincimezin</i>	<i>Dimesulfaphosphine</i>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Early potatoes	0.05	0.02*	0.05*	0.01*	0.01*	0.1	0.05*
	Ware potatoes	0.05	0.02*	0.05*	0.01*	0.01*	0.1	0.05*
<b>6. TEA</b>	Tea (dried leaves & stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.05*	0.05*	0.1*	0.02*	3	0.05*	0.1*
<b>7. HOPS (Dried)</b>	Hops (dried (including hop pellets & unconcentrated powder))	0.05*	0.05*	0.1*	0.02*	0.02*	150	0.1*
<b>8. CEREALS</b>								
	Wheat	0.02*	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Rye	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Barley	0.02*	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Sorghum	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Oats	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Triticale	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Maize	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Buckwheat	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Millet	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Rice	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>	Meat, edible offal,		0.01*		0.05			0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvinphos</i>	<del><i>Dichlorvos</i></del>	<i>Dichlorvos</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	fat & preparations of meat & edible offal							
Milk & Dairy produce	0.01*		0.02				0.05*	
Eggs	0.01*		0.05*				0.05*	

**10. SPICES**

Cumin seed	
Juniper seed	
Nutmeg	
Pepper, black and white	
Vanilla pods	
Spices – others	

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

Key:

\* Level at or about the limit of determination.

#### FOOTNOTES:

- a Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- b Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- c These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- d For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- e Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- f Scarole includes broad—leaf endive.

**g** Broccoli includes calabrese.

**h** Sum of captan and folpet.

---

## EXPLANATORY NOTE

*(This note is not part of the Regulations)*

These Regulations, which are made under section 2(2) of the European Communities Act 1972, amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2005 (“the principal Regulations”).

These Regulations implement Commission Directives [2006/62/EC](#) (O.J. No. L 206, 27.07.06, p.27) and [2006/92/EC](#) (O.J. No. L 311, 10.11.06, p.31) and implement in part Commission Directive [2007/7/EC](#) (O.J. No. L43, 15.02.07, p.19).

The Regulations come into force, in stages, on 31st March 2007, 11th May 2007 and 21st January 2008.

The Regulations substitute or insert—

- (a) new residue definitions for the pesticides Captan, Desmedipham and Phenmedipham in Schedule 1 to the principal Regulations which identifies the pesticide residues that are taken into account in the measuring of residue levels for each pesticide; and
- (b) new maximum residue levels for the pesticides Atrazine, Captan, Chlorfenvinphos, Desmedipham, Dichlorvos, Ethion, Folpet and Phenmedipham in Schedule 2 to the principal Regulations.

A Regulatory Impact Assessment (“RIA”) was prepared in respect of the principal Regulations which provides a basis for establishing the impact of amendments to those Regulations. Copies of the RIA can be obtained from the Scottish Executive Environment and Rural Affairs Department, EPHAS2, Area 1-B, Pentland House, 47 Robb’s Loan, Edinburgh, EH14 1TY. Copies have been placed in the Scottish Parliament Information Centre.