

---

SCOTTISH STATUTORY INSTRUMENTS

---

**2007 No. 306**

**AGRICULTURE  
PESTICIDES**

**The Pesticides (Maximum Residue Levels in  
Crops, Food and Feeding Stuff) (Scotland)  
Amendment (No. 2) Regulations 2007**

*Made - - - - 5th June 2007*  
*Laid before the Scottish*  
*Parliament - - - - 7th June 2007*  
*Coming into force in accordance with regulation 1(3)*  
*to (6)*

The Scottish Ministers make the following Regulations in exercise of the powers conferred by section 2(2) of the European Communities Act 1972<sup>(1)</sup> and all other powers enabling them to do so.

**Citation, interpretation and commencement**

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Amendment (No. 2) Regulations 2007.

(2) In these Regulations—

“the 2007 Amendment Regulations” means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Amendment Regulations 2007<sup>(2)</sup>; and

“the principal Regulations” means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2005<sup>(3)</sup>.

(3) Subject to paragraphs (4) to (6), these Regulations shall come into force on 16th August 2007.

(4) Regulation 4 shall come into force on 28th August 2007.

(5) Regulation 5 shall come into force on 2nd September 2007.

(6) Regulation 6 shall come into force on 21st January 2008.

---

(1) 1972 c. 68. Section 2(2) was amended by the Scotland Act 1998 (c. 46), Schedule 8, paragraph 15(3). The function conferred upon the Minister of the Crown under section 2(2), insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.

(2) S.S.I. 2007/142.

(3) S.S.I. 2005/599 as amended by S.S.I. 2006/151, 312 and 548 and S.S.I. 2007/142.

### **Amendment to the principal Regulations**

2. The principal Regulations are amended in accordance with regulations 3 to 6.

### **Amendments coming into force on 16th August 2007**

3. Schedules 1 (pesticide residues) and 2 (maximum residue levels) of the principal Regulations are amended as follows—

- (a) in Schedule 1, in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Phenmedipham set out in Schedule 1 to these Regulations; and
- (b) in Schedule 2—
  - (i) for the entries in the columns relating to the pesticides Abamectin, Bifenthrin, Lambda-cyhalothrin, Linuron, Methomyl thiodicarb and Pymetrozine, substitute the entries in the columns relating to those pesticides set out in Schedule 2 to these Regulations;
  - (ii) for the entries in the columns relating to the pesticide Penconazole, substitute the entries in the column headed “Penconazole: Applying from 16 August 2007” relating to that pesticide set out in Schedule 2 to these Regulations; and
  - (iii) in the appropriate place in the alphabetical sequence, insert the entries for the pesticide Phenmedipham set out in the column headed “Phenmedipham: Applying from 16 August 2007” in Schedule 2 to these Regulations.

### **Amendments coming into force on 28th August 2007**

4. Schedule 2 (maximum residue levels) of the principal Regulations is amended as follows—
  - (a) for the entries in the column relating to the pesticide Benomyl and Carbendazim, substitute the entries in the column relating to that pesticide set out in Schedule 2 to these Regulations; and
  - (b) for the entry in the column relating to the pesticide Penconazole for the food group 1(v) (b) (Strawberries (other than wild)), substitute the entry in the column relating to that pesticide headed “Penconazole: Applying from 28 August 2007” set out in Schedule 2 to these Regulations.

### **Amendments coming into force on 2nd September 2007**

5. Schedules 1 (pesticide residues) and 2 (maximum residue levels) of the principal Regulations are amended as follows—

- (a) in Schedule 1—
  - (i) for the entry for Mevinphos, substitute the entry for Mevinphos set out in Schedule 1 to these Regulations; and
  - (ii) in the appropriate place in the alphabetical sequence, insert the entries for the pesticides Acetamiprid, Imazosulfuron, S-metholachlor, Methoxyfenozide, Milbemectin, Thiacloprid and Tribenuron-methyl set out in Schedule 1 to these Regulations; and
- (b) in Schedule 2—
  - (i) for the entries in the columns relating to the pesticides Aldicarb, Mevinphos and Phosphamidon, substitute the entries in the columns relating to those pesticides set out in Schedule 2 to these Regulations;

- (ii) in the appropriate place in the alphabetical sequence, insert the entries in the columns relating to the pesticides Acetamiprid, Imazosulfuron, S-metholachlor, Methoxyfenozide, Milbemectin, Thiacloprid and Tribenuron-methyl set out in Schedule 2 to these Regulations; and
- (iii) at the end, insert as footnote 49, the footnote numbered (49) set out at the end of Schedule 2 to these Regulations.

#### **Amendments coming into force on 21st January 2008**

6. In Schedule 2 (maximum residue levels) of the principal Regulations, for the entries in the column relating to the pesticide Phenmedipham for food groups 8 (cereals) and 9 (products of animal origin), substitute the entries in the column relating to that pesticide headed “Phenmedipham: Applying from 21 January 2008” set out in Schedule 2 to these Regulations.

#### **Amendment to regulation 5 of the 2007 Amendment Regulations**

7. Regulation 5 (amendments coming into force on 21st January 2008) of the 2007 Amendment Regulations is amended as follows—

- (a) in paragraph (a), for “insert the entries for the pesticides Desmedipham and Phenmedipham”, substitute “insert the entry for the pesticide Desmedipham”; and
- (b) in paragraph (b)(ii), for “insert the entries in the columns relating to the pesticides Desmedipham and Phenmedipham”, substitute “insert the entries in the column relating to the pesticide Desmedipham”.

#### **Amendment to Schedule 1 to the 2007 Amendment Regulations**

8. In Schedule 1 (entries inserted in Schedule 1 to the principal Regulations) to the 2007 Amendment Regulations, omit the entry for the pesticide Phenmedipham in column 1 and the residue entry relating to that pesticide in column 2.

#### **Amendment to Schedule 2 to the 2007 Amendment Regulations**

9. In Schedule 2 (entries substituted or inserted in Schedule 2 to the principal Regulations) to the 2007 Amendment Regulations, omit the column for the pesticide Phenmedipham.

St Andrew’s House,  
Edinburgh  
5th June 2007

*RICHARD LOCHHEAD*  
A member of the Scottish Executive

Status: This is the original version (as it was originally made).

SCHEDULE 1

Regulations 3 and 5

ENTRIES INSERTED IN SCHEDULE 1 TO THE PRINCIPAL REGULATIONS

<i>Column 1 Pesticide</i>	<i>Column 2 Residue</i>
Acetamiprid	(1) for products of plant origin: acetamiprid (2) for foodstuffs of animal origin: acetamiprid and IM-2-1 metabolite
Imazosulfuron	imazosulfuron
Methoxyfenozide	methoxyfenozide
Mevinphos	mevinphos, sum of E- and Z-isomers
Milbemectin	(1) for products of plant origin other than cereals: sum of MA4+8, 9Z-MA4, expressed as milbemectin (2) for cereals: milbemectin
Phenmedipham	(1) for products of plant origin: phenmedipham (2) for foodstuffs of animal origin: phenmedipham (Methyl-N-(3-hydroxyphenyl) carbamate (MHPC) expressed as phenmedipham)
S-metholachlor	metholachlor including other mixtures of constituent isomers including S-metholachlor (sum of isomers)
Thiacloprid	thiacloprid
Tribenuron-methyl	tribenuron-methyl

SCHEDULE 2

Regulations 3, 4, 5 and 6

ENTRIES SUBSTITUTED OR INSERTED IN SCHEDULE 2 TO THE PRINCIPAL REGULATIONS

<i>Group to include which food products belong to</i>	<i>Group</i>	<i>Substance</i>	<i>Application</i>	<i>From</i>	<i>To</i>	<i>Residue</i>	<i>Application</i>	<i>From</i>	<i>To</i>	<i>Residue</i>
Fruit	0.02	Carbendazim	Applying	from	16	methyl	Applying	from	28	methyl
Fruit	0.5	cyhalothrin	Applying	from	16	methyl	Applying	from	28	methyl
Fruit	0.1	fenprophamid	Applying	from	16	methyl	Applying	from	21	methyl
Fruit	0.05	sulfoxaflor	Applying	from	16	methyl	Applying	from	21	methyl
Fruit	0.05	spiromesifen	Applying	from	16	methyl	Applying	from	21	methyl
Fruit	0.5	methidathion	Applying	from	16	methyl	Applying	from	21	methyl
Fruit	1	methidathion	Applying	from	16	methyl	Applying	from	21	methyl
Fruit	0.01	chlorpyrifos	Applying	from	16	methyl	Applying	from	21	methyl
Fruit	0.05	imidacloprid	Applying	from	16	methyl	Applying	from	21	methyl
Fruit	0.05*	imidacloprid	Applying	from	16	methyl	Applying	from	21	methyl
Fruit	0.05*	imidacloprid	Applying	from	16	methyl	Applying	from	21	methyl
Fruit	0.01	imidacloprid	Applying	from	16	methyl	Applying	from	21	methyl
Fruit	0.3	imidacloprid	Applying	from	16	methyl	Applying	from	21	methyl
Fruit	0.02	imidacloprid	Applying	from	16	methyl	Applying	from	21	methyl
Fruit	0.01*	imidacloprid	Applying	from	16	methyl	Applying	from	21	methyl

**1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS**

(i) CITRUS FRUIT

Group	0.02	0.5	0.1	0.01	0.1	0.05	0.05	0.5	1	0.01	0.05	0.05*	0.05*	0.01	0.3	0.02	0.01*
-------	------	-----	-----	------	-----	------	------	-----	---	------	------	-------	-------	------	-----	------	-------

Group to include which food products belong	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Application from					
																											16	21				
Lemons	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Limes	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Mandarins (inc clementines & similar hybrids)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Oranges	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Pomegranates	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Others	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
(ii) TREE NUTS (Shelled or Unshelled)																																
Almonds	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Brazil nuts	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Cashew nuts	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Chestnuts	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Cocoanuts	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Hazelnuts	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Macadamia nuts	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Pecans	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Pine nuts	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Pistachios	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Walnuts	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Others	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
(iii) POME FRUIT																																
Apples	0.1	0.2	0.3	0.1	0.1	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.1
Pears	0.1	0.2	0.3	0.1	0.1	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.1
Quinces	0.1	0.2	0.3	0.1	0.1	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.1
Others	0.1	0.2	0.3	0.1	0.1	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.1
(iv) STONE FRUIT																																

Status: This is the original version (as it was originally made).

Group to include which the food belongs to	Acetamiprid	Chlorpyrifos	Diflubenzuron	Imidacloprid	Thiacloprid	Spinosad	Permethrin	Methidathion	Malathion	Methidathion	Malathion	Spinosad	Permethrin	Chlorpyrifos	Imidacloprid	Thiacloprid	Spinosad	Permethrin	Chlorpyrifos	Imidacloprid	Thiacloprid	Spinosad	Permethrin	
	0.01	0.02	0.2	0.01	0.2	0.05	0.05	0.2	0.02	0.01	0.05	0.1	0.05*	0.01	0.05	0.3	0.01	0.05	0.1	0.05*	0.01	0.05	0.3	0.01*
	0.01	0.02	0.5	0.2	0.01	0.1	0.05	0.05	0.1	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.3	0.01*	0.01	0.02	0.3	0.01*	0.01	0.01*
	0.01	0.02	0.2	0.2	0.01	0.2	0.05	0.05	0.2	0.3	0.01	0.05	0.1	0.05*	0.01	0.05	0.3	0.01*	0.01	0.05	0.3	0.01*	0.01	0.01*
	0.01	0.02	0.5	0.2	0.01	0.1	0.05	0.05	0.5	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.1	0.01*	0.01	0.02	0.1	0.01*	0.01	0.01*
	0.01	0.01	0.02	0.1*0.2	0.01	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*	0.01	0.02	0.02	0.01*	0.01	0.01*
<b>(v) BERRIES AND SMALL FRUIT</b>																								
<b>(a) (a) Table &amp; wine grapes</b>																								
Table grapes	0.01	0.01	0.02	0.3	0.2	0.01	0.2	0.05	0.05	0.05†	0.01	0.05	0.2	0.05*	0.01	0.02	0.02	0.01*	0.01	0.02	0.02	0.01*	0.01	0.01*
Wine grapes	0.01	0.01	0.02	0.5	0.2	0.01	0.2	0.05	0.05†	1	0.01	0.05	0.2	0.05*	0.01	0.02	0.02	0.01*	0.01	0.02	0.02	0.01*	0.01	0.01*
Strawberries (other than wild)	0.01	0.01	0.02	0.1*0.5	0.01	0.5	0.05	0.05	0.05	0.02	0.01	0.05	0.05	0.5	0.1	0.01	0.5	0.5	0.01*	0.01	0.5	0.5	0.01*	0.01*
<b>(c) (c) Cane fruit (other than wild)</b>																								
Blackberries	0.01	0.02	0.1*0.3	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.3	1	0.01*	0.01	0.02	0.02	0.01*	0.01	0.01*
Dewberries	0.01	0.02	0.1*0.5	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	†	0.01*	0.01	0.02	†	0.01*	0.01	0.01*
Loganberries	0.01	0.02	0.1*0.5	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	†	0.01*	0.01	0.02	†	0.01*	0.01	0.01*
Raspberries	0.01	0.02	0.1*0.3	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.3	1	0.01*	0.01	0.02	†	0.01*	0.01	0.01*
Others	0.01	0.01	0.02	0.1*0.5	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	†	0.01*	0.01	0.02	†	0.01*	0.01	0.01*
<b>(d) (d) Other small fruit &amp; berries (other than wild)</b>																								
Bilberries	0.01	0.02	0.1*0.5	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	†	0.01*	0.01	0.02	†	0.01*	0.01	0.01*
Cranberries	0.01	0.02	0.1*0.5	0.01	0.02	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	†	0.01*	0.01	0.02	†	0.01*	0.01	0.01*
Currants (red, black & white)	0.01	0.01	0.02	0.1*0.5	0.01	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.5*	0.05*	0.01	0.1	1	0.01*	0.01	0.01	1	0.01*	0.01	0.01*
Gooseberries	0.01	0.02	0.1*0.5	0.01	0.1	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	†	0.01*	0.01	0.02	†	0.01*	0.01	0.01*
Others	0.01	0.01	0.02	0.1*0.5	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	†	0.01*	0.01	0.02	†	0.01*	0.01	0.01*

Group to include which food belongs	Acetamiprid	Chlorpyrifos	Carbendazim	Bifenthrin	Imidacloprid	Thiacloprid	Spinosad	Sulfoxaflor	Fipronil	Chlorantraniliprole	Methidathion	Malathion	Metolachlor	Permethrin	Phosalone	Phosphamidon	Phosmet	Phthalophos	Triazophos	Triphenylethylene	Imidacloprid methyl
	Applying from 16 August 2002	Applying from 28 August 2002	Applying from 16 August 2002	Applying from 21 August 2002	Applying from 16 August 2002	Applying from 21 August 2002	Applying from 16 August 2002	Applying from 21 August 2002	Applying from 16 August 2002	Applying from 21 August 2002	Applying from 16 August 2002	Applying from 21 August 2002	Applying from 16 August 2002	Applying from 21 August 2002	Applying from 16 August 2002	Applying from 21 August 2002	Applying from 16 August 2002	Applying from 21 August 2002	Applying from 16 August 2002	Applying from 21 August 2002	Applying from 16 August 2002

Other berries & wild fruit	0.01	0.02	0.1	0.05	0.01	0.2	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*			
----------------------------	------	------	-----	------	------	-----	------	------	------	------	------	------	-------	-------	------	------	------	-------	--	--	--

(vi) MISCELLANEOUS FRUIT

Avo-cad	0.01	0.02	0.1	0.05	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*			
Bananas	0.01	0.02	0.1	0.1	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*			
Dates	0.01	0.01	0.02	0.1	0.05	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*		
Figs	0.01	0.01	0.02	0.1	0.05	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*		
Kiwifruit	0.01	0.01	0.02	0.1	0.05	0.01	0.02	0.05	0.05	0.05†	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*			
Kumquats	0.01	0.02	0.1	0.05	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*			
Litchis	0.01	0.01	0.02	0.1	0.05	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*		
Mangoes	0.01	0.02	0.1	0.3	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*			
Olive (Table Consumption)	0.01	0.01	0.02	0.1	0.05	0.01	0.5	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*		
Olive (Oil Extract)	0.01	0.01	0.02	0.1	0.05	0.01	0.5	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*		
Papaya	0.5	0.01	0.02	0.2	0.5	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*		
Passiflora fruit	0.01	0.01	0.02	0.1	0.05	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*		
Pineapples	0.01	0.02	0.1	0.05	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*			
Pomegranates	0.01	0.02	0.1	0.05	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*			
Others	0.01	0.01	0.02	0.1	0.05	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*		

2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY

(i) ROOT AND TUBER VEGETABLES

Beetroot	0.01	0.01	0.02	0.1	0.05	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.1	0.01	0.02	0.02	0.01*		
Carrrots	0.01	0.01	0.02	0.1	0.05	0.01	0.02	0.2	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*		
Cassava	0.01	0.01	0.02	0.1	0.05	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*		
Celery	0.01	0.01	0.02	0.1	0.05	0.01	0.1	0.5	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*		
Horse radish	0.01	0.01	0.02	0.1	0.05	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*		

Status: This is the original version (as it was originally made).

Group to include which food belongs	Subgroup	Acetaminophen	Aluminum	Aspartame	Benzocaine	Butylparaben	Calcium	Chlorophyll	Chromium	Codeine	Fluoride	Formaldehyde	Hydroquinone	Hydroxyacetone	Iron	Lead	Methylparaben	Nitrosamine	Propylparaben	Sulfonamide	Titanium	Vanillin	Zinc
		0.010	0.020	0.050	0.100	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
		1	1	1	1	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		0.010	0.020	0.050	0.100	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
		1	1	1	1	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		0.010	0.020	0.050	0.100	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
		1	1	1	1	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		0.010	0.020	0.050	0.100	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
		1	1	1	1	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		0.010	0.020	0.050	0.100	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
		1	1	1	1	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Jerusalem artichokes		0.010	0.020	0.050	0.100	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
Parsnips		0.010	0.020	0.050	0.100	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
Parsley root		0.010	0.020	0.050	0.100	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
Radishes		0.010	0.020	0.050	0.100	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
Salsify		0.010	0.020	0.050	0.100	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
Sweet potatoes		0.010	0.020	0.050	0.100	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
Swedes		0.010	0.020	0.050	0.100	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
Turnips		0.010	0.020	0.050	0.100	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
Yam		0.010	0.020	0.050	0.100	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
Others		0.010	0.020	0.050	0.100	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
(ii) BULB VEGETABLES																							
Garlic		0.010	0.050	0.100	0.050	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
Onions		0.010	0.050	0.100	0.050	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
Shallots		0.010	0.050	0.100	0.050	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
Spring onions		0.010	0.050	0.100	0.050	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
Others		0.010	0.050	0.100	0.050	0.200	0.500	0.500	0.500	0.200	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
(iii) FRUITING VEGETABLES																							
(a) Solanacea																							
Tomatoes		0.020	0.5	0.2	0.010	0.1	0.050	0.050	0.2	2	0.010	0.050	0.1	0.05*	0.010	0.5	0.5	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*
Peppers		0.050	0.3	0.020	0.1	0.2	0.010	0.1	0.050	0.050	0.2	1	0.010	0.050	0.2	0.05*	0.01*	1	0.01*	0.01*	0.01*	0.01*	0.01*
Chilli Peppers		0.050	0.3	0.020	0.1	0.2	0.010	0.1	0.050	0.050	0.2	1	0.010	0.050	0.2	0.05*	0.01*	1	0.01*	0.01*	0.01*	0.01*	0.01*
Aubergines		0.020	0.5	0.2	0.010	0.5	0.050	0.050	0.2	0.5	0.010	0.050	0.1	0.05*	0.010	0.5	0.5	0.01*	0.01*	0.01*	0.01*	0.01*	0.01*
Okra		0.010	0.010	0.020	0.2	0.010	0.020	0.050	0.050	0.050	0.020	0.010	0.050	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
Others		0.010	0.020	0.1	0.2	0.010	0.020	0.050	0.050	0.050	0.020	0.010	0.050	0.05*	0.010	0.020	0.020	0.010	0.020	0.020	0.010	0.020	0.010
(b) Cucurbits-edible peel																							
Cucumbers		0.020	0.3	0.020	0.1	0.1	0.010	0.1	0.050	0.050	0.050	0.020	0.010	0.050	0.1	0.05*	0.010	0.5	0.3	0.01*	0.01*	0.01*	0.01*
Gherkins		0.020	0.3	0.020	0.1	0.1	0.010	0.1	0.050	0.050	0.050	0.020	0.010	0.050	0.1	0.05*	0.010	0.5	0.3	0.01*	0.01*	0.01*	0.01*
Courgettes		0.020	0.3	0.020	0.1	0.1	0.010	0.1	0.050	0.050	0.050	0.020	0.010	0.050	0.1	0.05*	0.010	0.5	0.3	0.01*	0.01*	0.01*	0.01*



Group to include which food products belong to	Acetamiprid	Chlorpyrifos	Diflubenzuron	Imidacloprid	Thiamethoxam	Sulfentrazone	Flufenoxuron	Metolachlor	Methidathion	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	Metolachlor	
	Application from 16 August 2007	Application from 28 August 2007	Application from 16 August 2007	Application from 21 August 2007	Application from 16 August 2008	Application from 21 August 2008	Application from 16 August 2008	Application from 21 August 2008	Application from 16 August 2008	Application from 21 August 2008	Application from 16 August 2008	Application from 21 August 2008	Application from 16 August 2008	Application from 21 August 2008	Application from 16 August 2008	Application from 21 August 2008	Application from 16 August 2008	Application from 21 August 2008	Application from 16 August 2008	Application from 21 August 2008	Application from 16 August 2008	Application from 21 August 2008	Application from 16 August 2008	Application from 21 August 2008	Application from 16 August 2008	Application from 21 August 2008	
Other (c) Cucurbits-inedible peel	0.2	0.3	0.02	0.1*	0.1	0.1	0.1	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.1	0.05*	0.01	0.5	0.3	0.01*							
Melon	0.1	0.1	0.02	0.1*	0.05	0.01	0.05	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.1	0.05*	0.01	0.2	0.2	0.01*							
Squash	0.1	0.1	0.02	0.1*	0.05	0.01	0.05	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.1	0.05*	0.01	0.2	0.02	0.01*							
Watermelon	0.1	0.1	0.02	0.1*	0.05	0.01	0.05	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.1	0.05*	0.01	0.2	0.2	0.01*							
Other (c) corn	0.1	0.1	0.02	0.1*	0.05	0.01	0.05	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.1	0.05*	0.01	0.2	0.02	0.01*							
(iv) BRASSICA VEGETABLES																											
(a) Flowering Brassicas																											
Broccoli	0.1	0.1	0.02	0.1*	0.2	0.01	0.1	0.05	0.05	0.2	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*								
Cauliflower	0.1	0.1	0.02	0.1*	0.2	0.01	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*								
Other (a)	0.1	0.1	0.02	0.1*	0.2	0.01	0.1	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*								
(b) Head Brassicas																											
Brussels sprouts	0.1	0.1	0.02	0.5	1	0.01	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*								
Head cabbage	0.1	0.1	0.02	0.1*	1	0.01	0.2	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.05	0.02	0.01*								
Other (b)	0.1	0.1	0.02	0.1*	1	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.02	0.01*								
(c) Leafy Brassicas																											
Chinese cabbage	0.1	0.1	0.02	0.1*	0.05	0.1	†	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.2	0.02	0.01*								
Kale	0.1	0.1	0.02	0.1*	0.05	0.1	†	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.2	0.02	0.01*								
Other (c)	0.1	0.1	0.02	0.1*	0.05	0.1	†	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.2	0.02	0.01*								
(v) LEAF VEGETABLES AND FRESH HERBS																											
(a) Lettuce & similar																											
Cress	0.1	0.1	0.02	0.1*	2	0.01	†	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	2	2	0.01*								
Lambs lettuce	0.1	0.1	0.02	0.1*	2	0.01	†	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	2	2	0.01*								
Lettuce	0.1	0.1	0.02	0.1*	2	0.01	†	0.05	0.05	0.3	0.02	0.01	0.05	0.05*	0.05*	0.01	2	2	0.01*								
Scarola	0.1	0.1	0.02	0.1*	2	0.01	†	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	2	2	0.01*								
Rucola	0.1	0.1	0.02	0.1*	2	0.01	†	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	2	2	0.01*								

Status: This is the original version (as it was originally made).

Group to include which food products	Azoxystrobin	Acetamiprid	Azinphosmethyl	Chlorpyrifos	Carbendazim	Chlorpyrifos	Fludioxonil	Imidacloprid	Methidathion	Metolachlor	Methylmercaptopyrophosphate	Phosphamidon	Pyraclostrobin	Pyrimethanil	Propiconazole	Spinosad	Thiophan-methyl	Triazophos	
	0.01	0.02	0.1*	0.02	0.01	0.02	0.01	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	2	0.01*	
Leaves and stems of brassica, including turnip greens																			
Others (b) Spinach & similar	0.01	0.02	0.1*	0.02	0.01	0.02	0.01	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	2	0.01*	
Spinach	0.01	0.02	0.1*	0.05	0.01	0.05	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.05	0.01	0.02	0.02	0.01*
Beet leaves (chard)	0.01	0.01	0.02	0.1*	0.05	0.01	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.05	0.01	0.02	0.02	0.01*
Others (c) Watercress	0.01	0.01	0.02	0.05	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.05	0.01	0.02	0.02	0.01*
Others (d) Watercress	0.01	0.01	0.02	0.05	0.01	0.02	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.05	0.01	0.02	0.02	0.01*
Others (e) Herbs																			
Chervil	0.01	0.02	0.1*	0.05	0.01	1	0.05	0.3	0.02	0.01	0.05	0.05*	0.05*	0.05*	7	0.01	3	0.01*	
Chives	0.01	0.02	0.1*	0.05	0.01	1	0.05	0.3	0.02	0.01	0.05	0.05*	0.05*	0.05*	7	0.01	3	0.01*	
Parsley	0.01	0.02	0.1*	0.05	0.01	1	0.05	0.3	0.02	0.01	0.05	0.05*	0.05*	0.05*	7	0.01	3	0.01*	
Celery leaves	0.01	0.02	0.1*	0.05	0.01	1	0.05	0.3	0.02	0.01	0.05	0.05*	0.05*	0.05*	7	0.01	3	0.01*	
Others	0.01	0.02	0.1*	0.05	0.01	1	0.05	0.3	0.02	0.01	0.05	0.05*	0.05*	0.05*	7	0.01	3	0.01*	
(vi) LEGUME VEGETABLES (Fresh)																			
Beans (with pods)	0.01	0.01	0.02	0.2	0.5	0.01	0.2	0.05	0.05	0.05	0.2	0.01	0.05	0.05*	0.05*	0.01	1	0.01*	
Beans (without pods)	0.01	0.01	0.02	0.1*	0.05	0.01	0.02	0.1	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.01*	
Peas (with pods)	0.01	0.01	0.02	0.2	0.1	0.01	0.2	0.05	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.01*	
Peas (without pods)	0.01	0.01	0.02	0.1*	0.05	0.01	0.2	0.1	0.05	0.05	0.02	0.01	0.05	0.05*	0.05*	0.01	0.02	0.01*	

Group to include which the food belongs to	Acefta	Azinphos	Carbendazim	Bifenthrin	Imidacloprid	Methidathion	Chlorpyrifos	Malathion	Permethrin	Propoxur	Spinosad	Thiamethoxam	Triazophos	Flutriafol	Propiconazole	Methyl			
Others	0.010	0.010	0.020	0.1*	0.050	0.010	0.020	0.050	0.050	0.050	0.020	0.010	0.050	0.05*	0.05*	0.01†	0.020	0.01*	
<b>(vii) STEM VEGETABLES</b>																			
Asparagus	0.010	0.010	0.020	0.1*	0.050	0.010	0.020	0.050	0.050	0.050	0.020	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.01*
Cardoon	0.010	0.010	0.020	0.1*	0.050	0.010	0.020	0.050	0.050	0.050	0.020	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.01*
Celery	0.010	0.010	0.020	0.1*	0.050	0.010	0.3	0.1	0.050	0.050	0.020	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.01*
Fennel	0.010	0.010	0.020	0.1*	0.050	0.010	0.3	0.1	0.050	0.050	0.020	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.01*
Globe artichokes	0.010	0.010	0.020	0.1*	0.050	0.010	0.020	0.050	0.050	0.050	0.020	0.010	0.050	0.2	0.2	0.010	0.020	0.020	0.01*
Leek	0.010	0.010	0.020	0.1*	0.050	0.010	0.3	0.050	0.050	0.050	0.020	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.01*
Rhubarb	0.010	0.010	0.020	0.1*	0.050	0.010	0.020	0.050	0.050	0.050	0.020	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.01*
Others	0.010	0.010	0.020	0.1*	0.050	0.010	0.020	0.050	0.050	0.050	0.020	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.01*
<b>(viii) FUNGI</b>																			
Cultivated mushrooms	0.010	0.010	0.020	0.1*	0.050	0.010	0.020	0.050	0.050	0.050	0.020	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.01*
Wild mushrooms	0.010	0.010	0.020	0.1*	0.050	0.010	0.5	0.050	0.050	0.050	0.020	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.01*
<b>3. PULSES</b>																			
Beans	0.010	0.010	0.020	0.1*	0.050	0.010	0.020	0.050	0.050	0.050	0.020	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.01*
Lentils	0.010	0.010	0.020	0.1*	0.050	0.010	0.020	0.050	0.050	0.050	0.020	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.01*
Peas	0.010	0.010	0.020	0.1*	0.050	0.010	0.020	0.050	0.050	0.050	0.020	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.01*
Lupins	0.010	0.010	0.020	0.1*	0.050	0.010	0.020	0.050	0.050	0.050	0.020	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.01*
Others	0.010	0.010	0.020	0.1*	0.050	0.010	0.020	0.050	0.050	0.050	0.020	0.010	0.050	0.05*	0.05*	0.010	0.020	0.020	0.01*
<b>4. OILSEEDS</b>																			
Linseed	0.020	0.010	0.050	0.1*0.1*	0.010	0.020	0.1*0.1*	0.050	0.050	0.010	0.1*0.05*	0.1*	0.010	0.020	0.050	0.01*			
Peanut	0.020	0.010	0.050	0.1*0.1*	0.010	0.020	0.1*0.1*	0.050	0.010	0.1*0.05*	0.1*	0.010	0.020	0.050	0.01*				
Poppy seed	0.020	0.010	0.050	0.1*0.1*	0.010	0.020	0.1*0.1*	0.050	0.050	0.010	0.1*0.05*	0.1*	0.010	0.020	0.050	0.01*			
Sesame seed	0.020	0.010	0.050	0.1*0.1*	0.010	0.020	0.1*0.1*	0.050	0.050	0.010	0.1*0.05*	0.1*	0.010	0.020	0.050	0.01*			
Sunflower seed (with shell)	0.020	0.010	0.050	0.1*0.1*	0.010	0.020	0.1*0.1*	0.050	0.050	0.010	0.1*0.05*	0.1*	0.010	0.020	0.050	0.01*			

Status: This is the original version (as it was originally made).

Group to include which food products belong to	Azet	Carbendazim	Cyhalothrin	Imazalil	Methidathion	Triadimenol	Triadimenol	Methidathion	Imazalil	Triadimenol	Triadimenol	Triadimenol	Triadimenol	Triadimenol	Triadimenol	Triadimenol	Triadimenol	Triadimenol	Triadimenol	
	16	28	16	21	August	August	August	January	200	200	200	200	200	200	200	200	200	200	200	
	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	
Rape seed	0.020	0.010	0.050	1*0.1	0.010	0.020	1*0.1	0.050	0.050	0.010	1*0.05*	0.1*	0.010	0.020	0.3	0.01*				
Soya bean	0.020	0.010	0.050	2 0.1	0.010	0.020	1*0.1	0.050	0.050	0.010	1*0.05*	0.1*	0.010	0.020	0.050	0.01*				
Mustard seed	0.020	0.010	0.050	1*0.1	0.010	0.020	1*0.1	0.050	0.050	0.010	1*0.05*	0.1*	0.010	0.020	0.050	0.01*				
Cotton seed	0.020	0.020	0.050	1*0.1	0.010	0.020	1*0.1	0.050	0.050	0.010	1*0.05*	0.1*	0.010	0.050	0.050	0.01*				
Hemp seed	0.020	0.010	0.050	1*0.1	0.010	0.020	1*0.1	0.050	0.050	0.010	1*0.05*	0.1*	0.010	0.020	0.050	0.01*				
Others	0.020	0.010	0.050	1*0.1	0.010	0.020	1*0.1	0.050	0.050	0.010	1*0.05*	0.1*	0.010	0.020	0.050	0.01*				
<b>5. POTATOES</b>																				
Early potatoes	0.010	0.010	0.020	1*0.050	0.010	0.020	0.050	0.050	0.050	0.020	0.010	0.050	0.05	0.05*	0.010	0.020	0.020	0.01*		
Ware potatoes	0.010	0.010	0.020	1*0.050	0.010	0.020	0.050	0.050	0.050	0.020	0.010	0.050	0.05	0.05*	0.010	0.020	0.020	0.01*		
<b>6. TEA</b>																				
(dried leaves & stalks, fermented or otherwise, Camellia sinensis)	0.020	1*0.050	1*5	0.02*	1	0.1*0.1	0.1*0.050	0.020	1*0.1*	0.1*	0.020	1*0.050	0.02*							
<b>7. HOPS (Dried)</b>																				
including hop pellets & unconcentrated powder	0.050	1*0.050	1*10	0.02*	10	0.1*0.1	1*10	0.050	0.020	1*0.5	0.1*	0.02*	5	0.050	0.02*					
<b>8. CEREALS</b>																				
Wheat	0.010	0.010	0.050	1 0.5	0.010	0.020	0.050	0.050	0.050	0.010	0.050	0.05*	0.050	0.010	0.020	0.020	0.01*			
Rye	0.010	0.010	0.050	1 0.050	0.010	0.020	0.050	0.050	0.050	0.010	0.050	0.05*	0.050	0.010	0.020	0.020	0.01*			
Barley	0.010	0.010	0.050	2 0.5	0.010	0.050	0.050	0.050	0.050	0.010	0.050	0.05*	0.050	0.010	0.020	0.020	0.01*			
Sorghum	0.010	0.010	0.050	0.010	0.050	0.010	0.020	0.050	0.050	0.050	0.010	0.050	0.05*	0.050	0.010	0.020	0.020	0.01*		



**Status:** This is the original version (as it was originally made).

Group to include which food belongs	Aceftalip	Carbendazim	Cyhalothrin	Imidacloprid	Thiophanate-methyl	Chlorpyrifos	Permethrin	Spinosad	Chlorpyrifos	Imidacloprid	Thiophanate-methyl
						Applying from 16 August 2002	Applying from 28 August 2002	Applying from 16 August 2002	Applying from 21 August 2002		

Spices

—  
others

**UNITS:**  
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**  
\* Level at or about the limit of determination.

**FOOTNOTES:**

- a Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- b Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- c These levels are for fresh raw cow’s milk and fresh whole cream cow’s milk expressed on the whole milk.
- d For preserved, concentrated or sweetened cow’s milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow’s milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- e Bird’s eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- f Scarole includes broad-leaf endive.
- g All other meat, edible offal, fat and preparations of meat and edible offal.
- h All meat.
- i All liver and kidney.
- j Liver of bovine animals.
- k Broccoli includes calabrese.
- l Meat of poultry.
- m Fat of bovine animals.
- n Except poultry.
- o All kidney.
- p All liver.
- q The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.
- r All fat.

---

## EXPLANATORY NOTE

*(This note is not part of the Regulations)*

These Regulations, which are made under section 2(2) of the European Communities Act 1972, amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2005 (“the principal Regulations”).

These Regulations implement in part Commission Directive [2007/7/EC](#) (O.J. No. L 43, 15.02.07, p.19) and implement Commission Directives [2007/8/EC](#) (O.J. No. L 63, 01.03.07, p.9), [2007/9/EC](#) (O.J. No. L 63, 01.03.07, p.17), [2007/11/EC](#) (O.J. No. L 63, O.J. 01.03.07, p.26) and [2007/12/EC](#) (O.J. No. L 59, 27.02.07, p.75).

The Regulations come into force, in stages, on 16th August, 28th August 2007, 2nd September 2007 and 21st January 2008.

The Regulations substitute or insert—

- (a) new residue definitions for the pesticides Acetamiprid, Imazosulfuron, Methoxyfenozide, Mevinphos, Milbemectin, Phenmedipham, S-metholachlor, Thiacloprid and Tribenuron-methyl in Schedule 1 to the principal Regulations which identifies the pesticide residues that are taken into account in the measuring of residue levels for each pesticide; and
- (b) new maximum residue levels for the pesticides Abamectin, Acetamiprid, Aldicarb, Benomyl and carbendazim, Bifenthrin, Imazosulfuron, Lambda-cyhalothrin, Linuron, Methomyl thiodicarb, Methoxyfenozide, Mevinphos, Milbemectin, Penconazole, Phenmedipham, Phosphamidon, Pymetrozine, S-metholachlor, Thiacloprid and Tribenuron-methyl in Schedule 2 to the principal Regulations.

A Regulatory Impact Assessment (“RIA”) was prepared in respect of the principal Regulations which provides a basis for establishing the impact of amendments to those Regulations. Copies of the RIA can be obtained from the Scottish Executive Rural Directorate, Area 1 B, Pentland House, 47 Robb’s Loan, Edinburgh, EH14 1TY. Copies have been placed in the Scottish Parliament Information Centre.