

---

SCOTTISH STATUTORY INSTRUMENTS

---

**2007 No. 481**

**AGRICULTURE  
PESTICIDES**

**The Pesticides (Maximum Residue Levels in  
Crops, Food and Feeding Stuff) (Scotland)  
Amendment (No. 3) Regulations 2007**

*Made - - - - 24th October 2007  
Laid before the Scottish  
Parliament - - - - 26th October 2007  
Coming into force in accordance with regulation 1(2)  
to (4)*

The Scottish Ministers make the following Regulations in exercise of the powers conferred by section 2(2) of the European Communities Act 1972<sup>(1)</sup> and all other powers enabling them to do so.

**Citation and commencement**

**1.**—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Amendment (No. 3) Regulations 2007.

(2) Subject to paragraphs (3) and (4), these Regulations come into force on 17th November 2007.

(3) Regulation 4 comes into force on 27th November 2007.

(4) Regulation 5 comes into force on 28th December 2007.

**Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2005**

**2.** The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2005<sup>(2)</sup> are amended in accordance with regulations 3 to 5.

---

(1) 1972 c. 68. Section 2(2) was amended by the Scotland Act 1998 (c. 46), Schedule 8, paragraph 15(3) and the Legislative and Regulatory Reform Act 2006 (c. 51), section 27(1)(a). The function conferred upon the Minister of the Crown under section 2(2), insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.

(2) S.S.I.2005/599 as amended by S.S.I. 2006/151, 312, 548 and S.S.I. 2007/142 and 306.

**Amendments coming into force on 17th November 2007**

3.—(1) In Regulation 2(1) (interpretation), for the definition of “the Residues Directives” substitute—

““the Residues Directives” means Council Directive [76/895/EEC](#)(3), Council Directive [86/362/EEC](#)(4), Council Directive [86/363](#)(5) and Council Directive [90/642/EEC](#)(6).”.

(2) In Schedule 1 (pesticide residues), in the appropriate place in the alphabetical sequence, insert the entries for the pesticides 1–methylcyclopropene, Etoxazole, Indoxacarb, MCPA and MCPB, Mesosulfuron-methyl, Tolyfluanid and Triticonazole set out in Schedule 1 to these Regulations.

(3) In Schedule 2 (maximum residue levels)—

- (a) in the appropriate place in the alphabetical sequence, insert the entries for the pesticides 1 methylcyclopropene, Etoxazole, Indoxacarb, MCPA and MCPB, Mesosulfuron-methyl, Tolyfluanid and Triticonazole set out in Schedule 2 to these Regulations;
- (b) at the end, insert as footnotes 50, 51 and 52, the footnotes numbered (50), (51) and (52) set out at the end of Schedule 2 to these Regulations; and
- (c) for the entries in the column for the pesticide Penconazole, substitute the entries in the column for that pesticide set out in Schedule 2 to these Regulations.

(4) In Schedule 3, in paragraph 2(v)(a) (lettuce and similar) in column 2, after “leaves and stems of brassica” insert “, including turnip greens”.

**Amendments coming into force on 27th November 2007**

4.—(1) In Schedule 1 (pesticide residues), for the entry for the pesticide Maleic hydrazide, substitute the entry for Maleic hydrazide set out in Schedule 1 to these Regulations.

(2) In Schedule 2 (maximum residue levels)—

- (a) for the entries for Maleic hydrazide (until 4th December 2006) and Maleic hydrazide (from 4th December 2006), substitute the entry for Maleic hydrazide set out in Schedule 2 to these Regulations; and
- (b) for the entries in the columns relating to the pesticides Azoxystrobin, Chlorfenapyr, Folpet, Iprodione, Lambda cyhalothrin, Metalaxyl and Trifloxystrobin, substitute the entries in the columns for those pesticides set out in Schedule 2 to these Regulations.

**Amendment coming into force on 28th December 2007**

5. In Schedule 2 (maximum residue levels), for the entries in the column relating to the pesticide Diazinon, substitute the entries in the column for that pesticide set out in Schedule 2 to these Regulations.

---

(3) O.J. No. L 340, 9.12.1976, p.26 as last relevantly amended by Commission Directive [2007/8/EC](#) (O.J. No. L 63, 1.3.2007, p.9).

(4) O.J. No. L 221, 7.8.1986, p.37, as last relevantly amended by Commission Directive [2007/27/EC](#) (O.J. No. L 128, 16.5.2007, p.31).

(5) O.J. No. L 221, 7.8.1986, p.43 as last relevantly amended by Commission Directive [2007/28/EC](#) (O.J. No. L 135, 26.5.2007, p.6).

(6) O.J. No. L 350, 14.12.1990, p.17, as last relevantly amended by Commission Directive [2007/39/EC](#) (O.J. L 165, 27.6.2007, p.25).

St Andrew's House,  
Edinburgh  
24th October 2007

*RICHARD LOCHHEAD*  
A member of the Scottish Executive

**Status:** This is the original version (as it was originally made).

SCHEDULE 1

Regulations 3 and 4

ENTRIES INSERTED OR SUBSTITUTED IN SCHEDULE 1

<i>Column 1 Pesticide</i>	<i>Column 2 Residue</i>
1-methylcyclopropene	1-methylcyclopropene
Ettoxazole	Ettoxazole
Indoxacarb	Indoxacarb as sum of the isomers S and R
Maleic hydrazide	(1) for products of plant origin and foodstuffs of animal origin other than milk and milk products: maleic hydrazide (2) for milk and milk products: maleic hydrazide and its conjugates expressed as maleic hydrazide
MCPA and MCPB	(1) for products of plant origin: MCPA, MCPB including their salts, esters and conjugates expressed as MCPA (2) for foodstuffs of animal origin: MCPA, MCPB and MCPA thioethyl expressed as MCPA
Mesosulfuron-methyl	Mesosulfuron methyl expressed as mesosulfuron
Tolyfluanid	(1) for products of plant origin: sum of tolylfluanid and dimethylaminosulfotoluidide expressed as tolylfluanid (2) for foodstuffs of animal origin: Tolyfluanid analysed as dimethylaminosulfotoluidide and expressed as tolylfluanid
Triticonazole	Triticonazole

SCHEDULE 2

Regulations 3, 4 and 5

ENTRIES SUBSTITUTED OR INSERTED IN SCHEDULE 2

<i>Groups to include which the food following belongs</i>	<i>Groups Azoxystrobin, Diniconazole, Etoxazole, Indoxacarb, Propiconazole, Cyhalothrin, Methidathion, MCPA, Mesosulfuron-methyl, Fenprophosphor, Tolyfluanid, Triticonazole</i>
	<i>Methylcyclopropene, Maleic hydrazide, MCPB</i>

1.

**FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS**

**i) CITRUS FRUIT**

Group to which the food belongs	Azoxystrobin	Chlorpyrifos	Dinotefuran	Imidacloprid	Spinosad	Permethrin	Lambda-cyhalothrin	MCPB	Mesomethylnitrofen	Metolachlor	Indoxacarb	Fluopyram	Thiophan-methyl	Isoprothiolane	Bioinsecticide
Grapefruit	0.05*0.01*0.1	0.02*0.02*0.1	0.02*0.02*0.1	0.2*	0.05*0.01*0.5	0.05*0.05*0.3	0.01*								
Lemon	0.05*0.01*0.1	0.02*0.02*0.1	0.02*0.02*0.1	0.2	0.2*	0.05*0.01*0.5	0.05*0.05*0.3	0.01*							
Lime	0.05*0.01*0.1	0.02*0.02*0.1	0.02*0.02*0.1	0.2	0.2*	0.05*0.01*0.5	0.05*0.05*0.3	0.01*							
Mandarin (inc clementines & similar hybrids)	0.05*0.01*0.1	0.02*0.02*0.1	0.02*0.02*0.1	0.2	0.2*	0.05*0.01*0.5	0.05*0.05*0.3	0.01*							
Orange	0.05*0.01*0.1	0.02*0.02*0.1	0.02*0.02*0.1	0.2*	0.05*0.01*0.5	0.05*0.05*0.3	0.01*								
Pomegranate	0.05*0.01*0.1	0.02*0.02*0.1	0.02*0.02*0.1	0.2*	0.05*0.01*0.5	0.05*0.05*0.3	0.01*								
Other	0.05*0.01*0.1	0.02*0.02*0.1	0.02*0.02*0.1	0.2*	0.05*0.01*0.5	0.05*0.05*0.3	0.01*								
<b>ii) TREE NUTS (shelled or unshelled)</b>															
Almonds	0.05*0.05	0.02*0.02*0.05	0.02*0.05*0.2*	0.05*0.01*0.05*0.05*0.02*0.01*											
Brazil nuts	0.05*0.01*0.02*0.02*0.05	0.02*0.05*0.2*	0.05*0.01*0.05*0.05*0.05*0.02*0.01*												
Cashew nuts	0.05*0.01*0.02*0.02*0.05	0.02*0.05*0.2*	0.05*0.01*0.05*0.05*0.05*0.02*0.01*												
Chestnuts	0.05*0.01*0.02*0.02*0.05	0.02*0.05*0.2*	0.05*0.01*0.05*0.05*0.05*0.02*0.01*												
Cocanuts	0.05*0.01*0.02*0.02*0.05	0.02*0.05*0.2*	0.05*0.01*0.05*0.05*0.05*0.02*0.01*												
Hazelnuts	0.05*0.01*0.02*0.02*0.05	0.2	0.05*0.2*	0.05*0.01*0.05*0.05*0.05*0.02*0.01*											
Macadamia nuts	0.05*0.01*0.02*0.02*0.05	0.02*0.05*0.2*	0.05*0.01*0.05*0.05*0.05*0.02*0.01*												
Pecans	0.05*0.01*0.02*0.02*0.05	0.02*0.05*0.2*	0.05*0.01*0.05*0.05*0.05*0.02*0.01*												
Pine nuts	0.05*0.01*0.02*0.02*0.05	0.02*0.05*0.2*	0.05*0.01*0.05*0.05*0.05*0.02*0.01*												
Pistachios	0.05*0.01*0.02*0.02*0.05	0.02*0.05*0.2*	0.05*0.01*0.05*0.05*0.05*0.02*0.01*												
Walnuts	0.05*0.01*0.02*0.02*0.05	0.02*0.05*0.2*	0.05*0.01*0.05*0.05*0.05*0.02*0.01*												
Other	0.05*0.01*0.02*0.02*0.05	0.02*0.05*0.2*	0.05*0.01*0.05*0.05*0.05*0.02*0.01*												
<b>iii) POME FRUIT</b>															
Apples	0.05*0.05*0.01*0.02* <sup>(48)</sup>	0.5	5	0.1	0.2*	0.05*0.01*1	0.2	3	0.5	0.01*					
Pears	0.05*0.05*0.01*0.02* <sup>(48)</sup>	0.3	5	0.1	0.2*	0.05*0.01*1	0.2	3	0.5	0.01*					
Quince	0.05*0.05*0.01*0.02* <sup>(48)</sup>	0.3	5	0.1	0.2*	0.05*0.01*1	0.2	3	0.5	0.01*					
Other	0.05*0.05*0.01*0.02* <sup>(48)</sup>	0.3	5	0.1	0.2*	0.05*0.01*1	0.2	3	0.5	0.01*					

Status: This is the original version (as it was originally made).

Groups to include which food following belongs	Azoxystrobin	Chlorpyrifos	Dinotefuran	Imidacloprid	Spinosad	Indoxacarb	Prochloraz	Abamectin	Hexaflumazone	MCPB	Mesofen	Mefenoxim	Acetamiprid	Flupyradifurone	Flutolanil	Thiacloprid	Isotriaenol	Bioinsecticide
--	--------------	--------------	-------------	--------------	----------	------------	------------	-----------	---------------	------	---------	-----------	-------------	-----------------	------------	-------------	-------------	----------------

iv) STONE FRUIT

Apricots	0.01*	0.05*	0.05*	0.01*	0.1	0.02*	0.3	3	0.2	0.2*	0.05*	0.01*	0.05*	0.1	0.05*	1	0.01*
Cherries	0.01*	0.05*	0.05*	0.01*	0.02*	2	0.02*	3	0.1	0.2*	0.05*	0.01*	0.05*	0.05*	1	0.01*	
Peaches (inc nectarines & similar hybrids)	0.01*	0.05*	0.05*	0.01*	0.1	0.02*	0.3	3	0.2	0.2*	0.05*	0.01*	0.05*	0.1	0.05*	1	0.01*
Plums	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	3	0.1	0.2*	0.05*	0.01*	0.05*	0.05*	0.5	0.2	0.01*
Others	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	3	0.1	0.2*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*

v) BERRIES AND SMALL FRUIT

(a) (a) Table & wine grapes																		
Table grapes	0.01*	2	0.05*	0.01*	0.02*	0.02*	2	10	0.2	0.2*	0.05*	0.01*	2	0.2	5	5	0.01*	
Wine grapes	0.01*	2	0.05*	0.01*	0.02*	5	2	10	0.2	0.2*	0.05*	0.01*	1	0.2	5	5	0.01*	
Strawberries (other than wild)	0.01*	2	0.05*	0.01*	0.2	3 <sup>(48)</sup>	0.02*	15	0.5	0.2*	0.05*	0.01*	0.5	0.5	5	0.5	0.01*	
(c) (c) Cane fruit (other than wild)																		
Blackberries	0.01*	3	0.05*	0.01*	0.02*	3 <sup>(48)</sup>	0.02*	10	0.02*	0.2*	0.05*	0.01*	0.05*	0.05*	5	0.02*	0.01*	
Dewberries	0.01*	3	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	10	0.02*	0.2*	0.05*	0.01*	0.05*	0.05*	5	0.02*	0.01*
Loganberries	0.01*	3	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	10	0.02*	0.2*	0.05*	0.01*	0.05*	0.05*	5	0.02*	0.01*
Raspberries	0.01*	3	0.05*	0.01*	0.02*	3 <sup>(48)</sup>	0.02*	10	0.2	0.2*	0.05*	0.01*	0.05*	0.05*	5	0.02*	0.01*	
Others	0.01*	3	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	10	0.02*	0.2*	0.05*	0.01*	0.05*	0.05*	5	0.02*	0.01*
(d) (d) Other small fruit & berries (other than wild)																		
Bilberries	0.01*	3	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	10	0.02*	0.2*	0.05*	0.01*	0.05*	0.05*	5	0.02*	0.01*
Cranberries	0.01*	3	0.05*	0.05*	0.2	0.02*	0.02*	0.02*	10	0.02*	0.2*	0.05*	0.01*	0.05*	0.05*	5	0.02*	0.01*
Currants (red, black & white)	0.01*	3	0.05*	0.05*	0.01*	0.02*	3 <sup>(48)</sup>	1	10	0.1	0.2*	0.05*	0.01*	0.05*	0.5	5	1	0.01*
Gooseberries	0.01*	3	0.05*	0.05*	0.01*	0.02*	3 <sup>(48)</sup>	1	10	0.1	0.2*	0.05*	0.01*	0.05*	0.5	5	1	0.01*

Group to which the food belongs	Azoxystrobin	Chlorpyrifos	Dinoseb	Imidacloprid	Spinosad	Endosulfan	Permethrin	Chlorpyrifos	Malathion	CPM	Mesothion	Mefenoxim	Acetamiprid	Indoxacarb	Fluopyram	Thiacloprid	Triazophos	Imidacloprid
---------------------------------	--------------	--------------	---------	--------------	----------	------------	------------	--------------	-----------	-----	-----------	-----------	-------------	------------	-----------	-------------	------------	--------------

Other	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*10	0.02	*0.2	*0.05	*0.01	*0.05	*0.05	*5	0.02	*0.01	*2
Wild berries & wild fruit	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.02	*0.2	0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01	*2

vi) MISCELLANEOUS FRUIT

Avocado	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.02	*0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01	*2
Banana	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.02	*0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.05	*0.01	*2
Dates	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.02	*0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01	*2
Figs	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.02	*0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01	*2
Kiwi fruit	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*5	0.02	*0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01
Kumquat	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.02	*0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01	*2
Litchi	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.02	*0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01	*2
Mango	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.1	0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01	*2
Olive (Table Consumption)	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.5	0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01	*2
Olive (Oil Extract)	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.5	0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01	*2
Papaya	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.02	*0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*1	0.01	*2
Passion fruit	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.02	*0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01	*2
Pineapple	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.02	*0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01	*2
Pomegranate	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.02	*0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01	*2
Other	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.02	*0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01	*2

2.

VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY

i) ROOT AND TUBER VEGETABLES

Beetroot	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.02	*0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01	*2
Carrots	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.5	0.02	*30	*0.05	*0.01	*0.1	*0.05	*0.05	*0.05	*0.01
Cassava	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.02	*0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01	*2
Celeriac	0.01	*0.05	*0.05	*0.01	*0.02	*0.02	*0.02	*0.1	0.2	*0.05	*0.01	*0.05	*0.05	*0.05	*0.02	*0.01	*2

Status: This is the original version (as it was originally made).

Group to which the food belongs	Azoxystrobin	Chlorpyrifos	Dimethoate	Imidacloprid	Spinosad	Permethrin	Lambda-cyhalothrin	MCPB	Mesothionyl methyl	Metolachlor	Indoxacarb	Flutriafol	Thiophan-methyl	Prochloraz		
Horse radish	0.05	0.01	0.02	0.02	0.02	0.5	0.02	0.2	0.05	0.01	0.1	0.05	0.05	0.02	0.01	
Jerusalem artichokes	0.05	0.05	0.01	0.02	0.02	0.02	0.02	0.2	0.05	0.01	0.05	0.05	0.05	0.02	0.01	
Parsnips	0.2	0.05	0.01	0.02	0.02	0.02	0.5	0.02	30	0.05	0.01	0.1	0.05	0.05	0.02	0.01
Parsley root	0.2	0.05	0.01	0.02	0.02	0.02	0.5	0.02	0.2	0.05	0.01	0.05	0.05	0.05	0.02	0.01
Radishes	0.2	0.05	0.1	0.02	0.02	0.02	0.3	0.1	0.2	0.05	0.01	0.1	0.05	0.05	0.02	0.01
Salsify	0.2	0.05	0.01	0.02	0.02	0.02	0.02	0.02	0.2	0.05	0.01	0.05	0.05	0.05	0.02	0.01
Sweet potatoes	0.05	0.05	0.01	0.02	0.02	0.02	0.02	0.02	0.2	0.05	0.01	0.05	0.05	0.05	0.02	0.01
Swedes	0.05	0.05	0.01	0.02	0.02	0.02	0.02	0.02	0.2	0.05	0.01	0.05	0.05	0.05	0.02	0.01
Turnips	0.05	0.05	0.01	0.02	0.02	0.02	0.02	0.02	0.2	0.05	0.01	0.05	0.05	0.05	0.02	0.01
Yams	0.05	0.05	0.01	0.02	0.02	0.02	0.02	0.02	0.2	0.05	0.01	0.05	0.05	0.05	0.02	0.01
Others	0.05	0.05	0.01	0.02	0.02	0.02	0.02	0.02	0.2	0.05	0.01	0.05	0.05	0.05	0.02	0.01
<b>ii) BULB VEGETABLES</b>																
Garlic	0.05	0.05	0.01	0.02	0.02	0.02	0.2	0.02	15	0.05	0.01	0.5	0.05	0.5	0.02	0.01
Onions	0.05	0.05	0.05	0.02	0.1	0.02	0.2	0.02	15	0.05	0.01	0.5	0.05	0.5	0.02	0.01
Shallots	0.05	0.05	0.01	0.02	0.02	0.02	0.2	0.02	15	0.05	0.01	0.5	0.05	0.5	0.02	0.01
Spring onions	0.2	0.05	0.01	0.02	0.02	0.02	3	0.05	0.2	0.05	0.01	0.2	0.05	0.05	0.02	0.01
Others	0.05	0.05	0.01	0.02	0.02	0.02	0.02	0.02	0.2	0.05	0.01	0.05	0.05	0.05	0.02	0.01
<b>iii) FRUITING VEGETABLES</b>																
<b>(a) (a) Solanacea</b>																
Tomatoes	0.2	0.05	0.01	0.1	2 <sup>(48)</sup>	0.5	5	0.1	0.2	0.05	0.01	0.2	0.1	3	0.5	0.01
Peppers	0.2	0.05	0.05	0.02	0.02	0.3	5	0.1	0.2	0.05	0.01	0.5	0.2	2	0.02	0.01
Chilli Peppers	0.2	0.05	0.05	0.02	0.02	0.3	5	0.1	0.2	0.05	0.01	0.5	0.2	2	0.02	0.01
Aubergines	0.2	0.05	0.01	0.1	0.02	0.5	5	0.5	0.2	0.05	0.01	0.05	0.1	3	0.02	0.01
Okra	0.2	0.05	0.01	0.02	0.02	0.02	5	0.1	0.2	0.05	0.01	0.05	0.05	0.05	0.02	0.01
Others	0.2	0.05	0.01	0.02	0.02	0.02	5	0.02	0.2	0.05	0.01	0.05	0.05	0.05	0.02	0.01
<b>(b) (b) Cucurbits-edible peel</b>																
Cucumbers	0.2	0.05	0.01	0.02	0.02	0.2	2	0.1	0.2	0.05	0.01	0.5	0.1	2	0.2	0.01
Gherkins	0.2	0.05	0.01	0.02	0.02	0.2	2	0.1	0.2	0.05	0.01	0.05	0.1	2	0.2	0.01



Group to include which the food following belongs	Azoxystrobin	Chlorpyrifos	Dimethoate	Imidacloprid	Spinosad	Permethrin	Thiamethoxam	Abamectin	Hexachlorocyclopentadiene	MCPB	Mesofen	Mefenoxim	Indoxacarb	Fluiflumuron	Fluopyram	Isotriaenol
Courgettes	0.01*1	0.05*0.01*	0.02*0.02*	0.2	2	0.1	0.2*	0.05*0.01*	0.05*0.1	2	0.2	0.01*				
Others	0.01*1	0.05*0.01*	0.02*0.02*	0.2	2	0.1	0.2*	0.05*0.01*	0.05*0.1	2	0.2	0.01*				
(c) Cucurbits-inedible peel																
Melons	0.01*0.5	0.05*0.01*	0.05	1	1	0.05	0.2*	0.05*0.01*	0.2	0.1	0.3	0.3	0.01*			
Squashes	0.01*0.5	0.05*0.01*	0.05	1	1	0.05	0.2*	0.05*0.01*	0.05*0.1	0.3	0.02*	0.01*				
Watermelons	0.01*0.5	0.05*0.01*	0.05	1	1	0.05	0.2*	0.05*0.01*	0.2	0.1	0.3	0.2	0.01*			
Others	0.01*0.5	0.05*0.01*	0.05	1	1	0.05	0.2*	0.05*0.01*	0.05*0.1	0.3	0.02*	0.01*				
Sweet corn	0.01*0.05*	0.05*0.02	0.02*0.02*	0.02*	0.02*	0.05	0.2*	0.05*0.01*	0.05*0.05*	0.05*	0.02*	0.01*				

iv) BRASSICA VEGETABLES

(a) Flowering Brassicas

Broccoli	0.01* <sup>(13)</sup> 0.5	0.05*0.01*	0.02* <sup>(13)</sup> 0.2*	0.3	0.1 <sup>(13)</sup>	0.1 <sup>(13)</sup>	0.2* <sup>(13)</sup>	0.05* <sup>(13)</sup> 0.01*	0.2 <sup>(13)</sup>	0.05* <sup>(13)</sup> 1	0.02* <sup>(13)</sup> 0.01*	<sup>(13)</sup>				
Cauliflower	0.01*0.5	0.05*0.01*	0.02*0.02*	0.3	0.1	0.1	0.2*	0.05*0.01*	0.2	0.05*0.05*	0.02*	0.01*				
Others	0.01*0.5	0.05*0.01*	0.02*0.02*	0.3	0.1	0.1	0.2*	0.05*0.01*	0.2	0.05*0.05*	0.02*	0.01*				

(b) Head Brassicas

Brussels sprouts	0.01*0.3	0.05*0.01*	0.02*0.02*	0.02*0.5	0.05	0.2*	0.05*0.01*	0.05*0.05*	0.05*0.02*	0.01*						
Head cabbage	0.01*0.3	0.05*0.5	0.02*0.02*	3	5	0.2	0.2*	0.05*0.01*	1	0.05*0.05*	0.02*	0.01*				
Others	0.01*0.3	0.05*0.01*	0.02*0.02*	0.02*0.02*	0.02*	0.2*	0.05*0.01*	0.05*0.05*	0.05*0.02*	0.01*						

(c) Leafy Brassicas

Chinese cabbage	0.01*5	0.05*0.05	0.02*0.02*	0.2	5	1	0.2*	0.05*0.01*	0.05*0.05*	0.05*0.02*	0.01*					
Kale	0.01*5	0.05*0.01*	0.02*0.02*	0.2	0.02*	1	0.2*	0.05*0.01*	0.2	0.05*0.05*	0.02*	0.01*				
Others	0.01*5	0.05*0.01*	0.02*0.02*	0.02*	0.02*	1	0.2*	0.05*0.01*	0.05*0.05*	0.05*0.02*	0.01*					
Kisra	0.01*0.2	0.05*0.05	0.02*0.02*	0.02*	0.02*	0.2*	0.05*0.01*	0.05*0.05*	0.05*0.02*	0.01*						

v) LEAF VEGETABLES AND FRESH HERBS

(a) Lettuce & similar

Cress	0.01*3	0.05*0.01*	0.02*0.02*	0.02*10	1	0.2*	0.05*0.01*	0.05*0.05*	20	0.02*	0.01*					
Lettuce	0.01*3	0.05*0.01*	0.02*0.02*	0.02*10	1	0.2*	0.05*0.01*	0.2	0.05*20	0.02*	0.01*					
Scarlett	0.01* <sup>(6)</sup> 3	0.05* <sup>(6)</sup> 0.01*	0.02* <sup>(6)</sup> 0.02*	0.02* <sup>(6)</sup> 2	10 <sup>(6)</sup>	1 <sup>(6)</sup>	0.2* <sup>(6)</sup>	0.05* <sup>(6)</sup> 0.01*	1 <sup>(6)</sup>	0.05* <sup>(6)</sup> 20 <sup>(6)</sup>	0.02* <sup>(6)</sup> 0.01*	<sup>(6)</sup>				

Status: This is the original version (as it was originally made).

Group to include which food following belongs	Azoxystrobin	Chlorpyrifos	Dimethoate	Imidacloprid	Spinosad	Endosulfan	Permethrin	Thiamethoxam	Acetamiprid	Flonicamid	MCPB	Mesothionyl methyl	Metolachlor	Indoxacarb	Fluiflumuron	Flurothiazuron	Triazophos	Chlorpyrifos
Rucce01*3	0.05*0.01*	0.02*0.02*	0.02*10	1	0.2*	0.05*0.01*	0.05*0.05*20	0.02*0.01*										
Leaves01*3 and stems of brassica, including turnip greens	0.05*0.01*	0.02*0.02*	0.02*10	1	0.2*	0.05*0.01*	0.05*0.05*20	0.02*0.01*										
Other01*3 (b) Spinach & similar	0.05*0.01*	0.02*0.02*	0.02*10	1	0.2*	0.05*0.01*	0.05*0.05*20	0.02*0.01*										
Spinach01*0.05*	0.05*0.01*	0.02*10	0.02*0.02*0.5	0.2*	0.05*0.01*	0.05*0.05*0.05*0.02*0.01*												
Beet01*0.05*0.05*0.01*	0.02*0.02*0.02*0.02*0.5	0.2*	0.05*0.01*	0.05*0.05*0.05*0.02*0.01*														
leaves (chard)																		
Other01*0.05*0.05*0.01*	0.02*0.02*0.02*0.02*0.5	0.2*	0.05*0.01*	0.05*0.05*0.05*0.02*0.01*														
(c) (1) (5) Watercress	0.02*0.02*0.02*0.02*0.2*	0.05*0.01*	0.05*0.05*0.05*0.02*0.01*															
(d) (1) (d) Watercress	0.02*0.02*0.02*0.02*2	0.02*0.2*	0.05*0.01*0.3	0.05*0.05*0.02*0.01*														
(e) Herbs																		
Cherries01*3	0.05*0.01*	0.02*0.02*2	10	1	0.2*	0.05*0.01*2	0.05*0.05*0.02*0.01*											
Chives01*3	0.05*0.01*	0.02*0.02*2	10	1	0.2*	0.05*0.01*2	0.05*0.05*0.02*0.01*											
Parsley01*3	0.05*0.01*	0.02*0.02*2	10	1	0.2*	0.05*0.01*2	0.05*0.05*0.02*0.01*											
Celery01*3	0.05*0.01*	0.02*0.02*2	10	1	0.2*	0.05*0.01*2	0.05*0.05*0.02*0.01*											
leaves																		
Other01*3	0.05*0.01*	0.02*0.02*2	10	1	0.2*	0.05*0.01*2	0.05*0.05*0.02*0.01*											
<b>vi) LEGUME VEGETABLES (fresh)</b>																		
Beans01*1 (with pods)	0.05*0.01*	0.02*2 <sup>(48)</sup>	0.02*5	0.2	0.2*	0.05*0.01*	0.05*0.05*3	0.5	0.01*									
Beans01*0.2 (without pods)	0.05*0.01*	0.02*2 <sup>(48)</sup>	0.02*0.02*0.02*0.2*	0.1	0.01*	0.05*0.05*0.05*0.02*0.01*												
Peas01*0.5 (with pods)	0.05*0.01*	0.02*0.02*0.02*2	0.2	0.2*	0.1	0.01*0.05*0.05*3	0.02*0.01*											
Peas01*0.2 (without pods)	0.05*0.01*	0.02*0.02*0.02*0.3	0.2	0.2*	0.1	0.01*0.05*0.05*0.05*0.02*0.01*												

Group to which the food belongs	Group 1	Azoxystrobin	Chlorpyrifos	Flutriafol	Imidacloprid	Spinosad	Endosulfan	Prochloraz	Hexaconazole	Metconazole	MCPB	Mesopropyl methyl	Mefenoxim	Carbendazim	Fluconazole	Trifluoperol	Thiobenzothiazole
Other	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*

**vii) STEM VEGETABLES**

Asparagus	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	
Cardoon	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	
Celery	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.02*	0.3	0.2*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	
Fennel	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.02*	0.3	0.2*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	
Globe artichokes	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.1	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*	0.2	0.05*	0.02*	0.01*
Leek	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.02*	0.3	0.2*	0.05*	0.01*	0.2	0.05*	0.3	0.02*	0.01*	
Rhubarb	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.2	0.02*	0.2*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	
Other	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*	

**viii) FUNGI**

Cultivated mushrooms	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*
Wild mushrooms	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.02*	0.5	0.2*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*

**3.**

**PULSES**

Beans	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.2	0.02*	0.2*	0.1	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*
Lentils	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.2	0.02*	0.2*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*
Peas	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.2	0.02*	0.2*	0.1	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*
Lupins	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.2	0.02*	0.2*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*
Other	0.01*	0.05*	0.05*	0.01*	0.02*	0.02*	0.02*	0.2	0.02*	0.2*	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*

**4.**

**OILSEEDS**

Linseed	0.02*	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.5	0.05*	0.5*	0.1*	0.02*	0.1*	0.05*	0.1*	0.05*	0.02*
Peanut	0.02*	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*	0.05*	0.1*	0.05*	0.02*
Poppy seed	0.02*	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*	0.05*	0.1*	0.05*	0.02*
Sesame seed	0.02*	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*	0.05*	0.1*	0.05*	0.02*
Sunflower seed	0.02*	0.05*	0.1*	0.02*	0.05*	0.05*	0.05*	0.5	0.05*	0.5*	0.1*	0.02*	0.1*	0.05*	0.1*	0.05*	0.02*

Status: This is the original version (as it was originally made).

Group to include which food following belongs	Azoxystrobin	Chlorpyrifos	Diazinon	Imidacloprid	Permethrin	Spinosad	Thiamethoxam	Acetamiprid	Bifenthrin	Chlorantraniliprole	CPM	Mesothion	Mefenoxam	Acetamiprid	Indoxacarb	Fluopyram	Thiacloprid	Flurofentylen	Triazophos	Triazophos	
(with shell)																					
Rape seed	0.02*0.5	0.1*	0.02*	0.05*	0.05*	0.05*	0.5	0.05*	0.5*	0.1*	0.02*	0.1*	0.05*	0.1*	0.05*	0.02*					
Soya bean	0.02*0.5	0.1*	0.02*	0.05*	0.05*	0.5	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*	0.05*	0.1*	0.05*	0.02*					
Mustard seed	0.02*0.5	0.1*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*	0.05*	0.1*	0.05*	0.02*					
Cotton seed	0.02*0.5	0.1*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*	0.05*	0.1*	0.05*	0.02*					
Hemp seed	0.02*0.5	0.1*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*	0.05*	0.1*	0.05*	0.02*					
Others	0.02*0.5	0.1*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*	0.05*	0.1*	0.05*	0.02*					

5.

POTATOES

Early potatoes	0.01*	0.05*	0.05*	0.01*	0.02*	0.1	0.02*	0.02*	0.02*	50	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*				
Ware potatoes	0.01*	0.05*	0.05*	0.01*	0.02*	0.1	0.02*	0.02*	0.02*	50	0.05*	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*				

6.

TEA

Tea (dried leaves & stalks, fermented or otherwise, Camellia sinesis)	0.02*	0.1*	50	0.02*	0.05*	0.05*	0.05*	0.1*	1	0.5*	0.1*	0.02*	0.1*	0.1*	0.1*	0.05*	0.02*				
---	-------	------	----	-------	-------	-------	-------	------	---	------	------	-------	------	------	------	-------	-------	--	--	--	--

7.

HOPS (dried)

including hop pellets & unconcentrated powder	0.02*	0.2	0.1*	0.5	0.05*	150	0.05*	0.1*	10	0.5*	0.1*	0.02*	10	0.5	50	30	0.02*				
---	-------	-----	------	-----	-------	-----	-------	------	----	------	------	-------	----	-----	----	----	-------	--	--	--	--

Group to include which food following belongs	Azoxystrobin	Chloranil	Diniconazole	Flutriafol	Propiconazole	Tebuconazole	Triflurofen	Metconazole	Prothioconazole	Mepiquat	MCPB
---	--------------	-----------	--------------	------------	---------------	--------------	-------------	-------------	-----------------	----------	------

8.

**CEREALS**

Wheat	0.01*0.3	0.05*0.02*0.02*2	0.02*0.5	0.02*0.2*	0.05*0.01*0.05*0.05*0.05*0.05	0.01*					
Rye	0.01*0.3	0.05*0.02*0.02*0.02*0.02*0.02*0.02*0.02*0.2*			0.05*0.01*0.05*0.05*0.05*0.05	0.01*					
Barley	0.01*0.3	0.05*0.02*0.02*2	0.02*0.5	0.05	0.2*0.05*0.01*0.05*0.05*0.05*0.3	0.01*					
Sorghum	0.01*0.05*0.05*0.02*0.02*0.02*0.02*0.02*0.02*0.2*				0.05*0.01*0.05*0.05*0.05*0.02*0.01*						
Oats	0.01*0.3	0.05*0.02*0.02*0.02*0.02*0.5	0.02*0.2*		0.05*0.01*0.05*0.05*0.05*0.02*0.01*						
Triticale	0.01*0.3	0.05*0.02*0.02*0.02*0.02*0.02*0.02*0.02*0.2*			0.05*0.01*0.05*0.05*0.05*0.05	0.01*					
Maize	0.01*0.05*0.05*0.02*0.02*0.02*0.02*0.02*0.02*0.2*				0.05*0.01*0.05*0.05*0.05*0.02*0.01*						
Buckwheat	0.01*0.05*0.05*0.02*0.02*0.02*0.02*0.02*0.02*0.2*				0.05*0.01*0.05*0.05*0.05*0.02*0.01*						
Millet	0.01*0.05*0.05*0.02*0.02*0.02*0.02*0.02*0.02*0.2*				0.05*0.01*0.05*0.05*0.05*0.02*0.01*						
Rice	0.01*5	0.05*0.02*0.02*0.02*0.02*3	0.02*0.2*		0.05*0.01*0.05*0.05*0.05*0.02*0.01*						
Others	0.01*0.05*0.05*0.02*0.02*0.02*0.02*0.02*0.02*0.2*				0.05*0.01*0.05*0.05*0.05*0.02*0.01*						

9.

**PRODUCTS OF ANIMAL ORIGIN**

Meat, edible offal, fat & preparations of meat & edible offal <sup>(2)</sup>	0.05*		0.3 <sup>(49)</sup>	0.05*0.5 <sup>(17)</sup>	0.05 <sup>(26)</sup> 0.5 <sup>(29)</sup> 0.5 <sup>(39)</sup>	0.05*0.05*0.1*					
			0.01* <sup>(50)</sup>		0.02*0.5 <sup>(8)</sup> 0.1* <sup>(40)</sup>						
					0.02* <sup>(9)</sup>						
Milk <sup>(3)</sup> and dairy produce <sup>(4)</sup>	0.01*	0.01*	0.02 <sup>(51)</sup>	0.05*0.05	0.2	0.05*	0.05*0.01	0.02*			
			0.3 <sup>(52)</sup>				0.05				
Eggs <sup>(5)</sup>	0.05*		0.01*	0.05*0.02*0.1	0.05*	0.05*0.05*0.1*					

10.

**SPICES**

Cumin seed



(51) Milk except cream of milk.

(52) Cream of milk.

---

## EXPLANATORY NOTE

*(This note is not part of the Regulations)*

These Regulations, which are made under section 2(2) of the European Communities Act 1972, amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2005 (“the principal Regulations”).

These Regulations implement Commission Directives [2007/27/EC](#) (O.J. No. L 128, 16.05.07, p.31), [2007/28/EC](#) (O.J. No. L 135, 26.05.07, p.6) and [2007/39/EC](#) (O.J. No. L 165, 27.06.07, p.25).

The Regulations come into force, in stages, on 17th and 27th November and 28th December 2007.

The Regulations substitute or insert—

- (a) new residue definitions for the pesticides 1-methylcyclopropene, Etoxazole, Indoxacarb, Maleic hydrazide, MCPA and MCPB, Mesosulfuron-methyl, Tolyfluanid and Triticonazole in Schedule 1 to the principal Regulations which identifies the pesticide residues that are taken into account in the measuring of residue levels for each pesticide; and
- (b) new maximum residue levels for the pesticides 1-methylcyclopropene, Azoxystrobin, Chlorfenapyr, Diazinon, Etoxazole, Folpet, Indoxacarb, Iprodione, Lambda-cyhalothrin, Maleic hydrazide, MCPA and MCPB, Mesosulfuron-methyl, Metalaxyl, Penconazole, Tolyfluanid, Trifloxystrobin and Triticonazole in Schedule 2 to the principal Regulations.

Regulation 3(1) updates the definition of the Residues Directive to include those amendments up to the time of the making of these Regulations. The substance of the amendments is incorporated into Schedules 1, 2 and 3 of the principal Regulations.

Regulation 3(3)(c) corrects errors in certain maximum residue levels for Penconazole in the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Amendment (No. 2) Regulations 2007 ([S.S.I. 2007/306](#)).

A Regulatory Impact Assessment (“RIA”) was prepared in respect of the principal Regulations which provides a basis for establishing the impact of amendments to those Regulations. Copies of the RIA can be obtained from the Scottish Government Rural Directorate, Area 1B, Pentland House, 47 Robb’s Loan, Edinburgh, EH14 1TY. Copies have been placed in the Scottish Parliament Information Centre.