
SCOTTISH STATUTORY INSTRUMENTS

2007 No. 523

**AGRICULTURE
PESTICIDES**

**The Pesticides (Maximum Residue Levels in
Crops, Food and Feeding Stuff) (Scotland)
Amendment (No. 4) Regulations 2007**

Made - - - - 21st November 2007

Laid before the Scottish

Parliament - - - - 23rd November 2007

Coming into force in accordance with regulation 1(2)

The Scottish Ministers make the following Regulations in exercise of the powers conferred by section 2(2) of the European Communities Act 1972⁽¹⁾ and all other powers enabling them to do so.

Citation and commencement

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Amendment (No. 4) Regulations 2007.

(2) These Regulations come into force on 19th December 2007, except for—

- (a) regulation 4, which comes into force on 19th March 2008; and
- (b) regulation 5, which comes into force on 6th April 2008.

Amendment of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2005

2. The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2005⁽²⁾ are amended in accordance with regulations 3 to 5.

(1) 1972 c. 68. Section 2(2) was amended by the Scotland Act 1998 (c. 46), Schedule 8, paragraph 15(3) and the Legislative and Regulatory Reform Act 2006 (c. 51), section 27(1)(a). The function conferred upon the Minister of the Crown under section 2(2), insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.

(2) S.S.I. 2005/599 as amended by S.S.I. 2006/151, 312, 548 and S.S.I. 2007/142, 306 and 481.

Amendments coming into force on 19th December 2007

3.—(1) In Schedule 1 (pesticide residues), for the entry for Deltamethrin, substitute the entry for Deltamethrin set out in Schedule 1 to these Regulations.

(2) In Schedule 2 (maximum residue levels)—

- (a) for the entries in the columns relating to the pesticides Azoxystrobin, Chlorothalonil, Deltamethrin, Hexachlorobenzene (HCB), Ioxynil, Oxamyl and Quinoxifen, substitute the entries in the columns relating to those pesticides set out in Schedule 2 to these Regulations; and
- (b) in the column relating to the pesticide Penconazole, for the entry relating to milk and dairy produce in food group 9 (foodstuffs of animal origin)—
 - (i) for “0.01” substitute “0.01*”; and
 - (ii) omit “0.05”.

(3) In Schedule 3—

- (a) in paragraph 4 (oilseeds), in column 2, beneath “Poppy seed”, insert “Pumpkin seed”; and
- (b) in paragraph 8 (cereals), in column 2, beneath “Rice”, insert “Spelt”.

Amendments coming into force on 19th March 2008

4.—(1) In Schedule 1 (pesticide residues)—

- (a) omit the entry for the pesticides Maneb, Mancozeb, Metiram, Propineb and Zineb in column 1 and the residue entries (1) and (2) relating to those pesticides in column 2; and
- (b) in the appropriate places in the alphabetical sequence, insert the entries for the pesticides Dithiocarbamates, Propineb, Thiram and Ziram set out in Schedule 1 to these Regulations.

(2) In Schedule 2 (maximum residue levels)—

- (a) for the entries in the column relating to Azinphos-methyl, substitute the entries for that pesticide set out in Schedule 2 to these Regulations;
- (b) omit the column headed “Maneb Mancozeb Metiram Propineb Zineb”;
- (c) in the appropriate places in the alphabetical sequence, insert the columns and corresponding entries relating to the pesticides Dithiocarbamates, Propineb, Thiram and Ziram set out in Schedule 2 to these Regulations; and
- (d) at the end, add as footnote 53, the footnote numbered (53) set out in Schedule 2 to these Regulations.

Amendments coming into force on 6th April 2008

5.—(1) In Schedule 1 (pesticide residues), in the appropriate places in the alphabetical sequence, insert the entries for the pesticides Bifenazate, Pethoxamid, Pyrimethanil and Rimsulfuron set out in Schedule 1 to these Regulations.

(2) In Schedule 2 (maximum residue levels), in the appropriate places in the alphabetical sequence, insert the columns and corresponding entries relating to the pesticides Bifenazate, Pethoxamid, Pyrimethanil and Rimsulfuron set out in Schedule 2 to these Regulations.

St Andrew's House,
Edinburgh
21st November 2007

RICHARD LOCHHEAD
A member of the Scottish Executive

Status: This is the original version (as it was originally made).

SCHEDULE 1

Regulations 3(1), 4(1) and 5(1)

Entries substituted or inserted in Schedule 1

<i>Column 1 Pesticide</i>	<i>Column 2 Residue</i>
Bifenazate	Bifenazate
Deltamethrin	Deltamethrin (cis-deltamethrin)
Dithiocarbamates	Dithiocarbamates, expressed as CS ₂ , including mancozeb, maneb, metiram, propineb, thiram and ziram
Pethoxamid	Pethoxamid
Propineb	Propineb (expressed as propilendiammine)
Pyrimethanil	Pyrimethanil
Rimsulfuron	Rimsulfuron
Thiram	Thiram (expressed as Thiram)
Ziram	Ziram (expressed as Ziram)

SCHEDULE 2

Regulations 3(2), 4(2) and 5(2)

Entries substituted or inserted in Schedule 2

<i>Group to include which the food following belongs</i>	<i>Group A</i>	<i>Group B</i>	<i>Group C</i>	<i>Group D</i>	<i>Group E</i>	<i>Group F</i>	<i>Group G</i>	<i>Group H</i>	<i>Group I</i>	<i>Group J</i>	<i>Group K</i>	<i>Group L</i>	<i>Group M</i>	<i>Group N</i>	<i>Group O</i>	<i>Group P</i>	<i>Group Q</i>	<i>Group R</i>	<i>Group S</i>	<i>Group T</i>	<i>Group U</i>	<i>Group V</i>	<i>Group W</i>	<i>Group X</i>	<i>Group Y</i>	<i>Group Z</i>

1.

FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS

(i) CITRUS FRUIT

Grapefruit	0.05*1	0.01*0.01*0.05*5	0.01*0.05*0.01*0.01*0.05*10	0.02*0.05*0.1* 0.1*
Lemon	0.05*1	0.01*0.01*0.05*5	0.01*0.05*0.01*0.01*0.05*10	0.02*0.05*0.1* 0.1*
Lime	0.05*1	0.01*0.01*0.05*5	0.01*0.05*0.01*0.01*0.05*10	0.02*0.05*0.1* 0.1*
Mandarin (inc clementines & similar hybrids)	0.05*1	0.01*0.01*0.05*5	0.01*0.05*0.02*0.01*0.05*10	0.02*0.05*0.1* 0.1*
Orange	0.05*1	0.01*0.01*0.05*5	0.01*0.05*0.01*0.01*0.05*10	0.02*0.05*0.1* 0.1*

Group to include which the food following belongs	Group	zinc	Ascorbyl	Bifol	Chlor	Dihydro	Dithio	Hydro	Benzo	Stano	Propyl	Phenyl	Thiazol	Hydro	Sulfur	Azide	(53)
Pomegranates	0.5	*1	0.01	*0.01	*0.05	*5	0.01	*0.05	*0.01	*0.01	*0.05	*10	0.02	*0.05	*0.1	* 0.1*	
Other	0.05	*1	0.01	*0.01	*0.05	*5	0.01	*0.05	*0.01	*0.01	*0.05	*10	0.02	*0.05	*0.1	* 0.1*	
(ii) TREE NUTS (shelled or unshelled)																	
Almonds	0.5	0.1*	0.01	*0.01	*0.05	*0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.2	0.02	*0.05	*0.1	* 0.1*	
Brazil nuts	0.5	0.1*	0.01	*0.01	*0.05	*0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1	* 0.1*	
Cashew nuts	0.5	0.1*	0.01	*0.01	*0.05	*0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1	* 0.1*	
Chestnuts	0.5	0.1*	0.01	*0.01	*0.05	*0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1	* 0.1*	
Cocoanuts	0.5	0.1*	0.01	*0.01	*0.05	*0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1	* 0.1*	
Hazelnuts	0.5	0.1*	0.01	*0.01	*0.05	*0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1	* 0.1*	
Macadamia nuts	0.5	0.1*	0.01	*0.01	*0.05	*0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1	* 0.1*	
Pecan nuts	0.5	0.1*	0.01	*0.01	*0.05	*0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1	* 0.1*	
Pine nuts	0.5	0.1*	0.01	*0.01	*0.05	*0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1	* 0.1*	
Pistachios	0.5	0.1*	0.01	*0.01	*0.05	*0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.2	0.02	*0.05	*0.1	* 0.1*	
Walnuts	0.5	0.1*	0.01	*0.01	*0.05	*0.1	0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1	* 0.1*	
Other	0.5	0.1*	0.01	*0.01	*0.05	*0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1	* 0.1*	
(iii) POME FRUIT																	
Apples	0.5	0.05	*0.01	*1	0.2	5	0.01	*0.05	*0.01	*0.01	*0.3	5	0.05	0.05	*5	0.1*	
Pears	0.5	0.05	*0.01	*1	0.1	5	0.01	*0.05	*0.01	*0.01	*0.3	5	0.02	*0.05	*5	1	
Quinces	0.5	0.05	*0.01	*1	0.1	5	0.01	*0.05	*0.01	*0.01	*0.3	5	0.02	*0.05	*0.1	* 0.1*	
Other	0.5	0.05	*0.01	*1	0.1	5	0.01	*0.05	*0.01	*0.01	*0.3	5	0.02	*0.05	*0.1	* 0.1*	
(iv) STONE FRUIT																	
Apricots	0.5	0.05	*0.01	*1	0.1	2	0.01	*0.05	*0.01	*0.01	*0.05	*3	0.05	0.05	*3	0.1*	
Cherries	0.5	0.05	*0.01	*0.01	*0.2	2	0.01	*0.05	*0.01	*0.01	*0.3	0.05	*0.3	0.05	*3	5	
Peaches (inc nectarines & similar hybrids)	0.5	0.05	*0.01	*1	0.1	2	0.01	*0.05	*0.01	*0.01	*0.05	*10	0.05	0.05	*3	0.1*	
Plums	0.5	0.05	*0.01	*0.01	*0.1	2	0.01	*0.05	*0.01	*0.01	*0.05	*3	0.02	*0.05	*2	2	
Other	0.5	0.05	*0.01	*0.01	*0.1	0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1	* 0.1*	

Status: This is the original version (as it was originally made).

Group to include which the food following belongs	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 8	Group 9	Group 10	Group 11	Group 12	Group 13	Group 14	Group 15	Group 16	Group 17	Group 18	Group 19	Group 20	Group 21	Group 22	Group 23	Group 24	Group 25	Group 26	Group 27	Group 28	Group 29	Group 30	Group 31	Group 32	Group 33	Group 34	Group 35	Group 36	Group 37	Group 38	Group 39	Group 40	Group 41	Group 42	Group 43	Group 44	Group 45	Group 46	Group 47	Group 48	Group 49	Group 50	Group 51	Group 52	Group 53	Group 54	Group 55	Group 56	Group 57	Group 58	Group 59	Group 60	Group 61	Group 62	Group 63	Group 64	Group 65	Group 66	Group 67	Group 68	Group 69	Group 70	Group 71	Group 72	Group 73	Group 74	Group 75	Group 76	Group 77	Group 78	Group 79	Group 80	Group 81	Group 82	Group 83	Group 84	Group 85	Group 86	Group 87	Group 88	Group 89	Group 90	Group 91	Group 92	Group 93	Group 94	Group 95	Group 96	Group 97	Group 98	Group 99	Group 100
---	---------	---------	---------	---------	---------	---------	---------	---------	---------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	-----------

(v) BERRIES AND SMALL FRUIT

(a) (a) Table & wine grapes

Table grapes	0.05*2	0.01*1	0.2	5	0.01*0.05*0.01*0.01*1	5	1	0.05*0.1*	0.1*
Wine grapes	0.05*2	0.01*3	0.2	5	0.01*0.05*0.01*0.01*1	5	1	0.05*3	0.1*
Strawberries (other than wild)	0.5	2	3	0.2	10	0.01*0.05*0.01*0.01*0.05*5	0.3	0.05*10	0.1*

(c) (c) Cane fruit (other than wild)

Blackberries	0.01*0.01*0.5	0.05*0.01*0.05*0.01*0.01*0.05*10	0.02*0.05*0.1*	0.1*
Dewberries	0.05*0.01*0.01*0.05*0.05*0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1*	0.1*		
Loganberries	0.05*0.01*0.01*0.05*0.05*0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1*	0.1*		
Raspberries	0.01*0.01*0.05*0.05*0.01*0.05*0.01*0.01*0.05*10	0.02*0.05*0.1*	0.1*	
Other	0.5	0.05*0.01*0.01*0.05*0.05*0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1*	0.1*	

(d) (d) Other small fruit & berries (other than wild)

Bilberries	0.05*0.05*0.01*0.01*0.05*0.05*0.01*0.05*0.01*0.01*0.05*5	2	0.05*0.1*	0.1*			
Cranberries	0.05*0.01*2	0.05*0.05*0.01*0.05*0.01*0.01*0.05*5	2	0.05*0.1*	0.1*		
Currants (red, black & white)	0.05*0.01*10	0.5	5	0.01*0.05*0.01*0.01*0.05*5	2	0.05*0.1*	0.1*
Gooseberries	0.05*0.01*10	0.2	0.05*0.01*0.05*0.01*0.01*0.05*5	2	0.05*0.1*	0.1*	
Other	0.05*0.05*0.01*0.01*0.05*0.05*0.01*0.05*0.01*0.01*0.05*5	2	0.05*0.1*	0.1*			
Wild berries & wild fruit	0.05*0.05*0.01*0.01*0.05*0.05*0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1*	0.1*					

(vi) MISCELLANEOUS FRUIT

Avocados	0.05*0.05*0.01*0.01*0.05*0.05*0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1*	0.1*				
Bananas	0.05*2	0.01*0.2	0.05*2	0.01*0.05*0.01*0.01*0.05*0.1	0.02*0.05*0.1*	0.1*
Dates	0.05*0.05*0.01*0.01*0.05*0.05*0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1*	0.1*				
Figs	0.05*0.05*0.01*0.01*0.05*0.05*0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1*	0.1*				

Group to include which the food following belongs	Group	zinc	Ascorbic acid	Biflavonoids	Carotenoids	Dietary fiber	Glucosinolates	Flavonoids	Organic acids	Phenolics	Rapeseed oil	Resistant starch	Sulfonamide	Thiamine	Vitamin B12	Vitamin C	Vitamin E	Vitamin K	Vitamin P	Vitamin U	Zinc
Kiwi fruit	0.05	0.05	0.01	0.01	0.2	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Kumquat	0.05	0.05	0.01	0.01	0.05	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Litchi	0.05	0.05	0.01	0.01	0.05	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Mango	0.05	0.2	0.01	0.01	0.05	2	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Olive (table consumption)	0.05	0.05	0.01	0.01	1	5	0.01	0.05	0.01	0.01	0.3	0.05	0.02	0.05	0.1	0.1					
Olive (oil extract)	0.05	0.05	0.01	0.01	1	5	0.01	0.05	0.01	0.01	0.3	0.05	0.02	0.05	0.1	0.1					
Papaya	0.05	0.2	0.01	20	0.05	7	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Passion fruit	0.05	0.05	0.01	0.01	0.05	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Pineapple	0.05	0.05	0.01	0.01	0.05	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Pomegranate	0.05	0.05	0.01	0.01	0.05	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Other	0.05	0.05	0.01	0.01	0.05	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					

2.

VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY

(i) ROOT AND TUBER VEGETABLES

Beetroot	0.05	0.05	0.01	0.01	0.05	0.5	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Carrot	0.05	0.2	0.01	1	0.05	0.2	0.01	0.2	0.01	0.01	0.05	1	0.02	0.05	0.1	0.1					
Cassava	0.05	0.05	0.01	0.01	0.05	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Celeriac	0.05	0.3	0.01	1	0.05	0.3	0.01	0.05	0.01	0.01	0.3	0.05	0.02	0.05	0.1	0.1					
Horse radish	0.05	0.2	0.01	0.01	0.05	0.2	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Jerusalem artichokes	0.05	0.05	0.01	0.01	0.05	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Parsnip	0.05	0.2	0.01	0.01	0.05	0.2	0.01	0.2	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Parsley root	0.05	0.2	0.01	0.01	0.05	0.2	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Radish	0.05	0.2	0.01	0.01	0.05	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Salsify	0.05	0.2	0.01	0.01	0.05	0.2	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Sweet potatoes	0.05	0.05	0.01	0.01	0.05	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					
Swedes	0.05	0.05	0.01	0.01	0.05	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1					

Status: This is the original version (as it was originally made).

Group to include which the food following belongs	Group	zinc	Ascorbic acid	Bifidobacteria	Chlorophyll	Diacylglycerol	Glutathione	Hydroxytyrosol	Phenylethanoid glycosides	Phenylpropanoids	Rapeseed oil	Resveratrol	Sulforaphane	Sulfonamide	Tramadol
Turnips	0.05	*0.05	*0.01	*0.01	*0.05	*0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1*
Yams	0.05	*0.05	*0.01	*0.01	*0.05	*0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1*
Other	0.05	*0.05	*0.01	*0.01	*0.05	*0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1*

(ii) BULB VEGETABLES

Garlic	0.05	*0.05	*0.01	*0.5	0.1	0.1	0.01	*0.2	0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1*
Onions	0.05	*0.05	*0.01	*0.5	0.1	1	0.01	*0.2	0.01	*0.01	*0.05	*0.1	0.02	*0.05	*0.1*
Shallots	0.05	*0.05	*0.01	*0.5	0.1	1	0.01	*0.2	0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1*
Spring onions	0.05	*2	0.01	*5	0.1	1	0.01	*3	0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1*
Other	0.05	*0.05	*0.01	*0.01	*0.05	*0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1*

(iii) FRUITING VEGETABLES

(a) (a) Solanacea

Tomatoes	0.05	*2	0.5	2	0.3	3	0.01	*0.05	*0.02	0.01	*2	1	0.02	*0.05	*0.1*
Peppers	0.05	*2	2	2	0.2	5	0.01	*0.05	*0.02	0.01	*1	2	0.02	*0.05	*0.1*
Chili Peppers	0.05	*2	2	2	0.2	5	0.01	*0.05	*0.02	0.01	*1	2	0.02	*0.05	*0.1*
Aubergines	0.05	*2	0.5	2	0.3	3	0.01	*0.05	*0.02	0.01	*0.05	*1	0.02	*0.05	*0.1*
Okra	0.05	*2	0.01	*2	0.3	0.5	0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1*
Other	0.05	*2	0.01	*2	0.2	0.05	*0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.02	*0.05	*0.1*

(b) (b) Cucurbits-edible peel

Cucumbers	0.05	*1	0.3	1	0.2	2	0.01	*0.05	*0.02	0.01	*2	1	0.02	*0.05	*0.1*
Gherkins	0.05	*1	0.3	5	0.2	2	0.01	*0.05	*0.02	0.01	*0.05	*1	0.02	*0.05	*0.1*
Courgettes	0.05	*1	0.3	0.01	*0.2	2	0.01	*0.05	*0.03	0.01	*0.05	*1	0.02	*0.05	*0.1*
Other	0.05	*1	0.3	0.01	*0.2	2	0.01	*0.05	*0.01	*0.01	*0.05	*1	0.02	*0.05	*0.1*

(c) (c) Cucurbits-inedible peel

Melons	0.05	*0.5	0.01	*1	0.2	1	0.01	*0.05	*0.01	*0.01	*1	0.05	*0.05	0.05	*0.1*
Squashes	0.05	*0.5	0.01	*1	0.2	1	0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.05	0.05	*0.1*
Watermelons	0.05	*0.5	0.01	*1	0.2	1	0.01	*0.05	*0.01	*0.01	*1	0.05	*0.05	0.05	*0.1*
Other	0.05	*0.5	0.01	*1	0.2	1	0.01	*0.05	*0.01	*0.01	*0.05	*0.05	*0.05	0.05	*0.1*

Sweet corn
0.05 *0.05 *0.01 *0.01 *0.05 *0.05 *0.01 *0.05 *0.01 *0.01 *0.05 *0.05 *0.02 *0.05 *0.1* 0.1*

(iv) BRASSICA VEGETABLES

(a) (a) Flowering Brassicas

Group to include which the food following belongs	Group to include which the food following belongs	Spinach	Asparagus	Bifonchella	Cauliflower	Delicata	Head of lettuce	Other leafy greens	Brussels sprouts	Other brassica	Rapini	Other leafy greens	Other leafy greens	Other leafy greens	Other leafy greens	Other leafy greens	Other leafy greens
--	--	---------	-----------	-------------	-------------	----------	-----------------	--------------------	------------------	----------------	--------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------

Broccoli 0.05*0.5 (13) 0.01*3 (13) 0.1 (13) 1 (13) 0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1*0.1* (13)

Cauliflower 0.05*0.5 0.01*3 0.1 1 0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1* 0.1*

Other 0.05*0.5 0.01*3 0.1 1 0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1* 0.1*

(b) (b) Head Brassicas

Brussels sprouts 0.05*0.3 0.01*3 0.1 2 0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1* 0.1*

Head cabbage 0.05*0.3 0.01*3 0.1 3 0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1* 0.1*

Other 0.05*0.3 0.01*0.01*0.1 0.05*0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1* 0.1*

(c) (c) Leafy Brassicas

Chinese cabbage 0.05*5 0.01*0.01*0.5 0.5 0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1* 0.1*

Kale 0.05*5 0.01*0.01*0.5 0.5 0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1* 0.1*

Other 0.05*5 0.01*0.01*0.5 0.5 0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1* 0.1*

(d) (d) Kohlrabi 0.05*0.2 0.01*0.01*0.5 0.5 0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1* 0.1*

(v) LEAF VEGETABLES AND FRESH HERBS

(a) (a) Lettuce & similar

Cress 0.05*3 0.01*0.01*0.5 5 0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1* 0.1*

Lamb lettuce 0.05*3 0.01*0.01*0.5 5 0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1* 0.1*

Lettuce 0.05*3 0.01*0.01*0.5 5 0.01*0.05*0.01*0.01*0.05*10 0.02*0.05*2 0.1*

Scarole 0.05*3 (6) 0.01*0.01*0.5 (6) 5 (6) 0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*2 (6) 0.1* (6)

Ruccola 0.05*3 0.01*0.01*0.5 5 0.01*0.05*0.01*0.01* 0.05*0.02*0.05*0.1* 0.1*

Leaves and stems of brassica, including turnip greens 0.05*3 0.01*0.01*0.5 5 0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1* 0.1*

Other 0.05*3 0.01*0.01*0.5 5 0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1* 0.1*

(b) (b) Spinach & similar

Spinach 0.05*0.05*0.01*0.01*0.5 0.05*0.01*0.05*0.01*0.01*0.05*0.05*0.02*0.05*0.1* 0.1*

Status: This is the original version (as it was originally made).

Group to include which the food following belongs	Group	zinp	Asox	Bifol	Caler	Del	Drud	Dith	Heter	Chlor	Benn	Stah	Rap	Ryb	Th	Qli	Hyf	Sulf	furaz	am ⁽⁵³⁾
	ethyl									(HCB)										
Beet leaves (chard)	0.05	0.05	0.01	0.01	0.5	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
Other (c)	0.05	0.05	0.01	0.01	0.5	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
(d)	0.05	0.05	0.01	0.01	0.5	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
(e) Herbs																				
Cherries	0.05	0.05	0.01	0.01	0.5	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
Chives	0.05	0.05	0.01	0.01	0.5	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
Parsley	0.05	0.05	0.01	0.01	0.5	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
Celer leaves	0.05	0.05	0.01	0.01	0.5	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
Other	0.05	0.05	0.01	0.01	0.5	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
(vi) LEGUME VEGETABLES (Fresh)																				
Beans (with pods)	0.05	0.05	0.01	0.01	0.2	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
Beans (without pods)	0.05	0.05	0.01	0.01	0.2	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
Peas (with pods)	0.05	0.05	0.01	0.01	0.2	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
Peas (without pods)	0.05	0.05	0.01	0.01	0.2	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
Other	0.05	0.05	0.01	0.01	0.2	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
(vii) STEM VEGETABLES																				
Asparagus	0.05	0.05	0.01	0.01	0.5	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
Cardoons	0.05	0.05	0.01	0.01	0.5	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
Celer	0.05	0.05	0.01	0.01	0.5	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
Fennel	0.05	0.05	0.01	0.01	0.5	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
Globe artichokes	0.05	0.05	0.01	0.01	0.1	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.3	0.05	0.1	0.1				
Leeks	0.05	0.05	0.01	0.01	0.5	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				
Rhubarb	0.05	0.05	0.01	0.01	0.5	0.05	0.01	0.05	0.01	0.01	0.05	0.05	0.02	0.05	0.1	0.1				

Group to include which the food following belongs	zin	Acetyl	Bifent	Chlor	Del	Dithi	Dithi	Hydro	Ben	Stro	Prop	Tri	Chlor	Hydro	Fur	Tri
Other	0.05*	0.05*	0.01*	0.01*	0.05*	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	0.05*	0.02*	0.05*	0.1*	0.1*

(viii) FUNGI

Cultivated mushrooms	0.05*	0.05*	0.01*	2	0.05	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	0.05*	0.02*	0.05*	0.1*	0.1*
Wild mushrooms	0.05*	0.05*	0.01*	0.01*	0.05	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	0.05*	0.02*	0.05*	0.1*	0.1*

3.

PULSES

Beans	0.05*	0.1	0.01*	0.01*	1	0.1	0.01*	0.05*	0.01*	0.01*	0.05*	0.5	0.02*	0.05*	0.1*	0.1*
Lentils	0.05*	0.1	0.01*	0.01*	1	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	0.5	0.02*	0.05*	0.1*	0.1*
Peas	0.05*	0.1	0.01*	0.01*	1	0.1	0.01*	0.05*	0.01*	0.01*	0.05*	0.5	0.02*	0.05*	0.1*	0.1*
Lupins	0.05*	0.1	0.01*	0.01*	1	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	0.5	0.02*	0.05*	0.1*	0.1*
Other	0.05*	0.1	0.01*	0.01*	1	0.05*	0.01*	0.05*	0.01*	0.01*	0.05*	0.5	0.02*	0.05*	0.1*	0.1*

4.

OILSEEDS

Linseed	0.05*	0.05*	0.02*	0.01*	0.05*	0.1*	0.02*	0.1*	0.02*	0.01*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*
Peanut	0.05*	0.05*	0.02*	0.05	0.05*	0.1*	0.02*	0.1*	0.02*	0.01*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*
Poppy seed	0.05*	0.05*	0.02*	0.01*	0.05*	0.1*	0.02*	0.1*	0.02*	0.01*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*
Sesame seed	0.05*	0.05*	0.02*	0.01*	0.05*	0.1*	0.02*	0.1*	0.02*	0.01*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*
Sunflower seed	0.05*	0.05*	0.02*	0.01*	0.05*	0.1*	0.02*	0.1*	0.02*	0.01*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*
Rape seed	0.05*	0.5	0.02*	0.01*	0.1	0.5	0.02*	0.1*	0.02*	0.01*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*
Soya bean	0.05*	0.5	0.02*	0.01*	0.05*	0.1*	0.02*	0.1*	0.02*	0.01*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*
Mustard seed	0.05*	0.05*	0.02*	0.01*	0.1	0.1*	0.02*	0.1*	0.02*	0.01*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*
Cotton seed	0.2	0.05*	0.02*	0.01*	0.05*	0.1*	0.02*	0.1*	0.02*	0.01*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*
Hemp seed	0.05*	0.05*	0.02*	0.01*	0.05*	0.1*	0.02*	0.1*	0.02*	0.01*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*
Pumpkin seed	0.05*	0.05*	0.02*	0.01*	0.05*	0.1*	0.05	0.1*	0.02*	0.01*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*

Status: This is the original version (as it was originally made).

Group to include which food following belongs	Group	zinc	As	oxy	Bif	Chlor	Dield	Drith	Hex	Chlor	Ben	Sty	Pho	Rap	Py	Chl	Di	Hy	Sul	Fura	Tri	am ⁽⁵³⁾
Other	0.05*	0.05*	0.02*	0.01*	0.05*	0.1*	0.02*	0.1*	0.02*	0.01*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*						

5.

POTATOES

Early potatoes	0.05*	0.05*	0.01*	0.01*	0.05*	0.3	0.01	0.05*	0.01*	0.01*	0.2	0.05*	0.02*	0.05*	0.1*	0.1*						
Ware potatoes	0.05*	0.05*	0.01*	0.01*	0.05*	0.3	0.01	0.05*	0.01*	0.01*	0.2	0.05*	0.02*	0.05*	0.1*	0.1*						

6.

TEA

(dried leaves and stalks, fermented or otherwise, Camellia sinesis)	0.1*	0.1*	0.02*	0.1*	5	0.1*	0.02*	0.1*	0.02*	0.02*	0.1*	0.1*	0.05*	0.1	0.2*	0.2*						
---	------	------	-------	------	---	------	-------	------	-------	-------	------	------	-------	-----	------	------	--	--	--	--	--	--

7.

HOPS (dried)

including hop pellets & unconcentrated powder	0.1*	20	0.02*	50	5	25	0.02*	0.1*	0.02*	0.02*	50	0.1*	0.5	0.1*	0.2*	0.2*						
---	------	----	-------	----	---	----	-------	------	-------	-------	----	------	-----	------	------	------	--	--	--	--	--	--

8.

CEREALS

Wheat	0.05*	0.3	0.01*	0.1	2	1	0.01	0.05*	0.01*	0.01*	0.05*	0.05*	0.02*	0.05*	0.1*	0.1*						
Rye	0.05*	0.3	0.01*	0.1	2	1	0.01	0.05*	0.01*	0.01*	0.05*	0.05*	0.02*	0.05*	0.1*	0.1*						
Barley	0.05*	0.3	0.01*	0.1	2	2	0.01	0.05*	0.01*	0.01*	0.05*	0.05*	0.2	0.05*	0.1*	0.1*						
Sorghum	0.05*	0.05*	0.01*	0.01*	2		0.05*	0.01	0.05*	0.01*	0.01*	0.05*	0.05*	0.02*	0.05*	0.1*	0.1*					
Oats	0.05*	0.3	0.01*	0.1	2	2	0.01	0.05*	0.01*	0.01*	0.05*	0.05*	0.2	0.05*	0.1*	0.1*						
Triticale	0.05*	0.3	0.01*	0.1	2	1	0.01	0.05*	0.01*	0.01*	0.05*	0.05*	0.02*	0.05*	0.1*	0.1*						
Maize	0.05*	0.05*	0.01*	0.01*	2		0.05*	0.01	0.05*	0.01*	0.01*	0.05*	0.05*	0.02*	0.05*	0.1*	0.1*					
Buckwheat	0.05*	0.05*	0.01*	0.01*	2		0.05*	0.01	0.05*	0.01*	0.01*	0.05*	0.05*	0.02*	0.05*	0.1*	0.1*					
Millet	0.05*	0.05*	0.01*	0.01*	2		0.05*	0.01	0.05*	0.01*	0.01*	0.05*	0.05*	0.02*	0.05*	0.1*	0.1*					

Status: This is the original version (as it was originally made).

Group to which the food following belongs

Spices
—
others

UNITS:
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.
KEY:
* Level at or about the limit of determination.
FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd. Whether made from cow's milk or other milk or a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (11) All liver and kidney.
- (13) Broccoli includes calabrese.
- (39) Offals only.
- (40) All meat except offal.
- (47) Poultry and poultry products.
- (53) These maximum residue levels apply when single residue methods are employed for the specific quantification of Propineb, Thiram or Ziram, as the case may be.

EXPLANATORY NOTE

(This note is not part of these Regulations)

These Regulations, which are made under section 2(2) of the European Communities Act 1972, amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Scotland) Regulations 2005 (S.S.I. 2005/599) (“the principal Regulations”).
 These Regulations implement Commission Directives 2007/55/EC (O.J. No. L 243, 18.9.2007, p.41), 2007/56/EC (O.J. No. L 243, 18.9.2007, p.50), 2007/57/EC (O.J. No. L 243, 18.9.2007, p.61) and 2007/62/EC (O.J. No. L 260, 5.10.2007, p.4).

The Regulations come into force, in stages, on 19th December 2007, 19th March 2008 and 6th April 2008. They substitute or insert–

- (a) new residue definitions for the pesticides Bifenazate, Deltamethrin, Dithiocarbamates, Pethoxamid, Propineb, Pyrimethanil, Rimsulfuron, Thiram and Ziram in Schedule 1 to the principal Regulations, which identifies the pesticide residues that are taken into account in the measuring of residue levels for each pesticide; and
- (b) maximum residue levels for the pesticides Azinphos-methyl, Azoxystrobin, Bifenazate, Chlorothalonil, Deltamethrin, Dithiocarbamates, Hexachlorobenzene (HCB), Ioxynil, Oxamyl, Pethoxamid, Propineb, Pyrimethanil, Quinoxifen, Rimsulfuron, Thiram and Ziram in Schedule 2 to the principal Regulations.

Regulation 3(2)(b) corrects an error in the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 3) Regulations 2007 ([S.S.I. 2007/481](#)).

A Regulatory Impact Assessment (RIA) was prepared in respect of the principal Regulations which provides a basis for establishing the impact of amendments to those Regulations. Copies of the RIA can be obtained from the Scottish Government Rural Directorate, Area 1B, Pentland House, 47 Robb's Loan, Edinburgh, EH14 1TY. Copies have been placed in the Scottish Parliament Information Centre.