

SCHEDULE

Article 2

Exempted fireplaces

<i>Fireplace</i>	<i>Conditions</i>	<i>Permitted fuel</i>
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications</i>	
1. The Binder Wood Fired Boiler models RRK 22–49 (49 kW output) manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) of Austria.	The manufacturer’s and Wood Energy Limited’s instructions ‘Binder Equipment Installation, Commissioning and Maintenance’ dated 17th May 2005, reference WELBinderManualrev0.doc, revision 0.	Wood pellets or wood chips ^(a) .
2. The Binder Wood Fired Boiler models RRK 80–175 (75–149 kW output) with cyclone models ZA 80–175 manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) of Austria.	The manufacturer’s and Wood Energy Limited’s instructions ‘Binder Equipment Installation, Commissioning and Maintenance’ dated 17th May 2005, reference WELBinderManualrev0.doc, revision 0.	Wood pellets or wood chips ^(a) .
3. The Binder Wood Fired Boiler models RRK 130-250 (185-230 kW output), RRK 200-350 (250-300 kW output), RRK 400-600 (350-500 kW output) and RRK 640-850 (650-840 kW output) with cyclone model type ZA manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) of Austria.	The manufacturer’s and Wood Energy Limited’s instructions ‘Binder Equipment Installation, Commissioning and Maintenance’ dated 17th May 2005, reference WELBinderManualrev0.doc, revision 0.	Wood pellets or wood chips ^(a) .

(a) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Fireplace</i>	<i>Conditions</i>	<i>Permitted fuel</i>
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications</i>	
4. The Binder Wood Fired Boiler model RRK 1000 (1200 kW output) with multi-cyclone model MZA manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) of Austria.	The manufacturer's and Wood Energy Limited's instructions 'Binder Equipment Installation, Commissioning and Maintenance' dated 17th May 2005, reference WELBinderManualrev0.doc, revision 0.	Wood pellets or wood chips ^(a) .
5. The Pioneer 400 Oven wood stoves fitted with a tamperproof mechanical stop on the air slide/damper manufactured by Clearview Stoves of More Works, Bishops Castle, Shropshire, SY9 5HH.	The manufacturer's instructions 'Operating Instructions Clearview Vision/Vision Inset/ Pioneer & Solution' dated 1st July 2006, reference V1/42, stamped and signed "Smoke Control".	Air-dried wood logs ^(a) .
6. The Yorkshire Woodburning Stove manufactured by Dunsley Heat Limited.	The manufacturer's instructions dated 4th December 2004, reference D13W.	Untreated dry wood.
7. The Yorkshire Woodburning Stove and Boiler manufactured by Dunsley Heat Limited.	The manufacturer's instructions dated 4th December 2004, reference D13W together with the manufacturer's instructions dated 4th October 2004 reference GHD/DUN4B/1.	Untreated dry wood.
8. Hwam Beethoven Nominal Thermal Output) fitted with mechanism to prevent closure of the air wash/secondary air control, manufactured by	Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1141 Ed B" and dated November 2006.	Untreated dry wood.

(a) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

(1)
(1)

<i>Fireplace</i>	<i>Conditions</i>	<i>Permitted fuel</i>
<p>HWAM Heat Design AS Nydamsvej 53 8362 Hørning Denmark.</p> <p>9. Hwam Vivaldi (4.5kW Nominal Thermal Output) fitted with mechanism to prevent closure of the air wash/secondary air control, manufactured by</p> <p>HWAM Heat Design AS Nydamsvej 53 8362 Hørning Denmark.</p> <p>10. Hwam 30 (4.5kW Nominal Thermal Output) fitted with mechanism to prevent closure of the air wash/secondary air control, manufactured by</p> <p>HWAM Heat Design AS Nydamsvej 53 8362 Hørning Denmark.</p> <p>11. Hwam Mozart (4.5kW Nominal Thermal Output) fitted with mechanism to prevent closure of the air wash/secondary air control, manufactured by</p> <p>HWAM Heat Design AS</p>	<p><i>The fireplace must be installed, maintained and operated in accordance with the following specifications</i></p> <p>Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1141 Ed B" and dated November 2006.</p> <p>Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1141 Ed B" and dated November 2006.</p> <p>Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1141 Ed B" and dated November 2006.</p>	<p>Untreated dry wood.</p> <p>Untreated dry wood.</p> <p>Untreated dry wood.</p>

(a) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Fireplace</i>	<i>Conditions</i>	<i>Permitted fuel</i>
<hr/>		
Nydamsvej 53 8362 Hørning Denmark.	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications</i>	
<p>12. Hwam Ravel (4.5kW Nominal Thermal Output) fitted with mechanism to prevent closure of the air wash/secondary air control, manufactured by</p> <p>HWAM Heat Design AS Nydamsvej 53 8362 Hørning Denmark.</p>	<p>Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1141 Ed B" and dated November 2006.</p>	Untreated dry wood.
<p>13. Nestor Martin Harmony H23 Multi-fuel Stove (6kW Nominal Thermal Output), manufactured by</p> <p>Nestor Martin S A Finuick Nv Voie Axiale 5 B-5660 Couvin Belgium</p>	<p>Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1143 Ed B" and dated November 2006.</p>	Untreated dry wood.
<p>14. Nestor Martin Stanford S23 Multi-fuel Stove (6kW Nominal Thermal Output), manufactured by</p> <p>Nestor Martin S A Finuick Nv Voie Axiale 5 B-5660 Couvin Belgium</p>	<p>Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1143 Ed B" and dated November 2006.</p>	Untreated dry wood.
<p>15. Nestor Martin Stanford SP23 Multi-fuel Stove (6kW Nominal Thermal Output), manufactured by</p>	<p>Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1143 Ed B" and dated November 2006.</p>	Untreated dry wood.
<hr/> <p>(a) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.</p> <hr/>		

<i>Fireplace</i>	<i>Conditions</i>	<i>Permitted fuel</i>																
<hr/>																		
<p>Nestor Martin S A Finuick Nv Voie Axiale 5 B-5660 Couvin Belgium</p> <p>16. Nestor Martin R23 Stove (6kW Nominal Thermal Output), manufactured by</p> <p>Nestor Martin S A Finuick Nv Voie Axiale 5 B-5660 Couvin Belgium</p> <p>17. The Orchard Ovens models: FVR Speciale 80, 100, 110, 110 × 160 and 120; TOP Superiore 100 and 120; GR 100, 120, 140, 120 × 160, 140 × 160, 140 × 180 and 180; OT 100, 120, 140, 120 × 160, 140 × 160, 140 × 180 and 180; the Valoriani Piccolo, all of which are manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.</p>	<p>The fireplace must be installed, maintained and operated in accordance with the following specifications</p> <p>Euroheat Distributors (HBS) Limited's operation Instructions Reference: "IN1143 Ed B" and dated November 2006.</p> <p>The manufacturer's instructions dated 25th October 2004, references:</p>	<p>Untreated dry wood.</p> <p>Untreated dry wood.</p>																
	<table border="0"> <thead> <tr> <th style="text-align: left;">Instruction</th> <th style="text-align: left;">Model</th> </tr> </thead> <tbody> <tr> <td>OOLinst.1</td> <td>FVR 80</td> </tr> <tr> <td>OOLinst.2</td> <td>FVR 100</td> </tr> <tr> <td>OOLinst.3</td> <td>FVR 110</td> </tr> <tr> <td>OOLinst.4</td> <td>FVR 120</td> </tr> <tr> <td>OOLinst.5</td> <td>FVR 110 × 160</td> </tr> <tr> <td>OOLinst.6</td> <td>TOP 100</td> </tr> <tr> <td>OOLinst.7</td> <td>TOP 120</td> </tr> </tbody> </table>	Instruction	Model	OOLinst.1	FVR 80	OOLinst.2	FVR 100	OOLinst.3	FVR 110	OOLinst.4	FVR 120	OOLinst.5	FVR 110 × 160	OOLinst.6	TOP 100	OOLinst.7	TOP 120	
Instruction	Model																	
OOLinst.1	FVR 80																	
OOLinst.2	FVR 100																	
OOLinst.3	FVR 110																	
OOLinst.4	FVR 120																	
OOLinst.5	FVR 110 × 160																	
OOLinst.6	TOP 100																	
OOLinst.7	TOP 120																	

(a) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Fireplace</i>	<i>Conditions</i>	<i>Permitted fuel</i>
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications</i>	
	OOLinst.8	GR 100 and OT 100
	OOLinst.9	GR 120 and OT 120
	OOLinst.10	GR 140 and OT 140
	OOLinst.11	GR 120 × 160 and OT 120 × 160
	OOLinst.12	GR 140 × 160 and OT 140 × 160
	OOLinst.13	GR 140 × 180 and OT 140 × 180
	OOLinst.14	GR 180 and OT 180
	OOLinst.15	Valoriani Piccolo.
<p>18. The Quadra-Fire 2100 Millennium Freestanding Wood Burning Stove manufactured by Hearth & Home Technologies 1445 North Highway, Colville, WA 99114, USA.</p>	<p>The manufacturer’s instructions dated 9th October 2003, reference 250–6931B.</p>	<p>Dry cured untreated wood of maximum size 38.1 cm × 10.16 cm × 5.08 cm.</p>
<p>19. The Quadra-Fire Yosemite Freestanding Wood Burning Stove manufactured by Hearth & Home Technologies 1445 North Highway, Colville, WA 99114, USA.</p>	<p>The manufacturer’s instructions dated 4th June 2003, reference 7004–187.</p>	<p>Dry cured untreated wood of maximum size 38.1 cm × 10.16 cm × 5.08 cm.</p>
<p>20. The Quadra-Fire Cumberland Gap Freestanding Wood Burning Stove manufactured by Hearth & Home Technologies 1445 North Highway, Colville, WA 99114, USA.</p>	<p>The manufacturer’s instructions dated 8th July 2003, reference 7006–186.</p>	<p>Dry cured untreated wood of maximum size 43.18 cm × 10.16 cm × 10.16 cm.</p>

(a) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

<i>Fireplace</i>	<i>Conditions</i>	<i>Permitted fuel</i>
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications</i>	
<p>21. The Type USP wood pellet-fired boilers, model numbers USP-10, 15, 20, 25 and 30, manufactured by KWB – Kraft und Wärme aus Biomasse Gesellschaft mit beschränkter Haftung (GmbH) of Industriestrasse 235, A- 8321 St. Margarethen an der Raab, Austria.</p>	<p>The manufacturer’s instructions dated 28th July 2003, reference BA-USP 0703.</p>	<p>Wood pellets^(a).</p>
<p>22. The Type USV wood pellet- and wood chipfired boilers, model numbers USV-15, 25, 30, 40, 50, 60, 80 and 100, manufactured by KWB – Kraft und Wärme aus Biomasse Gesellschaft mit beschränkter Haftung (GmbH) of Industriestrasse 235, A-8321 St. Margarethen an der Raab, Austria.</p>	<p>The manufacturer’s instructions dated August 2003, reference BA-USV 0803.</p>	<p>Wood pellets or wood chips^(a).</p>
<p>23. The Wood Waste Technology Heater, models WT10 and WT15, manufactured by Wood Waste Technology.</p>	<p>The manufacturer’s instructions dated 19th January 2005, reference WT10 and WT15.</p>	<p>Hardwood and softwood offcuts^(a).</p>
<p>24. The Hoval BioLyt 50 wood pellet fired boiler (49kW thermal output) manufactured by Hoval of the Principality</p>	<p>The manufacturers technical information and installation instructions dated 10/05 reference 4 204 794/00 and operating instructions dated 01/06 reference 4 204 793/01</p>	<p>Wood pellets^(a)</p>

(a) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.

(1)
(1)
(1)
(1)

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

<i>Fireplace</i>	<i>Conditions</i>	<i>Permitted fuel</i>
of Liechtenstein at Austrasse 70, FL-9490, Vaduz	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications</i>	
	(a) The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.	
