

1968 No. 1948

CUSTOMS AND EXCISE

**The Import Duties (Temporary Exemptions) (No. 6)
Order 1968**

<i>Made - - - -</i>	<i>9th December 1968</i>
<i>Laid before the House of Commons - -</i>	<i>13th December 1968</i>
<i>Coming into Operation</i>	<i>1st January 1969</i>

The Lords Commissioners of Her Majesty's Treasury, by virtue of the powers conferred on them by sections 3(6) and 13 of the Import Duties Act 1958(a), and of all other powers enabling them in that behalf, on the recommendation of the Board of Trade hereby make the following Order:—

1.—(1) Until the beginning of 1st January 1970 or, in the case of goods in relation to which an earlier day is specified in Schedule 1 to this Order, until the beginning of that day, any import duty which is for the time being chargeable on goods of a heading of the Customs Tariff 1959 specified in that Schedule shall not be chargeable in respect of goods of any description there specified in relation to that heading.

(2) In the said Schedule 1—

- (a) a reference to I.U.P.A.C. numbering, in relation to a compound having a ring structure, is to be taken as a reference to the system of numbering such compounds specified in the rules of the International Union of Pure and Applied Chemistry;
- (b) an item marked with an asterisk is an item not exempt from import duty at the date of this Order;
- (c) an item marked with a dagger is an item appearing under a revised description, as compared with the corresponding description under which exemption from import duty was allowed at the date of this Order.

(3) Any entry in column 2 in the said Schedule 1 is to be taken to comprise all goods which would be classified under an entry in the same terms constituting a subheading (other than the final subheading) in the relevant heading in the Customs Tariff 1959.

(4) For the purposes of classification under the Customs Tariff 1959, in so far as that depends on the rate of duty, any goods to which paragraph (1) of this Article applies shall be treated as chargeable with the same duty as if this Order had not been made.

2. Until the beginning of 1st January 1970, goods of subheading 39.03(A)(2)(b) of the Customs Tariff 1959 (which comprises photographic, including cinematograph, film base of cellulose acetate) shall not be chargeable with import duty to an amount greater than 10 per cent. of their value.

3. The Import Duties (Temporary Exemptions) Orders specified in Schedule 2 to this Order are hereby revoked.

4.—(1) This Order may be cited as the Import Duties (Temporary Exemptions) (No. 6) Order 1968.

(2) The Interpretation Act 1889(a) shall apply for the interpretation of this Order as applies for the interpretation of an Act of Parliament.

(3) This Order shall come into operation on 1st January 1969.

Walter Harrison,

B. K. O'Malley,

Two of the Lords Commissioners
of Her Majesty's Treasury.

9th December 1968.

SCHEDULE 1

GOODS TEMPORARILY EXEMPT FROM IMPORT DUTY

<i>Tariff heading</i>	<i>Description</i>
05.15	Sand eels (ammodytes) (until 3rd July 1969)
12.01	Castor seed
15.17	Residues containing not less than 5 per cent. by weight and not more than 60 per cent. by weight of tocopherols
25.19	Magnesite, dead-burned, containing (a) not less than 94 per cent. by weight of magnesium compounds expressed as MgO (b) a total of not more than 1.0 per cent. by weight of aluminium compounds and iron compounds expressed as Al ₂ O ₃ and Fe ₂ O ₃ (c) a total of not less than 2.5 per cent. by weight and not more than 5.0 per cent. by weight of calcium compounds and silicon compounds expressed as CaO and SiO ₂ , and in which the weight of calcium compounds expressed as CaO is not less than 1.5 times the weight of silicon compounds expressed as SiO ₂ (until 3rd July 1969)
27.07	Pyridine bases, having a basicity equivalent to not less than 7.0 millilitres and not more than 12.5 millilitres of 1.0 N sulphuric acid solution when estimated by method No. R.B. 1-62 of "Standard Methods for Testing Tar and its Products" published by the Standardisation of Tar Products Test Committee Pyridine bases, of which, after drying, not less than 70 per cent. by volume distils between 140° and 250° centigrade at normal pressure
28.13	Hydrogen bromide, anhydrous
28.14	Arsenic trichloride Boron tribromide Boron trichloride Phosphorus pentabromide Phosphorus pentafluoride Silicon tetrachloride Sulphur tetrafluoride Thionyl chloride
28.15	Carbonyl sulphide <i>tetra</i> Phosphorus heptasulphide Phosphorus pentasulphide, containing less than 15 parts per million by weight of arsenic calculated as As ₂ O ₃ , and containing less than 35 parts per million by weight of iron calculated as Fe
28.17	Potassium hydroxide, pharmaceutical quality
28.18	Barium hydroxide containing not more than 0.035 per cent. by weight of sulphides calculated as BaS Barium oxide (until 6th March 1969) Magnesium oxide, dead-burned but not fused, of a purity not less than 96 per cent., which contains (a) not more than 0.05 per cent. by weight of boron compounds expressed as B ₂ O ₃ , (b) a total of not more than 0.5 per cent. by weight of aluminium compounds and iron compounds expressed as Al ₂ O ₃ and Fe ₂ O ₃ , and (c) a total of not less than 1.0 per cent. by weight and not more than 3.5 per cent. by weight of calcium compounds and silicon compounds expressed as CaO and SiO ₂ , the weight of calcium compounds being not less than 1.5 times and not more than 2.5 times the weight of silicon compounds; and (d) of which not less than 35 per cent. by weight is retained by a sieve having a nominal width of aperture of $\frac{1}{8}$ inch and conforming to British Standard 410:1962 (until 3rd July 1969)

<i>Tariff heading</i>	<i>Description</i>
28.20	Aluminium oxide, not being artificial corundum, being in the form of spheres and containing by weight not more than 0.06 per cent. of acid soluble sulphates expressed as SO ₃ and not more than 0.005 per cent. of sodium expressed as Na, and all of which passes a sieve having a nominal width of aperture of 4.76 millimetres and not less than 99 per cent. by weight of which is retained by a sieve having a nominal width of aperture of 1.00 millimetre (both sieves conforming to British Standard 410:1962)
28.23	γ -Ferric oxide
28.28	Beryllium hydroxide Beryllium oxide Hydroxylammonium chloride containing not more than 0.0005 per cent. by weight of heavy metals estimated as Pb Hydroxylammonium sulphate
28.29	Potassium fluorosilicate Sodium fluoride, which does not contain impurities equivalent to more than 5×10^{-9} grammes of U ₃ O ₈ per gramme, and of which 1 gramme must not contain impurities capable of depressing the estimation of U ₃ O ₈ by more than 1×10^{-8} grammes, when determined fluorimetrically Sodium fluorosilicate Tungsten hexafluoride
28.30	Beryllium chloride Ferric chloride, analytical reagent quality Ferrous chloride, analytical reagent quality
28.32	Ammonium perchlorate Calcium chlorate Sodium perchlorate
28.33	Barium bromide
28.35	Zinc sulphide
28.38	Beryllium sulphate Magnesium sulphate, anhydrous, containing not less than 0.05 per cent. by weight and not more than 1.0 per cent. by weight of potassium compounds calculated as K Mercuric sulphate Potassium hydrogen permonosulphate Thallos sulphate
28.39	Barium nitrate containing not more than 0.006 per cent. by weight of heavy metals calculated as Pb Beryllium nitrate Potassium nitrite
28.40	<i>tetra</i> Potassium pyrophosphate
28.42	Magnesium carbonate, light, in rectangular blocks of a weight not less than 25 grammes and not more than 125 grammes and of a cubic capacity not less than 115 cubic centimetres Manganous carbonate Nickel carbonate, basic Potassium hydrogen carbonate
28.43	Potassium ferricyanide Sodium nitroprusside
28.44	Ammonium thiocyanate Potassium cyanate Sodium thiocyanate
28.46	Sodium metaborate tetrahydrate, Na ₂ B ₂ O ₄ , 4H ₂ O

<i>Tariff heading</i>	<i>Description</i>
28.47	Bismuth aluminate containing not less than 52 per cent. by weight and not more than 55 per cent. by weight of bismuth calculated as Bi on the dry anhydrous salt Calcium dichromate Sodium antimonate Sodium tungstate containing not more than 0.0003 per cent. by weight of arsenic compounds calculated as As and not more than 0.005 per cent. by weight of molybdenum compounds calculated as Mo
28.48	<i>tri</i> Aluminium sodium tetradecahydrogen octaorthophosphate Dihydroxyaluminium sodium carbonate Ferric sodium pyrophosphate
28.49	Pyruvic acid enol phosphate, barium silver salt Silver protein, mild, which satisfies the requirements of the British Pharmaceutical Codex Silver protein, which satisfies the requirements of the British Pharmaceutical Codex
28.50	All goods of this heading other than radium compounds, natural uranium and compounds thereof and nuclear reactor cartridges, spent or irradiated
28.51	Deuterium oxide Lithium sulphate, of which the lithium is in the form of a stable isotope either of atomic weight 6 or of atomic weight 7, of a value not less than £1 per gramme <i>di</i> Sodium tetraborate, of which the boron is in the form of a stable isotope either of atomic weight 10 or of atomic weight 11, of a value not less than £1 per gramme
28.52	Compounds of uranium depleted in uranium-235, the following:— Uranium hexafluoride Uranium tetrafluoride Mixed rare earth compounds containing not less than 3.5 per cent. by weight and not more than 9.0 per cent. by weight of combined fluorine estimated as F, and not less than 0.5 per cent. by weight and not more than 4.0 per cent. by weight of barium compounds estimated as BaSO ₄ ; and of which not less than 10 per cent. by weight is retained by a sieve having a nominal width of aperture of 45 microns and conforming to British Standard 410:1962 Samarium trioxide
28.57	Aluminium sodium hydride Lithium borohydride Silane
28.58	Cyanogen bromide Lithamide Trichlorosilane containing not more than 0.002 parts per million by weight of boron compounds calculated as B
29.01	Acenaphthylene Allene Azulene 1,2-Benzanthracene 1,2-Benzofluorene 2,3-Benzofluorene Bicyclo[2,2,1]hepta-2,5-diene <i>iso</i> Butane † <i>n</i> -But-1-ene <i>cis</i> But-2-ene <i>trans</i> But-2-ene But-2-ene, mixed isomers <i>iso</i> Butylbenzene But-1-yne

<i>Tariff heading</i>	<i>Description</i>
29.01	Chrysene
	<i>pseudo</i> Cumene
	<i>trans-trans-trans</i> -Cyclododeca-1,5,9-triene
	Cyclo-octa-1,3-diene
	Cyclo-octa-1,5-diene
	Cyclo-octene
	Cyclopentane
	<i>p</i> -Cymene
	Decahydronaphthalene
	† <i>n</i> -Decane
	† <i>n</i> -Dec-1-ene
	1,2:3,4-Dibenzanthracene
	9,10-Dihydroanthracene
	3,3'-Dimethylbiphenyl
	1,2-Dimethylcyclohexane
	1,6-Dimethylnaphthalene
	2,3-Dimethylnaphthalene
	2,6-Dimethylnaphthalene
	2,7-Dimethylnaphthalene
	2,2-Dimethylpropane
	† <i>n</i> -Docos-1-ene
	† <i>n</i> -Dodecane
	† <i>n</i> -Dodec-1-ene
	† <i>n</i> -Dodecylbenzene
	† <i>n</i> -Eicosane
	† <i>n</i> -Eicos-1-ene
	5-Ethylidenebicyclo[2,2,1]hept-2-ene
	Fluoranthene
	Fluorene
	† <i>n</i> -Hept-1-ene
	† <i>n</i> -Hept-2-ene
	† <i>n</i> -Hept-3-ene
	† <i>n</i> -Hept-1-yne
	† <i>n</i> -Hexadecane
	† <i>n</i> -Hexadec-1-ene
	Humulene
	Indane
	Isoprene
	Mesitylene
	2-Methylbut-2-ene
	3-Methylcholanthrene (I.U.P.A.C. numbering)
	1-Methylcycloheptene
	Methylcyclohexane
	4-Methylcyclohexene
	Methylcyclopentane
	1-Methylcyclopentene
	1-Methylnaphthalene
	2-Methylnaphthalene
	Methylnaphthalene, mixed isomers
	2-Methylpentane
	2-Methylpent-1-ene
	4-Methylpent-1-ene
	<i>cis</i> -4-Methylpent-2-ene
	Methylstyrene, mixed isomers
	Myrcene
	Naphthacene
	Nona-1,8-diyne
	† <i>n</i> -Nonane
	† <i>n</i> -Octadec-1-ene
	† <i>n</i> -Oct-1-ene
	† <i>n</i> -Oct-2-ene

<i>Tariff heading</i>	<i>Description</i>
29.01	† <i>n</i> -Oct-1-yne
	† <i>n</i> -Penta-1,3-diene
	Pentamethylbenzene
	† <i>n</i> -Pent-1-ene
	Perylene
	Phellandrene
	Phenylacetylene
	Picene
	Propyne
	Pyrene
	β-Santalene
	Squalane
	Squalene
	<i>trans</i> Stilbene
	<i>m</i> -Terphenyl
	<i>p</i> -Terphenyl
	† <i>n</i> -Tetracosane
	† <i>n</i> -Tetradecane
	† <i>n</i> -Tetradec-1-ene
	1,2,3,4-Tetrahydro-1,1,2,4,4,7-hexamethylnaphthalene
	1,2,3,4-Tetrahydronaphthalene
	4,5,9,10-Tetrahydropyrene (I.U.P.A.C. numbering)
	1,2,4,5-Tetramethylbenzene
	Tricyclo[5,2,1,0 ^{2,6}]decane
	† <i>n</i> -Tridecane
	2,2,4-Trimethylpentane
	† <i>n</i> -Undecane
	<i>o</i> -Xylene
	<i>m</i> -Xylene
29.02	Aldrin
	Allyl chloride
	Benzotrifluoride
	2-Bromobenzotrifluoride
	4-Bromobenzotrifluoride
	2-Bromobut-1-ene
	1-Bromo-3-chloro-2-methylpropane
	1-Bromo-3-chloropropane
	†4-Bromo- <i>n</i> -heptane
	†2-Bromo- <i>n</i> -hexane
	†3-Bromo- <i>n</i> -hexane
	2-Bromomesitylene
	2-Bromopropene
	Bromotrifluoroethylene
	Bromotrifluoromethane
	Carbon tetrafluoride
	Chlordane
	2-Chlorobenzotrifluoride
	3-Chlorobenzotrifluoride
	4-Chlorobenzotrifluoride
	*2-Chlorobuta-1,3-diene (until 6th March 1969)
	†1-Chloro- <i>n</i> -butane
	†1-Chloro- <i>n</i> -but-1-ene
	†3-Chloro- <i>n</i> -but-1-ene
	†1-Chloro- <i>n</i> -but-2-ene
	1-(Chloromethyl)naphthalene
	1-Chloronaphthalene
	†1-Chloro- <i>n</i> -octane
	Chloropentafluoroethane
	1-Chloroprop-1-ene
	3-Chloropropyne
	2-Chlorotoluene

<i>Tariff heading</i>	<i>Description</i>
29.02	2-Chloro- <i>p</i> -xylene
	Decachlorobicyclopenta-2,4-dienyl
	1,4-Dibromobut-2-ene
	2,3-Dibromobut-2-ene
	Dibromodifluoromethane
	1,2-Dibromoethane
	Dibromomethane
	1,2-Dibromo-2-methylpropane
	1,1-Dibromoprop-1-ene
	1,2-Dibromotetrafluoroethane
	$\alpha\alpha'$ -Dibromo- <i>m</i> -xylene
	1,3-Dichlorobenzene
	2,6-Dichlorobenzylidene chloride
	2,3-Dichlorobuta-1,3-diene
	1,4-Dichlorobutane
	†1,3-Dichloro- <i>n</i> -but-2-ene
	1,4-Dichlorobut-2-ene
	1,1-Dichloro-2,2-di-(4-chlorophenyl)ethane
	1,1-Dichloro-2,2-di-(4-ethylphenyl)ethane
	1,2-Dichloroethylene
	2,3-Dichlorohexafluorobut-2-ene
	1,2-Dichlorohexafluorocyclopentene
	1,1-Dichloroprop-1-ene
	1,3-Dichloropropene
	2,3-Dichloroprop-1-ene
	2,6-Dichlorotoluene
	3,4-Dichlorotoluene
	2,5-Dichloro- <i>p</i> -xylene
	1,1-Difluoroethane
	1,1-Difluoroethylene
	Diphenylchloromethane
	Dodecachloropentacyclo[5,2,1,0 ^{2,6} ,0 ^{3,9} ,0 ^{5,8}]decane
	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo- [12,2,1,16,9,0 ^{2,13} ,0 ^{5,10}]octadeca-7,15-diene
	Fluorobenzene
	4-Fluorobenzotrifluoride
	2-Fluoronaphthalene
	Heptachlor
	Heptafluoro-1-iodopropane
	Hexabromobenzene
	1,2,5,6,9,10-Hexabromocyclododecane
	Hexachlorobuta-1,3-diene
	1,2,3,4,5,6-Hexachlorocyclohexane, mixed isomers, of which either (a) the α -isomer content is not more than 50 per cent. by weight, or (b) the γ -isomer content is not less than 35 per cent. by weight provided that, in a case where the γ -isomer content is not less than 35 per cent. and not more than 40 per cent. by weight, not less than 90 per cent. by weight of the material passes a sieve having a nominal width of aperture of 53 microns and conforming to British Standard 410:1962
	α -1,2,3,4,5,6-Hexachlorocyclohexane
	γ -1,2,3,4,5,6-Hexachlorocyclohexane
	Hexachlorocyclopentadiene
	Hexafluoropropene
	2-Iodobenzotrifluoride
	Methallyl chloride
	3-Methylbenzyl bromide
	4-Methylbenzyl bromide
	Octafluorocyclobutane
	Pentachloroethane
	1,1,2,2-Tetrabromoethane

<i>Tariff heading</i>	<i>Description</i>
29.02	1,2,4,5-Tetrachlorobenzene *1,1,2,2-Tetrachloroethane (until 6th March 1969) 1,2,2,3-Tetrachloropropane 2,3,5,6-Tetrachloro- <i>p</i> -xylene Tribromofluoromethane 1,2,3-Tribromo-2-methylpropane 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene Trichlorobenzene, mixed isomers, containing not less than 77.5 per cent. by weight of 1,2,4-trichlorobenzene Trifluoriodomethane Vinyl fluoride
29.03	Benzene-1,3-disulphonic acid 1- <i>tert</i> Butyl-3,4,5-trimethyl-2,6-dinitrobenzene Chloropicrin 1,5-Dinitronaphthalene Ethanesulphonyl chloride 1-Ethyl-2-nitrobenzene 1-Fluoro-2-nitrobenzene Methanesulphonyl chloride 2-Nitrobiphenyl 4-Nitrobiphenyl Nitroethane Nitromethane 1-Nitronaphthalene 1-Nitropropane 2-Nitropropane 3-Nitro- <i>o</i> -xylene 2-Nitro- <i>p</i> -xylene 1,1,3,3,5-Pentamethyl-4,6-dinitroindane <i>di</i> Sodium benzene-1,3-disulphonate Sodium 2-bromoethanesulphonate Sodium 4-chlorobenzenesulphonate †Sodium 3-chloro- <i>n</i> -but-2-ene-1-sulphonate Sodium dibunat Sodium ethylenesulphonate Sodium styrenesulphonate, mixed isomers 1,3,5-Trinitrobenzene
29.04	Adonitol Allyl alcohol †Amyl alcohol, containing not less than 58 per cent. by weight of <i>n</i> -pentan-1-ol and not more than 1 per cent. by weight of aldehydes or ketones calculated as C ₅ H ₁₀ O D-Arabitol 3-Bromopropan-1-ol † <i>n</i> -Butane-1,3-diol Butane-1,4-diol † <i>n</i> -Butane-2,3-diol Butane-1,2,4-triol But-2-ene-1,4-diol † <i>n</i> -But-2-en-1-ol But-3-en-2-ol Butylchloral hydrate But-2-yne-1,4-diol But-3-yn-1-ol But-3-yn-2-ol 4-Chlorobutan-1-ol 2-Chloroethanol 3-Chloropropane-1,2-diol

Tariff heading	Description
29.04	3-Chloropropan-1-ol
	Decane-1,10-diol
	1,6-Dibromo-1,6-dideoxymannitol
	2,6-Dimethylheptan-4-ol
	2,5-Dimethylhexane-2,5-diol
	(±)-3,7-Dimethylnona-1,6-dien-3-ol
	2,4-Dimethylnonan-4-ol
	3,7-Dimethyloctan-3-ol
	Dimethyloctanol, mixed 2,6,2- and 3,7,3- isomers
	(-)-3,7-Dimethyloct-6-en-1-ol
	3,7-Dimethyloct-6-en-1-yn-3-ol
	3,6-Dimethyloct-4-yne-3,6-diol
	2,4-Dimethylpentan-1-ol
	2,2-Dimethylpropanediol
	2,2-Dimethylpropanol
	<i>meso</i> Erythritol
	Ethchlorvynol
	2-Ethylbutan-1-ol
	2-Ethylhexane-1,3-diol
	2-Ethyl-2-hydroxymethylpropanediol
	2-Ethyl-4-methylpentan-1-ol
	Farnesol
	Glyoxal sodium bisulphite
	† <i>n</i> -Heptan-1-ol
	† <i>n</i> -Hept-1-en-4-ol
	Hexadecyl alcohol, mixed isomers, which freezes at a temperature not higher than -40° centigrade
	2 <i>H</i> -Hexafluoropropan-2-ol
	Hexane-1,6-diol
	† <i>n</i> -Hexane-2,5-diol
	Hexane-1,2,6-triol
	Hexanetriol, mixed isomers
	† <i>n</i> -Hexan-1-ol
	† <i>n</i> -Hex-3-en-1-ol
	7-Hydroxy-3,7-dimethyloctanal sodium bisulphite
	2-Hydroxymethyl-2-methylpropanediol
	2-Hydroxymethyl-2-nitropropanediol
	Methallyl alcohol
	3-Methylbutan-1-ol, of a purity not less than 90 per cent.
	2-Methylbutan-2-ol
	6-Methylhept-5-en-2-ol
	3-Methylpentyn-3-ol
	2-Methylpropan-2-ol containing not more than 0·007 per cent. by weight of unsaturated compounds calculated as butene
	Nerolidol
	1 <i>H</i> ,1 <i>H</i> ,5 <i>H</i> -Octafluoropentan-1-ol
	†2- <i>n</i> -Octyl- <i>n</i> -dodecan-1-ol
	Pentane-1,5-diol
	† <i>n</i> -Pentan-1-ol
	Phytol
	<i>iso</i> Phytol
	Pinacol
	Propane-1,3-diol
	Prop-2-yn-1-ol
	Succinaldehyde di(sodium bisulphite)
	1 <i>H</i> ,1 <i>H</i> ,3 <i>H</i> -Tetrafluoropropan-1-ol
	3,7,11,15-Tetramethylhexadecane-1,2,3-triol
	Tridecyl alcohol, mixed isomers (until 6th March 1969)
	3,7,9-Trimethyldeca-1,6-dien-3-ol
	2,2,4-Trimethylpentan-1-ol

<i>Tariff heading</i>	<i>Description</i>
29.04	† <i>n</i> -Undecan-1-ol Xylitol
29.05	17 α -Allyloestr-4-en-17 β -ol Borneol <i>iso</i> Borneol Dicyclopropylmethanol Dihydrotachysterol 2,2-Di-(4-hydroxycyclohexyl)propane 1,4-Di(hydroxymethyl)cyclohexane 17 α -Ethyloestr-4-en-17 β -ol Ethinodiol Fenchyl alcohol <i>meso</i> Inositol Lynoestrenol 2-Methyl-4-phenylbutan-2-ol 3-Methyl-1-phenylpentan-3-ol 3-Nitrobenzyl alcohol 4-Nitrobenzyl alcohol Nopol 1-Phenylethanol α -Terpineol, having a freezing point not less than 20° centigrade 2,2,2-Trichlorodi-(4-chlorophenyl)ethanol 4,7,7-Trimethylbicyclo[4,1,0]hept-4-en-3-ylmethanol
29.06	2-Benzylphenol 2- <i>tert</i> Butyl-4-ethylphenol 2- <i>sec</i> Butylphenol (until 1st May 1969) 4- <i>sec</i> Butylphenol 2- <i>tert</i> Butylphenol 3,5-Di- <i>tert</i> butyl-4-hydroxybiphenyl †1,1-Di-(3- <i>tert</i> butyl-4-hydroxy-6-methylphenyl)- <i>n</i> -butane 2,6-Di- <i>tert</i> butylphenol (until 3rd July 1969) Di-(3,5-di- <i>tert</i> butyl-4-hydroxyphenyl)methane †2,3-Di-(3,4-dihydroxybenzyl)- <i>n</i> -butane 2,2'-Dihydroxybiphenyl 3,4-Dihydroxybiphenyl 1,3-Dihydroxynaphthalene 1,5-Dihydroxynaphthalene 2,3-Dihydroxynaphthalene †3,4-Di-(4-hydroxyphenyl)- <i>n</i> -hexane-3,4-diol Di-(1-methylbutyl)phenol, mixed isomers 2,4-Di- <i>tert</i> pentylphenol 2,5-Di- <i>tert</i> pentylquinol 2,6-Di- <i>iso</i> propylphenol 2-Hydroxybiphenyl 4-Hydroxybiphenyl Indan-5-ol 2-Methylquinol 1-Naphthol †3- <i>n</i> -Pentadecylphenol 4- <i>tert</i> Pentylphenol <i>iso</i> Propylcresol, mixed isomers Salicyl alcohol 2,4,2',4'-Tetrahydroxybiphenyl Thymol †1,1,3-Tri-(5- <i>tert</i> butyl-4-hydroxy-2-methylphenyl)- <i>n</i> -butane-toluene complex 2,4,6-Tri-(3,5-di- <i>tert</i> butyl-4-hydroxybenzyl)mesitylene 2,3,5-Trimethylquinol 2,4-Xylenol 3,5-Xylenol

<i>Tariff heading</i>	<i>Description</i>
29.07	3-Bromophenol 3-Chloro-4-hydroxybiphenyl 3-Chlorophenol Chloro-5- <i>isopropyl-m</i> -cresol (—OH at 1), mixed isomers 4-Chloro-3,5-xyleneol (until 3rd July 1969) 2,3-Dichlorophenol 2,2-Di-(3,5-dichloro-4-hydroxyphenyl)propane 6,7-Dihydroxynaphthalene-2-sulphonic acid 2-Fluorophenol 4-Fluorophenol Hexachlorophane 5-Hydroxynaphthalene-1-sulphonic acid <i>di</i> Sodium 1,8-dihydroxynaphthalene-3,6-disulphonate 2,4,5-Trichlorophenol (until 3rd July 1969) 2-Trifluoromethylphenol 3-Trifluoromethylphenol 4-Trifluoromethylphenol
29.08	4-Allylanisole Allyl ethyl ether Anethole Batyl alcohol 1-(2-Benzylphenoxy)propan-2-ol † <i>n</i> -Butyl vinyl ether <i>iso</i> Butyl vinyl ether Chloromethyl methyl ether †Di- <i>n</i> -butyldigol 2,5-Di- <i>tert</i> butylperoxy-2,5-dimethylhexane 1,4-Di-(1- <i>tert</i> butylperoxy-1-methylethyl)benzene 1,1-Di- <i>tert</i> butylperoxy-3,3,5-trimethylcyclohexane Di-(2-chloroethyl) ether 2,2-Di-(4,4-di- <i>tert</i> butylperoxycyclohexyl)propane Di-(α -dimethylbenzyl) peroxide 1,2-Diethoxyethane Diethyldigol †Di- <i>n</i> -hexyl ether †2-[2,2-Di-(2-hydroxyethoxymethyl)- <i>n</i> -butoxy]ethanol 1,2-Dimethoxyethane Dimethyldigol Dimethyl ether Dimethyltetragol Dimethyltrigol 2,4-Dinitrophenetole 1,4-Dioxan Di(phenoxyphenoxy)benzene, mixed isomers Di-(3-phenoxyphenyl) ether Diisopropylbenzene hydroperoxide, mixed 1,3- and 1,4- isomers Di-(2,3,3,3-tetrachloropropyl) ether Ethoxyacetylene 2-Ethoxynaphthalene Ethyldigol, containing not more than 1 per cent. by weight of ethanediol 13 β -Ethyl-17 α -ethynyl-3-methoxygona-2,5(10)-dien-17 β -ol Ethyl vinyl ether † <i>n</i> -Hexyldigol <i>p</i> -Menthanyl hydroperoxide †3-Methoxy- <i>n</i> -butan-1-ol Methoxyfurane 4-Methoxy-4-methylpentan-2-ol 2-Methoxynaphthalene 4-Methoxy-1-naphthol Methyl vinyl ether

<i>Tariff heading</i>	<i>Description</i>
29.08	Musk ambrette 4-Nitroanisole 4-Nitrophenetole <i>iso</i> Pentyl 2-phenylethyl ether 2-Phenoxyethanol Potassium guaiacolsulphonate 1,1,1-Trichlorodi-(4-methoxyphenyl)ethane Trigol containing not more than 0.1 per cent. by weight of digol 1,2,3-Tri-(2-hydroxyethoxy)propane †1,2,3-Tri-(2-hydroxy- <i>n</i> -propoxy)propane Tri- α -propylene glycol <i>monomethyl</i> ether
29.09	Allyl glycidyl ether 1-Bromo-2,3-epoxypropane † <i>n</i> -Butyl glycidyl ether 1-Chloro-2,3-epoxypropane Dicyclopentadiene dioxide Dieldrin 1,4-Di-(2,3-epoxypropoxy)butane Endrin †1,2-Epoxy- <i>n</i> -butane Epoxybutane, mixed 1,2- and 2,3- isomers $\alpha\beta$ -Epoxyethylbenzene Glycidol
29.10	α -Anhydroglucochloral 1-Bromo-2,2-diethoxyethane 8- <i>tert</i> Butyl-1,4-dioxaspiro[4,5]decane 1-Chloro-2,2-diethoxyethane 1,1-Diethoxy-3,7-dimethylocta-2,6-diene †1,1-Diethoxy- <i>n</i> -hex-2-ene 1,1-Dimethoxy-3,7-dimethylocta-2,6-diene †1,1-Dimethoxy- <i>n</i> -octane 1,3-Dioxan 1,3-Dioxolan containing not more than 0.02 per cent. by weight of water 1-Ethoxy-1,3,3-trimethoxypropane 2-Ethyl-2-methyl-1,3-dioxolan Hexahydro-2,3,6,7-tetrahydroxy-1,4,5,8-tetraoxanaphthalene Pentrichloral 4,4a,5,9b-Tetrahydroindeno[1,2- <i>d</i>]-1,3-dioxin 4,4a,9,9a-Tetrahydroindeno[2,1- <i>d</i>]-1,3-dioxin 1,1,3,3-Tetramethoxypropane
29.11	Acrylaldehyde β -8'-Apocarotenal 4- <i>tert</i> Butylbenzaldehyde 3-(4- <i>tert</i> Butylphenyl)-2-methylpropionaldehyde † <i>n</i> -Butyraldehyde <i>iso</i> Butyraldehyde *Crotonaldehyde containing not more than 4 per cent. by weight of water (until 6th March 1969) <i>iso</i> Cyclocitral 2,4-Dihydroxybenzaldehyde 3,4-Dihydroxybenzaldehyde 2,3-Dimethoxybenzaldehyde 2,6-Dimethylhept-5-enal 3,7-Dimethylnona-2,6-dienal 2-Ethylhexanal Glutaraldehyde DL-Glyceraldehyde Glycidaldehyde Glyoxal

<i>Tariff heading</i>	<i>Description</i>
29.11	<ul style="list-style-type: none"> †<i>n</i>-Heptanal †<i>n</i>-Hex-2-enal 4-(4-Hydroxy-4-methylpentyl)cyclohex-3-enaldehyde Methacrylaldehyde 2-Naphthaldehyde 1,2,3,4,5,6,7,8-Octahydro-8,8-dimethyl-2-naphthaldehyde Terephthalaldehyde <i>m</i>-Tolualdehyde 3,5,5-Trimethylhexanal 2,6,10-Trimethylundec-10-enal †<i>n</i>-Valeraldehyde <i>iso</i>Valeraldehyde
29.12	<ul style="list-style-type: none"> 4-Chlorobenzaldehyde (until 6th March 1969) 4-Chloro-3-nitrobenzaldehyde 3,4-Dichlorobenzaldehyde 2,4-Dinitrobenzaldehyde 2-Nitrobenzaldehyde 4-Nitrobenzaldehyde 5-Nitrosalicylaldehyde Sodium 2-formylbenzenesulphonate
29.13	<ul style="list-style-type: none"> Acetoin Acetoin dimer Acetylacetone Acetovanillone 4-Acetyl-6-<i>tert</i>butyl-1,1-dimethylindane 7-Acetyl-6-ethyl-1,2,3,4-tetrahydro-1,1,4,4-tetramethylnaphthalene 7-Acetyl-2-methyl-5-<i>isopropyl</i>bicyclo[2,2,2]oct-2-ene 4-Acetyl-3,7,7-trimethylbicyclo[4,1,0]hept-2-ene Benzoin †<i>p</i>-Bromo-<i>n</i>-valerophenone Butanedione †<i>n</i>-Butyrophenone (+)-Camphor Canthaxanthin L-Carvone Chloranil †<i>p</i>-Chloro-<i>n</i>-butyrophenone 2-Chlorocyclohexanone 2-[α-(4-Chlorophenyl)phenylacetyl]indane-1,3-dione Cycloheptadecanone Cycloheptadec-9-enone Cycloheptanone Cyclohexane-1,3-dione *Cyclo-octanone (until 3rd July 1969) Cyclopentadecanone †4-<i>n</i>-Decyloxy-2-hydroxybenzophenone Dibenzo[<i>a,i</i>]pyrene-5,8-dione 1,3-Dichloroacetone 2,5-Dichloro-<i>p</i>-benzoquinone 3,3:20,20-Di(ethylenedioxy)-17α-hydroxypregn-5-en-11-one 1,3-Dihydroxyacetone 2,4-Dihydroxyacetophenone 2,6-Dihydroxyacetophenone 2,2'-Dihydroxy-4,4'-dimethoxybenzophenone 2,2'-Dihydroxy-4-methoxybenzophenone 5,11α-Dihydroxy-6β-methyl-5α-pregnane-3,20-dione 11β,17α-Dihydroxypregna-1,4-diene-3,20-dione 11β,21-Dihydroxypregna-4,17(20)-dien-3-one 3β,17α-Dihydroxy-5β-pregnane-11,20-dione 11β,21-Dihydroxypregna-1,4,17(20)-trien-3-one

<i>Tariff heading</i>	<i>Description</i>
29.13	11 β ,17 α -Dihydroxypregn-4-ene-3,20-dione
	3 β ,17 α -Dihydroxypregn-5-en-20-one
	4,4-Dimethoxybutan-2-one
	2,6-Dimethylheptan-4-one
	6,10-Dimethylundeca-5,9-dien-2-one
	3,17-Dioxoandrost-4-en-19-al
	1,1-Diphenylacetone
	Dydrogesterone
	2-Ethylanthraquinone
	17,17-Ethylenedioxyandrosta-1,4-dien-3-one
	13 β -Ethyl-3-methoxygona-2,5(10)-diene-17-one
	Fenchone
	Flumethasone
	Fluorenone
	6 α -Fluoro-17 α ,21-dihydroxy-16 α -methylpregn-4-ene-3,20-dione
	6 α -Fluoro-21-hydroxy-16 α ,17 α -isopropylidenedioxypregn-4-ene-3,20-dione
	Fluorometholone
	Flurandrenolone
	† <i>n</i> -Heptan-2-one
	† <i>n</i> -Heptan-3-one
	3 <i>H</i> ,3 <i>H</i> -Hexafluoroacetylacetone
	†2- <i>n</i> -Hexylcyclopent-2-enone
	†2- <i>n</i> -Hexylidenecyclopentanone
	2-Hydroxyacetophenone
	4-Hydroxyacetophenone
	4-Hydroxybenzophenone
	2-Hydroxy-3-methylcyclopent-2-enone
	†2-Hydroxy-4- <i>n</i> -octyloxybenzophenone
	17 α -Hydroxypregna-1,4-diene-3,11,20-trione
	3 β -Hydroxypregn-5-en-20-one
	4-Hydroxypropiofenone
	17 β -Hydroxy-4,5-seco-19-norandrostane-3,5-dione
	(±)- <i>iso</i> Menthone
	Mesityl oxide
	Methandienone
	4-Methoxy-4-methylpentan-2-one
	4-(4-Methoxyphenyl)-3-methylbutan-2-one
	† <i>p</i> -Methyl- <i>n</i> -butyrophenone
	5-Methylheptan-3-one
	5-Methylhexan-2-one
	6-Methyl- α -ionone
	†3-Methyl-2-(<i>n</i> -pent-2-enyl)cyclopent-2-enone
	4-Methyl-4-phenylpentan-2-one
	4-Methyl-4- <i>p</i> -tolylpentan-2-one
	Musk ketone
	1,4-Naphthaquinone
	† <i>n</i> -Nonan-2-one
	Norethandrolone
	Norethisterone
	(±)-Norgestrel
	† <i>n</i> -Octan-3-one
	Oestr-5(10)-ene-3,17-dione
	Oestr-4-en-17-one
	3-Oxodinorchol-4-en-22-al
	Oxymetholone
	† <i>n</i> -Pentan-2-one
	Pentan-3-one
	4- <i>tert</i> Pentylcyclohexanone
	Phenacyl bromide

<i>Tariff heading</i>	<i>Description</i>
29.13	Pinacolone Pyruvaldehyde Sodium 2,2'-dihydroxy-4,4'-dimethoxybenzophenone-5-sulphonate 2,4,2',4'-Tetrahydroxybenzophenone Tetramethylcyclobutane-1,3-dione 2,5-Toluquinone, having a melting point of not less than 67·0° centigrade *1,1,1-Trifluoroacetylacetone, of a purity not less than 99 per cent. (until 6th March 1969) 14 α ,17 α ,21-Trihydroxypregn-4-ene-3,20-dione † <i>n</i> -Undecan-2-one † <i>n</i> -Valerophenone Zerumbone
29.14	Acrylic acid Allethrin Allyl 3-cyclohexylpropionate Allyl methacrylate Allyl trifluoroacetate Aluminium acetate, basic †Ammonium pentadecafluoro- <i>n</i> -octanoate Arachidic acid Arachidonic acid Biphenyl-4-carboxylic acid (–)-Bornyl acetate 4 β -Bromo-17 α ,21-dihydroxy-5 β -pregnane-3,11,20-trione 21-acetate † <i>n</i> -Butane-1,3-diol dimethacrylate Butane-1,4-diol dimethacrylate <i>iso</i> Butyl acrylate 4- <i>tert</i> Butylbenzoic acid 2- <i>sec</i> Butyl-4,6-dinitrophenyl 3-methylcrotonate <i>tert</i> Butyl 2-ethylperbutyrate † <i>n</i> -Butyric acid <i>iso</i> Butyric acid Calcium sorbate Chloroacetic anhydride Chloroacetyl chloride (until 1st May 1969) 2-Chlorocinnamic acid 3-(2-Chloroethoxy)-9 α -fluoro-11 β ,21-dihydroxy-20-oxo-16 α ,17 α -isopropylidenedioxypregna-3,5-diene-6-carbaldehyde 21-acetate 2-Chloro-4-nitrobenzoic acid 4-Chloro-3-nitrobenzoic acid *Citronellyl 3-methylcrotonate (until 6th March 1969) Crotonic acid Cyclopent-2-enyl cyclohexylacetate Cyclopropanecarboxyl chloride Decahydro-2-naphthyl acetate † <i>n</i> -Dec-2-enoic acid Decyl acrylate, mixed isomers Dichloroacetic acid Dichloroacetyl chloride Dihydrocarveyl acetate Dihydrocarveyl propionate 17 α ,21-Dihydroxy-16 α -methylpregna-1,4,9(11)-triene-3,20-dione 21-acetate 17 α ,21-Dihydroxypregn-4-ene-3,20-dione 21-acetate 3 β ,17 α -Dihydroxypregn-5-en-20-one 3-acetate 3 α ,20-Dihydroxy-5 β -pregn-17(20)-en-11-one diacetate 3 β ,11 α -Dihydroxy-5 α -pregn-16-en-20-one diacetate 1,1-Dimethyl-5-methylenehept-6-enyl acetate

<i>Tariff heading</i>	<i>Description</i>
29.14	(-)-3,7-Dimethyloct-6-enyl acetate
	†1,1-Dimethyl-2-phenylethyl <i>n</i> -butyrate
	1,1-Dimethyl-3-phenylpropyl acetate
	<i>cis</i> -3,3-(2,2-Dimethyltrimethylenedioxy)-6 β -methyl-5 α -pregn-17(20)-ene-5,11 β ,21-triol 21-acetate
	(\pm)-1,5-Dimethyl-1-vinylhept-4-enyl acetate
	2,5-Dinitrobenzoic acid
	Drostanolone propionate
	Ethanediol dimethacrylate
	Ethyl β -8'-apocarotenoate
	Ethyl fluoroacetate
	2-Ethyl-2-hydroxymethylpropanediol trimethacrylate
	Ethyl methacrylate
	Ethyl trichloroacetate
	Ethynodiol diacetate
	Fenchyl acetate
	Flumethasone 21-pivalate
	9 α -Fluoro-11 β ,17 α -dihydroxypregn-4-ene-3,20-dione 17-acetate
	Geranyl 5,9,13-trimethyltetradeca-4,8,12-trienoate
	Glycerol 1,3-dipropionate
	Glycerol tripropionate
	Glycidyl methacrylate (until 3rd July 1969)
	†Heptafluoro- <i>n</i> -butyric acid
	† <i>n</i> -Heptanoic acid
	† <i>n</i> -Hept-2-enoic acid
	† <i>n</i> -Heptyl acrylate
	† <i>n</i> -Hex-3-enoic acid
	†17 α -Hydroxypregn-4-ene-3,20-dione <i>n</i> -heptanoate
	†17 α -Hydroxypregn-4-ene-3,20-dione <i>n</i> -hexanoate
	Iodoacetic acid
	Lead tetra-acetate
	Linalyl cinnamate
	Medroxyprogesterone acetate
	†3-Methoxy- <i>n</i> -butyl acetate
	2-Methoxyethyl chloroformate
	Methyl acetate of a purity not less than 98 per cent.
	Methyl 2-chloro-3-(4-chlorophenyl)propionate
	Methyl chloroformate
	3-(4-Methylcyclohex-3-enyl)but-3-enyl acetate
	Methyl cyclopropanecarboxylate
	Methyl formate
	†Methyl <i>n</i> -hexanoate of a purity not greater than 98 per cent.
	Methyl 1-methyl-4- <i>isopropylbicyclo</i> [2,2,2]oct-2-ene-6-carboxylate
	*Methyl <i>p</i> -toluate (until 6th March 1969)
	†3-Methyl- <i>n</i> -valeric acid
	†4-Methyl- <i>n</i> -valeric acid
	1-Naphthoic acid
	(\pm)-Nerolidyl acetate
	(\pm)-Nerolidyl <i>isobutyrate</i>
	(\pm)-Nerolidyl formate
	(\pm)-Nerolidyl propionate
	2-Nitrobenzoic acid
	4-Nitrobenzoic acid
	2-Nitrocinnamic acid
	3-Nitrocinnamic acid
	4-Nitrocinnamic acid
	4-Nitrophenylacetic acid
	† <i>n</i> -Nonanoic acid

<i>Tariff heading</i>	<i>Description</i>
29.14	<ul style="list-style-type: none"> †<i>n</i>-Non-3-enoic acid Nonyl acetate, mixed isomers, having a specific rotation at 20° centigrade to the D line of sodium of between -9° and -13° †<i>n</i>-Non-2-ynoic acid Norethisterone acetate †<i>n</i>-Octanoic acid (until 3rd July 1969) †<i>n</i>-Oct-2-ynoic acid †Pentadecafluoro-<i>n</i>-octanoic acid Pentafluoropropionic acid Pent-4-enoic acid †2-Phenyl-<i>n</i>-butyric acid Phenyl chloroformate 2-Phenylethyl cinnamate Pivalic acid Potassium sorbate 2-(4-<i>iso</i>Propenylcyclohex-1-enyl)ethyl formate Propiolic acid Propionic anhydride †<i>n</i>-Propyl acrylate <i>iso</i>Propyl acrylate Sodium fluoroacetate Sodium formate †Sodium pentadecafluoro-<i>n</i>-octanoate Sodium trichloroacetate Sodium trifluoroacetate Tetragol di-(2-ethylhexanoate) Tetragol dimethacrylate <i>o</i>-Toluic acid (-COOH at 1) <i>m</i>-Toluic acid (-COOH at 1) <i>p</i>-Toluic acid (-COOH at 1) Tricyclo[5,2,1,0^{2,6}]dec-4-en-8-yl acetate Tricyclo[5,2,1,0^{2,6}]dec-4-en-8-yl formate Triethyl orthoacetate Triethyl orthopropionate Trifluoroacetic acid Trigol di-(2-ethylbutyrate) Trigol dimethacrylate 3β,17α,21-Trihydroxypregn-5-en-20-one 21-acetate 4,7,7-Trimethylbicyclo[4,1,0]hept-4-en-3-ylmethyl acetate Trimethyl orthoformate 2,2,4-Trimethylpentane-1,3-diol 1-<i>isobutyrate</i> 2,2,4-Trimethylpentane-1,3-diol <i>diisobutyrate</i> 2,4,6-Trinitrobenzoic acid which yields not more than 0.1 per cent. by weight of sulphated ash Undec-10-enoic acid Vaccenic acid <i>iso</i>Valeric acid †Vinyl <i>n</i>-butyrate Vinyl chloroacetate Vinyl 2-ethylhexanoate Vinyl propionate †Zinc <i>n</i>-heptanoate
29.15	<ul style="list-style-type: none"> <i>cis</i>Aconitic acid Ammonium ferric oxalate Azelaic acid Benzenedicarboxylic acid, mixed isomers Benzene-1,2,4-tricarboxylic anhydride Bicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic acid Bicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic anhydride Biphenyl-2,2'-dicarboxylic acid

<i>Tariff heading</i>	<i>Description</i>
29.15	<ul style="list-style-type: none"> †<i>n</i>-Butyl hydrogen itaconate Calcium malonate Cyclohexane-1,2-diacetic acid Cyclohexane-1,2-dicarboxylic anhydride Cyclohex-4-ene-1,2-dicarboxylic anhydride †Di-<i>n</i>-butyl itaconate Dichloromaleic anhydride Dimethyl itaconate Dimethyl maleate Diocyl 2<i>H</i>,3<i>H</i>-hexachlorobicyclo[2,2,1]hept-5-ene-2,3-dicarboxylate, mixed isomers †Di-<i>n</i>-octyl phthalate Di(tridecyl) sodium-sulphosuccinate, mixed isomers Dodecane-1,12-dioic acid Dodecenylsuccinic acid, mixed isomers Ethanediol cyclic brassylate Glutaric anhydride 2<i>H</i>,3<i>H</i>-Hexachlorobicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic acid 2<i>H</i>,3<i>H</i>-Hexachlorobicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic anhydride 1,8,9,10,11,11-Hexachlorotricyclo[6,2,1,0^{2,7}]undec-9-ene-4,5-dicarboxylic anhydride Hexafluoroglutaric acid Hexafluoroglutaryl chloride Hydroxydione sodium succinate Isophthalic acid Itaconic anhydride Malonic acid Methylbicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic anhydride Oxalic acid (until 6th March 1969) Pimelic acid Pyromellitic dianhydride Sodium oxalate which, in the form in which it is imported, contains not less than 5.0 per cent. by weight of moisture and which contains in the dried material not more than 98.0 per cent. by weight of oxalates expressed as sodium oxalate, Na₂C₂O₄ Suberic acid 4-Sulphophthalic acid 4-Sulphophthalic acid, diammonium salt Terephthaloyl chloride Tetrabromophthalic anhydride Tetrachlorophthalic anhydride
29.16	<ul style="list-style-type: none"> Acetone-1,3-dicarboxylic acid Aluminium hydroxide di-(<i>O</i>-acetylsalicylate) Antimony potassium tartrate, which satisfies the requirements of the British Pharmacopoeia †<i>n</i>-Butoxycarbonylmethyl-<i>n</i>-butyl phthalate †<i>n</i>-Butyl 4,4-<i>di-tert</i>butylperoxyvalerate †<i>n</i>-Butyl glycollate †4-<i>n</i>-Butyryl-2,3-dichlorophenoxyacetic acid Calcium glucoheptonate, pyrogen free Calcium D-saccharate Carbenoxolone Carbenoxolone, disodium salt Cyclandelate 2,5-Dichloro-6-methoxybenzoic acid Diethyl ethoxymethylenemalonate 2,5-Dihydroxybenzoic acid 3,4-Dihydroxybenzoic acid 3,5-Dihydroxybenzoic acid 2,2-Di(hydroxymethyl)propionic acid

<i>Tariff heading</i>	<i>Description</i>
29.16	3,4-Dihydroxyphenylacetic acid 2,3-Dimethoxybenzoic acid 3,5-Dimethoxybenzoic acid 3,4-Dimethoxyphenylacetic acid Dimethyl methoxymethylenemalonate Enoxolone 3,4-Epoxy-6-methylcyclohexylmethyl 3,4-epoxy-6-methylcyclohexane-carboxylate Ethacrynic acid Ethyl diethoxyacetate Ethyl 2-hydroxyisobutyrate Ethyl 2-hydroxy-2-methylbutyrate Ethyl pyruvate Ethyl sodioacetoacetate (until 6th March 1969) Galacturonic acid Glucuronic acid Glycollic acid Glyoxylic acid 2-(4-Hydroxybenzoyl)benzoic acid 3-Hydroxycinnamic acid 4-Hydroxy-3,5-dimethoxycinnamic acid 1-Hydroxy-2-naphthoic acid 2-Hydroxy- <i>m</i> -toluic acid Laevulic acid L-Malic acid L-Mandelic acid Manganese α -D-glucoheptonate Methallenoestril Mucic acid Mucochloric acid 2-Oxo-2,3:4,6-diisopropylidenegulonic acid 2-Oxoglutaric acid Oxydiacetic acid Pentaerythritol tetra-3-(3,5-di- <i>tert</i> butyl-4-hydroxyphenyl)propionate 3-Phenylsalicylic acid Potassium gluconate <i>iso</i> Propyl 4,4'-dichlorobenzilate Pyruvic acid which, in the dry state, contains not more than 97 per cent. by weight of free acid calculated as pyruvic acid Quinic acid Shikimic acid <i>tri</i> Sodium (\pm)-isocitrate Sodium deoxycholate Sodium 2,5-dihydroxybenzoate Sodium 2-hydroxy-4-methoxybenzoate (-)-Tartaric acid <i>meso</i> Tartaric acid 2,4,5-Trichlorophenoxyacetic acid Triethyl <i>O</i> -acetyl citrate 3,7,12-Trioxo-5 β -cholanolic acid Vanillic acid
29.17	† <i>n</i> -Dodecyl sodium sulphate
29.18	Cyclohexyl nitrate
29.19	Barium hydrogen 2-phosphoglycerate Barium hydrogen 3-phospho-D-glycerate Calcium phytate Chloro-1-(2,4-dichlorophenyl)vinyl diethyl phosphate 1,2-Dibromo-2,2-dichloroethyl dimethyl phosphate

Tariff heading	Description
29.19	†Di- <i>n</i> -butyl 2,2-dichlorovinyl phosphate †Di- <i>n</i> -butyl phenyl phosphate 2,2-Dichlorovinyl dimethyl phosphate Di-(2-ethylhexyl) sodium phosphate 2-Ethylhexyl diphenyl phosphate Sodium phytate Tri-(2,3-dibromopropyl) phosphate Triethyl phosphate
29.20	2- <i>sec</i> Butyl-4,6-dinitrophenyl <i>isopropyl</i> carbonate Diallyl digol dicarbonate *Di-(4- <i>tert</i> butylcyclohexyl) peroxydicarbonate (until 6th March 1969) Diethyl pyrocarbonate Diphenyl carbonate Ethylene carbonate Propylene carbonate
29.21	O-4-Bromo-2,5-dichlorophenyl <i>OO</i> -diethyl phosphorothioate O-4-Bromo-2,5-dichlorophenyl <i>OO</i> -dimethyl phosphorothioate O-2,4-Dichlorophenyl <i>OO</i> -diethyl phosphorothioate <i>OO</i> -Diethyl O-4-nitrophenyl phosphorothioate <i>OO</i> -Diethyl phosphorochloridothioate †1,3-Di-(4-methyl-1,3,2-dioxaborinan-2-yloxy)- <i>n</i> -butane <i>OO</i> -Dimethyl O-3-methyl-4-nitrophenyl phosphorothioate <i>OO</i> -Dimethyl O-4-nitrophenyl phosphorothioate <i>OO</i> -Dimethyl O-2,4,5-trichlorophenyl phosphorothioate Di-(4,4,6-trimethyl-1,3,2-dioxaborinan-2-yl) oxide 1,9,10,11,12,12-Hexachloro-4,6-dioxa-5-thiatricyclo[7,2,1,0 ^{2,8}]dodeca-10-ene 5-oxide Phenyl phosphorodichloridate 4,4'- <i>iso</i> Propylidenedicyclohexyl di-(4-[1-(4-hydroxycyclohexyl)-1-methylethyl]cyclohexyl phenyl phosphite) Tri-(2-ethylhexyl) phosphite Triethyl phosphite Trimethyl phosphite
29.22	Allylamine 2-Aminobiphenyl 4-Aminobiphenyl 6-Aminochrysene (I.U.P.A.C. numbering) <i>N</i> -2-Amino-3,5-dibromobenzyl- <i>N</i> -cyclohexylmethylammonium chloride †4-Amino-1-diethylamino- <i>n</i> -pentane 2-Amino-4,4'-dinitrobiphenyl 4-Aminodiphenylamine 3-Aminomethyl-3,5,5-trimethylcyclohexylamine 8-Aminonaphthalene-1-sulphonic acid 8-Aminonaphthalene-2-sulphonic acid Amitriptyline embonate Amitriptyline hydrochloride Benzidine Benzidine hydrochloride Benzphetamine hydrochloride 3-Bromoaniline 2-Bromo-5-trifluoromethylaniline 4-Bromo-2-trifluoromethylaniline 4-Bromo-3-trifluoromethylaniline † <i>n</i> -Butylamine <i>iso</i> Butylamine <i>sec</i> Butylamine <i>tert</i> Butylamine 2-Chloro- <i>NN</i> -diethyl-4-nitroanilinium chloride zinc chloride <i>N</i> -3-Chloropropylidimethylammonium chloride, solid 2-Chloro-5-trifluoromethylaniline

<i>Tariff heading</i>	<i>Description</i>
29.22	4-Chloro-2-trifluoromethylaniline
	4-Chloro-3-trifluoromethylaniline
	3-Cyclohexylaminopropylamine
	<i>N</i> -Cyclohexyldimethylamine
	<i>N</i> -Cyclohexylmethylamine
	Cyclopentamine hydrochloride
	Cyclopentamine 2-(4-hydroxybenzoyl)benzoate
	(Cyclopropylmethyl)ammonium chloride
	† <i>N-n</i> -Decyldimethylamine
	Diallylamine
	1,2-Diaminoethane (until 6th March 1969)
	1,2-Diaminoethane hydrate
	1,7-Diaminoheptane
	Di-(4-amino-3-methylcyclohexyl)methane
	1,8-Diaminonaphthalene
	1,2-Diaminopropane
	1,3-Diaminopropane
	Di-(3-aminopropyl)amine
	2,4-Diaminotoluene
	1,6-Diaminotrimethylhexane, mixed 2,2,4- and 2,4,4- isomers
	Diamylamine, mixed isomers
	6,8-Dianilinonaphthalene-1-sulphonic acid
	2,6-Dibromoaniline
	† <i>Di-n</i> -butylamine
	2,4-Dichloroaniline
	3,4-Dichloroaniline
	2,4-Dichlorobenzylamine
	3,4-Dichlorobenzylamine
	4,5-Dichloro- <i>o</i> -phenylenediamine
	Dicyclohexylamine
	<i>NN'</i> -Dicyclohexyl- <i>p</i> -phenylenediamine
	†1,3-Di(dimethylamino)- <i>n</i> -butane
	1,4-Di(dimethylamino)butane
	2-Diethylaminoethylamine
	3-Diethylaminopropylamine
	<i>NN</i> -Diethylaniline
	Diethylenetriamine (until 6th March 1969)
	<i>NN'</i> -Di-(1-ethyl-3-methylpentyl)- <i>p</i> -phenylenediamine
	<i>NN</i> -Diethyl- <i>p</i> -phenylenediamine
	2-Dimethylaminoethylamine
	3-Dimethylaminopropylamine
	3-Dimethylaminopropyne
	<i>NN'</i> -Di-(1-methylheptyl)- <i>p</i> -phenylenediamine
	† <i>NN</i> -Dimethyl- <i>n</i> -octylamine
	<i>NN</i> -Dimethyl- <i>p</i> -phenylenediamine
	6,10-Dimethyl-2,6,10,14-tetra-azapentadecane
	†2,6-Dinitro- <i>NN</i> -di- <i>n</i> -propyl-4-trifluoromethylaniline
	† <i>Di-n</i> -octylamine
	† <i>Di-n</i> -propylamine
	Diisopropylamine
	† <i>N-n</i> -Dodecyldimethylamine
	Ethansylate
	2-Ethylaniline
	<i>N</i> -Ethylaniline
	<i>N</i> -Ethyl-di-(3-phenylpropyl)ammonium dihydrogen citrate
	<i>N</i> -Ethyl-1-naphthylamine
	<i>N</i> -Ethyl- <i>m</i> -toluidine
	Fencamfamin hydrochloride
	Fenfluramine hydrochloride
	2-Fluoroaniline
	4-Fluoroaniline

<i>Tariff heading</i>	<i>Description</i>
29.22	2-Fluoro-5-trifluoromethylaniline
	4-Fluoro-2-trifluoromethylaniline
	† <i>n</i> -Heptylamine
	† <i>n</i> -Hexylamine
	Mephentermine
	3-Methylaminopropylamine
	<i>N</i> -Methylaniline
	3-Methylbenzylamine
	1-Methylheptylamine
	<i>N</i> -1-Methylheptyl- <i>N'</i> -phenyl- <i>p</i> -phenylenediamine
	<i>N</i> -Methyl-1-methylprop-2-ynylamine
	<i>N</i> -(2-Methyl-2-nitropropyl)-4-nitrosoaniline
	<i>N</i> -Methyltaurine
	<i>N</i> -Methyltaurine, sodium salt
	1-Naphthylamine
	2-Naphthylamine
	4-Nitroaniline
	4-Nitro- <i>m</i> -phenylenediamine
	† <i>n</i> -Octylamine
	Pargyline hydrochloride
	<i>NNN'</i> -Pentamethyldiethylenetriamine
	† <i>n</i> -Pentylamine
	<i>iso</i> Pentylamine
	Phentermine
	<i>m</i> -Phenylenediamine
	<i>p</i> -Phenylenediamine
	<i>p</i> -Phenylenediamine dihydrochloride
	(±)-1-Phenylethylamine
	Prenylamine lactate
	† <i>n</i> -Propylamine
	<i>iso</i> Propylamine
	(-)-Propylhexedrine hydrochloride
	Protriptyline hydrochloride
	Sodium 4-aminonaphthalene-1-sulphonate
	Spermidine
	Spermidine trihydrochloride
	Taurine
	3,4,3',4'-Tetra-aminobiphenyl tetrahydrochloride
	Tetraethylenepentamine (until 6th March 1969)
	5,6,7,8-Tetrahydro-1-naphthylamine
	1,2,3,4-Tetrahydro-2-naphthylamine
	5,6,7,8-Tetrahydro-2-naphthylamine
	<i>o</i> -Tolidine
	<i>o</i> -Tolidine dihydrochloride
	<i>m</i> -Tolidine dihydrochloride
	<i>m</i> -Tolidine di(hydrogen sulphate)
	Tolpropamine hydrochloride
	3- <i>p</i> -Toluidinonaphthalene-1-sulphonic acid
	Triallylamine
	†Tri- <i>n</i> -butylamine
	2,4,5-Trichloroaniline
	†Tri- <i>n</i> -decylamine
	Triethylammonium 3β,17β-dihydroxyandrost-5-en-17α-ylpropionate
	Triethylenetetramine (until 6th March 1969)
	2-Trifluoromethylaniline
	4-Trifluoromethylaniline
	†Tri- <i>n</i> -hexylamine
	†Tri- <i>n</i> -octylamine
	†Tri- <i>n</i> -pentylamine
	Triisopentylamine
	†Tri- <i>n</i> -propylamine

<i>Tariff heading</i>	<i>Description</i>
29.22	2,3-Xylidine 2,5-Xylidine 3,4-Xylidine
29.23	Acetaldehyde ammonia D-Alanine L-Alanine DL-Alanine 4-Aminoacetophenone 7-(4-Aminoanilino)-4-hydroxynaphthalene-2-sulphonic acid 3-Aminobenzoic acid 4-Aminobenzoic acid †2-Amino- <i>n</i> -butan-1-ol 4-Aminobutyric acid 5-Amino-2-chlorobenzoic acid 2-Amino-5,2'-dichlorobenzophenone 2-Amino-4,6-dichlorophenol 1-Amino-3-diethylaminopropan-2-ol L-2-Amino-3-(3,4-dihydroxyphenyl)-2-methylpropionic acid DL-2-Amino-3-(3,4-dihydroxyphenyl)-2-methylpropionic acid 2-Amino-1-(3,4-dihydroxyphenyl)propan-1-ol hydrochloride 2-(2-Aminoethoxy)ethanol 2-Aminoethyl dihydrogen phosphate <i>N</i> -(2-Aminoethyl)ethanolamine 2-Amino-2-ethylpropane-1,3-diol 6-Aminohexanoic acid 2-Amino-2-methylpropane-1,3-diol 2-Amino-2-methylpropan-1-ol 5-Amino-1-naphthol 3-Amino-2-naphthol 2-Amino-5-nitrophenol (-)-2-Amino-1-(4-nitrophenyl)propane-1,3-diol 3-Aminophenol 4-Aminophenylacetic acid (+)-2-Aminopropan-1-ol 3-Aminopropan-1-ol 3-Aminopropionic acid 4-Aminosalicylic acid (-COOH at 1) 5-Aminosalicylic acid (-COOH at 1) Amylocaine hydrochloride 7-Anilino-4-hydroxynaphthalene-2-sulphonic acid <i>m</i> -Anisidine Anthranilic acid L-Aspartic acid DL-Aspartic acid Bamethan sulphate Benzocaine (-)-2-Benzylaminopropan-1-ol (±)-2-Benzylaminopropan-1-ol Butacaine sulphate 2- <i>tert</i> -Butylaminoethyl methacrylate Calcium 3-aminopropionate Calcium 4-aminosalicylate (-COOH at 1) 7-(4-Carboxymethoxyanilino)-4-hydroxynaphthalene-2-sulphonic acid Chlophedianol Chlophedianol hydrochloride 5-Chloro- <i>o</i> -anisidine (-NH ₂ at 1) 4-Chloro-2,5-dimethoxyaniline (until 3rd July 1969) 4-(4-Chlorophenoxy)aniline 3-Chloro-6-phenoxyaniline Chlorphenoxamine hydrochloride

Tariff heading	Description
29.23	<p>Clorprenaline hydrochloride</p> <p>2,4-Diaminoanisole</p> <p>2,4-Diaminoanisole <i>monosulphate</i></p> <p>1,2-Diaminocyclohexane-<i>NNN'N'</i>-tetra-acetic acid</p> <p>1,3-Diaminopropan-2-ol</p> <p>1,3-Diaminopropan-2-ol-<i>NNN'N'</i>-tetra-acetic acid</p> <p>3,9-Di-(3-aminopropyl)-2,4,8,10-tetraoxaspiro[5,5]undecane</p> <p><i>o</i>-Dianisidine</p> <p><i>o</i>-Dianisidine dihydrochloride of a purity not greater than 98.5 per cent.</p> <p>1,15-Diaza-5,8,11-trioxapentadecane</p> <p>2,6-Ditertbutyl-4-dimethylaminomethylphenol</p> <p>3,3'-Di(carboxymethoxy)benzidine, dipotassium salt</p> <p>6,6'-Dichloro-<i>o</i>-dianisidine</p> <p>†1,2-Di[di-(2-hydroxy-<i>n</i>-propyl)amino]ethane</p> <p>Di-(2-dimethylaminoethyl) ether</p> <p>2,2-Diethoxyethylamine</p> <p>†2-Diethylaminoethyl 4-amino-2-<i>n</i>-propoxybenzoate <i>monohydrochloride</i></p> <p>2-Diethylaminoethyl diphenylacetate hydrochloride</p> <p>3-Diethylaminopropan-1-ol</p> <p>5,5'-Dihydroxy-2,2'-dinaphthylamine-7,7'-disulphonic acid</p> <p>3-(3,4-Dihydroxyphenyl)-DL-alanine</p> <p>2-(3,4-Dihydroxyphenyl)ethylammonium chloride</p> <p>†Di-(2-hydroxy-<i>n</i>-propyl)amine</p> <p>†<i>NN</i>-Di-(2-hydroxy-<i>n</i>-propyl)aniline (until 6th March 1969)</p> <p>2,5-Dimethoxyaniline (until 3rd July 1969)</p> <p><i>N</i>-2,2-Dimethoxyethylmethylamine</p> <p>1-(3,4-Dimethoxyphenyl)-1-dimethylamino-4-phenylbutane hydrochloride</p> <p>2-(3,4-Dimethoxyphenyl)ethylamine</p> <p>β-Dimethylaminoisobutyrophenone hydrochloride</p> <p>2-Dimethylaminoethyl methacrylate (until 3rd July 1969)</p> <p>6-Dimethylaminomethyl-2,5-xyleneol hydrochloride (-OH at 1)</p> <p>1-Dimethylaminopropan-2-ol</p> <p>3-(3-Dimethylaminopropyl)-1,2:4,5-dibenzocycloheptadien-3-ol</p> <p>1,4-Di-(2,4,6-trimethylanilino)anthraquinone</p> <p>Embramine hydrochloride</p> <p>Ethomoxane hydrochloride</p> <p>Ethyl aminoacetate hydrochloride</p> <p>2-Ethylaminoethanol, of which not less than 90 per cent. by volume distils between 165° and 170° centigrade at normal pressure and which contains not more than 0.5 per cent. by weight of water</p> <p>Ethylenediamine-<i>NN'</i>-diacetic acid</p> <p>Ethylenediamine-<i>NN'</i>-diacetic acid, cobalt complex</p> <p>Ethylenediamine-<i>NN'</i>-di-$[\alpha$-(2-hydroxyphenyl)acetic acid]</p> <p>Ethylenediamine-<i>NN'</i>-di-$[\alpha$-(2-hydroxyphenyl)acetic acid], iron complex</p> <p><i>N</i>-Ethyl-<i>N</i>-2-hydroxyethyl-<i>m</i>-toluidine</p> <p>D-Glucosamine hydrochloride</p> <p>Glutamic acid</p> <p>Glycine</p> <p>DL-Homoserine</p> <p>1-(4-Hydroxyphenyl)-2-methylaminoethanol hydrogen tartrate</p> <p>1-(4-Hydroxyphenyl)-2-methylaminoethanol tartrate</p> <p>Iopanoic acid</p> <p>Isatoic anhydride</p> <p>Isoetharine mesylate</p> <p>Isoxsuprine hydrochloride</p> <p>L-Leucine</p> <p>DL-Leucine</p>

<i>Tariff heading</i>	<i>Description</i>
29.23	<p> <i>L-isoLeucine</i> <i>DL-isoLeucine</i> <i>L-norLeucine</i> <i>DL-norLeucine</i> Levopropoxyphene napsylate <i>L-Lysine</i> <i>DL-Lysine dihydrochloride</i> <i>L-Lysine ethyl ester dihydrochloride</i> <i>L-Lysine monohydrochloride</i> <i>DL-Lysine monohydrochloride</i> Lyxosamine Magnesium glutamate hydrobromide Mannomustine dihydrochloride Mebeverine hydrochloride Meclofenoxate hydrochloride Metaminol hydrogen (+)-tartrate 3-Methoxypropylamine 6-Methoxy-<i>m</i>-toluidine (—NH₂ at 1) 2-Methylaminoethanol 3-(3-Methylaminoprop-1-ynyl)-1,2:4,5-dibenzocycloheptadien-3-ol <i>N</i>-Methyldiethanolamine Orciprenaline sulphate <i>DL</i>-Ornithine <i>monohydrochloride</i> Orphenadrine Orphenadrine dihydrogen citrate Orphenadrine hydrochloride Pentyl 4-dimethylaminobenzoate, mixed isomers 5-<i>tert</i>Pentyl-2-phenoxyaniline <i>o</i>-Phenetidine <i>m</i>-Phenetidine <i>p</i>-Phenetidine (until 1st May 1969) <i>L</i>-3-Phenylalanine <i>DL</i>-3-Phenylalanine Potassium 4-aminosalicylate (—COOH at 1) Potassium dimethylaminoacetate Potassium 2-methylaminopropionate Procaine Procaine hydrochloride Protokylol hydrochloride Proxymetacaine <i>monohydrochloride</i> Sarcosine <i>L</i>-Serine <i>DL</i>-Serine Sodium 4-aminosalicylate (—COOH at 1) Sodium hydrogen glutamate <i>L</i>-Threonine <i>DL</i>-Threonine Thymoxamine hydrochloride †Tri-(2-hydroxy-<i>n</i>-propyl)amine Trolnitrate phosphate Trometamol Tyramine hydrochloride <i>L</i>-Tyrosine <i>DL</i>-Tyrosine <i>L</i>-Valine <i>DL-nor</i>Valine </p>
29.24	<p> Benzethonium chloride Betaine Betaine hydrochloride Carbenoxolone, dicholine salt </p>

<i>Tariff heading</i>	<i>Description</i>
29.24	Cetalkonium chloride 1,3-Di(dimethylamino)propan-2-ol dimethiodide Edrophonium chloride Methylbenzethonium chloride Oxyphenonium bromide Tridihexethyl chloride
29.25	8-Acetamido-2-naphthol O-Acetyl-4'-chloro-3,5-di-iodosalicylanilide N-Acetyl-D-galactosamine N-Acetyl-D-glucosamine N-Acetyl-L-glutamine N-Acetyl-L-tyrosine Acrylamide Ambenonium chloride Ambucetamide 7-(4-Aminobenzamido)-4-hydroxynaphthalene-2-sulphonic acid 4-Aminohippuric acid L- α -Asparagine DL- α -Asparagine L- β -Asparagine Barbitone Barbitone sodium N-Bromoacetamide Bucetin †N-(n-Butoxymethyl)acrylamide secButylurea Carbachol O-Carbamoyl- β -methylcholine chloride Chloroacetamide 4-Chlorobut-2-ynyl 3-chlorophenylcarbamate N-5-Chloro-2-(4-chloro-2-sulphophenoxy)phenyl-N'-3,4-dichloro-phenylurea 2-Chloro-2-diethylcarbamoyl-1-methylvinyl dimethyl phosphate 11a-Chloro-5-hydroxytetracycline 6,12-hemiacetal N-4-(4-Chlorophenoxy)phenyl-N'-N'-dimethylurea α -Chloro-N-isopropylacetanilide †N-(3-Chloro-p-tolyl)-2-methyl-n-valeramide Chlorphenesin carbamate *N-Cyclo-octyl-N'-N'-dimethylurea (until 6th March 1969) Cyclopropanecarboxamide Diacylamidomethane 3',4'-Dichloromethacrylanilide 3,3'-Dichloro-5-trifluoromethyl-NN'-diphenylurea NN'-Di-(4-chloro-3-trifluoromethylphenyl)urea 1,2-Di(diacetylamino)ethane Diethylcarbamoyl chloride 2-(2,5-Dihydroxybenzamido)ethanol NN-Dimethylacetamide (until 3rd July 1969) Dimethylcarbamoyl chloride NN'-Dimethyl-NN'-dinitrosoterephthalamide NN-Dimethyl-N'-3-trifluoromethylphenylurea NN'-Dimethylurea containing not more than 0.005 per cent. by weight of iron calculated as Fe Di-(4-phenoxycarbonylaminophenyl)methane Ethosalamide Ethotoin Ethyl N-3-(1,2:5,6-dibenzocycloheptatrien-7-yl)propylmethylcarbamate 1-Ethyl-1-methylprop-2-ynyl carbamate Etymide hydrochloride Fluoroacetamide Formamide

<i>Tariff heading</i>	<i>Description</i>
29.25	L-Glutamine DL-Glutamine N-Glycyl-L- β -asparagine N-Glycyl-DL- β -asparagine N-(Hydroxymethyl)acrylamide 1-Hydroxymethyl-5,5-dimethylhydantoin, solid Iodipamide, dimeglumine salt Iodoacetamide Iothalamic acid Isopropamide iodide Lactamide Mebutamate Methacrylamide Methohexitone Methyl 4-acetamido-2-ethoxybenzoate Methyl 4-acetamido-5-chloro-2-methoxybenzoate Methyl carbamate Methyl 3-(<i>m</i> -tolylcarbamoxyloxy)phenylcarbamate Metoclopramide dihydrochloride Metoclopramide <i>monohydrochloride</i> 1-Naphthyl methylcarbamate Nealbarbitone Niclosamide Oxethazaine Phenytoin sodium Pivalamide 2- <i>iso</i> Propoxyphenyl methylcarbamate Sodium diatrizoate Styramate Tetramethylurea 5,3',4'-Trichlorosalicylanilide † <i>N</i> -Vanillyl- <i>n</i> -nonanamide Vinbarbitone sodium
29.26	Acetamidinium chloride α -(4-Aminophenyl)- α -ethylglutarimide L-Arginine L-Arginine <i>monohydrochloride</i> <i>N</i> -Benzoyl-DL-arginine 2-naphthylamide hydrochloride Creatine 3,5-Dichloro- <i>p</i> -benzoquinonechlorimine 1,2-Di-(1,3-dimethylbutylideneamino)ethane Di-[2-(1,3-dimethylbutylideneamino)ethyl]amine 1-(Di-[2-(1,3-dimethylbutylideneamino)ethyl]amino)-3-phenoxypropan-2-ol Di-(2,6-diisopropylphenyl)carbodi-imine † <i>n</i> -Dodecylguanidinium acetate <i>N</i> -(2-Ethylhexyl)bicyclo[2,2,1]hept-5-ene-2,3-dicarboxyimide <i>N</i> -Ethylmaleimide Glutethimide 4-Guanidinobutyric acid Hexahydro-1,3,5-tri-(2-hydroxyethyl) 1,3,5-triazine Hexamine 3-chloroallylochloride (until 6th March 1969) Phenformin <i>monohydrochloride</i> <i>N</i> -Phosphonocreatine, sodium salt 3,4,5,6-Tetrahydrophthalimidomethyl 2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate <i>NNN'</i> -Tetramethylguanidine
29.27	(–)-2-Acetamido-2-vanillylpropionitrile Acrylonitrile Barium 2-cyanoethyl phosphate

<i>Tariff heading</i>	<i>Description</i>
29.27	Benzonitrile
	3-Bromopropionitrile
	† <i>n</i> -Butyronitrile
	Chloroacetoneitrile
	3-Chlorophenylacetoneitrile
	4-Chlorophenylacetoneitrile
	Cyanocyclopropane
	3-Cyano-5-dimethylamino-2-methyl-3-phenylhexane
	3-Cyclohexylaminopropionitrile
	2,6-Dichlorobenzonitrile
	2,3-Dichloro-5,6-dicyanobenzoquinone
	<i>NN</i> -Di-2-cyanoethylformamide
	$\alpha\alpha'$ -Dicyano- <i>o</i> -xylene
	$\alpha\alpha'$ -Dicyano- <i>m</i> -xylene
	$\alpha\alpha'$ -Dicyano- <i>p</i> -xylene
	4-Diethylaminobutyronitrile
	†2-Dimethylamino-2,2-diphenyl- <i>n</i> -valeronitrile
	3-Dimethylaminopropionitrile
	2,2-Dimethylpropionitrile
	Diphenylacetoneitrile
	†4-Di- <i>n</i> -propylaminobutyronitrile
	4-Diisopropylaminobutyronitrile
	Ethyl 2-cyano-3,3-diphenylacrylate
	Ethyl 2-cyano-3-ethoxyacrylate
	2-Ethylhexyl 2-cyano-3,3-diphenylacrylate
	† <i>n</i> -Hexanonitrile
	3-Hydroxypropionitrile
	Mandelonitrile
	Methacrylonitrile
	2-Phenylpropionitrile
	Phthalonitrile
	Propionitrile
	Succinonitrile
	Tetracyanoethylene
	<i>o</i> -Tolunitrile
	<i>o</i> -Tolylacetoneitrile
	<i>p</i> -Tolylacetoneitrile
	Verapamil hydrochloride
29.28	4-Anilinophenyldiazonium hydrogen sulphate
	Azobenzene
	4- <i>N</i> -Benzylethylaminophenyldiazonium zinc chloride
	3,4-Dimethyl-6- <i>D</i> -ribitylaminoazobenzene
	Sodium 6-diazo-5-hydroxynaphthalene-1-sulphonate
	<i>tri</i> Sodium hydrogen 4,5-dihydroxy-3,6-di-(2-sulphophenylazo)-naphthalene-2,7-disulphonate
	2,5,4'-Triethoxy-4-biphenylyldiazonium zinc chloride
29.29	<i>p</i> -Benzoquinone dioxime
	<i>p</i> -Benzoquinone dioxime dibenzoate
	Benzylideneaminoguanidinium tartrate
	<i>N</i> -(4-Bromophenyl)- <i>N'</i> -methoxy- <i>N'</i> -methylurea
	1-(2-Carboxyphenyl)-5-(2-hydroxy-5-sulphophenyl)-3-phenylformazan
	<i>N</i> -(4-Chlorobenzoyl)- <i>N</i> -(4-methoxyphenyl)hydrazine
	<i>N</i> -4-Chlorophenyl- <i>N'</i> -methoxy- <i>N'</i> -methylurea
	2-Chloro-4,6-xylylhydrazinium chloride
	Cyclopropanecarboxyhydrazide
	Desferrioxamine
	Desferrioxamine hydrochloride
	Desferrioxamine mesylate
	Di(dimethylglyoximate)diammincobaltic nitrate
	<i>N</i> -3,4-Dichlorophenyl- <i>N'</i> -methoxy- <i>N'</i> -methylurea

Tariff heading	Description
29.29	<i>NN</i> -Diethylhydroxylamine Diethyl naphthalimido phosphate Di-(17 β -hydroxy-2 α ,17 α -dimethyl-5 α -androstan-3-ylidene)hydrazine <i>NN</i> -Dimethylhydrazine <i>N</i> -Hydroxyphthalimide Hydroxyurea Phenelzine hydrogen sulphate Pheniprazine <i>monohydrochloride</i> Phenylhydrazine 1-Phenylsemicarbazide Procarbazine hydrochloride
29.30	4- <i>tert</i> Butyl-2-chlorophenyl methyl methylphosphoramidate 1-Chloro-2- <i>isocyanato</i> benzene 1-Chloro-3- <i>isocyanato</i> benzene 1-Chloro-4- <i>isocyanato</i> benzene 1-Chloro-2- <i>isocyanato</i> ethane <i>iso</i> Cyanatobenzene <i>iso</i> Cyanatocyclohexane 1- <i>iso</i> Cyanato-4-fluorobenzene <i>iso</i> Cyanatomethane 1- <i>iso</i> Cyanatonaphthalene †1- <i>iso</i> Cyanato- <i>n</i> -octadecane 1- <i>iso</i> Cyanatopropane 3-Cyano-5-dimethylamino-2-methyl-3-phenylhexane cyclamate 1,2-Dichloro-4- <i>isocyanato</i> benzene 1,4-Dichloro-2- <i>isocyanato</i> benzene Di-(4- <i>isocyanato</i> cyclohexyl)methane 4,4'- <i>Diisocyanato</i> -3,3'-dimethoxybiphenyl 4,4'- <i>Diisocyanato</i> -3,3'-dimethylbiphenyl 4,4'- <i>Diisocyanato</i> diphenylmethane of a purity not less than 85 per cent. 1,6- <i>Diisocyanato</i> hexane 1,5- <i>Diisocyanato</i> naphthalene 2,4- <i>Diisocyanato</i> toluene Dimethylamine-borine Hexamethylphosphoramidate Tetra(dimethylamino)diboron 4,4',4'- <i>Triisocyanato</i> triphenylmethane
29.31	<i>N</i> -Acetyl-L-cysteine <i>N</i> -Acetyl-DL-methionine Ambazone 2-Aminobenzenethiol Ammonium phenylhydrazinodithioformate Benzenethiol Bithionol <i>iso</i> Bornyl thiocyanatoacetate Butane-1,4-dithiol † <i>n</i> -Butane-1-thiol 4- <i>tert</i> Butylbenzenethiol Calcium 2-hydroxy-4-(methylthio)butyrate Chlordantoin 2-Chloroallyl diethyldithiocarbamate 4-Chlorophenylthiomethyl <i>OO</i> -diethyl phosphorodithioate L-Cystathionine DL-Cystathionine L-Cysteine L-Cysteine hydrochloride Cysteine methyl ester hydrochloride D-Cystine L-Cystine

Tariff heading	Description
29.31	<p>Dapsone, of a purity less than 99 per cent.</p> <p>†<i>n</i>-Decane-1-thiol</p> <p>Di-(3-<i>tert</i>butyl-4-hydroxy-6-methylphenyl) sulphide</p> <p>Di-(2-carboxyphenyl) disulphide</p> <p><i>S</i>-2,3-Dichloroallyl diisopropylthiocarbamate</p> <p>Di-(4-chlorophenyl) sulphone</p> <p>2,5-Dichlorophenylthiomethyl <i>OO</i>-diethyl phosphorodithioate</p> <p>2,6-Dichlorothiobenzamide</p> <p>Di-(2-cyanoethyl) sulphide</p> <p>2-Diethylaminoethanethiol hydrochloride</p> <p><i>OO</i>-Diethyl 2-ethylthioethyl phosphorodithioate</p> <p><i>OO</i>-Diethyl <i>O</i>-2-ethylthioethyl phosphorothioate</p> <p>Diethyl <i>S</i>-2-ethylthioethyl phosphorothioate</p> <p><i>OO</i>-Diethyl ethylthiomethyl phosphorodithioate</p> <p>Di-(2-ethylhexyl) 4,4'-thiodibutyrate</p> <p>Di-(2-hydroxyethyl) sulphide</p> <p>Di-(6-hydroxy-2-naphthyl) disulphide</p> <p>Di-(4-hydroxyphenyl) sulphone having a melting point not less than 236° centigrade</p> <p>Dimercaprol</p> <p>Dimethyl disulphide</p> <p>Dimethyl <i>S</i>-2-(1-methylcarbamoylthio)ethyl phosphorothioate</p> <p><i>OO</i>-Dimethyl methylcarbamoylmethyl phosphorodithioate</p> <p><i>OO</i>-Dimethyl phthalimidomethyl phosphorodithioate</p> <p>Dimethyl sulphide</p> <p>Dimethyl sulphoxide</p> <p>Di-(4-nitrophenyl) disulphide</p> <p>1,4-Dioxan-2,3-dithiol di-(<i>OO</i>-diethyl phosphorodithioate)</p> <p>Diphenyl disulphide</p> <p>Diphenyl sulphide</p> <p><i>NN'</i>-Diphenylthiourea</p> <p>3,6-Dithiaoctane-1,8-diol</p> <p>*<i>n</i>-Dodecane-1-thiol (until 6th March 1969)</p> <p>Dodecanethiol, mixed isomers</p> <p>Ethane-1,2-dithiol</p> <p>Ethanethiol</p> <p><i>D</i>-Ethionine</p> <p><i>L</i>-Ethionine</p> <p><i>DL</i>-Ethionine</p> <p>Ethylcarbamoylmethyl <i>OO</i>-dimethyl phosphorodithioate</p> <p>†<i>S</i>-Ethyl di-<i>n</i>-propylthiocarbamate</p> <p>Ethylene-1,2-di-(<i>N'N'</i>-dimethylthiuram disulphide)</p> <p>Ethyl methyl sulphide</p> <p><i>O</i>-2-Ethylthioethyl <i>OO</i>-dimethyl phosphorothioate</p> <p><i>S</i>-2-Ethylthioethyl dimethyl phosphorothioate</p> <p>Glutathione</p> <p>Glutathione disulphide</p> <p>Glutathione, <i>monosodium</i> salt</p> <p><i>N</i>-Glycyl-<i>DL</i>-methionine</p> <p>Hexane-1,6-dithiol</p> <p>†<i>n</i>-Hexane-1-thiol</p> <p><i>DL</i>-Homocysteine</p> <p>2-Mercaptoisobutyric acid</p> <p>2-Mercaptoethanol</p> <p>2-Mercaptoethylammonium chloride</p> <p>3-Mercaptopropane-1,2-diol (until 4th September 1969)</p> <p>2-Mercaptopropionic acid</p> <p>3-Mercaptopropionic acid (until 4th September 1969)</p> <p>Mercaptosuccinic acid</p> <p>Methanethiol</p>

<i>Tariff heading</i>	<i>Description</i>
29.31	Methionine 2-Methoxyethylcarbamoylmethyl <i>OO</i> -dimethyl phosphorodithioate Methyl phenyl sulphide 2-Methylpropane-2-thiol Methylsulphonal 1-Naphthylthiourea Noxythiolin † <i>n</i> -Octane-1-thiol Pentachlorobenzenethiol † <i>n</i> -Pentane-1-thiol Potassium ethylxanthate †Potassium <i>n</i> -pentylxanthate Propane-1,3-dithiol Propane-1-thiol Propane-2-thiol † <i>S</i> - <i>n</i> -Propyl <i>n</i> -butylethylthiocarbamate Sodium <i>sec</i> butylxanthate Sodium ethylxanthate Sodium <i>isopropyl</i> xanthate Sodium toluene-4-sulphinat Sulphonal 2,4,5,4'-Tetrachlorodiphenyl sulphide 2,4,5,4'-Tetrachlorodiphenyl sulphone <i>N</i> -(1,1,2,2-Tetrachloroethanesulphenyl)cyclohex-4-ene-1,2-dicarboxyimide <i>OOO'O'</i> -Tetraethyl methylene di(phosphorodithioate) Thioacetamide Thioacetanilide Thioacetic acid Thiobarbituric acid Thiocarlide <i>iso</i> Thiocyanatobenzene <i>iso</i> Thiocyanatomethane Thiodiacetic acid Thiomesterone Thiourea Tolnaftate Toluene-2-thiol <i>S</i> -2,3,3-Trichloroallyl <i>diisopropyl</i> thiocarbamate Trichloromethanesulphenyl chloride <i>N</i> -(Trichloromethanesulphenyl)cyclohex-4-ene-1,2-dicarboxyimide <i>N</i> -(Trichloromethanesulphenyl)phthalimide Zinc di-(2-benzamidophenyl sulphide) Zinc di(pentachlorophenyl sulphide) Zinc propylenebisdithiocarbamate
29.32	<i>o</i> -Arsanilic acid <i>p</i> -Arsanilic acid Bismuth <i>N</i> -glycollylarsanilate Cacodylic acid Phenylarsonic acid Sodium cacodylate Sodium hydrogen <i>p</i> -arsanilate <i>di</i> Sodium methylarsonate Triphenylarsine oxide
29.33	3,2-Mercurioxy-4-nitrotoluene Methylmercury hydroxide
29.34	Allyltrichlorosilane 3-Aminopropyltriethoxysilane 3-Aminopropyltrimethoxysilane † <i>n</i> -Butyl-lithium

<i>Tariff heading</i>	<i>Description</i>
29.34	<i>sec</i> Butyl-lithium 3-Chloropropyltrimethoxysilane Diisobutylaluminium hydride Dicyclopentadienyliron Diethyl di-(2-hydroxyethyl)aminomethylphosphonate Dimethyl 2,2,2-trichloro-1-hydroxyethylphosphonate Diphenyldichlorosilane Diphenylsilanediol 2-(3,4-Epoxy-cyclohexyl)ethyltrimethoxysilane <i>O</i> -Ethyl phenyl ethylphosphonodithioate 3-Glycidylxypropyltrimethoxysilane 1-Hydroxyethylidenediphosphonic acid 3-Methacryloyloxypropyltrimethoxysilane Methylcyclopentadienylmanganese tricarbonyl Methylvinylchlorosilane Molybdenum hexacarbonyl Nitrilotri(methylphosphonic acid) Phenylphosphinic acid <i>penta</i> Sodium hydrogen nitrilotri(methylphosphonate) Sodium tetraphenylborate Tetramethylsilane †Tri- <i>n</i> -butylaluminium Triphenylphosphine Triphenyltin acetate Tungsten hexacarbonyl Vinyltrichlorosilane Vinyltriethoxysilane Vinyltri-(2-methoxyethoxy)silane
29.35	Acepromazine hydrogen maleate Acetoguanamine 2-Aceto-thienone 2-Acetylbenzofuran 2-Acetyl-1,4-butyrolactone 3-Acetyl-2,4-dimethylpyrrole <i>N</i> -Acetylhistamine 3-Acetylidole 5-Acetylidoline 2-Acetylpyridine 3-Acetylpyridine 4-Acetylpyridine <i>N</i> ^α -Acetyl-DL-tryptophan Acridine Acridone Adenine Adenine sulphate Adenosine Adenosine 3'-(dihydrogen phosphate) Adenosine 5'-(dihydrogen phosphate) Adenosine 5'-(dilithium hydrogen pyrophosphate) Adenosine 5'-(disodium dihydrogen triphosphate) Adenosine 5'-(tetrahydrogen triphosphate) Adenosine 5'-(tetrasodium triphosphate) Adenosine 5'-(trilithium pyrophosphate) Adenosine 5'-(trisodium pyrophosphate) <i>S</i> -Adenos-5'-yl-L-methionine iodide 2-Allyloxypyridine Ambrettolide 2-Aminobenzothiazole 2-Aminobenzothiazole-6-carboxylic acid <i>N</i> ^α -4-Aminobutyl-L-histidine sulphate

<i>Tariff heading</i>	<i>Description</i>
29.35	5-Amino-4-chloro-2-phenylpyridazin-3-one
	5-Amino-1-di(dimethylamino)phosphinyl-3-phenyl-1,2,4-triazole
	5-Amino-3,4-dimethylisooxazole
	4-Amino-2,6-dimethylpyrimidine
	2-(1-Aminoethyl)-3,4-di(hydroxymethyl)furan hydrochloride
	†4-Amino-5-methoxymethyl-2- <i>n</i> -propylpyrimidine
	5-Amino-3-methyl-1-phenylpyrazole
	2-Amino-4-methylpyrimidine
	3-Amino-5-morpholinomethyl-2-oxazolidone
	3-Amino-2-oxazolidone sulphate
	6-Aminopenicillanic acid
	4-Aminophenazone
	5-Amino-1-phenylpyrazole
	3-Amino-1-phenyl-5-pyrazolone
	6-Amino-2-picoline
	2-Amino-3-picoline
	2-Amino-4-picoline
	†1-(4-Amino-2- <i>n</i> -propyl-5-pyrimidylmethyl)-2-picolinium chloride <i>monohydrochloride</i>
	Aminopterin
	4-Aminopyridine
	2-Aminopyrimidine
	3-Amino-1,2,4-triazole
	Ammonium hydrogen 7-oxabicyclo[2,2,1]heptane-2,3-dicarboxylate
	<i>di</i> Ammonium 7-oxabicyclo[2,2,1]heptane-2,3-dicarboxylate
	Angiotensin amide
	<i>D-iso</i> Ascorbic acid
	8-Aza-adenine
	Azapetine dihydrogen phosphate
	Aziridine
	Bamipine <i>monohydrochloride</i>
	3,4-Benzacridine
	2-[2-(4-Benzhydrylpiperazin-1-yl)ethoxy]ethanol dihydrochloride
	2-Benzhydrylpyridine
	3-Benzhydrylpyridine
	4-Benzhydrylpyridine
	Benzimidazole
	Benziodarone
	Benzoguanamine
	5,6-Benzoquinoline
	<i>N</i> -Benzothiazol-2-yl- <i>NN'</i> -dimethylurea
	6-Benzylaminopurine
	†3-Benzyl-1-methyl-2- <i>n</i> -undecylimidazolium bromide
	Biperiden
	Biperiden hydrochloride
	4,4'-Biphenyldiyl-di-(2,5-diphenyltetrazolium chloride)
	2,2'-Biquinolyl
	Bisacodyl
	5-Bromo-3- <i>sec</i> butyl-6-methyluracil
	5-Bromo-2'-deoxycytidine
	5-Bromo-2'-deoxyuridine
	5-Bromoindole
	5-Bromoindole-3-aldehyde
	5-Bromo-6-methyl-3- <i>isopropyl</i> uracil
	2-Bromothiophen
	5-Bromouracil
	Brompheniramine hydrogen maleate
	Buclicline dihydrochloride
	Bupivacaine hydrochloride
	†2- <i>n</i> -Butoxyethyl nicotinate

<i>Tariff heading</i>	<i>Description</i>
29.35	<p>†2-<i>n</i>-Butoxypyridine <i>tert</i>Butyl 1-(4-chlorobenzoyl)-5-methoxy-2-methylindol-3-ylacetate 3-<i>tert</i>Butyl-5-chloro-6-methyluracil 2-(3-<i>tert</i>Butyl-2-hydroxy-5-methylphenyl)-5-chlorobenzotriazole <i>tert</i>Butyl 5-methoxy-2-methylindol-3-ylacetate 2-<i>iso</i>Butylquinoline 6-<i>iso</i>Butylquinoline 6-<i>tert</i>Butylquinoline 1,4-Butyrolactone 2-Carbamoyloxymethyl-1-methyl-5-nitroimidazole Carbinoxamine hydrogen maleate 1-(Carboxymethyl)pyridinium chloride, pyridinium salt Chlordiazepoxide Chlordiazepoxide <i>monohydrochloride</i> 1-(4-Chlorobenzyl)-2-methylbenzimidazole hydrochloride 2-(4-Chlorobenzyl)pyridine 6-Chloro-2-chloromethyl-4-phenylquinazoline 3-oxide hydrochloride 5-Chloro-2-(3,5-<i>ditert</i>butyl-2-hydroxyphenyl)benzotriazole 7-Chloro-10-(2-dimethylaminoethyl)dibenzo[<i>b,e</i>]-1,4-diazepin-11-one <i>monohydrochloride</i> <i>O</i>-3-Chloro-4-methylcoumarin-7-yl <i>OO</i>-diethyl phosphorothioate (6-Chloro-2-oxobenzoxazolin-3-yl)methyl <i>OO</i>-diethyl phosphorodithioate 6-Chloropurine 2-Chloropyridine 2-Chloroquinoline 2-Chlorothiophen Chlorprothixene Chlorthenoxazin Chlorzoxazone (±)-<i>iso</i>Citric acid lactone Clorazepic acid, dipotassium salt Coccarboxylase Coenzyme A 2,4,6-Collidine Creatinine Creatinine hydrochloride <i>o</i>-Cresolphthalein-6,6'-di(methylaminodiacetic acid) Cumetharol 5-Cyanoindole 3-Cyano-4-methoxymethyl-6-methyl-5-nitro-2-pyridone 4-Cyano-1-methyl-4-phenylazacycloheptane 2-Cyanophenothiazine Cyanuric acid Cyanuric chloride 3-Cyclohexyl-1,2,3,4,6,7-hexahydro-2,4-dioxocyclopentapyrimidine Cyclomethycaine hydrogen sulphate 2-Cyclopentyl-2-(2-thienyl)glycollic acid Cyproheptadine hydrochloride Cytidine Cytidine dihydrogen phosphate, mixed 2'- and 3'- isomers Cytosine Debrisoquine sulphate Decahydro-4a-hydroxy-2,8,8-trimethyl-2-naphthoic acid lactone Dehydracetic acid of a purity not less than 96 per cent. 2'-Deoxyadenosine 2'-Deoxycytidine 5'-(disodium phosphate) 2'-Deoxycytidine hydrochloride 2'-Deoxyguanosine</p>

Tariff heading	Description
29.35	2'-Deoxyguanosine 5'-(disodium phosphate)
	2'-Deoxyuridine
	Dextromethorphan
	Dextromethorphan hydrobromide
	Dextromoramide hydrogen (+)-tartrate
	2,5-Diamino-7-ethoxyacridinium lactate
	2,6-Diaminopyridine
	Diamthazole
	1,4-Diazabicyclo[2,2,2]octane
	Diazepam
	Diazoxide
	Dibenzofuran
	NN'-Di(benzothiazol-2-ylthiomethyl)urea
	*3,5-Dibenzyltetrahydro-1,3,5-thiadiazine-2-thione
	2-(3,5-Ditertbutyl-2-hydroxyphenyl)benzotriazole
	1-(2,3-Dichloroallyl)pyridinium chloride
	3,5-Dichloro-4-hydroxylutidine
	Dichloro-1,3,5-triazinetrione
	Dichloro-1,3,5-triazinetrione, potassium derivative
	Dichloro-1,3,5-triazinetrione, sodium derivative
	1,3-Di-(3-isocyanato-4-methylphenyl)-1,3-diazacyclobutane-2,4-dione
	2,3-Dicyano-1,4-dithia-anthraquinone
	NN-Dicyclohexylbenzothiazole-2-sulphenamide
	5-(2-Diethylaminoethyl)-3-phenyl-1,2,4-oxadiazole dihydrogen citrate
	5-(2-Diethylaminoethyl)-3-phenyl-1,2,4-oxadiazole dihydrogen phosphate
	Diethyl phenyl-2-pyridylmethylmalonate hydrochloride
	2,4-Diethyl-6-isopropoxy-1,3,5-triazine
	OO-Diethyl O-pyrazin-2-yl phosphorothioate
	α -(4-[4,4-Di-(4-fluorophenyl)butyl]piperazin-1-yl)acet-2',6'-xylidide
	1-(1-[4,4-Di-(4-fluorophenyl)butyl]-4-piperidyl)benzimidazolin-2-one
	Dihydrallazine monosulphate
	4,5-Dihydro-2,3:6,7-dibenzazepine
	(±)-2,3-Dihydro-4-methyl-2-(2-methylprop-1-enyl)pyran
	Dihydronicotinamide-adenine dinucleotide, disodium salt
	Dihydronicotinamide-adenine dinucleotide phosphate, tetrasodium salt
	2,3-Dihydropyran
	3-(3 β ,17 β -Dihydroxyandrost-5-en-17 α -yl)propionic acid lactone
	2,4-Dihydroxyquinoline
	2,4-Dihydroxyquinoline, disodium derivative
	2,4-Dihydroxyquinoline, monosodium derivative
	Dimethindene hydrogen maleate
	Dimethisoquin monohydrochloride
	Dimethoxanate monohydrochloride
	11-(3-Dimethylaminopropylidene)-6,11-dihydrodibenz[b,e]oxepin hydrochloride
	11-(3-Dimethylaminopropylidene)-6,11-dihydrodibenzo[b,e]thiepin hydrochloride
	5,6-Dimethylbenzimidazole
	OO-Dimethyl morpholinocarbonylmethyl phosphorodithioate
	OO-Dimethyl 4-oxobenzotriazin-3-ylmethyl phosphorodithioate
	2,3-Dimethyl-1-phenyl-4-isopropyl-5-pyrazolone
	4,4-Dimethyl-1-phenyl-3-pyrazolidone
	2,5-Dimethylpyrazine
	2,6-Dimethylquinoline
	2,4-Dimethylthiophan 1,1-dioxide
	1,5-Di-(5-nitro-2-furyl)pentadien-3-one amidinohydrazone hydrochloride
	Diosgenin
	Diperodon

<i>Tariff heading</i>	<i>Description</i>
29.35	Diperodon hydrochloride
	Diphenoxylate hydrochloride
	Diphenylpyraline hydrochloride
	<i>NN</i> -Diisopropylbenzothiazole-2-sulphenamide
	†Di- <i>n</i> -propyl pyridine-2,5-dicarboxylate
	Dipyridamole
	1,3-Di-(2-pyridylimino) <i>iso</i> indoline
	Dipyrone
	Di(pyrrobutamine) napadisylate
	Distigmine bromide
	Dithiazanine iodide
	Ellagic acid
	Ethionamide
	2-Ethoxy-3,4-dihydropyran
	7-Ethoxy-4-methylcoumarin
	2-Ethylamino-4-methylthio-6- <i>isopropylamino</i> -1,3,5-triazine
	Ethyl 6,7- <i>diisobutoxy</i> -4-hydroxyquinoline-3-carboxylate
	2-Ethyl-3-hydroxy-4-pyrone
	Ethyl 7-methyl-4-oxo-1,8-naphthyridine-3-carboxylate
	<i>N</i> -Ethyl- <i>N'</i> -(5-nitrothiazol-2-yl)urea
	5-Ethyl-2-picoline
	2-Ethylpiperidine
	Fentanyl
	Fentanyl dihydrogen citrate
	Flavin-adenine dinucleotide
	Fluanisone
	Fluopromazine <i>monohydrochloride</i>
	Fluorescein-2',7'-di(methylaminodiacetic acid)
	1-[3-(4-Fluorobenzoyl)propyl]-4-hydroxy-4-(3-trifluoromethylphenyl)piperidine
	1-[3-(4-Fluorobenzoyl)propyl]-4-hydroxy-4-(3-trifluoromethylphenyl)piperidinium chloride
	1-(1-[3-(4-Fluorobenzoyl)propyl]-4-piperidyl)benzimidazolin-2-one hydrochloride
	1-(1-[3-(4-Fluorobenzoyl)propyl]-1,2,3,6-tetrahydro-4-pyridyl)benzimidazolin-2-one
	5-Fluorouracil
	†Fluphenazine <i>O-n</i> -decanoate
	Fluphenazine dihydrochloride
	Furan
	Furfuraldehyde
	3-(2-Furyl)acrylic acid
	D-Glucuronolactone
	Glycopyrronium bromide
	Guanethidine <i>monosulphate</i>
	2-Guanidinobenzimidazole
	Guanine
	Guanine hydrochloride
	Guanosine 3'-(dihydrogen phosphate)
	Guanosine 5'-(disodium phosphate)
	Haematoporphyrin
	*Haematoporphyrin dihydrochloride (until 6th March 1969)
	Haloperidol
	Hecogenin
	Hecogenin acetate
	†10-(3-[4-(2- <i>n</i> -Heptanoyloxyethyl)piperazin-1-yl]propyl)-2-trifluoromethylphenothiazine
	† <i>N-n</i> -Hexadecyl- <i>N</i> -[2-(<i>N</i> -4-methoxybenzyl-2-pyrimidylamino)ethyl]dimethylammonium bromide
	1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno-[5,6- <i>c</i>]pyran
	Hexahydro <i>isonicotinamide</i>

<i>Tariff heading</i>	<i>Description</i>
29.35	Hexa(methoxymethyl)melamine
	*1,6-Hexanolactam
	†1,4- <i>n</i> -Hexanolactone
	1,6-Hexanolactone
	Hexetidine
	Hexocyclium methylsulphate
	†2- <i>n</i> -Hexyl-1,4-butyrolactone
	Histamine acid phosphate
	Histamine di-(3,4-dichlorobenzenesulphonate)
	Histamine dihydrochloride
	L-Histidine
	L-Histidine <i>monohydrochloride</i>
	DL-Histidine <i>monohydrochloride</i>
	Hydrallazine hydrochloride
	2-Hydrazinobenzothiazole
	2-Hydroxycarbazole
	2-Hydroxycarbazole-3-carboxylic acid
	Hydroxychloroquine <i>monosulphate</i>
	†1-(2-Hydroxyethyl)-2- <i>n</i> -nonylimidazoline
	3-Hydroxy-5-hydroxymethyl-4-methoxymethyl-2-picolinium chloride
	4-Hydroxy-1-methylpiperidine
	7-Hydroxy-7-(1-methyl-4-piperidyl)-1,2:5,6-dibenzocycloheptatriene hydrochloride
	8-Hydroxynaphth[1,2- <i>d</i>]imidazole
	2-(2-Hydroxyphenyl)benzotriazole
	4-Hydroxypiperidine
	L-Hydroxyproline
	3-Hydroxypyridine
	1-Hydroxypyridine-2-thione, sodium derivative
	5-(α -Hydroxy- α -2-pyridylbenzyl)-7-(α -2-pyridylbenzylidene)bicyclo[2,2,1]hept-5-ene-2,3-dicarboxyimide
	6-Hydroxyquinoline
	4-Hydroxy-DL-tryptophan
	5-Hydroxy-DL-tryptophan
	Hydroxyzine dihydrochloride
	Hydroxyzine embonate
	Idoxuridine
	Imidazole
	Imidazol-1-ylacetic acid
	3-(Imidazol-4-yl)propionic acid
	Imperatorin
	Indole
	Indole-3-carboxylic acid
	Indole-5-carboxylic acid
	Indomethacin
	Inosine
	Inosine 5'-(disodium phosphate)
	Inosine 5'-(trisodium pyrophosphate)
	6-Iodopurine
	Iproniazid <i>monophosphate</i>
	Isatin
	Isocarboxazid
	Isoniazid
	Isothipendyl <i>monohydrochloride</i>
	Lepidine
	Leptazol
	Levallorphan hydrogen tartrate
	Levorphanol hydrogen tartrate
	2,3-Lutidine
	2,5-Lutidine
	3,4-Lutidine

<i>Tariff heading</i>	<i>Description</i>
29.35	Maltol
	Mebhydrolin napadisylate
	Meclozine dihydrochloride
	Mepenzolate bromide
	2-Mercaptobenzimidazole
	6-Mercaptopurine
	Methapyrilene 2-(4-hydroxybenzoyl)benzoate
	Methdilazine <i>monohydrochloride</i>
	Methixene hydrochloride
	Methotrexate
	5-Methoxyindole
	2-Methoxyphenothiazine
	α -(4-Methoxyphenyl)piperidinoacetamide
	α -(4-Methoxyphenyl)piperidinoacetonitrile
	α -(4-Methoxyphenyl)pyrrolidinoacetamide
	α -(4-Methoxyphenyl)pyrrolidinoacetonitrile
	8-Methoxypsoralen
	6-Methoxyquinoline
	Methyl 3-amino-5,6-dichloropyrazine-2-carboxylate
	6-Methylaminopurine
	2-Methylbenzoselenazole
	3-Methylbenzothiazolium toluene-4-sulphonate
	3-Methylchromone
	†Methyl 7-diethylamino-4-hydroxy-6- <i>n</i> -propylquinoline-3-carboxylate
	6-Methyl-1,3-dithiolo[4,5- <i>b</i>]quinoxalin-2-one
	Methylenedi-(1,6-hexanolactam), mixed isomers
	2-Methylfuran
	1-Methylimidazol-4-ylacetic acid
	2-Methylindole
	1-Methylindole-2-carboxylic acid
	2-Methyl-4-nitroimidazole
	3-Methyl-1-(4-nitrophenyl)-5-pyrazolone
	Methyl phenidate <i>monohydrochloride</i>
	6-Methylpicolinic acid
	1-Methylpiperazine
	3-(2-Methylpiperidino)propan-1-ol
	1-Methyl-4-piperidone
	<i>N</i> -Methyl-3-piperidylmethanol
	Methyl 2-pyridylacetate
	Methyl 4-pyridylacetate
	1-Methylpyrrole
	1-Methyl-2-pyrrolidone
	2-Methylthiophen
	3-Methylthiophen
	6-Methyl-2-thiouracil
	4-Methylumbelliferone
	Methyprylone
	Metyrapone
	DL-Mevalonic acid lactone
	4-Morpholinobutyronitrile
	2-(Morpholinodithio)benzothiazole
	<i>N</i> -(Morpholinomethyl)pyrazinecarboxamide
	α -Morpholinophenylacetamide
	α -Morpholinophenylacetonitrile
	3-Morpholino-1-phenyl-1-(2-thienyl)propan-1-ol methiodide
	3-Morpholinopropionitrile
	Nalidixic acid
	2-(1-Naphthyl)-5-phenyloxazole
	Nialamide
	Nicotinamide-adenine dinucleotide

Tariff heading	Description
29.35	Nicotinamide-adenine dinucleotide phosphate, <i>monosodium salt</i> Nicotiny alcohol <i>iso</i> Nicotiny alcohol Nifuratel Nitrazepam 5-Nitroindole Nitron 2-Nitrothiophen 1,3,4,5,6,7,8,8-Octachloro-1,3,3a,4,7,7a-hexahydro- 4,7-methano <i>isobenzofuran</i> 1,4,4a,4b,5,8,8a,8b-Octahydrodibenzofuran-4b-aldehyde 1,8-Octanolactam 7-Oxabicyclo[2,2,1]heptane-2,3-dicarboxylic acid 12-Oxa-1,16-hexadecanolactone Oxazepam Oxymetazoline hydrochloride Oxyphencylimine hydrochloride Pancuronium bromide (—)-Pantolactone (±)-Pantolactone, which yields on hydrolysis not more than 5 parts per million by weight of cyanides calculated as CN Pemoline 1,15-Pentadecanolactone †1,4- <i>n</i> -Pent-2-enolactone Penthienate hydrochloride Penthienate methobromide Phenazone Phenazopyridine <i>monohydrochloride</i> Phenbutrazate hydrochloride Pheniramine hydrogen maleate Phenmetrazine hydrochloride Phenodioxin Phenolphthalein, which satisfies the requirements of the British Pharmacopoeia Phenoperidine Phenoperidine hydrochloride 2-Phenoxy pyridine Phenprocoumon Phentolamine <i>monomesylate</i> 4-(<i>N</i> -Phenylamidino)thiazole hydrochloride Phenylbutazone 2-Phenylcinchoninic acid 2-Phenylindole α-Phenylpiperidinoacetamide α-Phenylpiperidinoacetonitrile α-Phenylpyrrolidinoacetamide 2-Picoline 3-Picoline 4-Picoline Picoline, mixed isomers Picolinic acid Pipazethate <i>monohydrochloride</i> Pipenzolate bromide 4-Piperidinobutyronitrile Piperidolate hydrochloride Potassium 4-amino-3,5,6-trichloropicolinate Potassium hydrogen 7-oxabicyclo[2,2,1]heptane-2,3-dicarboxylate <i>di</i> Potassium 7-oxabicyclo[2,2,1]heptane-2,3-dicarboxylate Pramoxine hydrochloride L-Proline

Tariff heading	Description
29.35	DL-Proline Prolintane hydrochloride Propantheline bromide 1,3-Propiolactone Propiomazine hydrogen maleate †2- <i>n</i> -Propylpyridine †6- <i>n</i> -Propylthiouracil Prothionamide Prothipendyl <i>monohydrochloride</i> Pyrazinamide Pyrazole Pyridine Pyridine-2,3-dicarboxylic acid 2-Pyridone 3-Pyridylacetic acid 2-Pyridylacetic acid hydrochloride 4-Pyridylacetic acid hydrochloride 3-Pyridylacetoneitrile 3-Pyridyl dimethylcarbamate 1-(4-Pyridyl)pyridinium chloride Pyrimidine Pyritinol dihydrochloride Pyrrobutamine pentahydrogen diphosphate Pyrrolidine 4-Pyrrolidinobutyronitrile 2-Pyrrolidone 3-Pyrroline Quinoline (until 3rd July 1969) <i>iso</i> Quinoline Skatole Sodium <i>D</i> - <i>iso</i> ascorbate Sodium dehydracetate Sodium deoxyribonucleate <i>di</i> Sodium 7-oxabicyclo[2,2,1]heptane-2,3-dicarboxylate Sodium 2-phenylcinchoninate Sodium ribonucleate Sodium 6,8-thioctamidoacetate Spironolactone Tetrabenazine Tetrachlorothiophen Tetracosactide hexa-acetate Tetra(dichloro-1,3,5-triazinetriene)-trichloro-1,3,5-triazinetriene complex, tetrapotassium derivative Tetrahydro-2,5-dimethoxyfuran Tetrahydro-3,5-dimethyl-1,3,5-thiadiazine-2-thione Tetrahydrofuran Tetrahydrofurfuryl alcohol Tetrahydro-2-methylfuran (+)-Tetrahydro-4-methyl-2-(2-methylprop-1-enyl)pyran (-)-Tetrahydro-4-methyl-2-(2-methylprop-1-enyl)pyran Tetrahydro-4-methyl-6-ureido-2-pyrimidone 2-(Tetrahydro-5-methyl-5-vinyl-2-furyl)propan-2-ol †3-(Tetrahydro-2- <i>n</i> -pentyl-3-furyl)-1-[3-(tetrahydro-2- <i>n</i> -pentyl-3-furyl)- propoxy]propan-1-ol Tetrahydrozoline <i>monohydrochloride</i> Thenyldiamine <i>monohydrochloride</i> Thiabendazole Thiethylperazine di(hydrogen maleate) 6,8-Thioctamide 5,8-Thioctic acid

Tariff heading	Description
29.35	Thioguanine Thionaphthen Thiophen Thioridazine Thioridazine <i>monohydrochloride</i> Thioxolone Thymidine Thymine Thymolphthalein-2,2'-di(methylaminodiacetic acid) Tigogenin acetate Triallyl cyanurate Triaziridin-1-ylphosphine oxide 2-(3-Trifluoromethylanilino)nicotinic acid 4,4,4-Trifluoro-1-(2-thienyl)butane-1,3-dione Tri-(2-hydroxyethyl)-1,3,5-triazinetriene Trimetaphan <i>mono-(+)-camphorsulphonate</i> Trimetazidine dihydrochloride Tri-(2-methylaziridin-1-yl)phosphine oxide <i>NN'</i> -Trimethyleneurea Tripelennamine citrate Tripelennamine <i>monohydrochloride</i> Tryptamine hydrochloride L-Tryptophan DL-Tryptophan Uracil Uric acid Uridine Uridine 3'-(dihydrogen phosphate) Uridine 5'-(disodium dihydrogen triphosphate) Usnic acid 5-Vinyl-2-picoline (until 3rd July 1969) <i>N</i> -Vinyl-2-pyrrolidone Vipryinium embonate Visnadine Xanthen-9-carboxylic acid Xanthine Xanthurenic acid Xylometazoline hydrochloride Zinc di-(2-thiobenzimidazole) Zoxazolamine
29.36	Acetohexamide 4-Acetylbenzenesulphonamide <i>N</i> ¹ -Acetylsulphamethoxypyridazine 4-Amino- <i>N</i> -ethyl- <i>N</i> -(2-methanesulphonamidoethyl)- <i>m</i> -toluidine sesquisulphate (-NH ₂ at 1) Benzthiazide 3- <i>iso</i> Butyl-6-chloro-3,4-dihydrobenzo-1,2,4-thiadiazine-7-sulphonamide 1,1-dioxide Chloramine T 5-Chloroaniline-2,4-disulphonamide 3-Chloro-6-sulphanilamidopyridazine Chlorpropamide Clopamide Cyclopentiazide Cyclothiazide <i>N</i> -Dichlorofluoromethylthio- <i>N'</i> <i>N'</i> -dimethyl- <i>N</i> -phenylsulphamide Dichlorphenamide Dimethothiazine mesylate 2-Dimethylsulphamoylphenothiazine Epithiazide

<i>Tariff heading</i>	<i>Description</i>
29.36	Ethiazide Ethyl 4-acetylbenzenesulphonylcarbamate <i>N'</i> -Ethyl- <i>p</i> -toluidine-3-sulphonanilide (-NH ₂ at 1) 2-Methoxy-3-sulphanilamidopyrazine Methyclothiazide 3-Methyl-1-phenyl-5-sulphanilamidopyrazole Polythiazide Probenecid Quinethazone Sulphadimethoxine Sulphadimidine esylate, sodium derivative Sulphamerazine Sulphamethoxazole Sulphamethoxypyridazine Sulphormethoxine Teclothiazide potassium Thiopropazine dimesylate Thiothixene Tolazamide
29.37	<i>o</i> -Cresolsulphonephthalein-6,6'-di(methylaminodiacetic acid) <i>o</i> -Cresolsulphonephthalein-6,6'-di(methylaminodiacetic acid), tetrasodium salt 4,5,6,7,3',5',3'',5''-Octabromophenolsulphonephthalein 1,3-Propanesultone Sulthiamine Thymolsulphonephthalein-2,2'-di(methylaminodiacetic acid)
29.38	L-Ascorbic acid Ascorbyl palmitate D-Biotin Carotene Dexpanthenol Ergosterol (+)- <i>N</i> -(3-Ethoxypropyl)-2,4-dihydroxy-3,3-dimethylbutyramide Phytomenadione Pteroylmonoglutamic acid Pyridoxal 5-(dihydrogen phosphate) Riboflavine Sodium D-pantothenate D- γ -Tocopherol
29.39	(+)-Aldosterone Chlormadinone acetate 3-Cyclopentyl-17 α -ethynyl-1,3,5(10)-trien-17 β -ol 3-Cyclopentyl-17 α -hydroxypregna-3,5-dien-20-one acetate 3-Cyclopentyl-17 α -hydroxypregna-3,5-dien-20-one Deoxycorticosterone acetate Deoxycorticosterone 21-D-glucoside Deoxycorticosterone pivalate Dexamethasone 21-(disodium phosphate) Dexamethasone 21-isonicotinate Dexamethasone 21-(3-sodium-sulphobenzoate) Fludrocortisone 21-acetate Fluocinolone acetonide 6 α -Fluoro-11 β ,21-dihydroxy-16 α ,17 α -isopropylidenedioxypregna- 1,4-diene-3,20-dione 9 α -Fluoro-11 β ,17 α ,21-trihydroxypregna-1,4-diene-3,20-dione 21-acetate Fluoxymesterone Follicle stimulating hormone (FSH) and luteinising hormone (LH), mixed Nandrolone laurate

<i>Tariff heading</i>	<i>Description</i>
29.39	(-)-Noradrenaline (-)-Noradrenaline hydrogen tartrate †17β-Oestradiol di- <i>n</i> -undecanoate †17β-Oestradiol 17- <i>n</i> -valerate Oxymesterone Oxytocin Oxytocin dihydrogen citrate Paramethasone 21-acetate Prednisolone 21-pivalate Prednisolone 21-(3-sodium-sulphobenzoate) Prednisolone 21- <i>O</i> -stearylglucollate Prednylidene Quinestradol Testosterone 3-cyclohexylpropionate †Testosterone <i>n</i> -heptanoate DL-Thyroxine sodium Triamcinolone Triamcinolone acetonide Vasopressin Vasopressin tannate
29.40	Urokinase
29.41	Aesculin Digitalin Digitonin Digitoxin Ouabain Salicin
29.42	18β-Acetoxy-10β,17α-dimethoxy-16β-methoxycarbonyl-3-oxo-2,3-seco-20α-yohimbane Alcuronium chloride Arecoline Arecoline-acetarsol Arecoline hydrobromide Bamifylline hydrochloride Berberine hydrogen sulphate Bicuculline 2-Bromo- <i>NN</i> -diethyl- <i>D</i> -lysergamide hydrogen tartrate Bulbocapnine hydrochloride Cinchonidine Cinchonidine sulphate Cinchonine Cinchonine <i>monohydrochloride</i> Cinchonine sulphate Cocaine, of a purity not greater than 97·5 per cent. by weight Colchicine Demecolcine Deptropine dihydrogen citrate Deserpidine Dihydroergocornine Dihydroergocristine Dihydroergocryptine Dihydroergotamine <i>monomesylate</i> 7,8-Dihydro-14-hydroxy-6-methylene-6-deoxymorphine Dimenhydrinate <i>pseudo</i> Ephedrine <i>pseudo</i> Ephedrine hydrochloride Ergotamine tartrate Ethyl quinine carbonate Galanthamine hydrobromide

<i>Tariff heading</i>	<i>Description</i>
29.42	Galegine sulphate
	Harmalol
	Harmine
	†1- <i>n</i> -Hexyltheobromine
	Hydromorphone hydrochloride
	18 β -Hydroxy-10,17 α -dimethoxy-20 α -yohimbane-16 β -carboxylic acid lactone
	†Hyoscine <i>n</i> -butylobromide
	Lobeline hydrochloride
	Lobeline sulphate
	(+)-Lysergic acid
	Lysergide tartrate-methanol complex
	Meralluride
	Mescaline hydrochloride
	Mescaline sulphate
	Methoserpidine
	Methylergometrine maleate
	Methysergide hydrogen maleate
	Papaverine
	Papaverine hydrochloride
	Papaverine hydrogen sulphate
	Phenmetrazine theoclate
	Reserpine
	Sparteine <i>monosulphate</i>
	Syrosingopine
	Tomatidine
	Vinblastine sulphate
	Vincristine sulphate
	Xanthinol nicotinate
	Yohimbine <i>monohydrochloride</i>
29.43	D-Arabinose
	L-Arabinose
	Calcium bromide lactobionate
	Calcium gluconate lactobionate
	D-Erythrose
	Fructose 1-(barium phosphate)
	Fructose tetranicotinate, mixed isomers
	L-Fucose
	D-Galactose
	Galactose 6-(barium phosphate)
	Gentiobiose
	Lactobionic acid
	D-Lyxose
	Maltose
	D-Mannose
	Mannose 6-(barium phosphate)
	D-Melezitose dihydrate
	Methyl α -D-xyloside
	Methyl β -D-xyloside
	Phenyl β -D-glucoside
	Raffinose
	L-Rhamnose
	D-Ribose
	Ribose 5-(barium phosphate)
	Sorbose
	Sucrose benzoate having a benzoyl content of not less than 80 per cent. by weight calculated as benzoic acid
	Sucrose diacetate hexa <i>isobutyrate</i>
	Turanose

<i>Tariff heading</i>	<i>Description</i>
29.43	P1-Uridine-5' P2-glucose-1 disodium pyrophosphate D-Xylose
29.44	Amphotericin B Bacitracin methylenedisalicylate Bacitracin zinc Calcium amphomycin Capreomycin disulphate Chloramphenicol 3-cinnamate Chloramphenicol sodium succinate Clomocycline, sodium salt Colistin sulphate Colistin sulphomethate sodium Cycloserine Diethanolammonium fusidate 3-[2-(3,5-Dimethyl-2-oxocyclohexyl)-2-hydroxyethyl]glutarimide Erythromycin ethyl succinate Erythromycin glucoheptonate Erythromycin lactobionate Framycetin sulphate Fumagillin Fusafungin Gentamicin sulphate Gramicidin Hygromycin B Kanamycin sulphates Kojic acid Lincomycin hydrochloride Lymecycline Methacycline Methacycline hydrochloride 3-(4-Methylpiperazin-1-yliminomethyl)rifamycin SV Novobiocin Novobiocin calcium Novobiocin sodium Nystatin Oleandomycin monophosphate Paromomycin Paromomycin sulphates Rolitetracycline nitrate Rubidomycin hydrochloride Sodium fusidate Spectinomycin dihydrochloride Spectinomycin sulphate Spiramycin Thiostrepton Triacetyloleandomycin Tyrothricin Vancomycin hydrochloride Viomycin pantothenate sulphate Viomycin sulphate Virginiamycin Xanthocillin
29.45	Boron trifluoride-ethylamine complex Potassium <i>tert</i> butoxide Potassium methoxide Sodium ethoxide Sodium methoxide
30.01	Grafts of bone or cartilage, defatted, dried and packed in vacuum

Tariff heading

Description

- 30.03 Digitalin, being a mixture of digitalis glycosides standardised with the addition of lactose or other diluent
- Preparations consisting of not less than 3.4 per cent. by weight of 3-cyclopentyloxy-17 α -hydroxypregna-3,5-diene-20-one acetate dissolved in fixed vegetable oil
- †Preparations consisting of not less than 10 per cent. by weight of methenolone *n*-heptanoate dissolved in fixed vegetable oil
- Preparations consisting of not less than 0.14 per cent. by weight of quinestradol dissolved in fixed vegetable oil
- Preparations containing either (a) not less than 0.8 per cent. by weight of thiotepa and not less than 95 per cent. by weight of polyethylene glycol ethers or (b) not less than 9.5 per cent. by weight of thiotepa
- Preparations containing leucovorin calcium equivalent to not less than 2.7 grammes and not more than 3.6 grammes of leucovorin per litre
- Preparations containing not less than 18 per cent. by weight and not more than 58 per cent. by weight of frusemide
- Preparations containing not less than 18 per cent. by weight of 2-(4-chloroanilino)-5-(4-chlorophenyl)-3,5-dihydro-3-isopropyliminophenazine
- Preparations containing not less than 15 per cent. by weight of *O*-(3-chloro-4-methylcoumarin-7-yl) *OO*-diethyl phosphorothioate
- Preparations containing not less than 2.5 per cent. by weight of colistin sulphate
- Preparations containing not less than 50 per cent. by weight of fluanisone calculated on the dry material
- Preparations containing not less than 0.45 per cent. by weight of fusafungin and not less than 99 per cent. by weight of squalane
- Preparations containing not less than 0.18 per cent. by weight of fusafungin and not less than 80 per cent. by weight of volatile propellents
- Preparations containing not less than 95 per cent. by weight of lactose and not less than 0.3 per cent. by weight of uramustine
- Preparations containing not less than 1.2 per cent. by weight of methylprednisolone
- Preparations containing not less than 1 per cent. by weight of orciprenaline sulphate and not less than 96 per cent. by weight of propellent gases liquefied under pressure
- Preparations containing not less than 0.13 per cent. by weight of tramazoline hydrochloride, not less than 0.02 per cent. by weight of dexamethasone 21-isonicotinate, and not less than 96 per cent. by weight of volatile propellents
- Preparations containing sodium salts of methotrexate equivalent to not less than 20 per cent. by weight and not more than 60 per cent. by weight of methotrexate
- Preparations, in the form of capsules, the contents of which include not less than 70 per cent. by weight of acetazolamide
- Preparations, in the form of cream, containing not less than 70 per cent. by weight of water and not less than 0.8 per cent. by weight of chlordantoin
- Preparations, in the form of suppositories, containing not less than 0.25 per cent. by weight of bisacodyl
- Preparations, in the form of tablets, containing aminopterin sodium equivalent to not less than 0.35 per cent. by weight and not more than 0.45 per cent. by weight of aminopterin
- Preparations, in the form of tablets, containing not less than 1.8 per cent. by weight and not more than 2.3 per cent. by weight of methotrexate
- Preparations, in the form of tablets, containing not less than 4 per cent. by weight of orciprenaline sulphate

<i>Tariff heading</i>	<i>Description</i>
31.02	Mixtures consisting of ammonium nitrate and ammonium sulphate and containing not less than 25 per cent. by weight and not more than 27 per cent. by weight of nitrogen expressed as N (until 3rd July 1969)
32.07	Dispersions of carbon black in artificial plastics, containing not less than 6 per cent. by weight of carbon black, not less than 40 per cent. by weight of cellulose acetate butyrate and not less than 35 per cent. by weight of acrylic resin Preparations consisting of titanium dioxide dispersed in nylon 6, containing not less than 18 per cent. by weight and not more than 22 per cent. by weight of titanium dioxide
35.04	Protein substances of which, when 20 grammes are shaken for 2 hours at 20° centigrade with ethanol of a strength of 90 per cent. by volume, not more than 0.2 millilitre remains undissolved
37.01	Diazo film in sheets, being film which is capable, when developed by heating at between 105° and 135° centigrade, of producing a positive image consisting of light-scattering cavities in an otherwise transparent coating (until 6th March 1969)
37.02	Diazo film in rolls, being film which is capable, when developed by heating at between 105° and 135° centigrade, of producing a positive image consisting of light-scattering cavities in an otherwise transparent coating (until 6th March 1969)
37.03	Diazo paper, unexposed, being paper which is capable, when developed by heating at between 105° and 135° centigrade, of producing a positive image consisting of light-scattering cavities in an otherwise transparent coating (until 6th March 1969)
38.03	Activated carbon, not being of animal origin, which, in the form in which it is imported, on subjection to extraction with acetic acid of a strength of 30 per cent. by weight at 50° centigrade for 30 minutes, yields (a) a total of extractable solids which, when dried at 105° centigrade, does not exceed 0.2 per cent. by weight of the material and (b) extractable phosphate, which expressed in terms of phosphorus pentoxide, does not exceed 50 parts per million by weight of the material
38.05	Tall oil, crude
38.11	Preparations containing not less than 0.2 per cent. by weight of 2-[α -(4-chlorophenyl)phenylacetyl]indane-1,3-dione and not less than 95 per cent. by weight of hydrocarbon oil Preparations containing not less than 7 per cent. by weight of 2,6-dichlorothiobenzamide and not more than 15 per cent. by weight of materials soluble in diethyl ether Preparations, in powder form, containing not less than 17 per cent. by weight of triphenyltin hydroxide Preparations, liquid, containing not less than 35 per cent. by weight of 4-chlorophenylthiomethyl <i>OO</i> -diethyl phosphorodithioate Preparations, liquid, containing not less than 40 per cent. by weight of <i>OO</i> -diethyl <i>O</i> -pyrazin-2-yl phosphorothioate †Preparations, liquid, containing not less than 65 per cent. by weight of <i>S</i> -ethyl di- <i>n</i> -propylthiocarbamate †Preparations, liquid, containing not less than 65 per cent. by weight of <i>S</i> - <i>n</i> -propyl <i>n</i> -butylethylthiocarbamate Preparations, solid, containing not less than 45 per cent. by weight of <i>OO</i> -dimethyl phthalimidomethyl phosphorodithioate Preparations, solid, containing not less than 90 per cent. by weight of sodium ethylenebisdithiocarbamate Prepared cereal baits containing not less than 0.4 per cent. by weight and not more than 1 per cent. by weight of 5-(α -hydroxy- α -2-pyridyl)benzyl)-7-(α -2-pyridylbenzylidene)bicyclo[2,2,1]hept-5-ene-2,3-dicarboxyimide

Tariff heading	Description
38.14	<p>Prepared oil additives, consisting of hydrocarbon oil and organic compounds of antimony, and containing not less than 6 per cent. by weight and not more than 13 per cent. by weight of antimony calculated as Sb</p> <p>Prepared oil additives containing not less than 5 per cent. by weight of calcium calculated as Ca when determined by titration with a solution of perchloric acid in acetic acid, and not more than 5.5 per cent. by weight of calcium calculated as Ca when determined by the Institute of Petroleum method No. 111/49T</p> <p>Prepared oil additives, having a viscosity at 99° centigrade of not less than 20 centistokes, containing not less than 2.5 per cent. by weight and not more than 4.5 per cent. by weight of zinc calculated as Zn, and containing not less than 2 per cent. by weight of phosphorus calculated as P</p>
38.15	<p>Prepared rubber accelerators, being sulphides of alkylphenols, and containing not less than 20 per cent. by weight and not more than 30 per cent. by weight of sulphur in all</p> <p>Prepared rubber accelerators containing not less than 80 per cent. by weight of <i>NNN</i>'-trimethylthiourea</p>
38.19	<p>Amines, mixed primary aromatic, containing not less than 4.5 per cent. by weight and not more than 5.5 per cent. by weight of nitrogen calculated as N</p> <p>Chlordane</p> <p>Cultured crystals, weighing not less than two and a half grammes of barium fluoride</p> <p>Mixed alkenylsuccinic anhydrides having a saponification value not less than 505</p> <p>Mixed alkyl selenides containing not less than 14 per cent. by weight and not more than 21 per cent. by weight of combined selenium</p> <p>Mixed alkyl-substituted benzenesulphonic acids having an acid value not greater than 125</p> <p>Poly-(3,4-diacetyl-5-thiothien-2-yl) which on ignition yields not more than 10 per cent. by weight of ash</p> <p>Polyglyoxal</p> <p>Preparations consisting of acrylamide with not less than 2 per cent. by weight and not more than 12 per cent. by weight of diacrylamidomethane</p> <p>Preparations consisting of calcium tetrahydrogen diorthophosphate and aluminium compounds, and containing not less than 1.5 per cent. by weight and not more than 2.5 per cent. by weight of aluminium calculated as Al_2O_3</p> <p>Preparations consisting of 1-chloro-1,1-difluoroethane and 1,1-difluoroethane, and containing not less than 40 per cent. by weight and not more than 50 per cent. by weight of 1,1-difluoroethane</p> <p>Preparations consisting of clay and not less than 30 per cent. by weight and not more than 40 per cent. by weight of <i>N</i>-methyl-<i>N</i>,4-dinitrosoaniline</p> <p>Preparations containing not less than 85 per cent. by weight of aluminium compounds calculated as Al_2O_3, and not less than 10 per cent. by weight of molybdenum compounds calculated as MoO_3, and of which not more than 10 per cent. by weight is retained by a sieve having a nominal width of aperture of 1.2 millimetres and conforming to British Standard 410:1962</p> <p>Preparations containing not less than 55 per cent. by weight of melamine compounds calculated as melamine and not less than 12 per cent. by weight of peroxides calculated as hydrogen peroxide</p> <p>Preparations, gaseous, containing not less than 0.002 per cent. by volume and not more than 1.5 per cent. by volume of antimony compounds calculated as stibine, and having a value not less than £15 per cubic metre at standard temperature and pressure</p>

<i>Tariff heading</i>	<i>Description</i>
38.19	<p>Preparations, gaseous, containing not less than 0.002 per cent. by volume and not more than 1.5 per cent. by volume of arsenic compounds calculated as arsine, and having a value not less than £15 per cubic metre at standard temperature and pressure</p> <p>Preparations, gaseous, containing not less than 0.002 per cent. by volume and not more than 1.5 per cent. by volume of boron compounds calculated as diborane, and having a value not less than £15 per cubic metre at standard temperature and pressure</p> <p>Preparations, gaseous, containing not less than 0.002 per cent. by volume and not more than 1.5 per cent. by volume of phosphorus compounds calculated as phosphine, and having a value not less than £15 per cubic metre at standard temperature and pressure</p> <p>Preparations, gaseous, containing not less than 0.002 per cent. by volume and not more than 1.5 per cent. by volume of selenium compounds calculated as hydrogen selenide, and having a value not less than £15 per cubic metre at standard temperature and pressure</p> <p>Preparations, gaseous, containing not less than 0.5 per cent. by volume and not more than 6 per cent. by volume of silicon compounds calculated as silane, and having a value not less than £40 per cubic metre at standard temperature and pressure</p> <p>Prepared catalysts consisting of phosphoric acids and siliceous earth and containing not less than 55 per cent. by weight and not more than 70 per cent. by weight of phosphates calculated as P_2O_5</p> <p>Prepared catalysts, in the form of spheres, containing silver or silver oxide dispersed with alumina or silica or compounds thereof, and which contain not less than 7 per cent. by weight and not more than 20 per cent. by weight of total silver calculated as Ag (until 3rd July 1969)</p> <p>Prepared catalysts which in the dry state contain not less than 5 per cent. by weight of nickel compounds calculated as Ni and not less than 50 per cent. by weight of phosphate calculated as PO_4</p>
39.01	<p>Nylon 6 in the forms covered by Note 3(b) of Chapter 39, containing not more than 2 per cent. by weight of titanium dioxide and not more than 2.5 per cent. by weight of carbon black, but not otherwise compounded</p> <p>Phenoxy resins, not plasticised or otherwise compounded, being thermoplastic polyaddition products of 2,2-di-(4-hydroxyphenyl)propane and 1-chloro-2,3-epoxypropane and having an epoxide content of less than 0.8 per cent. by weight calculated as ethylene oxide</p> <p>Poly-[2,2-di-(4-hydroxyphenyl)propane carbonate] moulding compounds, containing glass fibres which amount to not less than 25 per cent. by weight of the product and not more than 45 per cent. by weight of the product (until 6th March 1969)</p> <p>Poly-[2,2-di-(4-hydroxyphenyl)propane carbonate], uncompounded, or compounded with other materials which do not exceed 3 per cent. by weight of the product</p> <p>Polynoxylin</p> <p>Resins, being products of the condensation of adipic acid with a mixture of propane-1,2-diol and ethanediol of which the ethanediol content is not less than 50 per cent. by weight, and having:—</p> <p>(a) an acetyl value not less than 34 and not more than 38,</p> <p>(b) an acid value not more than 1,</p> <p>(c) a colour not deeper than 50 Hazen units, and</p> <p>(d) a viscosity at 40° centigrade of not less than 70 seconds and not more than 125 seconds, for a free fall of 20 centimetres of a steel sphere $\frac{1}{4}$ inch in diameter, in a tube of internal diameter 3.5 centimetres, when determined by the method of British Standard 188:1957, part 3</p>

<i>Tariff heading</i>	<i>Description</i>
39.02	Polystyrene sheet, in rolls, colourless, of a thickness not less than 0.1 millimetre and not greater than 0.9 millimetre and having a light transmission not less than 85 per cent. Poly(vinyl butyral) sheet, of a thickness not greater than 0.8 millimetre and of a width not less than 35 centimetres Poly(vinyl chloride) having an apparent density of not more than 0.3 grammes per millilitre and a viscosity number of not less than 170 when tested by the methods described in British Standard 2782:1965 and of which not more than 5 per cent. by weight is retained by a sieve having a nominal width of aperture of 150 microns and conforming to British Standard 410:1962
39.03	Carboxymethylcellulose, aluminium salt Cellulose acetate, where the weight of the acetyl content, calculated as acetic acid, is not less than 60 per cent. of the weight of the cellulose acetate, not being cellulose acetate plasticised or otherwise compounded Cellulose acetate butyrate compounded with other materials which do not exceed 25 per cent. by weight of the product, in the forms covered by Note 3(b) of Chapter 39 Cellulose acetate butyrate, not plasticised or otherwise compounded Cellulose acetate propionate, not plasticised or otherwise compounded Cellulose propionate, not plasticised or otherwise compounded 2-Diethylaminoethylcellulose Ethylcellulose Ethylhydroxyethylcellulose Hydroxyethylcellulose Hydroxypropylcellulose Scrap exposed X-ray film (until 1st May 1969)
40.11	Non-pneumatic tyres not less than 37 inches in outside diameter, moulded in one piece and not mounted on a metal ring on the inside circumference (until 6th March 1969)
44.09	*Cleft pales, stub-pointed, not less than 3 feet nor more than 6 feet in length, split from stems or branches of sweet chestnut of not less than 4 inches girth (until 6th March 1969)
49.11	Identification kits, consisting essentially of a series of transparent slides or foils printed to depict individual characteristics of the human face or head; parts of such kits (until 3rd July 1969)
51.01	Yarn wholly of polytetrafluoroethylene (until 1st May 1969)
51.02	Monofil wholly of fluorocarbon polymer (until 1st May 1969)
69.09	Catalyst carriers in the form of spheres, consisting of aluminium oxide and silica whether or not combined together, and containing not more than 12.5 per cent. by weight of total silica, and of which (a) not less than 99 per cent. by weight passes a sieve having a nominal width of aperture of 2.40 millimetres and (b) not less than 99 per cent. by weight is retained by a sieve having a nominal width of aperture of 1.00 millimetre (both sieves conforming to British Standard 410:1962)
70.01	Glass in the mass (other than optical glass) containing not less than 5 per cent. and not more than 11 per cent. by weight of fluorine calculated as F
70.03	Amber-coloured tubing of soda glass, not being glass containing 0.25 per cent. or more of cadmium, free or combined, calculated as Cd (until 3rd July 1969) Tubing of neutral glass, in straight lengths and capable of passing a test corresponding with the test for limit of alkalinity of glass prescribed by British Pharmacopeia, 1953, not including (a) glass with a content of more than 85 per cent. of silica and boric oxide together, or (b) glass of fused silica or fused quartz (until 3rd July 1969)

<i>Tariff heading</i>	<i>Description</i>
70.10	Carboys having a capacity of not less than 5 gallons (until 3rd July 1969)
70.18	Optical glass in the mass containing not less than 5 per cent. by weight and not more than 11 per cent. by weight of fluorine calculated as F
	Optical glass in the mass or in the form of slabs or moulded lens blanks, containing not more than 56.9 per cent. by weight nor less than 55.9 per cent. by weight of lead expressed as Pb, having a density of not more than 4.65 grammes nor less than 4.25 grammes per cubic centimetre and having a light transmission for a 1 inch path of not less than 40 per cent. at a wavelength of 4,500 ångströms (until 1st May 1969)
	Optical glass in the mass or in the form of slabs or moulded lens blanks, containing not more than 60.7 per cent. by weight nor less than 59.7 per cent. by weight of lead expressed as Pb, having a density of not more than 4.93 grammes nor less than 4.53 grammes per cubic centimetre and having a light transmission for a 1 inch path of not less than 40 per cent. at a wavelength of 4,500 ångströms (until 1st May 1969)
	Optical glass in the mass or in the form of slabs or moulded lens blanks, containing not more than 63.1 per cent. by weight nor less than 62.1 per cent. by weight of lead expressed as Pb, having a density of not more than 5.11 grammes nor less than 4.71 grammes per cubic centimetre and having a light transmission for a 1 inch path of not less than 40 per cent. at a wavelength of 4,500 ångströms (until 1st May 1969)
	Optical glass in the form of sheets, slabs or moulded lens blanks, having, with reference to the D line of sodium, a refractive index (n_D) not less than 1.5625 and not greater than 1.5650 and a dispersive power (v_D) not less than 60.0 and not greater than 61.5 (until 1st May 1969)
	Optical glass in the form of sheets, slabs or moulded lens blanks, having, with reference to the D line of sodium, a refractive index (n_D) not less than 1.612 and not greater than 1.615 and a dispersive power (v_D) not less than 43.5 and not greater than 45.0; having also at a wavelength of 400 nanometres a light transmission for a 25 millimetres path of not less than 83 per cent.; and which acquires no visible stain when kept for 15 minutes at a temperature of 25° centigrade in contact with a buffered sodium acetate solution having a pH value of 4.6 (until 1st May 1969)
70.20	Glass fibres, loose, unfelted, having a diameter not greater than 3 microns
73.06	*Iron or steel ingots of a tapered shape, of a weight of 10 tons or over per ingot, and with dimensions at the greater end of not less than 1,000 mm by 825 mm and at the lesser end of not less than 970 mm by 780 mm (until 6th March 1969)
73.07	*Iron or steel slabs not less than 29 inches wide, not less than 4½ inches thick, and not less than 15 feet long (until 6th March 1969)
73.14	Iron or steel wire of a diameter not less than 0.019 inch nor more than 0.200 inch, and having a coating of nickel of not less than 0.0001 inch in thickness (until 3rd July 1969)
73.15	Cold-rolled steel strip, with dressed edges, in coils, the strip being not less than 0.002 inch nor more than 0.007 inch in thickness and not less than ¼ inch nor more than 4 inches in width, containing not less than 16 per cent. by weight nor more than 18 per cent. by weight of chromium and not less than 6 per cent. by weight nor more than 8 per cent. by weight of nickel and being of a tensile strength of not less than 115 tons per square inch (until 3rd July 1969)

<i>Tariff heading</i>	<i>Description</i>
73.15	<p>Cold-rolled steel strip, with dressed edges, in coils, the strip being not less than 0.002 inch nor more than 0.040 inch in thickness and not less than $\frac{1}{16}$ inch nor more than 4 inches in width, containing not less than 16 per cent. by weight nor more than 18 per cent. by weight of chromium, and not less than 6 per cent. by weight nor more than 8 per cent. by weight of nickel, and being of a tensile strength of not less than 120 tons per square inch (until 3rd July 1969)</p> <p>Single strand alloy steel wire coated with niobium alloy containing tin and with an outer coating of silver (until 3rd July 1969)</p> <p>Steel wire, containing not less than 0.60 per cent. by weight and not more than 0.90 per cent. by weight of total carbon, being not less than 300 microns and not more than 540 microns in diameter, and having a coating of copper of not less than 15 microns and not more than 40 microns in thickness (until 3rd July 1969)</p> <p>Steel wire containing not less than 23 per cent. by weight of chromium, not less than 18 per cent. by weight of nickel and not less than 0.35 per cent. by weight of total carbon, and weighing not less than 8.0 grammes and not more than 33.0 grammes per metre (until 3rd July 1969)</p>
73.19	Hot rolled seamless circular steel tubes of an outside diameter of not less than $19\frac{1}{2}$ inches and not more than $24\frac{1}{2}$ inches, and of a wall thickness of not less than $\frac{1}{16}$ inch and not more than $\frac{1}{8}$ inch (until 1st May 1969)
74.05	Tape consisting of a layer of niobium alloy containing tin, laminated between two layers of copper foil whether or not coated with tin, and being (a) not less than 0.25 inch nor more than 0.75 inch in width and (b) not more than 0.005 inch in thickness (until 3rd July 1969)
76.03	Aluminium discs of a minimum value of 8s. per lb., not less than 6 inches nor more than 18 inches in diameter and not less than 0.033 inch nor more than 0.036 inch in thickness and which, when either face is placed on a flat surface, do not deviate from the flat by more than 0.010 inch at any point (until 1st May 1969)
76.16	Aluminium can ends, having a diameter of not less than 2.9 inches nor more than 3 inches, and incorporating a riveted tab for opening by means of scored lines (until 3rd July 1969)
81.02	<p>Molybdenum, of a purity not less than 99.8 per cent., in the form of rods (whether or not threaded at the ends) not less than 55 inches nor more than 100 inches in length and not less than $1\frac{1}{32}$ inches nor more than $2\frac{1}{16}$ inches in diameter</p> <p>Molybdenum, of a purity not less than 99.8 per cent., in the form of rods of not less than 18 inches and not more than 100 inches in length and of not less than $2\frac{1}{4}$ inches and not more than $4\frac{1}{2}$ inches in diameter and whether or not threaded at the ends</p>
81.04	<p>Chromium, electrolytic, in the form of cathode chips, which contains not more than 0.10 per cent. by weight of total oxygen, not more than 0.015 per cent. by weight of total aluminium, and not more than 0.001 per cent. by weight of aluminium compounds insoluble in boiling 5N hydrochloric acid and in boiling fuming perchloric acid, and estimated as Al</p> <p>Hafnium crystal bars consisting of hafnium wire on which hafnium crystals have been deposited</p> <p>Manganese metal of a purity not less than 96 per cent. and not more than 99.5 per cent. and containing not more than 1.0 per cent. by weight of carbon and not more than 3.0 per cent. by weight of iron (until 1st May 1969)</p>

<i>Tariff heading</i>	<i>Description</i>
81.04	Vanadium, unwrought, of a purity not less than 99 per cent. and containing not more than 0.1 per cent. by weight of iron calculated as Fe Zirconium sponge
83.13	Tinplate caps for sealing jars, of an internal diameter on the rim of not less than 2.001 inches and not more than 2.031 inches and a depth of not less than 0.430 inch and not more than 0.440 inch stamped from tinplate of nominal thickness of 0.0077 inch or of 0.0060 inch, with an internal curl, a vinyl coating applied to the internal surface and a plasticised lining compound deposited on the internal side wall and top sealing panel to form a sealing gasket (until 3rd July 1969) Tinplate caps for sealing jars, of an internal diameter on the rim of not less than 1.580 inches and not more than 1.610 inches and a maximum depth of not less than 0.415 inch and not more than 0.425 inch stamped from tinplate of nominal thickness of 0.0055 inch or of 0.0066 inch, with an internal curl, a vinyl coating applied to the internal surface and a plasticised lining compound deposited on the internal side wall and top sealing panel to form a sealing gasket (until 3rd July 1969)
84.06	Combined crankcase and cylinder block castings of iron or steel, of a weight exceeding 291 lb. but not exceeding 308 lb., of a kind used in motor vehicle engines of 3 cylinder, direct injection, water-cooled, 2-stroke horizontally opposed piston type
85.14	Microphones, of a kind for incorporation in deaf aids, approximately rectangular in shape, with a maximum thickness not exceeding 0.165 inch and a total of the length and width not exceeding 0.675 inch, exclusive of sound tube (until 3rd July 1969)
85.15	Loran receivers incorporating direct reading indicators, designed to operate only on frequencies of 1,700 kilocycles per second or more (until 1st May 1969)
85.18	Tantalum capacitors greater than 10 microfarads in capacitance, of a kind for incorporation in deaf aids, with a maximum length not exceeding 7 millimetres exclusive of leads and with a transverse cross section having a circumference not exceeding 14 millimetres (until 3rd July 1969) Tantalum capacitors, of a kind for incorporation in deaf aids, with a maximum length not exceeding 7 millimetres exclusive of leads and with a transverse cross section having a circumference not exceeding 10 millimetres (until 3rd July 1969)
85.19	Carbon track volume controls of a kind for incorporation in deaf aids, being of drum type with a cylindrical drum not exceeding 12 millimetres in diameter and 4 millimetres in thickness (until 3rd July 1969)
85.20	Glass neon discharge lamps, having a metal cap fitted to each end and not exceeding 1 inch in overall length and $\frac{1}{2}$ inch in diameter over the caps
85.23	Insulated tape incorporating a layer of niobium alloy containing tin, laminated between two layers of copper foil, whether or not coated with tin and being (a) not less than 0.25 inch nor more than 0.75 inch in width and (b) not more than 0.005 inch in thickness (until 3rd July 1969)
90.01	Lenses, prisms, mirrors and other optical elements, not optically worked, of barium fluoride Lenses, prisms, mirrors and other optical elements, not optically worked, of thallium bromide-iodide (until 3rd July 1969)

<i>Tariff heading</i>	<i>Description</i>
90.01	Material consisting of a polarising film supported on one or both sides by transparent material, and analysers and polarisers made therefrom Optical windows of zinc sulphide, unmounted Photographic process screens of the contact type, consisting of a base of cellulose acetate or of poly(ethylene terephthalate) on which is a regularly spaced pattern of grey-coloured or magenta-coloured dots (until 3rd July 1969)
90.17	Ampoule injectors consisting of a glass reservoir connected to a flexible plastic tube in which is inserted a hypodermic needle protected by a removable plastic sheath, of a total length not exceeding 10 centimetres (until 3rd July 1969) Endoradiosondes for the measurement of pH; and specialised receiving and recording apparatus therefor (until 6th March 1969)
90.19	Aortic heart valves (until 3rd July 1969) Earphones, of a kind for incorporation in deaf aids, approximately rectangular in shape, with a maximum thickness not exceeding 0.165 inch and a total of the length and width not exceeding 0.675 inch exclusive of sound tube (until 3rd July 1969) Mitral heart valves (until 3rd July 1969)
90.20	Beryllium metal windows of a thickness less than 0.004 inch for X-ray tubes
90.29	Scintillation phosphors of europium-activated lithium iodide

SCHEDULE 2

IMPORT DUTIES (TEMPORARY EXEMPTIONS) ORDERS REVOKED

<i>Number and year of Order</i>	<i>Reference</i>
No. 9 of 1967	S.I. 1967/1847 (1967 III, p. 4913).
No. 1 of 1968	S.I. 1968/252 (1968 I, p. 766).
No. 2 of 1968	S.I. 1968/641 (1968 I, p. 1473).
No. 3 of 1968	S.I. 1968/978 (1968 II, p. 2584).
No. 4 of 1968	S.I. 1968/1384 (1968 II, p. 3939).
No. 5 of 1968	S.I. 1968/1721 (1968 III, p. 4642).

EXPLANATORY NOTE

(This Note is not part of the Order.)

This Order provides that the goods listed in Schedule 1 shall be exempt, or shall continue to be exempt, from import duty until 1st January 1970, except for items for which an earlier day is specified. Descriptions of goods which were not exempt at the date of this Order are marked *.

Some goods, the exemption of which is continued by this Order, appear under a description which has been modified to make it specifically clear that the exemption relates only to the normal isomer of the substance concerned: descriptions so modified are marked †.

The Order also continues until 1st January 1970 the partial exemption for photographic film base of cellulose acetate.