

## 1969 No. 1751

## CUSTOMS AND EXCISE

**The Import Duties (Temporary Exemptions)  
(No. 9) Order 1969**

<i>Made - - - -</i>	<i>8th December 1969</i>
<i>Laid before the House of Commons</i>	<i>16th December 1969</i>
<i>Coming into Operation</i>	<i>1st January 1970</i>

The Lords Commissioners of Her Majesty's Treasury, by virtue of the powers conferred on them by sections 3(6) and 13 of the Import Duties Act 1958(a), and of all other powers enabling them in that behalf, on the recommendation of the Board of Trade hereby make the following Order:—

1.—(1) This Order may be cited as the Import Duties (Temporary Exemptions) (No. 9) Order 1969.

(2) The Interpretation Act 1889(b) shall apply for the interpretation of this Order as it applies for the interpretation of an Act of Parliament.

(3) This Order shall come into operation on 1st January 1970.

2.—(1) Until the beginning of 1st January 1971 or, in the case of goods in relation to which an earlier day is specified in Schedule 1 to this Order, until the beginning of that day, any import duty which is for the time being chargeable on goods of a heading of the Customs Tariff 1959 specified in that Schedule shall not be chargeable in respect of goods of any description there specified in relation to that heading.

(2) In the said Schedule 1—

(a) a reference to I.U.P.A.C. numbering, in relation to a compound having a ring structure, is to be taken as a reference to the system of numbering such compounds specified in the rules of the International Union of Pure and Applied Chemistry, as published in the year 1957;

(b) a reference to the British Pharmacopoeia or the British Pharmaceutical Codex is to the edition thereof current at the date of this Order, with amendments up to (but exclusive of) that date;

(c) an item marked with an asterisk is an item not exempt from import duty at the date of this Order; and

(d) an item marked with a dagger is an item appearing under a revised description, as compared with the corresponding description under which exemption from import duty was allowed at the date of this Order.

(3) Any entry in column 2 in the said Schedule 1 is to be taken to comprise all goods which would be classified under an entry in the same terms constituting a sub-heading (other than the final sub-heading) in the relevant heading in the Customs Tariff 1959.

(4) For the purposes of classification under the Customs Tariff 1959, in so far as that depends on the rate of duty, any goods to which paragraph (1) of this Article applies shall be treated as chargeable with the same duty as if this Order had not been made.

3. Until the beginning of 2nd July 1970, goods of sub-heading 39.03(A)(2)(b) of the Customs Tariff 1959 (which comprises photographic, including cinematograph, film base of cellulose acetate) shall not be chargeable with import duty of an amount greater than 10 per cent. of their value.

4. The Import Duties (Temporary Exemptions) Orders specified in Schedule 2 to this Order, and the Import Duties (Temporary Exemptions) (Amendment) Order 1969(a) (which made minor amendments of the No. 6 Order of 1968), are hereby revoked.

*Walter Harrison,*

*E. G. Perry,*

Two of the Lords Commissioners  
of Her Majesty's Treasury.

*8th December 1969.*

## SCHEDULE 1

## GOODS TEMPORARILY EXEMPT FROM IMPORT DUTY

<i>Tariff heading</i>	<i>Description</i>
05.15	Norway Pout ( <i>Trisopterus (Gadus) Esmarkii</i> ) Sand eels ( <i>ammodytes</i> )
10.05	Flat white maize (until 5th March 1970)
12.01	Castor seed (until 7th May 1970)
15.04	Sperm oil, unrefined
15.17	Residues containing not less than 5 per cent. by weight and not more than 60 per cent. by weight of tocopherols
25.19	Magnesite, dead-burned, containing (a) not less than 90 per cent. by weight of magnesium compounds expressed as MgO, (b) a total of not more than 1.0 per cent. by weight of aluminium compounds and iron compounds expressed as Al <sub>2</sub> O <sub>3</sub> and Fe <sub>2</sub> O <sub>3</sub> , (c) a total of not less than 2.5 per cent. by weight and not more than 5.0 per cent. by weight of calcium compounds and silicon compounds expressed as CaO and SiO <sub>2</sub> , and in which the weight of calcium compounds expressed as CaO is not less than 1.5 times the weight of silicon compounds expressed as SiO <sub>2</sub> (until 5th March 1970)
27.07	Anthracene (until 2nd July 1970) Pyridine bases, having a basicity equivalent to not less than 7.0 millilitres and not more than 12.5 millilitres of 1.0 N sulphuric acid solution when estimated by method No. RB. 1-67 of "Standard Methods for Testing Tar and its Products" published by the Standardisation of Tar Products Test Committee Pyridine bases, of which, after drying, not less than 70 per cent. by volume distils between 140° and 250° centigrade at normal pressure
28.13	Hydrogen bromide, anhydrous
28.14	Arsenic trichloride Boron tribromide Boron trichloride Phosphorus pentabromide Phosphorus pentafluoride Silicon tetrachloride Sulphur tetrafluoride Thionyl chloride
28.15	Carbonyl sulphide <i>tetra</i> Phosphorus heptasulphide Phosphorus pentasulphide, containing less than 15 parts per million by weight of arsenic calculated as As <sub>2</sub> O <sub>3</sub> , and containing less than 35 parts per million by weight of iron calculated as Fe
28.17	Potassium hydroxide, pharmaceutical quality
28.18	Barium oxide Magnesium oxide, dead-burned but not fused, of a purity not less than 96 per cent., containing (a) a total of not more than 1.0 per cent. by weight of aluminium compounds and iron compounds expressed as Al <sub>2</sub> O <sub>3</sub> and Fe <sub>2</sub> O <sub>3</sub> , (b) a total of not more than 3.5 per cent. by weight of calcium compounds and silicon compounds expressed as CaO and SiO <sub>2</sub> , the weight of silicon compounds being not less than 1.5 times and not more than 3.0 times the weight of calcium compounds; and (c) of which not less than 50 per cent. by weight is retained by a sieve having a nominal width of aperture of $\frac{3}{16}$ inch (until 5th March 1970)

<i>Tariff heading</i>	<i>Description</i>
28.18	Magnesium oxide, dead-burned but not fused, of a purity not less than 96 per cent., which contains (a) not more than 0.05 per cent. by weight of boron compounds expressed as B <sub>2</sub> O <sub>3</sub> , (b) a total of not more than 0.5 per cent. by weight of aluminium compounds and iron compounds expressed as Al <sub>2</sub> O <sub>3</sub> and Fe <sub>2</sub> O <sub>3</sub> , and (c) a total of not less than 1.0 per cent. by weight and not more than 3.5 per cent. by weight of calcium compounds and silicon compounds expressed as CaO and SiO <sub>2</sub> , the weight of calcium compounds being not less than 1.5 times and not more than 2.5 times the weight of silicon compounds; and (d) of which not less than 35 per cent. by weight is retained by a sieve having a nominal width of aperture of $\frac{1}{16}$ inch (until 5th March 1970)
28.20	Aluminium oxide, not being artificial corundum, being in the form of spheres and containing by weight not more than 0.06 per cent. of acid soluble sulphates expressed as SO <sub>3</sub> and not more than 0.005 per cent. of sodium expressed as Na, and all of which passes a sieve having a nominal width of aperture of 4.76 millimetres and not less than 99 per cent. by weight of which is retained by a sieve having a nominal width of aperture of 1.00 millimetre
28.23	$\gamma$ -Ferric oxide
28.28	Beryllium hydroxide Beryllium oxide Hydroxylammonium chloride containing not more than 0.0005 per cent. by weight of heavy metals estimated as Pb Hydroxylammonium sulphate
28.29	Potassium fluorosilicate Sodium fluoride, which does not contain impurities equivalent to more than $5 \times 10^{-9}$ grammes of U <sub>3</sub> O <sub>8</sub> per gramme, and of which 1 gramme must not contain impurities capable of depressing the estimation of U <sub>3</sub> O <sub>8</sub> by more than $1 \times 10^{-8}$ grammes, when determined fluorimetrically Sodium fluorosilicate Tungsten hexafluoride
28.30	Beryllium chloride Ferric chloride, analytical reagent quality Ferrous chloride, analytical reagent quality *Nickel chloride (until 2nd July 1970)
28.32	Ammonium perchlorate Calcium chlorate Sodium perchlorate
28.33	Barium bromide Sodium bromide which, in the form in which it is imported, loses not more than 1 per cent. of its weight on drying at 105° centigrade, contains (a) not less than 92 per cent. by weight and not more than 96 per cent. by weight of total bromides estimated as NaBr, (b) aluminosiliceous material equivalent to not less than 0.3 per cent. by weight and not more than 0.5 per cent. by weight of Al <sub>2</sub> O <sub>3</sub> and to not less than 1.5 per cent. by weight and not more than 2.5 per cent. by weight of SiO <sub>2</sub> , and of which not less than 90 per cent. by weight passes a sieve having a nominal width of aperture of 150 microns (until 5th March 1970)
28.35	Zinc sulphide
28.38	Beryllium sulphate Magnesium sulphate, anhydrous, containing not less than 0.05 per cent. by weight and not more than 1.0 per cent. by weight of potassium compounds calculated as K Mercuric sulphate Nickel sulphate (until 2nd July 1970) Potassium hydrogen permonosulphate Thallos sulphate

<i>Tariff heading</i>	<i>Description</i>
28.39	Barium nitrate containing not more than 0.006 per cent. by weight of heavy metals calculated as Pb (until 2nd July 1970) Beryllium nitrate Potassium nitrite
28.40	<i>tetra</i> Potassium pyrophosphate
28.42	Magnesium carbonate, light, in rectangular blocks of a weight not less than 25 grammes and not more than 125 grammes and of a cubic capacity not less than 115 cubic centimetres Manganous carbonate Nickel carbonate, basic Potassium hydrogen carbonate
28.43	Potassium ferricyanide Sodium nitroprusside
28.44	Ammonium thiocyanate Potassium cyanate Sodium thiocyanate
28.46	Sodium metaborate tetrahydrate, $\text{Na}_2\text{B}_2\text{O}_4 \cdot 4\text{H}_2\text{O}$
28.47	Bismuth aluminate containing not less than 52 per cent. by weight and not more than 55 per cent. by weight of bismuth calculated as Bi on the dry anhydrous salt Calcium dichromate Sodium antimonate Sodium tungstate containing not more than 0.0003 per cent. by weight of arsenic compounds calculated as As and not more than 0.005 per cent. by weight of molybdenum compounds calculated as Mo
28.48	<i>tri</i> Aluminium sodium tetradecahydrogen octaorthophosphate Dihydroxyaluminium sodium carbonate Ferric sodium pyrophosphate
28.49	Pyruvic acid enol phosphate, barium silver salt Silver protein, mild, which satisfies the requirements of the British Pharmaceutical Codex Silver protein, which satisfies the requirements of the British Pharmaceutical Codex
28.50	All goods of this heading other than radium compounds, natural uranium and compounds thereof and nuclear reactor cartridges, spent or irradiated
28.51	Deuterium oxide Lithium sulphate, of which the lithium is in the form of a stable isotope either of atomic weight 6 or of atomic weight 7, of a value not less than £1 per gramme <i>di</i> Sodium tetraborate, of which the boron is in the form of a stable isotope either of atomic weight 10 or of atomic weight 11, of a value not less than £1 per gramme
28.52	Compounds of uranium depleted in uranium-235, the following:— Uranium hexafluoride Uranium tetrafluoride Mixed rare earth compounds containing not less than 3.5 per cent. by weight and not more than 9.0 per cent. by weight of combined fluorine estimated as F, and not less than 0.5 per cent. by weight and not more than 4.0 per cent. by weight of barium compounds estimated as $\text{BaSO}_4$ ; and of which not less than 10 per cent. by weight is retained by a sieve having a nominal width of aperture of 45 microns Samarium trioxide
28.57	Aluminium sodium hydride Lithium borohydride Silane

<i>Tariff heading</i>	<i>Description</i>
28.58	Cyanogen bromide Lithamide Trichlorosilane containing not more than 0.002 parts per million by weight of boron compounds calculated as B
29.01	Acenaphthylene Allene Anthracene (until 2nd July 1970) Azulene 1,2-Benzanthracene 1,2-Benzofluorene 2,3-Benzofluorene Bicyclo[2,2,1]hepta-2,5-diene <i>iso</i> Butane <i>n</i> -But-1-ene <i>cis</i> But-2-ene <i>trans</i> But-2-ene But-2-ene, mixed isomers <i>iso</i> Butylbenzene But-1-yne Chrysene <i>pseudo</i> Cumene <i>trans-trans-trans</i> -Cyclododeca-1,5,9-triene Cyclo-octa-1,3-diene Cyclo-octa-1,5-diene Cyclo-octene Cyclopentane <i>p</i> -Cymene Decahydronaphthalene <i>n</i> -Decane <i>n</i> -Dec-1-ene 1,2:3,4-Dibenzanthracene 9,10-Dihydroanthracene 3,3'-Dimethylbiphenyl 1,2-Dimethylcyclohexane 1,6-Dimethylnaphthalene 2,3-Dimethylnaphthalene 2,6-Dimethylnaphthalene 2,7-Dimethylnaphthalene 2,2-Dimethylpropane <i>n</i> -Docos-1-ene <i>n</i> -Dodecane <i>n</i> -Dodec-1-ene <i>n</i> -Dodecylbenzene <i>n</i> -Eicosane <i>n</i> -Eicos-1-ene 5-Ethylidenebicyclo[2,2,1]hept-2-ene Fluoranthene Fluorene <i>n</i> -Hept-1-ene <i>n</i> -Hept-2-ene <i>n</i> -Hept-3-ene <i>n</i> -Hept-1-yne <i>n</i> -Hexadecane <i>n</i> -Hexadec-1-ene Humulene Indane Isoprene Mesitylene 2-Methylbut-2-ene 1-Methylcycloheptene

<i>Tariff heading</i>	<i>Description</i>
29.01	Methylcyclohexane 4-Methylcyclohexene Methylcyclopentane 1-Methylcyclopentene 1-Methylnaphthalene 2-Methylnaphthalene Methylnaphthalene, mixed isomers 2-Methylpentane 2-Methylpent-1-ene 4-Methylpent-1-ene <i>cis</i> -4-Methylpent-2-ene Methylstyrene, mixed isomers Myrcene Naphthacene Nona-1,8-diyne <i>n</i> -Nonane <i>n</i> -Octadec-1-ene Octa-1,7-diene <i>n</i> -Oct-1-ene <i>n</i> -Oct-2-ene <i>n</i> -Oct-1-yne <i>n</i> -Penta-1,3-diene <i>n</i> -Pent-1-ene Perylene Phellandrene Phenylacetylene Picene Propyne Pyrene $\beta$ -Santalene Squalane Squalene <i>trans</i> Stilbene <i>m</i> -Terphenyl <i>p</i> -Terphenyl <i>n</i> -Tetracosane <i>n</i> -Tetradecane <i>n</i> -Tetradec-1-ene 1,2,3,4-Tetrahydro-1,1,2,4,4,7-hexamethylnaphthalene 1,2,3,4-Tetrahydronaphthalene 4,5,9,10-Tetrahydropyrene (I.U.P.A.C. numbering) 1,2,4,5-Tetramethylbenzene Tricyclo[5,2,1,0 <sup>2,6</sup> ]decane <i>n</i> -Tridecane 2,2,4-Trimethylpentane <i>n</i> -Undecane <i>o</i> -Xylene <i>m</i> -Xylene
29.02	Aldrin Allyl chloride Benzotrifluoride 4-Bromobenzotrifluoride 2-Bromobut-1-ene 1-Bromo-3-chloro-2-methylpropane 4-Bromo- <i>n</i> -heptane 2-Bromo- <i>n</i> -hexane 3-Bromo- <i>n</i> -hexane 2-Bromomesitylene 2-Bromopropene Bromotrifluoroethylene

<i>Tariff heading</i>	<i>Description</i>
29.02	Bromotrifluoromethane
	Carbon tetrafluoride
	Chlordane
	2-Chlorobenzotrifluoride
	3-Chlorobenzotrifluoride
	4-Chlorobenzotrifluoride
	2-Chlorobuta-1,3-diene
	1-Chloro- <i>n</i> -butane
	1-Chloro- <i>n</i> -but-1-ene
	3-Chloro- <i>n</i> -but-1-ene
	1-Chloro- <i>n</i> -but-2-ene
	1-Chloro- <i>n</i> -dodecane
	1-(Chloromethyl)naphthalene
	1-Chloronaphthalene
	1-Chloro- <i>n</i> -octane
	Chloropentafluoroethane (until 7th May 1970)
	1-Chloroprop-1-ene
	3-Chloropropyne
	2-Chlorotoluene
	2-Chloro- <i>p</i> -xylene
	Decachlorobicyclopenta-2,4-dienyl
	1,4-Dibromobut-2-ene
	2,3-Dibromobut-2-ene
	Dibromodifluoromethane
	1,2-Dibromoethane
	Dibromomethane
	1,2-Dibromo-2-methylpropane
	1,1-Dibromoprop-1-ene
	1,2-Dibromotetrafluoroethane
	1,3-Dichlorobenzene
	2,6-Dichlorobenzylidene chloride
	2,3-Dichlorobuta-1,3-diene
	1,4-Dichlorobutane
	1,3-Dichloro- <i>n</i> -but-2-ene
	1,4-Dichlorobut-2-ene
	1,1-Dichloro-2,2-di-(4-chlorophenyl)ethane
	1,1-Dichloro-2,2-di-(4-ethylphenyl)ethane
	1,2-Dichloroethylene
	2,3-Dichlorohexafluorobut-2-ene
	1,2-Dichlorohexafluorocyclopentene
	1,1-Dichloroprop-1-ene
	1,3-Dichloropropene
	2,3-Dichloroprop-1-ene
	2,6-Dichlorotoluene
	3,4-Dichlorotoluene
	2,5-Dichloro- <i>p</i> -xylene
	1,1-Difluoroethane
	1,1-Difluoroethylene
	Diphenylchloromethane
	Dodecachloropentacyclo[5,2,1,0 <sup>2,6</sup> ,0 <sup>3,9</sup> ,0 <sup>5,8</sup> ]decane
	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo- [12,2,1,16,9,0 <sup>2,13</sup> ,0 <sup>5,10</sup> ]octadeca-7,15-diene
	Fluorobenzene
	4-Fluorobenzotrifluoride
	2-Fluoronaphthalene
	Heptachlor
	Heptafluoro-1-iodopropane
	Hexabromobenzene
	1,2,5,6,9,10-Hexabromocyclododecane
	Hexachlorobuta-1,3-diene



Tariff heading	Description
29.02	<p>1,2,3,4,5,6-Hexachlorocyclohexane, mixed isomers, of which either            (a) the <math>\alpha</math>-isomer content is not more than 50 per cent. by weight, or            (b) the <math>\gamma</math>-isomer content is not less than 35 per cent. by weight provided that, in a case where the <math>\gamma</math>-isomer content is not less than 35 per cent. and not more than 40 per cent. by weight, not less than 90 per cent. by weight of the material passes a sieve having a nominal width of aperture of 53 microns</p> <p><math>\alpha</math>-1,2,3,4,5,6-Hexachlorocyclohexane  <math>\gamma</math>-1,2,3,4,5,6-Hexachlorocyclohexane            Hexachlorocyclopentadiene            Hexafluoropropene            Methallyl chloride            3-Methylbenzyl bromide            4-Methylbenzyl bromide            Octafluorocyclobutane            Pentachloroethane            1,1,2,2-Tetrabromoethane            1,2,4,5-Tetrachlorobenzene            1,1,2,2-Tetrachloroethane            1,2,2,3-Tetrachloropropane            2,3,5,6-Tetrachloro-<i>p</i>-xylene            Tribromofluoromethane            1,2,3-Tribromo-2-méthylpropane            1,2,3-Trichlorobenzene            1,2,4-Trichlorobenzene            Trichlorobenzene, mixed isomers            Trifluoroiodomethane            Vinyl bromide            Vinyl chloride (until 2nd July 1970)            Vinyl fluoride</p>
29.03	<p>Benzene-1,3-disulphonic acid            1-<i>tert</i>Butyl-3,4,5-trimethyl-2,6-dinitrobenzene            Chloropicrin            1,5-Dinitronaphthalene            Ethanesulphonyl chloride            1-Ethyl-2-nitrobenzene            1-Fluoro-2-nitrobenzene            Methanesulphonic acid            Methanesulphonyl chloride            2-Nitrobiphenyl            4-Nitrobiphenyl            Nitroethane            Nitromethane            1-Nitronaphthalene            1-Nitropropane            2-Nitropropane            3-Nitro-<i>o</i>-xylene            2-Nitro-<i>p</i>-xylene            1,1,3,3,5-Pentamethyl-4,6-dinitroindane            diSodium benzene-1,3-disulphonate            Sodium 2-bromoethanesulphonate            Sodium 4-chlorobenzenesulphonate            Sodium 3-chloro-<i>n</i>-but-2-ene-1-sulphonate            Sodium dibunate            Sodium ethylenesulphonate            Sodium styrenesulphonate, mixed isomers            1,3,5-Trinitrobenzene</p>
29.04	<p>Adonitol            Allyl alcohol</p>

<i>Tariff heading</i>	<i>Description</i>
29.04	Amyl alcohol, containing not less than 58 per cent. by weight of <i>n</i> -pentan-1-ol and not more than 1 per cent. by weight of aldehydes or ketones calculated as C <sub>5</sub> H <sub>10</sub> O
	D-Arabitol
	3-Bromopropan-1-ol
	<i>n</i> -Butane-1,3-diol
	Butane-1,4-diol
	<i>n</i> -Butane-2,3-diol
	Butane-1,2,4-triol
	<i>n</i> -Butan-2-ol
	But-2-ene-1,4-diol
	<i>n</i> -But-2-en-1-ol
	But-3-en-2-ol
	Butylchloral hydrate
	But-2-yne-1,4-diol
	But-3-yn-1-ol
	But-3-yn-2-ol
	4-Chlorobutan-1-ol
	2-Chloroethanol
	3-Chloropropan-1-ol
	Decane-1,10-diol
	1,6-Dibromo-1,6-dideoxymannitol
	2,3-Dibromopropan-1-ol containing not more than 0.1 per cent. by weight of 1,2,3-tribromopropane (until 5th March 1970)
	2,6-Dimethylheptan-4-ol
	2,5-Dimethylhexane-2,5-diol
	(±)-3,7-Dimethylnona-1,6-dien-3-ol
	2,4-Dimethylnonan-4-ol
	3,6-Dimethyloctan-3-ol
	3,7-Dimethyloctan-3-ol
	Dimethyloctanol, mixed 2,6,2- and 3,7,3- isomers
	(-)-3,7-Dimethyloct-6-en-1-ol
	3,7-Dimethyloct-6-en-1-yn-3-ol
	3,6-Dimethyloct-4-yne-3,6-diol
	2,4-Dimethylpentan-1-ol
	2,2-Dimethylpropanediol
	2,2-Dimethylpropanol
	<i>meso</i> Erythritol
	Ethchlorvynol
	2-Ethylbutan-1-ol
	2-Ethylhexane-1,3-diol
	2-Ethyl-2-hydroxymethylpropanediol
	2-Ethyl-4-methylpentan-1-ol
	Farnesol
	Glyoxal sodium bisulphite
	<i>n</i> -Heptan-1-ol
	<i>n</i> -Hept-1-en-4-ol
	Hexadecyl alcohol, mixed isomers, which freezes at a temperature not higher than -40° centigrade
	2 <i>H</i> -Hexafluoropropan-2-ol
	Hexane-1,6-diol
	<i>n</i> -Hexane-2,5-diol
	Hexane-1,2,6-triol
	Hexanetriol, mixed isomers
	<i>n</i> -Hexan-1-ol
	<i>n</i> -Hex-3-en-1-ol
	7-Hydroxy-3,7-dimethyloctanal sodium bisulphite
	2-Hydroxymethyl-2-methylpropanediol
	2-Hydroxymethyl-2-nitropropanediol
	Methallyl alcohol
	3-Methylbutan-1-ol, of a purity not less than 90 per cent.

<i>Tariff heading</i>	<i>Description</i>
29.04	2-Methylbutan-2-ol 6-Methylhept-5-en-2-ol 3-Methylpentyn-3-ol 2-Methylpropan-2-ol containing not more than 0.007 per cent. by weight of unsaturated compounds calculated as butene Nerolidol 1 <i>H</i> ,1 <i>H</i> ,5 <i>H</i> -Octafluoropentan-1-ol 2- <i>n</i> -Octyl- <i>n</i> -dodecan-1-ol Pentane-1,5-diol <i>n</i> -Pentan-1-ol Phytol <i>iso</i> Phytol Pinacol Propane-1,3-diol Prop-2-yn-1-ol Succinaldehyde di(sodium bisulphite) 1 <i>H</i> ,1 <i>H</i> ,3 <i>H</i> -Tetrafluoropropan-1-ol 2,4,7,9-Tetramethyldec-5-yne-4,7-diol 3,7,11,15-Tetramethylhexadecane-1,2,3-triol Tridecyl alcohol, mixed isomers (until 5th March 1970) 3,7,9-Trimethyldeca-1,6-dien-3-ol 2,2,4-Trimethylpentan-1-ol <i>n</i> -Undecan-1-ol Xylitol
29.05	17 $\alpha$ -Allyloestr-4-en-17 $\beta$ -ol Borneol <i>iso</i> Borneol Dicyclopropylmethanol Dihydrotachysterol 2,2-Di-(4-hydroxycyclohexyl)propane 1,4-Di(hydroxymethyl)cyclohexane Ethynodiol Fenchyl alcohol <i>meso</i> Inositol 2-Methyl-4-phenylbutan-2-ol 3-Methyl-1-phenylpentan-3-ol 3-Nitrobenzyl alcohol 4-Nitrobenzyl alcohol Nopol 1-Phenylethanol $\alpha$ -Terpineol, having a freezing point not less than 20° centigrade 2,2,2-Trichlorodi-(4-chlorophenyl)ethanol 4,7,7-Trimethylbicyclo[4,1,0]hept-4-en-3-ylmethanol
29.06	2-Benzylphenol 2- <i>tert</i> Butyl-4-ethylphenol 2- <i>sec</i> Butylphenol (until 5th March 1970) 4- <i>sec</i> Butylphenol 2- <i>tert</i> Butylphenol <i>o</i> -Cresol <i>p</i> -Cresol (until 5th March 1970) 3,5-Di- <i>tert</i> butyl-4-hydroxybenzyl alcohol 3,5-Di- <i>tert</i> butyl-4-hydroxybiphenyl 1,1-Di-(3- <i>tert</i> butyl-4-hydroxy-6-methylphenyl)- <i>n</i> -butane 2,6-Di- <i>tert</i> butylphenol Di-(3,5-di- <i>tert</i> butyl-4-hydroxyphenyl)methane 2,3-Di-(3,4-dihydroxybenzyl)- <i>n</i> -butane 2,2'-Dihydroxybiphenyl 3,4-Dihydroxybiphenyl 1,3-Dihydroxynaphthalene 1,5-Dihydroxynaphthalene

<i>Tariff heading</i>	<i>Description</i>
29.06	2,3-Dihydroxynaphthalene 3,4-Di-(4-hydroxyphenyl)- <i>n</i> -hexane-3,4-diol Di-(1-methylbutyl)phenol, mixed isomers 2,4-Ditertpentylphenol 2,5-Ditertpentylquinol 2,6-Diisopropylphenol 2-Hydroxybiphenyl (until 5th March 1970) 4-Hydroxybiphenyl Indan-5-ol 2-Methylquinol 1-Naphthol 2-Naphthol (until 2nd July 1970) 3- <i>n</i> -Pentadecylphenol 4- <i>tert</i> Pentylphenol <i>iso</i> Propylcresol, mixed isomers Resorcinol Salicyl alcohol Sodium biphenyl-2-yloxide (until 5th March 1970) 2,4,2',4'-Tetrahydroxybiphenyl Thymol 1,1,3-Tri-(5- <i>tert</i> butyl-4-hydroxy-2-methylphenyl)- <i>n</i> -butane-toluene complex 2,4,6-Tri-(3,5-ditertbutyl-4-hydroxybenzyl)mesitylene 2,3,5-Trimethylquinol 2,4-Xylenol 3,5-Xylenol (until 7th May 1970)
29.07	3-Chloro-4-hydroxybiphenyl 3-Chlorophenol Chloro-5- <i>isopropyl-m</i> -cresol (-OH at 1), mixed isomers 2,3-Dichlorophenol 2,2-Di-(3,5-dichloro-4-hydroxyphenyl)propane 6,7-Dihydroxynaphthalene-2-sulphonic acid Hexachlorophane 5-Hydroxynaphthalene-1-sulphonic acid <i>di</i> Sodium 1,8-dihydroxynaphthalene-3,6-disulphonate *Sodium 6,7-dihydroxynaphthalene-2-sulphonate *Sodium 2,4,5-trichlorophenoxide 2-Trifluoromethylphenol 3-Trifluoromethylphenol 4-Trifluoromethylphenol
29.08	4-Allylanisole Allyl ethyl ether Anethole Batyl alcohol 1-(2-Benzylphenoxy)propan-2-ol <i>n</i> -Butyl vinyl ether <i>iso</i> Butyl vinyl ether Chloromethyl methyl ether Di- <i>n</i> -butyldigol 2,5-Ditertbutylperoxy-2,5-dimethylhexane 1,4-Di-(1- <i>tert</i> butylperoxy-1-methylethyl)benzene 1,1-Ditertbutylperoxy-3,3,5-trimethylcyclohexane Di-(2-chloroethyl) ether 2,4-Dichlorophenyl 4-nitrophenyl ether 2,2-Di-(4,4-ditertbutylperoxycyclohexyl)propane Di-( $\alpha$ -dimethylbenzyl) peroxide 1,2-Diethoxyethane Diethyldigol Di- <i>n</i> -hexyl ether 2-[2,2-Di-(2-hydroxyethoxymethyl)- <i>n</i> -butoxy]ethanol

<i>Tariff heading</i>	<i>Description</i>
29.08	1,2-Dimethoxyethane Dimethyldigol Dimethyl ether Dimethyltetragol Dimethyltrigol 2,4-Dinitrophenetole 1,4-Dioxan Di(phenoxyphenoxy)benzene, mixed isomers Di-(3-phenoxyphenyl) ether Diisopropylbenzene hydroperoxide, mixed 1,3- and 1,4- isomers (until 5th March 1970) Di-(2,3,3,3-tetrachloropropyl) ether Ethoxyacetylene 2-Ethoxynaphthalene Ethyldigol, containing not more than 1 per cent. by weight of ethanediol 13 $\beta$ -Ethyl-17 $\alpha$ -ethynyl-3-methoxygona-2,5(10)-dien-17 $\beta$ -ol Ethyl vinyl ether <i>n</i> -Hexyldigol 2- <i>n</i> -Hexyloxyethanol <i>p</i> -Menthanyl hydroperoxide 3-Methoxy- <i>n</i> -butan-1-ol Methoxyflurane 4-Methoxy-4-methylpentan-2-ol 2-Methoxynaphthalene 4-Methoxy-1-naphthol Methyl vinyl ether Musk ambrette 4-Nitroanisole 4-Nitrophenetole <i>iso</i> Pentyl 2-phenylethyl ether 2-Phenoxyethanol Potassium guaiacolsulphonate 1,1,1-Trichlorodi-(4-methoxyphenyl)ethane Trigol containing not more than 0.1 per cent. by weight of digol 1,2,3-Tri-(2-hydroxyethoxy)propane 1,2,3-Tri-(2-hydroxy- <i>n</i> -propoxy)propane Tri- $\alpha$ -propylene glycol monomethyl ether
29.09	Allyl glycidyl ether 1-Bromo-2,3-epoxypropane <i>n</i> -Butyl glycidyl ether 1-Chloro-2,3-epoxypropane Dicyclopentadiene dioxide Dieldrin 1,4-Di-(2,3-epoxypropoxy)butane Endrin 1,2-Epoxy- <i>n</i> -butane Epoxybutane, mixed 1,2- and 2,3- isomers $\alpha\beta$ -Epoxyethylbenzene 3,4-Epoxytricyclo[5,2,1,0 <sup>2,6</sup> ]decanol Glycidol
29.10	$\alpha$ -Anhydroglucochloral 8- <i>tert</i> Butyl-1,4-dioxaspiro[4,5]decane 1-Chloro-2,2-diethoxyethane 1,1-Diethoxy-3,7-dimethylocta-2,6-diene 1,1-Diethoxy- <i>n</i> -hex-2-ene 1,1-Dimethoxy-3,7-dimethylocta-2,6-diene *Dimethoxymethane 1,1-Dimethoxy- <i>n</i> -octane 1,3-Dioxan 1,3-Dioxolan containing not more than 0.02 per cent. by weight of water 1-Ethoxy-1,3,3-trimethoxypropane

<i>Tariff heading</i>	<i>Description</i>
29.10	2-Ethyl-2-methyl-1,3-dioxolan Hexahydro-2,3,6,7-tetrahydroxy-1,4,5,8-tetraoxanaphthalene Pentrichloral 4,4a,5,9b-Tetrahydroindeno[1,2- <i>d</i> ]-1,3-dioxin 4,4a,9,9a-Tetrahydroindeno[2,1- <i>d</i> ]-1,3-dioxin 1,1,3,3-Tetramethoxypropane
29.11	Acrylaldehyde $\beta$ -8'-Apocarotenal 4- <i>tert</i> Butylbenzaldehyde 3-(4- <i>tert</i> Butylphenyl)-2-methylpropionaldehyde <i>n</i> -Butyraldehyde <i>iso</i> Butyraldehyde Crotonaldehyde containing not more than 4 per cent. by weight of water <i>iso</i> Cyclocitral 2,4-Dihydroxybenzaldehyde 3,4-Dihydroxybenzaldehyde 2,3-Dimethoxybenzaldehyde 2,6-Dimethylhept-5-enal 3,7-Dimethylnona-2,6-dienal 2-Ethylhexanal Glutaraldehyde (until 2nd July 1970) DL-Glyceraldehyde Glycidaldehyde Glyoxal <i>n</i> -Heptanal <i>n</i> -Hex-2-enal 4-Hydroxybenzaldehyde 4-(4-Hydroxy-4-methylpentyl)cyclohex-3-enaldehyde Methacrylaldehyde 1,2,3,4,5,6,7,8-Octahydro-8,8-dimethyl-2-naphthaldehyde Terephthalaldehyde <i>m</i> -Tolualdehyde 3,5,5-Trimethylhexanal 2,6,10-Trimethylundec-10-enal <i>n</i> -Valeraldehyde <i>iso</i> Valeraldehyde
29.12	2-Chlorobenzaldehyde 4-Chlorobenzaldehyde 4-Chloro-3-nitrobenzaldehyde 3,4-Dichlorobenzaldehyde 2,4-Dinitrobenzaldehyde 2-Nitrobenzaldehyde 4-Nitrobenzaldehyde 5-Nitrosalicylaldehyde Sodium 2-formylbenzenesulphonate
29.13	Acetoin Acetoin dimer Acetylacetone Acetovanillone 4-Acetyl-6- <i>tert</i> butyl-1,1-dimethylindane 7-Acetyl-6-ethyl-1,2,3,4-tetrahydro-1,1,4,4-tetramethylnaphthalene 7-Acetyl-2-methyl-5- <i>isopropyl</i> bicyclo[2,2,2]oct-2-ene 4-Acetyl-3,7,7-trimethylbicyclo[4,1,0]hept-2-ene Benzoin <i>p</i> -Bromo- <i>n</i> -valerophenone Butanedione <i>n</i> -Butyrophenone (+)-Camphor

<i>Tariff heading</i>	<i>Description</i>
29.13	Canthaxanthin
	1-Carvone
	Chloranil
	<i>p</i> -Chloro- <i>n</i> -butyrophenone
	2-Chlorocyclohexanone
	2-[ $\alpha$ -(4-Chlorophenyl)phenylacetyl]indane-1,3-dione
	Cycloheptadecanone
	Cycloheptadec-9-enone
	Cycloheptanone
	Cyclohexane-1,3-dione
	Cyclo-octanone (until 2nd July 1970)
	Cyclopentadecanone
	4- <i>n</i> -Decyloxy-2-hydroxybenzophenone
	Dibenzo[ <i>a,i</i> ]pyrene-5,8-dione
	2,5-Dichloro- <i>p</i> -benzoquinone
	3,3:20,20-Di(ethylenedioxy)-17 $\alpha$ -hydroxypregn-5-en-11-one
	1,3-Dihydroxyacetone
	2,4-Dihydroxyacetophenone
	2,6-Dihydroxyacetophenone
	2,2'-Dihydroxy-4,4'-dimethoxybenzophenone
	2,2'-Dihydroxy-4-methoxybenzophenone
	5,11 $\alpha$ -Dihydroxy-6 $\beta$ -methyl-5 $\alpha$ -pregnane-3,20-dione
	11 $\beta$ ,17 $\alpha$ -Dihydroxypregna-1,4-diene-3,20-dione
	11 $\beta$ ,21-Dihydroxypregna-4,17(20)-dien-3-one
	3 $\beta$ ,17 $\alpha$ -Dihydroxy-5 $\beta$ -pregnane-11,20-dione
	11 $\beta$ ,21-Dihydroxypregna-1,4,17(20)-trien-3-one
	11 $\beta$ ,17 $\alpha$ -Dihydroxypregn-4-ene-3,20-dione
	3 $\beta$ ,17 $\alpha$ -Dihydroxypregn-5-en-20-one
	4,4-Dimethoxybutan-2-one
	2,6-Dimethylheptan-4-one
	6,10-Dimethylundeca-5,9-dien-2-one
	3,17-Dioxoandrost-4-en-19-al
	1,1-Diphenylacetone
	Dydrogesterone
	2-Ethylanthraquinone
	17,17-Ethylenedioxyandrosta-1,4-dien-3-one
	13 $\beta$ -Ethyl-3-methoxygona-2,5(10)-dien-17-one
	Fenchone
	Flumethasone
	Fluorenone
	6 $\alpha$ -Fluoro-17 $\alpha$ ,21-dihydroxy-16 $\alpha$ -methylpregn-4-ene-3,20-dione
	6 $\alpha$ -Fluoro-21-hydroxy-16 $\alpha$ ,17 $\alpha$ -isopropylidenedioxypregn-4-ene-3,20-dione
	Flurandrenolone
	<i>n</i> -Heptan-2-one
	<i>n</i> -Heptan-3-one
	3 <i>H</i> ,3 <i>H</i> -Hexafluoroacetylacetone
	2- <i>n</i> -Hexylcyclopent-2-enone
	2- <i>n</i> -Hexylidenecyclopentanone
	2-Hydroxyacetophenone
	4-Hydroxyacetophenone
	4-Hydroxybenzophenone
	2-Hydroxy-3-methylcyclopent-2-enone
	2-Hydroxy-4- <i>n</i> -octyloxybenzophenone
	17 $\alpha$ -Hydroxypregna-1,4-diene-3,11,20-trione
	17 $\alpha$ -Hydroxypregn-4-ene-3,11,20-trione
	3 $\beta$ -Hydroxypregn-5-en-20-one
	4-Hydroxypropiophenone
	17 $\beta$ -Hydroxy-4,5-seco-19-norandrostane-3,5-dione
	Indanetrione hydrate (until 2nd July 1970)
	( $\pm$ )- <i>isoM</i> nthone

<i>Tariff heading</i>	<i>Description</i>
29.13	Mesityl oxide
	Methandienone
	4-Methoxy-4-methylpentan-2-one
	4-(4-Methoxyphenyl)-3-methylbutan-2-one
	<i>p</i> -Methyl- <i>n</i> -butyrophenone
	5-Methylheptan-3-one
	5-Methylhexan-2-one
	6-Methyl- $\alpha$ -ionone
	3-Methyl-2-( <i>n</i> -pent-2-enyl)cyclopent-2-enone
	4-Methyl-4-phenylpentan-2-one
	4-Methyl-4- <i>p</i> -tolylpentan-2-one
	Musk ketone
	1,4-Naphthaquinone
	<i>n</i> -Nonan-2-one
	( $\pm$ )-Norgestrel
	<i>n</i> -Octan-3-one
	Oestr-5(10)-ene-3,17-dione
	Oestr-4-en-17-one
	3-Oxodisorbichol-4-en-22-al
	<i>n</i> -Pentan-2-one
	Pentan-3-one
	4- <i>tert</i> Pentylcyclohexanone
	Phenacyl bromide
	Pinacolone
	Pyruvaldehyde
	Sodium 2,2'-dihydroxy-4,4'-dimethoxybenzophenone-5-sulphonate
	2,4,2',4'-Tetrahydroxybenzophenone
	Tetramethylcyclobutane-1,3-dione
	2,5-Toluquinone, having a melting point of not less than 67.0° centigrade
	1,1,1-Trifluoroacetylacetone, of a purity not less than 99 per cent.
	14 $\alpha$ ,17 $\alpha$ ,21-Trihydroxypregn-4-ene-3,20-dione
	<i>n</i> -Undecan-2-one
	<i>n</i> -Valerophenone
	Zerumbone
29.14	Acrylic acid
	Allethrin
	Allyl 3-cyclohexylpropionate
	Allyl methacrylate
	( $\pm$ )-3-Allyl-2-methyl-4-oxocyclopent-2-enyl
	<i>trans</i> -(+)-chrysanthemummonocarboxylate
	Allyl trifluoroacetate
	Aluminium acetate, basic
	Ammonium pentadecafluoro- <i>n</i> -octanoate
	Arachidic acid
	Arachidonic acid
	Biphenyl-4-carboxylic acid
	(-)-Bornyl acetate
	4 $\beta$ -Bromo-17 $\alpha$ ,21-dihydroxy-5 $\beta$ -pregnane-3,11,20-trione 21-acetate
	<i>n</i> -Butane-1,3-diol dimethacrylate
	Butane-1,4-diol dimethacrylate
	<i>iso</i> Butyl acrylate
	4- <i>tert</i> Butylbenzoic acid
	2- <i>sec</i> Butyl-4,6-dinitrophenyl 3-methylcrotonate
	<i>tert</i> Butyl 2-ethylperbutyrate
	<i>n</i> -Butyric acid
	<i>iso</i> Butyric acid
	Calcium sorbate
	Chloroacetyl chloride
	2-Chlorocinnamic acid
	3-(2-Chloroethoxy)-9 $\alpha$ -fluoro-11 $\beta$ ,21-dihydroxy-20-oxo-16 $\alpha$ ,17 $\alpha$ - <i>isopropylidenedioxy</i> pregna-3,5-diene-6-carbaldehyde 21-acetate



<i>Tariff heading</i>	<i>Description</i>
29.14	2-Chloro-4-nitrobenzoic acid
	4-Chloro-3-nitrobenzoic acid
	Citronellyl 3-methylcrotonate
	Cobaltous acetate (until 5th March 1970)
	Crotonic acid
	Cyclopent-2-enyl cyclohexylacetate
	Cyclopropanecarboxyl chloride
	Decahydro-2-naphthyl acetate
	<i>tert</i> Decanoic acid, mixed isomers
	<i>n</i> -Dec-2-enoic acid
	Decyl acrylate, mixed isomers
	Dichloroacetic acid
	Dichloroacetyl chloride
	2,4-Dichlorobenzoyl chloride (until 7th May 1970)
	Dihydrocarveyl acetate
	Dihydrocarveyl propionate
	17 $\alpha$ ,21-Dihydroxy-16 $\alpha$ -methylpregna-1,4,9(11)-triene-3,20-dione 21-acetate
	17 $\alpha$ ,21-Dihydroxypregn-4-ene-3,20-dione 21-acetate
	3 $\beta$ ,17 $\alpha$ -Dihydroxypregn-5-en-20-one 3-acetate
	3 $\alpha$ ,20-Dihydroxy-5 $\beta$ -pregn-17(20)-en-11-one diacetate
	3 $\beta$ ,11 $\alpha$ -Dihydroxy-5 $\alpha$ -pregn-16-en-20-one diacetate
	1,1-Dimethyl-5-methylenehept-6-enyl acetate
	(-)-3,7-Dimethyloct-6-enyl acetate
	1,1-Dimethyl-2-phenylethyl <i>n</i> -butyrate
	1,1-Dimethyl-3-phenylpropyl acetate
	<i>cis</i> -3,3-(2,2-Dimethyltrimethylenedioxy)-6 $\beta$ -methyl-5 $\alpha$ -pregn-17(20)-ene-5,11 $\beta$ ,21-triol 21-acetate
	( $\pm$ )-1,5-Dimethyl-1-vinylhept-4-enyl acetate
	2,5-Dinitrobenzoic acid
	Drostanolone propionate
	Ethanediol dimethacrylate
	Ethyl $\beta$ -8'-apocarotenoate
	Ethyl fluoroacetate
	2-Ethyl-2-hydroxymethylpropanediol trimethacrylate
	Ethyl methacrylate
	$\alpha$ -Ethyl-3-nitrocinnamic acid
	Ethyl trichloroacetate
	Ethynodiol diacetate
	Fenchyl acetate
	Flumethasone 21-pivalate
	9 $\alpha$ -Fluoro-11 $\beta$ ,17 $\alpha$ -dihydroxypregn-4-ene-3,20-dione 17-acetate
	Geranyl 5,9,13-trimethyltetradeca-4,8,12-trienoate
	Glycerol 1,3-dipropionate
	Glycerol tripropionate
	Glycidyl methacrylate
	Heptafluoro- <i>n</i> -butyric acid
	<i>n</i> -Heptanoic acid
	<i>n</i> -Hept-2-enoic acid
	<i>n</i> -Heptyl acrylate
	<i>n</i> -Hex-3-enoic acid
	Lead tetra-acetate
	Linalyl cinnamate
	3-Methoxy- <i>n</i> -butyl acetate
	2-Methoxyethyl chloroformate
	Methyl acetate of a purity not less than 98 per cent.
	Methyl 2-chloro-3-(4-chlorophenyl)propionate
	Methyl chloroformate
	3-(4-Methylcyclohex-3-enyl)but-3-enyl acetate
	Methyl cyclopropanecarboxylate

Tariff heading	Description
29.14	Methyl formate Methyl 1-methyl-4- <i>isopropylbicyclo</i> [2,2,2]oct-2-ene-6-carboxylate Methyl <i>p</i> -toluate 3-Methyl- <i>n</i> -valeric acid 4-Methyl- <i>n</i> -valeric acid 1-Naphthoic acid (±)-Nerolidyl acetate (±)-Nerolidyl <i>isobutyrate</i> (±)-Nerolidyl formate (±)-Nerolidyl propionate 2-Nitrobenzoic acid 4-Nitrobenzoic acid 2-Nitrocinnamic acid 3-Nitrocinnamic acid 4-Nitrocinnamic acid 4-Nitrophenylacetic acid <i>n</i> -Nonanoic acid <i>n</i> -Non-3-enoic acid Nonyl acetate, mixed isomers, having a specific rotation at 20° centigrade to the D line of sodium of between -9° and -13° <i>n</i> -Non-2-ynoic acid <i>n</i> -Octanoic acid (until 2nd July 1970) <i>n</i> -Oct-2-ynoic acid Pentadecafluoro- <i>n</i> -octanoic acid Pentafluoropropionic acid Pent-4-enoic acid 2-Phenyl- <i>n</i> -butyric acid Phenyl chloroformate 2-Phenylethyl cinnamate 1-Phenyl-2-salicyloylvinyl benzoate Pivalic acid Potassium sorbate 2-(4- <i>iso</i> Propenylcyclohex-1-enyl)ethyl formate Propiolic acid Propionic anhydride <i>n</i> -Propyl acrylate <i>iso</i> Propyl acrylate Sodium fluoroacetate Sodium formate Sodium pentadecafluoro- <i>n</i> -octanoate Sodium trichloroacetate Tetragol di-(2-ethylhexanoate) Tetragol dimethacrylate <i>o</i> -Toluic acid (—COOH at 1) <i>m</i> -Toluic acid (—COOH at 1) <i>p</i> -Toluic acid (—COOH at 1) Tricyclo[5,2,1,0 <sup>2,6</sup> ]dec-4-en-8-yl acetate Tricyclo[5,2,1,0 <sup>2,6</sup> ]dec-4-en-8-yl formate Triethyl orthoacetate Triethyl orthopropionate Trifluoroacetic acid Trigol di-(2-ethylbutyrate) Trigol dimethacrylate 3β,17α,21-Trihydroxypregn-5-en-20-one 21-acetate 4,7,7-Trimethylbicyclo[4,1,0]hept-4-en-3-ylmethyl acetate Trimethyl orthoformate 2,2,4-Trimethylpentane-1,3-diol 1- <i>isobutyrate</i> 2,2,4-Trimethylpentane-1,3-diol <i>diisobutyrate</i> 2,4,6-Trinitrobenzoic acid which yields not more than 0.1 per cent. by weight of sulphated ash

<i>Tariff heading</i>	<i>Description</i>
29.14	Undec-10-enoic acid Vaccenic acid <i>iso</i> Valeric acid Vinyl <i>n</i> -butyrate Vinyl chloroacetate Vinyl decanoate, mixed isomers Vinyl <i>n</i> -dodecanoate Vinyl 2-ethylhexanoate Vinyl propionate
29.15	<i>cis</i> Aconitic acid Ammonium ferric oxalate Azelaic acid Benzenedicarboxylic acid, mixed isomers Benzene-1,2,4-tricarboxylic anhydride Bicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic acid Bicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic anhydride Biphenyl-2,2'-dicarboxylic acid <i>n</i> -Butyl hydrogen itaconate Calcium malonate Cyclohexane-1,2-diacetic acid Cyclohexane-1,2-dicarboxylic anhydride Di- <i>n</i> -butyl itaconate Dichloromaleic anhydride Dimethyl adipate Dimethyl itaconate Dimethyl maleate Diocyl 2 <i>H</i> ,3 <i>H</i> -hexachlorobicyclo[2,2,1]hept-5-ene-2,3-dicarboxylate, mixed isomers Di(tridecyl) sodium-sulphosuccinate, mixed isomers Dodecane-1,12-dioic acid Dodecenylsuccinic acid, mixed isomers Ethanediol cyclic brassylate Glutaric anhydride 2 <i>H</i> ,3 <i>H</i> -Hexachlorobicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic acid 2 <i>H</i> ,3 <i>H</i> -Hexachlorobicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic anhydride 1,8,9,10,11,11-Hexachlorotricyclo[6,2,1,0 <sup>2,7</sup> ]undec-9-ene-4,5-dicarboxylic anhydride Hexafluoroglutaric acid Hexafluoroglutaryl chloride Hydroxydione sodium succinate Isophthalic acid Itaconic anhydride Malonic acid Methylbicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic anhydride Oxalic acid (until 5th March 1970) Pimelic acid Pyromellitic dianhydride Sodium oxalate which, in the form in which it is imported, contains not less than 5.0 per cent. by weight of moisture and which contains in the dried material not more than 98.0 per cent. by weight of oxalates expressed as sodium oxalate, Na <sub>2</sub> C <sub>2</sub> O <sub>4</sub> (until 5th March 1970) Suberic acid Succinic acid which, in the dry state, contains not more than 97 per cent. by weight of free acid calculated as succinic acid 4-Sulphophthalic acid 4-Sulphophthalic acid, diammonium salt Terephthaloyl chloride Tetrabromophthalic anhydride Tetrachlorophthalic anhydride

Tariff heading	Description
29.16	Acetone-1,3-dicarboxylic acid Aluminium hydroxide di-( <i>O</i> -acetylsalicylate) Antimony potassium tartrate, which satisfies the requirements of the British Pharmacopoeia <i>n</i> -Butoxycarbonylmethyl <i>n</i> -butyl phthalate <i>n</i> -Butyl 4,4- <i>diter</i> tbutylperoxyvalerate <i>n</i> -Butyl glycollate 4- <i>n</i> -Butyryl-2,3-dichlorophenoxyacetic acid Calcium bromide lactobionate Calcium glucoheptonate, pyrogen free Calcium gluconate lactobionate Calcium <i>D</i> -saccharate Carbenoxolone Carbenoxolone, disodium salt Cyclandelate 2,5-Dichloro-6-methoxybenzoic acid Diethyl ethoxymethylenemalonate 2,5-Dihydroxybenzoic acid 3,4-Dihydroxybenzoic acid 3,5-Dihydroxybenzoic acid 2,2-Di(hydroxymethyl)propionic acid 3,4-Dihydroxyphenylacetic acid *3,5-Di-iodosalicylic acid (—COOH at 1) 2,3-Dimethoxybenzoic acid 3,5-Dimethoxybenzoic acid 3,4-Dimethoxyphenylacetic acid Dimethyl methoxymethylenemalonate Enoxolone 3,4-Epoxy-6-methylcyclohexylmethyl 3,4-epoxy-6-methylcyclohexane- carboxylate Ethacrynic acid Ethyl diethoxyacetate Ethyl 2-hydroxyisobutyrate Ethyl 2-hydroxy-2-methylbutyrate Ethyl pyruvate Ethyl sodioacetoacetate Galacturonic acid Glucuronic acid Glycollic acid Glyoxylic acid 2-(4-Hydroxybenzoyl)benzoic acid 3-Hydroxycinnamic acid 4-Hydroxy-3,5-dimethoxycinnamic acid 1-Hydroxy-2-naphthoic acid 2-Hydroxy- <i>m</i> -toluic acid Lactobionic acid Laevulic acid L-Malic acid L-Mandelic acid Manganese $\alpha$ - <i>D</i> -glucoheptonate Methallenoestril Mucic acid Mucochloric acid 2-Oxo-2,3:4,6-diisopropylidenegulonic acid 2-Oxoglutaric acid Oxydiacetic acid Pentaerythritol tetra-3-(3,5- <i>diter</i> tbutyl-4-hydroxyphenyl)propionate 3-Phenylsalicylic acid Potassium gluconate <i>iso</i> Propyl 4,4'-dichlorobenzilate Pyruvic acid which, in the dry state, contains not more than 97 per cent. by weight of free acid calculated as pyruvic acid

<i>Tariff heading</i>	<i>Description</i>
29.16	Quinic acid Shikimic acid <i>tri</i> Sodium ( $\pm$ )- <i>isocitrate</i> Sodium deoxycholate Sodium dihydrogen citrate Sodium 2,5-dihydroxybenzoate Sodium 2-hydroxy-4-methoxybenzoate (-)-Tartaric acid <i>meso</i> Tartaric acid 2,4,5-Trichlorophenoxyacetic acid Triethyl <i>O</i> -acetyl citrate 3,7,12-Trioxo-5 $\beta$ -cholanic acid Vanillic acid
29.17	1- <i>iso</i> Butyl-4-ethyloctyl sodium sulphate <i>n</i> -Dodecyl sodium sulphate
29.18	Cyclohexyl nitrate
29.19	Barium hydrogen 2-phosphoglycerate Barium hydrogen 3-phospho-D-glycerate Calcium phytate Chloro-1-(2,4-dichlorophenyl)vinyl diethyl phosphate 1,2-Dibromo-2,2-dichloroethyl dimethyl phosphate Di- <i>n</i> -butyl 2,2-dichlorovinyl phosphate Di- <i>n</i> -butyl phenyl phosphate (until 2nd July 1970) 2,2-Dichlorovinyl dimethyl phosphate Di-(2-ethylhexyl) sodium phosphate 2-Ethylhexyl diphenyl phosphate Sodium phytate †Tri-(2,3-dibromopropyl) phosphate containing not more than 0.20 per cent. by weight of 2,3-dibromopropanol (until 5th March 1970) Triethyl phosphate
29.20	2- <i>sec</i> Butyl-4,6-dinitrophenyl <i>isopropyl</i> carbonate Diallyl digol dicarbonate Di-(4- <i>tert</i> butylcyclohexyl) peroxydicarbonate Diethyl pyrocarbonate Diphenyl carbonate Ethylene carbonate Propylene carbonate
29.21	<i>O</i> -4-Bromo-2,5-dichlorophenyl <i>OO</i> -diethyl phosphorothioate <i>O</i> -4-Bromo-2,5-dichlorophenyl <i>OO</i> -dimethyl phosphorothioate <i>O</i> -2,4-Dichlorophenyl <i>OO</i> -diethyl phosphorothioate <i>OO</i> -Diethyl <i>O</i> -4-nitrophenyl phosphorothioate <i>OO</i> -Diethyl phosphorochloridothioate 1,3-Di-(4-methyl-1,3,2-dioxaborinan-2-yloxy)- <i>n</i> -butane <i>OO</i> -Dimethyl <i>O</i> -3-methyl-4-nitrophenyl phosphorothioate <i>OO</i> -Dimethyl <i>O</i> -4-nitrophenyl phosphorothioate <i>OO</i> -Dimethyl <i>O</i> -2,4,5-trichlorophenyl phosphorothioate Di-(4,4,6-trimethyl-1,3,2-dioxaborinan-2-yl) oxide 1,9,10,11,12,12-Hexachloro-4,6-dioxa-5-thiatricyclo [7,2,1,0 <sup>2,8</sup> ]dodec-10-ene 5-oxide Phenyl phosphorodichloridate 4,4'- <i>iso</i> Propylidenedicyclohexyl di-(4-[1-(4-hydroxycyclohexyl)-1-methylethyl]cyclohexyl phenyl phosphite) Tri-(2-ethylhexyl) phosphite Triethyl phosphite Trimethyl phosphite
29.22	Allylamine 2-Aminobiphenyl 4-Aminobiphenyl 6-Aminochrysene (I.U.P.A.C. numbering)

<i>Tariff heading</i>	<i>Description</i>
29.22	<p> <i>N</i>-2-Amino-3,5-dibromobenzyl-<i>N</i>-cyclohexylmethylammonium chloride            4-Amino-1-diethylamino-<i>n</i>-pentane            2-Amino-4,4'-dinitrophenyl            4-Aminodiphenylamine            3-Aminomethyl-3,5,5-trimethylcyclohexylamine            8-Aminonaphthalene-1-sulphonic acid            8-Aminonaphthalene-2-sulphonic acid            Amitriptyline embonate            Amitriptyline hydrochloride            Benzidine            Benzidine hydrochloride            Benzphetamine hydrochloride            2-Bromo-5-trifluoromethylaniline            4-Bromo-2-trifluoromethylaniline            4-Bromo-3-trifluoromethylaniline  <i>n</i>-Butylamine  <i>iso</i>Butylamine  <i>sec</i>Butylamine  <i>tert</i>Butylamine            2-Chloro-<i>NN</i>-diethyl-4-nitroanilinium chloride zinc chloride  <i>N</i>-3-Chloropropyl-dimethylammonium chloride, solid            2-Chloro-5-trifluoromethylaniline            4-Chloro-2-trifluoromethylaniline            4-Chloro-3-trifluoromethylaniline            3-Cyclohexylaminopropylamine  <i>N</i>-Cyclohexyldimethylamine  <i>N</i>-Cyclohexylmethylamine            Cyclopentamine hydrochloride            Cyclopentamine 2-(4-hydroxybenzoyl)benzoate            (Cyclopropylmethyl)ammonium chloride  <i>N-n</i>-Decyldimethylamine            Diallylamine            Di-(4-aminocyclohexyl)methane            1,2-Diaminoethane (until 5th March 1970)            1,2-Diaminoethane hydrate            1,7-Diaminoheptane            Di-(4-amino-3-methylcyclohexyl)methane            1,8-Diaminonaphthalene            1,2-Diaminopropane            1,3-Diaminopropane            Di-(3-aminopropyl)amine            2,4-Diaminotoluene            1,6-Diaminotrimethylhexane, mixed 2,2,4- and 2,4,4- isomers            Diamylamine, mixed isomers            6,8-Dianilinonaphthalene-1-sulphonic acid            2,6-Dibromoaniline            Di-<i>n</i>-butylamine            2,4-Dichloroaniline            3,4-Dichloroaniline            2,4-Dichlorobenzylamine            3,4-Dichlorobenzylamine            4,5-Dichloro-<i>o</i>-phenylenediamine            Dicyclohexylamine  <i>NN'</i>-Dicyclohexyl-<i>p</i>-phenylenediamine            1,3-Di(dimethylamino)-<i>n</i>-butane            1,4-Di(dimethylamino)butane            2-Diethylaminoethylamine            3-Diethylaminopropylamine  <i>NN</i>-Diethylaniline (until 2nd July 1970)            Diethylenetriamine (until 5th March 1970)         </p>

<i>Tariff heading</i>	<i>Description</i>
29.22	<i>NN'</i> -Di-(1-ethyl-3-methylpentyl)- <i>p</i> -phenylenediamine
	<i>NN</i> -Diethyl- <i>p</i> -phenylenediamine
	2-Dimethylaminoethylamine
	3-Dimethylaminopropylamine
	3-Dimethylaminopropyne
	<i>NN'</i> -Di-(1-methylheptyl)- <i>p</i> -phenylenediamine
	<i>NN</i> -Dimethyl- <i>n</i> -octylamine
	<i>NN</i> -Dimethyl- <i>p</i> -phenylenediamine
	6,10-Dimethyl-2,6,10,14-tetra-azapentadecane
	2,6-Dinitro- <i>NN</i> -di- <i>n</i> -propyl-4-trifluoromethylaniline
	Di- <i>n</i> -octylamine
	Di- <i>n</i> -propylamine
	Diisopropylamine
	<i>N-n</i> -Dodecyldimethylamine
	Ethamsylate
	2-Ethylaniline
	<i>N</i> -Ethylaniline
	<i>N</i> -Ethyl-di-(3-phenylpropyl)ammonium dihydrogen citrate
	<i>N</i> -Ethyl-1-naphthylamine
	<i>N</i> -Ethyl- <i>m</i> -toluidine
	Fencamfamin hydrochloride
	Fenfluramine hydrochloride
	2-Fluoroaniline
	4-Fluoroaniline
	2-Fluoro-5-trifluoromethylaniline
	4-Fluoro-2-trifluoromethylaniline
	<i>n</i> -Heptylamine
	<i>n</i> -Hexylamine
	Mephentermine
	3-Methylaminopropylamine
	<i>N</i> -Methylaniline
	3-Methylbenzylamine
	1-Methylheptylamine
	<i>N</i> -1-Methylheptyl- <i>N'</i> -phenyl- <i>p</i> -phenylenediamine
	<i>N</i> -Methyl-1-methylprop-2-ynylamine
	<i>N</i> -Methyl-4-nitroaniline (until 7th May 1970)
	<i>N</i> -(2-Methyl-2-nitropropyl)-4-nitrosoaniline
	<i>N</i> -Methyltaurine
	<i>N</i> -Methyltaurine, sodium salt
	1-Naphthylamine
	2-Naphthylamine
	4-Nitroaniline
	4-Nitro- <i>m</i> -phenylenediamine
	<i>n</i> -Octylamine
	Pargyline hydrochloride
	<i>NNN'N''N'''</i> -Pentamethyldiethylenetriamine
	<i>n</i> -Pentylamine
	<i>iso</i> Pentylamine
	Phentermine
	<i>m</i> -Phenylenediamine
	<i>p</i> -Phenylenediamine
	<i>p</i> -Phenylenediamine dihydrochloride
	(±)-1-Phenylethylamine
	Prenylamine lactate
	<i>n</i> -Propylamine
	<i>iso</i> Propylamine
	(-)-Propylhexedrine hydrochloride
	Protriptyline hydrochloride
	Sodium 4-aminonaphthalene-1-sulphonate
	Spermidine

<i>Tariff heading</i>	<i>Description</i>
29.22	Spermidine trihydrochloride
	Taurine
	3,4,3',4'-Tetra-aminobiphenyl tetrahydrochloride
	Tetraethylenepentamine (until 5th March 1970)
	5,6,7,8-Tetrahydro-1-naphthylamine
	1,2,3,4-Tetrahydro-2-naphthylamine
	5,6,7,8-Tetrahydro-2-naphthylamine
	<i>o</i> -Tolidine
	<i>o</i> -Tolidine dihydrochloride
	<i>m</i> -Tolidine dihydrochloride
	<i>m</i> -Tolidine di(hydrogen sulphate)
	Tolpropamine hydrochloride
	8- <i>p</i> -Toluidinonaphthalene-1-sulphonic acid
	Triallylamine
	Tri- <i>n</i> -butylamine
	2,4,5-Trichloroaniline
	Tri- <i>n</i> -decylamine
	Triethylammonium 3 $\beta$ ,17 $\beta$ -dihydroxyandrost-5-en-17 $\alpha$ -ylpropionate
	Triethylenetetramine (until 5th March 1970)
	2-Trifluoromethylaniline
	4-Trifluoromethylaniline
	Tri- <i>n</i> -hexylamine
	Tri- <i>n</i> -octylamine
	Tri- <i>n</i> -pentylamine
	Triisopentylamine
	Tri- <i>n</i> -propylamine
	2,3-Xylidine
	2,5-Xylidine
	3,4-Xylidine
29.23	Acetaldehyde ammonia
	D-Alanine
	L-Alanine
	DL-Alanine
	4-Aminoacetophenone
	7-(4-Aminoanilino)-4-hydroxynaphthalene-2-sulphonic acid
	3-Aminobenzoic acid
	4-Aminobenzoic acid
	2-Amino- <i>n</i> -butan-1-ol
	4-Aminobutyric acid
	5-Amino-2-chlorobenzoic acid
	2-Amino-5,2'-dichlorobenzophenone
	2-Amino-4,6-dichlorophenol
	1-Amino-3-diethylaminopropan-2-ol
	L-2-Amino-3-(3,4-dihydroxyphenyl)-2-methylpropionic acid
	DL-2-Amino-3-(3,4-dihydroxyphenyl)-2-methylpropionic acid
	2-Amino-1-(3,4-dihydroxyphenyl)propan-1-ol hydrochloride
	2-(2-Aminoethoxy)ethanol
	2-Aminoethyl dihydrogen phosphate
	<i>N</i> -(2-Aminoethyl)ethanolamine
	2-Amino-2-ethylpropane-1,3-diol
	6-Aminohexanoic acid
	2-Amino-2-methylpropane-1,3-diol
	2-Amino-2-methylpropan-1-ol
	5-Amino-1-naphthol
	3-Amino-2-naphthol
	2-Amino-5-nitrophenol
	(-)-2-Amino-1-(4-nitrophenyl)propane-1,3-diol
	3-Aminophenol
	4-Aminophenylacetic acid
	(+)-2-Aminopropan-1-ol



<i>Tariff heading</i>	<i>Description</i>
29.23	3-Aminopropan-1-ol
	3-Aminopropionic acid
	4-Aminosalicylic acid (—COOH at 1)
	5-Aminosalicylic acid (—COOH at 1)
	Amylocaine hydrochloride
	7-Anilino-4-hydroxynaphthalene-2-sulphonic acid
	<i>m</i> -Anisidine
	Anthranilic acid
	L-Aspartic acid
	DL-Aspartic acid
	Bamethan sulphate
	Benzocaine
	(—)-2-Benzylaminopropan-1-ol
	(±)-2-Benzylaminopropan-1-ol
	Butacaine sulphate
	2- <i>tert</i> Butylaminoethyl methacrylate
	Calcium 3-aminopropionate
	Calcium 4-aminosalicylate (—COOH at 1)
	7-(4-Carboxymethoxyanilino)-4-hydroxynaphthalene-2-sulphonic acid
	Chlophedianol
	Chlophedianol hydrochloride
	5-Chloro- <i>o</i> -anisidine (—NH <sub>2</sub> at 1)
	*3-Chloro-4-(4-chlorophenoxy)aniline
	4-Chloro-2,5-dimethoxyaniline
	4-(4-Chlorophenoxy)aniline
	3-Chloro-6-phenoxyaniline
	Chlorphenoxamine hydrochloride
	Clorprenaline hydrochloride
	2,4-Diaminoanisole
	2,4-Diaminoanisole <i>monosulphate</i>
	1,2-Diaminocyclohexane- <i>NNN'</i> -tetra-acetic acid
	1,3-Diaminopropan-2-ol
	1,3-Diaminopropan-2-ol- <i>NNN'</i> -tetra-acetic acid
	3,9-Di-(3-aminopropyl)-2,4,8,10-tetraoxaspiro[5,5]undecane
	<i>o</i> -Dianisidine
	<i>o</i> -Dianisidine dihydrochloride of a purity not greater than 98·5 per cent.
	1,15-Diaza-5,8,11-trioxapentadecane
	2,6-Di- <i>tert</i> butyl-4-dimethylaminomethylphenol
	3,3'-Di(carboxymethoxy)benzidine, dipotassium salt
	6,6'-Dichloro- <i>o</i> -dianisidine
	1,2-Di[di-(2-hydroxy- <i>n</i> -propyl)amino]ethane
	Di-(2-dimethylaminoethyl) ether
	2,2-Diethoxyethylamine
	2-Diethylaminoethyl 4-amino-2- <i>n</i> -propoxybenzoate <i>monohydrochloride</i>
	2-Diethylaminoethyl diphenylacetate hydrochloride
	3-Diethylaminopropan-1-ol
	5,5'-Dihydroxy-2,2'-dinaphthylamine-7,7'-disulphonic acid
	3-(3,4-Dihydroxyphenyl)-L-alanine
	3-(3,4-Dihydroxyphenyl)-DL-alanine
	2-(3,4-Dihydroxyphenyl)ethylammonium chloride
	Di-(2-hydroxy- <i>n</i> -propyl)amine
	2,5-Dimethoxyaniline
	<i>N</i> -2,2-Dimethoxyethylmethylamine
	1-(3,4-Dimethoxyphenyl)-1-dimethylamino-4-phenylbutane hydrochloride
	2-(3,4-Dimethoxyphenyl)ethylamine
	$\beta$ -Dimethylaminoisobutyrophenone hydrochloride
	2-Dimethylaminoethyl methacrylate
	6-Dimethylaminomethyl-2,5-xilenol hydrochloride (—OH at 1)
	1-Dimethylaminopropan-2-ol

Tariff heading	Description
29.23	3-(3-Dimethylaminopropyl)-1,2:4,5-dibenzocycloheptadien-3-ol 1,4-Di-(2,4,6-trimethylanilino)anthraquinone Embramine hydrochloride Ethomoxane hydrochloride Ethyl aminoacetate hydrochloride 2-Ethylaminoethanol, of which not less than 90 per cent. by volume distils between 165° and 170° centigrade at normal pressure and which contains not more than 0.5 per cent. by weight of water Ethylenediamine- <i>NN'</i> -diacetic acid Ethylenediamine- <i>NN'</i> -diacetic acid, cobalt complex Ethylenediamine- <i>NN'</i> -di-[ $\alpha$ -(2-hydroxyphenyl)acetic acid] Ethylenediamine- <i>NN'</i> -di-[ $\alpha$ -(2-hydroxyphenyl)acetic acid], iron complex <i>N</i> -Ethyl- <i>N</i> -2-hydroxyethyl- <i>m</i> -toluidine <i>D</i> -Glucosamine hydrochloride Glutamic acid Glycine <i>DL</i> -Homoserine 1-(4-Hydroxyphenyl)-2-methylaminoethanol hydrogen tartrate 1-(4-Hydroxyphenyl)-2-methylaminoethanol tartrate Iopanoic acid Isatoic anhydride Isoetharine mesylate Isoxsuprine hydrochloride <i>L</i> -Leucine <i>DL</i> -Leucine <i>L-iso</i> Leucine <i>DL-iso</i> Leucine <i>L-nor</i> Leucine <i>DL-nor</i> Leucine Levopropoxyphene napsylate <i>L</i> -Lysine <i>DL</i> -Lysine dihydrochloride <i>L</i> -Lysine ethyl ester dihydrochloride <i>L</i> -Lysine monohydrochloride <i>DL</i> -Lysine monohydrochloride Lyxosamine Magnesium glutamate hydrobromide Mannomustine dihydrochloride Mebeverine hydrochloride Meclofenoxate hydrochloride Metaraminol hydrogen (+)-tartrate 3-Methoxypropylamine 6-Methoxy- <i>m</i> -toluidine ( $-NH_2$ at 1) 2-Methylaminoethanol 3-(3-Methylaminoprop-1-ynyl)-1,2:4,5-dibenzocycloheptadien-3-ol <i>N</i> -Methyldiethanolamine Orciprenaline sulphate <i>DL</i> -Ornithine monohydrochloride Orphenadrine Orphenadrine dihydrogen citrate Orphenadrine hydrochloride Pentyl 4-dimethylaminobenzoate, mixed isomers 5- <i>tert</i> Pentyl-2-phenoxyaniline <i>o</i> -Phenetidine <i>m</i> -Phenetidine <i>p</i> -Phenetidine <i>L</i> -3-Phenylalanine <i>DL</i> -3-Phenylalanine Potassium 4-aminosalicylate ( $-COOH$ at 1) Potassium dimethylaminoacetate

<i>Tariff heading</i>	<i>Description</i>
29.23	Potassium 2-methylaminopropionate Procaine Procaine hydrochloride Protokylol hydrochloride Proxymetacaine <i>monohydrochloride</i> Sarcosine L-Serine DL-Serine Sodium 4-aminosalicylate (—COOH at 1) Sodium hydrogen glutamate L-Threonine DL-Threonine Thymoxamine hydrochloride Tri-(2-hydroxy- <i>n</i> -propyl)amine Trolnitrate phosphate Trometamol Tyramine hydrochloride L-Tyrosine DL-Tyrosine L-Valine DL-Valine DL- <i>nor</i> Valine
29.24	Benzethonium chloride Betaine Betaine hydrochloride Carbenoxolone, dicholine salt Cetalkonium chloride 1,3-Di(dimethylamino)propan-2-ol dimethiodide Edrophonium chloride <i>N</i> -2,3-Epoxypropyltrimethylammonium chloride Methylbenzethonium chloride Oxyphenonium bromide Tetraethylammonium chloride Tridihexethyl chloride
29.25	8-Acetamido-2-naphthol <i>O</i> -Acetyl-4'-chloro-3,5-di-iodosalicylanilide <i>N</i> -Acetyl-L-glutamine <i>N</i> -Acetyl-L-tyrosine Acrylamide Ambenonium chloride Ambucetamide 7-(4-Aminobenzamido)-4-hydroxynaphthalene-2-sulphonic acid 4-Aminohippuric acid L- $\alpha$ -Asparagine DL- $\alpha$ -Asparagine L- $\beta$ -Asparagine Barbitone Barbitone sodium <i>N</i> -Bromoacetamide Bucetin <i>N</i> -( <i>n</i> -Butoxymethyl)acrylamide <i>sec</i> Butylurea (until 5th March 1970) Carbachol <i>O</i> -Carbamoyl- $\beta$ -methylcholine chloride †Carbiphene hydrochloride Chloroacetamide 4-Chlorobut-2-ynyl 3-chlorophenylcarbamate <i>N</i> -5-Chloro-2-(4-chloro-2-sulphophenoxy)phenyl- <i>N'</i> -3,4-dichloro-phenylurea 2-Chloro-2-diethylcarbamoyl-1-methylvinyl dimethyl phosphate $\alpha$ -Chloro-2',6'-diethyl- <i>N</i> -(methoxymethyl)acetaniilide

Tariff heading	Description
29.25	<p>11a-Chloro-5-hydroxytetracycline 6,12-hemiacetal  <i>N</i>-4-(4-Chlorophenoxy)phenyl-<i>N</i>'<i>N</i>'-dimethylurea  <math>\alpha</math>-Chloro-<i>N</i>-isopropylacetanilide  <i>N</i>-(3-Chloro-<i>p</i>-tolyl)-2-methyl-<i>n</i>-valeramide  Chlorphenesin carbamate  <i>N</i>-Cyclo-octyl-<i>N</i>'<i>N</i>'-dimethylurea  Cyclopropanecarboxamide  Diacrylamidomethane  3',4'-Dichloromethacrylanilide  3,3'-Dichloro-5-trifluoromethyl-<i>NN</i>'-diphenylurea  *4,4'-Dichloro-3-trifluoromethyl-<i>NN</i>'-diphenylurea  <i>NN</i>'-Di-(4-chloro-3-trifluoromethylphenyl)urea  1,2-Di(diacetylamino)ethane  Diethylcarbamoyl chloride  2-(2,5-Dihydroxybenzamido)ethanol  Dimethylcarbamoyl chloride  <i>NN</i>'-Dimethyl-<i>NN</i>'-dinitrosoterephthalamide  <i>NN</i>-Dimethyl-<i>N</i>'-3-trifluoromethylphenylurea  <i>NN</i>'-Dimethylurea containing not more than 0.005 per cent. by weight of iron calculated as Fe  *3-(<i>N</i>'<i>N</i>'-Dimethylureido)phenyl <i>tert</i>butylcarbamate  3,5-Dinitro-<i>o</i>-toluamide (-CONH<sub>2</sub> at 1)  Di-(4-phenoxycarbonylaminophenyl)methane  Ethosalamide  Ethotoin  Ethyl <i>N</i>-3-(1,2:5,6-dibenzocycloheptatrien-7-yl)propylmethylcarbamate  1-Ethyl-1-methylprop-2-ynyl carbamate  Fluoroacetamide  Formamide  L-Glutamine  DL-Glutamine  <i>N</i>-Glycyl-L-<math>\beta</math>-asparagine  <i>N</i>-Glycyl-DL-<math>\beta</math>-asparagine  <i>N</i>-(Hydroxymethyl)acrylamide  1-Hydroxymethyl-5,5-dimethylhydantoin, solid  Iodipamide, dimeglumine salt  Iodoacetamide  Iothalamic acid  Isopropamide iodide  Mebutamate  Methacrylamide  Methohexitone  Methyl 4-acetamido-2-ethoxybenzoate  Methyl 4-acetamido-5-chloro-2-methoxybenzoate  Methyl carbamate  Methyl 3-(<i>m</i>-tolylcarbamoyloxy)phenylcarbamate  Metoclopramide dihydrochloride  Metoclopramide <i>monohydrochloride</i>  1-Naphthyl methylcarbamate  Nealbarbitone  Niclosamide  Oxethazaine  Phenytoin sodium  Pivalamide  Procainamide hydrochloride (until 5th March 1970)  2-<i>iso</i>Propoxyphenyl methylcarbamate  Sodium diatrizoate  Styramate  Tetramethylurea  3,4,4'-Trichloro-<i>NN</i>'-diphenylurea</p>

<i>Tariff heading</i>	<i>Description</i>
29.25	5,3',4'-Trichlorosalicylanilide <i>N</i> -Vanillyl- <i>n</i> -nonanamide Vinbarbitone sodium
29.26	Acetamidinium chloride $\alpha$ -(4-Aminophenyl)- $\alpha$ -ethylglutarimide L-Arginine L-Arginine <i>monohydrochloride</i> <i>N</i> <sup>α</sup> -Benzoyl-DL-arginine 2-naphthylamide hydrochloride Creatine 3,5-Dichloro- <i>p</i> -benzoquinonechlorimine 1,2-Di-(1,3-dimethylbutylideneamino)ethane Di-[2-(1,3-dimethylbutylideneamino)ethyl]amine 1-(Di-[2-(1,3-dimethylbutylideneamino)ethyl]amino)-3-phenoxy- propan-2-ol Di-(2,6-diisopropylphenyl)carbodi-imine 3-Dimethylaminomethyleneaminophenyl methylcarbamate hydro- chloride <i>n</i> -Dodecylguanidinium acetate <i>N</i> -(2-Ethylhexyl)bicyclo[2,2,1]hept-5-ene-2,3-dicarboxyimide <i>N</i> -Ethylmaleimide Glutethimide Guanidinium carbonate Guanidinium chloride 4-Guanidinobutyric acid Hexahydro-1,3,5-tri-(2-hydroxyethyl)-1,3,5-triazine Hexamine 3-chloroallylochloride Phenformin <i>monohydrochloride</i> <i>N</i> -Phosphonocreatine, sodium salt 3,4,5,6-Tetrahydrophthalimidomethyl 2,2-dimethyl-3-(2-methylprop-1- enyl)cyclopropanecarboxylate <i>NNN'N'</i> -Tetramethylguanidine
29.27	(-)-2-Acetamido-2-vanillylpropionitrile Acrylonitrile (until 2nd July 1970) Benzonitrile <i>n</i> -Butyronitrile Chloroacetonitrile 3-Chlorophenylacetonitrile 4-Chlorophenylacetonitrile Cyanocyclopropane 3-Cyano-5-dimethylamino-2-methyl-3-phenylhexane 3-Cyclohexylaminopropionitrile 2,6-Dichlorobenzonitrile 2,3-Dichloro-5,6-dicyanobenzoquinone <i>NN</i> -Di-2-cyanoethylformamide <i>αα'</i> -Dicyano- <i>o</i> -xylene <i>αα'</i> -Dicyano- <i>m</i> -xylene <i>αα'</i> -Dicyano- <i>p</i> -xylene 4-Diethylaminobutyronitrile 2-Dimethylamino-2,2-diphenyl- <i>n</i> -valeronitrile 3-Dimethylaminopropionitrile 2,2-Dimethylpropionitrile Diphenylacetonitrile 4-Di- <i>n</i> -propylaminobutyronitrile 4-Diisopropylaminobutyronitrile Ethyl 2-cyano-3,3-diphenylacrylate Ethyl 2-cyano-3-ethoxyacrylate 2-Ethylhexyl 2-cyano-3,3-diphenylacrylate <i>n</i> -Hexanonitrile 3-Hydroxypropionitrile Mandelonitrile Methacrylonitrile

<i>Tariff heading</i>	<i>Description</i>
29.27	2-Phenylpropionitrile Phthalonitrile Propionitrile Succinonitrile Tetracyanoethylene <i>o</i> -Tolunitrile <i>o</i> -Tolylacetonitrile <i>p</i> -Tolylacetonitrile Verapamil hydrochloride
29.28	4-Anilinophenyldiazonium hydrogen sulphate Azobenzene 4- <i>N</i> -Benzylethylaminophenyldiazonium zinc chloride 3,4-Dimethyl-6- <i>D</i> -ribitylaminoazobenzene Sodium 6-diazo-5-hydroxynaphthalene-1-sulphonate <i>tri</i> Sodium hydrogen 4,5-dihydroxy-3,6-di-(2-sulphophenylazo)-naphthalene-2,7-disulphonate 2,5,4'-Triethoxy-4-biphenyldiazonium zinc chloride
29.29	<i>p</i> -Benzoquinone dioxime <i>p</i> -Benzoquinone dioxime dibenzoate Benzylideneaminoguanidinium tartrate <i>N</i> -(4-Bromophenyl)- <i>N'</i> -methoxy- <i>N'</i> -methylurea 1-(2-Carboxyphenyl)-5-(2-hydroxy-5-sulphophenyl)-3-phenylformazan <i>N</i> -(4-Chlorobenzoyl)- <i>N</i> -(4-methoxyphenyl)hydrazine <i>N</i> -4-Chlorophenyl- <i>N'</i> -methoxy- <i>N'</i> -methylurea 2-Chloro-4,6-xylylhydrazinium chloride Cyclopropanecarboxyhydrazide Desferrioxamine Desferrioxamine hydrochloride Desferrioxamine mesylate <i>N</i> -3,4-Dichlorophenyl- <i>N'</i> -methoxy- <i>N'</i> -methylurea Di(dimethylglyoximate)diamminocobaltic nitrate <i>NN</i> -Diethylhydroxylamine Diethyl naphthalimido phosphate Di-(17 $\beta$ -hydroxy-2 $\alpha$ ,17 $\alpha$ -dimethyl-5 $\alpha$ -androstan-3-ylidene)hydrazine <i>NN</i> -Dimethylhydrazine <i>N</i> -Hydroxyphthalimide Hydroxyurea Phenelzine hydrogen sulphate Pheniprazine <i>monohydrochloride</i> Phenylhydrazine 1-Phenylsemicarbazide Procabazine hydrochloride
29.30	4- <i>tert</i> Butyl-2-chlorophenyl methyl methylphosphoramidate 1-Chloro-2- <i>isocyanato</i> benzene 1-Chloro-3- <i>isocyanato</i> benzene 1-Chloro-4- <i>isocyanato</i> benzene 1-Chloro-2- <i>isocyanato</i> ethane <i>iso</i> Cyanatobenzene <i>iso</i> Cyanatocyclohexane 1- <i>iso</i> Cyanato-4-fluorobenzene <i>iso</i> Cyanatomethane 1- <i>iso</i> Cyanatonaphthalene 1- <i>iso</i> Cyanato- <i>n</i> -octadecane 1- <i>iso</i> Cyanatopropane 3-Cyano-5-dimethylamino-2-methyl-3-phenylhexane cyciamate 1,2-Dichloro-4- <i>isocyanato</i> benzene 1,4-Dichloro-2- <i>isocyanato</i> benzene Di-(4- <i>isocyanato</i> cyclohexyl)methane 4,4'- <i>Diisocyanato</i> -3,3'-dimethoxybiphenyl

<i>Tariff heading</i>	<i>Description</i>
29.30	4,4'-Diisocyanato-3,3'-dimethylbiphenyl 4,4'-Diisocyanatodiphenylmethane of a purity not less than 85 per cent. 1,6-Diisocyanatohexane 1,5-Diisocyanatonaphthalene 2,4-Diisocyanatotoluene Dimethylamine-borine Hexamethylphosphoramide Tetra(dimethylamino)diboron 4,4',4''-Triisocyanatotriphenylmethane
29.31	<i>N</i> -Acetyl-L-cysteine <i>N</i> -Acetyl-DL-methionine Ambazone 2-Aminobenzenethiol Ammonium phenylhydrazinodithioformate Benzenethiol Bithionol <i>iso</i> Bornyl thiocyanatoacetate Butane-1,4-dithiol <i>n</i> -Butane-1-thiol 4- <i>tert</i> Butylbenzenethiol Calcium 2-hydroxy-4-(methylthio)butyrate * <i>S</i> -Carboxymethylcysteine Chlordantoin 2-Chloroallyl diethyldithiocarbamate 4-Chlorophenylthiomethyl <i>OO</i> -diethyl phosphorodithioate L-Cystathionine DL-Cystathionine L-Cysteine L-Cysteine hydrochloride Cysteine methyl ester hydrochloride D-Cystine L-Cystine Dapsone, of a purity less than 99 per cent. $\alpha$ -Decane-1-thiol Di-(3- <i>tert</i> butyl-4-hydroxy-6-methylphenyl) sulphide Di-(2-carboxyphenyl) disulphide <i>S</i> -2,3-Dichloroallyl diisopropylthiocarbamate Di-(4-chlorophenyl) sulphone 2,5-Dichlorophenylthiomethyl <i>OO</i> -diethyl phosphorodithioate 2,6-Dichlorothiobenzamide Di-(2-cyanoethyl) sulphide 2-Diethylaminoethanethiol hydrochloride <i>OO</i> -Diethyl 2-ethylthioethyl phosphorodithioate <i>OO</i> -Diethyl <i>O</i> -2-ethylthioethyl phosphorothioate Diethyl <i>S</i> -2-ethylthioethyl phosphorothioate <i>OO</i> -Diethyl ethylthiomethyl phosphorodithioate Di-(2-ethylhexyl) 4,4'-thiodibutyrate Di-(2-hydroxyethyl) sulphide Di-(6-hydroxy-2-naphthyl) disulphide Dimercaprol Dimethyl disulphide Dimethyl <i>S</i> -2-(1-methylcarbamoylthio)ethyl phosphorothioate <i>OO</i> -Dimethyl methylcarbamoylmethyl phosphorodithioate <i>OO</i> -Dimethyl phthalimidomethyl phosphorodithioate Dimethyl sulphide Dimethyl sulphoxide Dimethylxanthogen disulphide Di-(4-nitrophenyl) disulphide 1,4-Dioxan-2,3-dithiol di-( <i>OO</i> -diethyl phosphorodithioate)

Tariff heading	Description
29.31	Diphenyl disulphide Diphenyl sulphide <i>NN'</i> -Diphenylthiourea 3,6-Dithiaoctane-1,8-diol
	†Dithiocyanatomethane having a melting point not less than 100° centigrade (until 5th March 1970)
	*Di(trichloromethyl) sulphone Dodecanethiol, mixed isomers Ethane-1,2-dithiol Ethanethiol D-Ethionine L-Ethionine DL-Ethionine Ethylcarbamoylmethyl <i>OO</i> -dimethyl phosphorodithioate <i>S</i> -Ethyl di- <i>n</i> -propylthiocarbamate Ethylene-1,2-di-( <i>NN'</i> -dimethylthiuram disulphide) Ethyl methyl sulphide <i>O</i> -2-Ethylthioethyl <i>OO</i> -dimethyl phosphorothioate <i>S</i> -2-Ethylthioethyl dimethyl phosphorothioate Glutathione Glutathione disulphide Glutathione, <i>monosodium</i> salt <i>N</i> -Glycyl-DL-methionine Hexane-1,6-dithiol <i>n</i> -Hexane-1-thiol DL-Homocysteine 2-Mercaptoisobutyric acid 2-Mercaptoethanol 2-Mercaptoethylammonium chloride 3-Mercaptopropane-1,2-diol (until 2nd July 1970) 2-Mercaptopropionic acid 3-Mercaptopropionic acid (until 2nd July 1970) Mercaptosuccinic acid Methanethiol Methionine 2-Methoxyethylcarbamoylmethyl <i>OO</i> -dimethyl phosphorodithioate Methyl phenyl sulphide 2-Methylpropane-2-thiol Methylsulphonal 4-(Methylthio)-3,5-xylyl methylcarbamate 1-Naphthylthiourea Noxythiolin <i>n</i> -Octane-1-thiol Pentachlorobenzenethiol <i>n</i> -Pentane-1-thiol Potassium ethylxanthate Potassium <i>n</i> -pentylxanthate Propane-1,3-dithiol Propane-1-thiol Propane-2-thiol <i>S</i> - <i>n</i> -Propyl <i>n</i> -butylethylthiocarbamate Sodium <i>sec</i> butylxanthate Sodium ethylxanthate Sodium <i>isopropyl</i> xanthate Sodium toluene-4-sulphinat Sulphonal 2,4,5,4'-Tetrachlorodiphenyl sulphide 2,4,5,4'-Tetrachlorodiphenyl sulphone <i>N</i> -(1,1,2,2-Tetrachloroethanesulphenyl)cyclohex-4-ene-1,2-dicarboximide <i>OOO'O'</i> -Tetraethyl methylene di(phosphorodithioate)



Tariff heading	Description
29.31	Thioacetamide Thioacetanilide Thioacetic acid Thiobarbituric acid Thiocarlide <i>iso</i> Thiocyanatobenzene <i>iso</i> Thiocyanatomethane Thiodiacetic acid Thiomesterone Thiourea Tolnaftate Toluene-2-thiol S-2,3,3-Trichloroallyl diisopropylthiocarbamate Trichloromethanesulphenyl chloride N-(Trichloromethanesulphenyl)cyclohex-4-ene-1,2-dicarboxyimide N-(Trichloromethanesulphenyl)phthalimide Zinc di-(2-benzamidophenyl sulphide) Zinc di(pentachlorophenyl sulphide) Zinc propylenebisdithiocarbamate
29.32	<i>o</i> -Arsanilic acid <i>p</i> -Arsanilic acid (until 3rd September 1970) Bismuth <i>N</i> -glycollylarsanilate Cacodylic acid Phenylarsonic acid Sodium cacodylate Sodium hydrogen <i>p</i> -arsanilate <i>di</i> Sodium methylarsonate
29.33	4-Chloromercuribenzoic acid of a purity of not less than 98 per cent. and a melting point of not less than 278° centigrade 3,2-Mercurioxy-4-nitrotoluene Methylmercury hydroxide
29.34	Allyltrichlorosilane 3-Aminopropyltriethoxysilane 3-Aminopropyltrimethoxysilane <i>n</i> -Butyl-lithium <i>sec</i> Butyl-lithium 3-Chloropropyltrimethoxysilane Diisobutylaluminium hydride Dicyclopentadienyliron Diethyl di-(2-hydroxyethyl)aminomethylphosphonate Dimethyl 2,2,2-trichloro-1-hydroxyethylphosphonate Diphenyldichlorosilane Diphenylsilanediol 2-(3,4-Epoxy-cyclohexyl)ethyltrimethoxysilane <i>O</i> -Ethyl phenyl ethylphosphonodithioate 3-Glycidyloxypropyltrimethoxysilane 1-Hydroxyethylidenediphosphonic acid 3-Methacryloyloxypropyltrimethoxysilane Methylcyclopentadienylmanganese tricarbonyl Methylvinyl-dichlorosilane Molybdenum hexacarbonyl Nitrilotri(methylphosphonic acid) Phenylphosphinic acid <i>penta</i> Sodium hydrogen nitrilotri(methylphosphonate) Sodium tetraphenylborate Tetramethylsilane Tri- <i>n</i> -butylaluminium *Tri- <i>n</i> -butyl-2,4-dichlorobenzylphosphonium chloride Triphenylphosphine

<i>Tariff heading</i>	<i>Description</i>
29.34	Triphenyltin acetate Tungsten hexacarbonyl Vinyltrichlorosilane Vinyltriethoxysilane Vinyltri-(2-methoxyethoxy)silane
29.35	Acepromazine hydrogen maleate Acetoguanamine 2-Acetoethienone 2-Acetylbenzofuran 2-Acetyl-1,4-butyrolactone 3-Acetyl-2,4-dimethylpyrrole N-Acetylhistamine 3-Acetylinole 5-Acetylinoline 3-Acetylpyridine 4-Acetylpyridine N <sup>α</sup> -Acetyl-DL-tryptophan Acridine Acridone Adenine Adenine sulphate Adenosine Adenosine 3'-(dihydrogen phosphate) Adenosine 5'-(dihydrogen phosphate) Adenosine 5'-(dilithium hydrogen pyrophosphate) Adenosine 5'-(disodium dihydrogen triphosphate) Adenosine 5'-(tetrahydrogen triphosphate) Adenosine 5'-(tetrasodium triphosphate) Adenosine 5'-(trilithium pyrophosphate) Adenosine 5'-(trisodium pyrophosphate) S-Adenos-5'-yl-L-methionine iodide 2-Allyloxy pyridine Ambrettolide 2-Aminobenzothiazole 2-Aminobenzothiazole-6-carboxylic acid N <sup>α</sup> -4-Aminobutaryl-L-histidine sulphate 5-Amino-4-chloro-2-phenylpyridazin-3-one 5-Amino-1-di(dimethylamino)phosphinyl-3-phenyl-1,2,4-triazole 5-Amino-3,4-dimethylisoxazole 4-Amino-2,6-dimethylpyrimidine 2-(1-Aminoethyl)-3,4-di(hydroxymethyl)furan hydrochloride 4-Amino-5-methoxymethyl-2-n-propylpyrimidine 5-Amino-3-methyl-1-phenylpyrazole 2-Amino-4-methylpyrimidine 3-Amino-5-morpholinomethyl-2-oxazolidone 3-Amino-2-oxazolidone sulphate 6-Aminopenicillanic acid 4-Aminophenazone 5-Amino-1-phenylpyrazole 3-Amino-1-phenyl-5-pyrazolone 6-Amino-2-picoline 2-Amino-3-picoline 2-Amino-4-picoline 1-(4-Amino-2-n-propyl-5-pyrimidylmethyl)-2-picolinium chloride <i>monohydrochloride</i> Aminopterin 4-Aminopyridine 2-Aminopyrimidine 3-Amino-1,2,4-triazole Ammonium hydrogen 7-oxabicyclo[2,2,1]heptane-2,3-dicarboxylate

<i>Tariff heading</i>	<i>Description</i>
29.35	<i>di</i> Ammonium 7-oxabicyclo[2,2,1]heptane-2,3-dicarboxylate Angiotensin amide <i>D-iso</i> Ascorbic acid 8-Aza-adenine Azapetine dihydrogen phosphate Aziridine Bamipine <i>monohydrochloride</i> 3,4-Benzacridine 2-[2-(4-Benzhydrylpiperazin-1-yl)ethoxy]ethanol dihydrochloride 2-[2-(4-Benzhydrylpiperazin-1-yl)ethoxy]ethanol 4,4'-methylenedi- (3-hydroxy-2-naphthoate) 2-Benzhydrylpyridine 3-Benzhydrylpyridine 4-Benzhydrylpyridine Benzimidazole Benziodarone Benzoguanamine 5,6-Benzoquinoline <i>N</i> -Benzothiazol-2-yl- <i>NN'</i> -dimethylurea 6-Benzylaminopurine 3-Benzyl-1-methyl-2- <i>n</i> -undecylimidazolium bromide Biperiden Biperiden hydrochloride 4,4'-Biphenyldiyl-di-(2,5-diphenyltetrazolium chloride) 2,2'-Biquinolyl Bisacodyl 5-Bromo-3- <i>sec</i> butyl-6-methyluracil 5-Bromo-2'-deoxycytidine 5-Bromo-2'-deoxyuridine 5-Bromoindole 5-Bromoindole-3-aldehyde 5-Bromo-6-methyl-3- <i>isopropyluracil</i> 2-Bromothiophen 5-Bromouracil Brompheniramine hydrogen maleate Buclizine dihydrochloride Bupivacaine hydrochloride Butalamine hydrochloride 2- <i>n</i> -Butoxyethyl nicotinate 2- <i>n</i> -Butoxypyridine <i>N-tert</i> Butylbenzothiazole-2-sulphenamide <i>tert</i> Butyl 1-(4-chlorobenzoyl)-5-methoxy-2-methylindol-3-ylacetate 3- <i>tert</i> Butyl-5-chloro-6-methyluracil 2-(3- <i>tert</i> Butyl-2-hydroxy-5-methylphenyl)-5-chlorobenzotriazole <i>tert</i> Butyl 5-methoxy-2-methylindol-3-ylacetate 2- <i>iso</i> Butylquinoline 6- <i>iso</i> Butylquinoline 6- <i>tert</i> Butylquinoline Butylquinoline, mixed isomers 1,4-Butyrolactone 2-Carbamoyloxymethyl-1-methyl-5-nitroimidazole Carbinoxamine hydrogen maleate 1-(Carboxymethyl)pyridinium chloride, pyridinium salt Chlordiazepoxide Chlordiazepoxide <i>monohydrochloride</i> 1-(4-Chlorobenzyl)-2-methylbenzimidazole hydrochloride 2-(4-Chlorobenzyl)pyridine 6-Chloro-2-chloromethyl-4-phenylquinazoline 3-oxide hydrochloride 5-Chloro-2-(3,5- <i>diter</i> tbutyl-2-hydroxyphenyl)benzotriazole 7-Chloro-10-(2-dimethylaminoethyl)dibenzo[ <i>b,e</i> ]-1,4-diazepin-11-one- <i>monohydrochloride</i>

Tariff heading	Description
29.35	<p><i>O</i>-3-Chloro-4-methylcoumarin-7-yl <i>OO</i>-diethyl phosphorothioate  (6-Chloro-2-oxobenzoxazolin-3-yl)methyl <i>OO</i>-diethyl phosphorodithioate  6-Chloropurine  2-Chloropyridine  2-Chloroquinoline  Chlorprothixene  Chlorthenoxazin  Chlorzoxazone  Cinnarizine  (±)-<i>iso</i>Citric acid lactone  Clorazepic acid, dipotassium salt  Coccarboxylase  Coenzyme A  2,4,6-Collidine  Creatinine  Creatinine hydrochloride  <i>o</i>-Cresolphthalein-6,6'-di(methylaminodiacetic acid)  Cumetharol  5-Cyanoindole  3-Cyano-4-methoxymethyl-6-methyl-5-nitro-2-pyridone  4-Cyano-1-methyl-4-phenylazacycloheptane  2-Cyanophenothiazine  Cyanuric acid  Cyanuric chloride  3-Cyclohexyl-1,2,3,4,6,7-hexahydro-2,4-dioxocyclopentapyrimidine  Cyclomethycaine hydrogen sulphate  2-Cyclopentyl-2-(2-thienyl)glycollic acid  Cyproheptadine hydrochloride  Cytidine  Cytidine dihydrogen phosphate, mixed 2'- and 3'- isomers  Cytosine  Cytosine-1 β-D-arabinoside hydrochloride  Debrisoquine sulphate  Decahydro-4a-hydroxy-2,8,8-trimethyl-2-naphthoic acid lactone  Dehydracetic acid of a purity not less than 96 per cent.  2'-Deoxyadenosine  2'-Deoxycytidine 5'-(disodium phosphate)  2'-Deoxycytidine hydrochloride  2'-Deoxyguanosine  2'-Deoxyguanosine 5'-(disodium phosphate)  2'-Deoxyuridine  Dextromethorphan  Dextromethorphan hydrobromide  Dextromoramide hydrogen (+)-tartrate  2,5-Diamino-7-ethoxyacridinium lactate  2,6-Diaminopyridine  Diamthazole  1,4-Diazabicyclo[2,2,2]octane  Diazepam  Diazoxide  Dibenzofuran  <i>NN'</i>-Di(benzothiazol-2-ylthiomethyl)urea  3,5-Dibenzyltetrahydro-1,3,5-thiadiazine-2-thione  2-(3,5-Di<i>tert</i>butyl-2-hydroxyphenyl)benzotriazole  1-(2,3-Dichloroallyl)pyridinium chloride  3,5-Dichloro-4-hydroxylutidine  Dichloro-1,3,5-triazinetriene  Dichloro-1,3,5-triazinetriene, potassium derivative  Dichloro-1,3,5-triazinetriene, sodium derivative  1,3-Di-(3-<i>isocyanato</i>-4-methylphenyl)-1,3-diazacyclobutane-2,4-dione</p>

Tariff heading	Description
29.35	<p>2,3-Dicyano-1,4-dithia-anthraquinone  <i>NN</i>-Dicyclohexylbenzothiazole-2-sulphenamide            5-(2-Diethylaminoethyl)-3-phenyl-1,2,4-oxadiazole dihydrogen citrate            5-(2-Diethylaminoethyl)-3-phenyl-1,2,4-oxadiazole dihydrogen phosphate            Diethyl phenyl-2-pyridylmethylmalonate hydrochloride            2,4-Diethyl-6-<i>isopropoxy</i>-1,3,5-triazine  <i>OO</i>-Diethyl <i>O</i>-pyrazin-2-yl phosphorothioate  <i>OO</i>-Diethyl <i>O</i>-3,5,6-trichloro-2-pyridyl phosphorothioate  <math>\alpha</math>-(4-[4,4-Di-(4-fluorophenyl)butyl]piperazin-1-yl)acet-2',6'-xylidide            1-(1-[4,4-Di-(4-fluorophenyl)butyl]-4-piperidyl)benzimidazolin-2-one            Dihydrallazine <i>monosulphate</i>            4,5-Dihydro-2,3:6,7-dibenzazepine            (<math>\pm</math>)-2,3-Dihydro-4-methyl-2-(2-methylprop-1-enyl)pyran            Dihydronicotinamide-adenine dinucleotide, disodium salt            Dihydronicotinamide-adenine dinucleotide phosphate, tetrasodium salt            2,3-Dihydropyran            3-(3<math>\beta</math>,17<math>\beta</math>-Dihydroxyandrost-5-en-17<math>\alpha</math>-yl)propionic acid lactone            2,4-Dihydroxyquinoline            2,4-Dihydroxyquinoline, disodium derivative            2,4-Dihydroxyquinoline, <i>monosodium</i> derivative            Dimethindene hydrogen maleate            Dimethisoquin <i>monohydrochloride</i>            Dimethoxanate <i>monohydrochloride</i>            11-(3-Dimethylaminopropylidene)-6,11-dihydrodibenz[<i>b,e</i>]oxepin hydrochloride            11-(3-Dimethylaminopropylidene)-6,11-dihydrobenzo[<i>b,e</i>]thiepin hydrochloride            5,6-Dimethylbenzimidazole  <i>OO</i>-Dimethyl morpholinocarbonylmethyl phosphorodithioate  <i>OO</i>-Dimethyl 4-oxobenzotriazin-3-ylmethyl phosphorodithioate            3,6-Dimethyl-1-phenylphosphhepan            2,3-Dimethyl-1-phenyl-4-<i>isopropyl</i>-5-pyrazolone            4,4-Dimethyl-1-phenyl-3-pyrazolidone            2,5-Dimethylpyrazine            2,4-Dimethylthiophan 1,1-dioxide            1,5-Di-(5-nitro-2-furyl)pentadien-3-one amidinohydrazone hydrochloride            Diosgenin            Diperonon            Diperonon hydrochloride            Diphenoxarsin-10-yl oxide            Diphenoxylate hydrochloride            Diphenylpyraline hydrochloride  <i>NN</i>-Diisopropylbenzothiazole-2-sulphenamide            Di-<i>n</i>-propyl pyridine-2,5-dicarboxylate            Dipyridamole            1,3-Di-(2-pyridylimino)<i>isoindoline</i>            Dipyrone            Di(pyrrobutamine) napadisylate            Distigmine bromide            Dithiazanine iodide            Ellagic acid            Ethionamide            2-Ethoxy-3,4-dihydropyran            7-Ethoxy-4-methylcoumarin            2-Ethylamino-4-methylthio-6-<i>isopropylamino</i>-1,3,5-triazine            Ethyl 6,7-<i>diisobutoxy</i>-4-hydroxyquinoline-3-carboxylate            2-Ethyl-3-hydroxy-4-pyrone            Ethyl 7-methyl-4-oxo-1,8-naphthyridine-3-carboxylate</p>

<i>Tariff heading</i>	<i>Description</i>
29.35	<i>N</i> -Ethyl- <i>N'</i> -(5-nitrothiazol-2-yl)urea
	5-Ethyl-2-picoline
	2-Ethylpiperidine
	Fentanyl
	Fentanyl dihydrogen citrate
	Flavin-adenine dinucleotide
	Fluanisone
	Fluopromazine <i>monohydrochloride</i>
	Fluorescein-2',7'-di(methylaminodiacetic acid)
	1-[3-(4-Fluorobenzoyl)propyl]-4-hydroxy-4-(3-trifluoromethylphenyl)-piperidine
	1-[3-(4-Fluorobenzoyl)propyl]-4-hydroxy-4-(3-trifluoromethylphenyl)-piperidinium chloride
	1-(1-[3-(4-Fluorobenzoyl)propyl]-4-piperidyl)benzimidazolin-2-one hydrochloride
	1-(1-[3-(4-Fluorobenzoyl)propyl]-1,2,3,6-tetrahydro-4-pyridyl)-benzimidazolin-2-one
	5-Fluorouracil
	Fluphenazine <i>O</i> - <i>n</i> -decanoate
	Fluphenazine dihydrochloride
	Furan
	Furfuraldehyde
	3-(2-Furyl)acrylic acid
	D-Glucuronolactone
	Glycine-6-hydroxy-2 <i>H</i> -pyridazin-3-one complex, sodium derivative
	Glycopyrronium bromide
	Guanethidine <i>monosulphate</i>
	2-Guanidinobenzimidazole
	Guanine
	Guanine hydrochloride
	Guanosine 3'-(dihydrogen phosphate)
	Guanosine 5'-(disodium phosphate)
	Haematoporphyrin
	Haematoporphyrin dihydrochloride
	Haloperidol
	Hecogenin
	Hecogenin acetate
	10-[3-[4-(2- <i>n</i> -Heptanoyloxyethyl)piperazin-1-yl]propyl]-2-trifluoromethylphenothiazine
	<i>N</i> - <i>n</i> -Hexadecyl- <i>N</i> -[2-( <i>N</i> -4-methoxybenzyl-2-pyrimidylamino)ethyl]-dimethylammonium bromide
	1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6- <i>c</i> ]pyran
	Hexahydroisonicotinamide
	Hexa(methoxymethyl)melamine
	1,6-Hexanolactam
	1,4- <i>n</i> -Hexanolactone
	1,6-Hexanolactone
	Hexetidine
	Hexocyclium methylsulphate
	2- <i>n</i> -Hexyl-1,4-butyrolactone
	Histamine acid phosphate
	Histamine di-(3,4-dichlorobenzenesulphonate)
	Histamine dihydrochloride
	L-Histidine
	L-Histidine <i>monohydrochloride</i>
	DL-Histidine <i>monohydrochloride</i>
	Hydrallazine hydrochloride
	2-Hydrazinobenzothiazole
	2-Hydroxycarbazole
	2-Hydroxycarbazole-3-carboxylic acid

<i>Tariff heading</i>	<i>Description</i>
29.35	Hydroxychloroquine <i>monosulphate</i>
	1-(2-Hydroxyethyl)-2- <i>n</i> -nonylimidazoline
	3-Hydroxy-5-hydroxymethyl-4-methoxymethyl-2-picolinium chloride
	4-Hydroxy-1-methylpiperidine
	7-Hydroxy-7-(1-methyl-4-piperidyl)-1,2:5,6-dibenzocycloheptatriene hydrochloride
	8-Hydroxynaphth[1,2- <i>d</i> ]imidazole
	2-(2-Hydroxyphenyl)benzotriazole
	4-Hydroxypiperidine
	L-Hydroxyproline
	3-Hydroxypyridine
	1-Hydroxypyridine-2-thione, sodium derivative
	5-( $\alpha$ -Hydroxy- $\alpha$ -2-pyridylbenzyl)-7-( $\alpha$ -2-pyridylbenzylidene)bicyclo-[2,2,1]hept-5-ene-2,3-dicarboxyimide
	6-Hydroxyquinoline
	4-Hydroxy-3-(1,2,3,4-tetrahydro-1-naphthyl)coumarin
	4-Hydroxy-DL-tryptophan
	5-Hydroxy-DL-tryptophan
	Hydroxyzine dihydrochloride
	Hydroxyzine embonate
	Idoxuridine
	Imidazole
	Imidazol-1-ylacetic acid
	3-(Imidazol-4-yl)propionic acid
	Imperatorin
	Indole
	Indole-3-carboxylic acid
	Indole-5-carboxylic acid
	Indomethacin
	Inosine
	Inosine 5'-(disodium phosphate)
	Inosine 5'-(trisodium pyrophosphate)
	6-Iodopurine
	Iproniazid <i>monophosphate</i>
	Isatin
	Isocarboxazid
	Isoniazid
	Isothipendyl <i>monohydrochloride</i>
	Lepidine
	Leptazol
	Levallorphan hydrogen tartrate
	Levorphanol hydrogen tartrate
	2,3-Lutidine
	2,5-Lutidine
	3,4-Lutidine
	Maltol
	Mebhydrolin napadisylate
	Meclozine dihydrochloride
	Mepenzolate bromide
	2-Mercaptobenzimidazole
	6-Mercaptopurine
	Methapyrilene 2-(4-hydroxybenzoyl)benzoate
	Methdilazine <i>monohydrochloride</i>
	Methixene hydrochloride
	Methotrexate
	2-(Methoxycarbonylhydrazonomethyl)quinoxaline 1,4-dioxide
	5-Methoxyindole
	2-Methoxyphenothiazine
	$\alpha$ -(4-Methoxyphenyl)piperidinoacetamide

<i>Tariff heading</i>	<i>Description</i>
29.35	<p> <math>\alpha</math>-(4-Methoxyphenyl)piperidinoacetonitrile  <math>\alpha</math>-(4-Methoxyphenyl)pyrrolidinoacetamide  <math>\alpha</math>-(4-Methoxyphenyl)pyrrolidinoacetonitrile  8-Methoxy psoralen  6-Methoxyquinoline  Methyl 3-amino-5,6-dichloropyrazine-2-carboxylate  6-Methylaminopurine  2-Methylbenzoselenazole  3-Methylbenzothiazolium toluene-4-sulphonate  •Methyl 1-(<i>n</i>-butylcarbamoyle)benzimidazol-2-ylcarbamate  3-Methylchromone  Methyl 7-diethylamino-4-hydroxy-6-<i>n</i>-propylquinoline-3-carboxylate  6-Methyl-1,3-dithiolo[4,5-<i>b</i>]quinoxalin-2-one  Methylenedi-(1,6-hexanolactam), mixed isomers  2-Methylfuran  1-Methylimidazol-4-ylacetic acid  2-Methylindole  1-Methylindole-2-carboxylic acid  2-Methyl-4-nitroimidazole  3-Methyl-1-(4-nitrophenyl)-5-pyrazolone  Methyl phenidate <i>monohydrochloride</i>  6-Methylpicolinic acid  1-Methylpiperazine  3-(2-Methylpiperidino)propan-1-ol  1-Methyl-4-piperidone  <i>N</i>-Methyl-3-piperidylmethanol  Methyl 2-pyridylacetate  Methyl 4-pyridylacetate  1-Methylpyrrole  1-Methyl-2-pyrrolidone  2-Methylthiophen  3-Methylthiophen  6-Methyl-2-thiouracil  4-Methylumbelliferone  Methyprylone  Metyrapone  4-Morpholinobutyronitrile  2-(Morpholinodithio)benzothiazole  <i>N</i>-(Morpholinomethyl)pyrazinecarboxamide  <math>\alpha</math>-Morpholinophenylacetamide  <math>\alpha</math>-Morpholinophenylacetonitrile  3-Morpholino-1-phenyl-1-(2-thienyl)propan-1-ol methiodide  3-Morpholinopropionitrile  Nalidixic acid  2-(1-Naphthyl)-5-phenyloxazole  Nialamide  Nicotinamide-adenine dinucleotide  Nicotinamide-adenine dinucleotide phosphate, <i>monosodium salt</i>  Nicotiny alcohol  <i>iso</i>Nicotiny alcohol  Nifuratel  Nitrazepam  5-Nitroindole  Nitron  2-Nitrothiophen  1,3,4,5,6,7,8-Octachloro-1,3,3a,4,7,7a-hexahydro-  4,7-methano<i>isobenzofuran</i>  1,4,4a,4b,5,8,8a,8b-Octahydrodibenzofuran-4b-aldehyde  1,8-Octanolactam  7-Oxabicyclo[2,2,1]heptane-2,3-dicarboxylic acid </p>



<i>Tariff heading</i>	<i>Description</i>
29.35	12-Oxa-1,16-hexadecanolactone
	Oxazepam
	Oxymetazoline hydrochloride
	Oxyphencyclimine hydrochloride
	Oxyphenisatin diacetate
	Pancuronium bromide
	(-)-Pantolactone
	(±)-Pantolactone, which yields on hydrolysis not more than 5 parts per million by weight of cyanides calculated as CN
	Pemoline
	1,15-Pentadecanolactone
	1,4- <i>n</i> -Pent-2-enolactone
	Penthienate hydrochloride
	Penthienate methobromide
	Phenazone
	Phenazopyridine <i>monohydrochloride</i>
	Phenbutrazate hydrochloride
	Pheniramine hydrogen maleate
	Phenmetrazine hydrochloride
	Phenodioxin
	Phenolphthalein, which satisfies the requirements of the British Pharmacopoeia
	Phenoperidine
	Phenoperidine hydrochloride
	Phenothiazine of a purity not less than 98 per cent., which contains not more than 0.0035 per cent. by weight of total iodine, and which yields not more than 0.05 per cent. by weight of sulphated ash (until 2nd July 1970)
	2-Phenoxy pyridine
	Phenprocoumon
	Phentolamine <i>monomesylate</i>
	4-( <i>N</i> -Phenylamidino)thiazole hydrochloride
	Phenylbutazone
	2-Phenylcinchoninic acid
	2-Phenylindole
	1-Phenylphosphorinan
	α-Phenylpiperidinoacetamide
	α-Phenylpiperidinoacetonitrile
	α-Phenylpyrrolidinoacetamide
	2-Picoline
	3-Picoline
	4-Picoline
	Picoline, mixed isomers
	Picolinic acid
	Pipazethate <i>monohydrochloride</i>
	Pipenzolate bromide
	4-Piperidinobutyronitrile
	Piperidolate hydrochloride
	Piritramide
	Potassium 4-amino-3,5,6-trichloropicolinate
	Potassium hydrogen 7-oxabicyclo[2,2,1]heptane-2,3-dicarboxylate
	<i>di</i> Potassium 7-oxabicyclo[2,2,1]heptane-2,3-dicarboxylate
	Pramoxine hydrochloride
	L-Proline
	DL-Proline
	Prolintane hydrochloride
	Propantheline bromide
	1,3-Propiolactone
	Propiomazine hydrogen maleate
	2- <i>n</i> -Propylpyridine

Tariff heading	Description
29.35	<p>6-<i>n</i>-Propylthiouracil  Prothionamide  Prothipendyl <i>monohydrochloride</i>  Pyrazinamide  Pyrazole  Pyridine  Pyridine-2,3-dicarboxylic acid  2-Pyridone  3-Pyridylacetic acid  2-Pyridylacetic acid <i>hydrochloride</i>  4-Pyridylacetic acid <i>hydrochloride</i>  3-Pyridylacetonitrile  3-Pyridyl dimethylcarbamate  1-(4-Pyridyl)pyridinium chloride  Pyrimidine  Pyritinol dihydrochloride  Pyrrobutamine pentahydrogen diphosphate  Pyrrolidine  4-Pyrrolidinobutyronitrile  2-Pyrrolidone  3-Pyrroline  Quinoline (until 2nd July 1970)  <i>iso</i>Quinoline  Quinuronium sulphate  Skatole  Sodium <i>D-iso</i>ascorbate  Sodium dehydracetate  Sodium deoxyribonucleate  <i>di</i>Sodium 7-oxabicyclo[2,2,1]heptane-2,3-dicarboxylate  Sodium 2-phenylcinchoninate  Sodium ribonucleate  Sodium 6,8-thioctamidoacetate  Spironolactone  Tetrabenazine  Tetrachlorothiophen  Tetracosactide hexa-acetate  Tetra(dichloro-1,3,5-triazinetrione)-trichloro-1,3,5-triazinetrione complex, tetrapotassium derivative  Tetrahydro-2,5-dimethoxyfuran  Tetrahydro-3,5-dimethyl-1,3,5-thiadiazine-2-thione  Tetrahydrofuran  Tetrahydrofurfuryl alcohol  Tetrahydro-2-methylfuran  (+)-Tetrahydro-4-methyl-2-(2-methylprop-1-enyl)pyran  (-)-Tetrahydro-4-methyl-2-(2-methylprop-1-enyl)pyran  Tetrahydro-4-methyl-6-ureido-2-pyrimidone  2-(Tetrahydro-5-methyl-5-vinyl-2-furyl)propan-2-ol  3-(Tetrahydro-2-<i>n</i>-pentyl-3-furyl)-1-[3-(tetrahydro-2-<i>n</i>-pentyl-3-furyl)propoxy]propan-1-ol  2,3,5,6-Tetrahydro-6-phenylimidazo[2,1-<i>b</i>]thiazole <i>hydrochloride</i>  Tetrahydrozoline <i>monohydrochloride</i>  Thenylidiamine <i>monohydrochloride</i>  Thiabendazole  Thiethylperazine di(hydrogen maleate)  6,8-Thioctamide  5,8-Thioctic acid  Thioguanine  Thionaphthen  Thiophen  Thioridazine</p>

Tariff heading	Description
29.35	Thioridazine <i>monohydrochloride</i> Thioxolone Thymidine Thymine Thymolphthalein-2,2'-di(methylaminodiacetic acid) Tigogenin acetate Triallyl cyanurate Triaziridin-1-ylphosphine oxide 2-(3-Trifluoromethylanilino)nicotinic acid 4,4,4-Trifluoro-1-(2-thienyl)butane-1,3-dione Tri-(2-hydroxyethyl)-1,3,5-triazinetriene Trimetaphan <i>mono</i> -(+)-camphorsulphonate Trimetazidine dihydrochloride Tri-(2-methylaziridin-1-yl)phosphine oxide <i>NN'</i> -Trimethyleneurea Tripeleppamine citrate Tripeleppamine <i>monohydrochloride</i> Tryptamine hydrochloride L-Tryptophan DL-Tryptophan Uracil Uric acid Uridine Uridine 3'-(dihydrogen phosphate) Uridine 5'-(disodium dihydrogen triphosphate) Usnic acid 5-Vinyl-2-picoline (until 2nd July 1970) N-Vinyl-2-pyrrolidone Viprymium embonate Visnadine Xanthen-9-carboxylic acid Xanthine Xanthurenic acid Xylometazoline hydrochloride Zinc di-(2-thiobenzimidazole) Zoxazolamine
29.36	Acetohexamide 4-Acetylbenzenesulphonamide <i>N</i> <sup>1</sup> -Acetylsulphamethoxy-pyridazine 4-Amino- <i>N</i> -ethyl- <i>N</i> -(2-methanesulphonamidoethyl)- <i>m</i> -toluidine sesquisulphate (—NH <sub>2</sub> at 1) Benzthiazide 3- <i>iso</i> Butyl-6-chloro-3,4-dihydrobenzo-1,2,4-thiadiazine-7-sulphonamide 1,1-dioxide Chloramine T 5-Chloroaniline-2,4-disulphonamide 3-Chloro-6-sulphanilamidopyridazine Chlorpropamide Clopamide Cyclopenthiazide Cyclothiazide <i>N</i> -Dichlorofluoromethylthio- <i>N'</i> <i>N'</i> -dimethyl- <i>N</i> -phenylsulphamide Dichlorphenamide Dimethothiazine mesylate 2-Dimethylsulphamoylphenothiazine Epithiazide Ethiazide Ethyl 4-acetylbenzenesulphonylcarbamate <i>N'</i> -Ethyl- <i>p</i> -toluidine-3-sulphonanilide (—NH <sub>2</sub> at 1) *Glibenclamide

<i>Tariff heading</i>	<i>Description</i>
29.36	2-Methoxy-3-sulphanilamidopyrazine Methyclothiazide 3-Methyl-1-phenyl-5-sulphanilamidopyrazole Polythiazide Probenecid Quinethazone Sulphadimethoxine Sulphadimidine esylate, sodium derivative Sulphamerazine Sulphamethoxazole Sulphamethoxypyridazine Sulphanilamide (until 2nd July 1970) Sulphormethoxine Teclothiazide potassium Thiopropazine dimesylate Thiothixene Tolazamide
29.37	<i>o</i> -Cresolsulphonophthalein-6,6'-di(methylaminodiacetic acid) <i>o</i> -Cresolsulphonophthalein-6,6'-di(methylaminodiacetic acid), tetrasodium salt 4,5,6,7,3',5',3'',5''-Octabromophenolsulphonophthalein 1,3-Propanesultone Sulthiame Thymolsulphonophthalein-2,2'-di(methylaminodiacetic acid)
29.38	L-Ascorbic acid Ascorbyl palmitate D-Biotin Calciferol Carotene Dexpanthenol Ergosterol (+)- <i>N</i> -(3-Ethoxypropyl)-2,4-dihydroxy-3,3-dimethylbutyramide Phytomenadione Pteroylmonoglutamic acid Pyridoxal 5-(dihydrogen phosphate) Riboflavine Sodium D-pantothenate D- $\gamma$ -Tocopherol
29.39	(+)-Aldosterone Chlormadinone acetate 3-Cyclopentyloxy-17 $\alpha$ -ethynyloestra-1,3,5(10)-trien-17 $\beta$ -ol 3-Cyclopentyloxy-17 $\alpha$ -hydroxypregna-3,5-dien-20-one acetate 3-Cyclopentyloxypregna-3,5-dien-20-one Deoxycorticosterone acetate Deoxycorticosterone 21-D-glucoside Deoxycorticosterone pivalate *Dexamethasone Dexamethasone 21-(disodium phosphate) Dexamethasone 21-isonicotinate Dexamethasone 21-(3-sodium-sulphobenzoate) *Edogestrone 17 $\alpha$ -Ethyloestr-4-en-17 $\beta$ -ol Fludrocortisone 21-acetate Fluocinolone acetonide 6 $\alpha$ -Fluoro-11 $\beta$ ,21-dihydroxy-16 $\alpha$ ,17 $\alpha$ -isopropylidenedioxypregna-1,4-diene-3,20-dione Fluorometholone 9 $\alpha$ -Fluoro-11 $\beta$ ,17 $\alpha$ ,21-trihydroxypregna-1,4-diene-3,20-dione 1-ace ate

<i>Tariff heading</i>	<i>Description</i>
29.39	Fluoxymesterone Follicle stimulating hormone (FSH) and luteinising hormone (LH), mixed 17 $\alpha$ -Hydroxypregn-4-ene-3,20-dione <i>n</i> -heptanoate 17 $\alpha$ -Hydroxypregn-4-ene-3,20-dione <i>n</i> -hexanoate Lynoestrenol Medroxyprogesterone acetate Methylprednisolone Methylprednisolone 21-acetate Nandrolone laurate (-)-Noradrenaline (-)-Noradrenaline hydrogen tartrate Norethandrolone Norethisterone Norethisterone acetate 17 $\beta$ -Oestradiol di- <i>n</i> -undecanoate 17 $\beta$ -Oestradiol 17- <i>n</i> -valerate Oxymesterone Oxymetholone Oxytocin Oxytocin dihydrogen citrate Paramethasone 21-acetate Prednisolone 21-pivalate Prednisolone 21-(3-sodium-sulphobenzoate) Prednisolone 21- <i>O</i> -stearoylglycollate Prednylidene Quinestradol Testosterone 3-cyclohexylpropionate Testosterone <i>n</i> -heptanoate DL-Thyroxine sodium Triamcinolone Triamcinolone acetonide Vasopressin Vasopressin tannate
29.40	Urokinase
29.41	Aesculin Digitalin Digitonin Digitoxin Ouabain Salicin
29.42	18 $\beta$ -Acetoxy-10 $\beta$ ,17 $\alpha$ -dimethoxy-16 $\beta$ -methoxycarbonyl-3-oxo-2,3-seco-20 $\alpha$ -yohimbane Alcuronium chloride Arecoline Arecoline-acetarsol Arecoline hydrobromide Bamifylline hydrochloride Berberine hydrogen sulphate Bicuculline 2-Bromo- <i>NN</i> -diethyl- <i>D</i> -lysergamide hydrogen tartrate Bulbocapnine hydrochloride Cinchonidine Cinchonidine sulphate Cinchonine Cinchonine <i>monohydrochloride</i> Cinchonine sulphate Cocaine, of a purity not greater than 97.5 per cent. by weight

Tariff heading	Description
29.42	Colchicine Demecolcine Deptropine dihydrogen citrate Deserpidine Dihydroergocornine Dihydroergocristine Dihydroergocryptine Dihydroergotamine <i>monomesylate</i> 7,8-Dihydro-14-hydroxy-6-methylene-6-deoxymorphine Dimenhydrinate <i>pseudo</i> Ephedrine <i>pseudo</i> Ephedrine hydrochloride Ergotamine tartrate Ethyl quinine carbonate Galanthamine hydrobromide Galegine sulphate Harmalol Harmine 1- <i>n</i> -Hexyltheobromine Hydromorphone hydrochloride 18 $\beta$ -Hydroxy-10,17 $\alpha$ -dimethoxy-20 $\alpha$ -yohimbane-16 $\beta$ -carboxylic acid lactone Hyoscine <i>n</i> -butylobromide Lobeline hydrochloride Lobeline sulphate (+)-Lysergic acid Lysergide tartrate-methanol complex Meralluride Mescaline hydrochloride Mescaline sulphate Methoserpidine Methylergometriner maleate Methysergide hydrogen maleate Papaverine Papaverine hydrochloride Papaverine hydrogen sulphate Phenmetrazine theoclate Reserpine Sparteine <i>monosulphate</i> Syrosingopine Tomatidine Vinblastine sulphate Vincristine sulphate Xanthinol nicotinate Yohimbine <i>monohydrochloride</i>
29.43	D-Arabinose L-Arabinose D-Erythrose Fructose 1-(barium phosphate) Fructose tetranicotinate, mixed isomers L-Fucose D-Galactose Galactose 6-(barium phosphate) Gentiobiose Maltose D-Mannose Mannose 6-(barium phosphate) D-Melezitose dihydrate Methyl $\alpha$ -D-xyloside (until 3rd September 1970) Methyl $\beta$ -D-xyloside (until 3rd September 1970)

<i>Tariff heading</i>	<i>Description</i>
29.43	Raffinose
	L-Rhamnose
	D-Ribose
	Ribose 5-(barium phosphate)
	Sorbose
	Sucrose benzoate having a benzoyl content of not less than 80 per cent. by weight calculated as benzoic acid
	Sucrose diacetate hexaisobutyrate
	Turanose
	P1-Uridine-5' P2-glucose-1 disodium pyrophosphate
	D-Xylose
29.44	Amphotericin B
	Bacitracin methylenedisalicylate
	Bacitracin zinc
	Calcium amphomycin
	Capreomycin disulphate
	Chloramphenicol 3-cinnamate
	Chloramphenicol sodium succinate
	Clindamycin hydrochloride
	Clomocycline, sodium salt
	Colistin sulphate
	Colistin sulphomethate sodium
	Cycloserine
	Diethanolammonium fusidate
	3-[2-(3,5-Dimethyl-2-oxocyclohexyl)-2-hydroxyethyl]glutarimide
	Erythromycin ethyl succinate
	Erythromycin glucoheptonate
	Erythromycin lactobionate
	Framycetin sulphate
	Fumagillin
	Fusafungin
	Gentamicin sulphate
	Gramicidin
	Hygromycin B
	Kanamycin sulphates
	Kojic acid
	Lincomycin hydrochloride
	Lymecycline
	Methacycline
	Methacycline hydrochloride
	3-(4-Methylpiperazin-1-yliminomethyl)rifamycin SV
	Natamycin
	Novobiocin
	Novobiocin calcium
	Novobiocin sodium
	Nystatin
	Oleandomycin <i>monophosphate</i>
	Paromomycin
	Paromomycin sulphates
	Rifamycin B diethylamide, <i>monosodium derivative</i>
	Rolitetraacycline nitrate
	Rubidomycin hydrochloride
	Sodium cephalothin (until 5th November 1970)
	Sodium fusidate
	Spectinomycin dihydrochloride
	Spectinomycin sulphate
	Spiramycin
	Thiostrepton
	Triacetyloleandomycin
	Tyrothricin

<i>Tariff heading</i>	<i>Description</i>
29.44	Vancomycin hydrochloride Viomycin pantothenate sulphate Viomycin sulphate Virginiamycin Xanthocillin
29.45	Boron trifluoride-ethylamine complex Ferrous sulphate-glycine complex Potassium <i>tert</i> butoxide Potassium methoxide Sodium dihydridodi-(2-methoxyethoxy)aluminate Sodium ethoxide Sodium methoxide
30.01	Grafts of bone or cartilage, defatted, dried and packed in vacuum
30.03	Digitalin, being a mixture of digitalis glycosides standardised with the addition of lactose or other diluent Preparations consisting of not less than 3.4 per cent. by weight of 3-cyclopentyloxy-17 $\alpha$ -hydroxypregna-3,5-diene-20-one acetate dissolved in fixed vegetable oil Preparations consisting of not less than 10 per cent. by weight of methenolone <i>n</i> -heptanoate dissolved in fixed vegetable oil Preparations consisting of not less than 0.14 per cent. by weight of quinestradol dissolved in fixed vegetable oil Preparations containing either (a) not less than 0.8 per cent. by weight of thiotepa and not less than 95 per cent. by weight of polyethylene glycol ethers or (b) not less than 9.5 per cent. by weight of thiotepa Preparations containing leucovorin calcium equivalent to not less than 2.7 grammes and not more than 3.6 grammes of leucovorin per litre Preparations containing not less than 18 per cent. by weight and not more than 58 per cent. by weight of frusemide Preparations containing not less than 18 per cent. by weight of 2-(4-chloroanilino)-5-(4-chlorophenyl)-3,5-dihydro-3-isopropylimino-phenazine Preparations containing not less than 15 per cent. by weight of <i>O</i> -(3-chloro-4-methylcoumarin-7-yl) <i>OO</i> -diethyl phosphorothioate Preparations containing not less than 2.5 per cent. by weight of colistin sulphate Preparations containing not less than 50 per cent. by weight of fluانىsone calculated on the dry material Preparations containing not less than 0.45 per cent. by weight of fusafungin and not less than 99 per cent. by weight of squalane Preparations containing not less than 0.18 per cent. by weight of fusafungin and not less than 80 per cent. by weight of volatile propellents Preparations containing not less than 95 per cent. by weight of lactose and not less than 0.3 per cent. by weight of uramustine Preparations containing not less than 1.2 per cent. by weight of methylprednisolone Preparations containing not less than 1 per cent. by weight of orciprenaline sulphate and not less than 96 per cent. by weight of propellant gases liquefied under pressure Preparations containing not less than 0.13 per cent. by weight of tramazoline hydrochloride, not less than 0.02 per cent. by weight of dexamethasone 21-isonicotinate, and not less than 96 per cent. by weight of volatile propellents Preparations containing sodium salts of methotrexate equivalent to not less than 20 per cent. by weight and not more than 60 per cent. by weight of methotrexate Preparations, in the form of capsules, the contents of which include not less than 70 per cent. by weight of acetazolamide



<i>Tariff heading</i>	<i>Description</i>
30.03	Preparations, in the form of cream, containing not less than 70 per cent. by weight of water and not less than 0·8 per cent. by weight of chlordantoin Preparations, in the form of suppositories, containing not less than 0·25 per cent. by weight of bisacodyl Preparations, in the form of tablets, containing aminopterin sodium equivalent to not less than 0·35 per cent. by weight and not more than 0·45 per cent. by weight of aminopterin Preparations, in the form of tablets, containing not less than 1·8 per cent. by weight and not more than 2·3 per cent. by weight of methotrexate Preparations, in the form of tablets, containing not less than 4 per cent. by weight of orciprenaline sulphate
32.07	Dispersions of carbon black in artificial plastics, containing not less than 6 per cent. by weight of carbon black, not less than 40 per cent. by weight of cellulose acetate butyrate and not less than 35 per cent. by weight of acrylic resin Preparations consisting of titanium dioxide dispersed in nylon 6, containing not less than 18 per cent. by weight and not more than 22 per cent. by weight of titanium dioxide
35.04	Protein substances of which, when 20 grammes are shaken for 2 hours at 20° centigrade with ethanol of a strength of 90 per cent. by volume, not more than 0·2 millilitre remains undissolved
37.01	Diazo film in sheets, being film which is capable, when developed by heating at between 105° and 135° centigrade, of producing a positive image consisting of light-scattering cavities in an otherwise transparent coating (until 7th May 1970)
37.02	Diazo film in rolls, being film which is capable, when developed by heating at between 105° and 135° centigrade, of producing a positive image consisting of light-scattering cavities in an otherwise transparent coating (until 7th May 1970)
37.03	Diazo paper, unexposed, being paper which is capable, when developed by heating at between 105° and 135° centigrade, of producing a positive image consisting of light-scattering cavities in an otherwise transparent coating (until 7th May 1970)
38.03	Activated carbon, not being of animal origin, which, in the form in which it is imported, on subjection to extraction with acetic acid of a strength of 30 per cent. by weight at 50° centigrade for 30 minutes, yields (a) a total of extractable solids which, when dried at 105° centigrade, does not exceed 0·2 per cent. by weight of the material and (b) extractable phosphate, which expressed in terms of phosphorus pentoxide, does not exceed 50 parts per million by weight of the material
38.05	Tall oil, crude
38.11	Preparations containing not less than 0·2 per cent. by weight of 2-[ $\alpha$ -(4-chlorophenyl)phenylacetyl]indane-1,3-dione and not less than 95 per cent. by weight of hydrocarbon oil Preparations containing not less than 7 per cent. by weight of 2,6-dichlorothiobenzamide and not more than 15 per cent. by weight of materials soluble in diethyl ether Preparations, in powder form, containing not less than 17 per cent. by weight of triphenyltin hydroxide Preparations, liquid, containing not less than 35 per cent. by weight of 4-chlorophenylthiomethyl <i>OO</i> -diethyl phosphorodithioate Preparations, liquid, containing not less than 40 per cent. by weight of <i>OO</i> -diethyl <i>O</i> -pyrazin-2-yl phosphorothioate

<i>Tariff heading</i>	<i>Description</i>
38.11	Preparations, liquid, containing not less than 65 per cent. by weight of <i>S</i> -ethyl di- <i>n</i> -propylthiocarbamate Preparations, liquid, containing not less than 65 per cent. by weight of <i>S</i> - <i>n</i> -propyl <i>n</i> -butylethylthiocarbamate Preparations, solid, containing not less than 45 per cent. by weight of <i>OO</i> -dimethyl phthalimidomethyl phosphorodithioate Preparations, solid, containing not less than 90 per cent. by weight of sodium ethylenebisdithiocarbamate Prepared cereal baits containing not less than 0.4 per cent. by weight and not more than 1 per cent. by weight of 5-( $\alpha$ -hydroxy- $\alpha$ -2-pyridylbenzyl)-7-( $\alpha$ -2-pyridylbenzylidene)bicyclo[2,2,1]hept-5-ene-2,3-dicarboxyimide
38.14	Prepared oil additives, consisting of hydrocarbon oil and organic compounds of antimony, and containing not less than 6 per cent. by weight and not more than 13 per cent. by weight of antimony calculated as Sb Prepared oil additives containing not less than 5 per cent. by weight of calcium calculated as Ca when determined by titration with a solution of perchloric acid in acetic acid, and not more than 5.5 per cent. by weight of calcium calculated as Ca when determined by the Institute of Petroleum method No. 111/49T Prepared oil additives, having a viscosity at 99° centigrade of not less than 20 centistokes, containing not less than 2.5 per cent. by weight and not more than 4.5 per cent. by weight of zinc calculated as Zn, and containing not less than 2 per cent. by weight of phosphorus calculated as P
38.15	Prepared rubber accelerators, being sulphides of alkylphenols, and containing not less than 20 per cent. by weight and not more than 30 per cent. by weight of sulphur in all Prepared rubber accelerators containing not less than 80 per cent. by weight of <i>NNN</i> '-trimethylthiourea
38.19	Amines, mixed primary aromatic, containing not less than 4.5 per cent. by weight and not more than 5.5 per cent. by weight of nitrogen calculated as N Chlordane Cultured crystals, weighing not less than two and a half grammes of barium fluoride Mixed alkenylsuccinic anhydrides having a saponification value not less than 505 Mixed alkyl selenides containing not less than 14 per cent. by weight and not more than 21 per cent. by weight of combined selenium Mixed alkyl-substituted benzenesulphonic acids having an acid value not greater than 125 Poly-(3,4-diacetyl-5-thiothien-2-yl) which on ignition yields not more than 10 per cent. by weight of ash Polyglyoxal Preparations consisting of acrylamide with not less than 2 per cent. by weight and not more than 12 per cent. by weight of diacrylamidomethane Preparations consisting of calcium tetrahydrogen diorthophosphate and aluminium compounds, and containing not less than 1.5 per cent. by weight and not more than 2.5 per cent. by weight of aluminium calculated as Al <sub>2</sub> O <sub>3</sub> Preparations consisting of 1-chloro-1,1-difluoroethane and 1,1-difluoroethane, and containing not less than 40 per cent. by weight and not more than 50 per cent. by weight of 1,1-difluoroethane Preparations consisting of clay and not less than 30 per cent. by weight and not more than 40 per cent. by weight of <i>N</i> -methyl- <i>N</i> ,4-dinitrosoaniline

*Tariff heading**Description*

- 38.19 Preparations containing not less than 85 per cent. by weight of aluminium compounds calculated as  $\text{Al}_2\text{O}_3$ , and not less than 10 per cent. by weight of molybdenum compounds calculated as  $\text{MoO}_3$ , and of which not more than 10 per cent. by weight is retained by a sieve having a nominal width of aperture of 1.2 millimetres
- Preparations containing not less than 55 per cent. by weight of melamine compounds calculated as melamine and not less than 12 per cent. by weight of peroxides calculated as hydrogen peroxide
- Preparations, gaseous, containing not less than 0.002 per cent. by volume and not more than 1.5 per cent. by volume of antimony compounds calculated as stibine, and having a value not less than £15 per cubic metre at standard temperature and pressure
- Preparations, gaseous, containing not less than 0.002 per cent. by volume and not more than 1.5 per cent. by volume of arsenic compounds calculated as arsine, and having a value not less than £15 per cubic metre at standard temperature and pressure
- Preparations, gaseous, containing not less than 0.002 per cent. by volume and not more than 1.5 per cent. by volume of boron compounds calculated as diborane, and having a value not less than £15 per cubic metre at standard temperature and pressure.
- Preparations, gaseous, containing not less than 0.002 per cent. by volume and not more than 1.5 per cent. by volume of phosphorus compounds calculated as phosphine, and having a value not less than £15 per cubic metre at standard temperature and pressure
- Preparations, gaseous, containing not less than 0.002 per cent. by volume and not more than 1.5 per cent. by volume of selenium compounds calculated as hydrogen selenide, and having a value not less than £15 per cubic metre at standard temperature and pressure
- Preparations, gaseous, containing not less than 0.5 per cent. by volume and not more than 6 per cent. by volume of silicon compounds calculated as silane, and having a value not less than £40 per cubic metre at standard temperature and pressure
- Prepared catalysts consisting of phosphoric acids and siliceous earth and containing not less than 55 per cent. by weight and not more than 70 per cent. by weight of phosphates calculated as  $\text{P}_2\text{O}_5$
- Prepared catalysts, in the form of spheres, containing silver or silver oxide dispersed in, or deposited on, aluminium oxide or silica or other compounds of silicon, and which contain not less than 7 per cent. by weight and not more than 25 per cent. by weight of total silver calculated as Ag
- Prepared catalysts which in the dry state contain not less than 5 per cent. by weight of nickel compounds calculated as Ni and not less than 50 per cent. by weight of phosphate calculated as  $\text{PO}_4$
- 39.01 Nylon 6 in the forms covered by Note 3(b) of Chapter 39, containing not more than 2 per cent. by weight of titanium dioxide and not more than 2.5 per cent. by weight of carbon black, but not otherwise compounded
- Phenoxy resins, not plasticised or otherwise compounded, being thermoplastic polyaddition products of 2,2-di-(4-hydroxyphenyl)propane and 1-chloro-2,3-epoxypropane and having an epoxide content of less than 0.8 per cent. by weight calculated as ethylene oxide
- Poly-[2,2-di-(4-hydroxyphenyl)propane carbonate] moulding compounds, containing glass fibres which amount to not less than 25 per cent. by weight of the product and not more than 45 per cent. by weight of the product
- Poly-[2,2-di-(4-hydroxyphenyl)propane carbonate], uncompounded, or compounded with other materials which do not exceed 3 per cent. by weight of the product

Tariff heading	Description
39.01	<p><b>Polyoxylin</b> Resins, being products of the condensation of adipic acid with a mixture of propane-1,2-diol and ethanediol of which the ethanediol content is not less than 50 per cent. by weight, and having:—</p> <p>(a) an acetyl value not less than 34 and not more than 38, (b) an acid value not more than 1, (c) a colour not deeper than 50 Hazen units, and (d) a viscosity at 40° centigrade of not less than 70 seconds and not more than 125 seconds, for a free fall of 20 centimetres of a steel sphere <math>\frac{1}{8}</math> inch in diameter, in a tube of internal diameter 3.5 centimetres, when determined by the method of British Standard 188:1957, part 3, as amended up to and including September 1964</p>
39.02	<p><b>Acrylic sheet</b>, transparent, colourless, of a thickness not less than 1.5 millimetres and not greater than 17.0 millimetres, which, when kept for 24 hours at a temperature of 110° centigrade, undergoes a linear shrinkage of not more than 10 per cent., and which, when kept for 24 hours at a temperature of 145° centigrade, undergoes a linear shrinkage of not less than 40 per cent.</p> <p><b>Polystyrene sheet</b>, in rolls, colourless, of a thickness not less than 0.1 millimetre and not greater than 0.9 millimetre and having a light transmission not less than 85 per cent. (until 2nd July 1970)</p> <p><b>Poly(vinyl butyral) sheet</b>, of a thickness not greater than 0.8 millimetre and of a width not less than 35 centimetres</p> <p><b>Poly(vinyl chloride)</b> having an apparent density of not more than 0.3 grammes per millilitre and a viscosity number of not less than 170 when tested by the methods described in British Standard 2782:1965 and of which not more than 5 per cent. by weight is retained by a sieve having a nominal width of aperture of 150 microns (until 5th March 1970)</p>
39.03	<p><b>Carboxymethylcellulose, aluminium salt</b> Cellulose acetate, where the weight of the acetyl content, calculated as acetic acid, is not less than 60 per cent. of the weight of the cellulose acetate, not being cellulose acetate plasticised or otherwise compounded</p> <p>Cellulose acetate butyrate compounded with other materials which do not exceed 25 per cent. by weight of the product, in the forms covered by Note 3(b) of Chapter 39</p> <p>Cellulose acetate butyrate, not plasticised or otherwise compounded</p> <p>Cellulose acetate propionate, not plasticised or otherwise compounded</p> <p>Cellulose propionate, not plasticised or otherwise compounded</p> <p>Ethylcellulose</p> <p>Ethylhydroxyethylcellulose</p> <p>Hydroxyethylcellulose</p> <p>Hydroxypropylcellulose</p> <p>Scrap exposed X-ray film</p>
49.11	<p><b>Identification kits</b>, consisting essentially of a series of transparent slides or foils printed to depict individual characteristics of the human face or head; parts of such kits (until 2nd July 1970)</p>
51.01	<p><b>Yarn wholly of polytetrafluoroethylene</b></p>
51.02	<p><b>Monofil wholly of fluorocarbon polymer</b></p>
68.13	<p><b>Asbestos paper</b>, rubber impregnated, in rolls, being not less than 0.75 millimetre and not more than 0.85 millimetre in thickness, weighing not less than 0.71 kilogramme and not more than 0.78 kilogramme per square metre, and which, when heated to a temperature of 1,000° centigrade, has a loss in weight of not less than 28 per cent. and not more than 32 per cent. (until 2nd July 1970)</p>

<i>Tariff heading</i>	<i>Description</i>
69.09	Catalyst carriers in the form of spheres, consisting of aluminium oxide and silica whether or not combined together, and containing not more than 12.5 per cent. by weight of total silica, and of which (a) not less than 99 per cent. by weight passes a sieve having a nominal width of aperture of 2.40 millimetres and (b) not less than 99 per cent. by weight is retained by a sieve having a nominal width of aperture of 1.00 millimetre
70.01	Glass in the mass (other than optical glass) containing not less than 5 per cent. and not more than 11 per cent. by weight of fluorine calculated as F (until 2nd July 1970)
70.03	Amber-coloured tubing of soda glass, not being glass containing 0.25 per cent. or more of cadmium, free or combined, calculated as Cd Tubing of neutral glass, in straight lengths and capable of passing a test corresponding with the test for limit of alkalinity of glass prescribed by British Pharmacopoeia, not including (a) glass with a content of more than 85 per cent. of silica and boric oxide together, or (b) glass of fused silica or fused quartz
70.10	Carboys having a capacity of not less than 5 gallons (until 2nd July 1970)
70.18	Optical glass in the form of sheets, slabs or moulded lens blanks, having, with reference to the D line of sodium, a refractive index ( $n_D$ ) not less than 1.5625 and not greater than 1.5650 and a dispersive power ( $v_D$ ) not less than 60.0 and not greater than 61.5 (until 2nd July 1970) Optical glass in the form of sheets, slabs or moulded lens blanks, having, with reference to the D line of sodium, a refractive index ( $n_D$ ) not less than 1.612 and not greater than 1.615 and a dispersive power ( $v_D$ ) not less than 43.5 and not greater than 45.0; having also at a wavelength of 400 nanometres a light transmission for a 25 millimetres path of not less than 83 per cent.; and which acquires no visible stain when kept for 15 minutes at a temperature of 25° centigrade in contact with a buffered sodium acetate solution having a pH value of 4.6 (until 2nd July 1970) Optical glass in the mass containing not less than 5 per cent. by weight and not more than 11 per cent. by weight of fluorine calculated as F (until 2nd July 1970)
70.20	Glass fibres, loose, unfelted, having a diameter not greater than 3 microns
73.06	Iron or steel ingots, blocks, lumps and similar forms, other than those manufactured entirely from pig iron smelted wholly with charcoal (until 2nd July 1970)
73.07	Iron or steel blooms, billets, slabs and sheet bars (until 2nd July 1970)
73.08	Iron or steel coils for re-rolling (until 2nd July 1970)
73.12	Strip of iron or steel, coated with tin, of a width not less than 304 millimetres, and not more than 500 millimetres, of a thickness of not less than 0.12 millimetre and not more than 0.5 millimetre, and of a length of not more than 1016 millimetres (until 2nd April 1970) †Strip of iron or steel, in coil form, coated with tin, of a width of not less than 140 millimetres, and not more than 500 millimetres, and of a thickness of not less than 0.12 millimetre and not more than 0.5 millimetre (until 2nd April 1970)
73.13	Cold reduced sheets and plates of iron or steel, rectangular or in coils, of a width exceeding 500 millimetres, and of a thickness of less than 3 millimetres, not plated, coated, clad, drilled, punched or otherwise worked (until 2nd April 1970) Sheets of iron or steel, coated with tin, of a width exceeding 500 millimetres but not more than 966 millimetres, of a thickness of not less than 0.12 millimetre and not more than 0.5 millimetre, and of a length of not more than 1016 millimetres (until 2nd April 1970)

Tariff heading	Description
73.13	Sheets of iron or steel, in coil form, coated with tin, of a width exceeding 500 millimetres but not more than 966 millimetres, and of a thickness of not less than 0.12 millimetre and not more than 0.5 millimetre (until 2nd April 1970)
73.14	†Iron-nickel alloy wire, copper-clad and nickel-plated, having an overall diameter of not less than 400 microns and not more than 450 microns, the nickel plating being not less than 2 microns and not more than 30 microns in thickness; the whole containing not less than 20 per cent. by weight of copper, not less than 25 per cent. by weight of nickel and not less than 40 per cent. by weight of iron, and having, when measured on an 0.20 metre length, a percentage elongation not less than 18 and not more than 25, and a tensile strength not less than 430 newtons per square millimetre and not more than 530 newtons per square millimetre, the rate of straining being 50 millimetres per minute (until 5th March 1970) Iron or steel wire of a diameter not less than 0.019 inch nor more than 0.200 inch, and having a coating of nickel of not less than 0.0001 inch in thickness (until 2nd July 1970)
73.15	Cold-rolled steel strip, with dressed edges, in coils, the strip being not less than 0.002 inch nor more than 0.007 inch in thickness and not less than $\frac{1}{4}$ inch nor more than 4 inches in width, containing not less than 16 per cent. by weight nor more than 18 per cent. by weight of chromium, and not less than 6 per cent. by weight nor more than 8 per cent. by weight of nickel and being of a tensile strength of not less than 115 tons per square inch Cold-rolled steel strip, with dressed edges, in coils, the strip being not less than 0.002 inch nor more than 0.040 inch in thickness and not less than $\frac{1}{8}$ inch nor more than 4 inches in width, containing not less than 16 per cent. by weight nor more than 18 per cent. by weight of chromium, and not less than 6 per cent. by weight nor more than 8 per cent. by weight of nickel, and being of a tensile strength of not less than 120 tons per square inch Single strand alloy steel wire coated with niobium alloy containing tin and with an outer coating of silver (until 2nd July 1970)
73.19	Hot rolled seamless circular steel tubes of an outside diameter of not less than 19 $\frac{1}{2}$ inches and not more than 24 $\frac{1}{2}$ inches, and of a wall thickness of not less than $\frac{7}{16}$ inch and not more than $\frac{3}{8}$ inch (until 2nd July 1970)
74.05	Tape consisting of a layer of niobium alloy containing tin, laminated between two layers of copper foil whether or not coated with tin, and being (a) not less than 0.25 inch nor more than 0.75 inch in width and (b) not more than 0.005 inch in thickness (until 2nd July 1970)
76.03	Aluminium discs of a minimum value of 8s. per lb., not less than 6 inches nor more than 18 inches in diameter and not less than 0.033 inch nor more than 0.036 inch in thickness and which, when either face is placed on a flat surface, do not deviate from the flat by more than 0.010 inch at any point (until 2nd July 1970)
81.02	Molybdenum, of a purity not less than 99.8 per cent., in the form of rods (whether or not threaded at the ends) not less than 55 inches nor more than 100 inches in length and not less than 1 $\frac{1}{2}$ inches nor more than 2 $\frac{1}{8}$ inches in diameter Molybdenum, of a purity not less than 99.8 per cent., in the form of rods of not less than 18 inches and not more than 100 inches in length and of not less than 2 $\frac{1}{4}$ inches and not more than 4 $\frac{1}{4}$ inches in diameter and whether or not threaded at the ends

<i>Tariff heading</i>	<i>Description</i>
81.04	<p>Chromium, electrolytic, in the form of cathode chips, which contains no more than 0.10 per cent. by weight of total oxygen, not more than 0.015 per cent. by weight of total aluminium, and not more than 0.001 per cent. by weight of aluminium compounds insoluble in boiling 5N hydrochloric acid and in boiling fuming perchloric acid, and estimated as Al (until 2nd July 1970)</p> <p>Hafnium crystal bars consisting of hafnium wire on which hafnium crystals have been deposited</p> <p>Manganese metal of a purity not less than 96 per cent. and not more than 99.5 per cent. and containing not more than 1.0 per cent. by weight of carbon and not more than 3.0 per cent. by weight of iron (until 7th May 1970)</p> <p>Vanadium, unwrought, of a purity not less than 99 per cent. and containing not more than 0.1 per cent. by weight of iron calculated as Fe (until 2nd July 1970)</p>
	<p>Wrought titanium alloy containing not less than 3 per cent. nor more than 5 per cent. by weight of vanadium, not less than 5 per cent. nor more than 7 per cent. by weight of aluminium, the balance being mainly titanium, in the form of billets of not less than 4 inches nor more than 7 inches in diameter or not less than 4 inches nor more than 7 inches square, in random lengths (until 5th March 1970)</p> <p>Wrought titanium of a purity exceeding 99.6 per cent. titanium, in the form of slabs of a thickness of not less than 4½ inches nor more than 6 inches, of a width of not less than 36 inches nor more than 48 inches, in random lengths (until 5th March 1970)</p> <p>Zirconium alloy ingots, surface trimmed, containing not less than 1.0 per cent. by weight nor more than 2.0 per cent. by weight of tin as the major alloying element, of circular cross section of a diameter of not less than 17 inches and not more than 21 inches, and of a length of not less than 40 inches and not more than 50 inches</p> <p>Zirconium sponge</p>
83.13	<p>Tinplate caps for sealing jars, of an internal diameter on the rim of not less than 1.580 inches and not more than 1.610 inches and a maximum depth of not less than 0.415 inch and not more than 0.425 inch stamped from tinplate of nominal thickness of 0.0055 inch or of 0.0066 inch, with an internal curl, a vinyl coating applied to the internal surface and a plasticised lining compound deposited on the internal side wall and top sealing panel to form a sealing gasket (until 7th May 1970)</p>
84.06	<p>Combined crankcase and cylinder block castings of iron or steel, of a weight exceeding 291 lb. but not exceeding 308 lb., of a kind used in motor vehicle engines of 3 cylinder, direct injection, water-cooled, 2-stroke horizontally opposed piston type</p>
85.14	<p>Microphones, of a kind for incorporation in deaf aids, approximately rectangular in shape, with a maximum thickness not exceeding 0.165 inch and a total of the length and width not exceeding 0.675 inch, exclusive of sound tube</p>
85.15	<p>Loran receivers incorporating direct reading indicators, designed to operate only on frequencies of 1,700 kilocycles per second or more (until 3rd September 1970)</p>
85.18	<p>Tantalum capacitors greater than 10 microfarads in capacitance, of a kind for incorporation in deaf aids, with a maximum length not exceeding 7 millimetres exclusive of leads and with a transverse cross section having a circumference not exceeding 14 millimetres (until 2nd July 1970)</p> <p>Tantalum capacitors, of a kind for incorporation in deaf aids, with a maximum length not exceeding 7 millimetres exclusive of leads and with a transverse cross section having a circumference not exceeding 10 millimetres (until 2nd July 1970)</p>

<i>Tariff heading</i>	<i>Description</i>
85.19	Carbon track volume controls of a kind for incorporation in deaf aids, being of drum type with a cylindrical drum not exceeding 12 millimetres in diameter and 4 millimetres in thickness
85.20	Glass neon discharge lamps, having a metal cap fitted to each end and not exceeding 1 inch in overall length and $\frac{1}{2}$ inch in diameter over the caps (until 2nd July 1970)
85.23	Insulated tape incorporating a layer of niobium alloy containing tin, laminated between two layers of copper foil, whether or not coated with tin and being (a) not less than 0.25 inch nor more than 0.75 inch in width and (b) not more than 0.005 inch in thickness (until 2nd July 1970)
90.01	Lenses, Fresnel, converging, being composite sheets of artificial plastics, bearing a concentric system of grooves of a uniform density, not less than 18 grooves per centimetre; the lenses being not more than 1.0 centimetres in thickness, not less than 27 centimetres and not more than 29 centimetres square, with chamfered corners and having a focal length not greater than 16 centimetres (until 5th March 1970) Lenses, prisms, mirrors and other optical elements, not optically worked, of barium fluoride Lenses, prisms, mirrors and other optical elements, not optically worked, of thallium bromide-iodide (until 7th May 1970) Material consisting of a polarising film supported on one or both sides by transparent material, and analysers and polarisers made therefrom (until 2nd July 1970) Optical windows of zinc sulphide, unmounted Photographic process screens of the contact type, consisting of a base of cellulose acetate or of poly(ethylene terephthalate) on which is a regularly spaced pattern of grey-coloured or magenta-coloured dots (until 2nd July 1970)
90.17	Ampoule injectors consisting of a glass reservoir connected to a flexible plastic tube in which is inserted a hypodermic needle protected by a removable plastic sheath, of a total length not exceeding 10 centimetres (until 5th March 1970) Endoradiosondes for the measurement of pH; and specialised receiving and recording apparatus therefor
90.19	Aortic heart valves (until 2nd July 1970) Earphones, of a kind for incorporation in deaf aids, approximately rectangular in shape, with a maximum thickness not exceeding 0.165 inch and a total of the length and width not exceeding 0.675 inch exclusive of sound tube Mitral heart valves (until 2nd July 1970)
90.20	Beryllium metal windows of a thickness less than 0.004 inch for X-ray tubes (until 2nd July 1970)

## SCHEDULE 2

### THE IMPORT DUTIES (TEMPORARY EXEMPTIONS) ORDERS REVOKED

<i>Number and year of Order</i>	<i>Reference</i>
No. 6 of 1968	S.I. 1968/1948 (1968 III, p. 5263).
No. 1 of 1969	S.I. 1969/232 (1969 I, p. 620).
No. 2 of 1969	S.I. 1969/572 (1969 I, p. 1535).
No. 3 of 1969	S.I. 1969/573 (1969 I, p. 1539).
No. 4 of 1969	S.I. 1969/839 (1969 II, p. 2341).
No. 5 of 1969	S.I. 1969/1215 (1969 II, p. 3554).
No. 6 of 1969	S.I. 1969/1254 (1969 III, p. 3757).
No. 7 of 1969	S.I. 1969/1416 (1969 III, p. 4477).
No. 8 of 1969	S.I. 1969/1519 (1969 III, p. 4942).



## EXPLANATORY NOTE

*(This Note is not part of the Order.)*

This Order provides that the goods listed in Schedule 1 shall be exempt, or shall continue to be exempt, from import duty until 1st January 1971, except for items for which an earlier day is specified. Descriptions of goods which were not exempt at the date of this Order are marked \*.

Some goods the exemption of which is continued by this Order appear under a modified description. These items are marked †.

The Order also continues until 2nd July 1970 the partial exemption for photographic film base of cellulose acetate.

The more specialist publications referred to in the Order are as follows:—

*I.U.P.A.C. rules*

Included in a publication entitled "International Union of Pure and Applied Chemistry, Nomenclature of Organic Chemistry, Sections A and B". Second edition published by Butterworth and Co. (Publishers) Ltd., 88, Kingsway, London, W.C.2.

*Standard Methods for Testing Tar and its Products*

6th edition published in 1967, by the Standardisation of Tar Products Testing Committee, c/o Coal Tar Research Association, Oxford Road, Gomersal, Cleckheaton, Yorkshire.

*Institute of Petroleum Standards for Petroleum and its Products  
Part I, Section I*

Obtainable from the Institute at 61, New Cavendish Street, London, W.1.