

1970 No. 1819

CUSTOMS AND EXCISE

**The Import Duties (Temporary Exemptions)
(No. 11) Order 1970**

<i>Made - - - -</i>	<i>7th December 1970</i>
<i>Laid before the House of Commons</i>	<i>11th December 1970</i>
<i>Coming into Operation</i>	<i>1st January 1971</i>

The Lords Commissioners of Her Majesty's Treasury by virtue of the powers conferred on them by sections 3(6) and 13 of the Import Duties Act 1958(a), and of all other powers enabling them in that behalf, on the recommendation of the Secretary of State, hereby make the following Order:—

1.—(1) This Order may be cited as the Import Duties (Temporary Exemptions) (No. 11) Order 1970.

(2) The Interpretation Act 1889(b) shall apply for the interpretation of this Order as it applies for the interpretation of an Act of Parliament.

(3) This Order shall come into operation on 1st January 1971.

2.—(1) Until the beginning of 1st January 1972 or, in the case of goods in relation to which an earlier day is specified in Schedule 1 to this Order, until the beginning of that day, any import duty which is for the time being chargeable on goods of a heading of the Customs Tariff 1959 specified in that Schedule shall not be chargeable in respect of goods of any description there specified in relation to that heading.

(2) In Schedule 1 to this Order—

(a) a reference to I.U.P.A.C. numbering, in relation to a compound having a ring structure, is to be taken as a reference to the system of numbering such compounds specified in the rules of the International Union of Pure and Applied Chemistry, as published in the year 1957;

(b) a reference to the British Pharmacopoeia or the British Pharmaceutical Codex is to the edition thereof current at the date of this Order, with amendments up to (but exclusive of) that date;

(c) an item marked with an asterisk is an item not exempt from import duty at the date of this Order;

(d) an item marked with a dagger is an item appearing under a revised description, as compared with the corresponding description under which exemption from import duty was allowed at the date of this Order; and

(e) the items marked with a double dagger are items which at the date of this Order were classified in heading 29.43 of the Customs Tariff 1959.

(3) In any case where the description of any goods in Schedule 1 to this Order includes a sum of money shown in square brackets—

(a) until the end of 14th February 1971 (the day before the appointed day for the purposes of the Decimal Currency Act 1969(c)) that sum shall be disregarded;

(a) 1958 c. 6.

(b) 1889 c. 63.

(c) 1969 c. 19.

(b) on and after 15th February 1971 there shall be disregarded so much of the description as consists of a sum of money not shown in square brackets.

(4) Any entry in column 2 in Schedule 1 to this Order is to be taken to comprise all goods which would be classified under an entry in the same terms constituting a sub-heading (other than the final sub-heading) in the relevant heading in the Customs Tariff 1959.

(5) For the purposes of classification under the Customs Tariff 1959, in so far as that depends on the rate of duty, any goods to which paragraph (1) of this Article applies shall be treated as chargeable with the same duty as if this Order had not been made.

3. Until the beginning of 1st July 1971, goods of sub-heading 39.03(A)(2)(b) of the Customs Tariff 1959 (which comprises photographic, including cinematographic, film base of cellulose acetate) shall not be chargeable with import duty of an amount greater than 10 per cent. of their value.

4. The Import Duties (Temporary Exemptions) Orders specified in Schedule 2 to this Order are hereby revoked.

Walter Clegg,

V. H. Goodhew,

Two of the Lords Commissioners
of Her Majesty's Treasury.

7th December 1970.

SCHEDULE 1

GOODS TEMPORARILY EXEMPT FROM IMPORT DUTY

<i>Tariff Heading</i>	<i>Description</i>
05.15	Blue whiting (<i>Gadus Poutassou</i>) Norway Pout (<i>Trisopterus (Gadus) Esmarkii</i>) Sand eels (<i>ammodytes</i>)
12.01	Castor seed (until 4th March 1971)
15.04	Sperm oil, unrefined
15.17	Residues containing not less than 5 per cent. by weight and not more than 60 per cent. by weight of tocopherols
25.11	Natural barium sulphate, not ground or powdered
25.19	Magnesite, dead-burned, containing (a) not less than 90 per cent. by weight of magnesium compounds expressed as MgO, (b) a total of not more than 1.0 per cent. by weight of aluminium compounds and iron compounds expressed as Al ₂ O ₃ and Fe ₂ O ₃ , (c) a total of not less than 2.5 per cent. by weight and not more than 8.5 per cent. by weight of calcium compounds and silicon compounds expressed as CaO and SiO ₂ , and in which the weight of calcium compounds expressed as CaO is not less than 1.5 times the weight of silicon compounds expressed as SiO ₂ (until 4th March 1971)
27.07	Anthracene (until 1st July 1971) Pyridine bases, having a basicity equivalent to not less than 7.0 millilitres and not more than 12.5 millilitres of 1.0 N sulphuric acid solution when estimated by method No. RB. 1-67 of "Standard Methods for Testing Tar and its Products" published by the Standardisation of Tar Products Test Committee Pyridine bases, of which, after drying, not less than 70 per cent. by volume distils between 140° and 250° centigrade at normal pressure
28.14	Arsenic trichloride Boron tribromide Boron trichloride Phosphorus pentabromide Phosphorus pentafluoride Silicon tetrachloride Sulphur tetrafluoride Thionyl chloride
28.15	Carbonyl sulphide <i>tetra</i> Phosphorus heptasulphide Phosphorus pentasulphide, containing less than 15 parts per million by weight of arsenic calculated as As ₂ O ₃ , and containing less than 35 parts per million by weight of iron calculated as Fe
28.17	Potassium hydroxide, pharmaceutical quality Sodium peroxide
28.18	Barium oxide Magnesium oxide, dead-burned but not fused, of a purity not less than 96 per cent., containing (a) a total of not more than 1.0 per cent. by weight of aluminium compounds and iron compounds expressed as Al ₂ O ₃ and Fe ₂ O ₃ , (b) a total of not more than 3.5 per cent. by weight of calcium compounds and silicon compounds expressed as CaO and SiO ₂ , the weight of silicon compounds being not less than 1.5 times and not more than 3.0 times the weight of calcium compounds; and (c) of which not less than 50 per cent. by weight is retained by a sieve having a nominal width of aperture of $\frac{3}{16}$ inch (until 4th March 1971)

Tariff Heading	Description
28.18	Magnesium oxide, dead-burned but not fused, of a purity not less than 96 per cent., which contains (a) not more than 0.05 per cent. by weight of boron compounds expressed as B ₂ O ₃ , (b) a total of not more than 0.5 per cent. by weight of aluminium compounds and iron compounds expressed as Al ₂ O ₃ and Fe ₂ O ₃ , and (c) a total of not less than 1.0 per cent. by weight and not more than 3.5 per cent. by weight of calcium compounds and silicon compounds expressed as CaO and SiO ₂ , the weight of calcium compounds being not less than 1.5 times and not more than 2.5 times the weight of silicon compounds; and (d) of which not less than 35 per cent. by weight is retained by a sieve having a nominal width of aperture of $\frac{1}{8}$ inch (until 4th March 1971)
28.20	Aluminium oxide, not being artificial corundum, being in the form of spheres and containing by weight not more than 0.06 per cent. of acid soluble sulphates expressed as SO ₃ and not more than 0.005 per cent. of sodium expressed as Na, and all of which passes a sieve having a nominal width of aperture of 4.76 millimetres and not less than 99 per cent. by weight of which is retained by a sieve having a nominal width of aperture of 1.00 millimetre
28.23	γ -Ferric oxide
28.24	Cobaltous hydroxide (until 4th March 1971)
28.27	Lead monoxide which, when examined by X-ray diffraction is free of the tetragonal form, and which has a specific surface, when determined by air permeability, of not less than 600 square metres per kilogramme
28.28	Beryllium hydroxide Beryllium oxide Hydroxylammonium chloride containing not more than 0.0005 per cent. by weight of heavy metals estimated as Pb Hydroxylammonium sulphate
28.29	Potassium fluorosilicate Sodium fluoride, which does not contain impurities equivalent to more than 5×10^{-9} grammes of U ₃ O ₈ per gramme, and of which 1 gramme must not contain impurities capable of depressing the estimation of U ₃ O ₈ by more than 1×10^{-8} grammes, when determined fluorimetrically Sodium fluorosilicate Tungsten hexafluoride
28.30	Beryllium chloride Nickel chloride (until 4th March 1971)
28.32	Ammonium perchlorate Calcium chlorate Sodium perchlorate
28.33	Barium bromide
28.35	Zinc sulphide
28.38	Aqueous barium sulphate paste containing not less than 70 per cent. and not more than 80 per cent. by weight of barium sulphate and containing in the dried material not more than four parts per million by weight of iron compounds calculated as Fe and not more than forty parts per hundred million by weight of ethanol soluble sulphur Beryllium sulphate Magnesium sulphate, anhydrous, containing not less than 0.05 per cent. by weight and not more than 1.0 per cent. by weight of potassium compounds calculated as K Mercuric sulphate Nickel sulphate (until 4th March 1971) Potassium hydrogen permonosulphate Thalious sulphate

<i>Tariff Heading</i>	<i>Description</i>
28.39	Barium nitrate containing not more than 0.006 per cent. by weight of heavy metals calculated as Pb Beryllium nitrate Potassium nitrite
28.40	Potassium dihydrogen orthophosphate in the form of single crystals <i>tetra</i> Potassium pyrophosphate
28.42	Magnesium carbonate, light, in rectangular blocks of a weight not less than 25 grammes and not more than 125 grammes and of a cubic capacity not less than 115 cubic centimetres Manganous carbonate Nickel carbonate, basic Potassium hydrogen carbonate
28.43	Potassium ferricyanide Sodium nitroprusside
28.44	Ammonium thiocyanate Potassium cyanate Sodium thiocyanate
28.46	Sodium metaborate tetrahydrate, Na ₂ B ₂ O ₄ , 4H ₂ O
28.47	Bismuth aluminate containing not less than 52 per cent. by weight and not more than 55 per cent. by weight of bismuth calculated as Bi on the dry anhydrous salt Sodium tungstate containing not more than 0.0003 per cent. by weight of arsenic compounds calculated as As and not more than 0.005 per cent. by weight of molybdenum compounds calculated as Mo
28.48	Dihydroxyaluminium sodium carbonate Ferric sodium pyrophosphate
28.49	Pyruvic acid enol phosphate, barium silver salt Silver protein, mild, which satisfies the requirements of the British Pharmaceutical Codex Silver protein, which satisfies the requirements of the British Pharmaceutical Codex
28.50	All goods of this heading other than radium compounds, natural uranium and compounds thereof and nuclear reactor cartridges, spent or irradiated
28.51	Deuterated potassium dihydrogen orthophosphate in the form of single crystals (until 4th March 1971) Deuterium oxide Lithium sulphate, of which the lithium is in the form of a stable isotope either of atomic weight 6 or of atomic weight 7, of a value not less than £1 per gramme <i>di</i> Sodium tetraborate, of which the boron is in the form of a stable isotope either of atomic weight 10 or of atomic weight 11, of a value not less than £1 per gramme
28.52	Compounds of uranium depleted in uranium-235, the following:— Uranium hexafluoride Uranium tetrafluoride *Mixed rare earth chlorides which, when precipitated as oxalates and calcined, yield not less than 45 per cent. by weight of rare earth oxides, of which the content of cerium expressed as CeO ₂ is not less than 45 per cent. by weight and the content of samarium expressed as Sm ₂ O ₃ is not more than 3 per cent. by weight (until 4th March 1971)

<i>Tariff Heading</i>	<i>Description</i>
28.52	Mixed rare earth compounds containing not less than 3·5 per cent. by weight and not more than 9·0 per cent. by weight of combined fluorine estimated as F, and not less than 0·5 per cent. by weight and not more than 4·0 per cent. by weight of barium compounds estimated as BaSO ₄ ; and of which not less than 10 per cent. by weight is retained by a sieve having a nominal width of aperture of 45 microns Samarium trioxide
28.57	Aluminium sodium hydride Lithium borohydride Silane
28.58	Trichlorosilane containing not more than 0·002 parts per million by weight of boron compounds calculated as B
29.01	Acenaphthylene Allene Anthracene (until 1st July 1971) Azulene 1,2-Benzanthracene 1,2-Benzofluorene 2,3-Benzofluorene Bicyclo[2,2,1]hepta-2,5-diene <i>iso</i> Butane <i>n</i> -But-1-ene <i>cis</i> But-2-ene <i>trans</i> But-2-ene But-2-ene, mixed isomers But-1-yne Chrysene <i>trans-trans-trans</i> -Cyclododeca-1,5,9-triene 1,2:3,4-Dibenzanthracene 9,10-Dihydroanthracene 2,3-Dimethylnaphthalene 2,6-Dimethylnaphthalene 2,7-Dimethylnaphthalene 2,2-Dimethylpropane <i>n</i> -Docos-1-ene <i>n</i> -Eicosane <i>n</i> -Eicos-1-ene Fluoranthene Fluorene 2-Methylnaphthalene 2-Methylpentane Naphthacene <i>n</i> -Nonane Perylene Picene Propyne Pyrene <i>trans</i> Stilbene <i>m</i> -Terphenyl <i>p</i> -Terphenyl <i>n</i> -Tetracosane 1,2,3,4-Tetrahydro-1,1,2,4,4,7-hexamethylnaphthalene 4,5,9,10-Tetrahydropyrene (I.U.P.A.C. numbering) 1,2,4,5-Tetramethylbenzene Tricyclo[5,2,1,0 ^{2,6}]decane <i>n</i> -Undecane

<i>Tariff Heading</i>	<i>Description</i>
29.02	Aldrin
	Allyl chloride
	Benzotrifluoride
	4-Bromobenzotrifluoride
	2-Bromobut-1-ene
	1-Bromo-3-chloro-2-methylpropane
	4-Bromo- <i>n</i> -heptane
	2-Bromo- <i>n</i> -hexane
	3-Bromo- <i>n</i> -hexane
	2-Bromomesitylene
	2-Bromopropene
	Bromotrifluoroethylene
	Bromotrifluoromethane
	Carbon tetrafluoride
	Chlordane
	2-Chlorobenzotrifluoride
	3-Chlorobenzotrifluoride
	4-Chlorobenzotrifluoride
	2-Chlorobuta-1,3-diene
	1-Chloro- <i>n</i> -butane
	1-Chloro- <i>n</i> -but-1-ene
	3-Chloro- <i>n</i> -but-1-ene
	1-Chloro- <i>n</i> -but-2-ene
	1-Chloro- <i>n</i> -dodecane
	1-(Chloromethyl)naphthalene
	1-Chloronaphthalene
	1-Chloro- <i>n</i> -octane
	1-Chloroprop-1-ene
	3-Chloropropyne
	2-Chlorotoluene
	2-Chloro- <i>p</i> -xylene
	Decachlorobicyclopenta-2,4-dienyl
	1,4-Dibromobut-2-ene
	2,3-Dibromobut-2-ene
	Dibromodifluoromethane
	1,2-Dibromoethane
	Dibromomethane
	1,2-Dibromo-2-methylpropane
	1,1-Dibromoprop-1-ene
	1,2-Dibromotetrafluoroethane
	1,3-Dichlorobenzene
	2,6-Dichlorobenzylidene chloride
	2,3-Dichlorobuta-1,3-diene
	1,4-Dichlorobutane
	1,3-Dichloro- <i>n</i> -but-2-ene
	1,4-Dichlorobut-2-ene
	1,1-Dichloro-2,2-di-(4-chlorophenyl)ethane
	1,1-Dichloro-2,2-di-(4-ethylphenyl)ethane
	*1,2-Dichloroethane
	1,2-Dichloroethylene
	2,3-Dichlorohexafluorobut-2-ene
	1,2-Dichlorohexafluorocyclopentene
	1,1-Dichloroprop-1-ene
	1,3-Dichloropropene
	2,3-Dichloroprop-1-ene
	2,6-Dichlorotoluene
	3,4-Dichlorotoluene
	2,5-Dichloro- <i>p</i> -xylene
	1,1-Difluoroethane
	1,1-Difluoroethylene
	Diphenylchloromethane

<i>Tariff Heading</i>	<i>Description</i>
29.02	Dodecachloropentacyclo[5,2,1,0 ^{2,6} ,0 ^{3,9} ,0 ^{5,8}]decane 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo- [12,2,1,1 ^{6,9} ,0 ^{2,13} ,0 ^{5,10}]octadeca-7,15-diene Fluorobenzene 4-Fluorobenzotrifluoride 2-Fluoronaphthalene Heptachlor Heptafluoro-1-iodopropane Hexabromobenzene 1,2,5,6,9,10-Hexabromocyclododecane Hexachlorobuta-1,3-diene 1,2,3,4,5,6-Hexachlorocyclohexane, mixed isomers, of which either (a) the α -isomer content is not more than 50 per cent. by weight, or (b) the γ -isomer content is not less than 35 per cent. by weight pro- vided that, in a case where the γ -isomer content is not less than 35 per cent. and not more than 40 per cent. by weight, not less than 90 per cent. by weight of the material passes a sieve having a nominal width of aperture of 53 microns α -1,2,3,4,5,6-Hexachlorocyclohexane γ -1,2,3,4,5,6-Hexachlorocyclohexane Hexachlorocyclopentadiene Hexafluoropropene Methallyl chloride 3-Methylbenzyl bromide 4-Methylbenzyl bromide Octafluorocyclobutane Pentachloroethane 1,1,2,2-Tetrabromoethane 1,2,4,5-Tetrachlorobenzene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane 1,2,2,3-Tetrachloropropane 2,3,5,6-Tetrachloro- <i>p</i> -xylene Tribromofluoromethane 1,2,3-Tribromo-2-methylpropane 1,2,3-Trichlorobenzene 1,2,4-Trichlorobenzene Trichlorobenzene, mixed isomers 1,1,2-Trichloroethane of which not less than 92 per cent. by volume distils between 110° and 115° centigrade at normal pressure Trifluoroiodomethane Vinyl bromide Vinyl chloride (until 1st July 1971) Vinyl fluoride
29.03	Benzene-1,3-disulphonic acid 1- <i>tert</i> Butyl-3,4,5-trimethyl-2,6-dinitrobenzene Chloropicrin 1,5-Dinitronaphthalene Ethanesulphonyl chloride 1-Ethyl-2-nitrobenzene 1-Fluoro-2-nitrobenzene Methanesulphonic acid Methanesulphonyl chloride 2-Nitrobiphenyl 4-Nitrobiphenyl Nitroethane Nitromethane 1-Nitronaphthalene 1-Nitropropane

<i>Tariff Heading</i>	<i>Description</i>
29.03	2-Nitropropane 3-Nitro- <i>o</i> -xylene 2-Nitro- <i>p</i> -xylene 1,1,3,3,5-Pentamethyl-4,6-dinitroindane <i>di</i> Sodium benzene-1,3-disulphonate Sodium 2-bromoethanesulphonate Sodium 4-chlorobenzenesulphonate Sodium 3-chloro- <i>n</i> -but-2-ene-1-sulphonate Sodium dibunate Sodium ethylenesulphonate Sodium styrenesulphonate, mixed isomers 1,3,5-Trinitrobenzene
29.04	Adonitol Allyl alcohol Amyl alcohol, containing not less than 58 per cent. by weight of <i>n</i> -pentan-1-ol and not more than 1 per cent. by weight of aldehydes or ketones calculated as C ₅ H ₁₀ O D-Arabitol 3-Bromopropan-1-ol <i>n</i> -Butane-1,3-diol Butane-1,4-diol <i>n</i> -Butane-2,3-diol Butane-1,2,4-triol <i>n</i> -Butan-2-ol But-2-ene-1,4-diol <i>n</i> -But-2-en-1-ol But-3-en-2-ol Butylchloral hydrate But-2-yne-1,4-diol But-3-yn-1-ol But-3-yn-2-ol 4-Chlorobutan-1-ol 2-Chloroethanol 3-Chloropropan-1-ol Decane-1,10-diol 1,6-Dibromo-1,6-dideoxymannitol 2,2-Di(bromomethyl)propanediol 2,3-Dibromopropan-1-ol containing not more than 0.1 per cent. by weight of 1,2,3-tribromopropane 2,6-Dimethylheptan-4-ol 2,5-Dimethylhexane-2,5-diol (±)-3,7-Dimethylnona-1,6-dien-3-ol 2,4-Dimethylnonan-4-ol Dimethyloctadienol, mixed 2,6,3,5,2- and 3,7,4,6,3- isomers 3,6-Dimethyloctan-3-ol 3,7-Dimethyloctan-3-ol Dimethyloctanol, mixed 2,6,2- and 3,7,3- isomers (-)-3,7-Dimethyloct-6-en-1-ol 3,7-Dimethyloct-6-en-1-yn-3-ol 3,6-Dimethyloct-4-yne-3,6-diol 2,4-Dimethylpentan-1-ol 2,2-Dimethylpropanediol 2,2-Dimethylpropanol <i>meso</i> Erythritol Ethchlorvynol 2-Ethylbutan-1-ol 2-Ethylhexane-1,3-diol 2-Ethyl-2-hydroxymethylpropanediol 2-Ethyl-4-methylpentan-1-ol Farnesol

<i>Tariff Heading</i>	<i>Description</i>
29.04	Glyoxal sodium bisulphite <i>n</i> -Heptan-1-ol <i>n</i> -Hept-1-en-4-ol Hexadecyl alcohol, mixed isomers, which freezes at a temperature not higher than -40° centigrade 2 <i>H</i> -Hexafluoropropan-2-ol Hexane-1,6-diol <i>n</i> -Hexane-2,5-diol Hexane-1,2,6-triol Hexanetriol, mixed isomers <i>n</i> -Hexan-1-ol <i>n</i> -Hex-3-en-1-ol 7-Hydroxy-3,7-dimethyloctanal sodium bisulphite 2-Hydroxymethyl-2-methylpropanediol 2-Hydroxymethyl-2-nitropropanediol Methallyl alcohol 3-Methylbutan-1-ol, of a purity not less than 90 per cent. 2-Methylbutan-2-ol 6-Methylhept-5-en-2-ol 3-Methylpentyn-3-ol 2-Methylpropan-2-ol containing not more than 0.007 per cent. by weight of unsaturated compounds calculated as butene 2-Methylpropan-2-ol containing not less than 10 per cent. by weight and not more than 13 per cent. by weight of water Nerolidol 1 <i>H</i> ,1 <i>H</i> ,5 <i>H</i> -Octafluoropentan-1-ol 2- <i>n</i> -Octyl- <i>n</i> -dodecan-1-ol Pentane-1,5-diol <i>n</i> -Pentan-1-ol Phytol <i>iso</i> Phytol Pinacol Propane-1,3-diol Prop-2-yn-1-ol Succinaldehyde di(sodium bisulphite) 1 <i>H</i> ,1 <i>H</i> ,3 <i>H</i> -Tetrafluoropropan-1-ol 2,4,7,9-Tetramethyldec-5-yne-4,7-diol 3,7,11,15-Tetramethylhexadecane-1,2,3-triol 3,7,9-Trimethyldeca-1,6-dien-3-ol 2,2,4-Trimethylpentan-1-ol <i>n</i> -Undecan-1-ol Undec-10-en-1-ol Xylitol
29.05	17 α -Allyloestr-4-en-17 β -ol Borneol <i>iso</i> Borneol Dicyclopropylmethanol Dihydrotachysterol 2,2-Di-(4-hydroxycyclohexyl)propane 1,4-Di(hydroxymethyl)cyclohexane Ethynodiol Fenchyl alcohol <i>meso</i> Inositol 2-Methyl-4-phenylbutan-2-ol 3-Methyl-1-phenylpentan-3-ol Nopol Phenylethane-1,2-diol 1-Phenylethanol α -Terpineol, having a freezing point not less than 20° centigrade

<i>Tariff Heading</i>	<i>Description</i>
29.05	2,2,2-Trichlorodi-(4-chlorophenyl)ethanol 4,7,7-Trimethylbicyclo[4,1,0]hept-4-en-3-ylmethanol
29.06	2-Benzylphenol 2- <i>tert</i> Butyl-4-ethylphenol 4- <i>sec</i> Butylphenol 2- <i>tert</i> Butylphenol <i>o</i> -Cresol (until 1st July 1971) 3,5-Di- <i>tert</i> butyl-4-hydroxybenzyl alcohol 3,5-Di- <i>tert</i> butyl-4-hydroxybiphenyl 1,1-Di-(3- <i>tert</i> butyl-4-hydroxy-6-methylphenyl)- <i>n</i> -butane 2,6-Di- <i>tert</i> butylphenol Di-(3,5-di- <i>tert</i> butyl-4-hydroxyphenyl)methane 2,3-Di-(3,4-dihydroxybenzyl)- <i>n</i> -butane 2,2'-Dihydroxybiphenyl 3,4-Dihydroxybiphenyl 1,3-Dihydroxynaphthalene 1,5-Dihydroxynaphthalene 2,3-Dihydroxynaphthalene 3,4-Di-(4-hydroxyphenyl)- <i>n</i> -hexane-3,4-diol Di-(1-methylbutyl)phenol, mixed isomers 2,4-Di- <i>tert</i> pentylphenol 2,5-Di- <i>tert</i> pentylquinol 2,6-Di- <i>isopropyl</i> phenol 2-Hydroxybiphenyl (until 4th March 1971) 4-Hydroxybiphenyl Indan-5-ol 2-Methylquinol 1-Naphthol 3- <i>n</i> -Pentadecylphenol 4- <i>tert</i> Pentylphenol <i>iso</i> Propylcresol, mixed isomers Resorcinol (until 1st July 1971) Salicyl alcohol Sodium biphenyl-2-yloxiide (until 4th March 1971) *Stilboestrol 2,4,2',4'-Tetrahydroxybiphenyl Thymol 1,1,3-Tri-(5- <i>tert</i> butyl-4-hydroxy-2-methylphenyl)- <i>n</i> -butane-toluene complex 2,4,6-Tri-(3,5-di- <i>tert</i> butyl-4-hydroxybenzyl)mesitylene 2,3,5-Trimethylquinol 2,4-Xylenol 3,5-Xylenol (until 4th March 1971)
29.07	3-Chloro-4-hydroxybiphenyl 3-Chlorophenol Chloro-5- <i>isopropyl-m</i> -cresol (—OH at 1), mixed isomers 2,3-Dichlorophenol *2,2-Di-(3,5-dibromo-4-hydroxyphenyl)propane (until 2nd September 1971) 2,2-Di-(3,5-dichloro-4-hydroxyphenyl)propane 6,7-Dihydroxynaphthalene-2-sulphonic acid 4,6-Dinitro- <i>o</i> -cresol (—OH at 1) 5-Hydroxynaphthalene-1-sulphonic acid <i>di</i> Sodium 1,8-dihydroxynaphthalene-3,6-disulphonate Sodium 6,7-dihydroxynaphthalene-2-sulphonate 2-Trifluoromethylphenol 4-Trifluoromethylphenol

Tariff Heading	Description
29.08	4-Allylanisole
	Allyl ethyl ether
	Anethole
	Batyl alcohol
	1-(2-Benzylphenoxy)propan-2-ol
	<i>n</i> -Butyl vinyl ether
	<i>iso</i> Butyl vinyl ether
	Chloromethyl methyl ether
	Di- <i>n</i> -butyldigol
	2,5-Di- <i>tert</i> butylperoxy-2,5-dimethylhexane
	1,4-Di-(1- <i>tert</i> butylperoxy-1-methylethyl)benzene
	1,1-Di- <i>tert</i> butylperoxy-3,3,5-trimethylcyclohexane
	Di-(2-chloroethyl) ether
	2,4-Dichlorophenyl 4-nitrophenyl ether
	2,2-Di-(4,4-di- <i>tert</i> butylperoxycyclohexyl)propane
	Di-(α -dimethylbenzyl) peroxide
	1,2-Diethoxyethane
	Diethyldigol
	Di- <i>n</i> -hexyl ether
	2-[2,2-Di-(2-hydroxyethoxymethyl)- <i>n</i> -butoxy]ethanol
	1,3-Dimethoxybenzene
	1,2-Dimethoxyethane
	Dimethyldigol
	Dimethyl ether
	Dimethyltetragol
	Dimethyltrigol
	2,4-Dinitrophenetole
	1,4-Dioxan
	Di(phenoxyphenoxy)benzene, mixed isomers
	Di-(3-phenoxyphenyl) ether
	Diisopropylbenzene hydroperoxide
	Di-(2,3,3,3-tetrachloropropyl) ether
	Ethoxyacetylene
	2-Ethoxynaphthalene
	Ethyldigol, containing not more than 1 per cent. by weight of ethanediol
	13 β -Ethyl-17 α -ethynyl-3-methoxygona-2,5(10)-dien-17 β -ol
	Ethyl vinyl ether
	Guaiacol having a melting point of not less than 27° centigrade
	<i>n</i> -Hexyldigol
	2- <i>n</i> -Hexyloxyethanol
	<i>p</i> -Menthanyl hydroperoxide
	3-Methoxy- <i>n</i> -butan-1-ol
	Methoxyflurane
	4-Methoxy-4-methylpentan-2-ol
	2-Methoxynaphthalene
	4-Methoxy-1-naphthol
	Methyl vinyl ether
	Musk ambrette
	4-Nitroanisole
	4-Nitrophenetole
	<i>iso</i> Pentyl 2-phenylethyl ether
	Potassium guaiacolsulphonate
	1,1,1-Trichlorodi-(4-methoxyphenyl)ethane
	Trigol containing not more than 0.1 per cent. by weight of digol (until 2nd September 1971)
	1,2,3-Tri-(2-hydroxyethoxy)propane
	1,2,3-Tri-(2-hydroxy- <i>n</i> -propoxy)propane
	Tri- α -propylene glycol monomethyl ether
29.09	Allyl glycidyl ether
	1-Bromo-2,3-epoxypropane

<i>Tariff Heading</i>	<i>Description</i>
29.09	<i>n</i> -Butyl glycidyl ether <i>n</i> -Butyl glycidyl ether 1-Chloro-2,3-epoxypropane Dicyclopentadiene dioxide Dieldrin 1,4-Di-(2,3-epoxypropoxy)butane Endrin 1,2-Epoxy- <i>n</i> -butane Epoxybutane, mixed 1,2- and 2,3- isomers 3,4-Epoxytricyclo[5,2,1,0 ^{2,6}]decanol Glycidol †Styrene oxide
29.10	α -Anhydroglucochloral 8- <i>tert</i> Butyl-1,4-dioxaspiro[4,5]decane 1-Chloro-2,2-diethoxyethane 1,1-Diethoxy-3,7-dimethylocta-2,6-diene 1,1-Diethoxy- <i>n</i> -hex-2-ene 1,1-Dimethoxy-3,7-dimethylocta-2,6-diene Dimethoxymethane 1,1-Dimethoxy- <i>n</i> -octane 1,3-Dioxan 1,3-Dioxolan containing not more than 0.02 per cent. by weight of water 1-Ethoxy-1,3,3-trimethoxypropane 2-Ethyl-2-methyl-1,3-dioxolan Hexahydro-2,3,6,7-tetrahydroxy-1,4,5,8-tetraoxanaphthalene ††Methyl α -D-xyloside ††Methyl β -D-xyloside Pentrichloral 4,4a,5,9b-Tetrahydroindeno[1,2- <i>d</i>]-1,3-dioxin 4,4a,9,9a-Tetrahydroindeno[2,1- <i>d</i>]-1,3-dioxin 1,1,3,3-Tetramethoxypropane
29.11	Acrylaldehyde β -8'-Apocarotenal 4- <i>tert</i> Butylbenzaldehyde 3-(4- <i>tert</i> Butylphenyl)-2-methylpropionaldehyde <i>n</i> -Butyraldehyde <i>iso</i> Butyraldehyde Crotonaldehyde containing not more than 4 per cent. by weight of water <i>iso</i> Cyclocitral 2,4-Dihydroxybenzaldehyde 3,4-Dihydroxybenzaldehyde 2,3-Dimethoxybenzaldehyde 2,6-Dimethylhept-5-enal 3,7-Dimethylnona-2,6-dienal 2-Ethylhexanal DL-Glyceraldehyde Glycidaldehyde Glyoxal <i>n</i> -Heptanal <i>n</i> -Hex-2-enal 4-Hydroxybenzaldehyde 4-(4-Hydroxy-4-methylpentyl)cyclohex-3-enaldehyde Methacrylaldehyde 1,2,3,4,5,6,7,8-Octahydro-8,8-dimethyl-2-naphthaldehyde Terephthalaldehyde <i>m</i> -Tolualdehyde 3,5,5-Trimethylhexanal 2,6,10-Trimethylundec-10-enal 1,3,5-Trioxan

<i>Tariff Heading</i>	<i>Description</i>
29.11	<i>n</i> -Valeraldehyde <i>iso</i> Valeraldehyde
29.12	Chloroacetaldehyde 2-Chlorobenzaldehyde 2,6-Dichlorobenzaldehyde 4-Chlorobenzaldehyde 4-Chloro-3-nitrobenzaldehyde 3,4-Dichlorobenzaldehyde 2,4-Dinitrobenzaldehyde 2-Nitrobenzaldehyde 4-Nitrobenzaldehyde 5-Nitrosalicylaldehyde Sodium 2-formylbenzenesulphonate
29.13	Acetoin Acetoin dimer Acetylacetone 4-Acetyl-6- <i>tert</i> butyl-1,1-dimethylindane 7-Acetyl-6-ethyl-1,2,3,4-tetrahydro-1,1,4,4-tetramethylnaphthalene 7-Acetyl-2-methyl-5- <i>isopropyl</i> bicyclo[2,2,2]oct-2-ene 4-Acetyl-3,7,7-trimethylbicyclo[4,1,0]hept-2-ene Benzoin <i>p</i> -Bromo- <i>n</i> -valerophenone Butanedione α - <i>n</i> -Butoxybenzyl phenyl ketone <i>n</i> -Butyrophenone (+)-Camphor Canthaxanthin L-Carvone Chloranil <i>p</i> -Chloro- <i>n</i> -butyrophenone 2-Chlorocyclohexanone 2-[α -(4-Chlorophenyl)phenylacetyl]indane-1,3-dione Cycloheptadecanone Cycloheptadec-9-enone Cycloheptanone Cyclohexane-1,3-dione Cyclo-octanone Cyclopentadecanone 4- <i>n</i> -Decyloxy-2-hydroxybenzophenone Dibenzo[<i>a,i</i>]pyrene-5,8-dione 2,5-Dichloro- <i>p</i> -benzoquinone 3,3 :20,20-Di(ethylenedioxy)-17 α -hydroxypregn-5-en-11-one 1,3-Dihydroxyacetone 2,4-Dihydroxyacetophenone 2,6-Dihydroxyacetophenone 2,2'-Dihydroxy-4,4'-dimethoxybenzophenone 2,2'-Dihydroxy-4-methoxybenzophenone 5,11 α -Dihydroxy-6 β -methyl-5 α -pregnane-3,20-dione 11 β ,17 α -Dihydroxypregna-1,4-diene-3,20-dione 11 β ,21-Dihydroxypregna-4,17(20)-dien-3-one 3 β ,17 α -Dihydroxy-5 β -pregnane-11,20-dione 11 β ,21-Dihydroxypregna-1,4,17(20)-trien-3-one 11 β ,17 α -Dihydroxypregn-4-ene-3,20-dione 3 β ,17 α -Dihydroxypregn-5-en-20-one 4,4-Dimethoxybutan-2-one 2,6-Dimethylheptan-4-one 6,10-Dimethylundeca-5,9-dien-2-one 3,17-Dioxoandrost-4-en-19-al 1,1-Diphenylacetone Dydrogesterone

<i>Tariff Heading</i>	<i>Description</i>
29.13	4-(1-Ethoxyvinyl)-3,3,5,5-tetramethylcyclohexanone
	2-Ethylanthraquinone
	17,17-Ethylenedioxyandrosta-1,4-dien-3-one
	13 β -Ethyl-3-methoxygona-2,5(10)-diene-17-one
	Fenchone
	6 α -Fluoro-21-hydroxy-16 α ,17 α -isopropylidenedioxypregn-4-ene-3,20-dione
	Flurandrenolone
	<i>n</i> -Heptan-2-one
	<i>n</i> -Heptan-3-one
	3 <i>H</i> ,3 <i>H</i> -Hexafluoroacetylacetone
	2- <i>n</i> -Hexylcyclopent-2-enone
	2- <i>n</i> -Hexylidenecyclopentanone
	2-Hydroxyacetophenone
	4-Hydroxyacetophenone
	4-Hydroxybenzophenone
	2-Hydroxy-3-methylcyclopent-2-enone
	2-Hydroxy-4- <i>n</i> -octyloxybenzophenone
	17 α -Hydroxypregna-1,4-diene-3,11,20-trione
	17 α -Hydroxypregn-4-ene-3,11,20-trione
	3 β -Hydroxypregn-5-en-20-one
	4-Hydroxypropiophenone
	17 β -Hydroxy-4,5-seco-19-norandrostane-3,5-dione
	Indanetrione hydrate (until 1st July 1971)
	(\pm)- <i>iso</i> Menthone
	Mesityl oxide
	Methandienone
	4-Methoxy-4-methylpentan-2-one
	4-(4-Methoxyphenyl)-3-methylbutan-2-one
	<i>p</i> -Methyl- <i>n</i> -butyrophenone
	5-Methylheptan-3-one
	5-Methylhexan-2-one
	6-Methyl- α -ionone
	3-Methyl-2-(<i>n</i> -pent-2-enyl)cyclopent-2-enone
	4-Methyl-4-phenylpentan-2-one
	3-Methyl-2- <i>n</i> -pentylcyclopent-2-enone
	4-Methyl-4- <i>p</i> -tolylpentan-2-one
	Musk ketone
	1,4-Naphthaquinone
	<i>n</i> -Nonan-2-one
	(\pm)-Norgestrel
	<i>n</i> -Octan-3-one
	Oestr-5(10)-ene-3,17-dione
	Oestr-4-en-17-one
	3-Oxodiorchol-4-en-22-al
	<i>n</i> -Pentan-2-one
	Pentan-3-one
	4- <i>tert</i> Pentylcyclohexanone
	Phenacyl bromide
	Pinacolone
	Pyruvaldehyde
	Sodium 2,2'-dihydroxy-4,4'-dimethoxybenzophenone-5-sulphonate
	2,4,2',4'-Tetrahydroxybenzophenone
	Tetramethylcyclobutane-1,3-dione
	2,5-Toluquinone, having a melting point of not less than 67·0° centigrade
	1,1,1-Trifluoroacetylacetone, of a purity not less than 99 per cent.
	14 α ,17 α ,21-Trihydroxypregn-4-ene-3,20-dione
	<i>n</i> -Undecan-2-one
	<i>n</i> -Valerophenone
	Zerumbone

<i>Tariff Heading</i>	<i>Description</i>
29.14	Acrylic acid
	Allethrin
	Allyl 3-cyclohexylpropionate
	Allyl methacrylate
	(±)-3-Allyl-2-methyl-4-oxocyclopent-2-enyl
	<i>trans</i> -(+)-chrysanthemummonocarboxylate
	Allyl trifluoroacetate
	Aluminium acetate, basic
	Ammonium pentadecafluoro- <i>n</i> -octanoate
	Arachidic acid
	Arachidonic acid
	Biphenyl-4-carboxylic acid
	(-)-Bornyl acetate
	4β-Bromo-17α,21-dihydroxy-5β-pregnane-3,11,20-trione 21-acetate
	<i>n</i> -Butane-1,3-diol dimethacrylate
	Butane-1,4-diol dimethacrylate
	<i>iso</i> Butyl acrylate
	4- <i>tert</i> Butylbenzoic acid
	<i>sec</i> Butyl chloroformate
	2- <i>sec</i> Butyl-4,6-dinitrophenyl 3-methylcrotonate
	<i>tert</i> Butyl 2-ethylperbutyrate
	<i>n</i> -Butyric acid
	<i>iso</i> Butyric acid
	Calcium sorbate
	Chloroacetyl chloride
	2-Chlorobenzoic acid
	3-(2-Chloroethoxy)-9α-fluoro-11β,21-dihydroxy-20-oxo-16α,17α-isopropylidenedioxypregna-3,5-diene-6-carbaldehyde 21-acetate
	4-Chloro-17β-hydroxyandrost-4-en-3-one acetate
	<i>iso</i> Propyl chloroformate
	2-Chloro-4-nitrobenzoic acid
	4-Chloro-3-nitrobenzoic acid
	Citronellyl 3-methylcrotonate
	Chrysanthemic acid
	Chrysanthemoyl chloride
	Crotonic acid
	Cyclopent-2-enyl cyclohexylacetate
	Cyclopropanecarboxyl chloride
	Decahydro-2-naphthyl acetate
	<i>tert</i> Decanoic acid, mixed isomers
	<i>n</i> -Dec-2-enoic acid
	Decyl acrylate, mixed isomers
	Dichloroacetic acid
	Dichloroacetyl chloride
	2,4-Dichlorobenzoyl chloride
	Digol dichloroformate
	Dihydrocarveyl acetate
	Dihydrocarveyl propionate
	17α,21-Dihydroxy-16α-methylpregna-1,4,9(11)-triene-3,20-dione 21-acetate
	17α,21-Dihydroxy-5α-pregnane-3,11,20-trione 21-propionate
	17α,21-Dihydroxypregn-4-ene-3,20-dione 21-acetate
	3β,17α-Dihydroxypregn-5-en-20-one 3-acetate
	3α,20-Dihydroxy-5β-pregn-17(20)-en-11-one diacetate
	3β,11α-Dihydroxy-5α-pregn-16-en-20-one diacetate
	1,1-Dimethyl-5-methylenehept-6-enyl acetate
	(-)-3,7-Dimethyloct-6-enyl acetate
	1,1-Dimethyl-2-phenylethyl <i>n</i> -butyrate
	1,1-Dimethyl-3-phenylpropyl acetate

<i>Tariff Heading</i>	<i>Description</i>
29.14	<i>cis</i> -3,3-(2,2-Dimethyltrimethylenedioxy)-6 β -methyl-5 α -pregn-17(20)-ene-5,11 β ,21-triol 21-acetate (\pm)-1,5-Dimethyl-1-vinylhept-4-enyl acetate 2,5-Dinitrobenzoic acid Drostanolone propionate Ethanediol dimethacrylate Ethyl β -8'-apocarotenoate Ethyl fluoroacetate 2-Ethyl-2-hydroxymethylpropanediol trimethacrylate Ethyl methacrylate α -Ethyl-3-nitrocinnamic acid Ethyl trichloroacetate Ethynodiol diacetate Farnesyl acetate Fenchyl acetate Flumethasone 21-pivalate 9 α -Fluoro-11 β ,17 α -dihydroxypregn-4-ene-3,20-dione 17-acetate Geranyl 5,9,13-trimethyltetradeca-4,8,12-trienoate Glycerol 1,3-dipropionate Glycerol tripropionate Glycidyl methacrylate Heptafluoro- <i>n</i> -butyric acid <i>n</i> -Heptanoic acid <i>n</i> -Hept-2-enoic acid <i>n</i> -Heptyl acrylate <i>n</i> -Hex-3-enoic acid Lead tetra-acetate Linalyl cinnamate 3-Methoxy- <i>n</i> -butyl acetate 2-Methoxyethyl chloroformate Methyl acetate of a purity not less than 98 per cent. Methyl 2-chloro-3-(4-chlorophenyl)propionate Methyl chloroformate 3-(4-Methylcyclohex-3-enyl)but-3-enyl acetate Methyl cyclopropanecarboxylate Methyl <i>n</i> -dodecanoate Methyl formate Methyl 1-methyl-4- <i>isopropylbicyclo</i> [2,2,2]oct-2-ene-6-carboxylate Methyl <i>p</i> -toluate 3-Methyl- <i>n</i> -valeric acid 4-Methyl- <i>n</i> -valeric acid 1-Naphthoic acid (\pm)-Nerolidyl acetate (\pm)-Nerolidyl <i>isobutyrate</i> (\pm)-Nerolidyl formate (\pm)-Nerolidyl propionate 2-Nitrobenzoic acid 4-Nitrobenzoic acid 2-Nitrocinnamic acid 3-Nitrocinnamic acid 4-Nitrocinnamic acid 4-Nitrophenylacetic acid <i>n</i> -Nonanoic acid <i>n</i> -Non-3-enoic acid Nonyl acetate, mixed isomers, having a specific rotation at 20° centigrade to the D line of sodium of between -9° and -13° <i>n</i> -Non-2-ynoic acid <i>n</i> -Octanoic acid (until 1st July 1971) <i>n</i> -Oct-2-ynoic acid Pentadecafluoro- <i>n</i> -octanoic acid Pentafluoropropionic acid

<i>Tariff Heading</i>	<i>Description</i>
29.14	Pent-4-enoic acid 2-Phenyl- <i>n</i> -butyric acid Phenyl chloroformate 2-Phenylethyl cinnamate 1-Phenyl-2-salicyloylvinyl benzoate Pivalic acid Potassium sorbate 2-(4- <i>iso</i> Propenylcyclohex-1-enyl)ethyl formate Propiolic acid Propionic anhydride <i>n</i> -Propyl acetate <i>n</i> -Propyl acrylate <i>iso</i> Propyl acrylate Sodium fluoroacetate Sodium formate Sodium pentadecafluoro- <i>n</i> -octanoate Sodium trichloroacetate Tetragol di-(2-ethylhexanoate) Tetragol dimethacrylate <i>o</i> -Toluic acid (—COOH at 1) <i>m</i> -Toluic acid (—COOH at 1) <i>p</i> -Toluic acid (—COOH at 1) Tricyclo[5,2,1,0 ^{2,6}]dec-4-en-8-yl acetate Tricyclo[5,2,1,0 ^{2,6}]dec-4-en-8-yl formate Triethyl orthoacetate Triethyl orthopropionate Trifluoroacetic acid Trigol di-(2-ethylbutyrate) Trigol dimethacrylate 3 β ,17 α ,21-Trihydroxypregn-5-en-20-one 21-acetate 4,7,7-Trimethylbicyclo[4,1,0]hept-4-en-3-ylmethyl acetate Trimethyl orthoformate 2,2,4-Trimethylpentane-1,3-diol 1- <i>isobutyrate</i> 2,2,4-Trimethylpentane-1,3-diol di- <i>isobutyrate</i> 2,4,6-Trinitrobenzoic acid which yields not more than 0·1 per cent. by weight of sulphated ash Undec-10-enoic acid (until 4th March 1971) Vaccenic acid <i>iso</i> Valeric acid Vinyl <i>n</i> -butyrate Vinyl chloroacetate Vinyl decanoate, mixed isomers Vinyl <i>n</i> -dodecanoate Vinyl 2-ethylhexanoate Vinyl propionate
29.15	<i>cis</i> Aconitic acid Ammonium ferric oxalate Azelaic acid Benzenedicarboxylic acid, mixed isomers Benzene-1,2,4-tricarboxylic anhydride Bicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic acid Bicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic anhydride Biphenyl-2,2'-dicarboxylic acid <i>n</i> -Butyl hydrogen itaconate Calcium malonate Cyclohexane-1,2-diacetic acid Cyclohexane-1,2-dicarboxylic anhydride Di- <i>n</i> -butyl itaconate Dichloromaleic anhydride Dimethyl adipate

<i>Tariff Heading</i>	<i>Description</i>
29.15	Dimethyl itaconate Dimethyl maleate Dimethyl isophthalate Dioctyl 2 <i>H</i> ,3 <i>H</i> -hexachlorobicyclo[2,2,1]hept-5-ene-2,3-dicarboxylate, mixed isomers Di(tridecyl) sodium-sulphosuccinate, mixed isomers Dodecane-1,12-dioic acid Dodecenylsuccinic acid, mixed isomers Ethanediol cyclic brassylate Glutaric anhydride 2 <i>H</i> ,3 <i>H</i> -Hexachlorobicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic acid 2 <i>H</i> ,3 <i>H</i> -Hexachlorobicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic anhydride 1,8,9,10,11,11-Hexachlorotricyclo[6,2,1,0 ^{2,7}]undec-9-ene-4,5-dicarboxylic anhydride Hexafluoroglutaric acid Hexafluoroglutaryl chloride Hydroxydione sodium succinate Isophthalic acid Itaconic acid Itaconic anhydride Malonic acid Methylbicyclo[2,2,1]hept-5-ene-2,3-dicarboxylic anhydride Oxalic acid (until 4th March 1971) Pimelic acid Pyromellitic dianhydride Sodium oxalate which, in the form in which it is imported, contains not less than 5.0 per cent. by weight of moisture and which contains in the dried material not more than 98.0 per cent. by weight of oxalates expressed as sodium oxalate, Na ₂ C ₂ O ₄ Suberic acid Succinic acid which, in the dry state, contains not more than 97 per cent. by weight of free acid calculated as succinic acid 4-Sulphophthalic acid 4-Sulphophthalic acid, diammonium salt Terephthaloyl chloride Tetrachlorophthalic anhydride
29.16	Acetone-1,3-dicarboxylic acid *4-Allyloxy-3-chlorophenylacetic acid Aluminium hydroxide di-(<i>O</i> -acetylsalicylate) Antimony potassium tartrate, which satisfies the requirements of the British Pharmacopoeia <i>n</i> -Butoxycarbonylmethyl <i>n</i> -butyl phthalate <i>n</i> -Butyl 4,4- <i>di</i> tert butylperoxyvalerate <i>n</i> -Butyl glycollate 4- <i>n</i> -Butyryl-2,3-dichlorophenoxyacetic acid Calcium bromide lactobionate Calcium glucoheptonate, pyrogen free Calcium gluconate lactobionate *Calcium lactate (until 4th March, 1971) Calcium D-saccharate Carbenoxolone Carbenoxolone, disodium salt Cyclandelate 2,5-Dichloro-6-methoxybenzoic acid Diethyl ethoxymethylenemalonate 2,5-Dihydroxybenzoic acid 3,4-Dihydroxybenzoic acid 3,5-Dihydroxybenzoic acid 2,2-Di(hydroxymethyl)propionic acid

<i>Tariff Heading</i>	<i>Description</i>
29.16	3,4-Dihydroxyphenylacetic acid 3,5-Di-iodosalicylic acid (—COOH at 1) 2,3-Dimethoxybenzoic acid 3,4-Dimethoxyphenylacetic acid Dimethyl methoxymethylenemalonate Enoxolone 3,4-Epoxy-6-methylcyclohexylmethyl 3,4-epoxy-6-methylcyclohexanecarboxylate Ethacrynic acid Ethyl diethoxyacetate Ethyl 2-hydroxyisobutyrate Ethyl 2-hydroxy-2-methylbutyrate Ethyl pyruvate Ethyl sodioacetoacetate Galacturonic acid Glucuronic acid Glycollic acid Glyoxylic acid 2-(4-Hydroxybenzoyl)benzoic acid 1-Hydroxy-2-naphthoic acid 2-Hydroxy- <i>m</i> -toluic acid Lactobionic acid Laevulic acid L-Malic acid L-Mandelic acid Manganese α -D-glucoheptonate Methallenoestril 2-(6-Methoxy-2-naphthyl)propionic acid Mucic acid Mucochloric acid 2-Oxo-2,3:4,6-diisopropylidene-gulonic acid 2-Oxoglutaric acid Oxydiacetic acid Pentaerythritol tetra-3-(3,5-ditert butyl-4-hydroxyphenyl)propionate 3-Phenylsalicylic acid Potassium gluconate <i>iso</i> Propyl 4,4'-dichlorobenzilate Pyruvic acid which, in the dry state, contains not more than 97 per cent. by weight of free acid calculated as pyruvic acid Quinic acid Sodium <i>cis</i> -3-bromo-3-(4-methoxybenzoyl)acrylate <i>tri</i> Sodium (\pm)-isocitrate Sodium deoxycholate Sodium dihydrogen citrate Sodium 2,5-dihydroxybenzoate Sodium 2-hydroxy-4-methoxybenzoate (—)-Tartaric acid <i>meso</i> Tartaric acid 2,4,5-Trichlorophenoxyacetic acid Triethyl <i>O</i> -acetylcitrate 3,7,12-Trioxo-5 β -cholanic acid Vanillic acid
29.17	1- <i>iso</i> Butyl-4-ethyloctyl sodium sulphate <i>n</i> -Dodecyl sodium sulphate
29.18	Cyclohexyl nitrate
29.19	Barium hydrogen 2-phosphoglycerate Barium hydrogen 3-phospho-D-glycerate Calcium phytate Chloro-1-(2,4-dichlorophenyl)vinyl diethyl phosphate

<i>Tariff Heading</i>	<i>Description</i>
29.19	1,2-Dibromo-2,2-dichloroethyl dimethyl phosphate Di- <i>n</i> -butyl 2,2-dichlorovinyl phosphate Di- <i>n</i> -butyl phenyl phosphate (until 1st July 1971) 2,2-Dichlorovinyl dimethyl phosphate Di-(2-ethylhexyl) sodium phosphate 2-Ethylhexyl diphenyl phosphate Sodium phytate Triethyl phosphate
29.20	2- <i>sec</i> Butyl-4,6-dinitrophenyl <i>isopropyl</i> carbonate Diallyl digol dicarbonate Di-(4- <i>tert</i> butylcyclohexyl) peroxydicarbonate Diethyl pyrocarbonate Diphenyl carbonate Ethylene carbonate Propylene carbonate
29.21	<i>O</i> -4-Bromo-2,5-dichlorophenyl <i>OO</i> -diethyl phosphorothioate <i>O</i> -4-Bromo-2,5-dichlorophenyl <i>OO</i> -dimethyl phosphorothioate <i>O</i> -2,4-Dichlorophenyl <i>OO</i> -diethyl phosphorothioate <i>OO</i> -Diethyl <i>O</i> -4-nitrophenyl phosphorothioate <i>OO</i> -Diethyl phosphorochloridothioate 1,3-Di-(4-methyl-1,3,2-dioxaborinan-2-yloxy)- <i>n</i> -butane <i>OO</i> -Dimethyl <i>O</i> -3-methyl-4-nitrophenyl phosphorothioate <i>OO</i> -Dimethyl <i>O</i> -4-nitrophenyl phosphorothioate <i>OO</i> -Dimethyl <i>O</i> -2,4,5-trichlorophenyl phosphorothioate Di-(4,4,6-trimethyl-1,3,2-dioxaborinan-2-yl) oxide 1,9,10,11,12,12-Hexachloro-4,6-dioxa-5-thiatricyclo[7,2,1,0 ^{2,8}]dodec-10-ene 5-oxide Phenyl phosphorodichloridate 4,4'- <i>iso</i> Propylidenedicyclohexyl di-(4-[1-(4-hydroxycyclohexyl)-1-methylethyl]cyclohexyl phenyl phosphite) Tri-(2-ethylhexyl) phosphite Triethyl phosphite Trimethyl phosphite
29.22	Allylamine 2-Aminobiphenyl 4-Aminobiphenyl 6-Aminochrysene (I.U.P.A.C. numbering) <i>N</i> -2-Amino-3,5-dibromobenzyl- <i>N</i> -cyclohexylmethylammonium chloride 4-Amino-1-diethylamino- <i>n</i> -pentane 2-Amino-4,4'-dinitrobiphenyl 4-Aminodiphenylamine 3-Aminomethyl-3,5,5-trimethylcyclohexylamine 8-Aminonaphthalene-1-sulphonic acid 8-Aminonaphthalene-2-sulphonic acid Amitriptyline embonate Amitriptyline hydrochloride Benzidine Benzidine hydrochloride Benzphetamine hydrochloride 2-Bromo-5-trifluoromethylaniline 4-Bromo-2-trifluoromethylaniline 4-Bromo-3-trifluoromethylaniline <i>n</i> -Butylamine <i>iso</i> Butylamine <i>sec</i> Butylamine <i>tert</i> Butylamine

<i>Tariff Heading</i>	<i>Description</i>
29.22	2-Chloro- <i>NN</i> -diethyl-4-nitroanilinium chloride zinc chloride
	<i>N</i> -3-Chloropropyl-dimethylammonium chloride, solid
	2-Chloro-5-trifluoromethylaniline
	4-Chloro-2-trifluoromethylaniline
	4-Chloro-3-trifluoromethylaniline
	Cyclohexylamine (until 4th May 1971)
	4-Cyclohexylaminodiphenylamine
	3-Cyclohexylaminopropylamine
	<i>N</i> -Cyclohexyldimethylamine
	<i>N</i> -Cyclohexylmethylamine
	Cyclopentamine hydrochloride
	Cyclopentamine 2-(4-hydroxybenzoyl)benzoate
	(Cyclopropylmethyl)ammonium chloride
	<i>N-n</i> -Decyldimethylamine
	Diallylamine
	1,3-Diaminocyclohexane
	1,12-Diaminododecane
	1,7-Diaminoheptane
	Di-(4-amino-3-methylcyclohexyl)methane
	1,8-Diaminonaphthalene
	1,2-Diaminopropane
	1,3-Diaminopropane
	Di-(3-aminopropyl)amine
	2,4-Diaminotoluene
	1,6-Diaminotrimethylhexane, mixed 2,2,4- and 2,4,4- isomers
	$\alpha\alpha'$ -Diaminoxylene, mixed isomers
	Diamylamine, mixed isomers
	6,8-Dianilinonaphthalene-1-sulphonic acid
	2,6-Dibromoaniline
	Di- <i>n</i> -butylamine
	2,4-Dichloroaniline
	3,4-Dichloroaniline
	2,4-Dichlorobenzylamine
	3,4-Dichlorobenzylamine
	4,5-Dichloro- <i>o</i> -phenylenediamine
	Dicyclohexylamine
	<i>NN'</i> -Dicyclohexyl- <i>p</i> -phenylenediamine
	1,3-Di(dimethylamino)- <i>n</i> -butane
	1,4-Di(dimethylamino)butane
	<i>NN'</i> -Di-(1,4-dimethylpentyl)- <i>p</i> -phenylenediamine
	2-Diethylaminoethylamine
	3-Diethylaminopropylamine
	<i>NN'</i> -Di-(1-ethyl-3-methylpentyl)- <i>p</i> -phenylenediamine
	<i>NN</i> -Diethyl- <i>p</i> -phenylenediamine
	2-Dimethylaminoethylamine
	3-Dimethylaminopropylamine
	3-Dimethylaminopropyne
	<i>NN'</i> -Di-(1-methylheptyl)- <i>p</i> -phenylenediamine
	<i>NN</i> -Dimethyl- <i>n</i> -octylamine
	<i>NN</i> -Dimethyl- <i>p</i> -phenylenediamine
	6,10-Dimethyl-2,6,10,14-tetra-azapentadecane
	<i>NN</i> -Dimethyl- <i>n</i> -tetradecylamine
	2,6-Dinitro- <i>NN</i> -di- <i>n</i> -propyl-4-trifluoromethylaniline
	Di- <i>n</i> -octylamine
	Di- <i>n</i> -propylamine
	Diisopropylamine
	<i>N-n</i> -Dodecyldimethylamine
	Ethamsylate
	2-Ethylaniline

<i>Tariff Heading</i>	<i>Description</i>
29.22	<i>N</i> -Ethylaniline
	<i>N</i> -Ethyl-di-(3-phenylpropyl)ammonium dihydrogen citrate
	<i>N</i> -Ethyl-1-naphthylamine
	<i>N</i> -Ethyl- <i>m</i> -toluidine
	Fencamfamin hydrochloride
	Fenfluramine hydrochloride
	2-Fluoroaniline
	4-Fluoroaniline
	2-Fluoro-5-trifluoromethylaniline
	4-Fluoro-2-trifluoromethylaniline
	<i>n</i> -Heptylamine
	<i>n</i> -Hexylamine
	Mephentermine
	3-Methylaminopropylamine
	<i>N</i> -Methylaniline
	3-Methylbenzylamine
	1-Methylheptylamine
	<i>N</i> -1-Methylheptyl- <i>N'</i> -phenyl- <i>p</i> -phenylenediamine
	<i>N</i> -Methyl-1-methylprop-2-ynylamine
	<i>N</i> -(2-Methyl-2-nitropropyl)-4-nitrosoaniline
	<i>N</i> -Methyltaurine
	<i>N</i> -Methyltaurine, sodium salt
	1-Naphthylamine
	2-Naphthylamine
	4-Nitroaniline (until 1st July 1971)
	4-Nitrodiphenylamine
	4-Nitro- <i>m</i> -phenylenediamine
	<i>n</i> -Octylamine
	Pargyline hydrochloride
	<i>NNN'N'N''</i> -Pentamethyldiethylenetriamine
	<i>n</i> -Pentylamine
	<i>iso</i> Pentylamine
	Phentermine
	<i>m</i> -Phenylenediamine
	<i>p</i> -Phenylenediamine
	<i>p</i> -Phenylenediamine dihydrochloride
	(±)-1-Phenylethylamine
	Prenylamine lactate
	<i>n</i> -Propylamine
	<i>iso</i> Propylamine
	(-)-Propylhexedrine hydrochloride
	Protriptyline hydrochloride
	Sodium 4-aminonaphthalene-1-sulphonate
	Sodium <i>N</i> -benzylsulphanilate
	Spermidine
	Spermidine trihydrochloride
	Taurine
	3,4,3',4'-Tetra-aminobiphenyl tetrahydrochloride
	Tetraethylenepentamine (until 1st July 1971)
	5,6,7,8-Tetrahydro-1-naphthylamine
	1,2,3,4-Tetrahydro-2-naphthylamine
	5,6,7,8-Tetrahydro-2-naphthylamine
	<i>o</i> -Tolidine
	<i>o</i> -Tolidine dihydrochloride
	<i>m</i> -Tolidine dihydrochloride
	<i>m</i> -Tolidine di(hydrogen sulphate)
	Tolpropamine hydrochloride
	8- <i>p</i> -Toluidinonaphthalene-1-sulphonic acid
	Triallylamine
	2,4,5-Trichloroaniline
	Tri- <i>n</i> -decylamine

<i>Tariff Heading</i>	<i>Description</i>
29.22	Triethylammonium 3 β ,17 β -dihydroxyandrost-5-en-17 α -ylpropiolate Triethylenetetramine (until 1st July 1971) 2-Trifluoromethylaniline 4-Trifluoromethylaniline Tri- <i>n</i> -hexylamine Tri- <i>n</i> -octylamine Tri- <i>n</i> -pentylamine Triisopentylamine Tri- <i>n</i> -propylamine 2,3-Xylidine 2,5-Xylidine 3,4-Xylidine
29.23	D-Alanine L-Alanine DL-Alanine 4-Aminoacetophenone 7-(4-Aminoanilino)-4-hydroxynaphthalene-2-sulphonic acid 3-Aminobenzoic acid 4-Aminobenzoic acid 2-Amino- <i>n</i> -butan-1-ol 4-Aminobutyric acid 5-Amino-2-chlorobenzoic acid 2-Amino-5-chlorobenzophenone 11-Aminoundecanoic acid 2-Amino-5,2'-dichlorobenzophenone 2-Amino-4,6-dichlorophenol 1-Amino-3-diethylaminopropan-2-ol L-2-Amino-3-(3,4-dihydroxyphenyl)-2-methylpropionic acid DL-2-Amino-3-(3,4-dihydroxyphenyl)-2-methylpropionic acid 2-Amino-1-(3,4-dihydroxyphenyl)propan-1-ol hydrochloride 2-(2-Aminoethoxy)ethanol 2-Aminoethyl dihydrogen phosphate N-(2-Aminoethyl)ethanolamine 2-Amino-2-ethylpropane-1,3-diol 6-Aminohexanoic acid 6-Amino-4-hydroxynaphthalene-2-sulphonic acid 2-Amino-2-methylpropane-1,3-diol 2-Amino-2-methylpropan-1-ol 5-Amino-1-naphthol 3-Amino-2-naphthol 2-Amino-5-nitrophenol (-)-2-Amino-1-(4-nitrophenyl)propane-1,3-diol 3-Aminophenol 4-Aminophenol 4-Aminophenylacetic acid (+)-2-Aminopropan-1-ol 3-Aminopropan-1-ol 3-Aminopropionic acid 4-Aminosalicylic acid (-COOH at 1) 5-Aminosalicylic acid (-COOH at 1) Amylocaine hydrochloride 7-Anilino-4-hydroxynaphthalene-2-sulphonic acid <i>m</i> -Anisidine Anthranilic acid L-Aspartic acid DL-Aspartic acid Bamethan sulphate Benzocaine (-)-2-Benzylaminopropan-1-ol

Tariff Heading	Description
29.23	(±)-2-Benzylaminopropan-1-ol
	Butacaine sulphate
	2- <i>tert</i> Butylaminoethyl methacrylate
	Calcium 3-aminopropionate
	Calcium 4-aminosalicylate (–COOH at 1)
	7-(4-Carboxymethoxyanilino)-4-hydroxynaphthalene-2-sulphonic acid
	Chlophedianol
	Chlophedianol hydrochloride
	5-Chloro- <i>o</i> -anisidine (–NH ₂ at 1)
	5-Chloroanthranilic acid (–COOH at 1)
	3-Chloro-4-(4-chlorophenoxy)aniline
	4-Chloro-2,5-dimethoxyaniline (until 1st July 1971)
	4-(4-Chlorophenoxy)aniline
	3-Chloro-6-phenoxyaniline
	Chlorphenoxamine hydrochloride
	Clorprenaline hydrochloride
	2,4-Diaminoanisole
	2,4-Diaminoanisole <i>monosulphate</i>
	1,2-Diaminocyclohexane- <i>NNN'N'</i> -tetra-acetic acid
	1,3-Diaminopropan-2-ol
	1,3-Diaminopropan-2-ol- <i>NNN'N'</i> -tetra-acetic acid
	3,9-Di-(3-aminopropyl)-2,4,8,10-tetraoxaspiro[5,5]undecane
	<i>o</i> -Dianisidine
	<i>o</i> -Dianisidine dihydrochloride of a purity not greater than 98.5 per cent.
	1,15-Diaza-5,8,11-trioxapentadecane
	2,6-Di- <i>tert</i> butyl-4-dimethylaminomethylphenol
	3,3'-Di(carboxymethoxy)benzidine, dipotassium salt
	6,6'-Dichloro- <i>o</i> -dianisidine
	1,2-Di[di-(2-hydroxy- <i>n</i> -propyl)amino]ethane
	Di-(2-dimethylaminoethyl) ether
	2,2-Diethoxyethylamine
	2-Diethylaminoethyl 4-amino-2- <i>n</i> -propoxybenzoate <i>monohydrochloride</i>
	2-Diethylaminoethyl diphenylacetate hydrochloride
	3-Diethylaminophenol
	3-Diethylaminopropan-1-ol
	5,5'-Dihydroxy-2,2'-dinaphthylamine-7,7'-disulphonic acid
	3-(3,4-Dihydroxyphenyl)-L-alanine
	3-(3,4-Dihydroxyphenyl)-DL-alanine
	2-(3,4-Dihydroxyphenyl)ethylammonium chloride
	2,5-Dimethoxyaniline (until 1st July 1971)
	<i>N</i> -2,2-Dimethoxyethylmethylamine
	1-(3,4-Dimethoxyphenyl)-1-dimethylamino-4-phenylbutane hydrochloride
	2-(3,4-Dimethoxyphenyl)ethylamine
	β -Dimethylaminoisobutyrophenone hydrochloride
	2-Dimethylaminoethyl methacrylate
	6-Dimethylaminomethyl-2,5-xyleneol hydrochloride (–OH at 1)
	1-Dimethylaminopropan-2-ol
	3-(3-Dimethylaminopropyl)-1,2:4,5-dibenzocycloheptadien-3-ol
	1,4-Di-(2,4,6-trimethylanilino)anthraquinone
	Embramine hydrochloride
	Ethomoxane hydrochloride
	Ethyl aminoacetate hydrochloride
	2-Ethylaminoethanol, of which not less than 90 per cent. by volume distils between 165° and 170° centigrade at normal pressure and which contains not more than 0.5 per cent. by weight of water
	Ethylenediamine- <i>NN'</i> -diacetic acid
	Ethylenediamine- <i>NN'</i> -diacetic acid, cobalt complex
	Ethylenediamine- <i>NN'</i> -di-[α -(2-hydroxyphenyl)acetic acid]
	Ethylenediamine- <i>NN'</i> -di-[α -(2-hydroxyphenyl)acetic acid], iron complex

<i>Tariff Heading</i>	<i>Description</i>
29.23	Ethylenediamine- <i>NNN'N'</i> -tetra-acetic acid, dicobalt complex
	D-Glucosamine hydrochloride
	Glutamic acid
	DL-Homoserine
	1-(4-Hydroxyphenyl)-2-methylaminoethanol hydrogen tartrate
	1-(4-Hydroxyphenyl)-2-methylaminoethanol tartrate
	Iopanoic acid
	Isatoic anhydride
	Isoetharine mesylate
	Isoxsuprine hydrochloride
	L-Leucine
	DL-Leucine
	L- <i>iso</i> Leucine
	DL- <i>iso</i> Leucine
	L- <i>nor</i> Leucine
	DL- <i>nor</i> Leucine
	Levopropoxyphene napsylate
	L-Lysine
	DL-Lysine dihydrochloride
	L-Lysine ethyl ester dihydrochloride
	L-Lysine L-glutamate
	L-Lysine <i>monohydrochloride</i>
	DL-Lysine <i>monohydrochloride</i>
	Lyxosamine
	Magnesium glutamate hydrobromide
	Mannomustine dihydrochloride
	Mebeverine hydrochloride
	Meclofenoxate hydrochloride
	Metaraminol hydrogen (+)-tartrate
	3-Methoxypropylamine
	6-Methoxy- <i>m</i> -toluidine (–NH ₂ at 1)
	2-Methylaminoethanol
	3-(3-Methylaminoprop-1-ynyl)-1,2:4,5-dibenzocycloheptadien-3-ol
	<i>N</i> -Methyldiethanolamine
	2,3,5,6,2',3',5',6'-Octachlorodi-(2-hydroxyethylamino)biphenyl
	Orciprenaline sulphate
	DL-Ornithine <i>monohydrochloride</i>
	Orphenadrine
	Orphenadrine dihydrogen citrate
	Orphenadrine hydrochloride
	Pentyl 4-dimethylaminobenzoate, mixed isomers
	5- <i>tert</i> Pentyl-2-phenoxyaniline
	<i>o</i> -Phenetidine
	<i>m</i> -Phenetidine
	<i>p</i> -Phenetidine
	L-3-Phenylalanine
	DL-3-Phenylalanine
	Potassium 4-aminosalicylate (–COOH at 1)
	Potassium dimethylaminoacetate
	Potassium 2-methylaminopropionate
	Procaine
	Procaine hydrochloride
	Protokylol hydrochloride
	Proxymetacaine <i>monohydrochloride</i>
	Sarcosine
	L-Serine
	DL-Serine
	Sodium 4-aminosalicylate (–COOH at 1)
	Sodium hydrogen glutamate
	L-Threonine

<i>Tariff Heading</i>	<i>Description</i>
29.23	DL-Threonine Thymoxamine hydrochloride <i>N</i> -[2-(α - <i>o</i> -Tolylbenzyloxy)ethyl]methylammonium chloride Tri-(2-hydroxy- <i>n</i> -propyl)amine <i>tri</i> Sodium nitrilotriacetate Trolnitrate phosphate Trometamol Tyramine hydrochloride L-Tyrosine DL-Tyrosine L-Valine DL-Valine DL- <i>nor</i> Valine
29.24	Benzethonium chloride Betaine Betaine hydrochloride Carbenoxolone, dicholine salt Cetalkonium chloride 1,3-Di(dimethylamino)propan-2-ol dimethiodide Edrophonium chloride <i>N</i> -2,3-Epoxypropyltrimethylammonium chloride Methylbenzethonium chloride Oxyphenonium bromide Tetraethylammonium chloride Tridihexethyl chloride
29.25	8-Acetamido-2-naphthol <i>O</i> -Acetyl-4'-chloro-3,5-di-iodosalicylanilide <i>N</i> -Acetyl-L-glutamine <i>N</i> -Acetyl-L-tyrosine Acrylamide Ambenonium chloride Ambucetamide 7-(4-Aminobenzamido)-4-hydroxynaphthalene-2-sulphonic acid 4-Aminohippuric acid L- α -Asparagine DL- α -Asparagine L- β -Asparagine Barbitone Barbitone sodium <i>N</i> -Benzoyl- <i>N</i> ' <i>N</i> '-di- <i>n</i> -propylisoglutamine <i>N</i> -Bromoacetamide Bucetin <i>N</i> -(<i>n</i> -Butoxymethyl)acrylamide <i>sec</i> Butylurea (until 1st July 1971) Carbachol <i>O</i> -Carbamoyl- β -methylcholine chloride Carbiphene hydrochloride Chloroacetamide 4-Chlorobut-2-ynyl 3-chlorophenylcarbamate <i>N</i> -5-Chloro-2-(4-chloro-2-sulphophenoxy)phenyl- <i>N</i> '-3,4-dichlorophenylurea 2-Chloro-2-diethylcarbamoyl-1-methylvinyl dimethyl phosphate α -Chloro-2',6'-diethyl- <i>N</i> -(methoxymethyl)acetanilide 11a-Chloro-5-hydroxytetracycline 6,12-hemiacetal <i>N</i> -4-(4-Chlorophenoxy)phenyl- <i>N</i> ' <i>N</i> '-dimethylurea α -Chloro- <i>N</i> -isopropylacetanilide <i>N</i> -(3-Chloro- <i>p</i> -tolyl)-2-methyl- <i>n</i> -valeramide

<i>Tariff Heading</i>	<i>Description</i>
29.25	Chlorphenesin carbamate
	<i>N</i> -Cyclo-octyl- <i>NN'</i> -dimethylurea
	Cyclopropanecarboxamide
	Diacrylamidomethane
	2,6-Dichlorobenzamide
	5,2'-Dichloro-2- α -chloroacetamidobenzophenone
	3',4'-Dichloromethacrylanilide
	3,3'-Dichloro-5-trifluoromethyl- <i>NN'</i> -diphenylurea
	4,4'-Dichloro-3-trifluoromethyl- <i>NN'</i> -diphenylurea
	<i>NN'</i> -Di-(4-chloro-3-trifluoromethylphenyl)urea
	1,2-Di(diacetylamino)ethane
	Diethylcarbamoyl chloride
	2-(2,5-Dihydroxybenzamido)ethanol
	Dimethylcarbamoyl chloride
	<i>NN'</i> -Dimethyl- <i>NN'</i> -dinitrosoterephthalamide
	<i>NN'</i> -Dimethyl- <i>N'</i> -3-trifluoromethylphenylurea
	<i>NN'</i> -Dimethylurea containing not more than 0.005 per cent. by weight of iron calculated as Fe
	3-(<i>NN'</i> -Dimethylureido)phenyl <i>tert</i> butylcarbamate
	Di-(4-phenoxycarbonylaminophenyl)methane
	Ethosalamide
	Ethotoin
	Ethyl <i>N</i> -3-(1,2:5,6-dibenzocycloheptatrien-7-yl)propylmethylcarbamate
	1-Ethyl-1-methylprop-2-ynyl carbamate
	Fluoroacetamide
	Formamide
	L-Glutamine
	DL-Glutamine
	<i>N</i> -Glycyl-L- β -asparagine
	<i>N</i> -Glycyl-DL- β -asparagine
	<i>N</i> -(Hydroxymethyl)acrylamide
	1-Hydroxymethyl-5,5-dimethylhydantoin, solid
	Iocetamic acid
	Iodipamide, dimeglumine salt
	Iodoacetamide
	Iothalamic acid
	Isopropamide iodide
	Mebutamate
	Methacrylamide
	Methohexitone
	Methyl 4-acetamido-2-ethoxybenzoate
	Methyl 4-acetamido-5-chloro-2-methoxybenzoate
	Methyl carbamate
	Methyl 3-(<i>m</i> -tolylcarbamoxyloxy)phenylcarbamate
	Metoclopramide dihydrochloride
	Metoclopramide <i>monohydrochloride</i>
	1-Naphthyl methylcarbamate
	Nealbarbitone
	Niclosamide
	Oxethazaine
	Phenytoin sodium
	Procainamide hydrochloride
	2- <i>iso</i> Propoxyphenyl methylcarbamate
	Sodium diatrizoate
	Styramate
	<i>N</i> -[2,2,2-Trichloro-1-(3,4-dichloroanilino)ethyl]formamide
	3,4,4'-Trichloro- <i>NN'</i> -diphenylurea (until 4th March 1971)
	5,3',4'-Trichlorosalicylanilide
	Tybamate
	<i>N</i> -Vanillyl- <i>n</i> -nonanamide
	Vinbarbitone sodium

<i>Tariff Heading</i>	<i>Description</i>
29.26	Acetamidinium chloride α -(4-Aminophenyl)- α -ethylglutarimide L-Arginine L-Arginine L-glutamate L-Arginine <i>monohydrochloride</i> <i>N</i> ^a -Benzoyl-DL-arginine 2-naphthylamide hydrochloride Creatine 3,5-Dichloro- <i>p</i> -benzoquinonechlorimine 1,2-Di-(1,3-dimethylbutylideneamino)ethane Di-[2-(1,3-dimethylbutylideneamino)ethyl]amine 1-(Di-[2-(1,3-dimethylbutylideneamino)ethyl]amino)- 3-phenoxypropane-2-ol Di-(2,6-diisopropylphenyl)carbodi-imine 3-Dimethylaminomethyleneaminophenyl methylcarbamate hydrochloride <i>n</i> -Dodecylguanidinium acetate <i>N</i> -(2-Ethylhexyl)bicyclo[2,2,1]hept-5-ene-2,3-dicarboxyimide <i>N</i> -Ethylmaleimide Glutethimide Guanidinium carbonate Guanidinium chloride †Guanidinium nitrate containing not more than 0.9 per cent. by weight of water 4-Guanidinobutyric acid Hexahydro-1,3,5-tri-(2-hydroxyethyl)-1,3,5-triazine Hexamine 3-chloroallylochloride Phenformin <i>monohydrochloride</i> <i>N</i> -Phosphonocreatine, sodium salt 3,4,5,6-Tetrahydrophthalimidomethyl 2,2-dimethyl-3- (2-methylprop-1-enyl)cyclopropanecarboxylate <i>NNN'</i> -Tetramethylguanidine
29.27	(—)-2-Acetamido-2-vanillylpropionitrile Benzonitrile <i>n</i> -Butyronitrile Chloroacetonitrile 3-Chlorophenylacetonitrile 4-Chlorophenylacetonitrile Cyanocyclopropane 3-Cyano-5-dimethylamino-2-methyl-3-phenylhexane 2-Cyanoethyl acrylate 3-Cyclohexylaminopropionitrile 2,6-Dichlorobenzonitrile 2,3-Dichloro-5,6-dicyanobenzoquinone <i>NN</i> -Di-2-cyanoethylformamide $\alpha\alpha'$ -Dicyano- <i>o</i> -xylene $\alpha\alpha'$ -Dicyano- <i>m</i> -xylene $\alpha\alpha'$ -Dicyano- <i>p</i> -xylene 4-Diethylaminobutyronitrile 2-Dimethylamino-2,2-diphenyl- <i>n</i> -valeronitrile 3-Dimethylaminopropionitrile *4,8-Dimethylnon-7-enonitrile 2,2-Dimethylpropionitrile Diphenylacetonitrile 4-Di- <i>n</i> -propylaminobutyronitrile 4-Diisopropylaminobutyronitrile Ethyl 2-cyano-3,3-diphenylacrylate Ethyl 2-cyano-3-ethoxyacrylate 2-Ethylhexyl 2-cyano-3,3-diphenylacrylate <i>n</i> -Hexanonitrile

<i>Tariff Heading</i>	<i>Description</i>
29.27	3-Hydroxypropionitrile Mandelonitrile Methacrylonitrile 2-Phenylpropionitrile Phthalonitrile Propionitrile Succinonitrile Tetracyanoethylene <i>o</i> -Tolunitrile <i>o</i> -Tolylacetonitrile <i>p</i> -Tolylacetonitrile Verapamil hydrochloride
29.28	4-Anilinophenyldiazonium hydrogen sulphate Azobenzene 4- <i>N</i> -Benzylethylaminophenyldiazonium zinc chloride 3,4-Dimethyl-6- <i>D</i> -ribitylaminoazobenzene Sodium 6-diazo-5-hydroxynaphthalene-1-sulphonate <i>tri</i> Sodium hydrogen 4,5-dihydroxy-3,6-di-(2-sulphophenylazo)- naphthalene-2,7-disulphonate 2,5,4'-Triethoxy-4-biphenyldiazonium zinc chloride
29.29	<i>p</i> -Benzoquinone dioxime <i>p</i> -Benzoquinone dioxime dibenzoate Benzylideneaminoguanidinium tartrate <i>N</i> -(4-Bromophenyl)- <i>N'</i> -methoxy- <i>N'</i> -methylurea Bufexamac 1-(2-Carboxyphenyl)-5-(2-hydroxy-5-sulphophenyl)-3-phenylformazan <i>N</i> -(4-Chlorobenzoyl)- <i>N</i> -(4-methoxyphenyl)hydrazine <i>N</i> -4-Chlorophenyl- <i>N'</i> -methoxy- <i>N'</i> -methylurea 2-Chloro-4,6-xylylhydrazinium chloride <i>O</i> - α -Cyanobenzylideneamino <i>OO</i> -diethyl phosphorothioate Cyclopropanecarboxyhydrazide Desferrioxamine Desferrioxamine hydrochloride Desferrioxamine mesylate 1,3-Di-(4-chlorobenzylideneamino)guanidinium chloride <i>N</i> -3,4-Dichlorophenyl- <i>N'</i> -methoxy- <i>N'</i> -methylurea Di(dimethylglyoximate)diammincobaltic nitrate <i>NN</i> -Diethylhydroxylamine Diethyl naphthalimido phosphate Di-(17 β -hydroxy-2 α ,17 α -dimethyl-5 α -androstan-3-ylidene)hydrazine <i>NN</i> -Dimethylhydrazine <i>N</i> -Hydroxyphthalimide Hydroxyurea Phenelzine hydrogen sulphate Pheniprazine <i>mono</i> hydrochloride Phenylhydrazine 1-Phenylsemicarbazide Procabazine hydrochloride
29.30	4- <i>tert</i> Butyl-2-chlorophenyl methyl methylphosphoramidate 1-Chloro-2- <i>isocyanatobenzene</i> 1-Chloro-3- <i>isocyanatobenzene</i> 1-Chloro-4- <i>isocyanatobenzene</i> 1-Chloro-2- <i>isocyanatoethane</i> <i>iso</i> Cyanatobenzene 5- <i>iso</i> Cyanato-3- <i>isocyanatomethyl</i> -1,1,3-trimethylcyclohexane <i>iso</i> Cyanatocyclohexane 1- <i>iso</i> Cyanato-4-fluorobenzene <i>iso</i> Cyanatomethane

<i>Tariff Heading</i>	<i>Description</i>
29.30	<p> <i>1-isoCyanatonaphthalene</i> <i>1-isoCyanato-n-octadecane</i> <i>1-isoCyanatopropane</i> 3-Cyano-5-dimethylamino-2-methyl-3-phenylhexane cyclamate 1,2-Dichloro-4-<i>isocyanatobenzene</i> 1,4-Dichloro-2-<i>isocyanatobenzene</i> Di-(4-<i>isocyanatocyclohexyl</i>)methane 4,4'-<i>Diisocyanato-3,3'</i>-dimethoxybiphenyl 4,4'-<i>Diisocyanato-3,3'</i>-dimethylbiphenyl 4,4'-<i>Diisocyanatodiphenylmethane</i> of a purity not less than 85 per cent. 1,6-<i>Diisocyanatohexane</i> 1,5-<i>Diisocyanatonaphthalene</i> 2,4-<i>Diisocyanatotoluene</i> <i>Diisocyanatotoluene</i>, mixed isomers, containing not more than 70 per cent. by weight of 2,4-<i>diisocyanatotoluene</i> Dimethylamine-borine Hexamethylphosphoramidate Tetra(dimethylamino)diboron 4,4,4'-<i>Triisocyanatotriphenylmethane</i> </p>
29.31	<p> <i>N-Acetyl-L-cysteine</i> <i>N-Acetyl-DL-methionine</i> Ambazone 2-Aminobenzenethiol Ammonium phenylhydrazinodithioformate Benzenethiol Bithionol <i>isoBornyl thiocyanatoacetate</i> Butane-1,4-dithiol <i>n-Butane-1-thiol</i> 4-<i>tert</i> Butylbenzenethiol Calcium 2-hydroxy-4-(methylthio)butyrate <i>S-Carboxymethylcysteine</i> Chlordantoin 2-Chloroallyl diethylthiocarbamate 4-Chlorophenylthiomethyl <i>OO</i>-diethyl phosphorodithioate L-Cystathionine DL-Cystathionine L-Cysteine L-Cysteine hydrochloride Cysteine methyl ester hydrochloride D-Cystine L-Cystine Dapsone, of a purity less than 99 per cent. <i>n-Decane-1-thiol</i> Di-(3-<i>tert</i> butyl-4-hydroxy-6-methylphenyl) sulphide Di-(2-carboxyphenyl) disulphide S-2,3-Dichloroallyl diisopropylthiocarbamate Di-(4-chlorophenyl) sulphone 2,5-Dichlorophenylthiomethyl <i>OO</i>-diethyl phosphorodithioate 2,6-Dichlorothiobenzamide Di-(2-cyanoethyl) sulphide 2-Diethylaminoethanethiol hydrochloride <i>OO</i>-Diethyl 2-ethylthioethyl phosphorodithioate <i>OO</i>-Diethyl <i>O</i>-2-ethylthioethyl phosphorothioate Diethyl <i>S</i>-2-ethylthioethyl phosphorothioate <i>OO</i>-Diethyl ethylthiomethyl phosphorodithioate Di-(2-ethylhexyl) 4,4'-thiodibutyrate Diethyl sulphide (until 2nd September 1971) Di-(2-hydroxyethyl) sulphide Di-(6-hydroxy-2-naphthyl) disulphide </p>

<i>Tariff Heading</i>	<i>Description</i>
29.31	Di-(4-hydroxyphenyl) sulphone having a melting point not less than 236° centigrade
	Dimercaprol
	Dimethyl disulphide
	Dimethyl S-2-(1-methylcarbamoylthio)ethyl phosphorothioate
	OO-Dimethyl methylcarbamoylmethyl phosphorodithioate
	OO-Dimethyl phthalimidomethyl phosphorodithioate
	Dimethyl sulphide
	Dimethyl sulphoxide
	Dimethylxanthogen disulphide
	Di-(4-nitrophenyl) disulphide
	1,4-Dioxan-2,3-dithiol di-(OO-diethyl phosphorodithioate)
	Diphenyl disulphide
	Diphenyl sulphide
	Diphenyl sulphone
	NN'-Diphenylthiourea
	3,6-Dithiaoctane-1,8-diol
	Dithiocyanatomethane having a melting point not less than 100° centigrade (until 4th March 1971)
	Dithizone of a purity not less than 99·0 per cent. which yields not more than 0·20 per cent. by weight of sulphated ash
	Di(trichloromethyl) sulphone
	Dodecanethiol, mixed isomers
	Ethane-1,2-dithiol
	Ethanethiol
	D-Ethionine
	L-Ethionine
	DL-Ethionine
	Ethylcarbamoylmethyl OO-dimethyl phosphorodithioate
	S-Ethyl di-n-propylthiocarbamate
	Ethylene-1,2-di-(NN'-dimethylthiuram disulphide)
	Ethyl methyl sulphide
	O-2-Ethylthioethyl OO-dimethyl phosphorothioate
	S-2-Ethylthioethyl dimethyl phosphorothioate
	Glutathione
	Glutathione disulphide
	Glutathione, monosodium salt
	N-Glycyl-DL-methionine
	Hexane-1,6-dithiol
	n-Hexane-1-thiol
	DL-Homocysteine
	2-Mercaptoisobutyric acid
	2-Mercaptoethanol
	2-Mercaptoethylammonium chloride
	3-Mercaptopropane-1,2-diol
	2-Mercaptopropionic acid
	3-Mercaptopropionic acid
	Mercaptosuccinic acid
	Methanethiol
	Methionine
	2-Methoxyethylcarbamoylmethyl OO-dimethyl phosphorodithioate
	5-(1-Methylbutyl)-5-(2-methylthioethyl)-2-thiobarbituric acid, sodium derivative
	2-Methyl-2-(methylthio)propionaldehyde O-(methylcarbamoyl)oxime
	Methyl phenyl sulphide
	2-Methylpropane-2-thiol
	Methylsulphonal
	4-(Methylthio)-3,5-xylol methylcarbamate
	1-Naphthylthiourea
	Noxythiolin
	n-Octane-1-thiol

<i>Tariff Heading</i>	<i>Description</i>
29.31	Pentachlorobenzenethiol <i>n</i> -Pentane-1-thiol Potassium ethylxanthate Potassium <i>n</i> -pentylxanthate Propane-1,3-dithiol Propane-1-thiol Propane-2-thiol <i>S-n</i> -Propyl <i>n</i> -butylethylthiocarbamate Sodium <i>sec</i> butylxanthate Sodium ethylxanthate Sodium <i>isopropyl</i> xanthate Sodium toluene-4-sulphinat Sulphonal 2,4,5,4'-Tetrachlorodiphenyl sulphide 2,4,5,4'-Tetrachlorodiphenyl sulphone <i>N</i> -(1,1,2,2-Tetrachloroethanesulphenyl)cyclohex-4-ene-1,2-dicarboxy- imide <i>OO'O'</i> -Tetraethyl methylene di(phosphorodithioate) Thioacetamide Thioacetanilide Thioacetic acid Thiobarbituric acid Thiocarlide <i>iso</i> Thiocyanatobenzene <i>iso</i> Thiocyanatomethane Thiodiacetic acid Thiomesterone Thiourea Tolnaftate Toluene-2-thiol, mixed isomers Toluene-2-thiol <i>S</i> -2,3,3-Trichloroallyl <i>diisopropyl</i> thiocarbamate Trichloromethanesulphenyl chloride <i>N</i> -(Trichloromethanesulphenyl)cyclohex-4-ene-1,2-dicarboxyimide <i>N</i> -(Trichloromethanesulphenyl)phthalimide Zinc di-(2-benzamidophenyl sulphide) Zinc di(pentachlorophenyl sulphide) Zinc propylenebisdithiocarbamate
29.32	<i>o</i> -Arsanilic acid <i>p</i> -Arsanilic acid Bismuth <i>N</i> -glycollylarsanilate Cacodylic acid Phenylarsonic acid Sodium cacodylate <i>di</i> Sodium methylarsonate
29.33	4-Chloromercuribenzoic acid of a purity of not less than 98 per cent. and a melting point of not less than 278° centigrade 3,2-Mercurioxy-4-nitrotoluene Methylmercury hydroxide
29.34	Allyltrichlorosilane 3-Aminopropyltriethoxysilane 3-Aminopropyltrimethoxysilane <i>n</i> -Butyl-lithium <i>sec</i> Butyl-lithium 3-Chloropropyltrimethoxysilane <i>Diisobutyl</i> aluminium hydride Dicyclopentadienyliron Diethyl di-(2-hydroxyethyl)aminomethylphosphonate Dimethyl 2,2,2-trichloro-1-hydroxyethylphosphonate

<i>Tariff Heading</i>	<i>Description</i>
29.34	Diphenyldichlorosilane Diphenylsilanediol 2-(3,4-Epoxy cyclohexyl)ethyltrimethoxysilane O-Ethyl phenyl ethylphosphonodithioate 3-Glycidyoxypropyltrimethoxysilane 1-Hydroxyethylidenediphosphonic acid 3-Methacryloyloxypropyltrimethoxysilane Methylcyclopentadienylmanganese tricarbonyl Methylphosphonothioic dichloride Methylphosphonous dichloride Methylvinylchlorosilane Molybdenum hexacarbonyl Nitrilotri(methylphosphonic acid) Octaphenylcyclotetrasiloxane Phenylphosphinic acid Phenyltrichlorosilane <i>penta</i> Sodium hydrogen nitrilotri(methylphosphonate) Sodium tetraphenylborate Tetramethylsilane Tri- <i>n</i> -butylaluminium Tri- <i>n</i> -butyl-2,4-dichlorobenzylphosphonium chloride Tricyclohexyltin hydroxide Triphenylphosphine Triphenyltin acetate Triphenyltin hydroxide Tungsten hexacarbonyl Vinyltrichlorosilane Vinyltriethoxysilane Vinyltri-(2-methoxyethoxy)silane
29.35	Acetpromazine hydrogen maleate Acetoguanamine 2-Acetothenone 2-Acetylbenzofuran 2-Acetyl-1,4-butyrolactone 3-Acetyl-2,4-dimethylpyrrole <i>N</i> -Acetylhistamine 3-Acetylidole 5-Acetylidoline 3-Acetylpyridine 4-Acetylpyridine <i>N</i> ^α -Acetyl-DL-tryptophan Acridine Acridone Adenine Adenine sulphate Adenosine Adenosine 3'-(dihydrogen phosphate) Adenosine 5'-(dihydrogen phosphate) Adenosine 5'-(dilithium hydrogen pyrophosphate) Adenosine 5'-(disodium dihydrogen triphosphate) Adenosine 5'-(tetrahydrogen triphosphate) Adenosine 5'-(tetrasodium triphosphate) Adenosine 5'-tosylate Adenosine 5'-(trilithium pyrophosphate) Adenosine 5'-(trisodium pyrophosphate) <i>S</i> -Adenos-5'-yl-L-methionine iodide 2-Allyloxy pyridine Ambrettolide 2-Aminobenzothiazole 2-Aminobenzothiazole-6-carboxylic acid

<i>Tariff Heading</i>	<i>Description</i>
29.35	<i>N</i> ^a -4-Aminobutyryl-L-histidine sulphate
	5-Amino-4-chloro-2-phenylpyridazin-3-one
	4-Amino-5-cyano-2-methylpyrimidine
	5-Amino-1-di(dimethylamino)phosphinyl-3-phenyl-1,2,4-triazole
	5-Amino-3,4-dimethylisooxazole
	4-Amino-2,6-dimethylpyrimidine
	2-(1-Aminoethyl)-3,4-di(hydroxymethyl)furan hydrochloride
	4-Amino-5-methoxymethyl-2- <i>n</i> -propylpyrimidine
	5-Amino-3-methyl-1-phenylpyrazole
	2-Amino-4-methylpyrimidine
	3-(4-Amino-2-methyl-5-pyrimidyl)methyl-5-(2-hydroxyethyl)-4-methylthiazoline-2-thione
	3-Amino-5-morpholinomethyl-2-oxazolidone
	3-Amino-2-oxazolidone sulphate
	6-Aminopenicillanic acid
	4-Aminophenazone
	5-Amino-1-phenylpyrazole
	3-Amino-1-phenyl-5-pyrazolone
	6-Amino-2-picoline
	2-Amino-3-picoline
	2-Amino-4-picoline
	1-(4-Amino-2- <i>n</i> -propyl-5-pyrimidylmethyl)-2-picolinium chloride <i>monohydrochloride</i>
	Aminopterin
	2-Aminopyridine (until 4th March 1971)
	4-Aminopyridine
	2-Aminopyrimidine
	2-Aminothiazole
	3-Amino-1,2,4-triazole
	Ammonium hydrogen 7-oxabicyclo[2,2,1]heptane-2,3-dicarboxylate
	<i>di</i> Ammonium 7-oxabicyclo[2,2,1]heptane-2,3-dicarboxylate
	Angiotensin amide
	<i>D-iso</i> Ascorbic acid
	8-Aza-adenine
	Azapetine dihydrogen phosphate
	6-Azauridine
	Aziridine
	Bamipine <i>monohydrochloride</i>
	3,4-Benzacridine
	2-[2-(4-Benzhydrylpiperazin-1-yl)ethoxy]ethanol dihydrochloride
	2-[2-(4-Benzhydrylpiperazin-1-yl)ethoxy]ethanol-4,4'-methylenedi-(3-hydroxy-2-naphthoate)
	2-Benzhydrylpyridine
	3-Benzhydrylpyridine
	4-Benzhydrylpyridine
	Benzimidazole
	Benziodarone
	Benzoguanamine
	5,6-Benzoquinoline
	<i>N</i> -Benzothiazol-2-yl- <i>NN'</i> -dimethylurea
	6-Benzylaminopurine
	5-Benzyl-3-furylmethanol
	5-Benzyl-3-furylmethyl (±)-chrysanthemate
	*5-Benzyl-3-furylmethyl (+)- <i>trans</i> chrysanthemate
	3-Benzyl-1-methyl-2- <i>n</i> -undecylimidazolium bromide
	Biperiden
	Biperiden hydrochloride
	4,4'-Biphenyldiyl-di-(2,5-diphenyltetrazolium chloride)
	2,2'-Biquinolyl
	Bisacodyl
	5-Bromo-3- <i>sec</i> butyl-6-methyluracil

<i>Tariff Heading</i>	<i>Description</i>
29.35	5-Bromo-2'-deoxycytidine
	5-Bromo-2'-deoxyuridine
	5-Bromoindole
	5-Bromoindole-3-aldehyde
	5-Bromo-6-methyl-3-isopropyluracil
	2-Bromothiophen
	5-Bromouracil
	Brompheniramine hydrogen maleate
	Buclizine dihydrochloride
	Bupivacaine hydrochloride
	Butalamine hydrochloride
	2- <i>n</i> -Butoxyethyl nicotinate
	2- <i>n</i> -Butoxypyridine
	<i>N-tert</i> Butylbenzothiazole-2-sulphenamide
	<i>tert</i> Butyl 1-(4-chlorobenzoyl)-5-methoxy-2-methylindol-3-ylacetate
	3- <i>tert</i> Butyl-5-chloro-6-methyluracil
	2-(3- <i>tert</i> Butyl-2-hydroxy-5-methylphenyl)-5-chlorobenzotriazole
	<i>tert</i> Butyl 5-methoxy-2-methylindol-3-ylacetate
	2- <i>iso</i> Butylquinoline
	6- <i>iso</i> Butylquinoline
	6- <i>tert</i> Butylquinoline
	Butylquinoline, mixed isomers
	1,4-Butyrolactone
	2-Carbamoyloxymethyl-1-methyl-5-nitroimidazole
	Carbinoxamine hydrogen maleate
	1-(Carboxymethyl)pyridinium chloride, pyridinium salt
	Chlordiazepoxide
	Chlordiazepoxide <i>monohydrochloride</i>
	1-(4-Chlorobenzyl)-2-methylbenzimidazole hydrochloride
	2-(4-Chlorobenzyl)pyridine
	6-Chloro-2-chloromethyl-4-phenylquinazoline 3-oxide hydrochloride
	5-Chloro-2-(3,5- <i>di-tert</i> butyl-2-hydroxyphenyl)-benzotriazole
	7-Chloro-10-(2-dimethylaminoethyl)dibenzo[<i>b,e</i>]-1,4-diazepin-11-one <i>monohydrochloride</i>
	0-3-Chloro-4-methylcoumarin-7-yl <i>OO</i> -diethyl phosphorothioate
	(6-Chloro-2-oxobenzoxazolin-3-yl)methyl <i>OO</i> -diethyl phosphorodithioate
	6-Chloropurine
	2-Chloropyridine
	Chloroquine sulphate (until 1st July 1971)
	2-Chloroquinoline
	Chlorprothixene
	Chlorthenoxazin
	Chlorzoxazone
	Cinnarizine
	(±)- <i>iso</i> Citric acid lactone
	Clorazepic acid, dipotassium salt
	Coccarboxylase
	Coenzyme A
	2,4,6-Collidine
	Creatinine
	Creatinine hydrochloride
	<i>o</i> -Cresolphthalein-6,6'-di(methylaminodiacetic acid)
	Cumetharol
	5-Cyanoindole
	3-Cyano-4-methoxymethyl-6-methyl-5-nitro-2-pyridone
	4-Cyano-1-methyl-4-phenylazacycloheptane
	2-Cyanophenothiazine
	Cyanuric acid
	Cyanuric chloride
	3-Cyclohexyl-1,2,3,4,6,7-hexahydro-2,4-dioxocyclopentapyrimidine

<i>Tariff Heading</i>	<i>Description</i>
29.35	Cyclomethycaine hydrogen sulphate
	2-Cyclopentyl-2-(2-thienyl)glycollic acid
	Cyproheptadine hydrochloride
	Cytidine
	Cytidine dihydrogen phosphate, mixed 2'- and 3'- isomers
	Cytosine
	Cytosine-1 β -D-arabinoside hydrochloride
	Debrisoquine sulphate
	Decahydro-4a-hydroxy-2,8,8-trimethyl-2-naphthoic acid lactone
	Dehydracetic acid of a purity not less than 96 per cent.
	2'-Deoxyadenosine
	2'-Deoxycytidine 5'-(disodium phosphate)
	2'-Deoxycytidine hydrochloride
	2'-Deoxyguanosine
	2'-Deoxyguanosine 5'-(disodium phosphate)
	2'-Deoxyuridine
	Dextromethorphan
	Dextromethorphan hydrobromide
	Dextromoramide hydrogen (+)-tartrate
	2,5-Diamino-7-ethoxyacridinium lactate
	2,6-Diaminopyridine
	Diamthazole
	1,4-Diazabicyclo[2,2,2]octane
	Diazepam
	Diazoxide
	Dibenzofuran
	<i>NN'</i> -Di(benzothiazol-2-ylthiomethyl)urea
	3,5-Dibenzyltetrahydro-1,3,5-thiadiazine-2-thione
	2-(3,5-Di- <i>tert</i> butyl-2-hydroxyphenyl)benzotriazole
	1-(2,3-Dichloroallyl)pyridinium chloride
	*1-[2-(2,4-Dichlorobenzyloxy)-2-(2,4-dichlorophenyl)ethyl]imidazolium nitrate
	3,5-Dichloro-4-hydroxylutidine
	Dichloro-1,3,5-triazinetrione
	Dichloro-1,3,5-triazinetrione, potassium derivative
	Dichloro-1,3,5-triazinetrione, sodium derivative
	1,3-Di-(3-isocyanato-4-methylphenyl)-1,3-diazacyclobutane-2,4-dione
	2,3-Dicyano-1,4-dithia-anthraquinone
	<i>NN</i> -Dicyclohexylbenzothiazole-2-sulphenamide
	5-(2-Diethylaminoethyl)-3-phenyl-1,2,4-oxadiazole dihydrogen citrate
	5-(2-Diethylaminoethyl)-3-phenyl-1,2,4-oxadiazole dihydrogen phosphate
	Diethyl phenyl-2-pyridylmethylmalonate hydrochloride
	2,4-Diethyl-6- <i>isopropoxy</i> -1,3,5-triazine
	<i>OO</i> -Diethyl <i>O</i> -pyrazin-2-yl phosphorothioate
	<i>OO</i> -Diethyl <i>O</i> -3,5,6-trichloro-2-pyridyl phosphorothioate
	*8-[4,4-Di-(4-fluorophenyl)butyl]-1-phenyl-1,3,8-triazaspiro[4,5]decan-4-one
	α -(4-[4,4-Di-(4-fluorophenyl)butyl]piperazin-1-yl)acet-2',6'-xylidide
	1-(1-[4,4-Di-(4-fluorophenyl)butyl]-4-piperidyl)benzimidazolin-2-one
	Dihydrallazine <i>monosulphate</i>
	4,5-Dihydro-2,3:6,7-dibenzazepine
	(\pm)-2,3-Dihydro-4-methyl-2-(2-methylprop-1-enyl)pyran
	Dihydronicotinamide-adenine dinucleotide, disodium salt
	Dihydronicotinamide-adenine dinucleotide phosphate, tetrasodium salt
	2,3-Dihydropyran
	3-(3 β ,17 β -Dihydroxyandrost-5-en-17 α -yl)propionic acid lactone
	2,4-Dihydroxyquinoline
	2,4-Dihydroxyquinoline, disodium derivative
	2,4-Dihydroxyquinoline, <i>monosodium</i> derivative
	Dimethindene hydrogen maleate

<i>Tariff Heading</i>	<i>Description</i>
29.35	Dimethisoquin <i>monohydrochloride</i>
	Dimethoxanate <i>monohydrochloride</i>
	11-(3-Dimethylaminopropylidene)-6,11-dihydrodibenz[<i>b,e</i>]oxepin hydrochloride
	11-(3-Dimethylaminopropylidene)-6,11-dihydrodibenzo[<i>b,e</i>]thiepin hydrochloride
	5,6-Dimethylbenzimidazole
	<i>OO</i> -Dimethyl morpholinocarbonylmethyl phosphorodithioate
	<i>OO</i> -Dimethyl 4-oxobenzotriazin-3-ylmethyl phosphorodithioate
	3,6-Dimethyl-1-phenylphosphhepan
	2,3-Dimethyl-1-phenyl-4- <i>isopropyl</i> -5-pyrazolone
	4,4-Dimethyl-1-phenyl-3-pyrazolidone
	2,5-Dimethylpyrazine
	2,4-Dimethylthiophan 1,1-dioxide
	2,6-Dimethyl-4- <i>n</i> -tridecylmorpholine
	1,5-Di-(5-nitro-2-furyl)pentadien-3-one amidinohydrazone hydrochloride
	Diosgenin
	Diperodon
	Diperodon hydrochloride
	Diphenoxarsin-10-yl oxide
	Diphenoxylate hydrochloride
	Diphenylpyraline hydrochloride
	<i>NN</i> -Diisopropylbenzothiazole-2-sulphenamide
	Di- <i>n</i> -propyl pyridine-2,5-dicarboxylate
	Dipyridamole
	1,3-Di-(2-pyridylimino) <i>isoindoline</i>
	Dipyrone
	Di(pyrrobutamine) napadisylate
	Distigmine bromide
	Dithiazanine iodide
	*1,12-Dodecanolactam
	Dropropizine
	Ellagic acid
	Ethionamide
	2-Ethoxy-3,4-dihydropyran
	7-Ethoxy-4-methylcoumarin
	2-Ethylamino-4-methylthio-6- <i>isopropylamino</i> -1,3,5-triazine
	Ethyl 6,7- <i>diisobutoxy</i> -4-hydroxyquinoline-3-carboxylate
	2-Ethyl-3-hydroxy-4-pyrone
	Ethyl 7-methyl-4-oxo-1,8-naphthyridine-3-carboxylate
	<i>N</i> -Ethyl- <i>N'</i> -(5-nitrothiazol-2-yl)urea
	5-Ethyl-2-picoline
	2-Ethylpiperidine
	Fentanyl
	Fentanyl dihydrogen citrate
	Flavin-adenine dinucleotide
	Fluanisone
	Flupromazine <i>monohydrochloride</i>
	Fluorescein-2',7'-di(methylaminodiacetic acid)
	1-[3-(4-Fluorobenzoyl)propyl]-4-hydroxy-4-(3-trifluoromethylphenyl)piperidine
	1-[3-(4-Fluorobenzoyl)propyl]-4-hydroxy-4-(3-trifluoromethylphenyl)piperidinium chloride
	1-(1-[3-(4-Fluorobenzoyl)propyl]-4-piperidyl)-benzimidazolin-2-one hydrochloride
	1-(1-[3-(4-Fluorobenzoyl)propyl]-1,2,3,6-tetrahydro-4-pyridyl)benzimidazolin-2-one
	4'-Fluoro-4-[4-(2-pyridyl)piperazin-1-yl]butyrophenone
	5-Fluorouracil
	Fluphenazine <i>O-n</i> -decanoate

<i>Tariff Heading</i>	<i>Description</i>
29.35	Fluphenazine dihydrochloride
	Furan
	Furfuraldehyde
	3-(2-Furyl)acrylic acid
	D-Glucuronolactone
	Glycine-6-hydroxy-2 <i>H</i> -pyridazin-3-one complex, sodium derivative
	Glycopyrronium bromide
	Guanethidine <i>monosulphate</i>
	2-Guanidinobenzimidazole
	Guanine
	Guanine hydrochloride
	Guanosine 3'-(dihydrogen phosphate)
	Guanosine 5'-(disodium phosphate)
	Haematoporphyrin
	Haematoporphyrin dihydrochloride
	Haloperidol
	Hecogenin
	Hecogenin acetate
	10-(3-[4-(2- <i>n</i> -Heptanoyloxyethyl)piperazin-1-yl]propyl)-2-trifluoromethylphenothiazine
	<i>N-n</i> -Hexadecyl- <i>N</i> -[2-(<i>N</i> -4-methoxybenzyl-2-pyrimidylamino)ethyl]dimethylammonium bromide
	1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6- <i>c</i>]pyran
	Hexahydroisonicotinamide
	Hexa(methoxymethyl)melamine
	1,6-Hexanolactam
	1,4- <i>n</i> -Hexanolactone
	1,6-Hexanolactone
	Hexetidine
	Hexocyclium methylsulphate
	2- <i>n</i> -Hexyl-1,4-butyrolactone
	Histamine acid phosphate
	Histamine di-(3,4-dichlorobenzenesulphonate)
	Histamine dihydrochloride
	L-Histidine
	L-Histidine <i>monohydrochloride</i>
	DL-Histidine <i>monohydrochloride</i>
	Hydrallazine hydrochloride
	2-Hydrazinobenzothiazole
	2-Hydroxycarbazole
	2-Hydroxycarbazole-3-carboxylic acid (until 1st July 1971).
	Hydroxychloroquine <i>monosulphate</i>
	1-(2-Hydroxyethyl)-2- <i>n</i> -nonylimidazoline
	3-Hydroxy-5-hydroxymethyl-4-methoxymethyl-2-picolinium chloride
	4-Hydroxy-1-methylpiperidine
	7-Hydroxy-7-(1-methyl-4-piperidyl)-1,2:5,6-dibenzocycloheptatriene hydrochloride
	8-Hydroxynaphth[1,2- <i>d</i>]imidazole
	2-(2-Hydroxyphenyl)benzotriazole
	4-Hydroxypiperidine
	L-Hydroxyproline
	3-Hydroxypyridine
	1-Hydroxypyridine-2-thione, sodium derivative
	5-(α -Hydroxy- α -2-pyridylbenzyl)-7-(α -2-pyridylbenzylidene)bicyclo[2,2,1]hept-5-ene-2,3-dicarboxyimide
	6-Hydroxyquinoline
	4-Hydroxy-3-(1,2,3,4-tetrahydro-1-naphthyl)coumarin
	4-Hydroxy-DL-tryptophan
	5-Hydroxy-DL-tryptophan
	Hydroxyzine dihydrochloride
	Hydroxyzine embonate

<i>Tariff Heading</i>	<i>Description</i>
29.35	Idoxuridine
	Imidazole
	Imidazol-1-ylacetic acid
	3-(Imidazol-4-yl)propionic acid
	Imperatorin
	Indole
	Indole-3-carboxylic acid
	Indole-5-carboxylic acid
	Indomethacin
	Inosine
	Inosine 5'-(disodium phosphate)
	Inosine 5'-(trisodium pyrophosphate)
	6-Iodopurine
	Iproniazid <i>monophosphate</i>
	Isatin
	Isocarboxazid
	Isoniazid
	Isothipendyl <i>monohydrochloride</i>
	Lepidine
	Leptazol
	Levallorphan hydrogen tartrate
	Levorphanol hydrogen tartrate
	2,3-Lutidine
	2,5-Lutidine
	3,4-Lutidine
	Maltol
	Mebhydrolin napadisylate
	Meclozine dihydrochloride
	Mepenzolate bromide
	2-Mercaptobenzimidazole
	6-Mercaptopurine
	Methapyrilene 2-(4-hydroxybenzoyl)benzoate
	Methdilazine <i>monohydrochloride</i>
	Methixene hydrochloride
	Methotrexate
	2-(Methoxycarbonylhydrazonomethyl)quinoxaline 1,4-dioxide
	5-Methoxyindole
	2-Methoxyphenothiazine
	α -(4-Methoxyphenyl)piperidinoacetamide
	α -(4-Methoxyphenyl)piperidinoacetonitrile
	α -(4-Methoxyphenyl)pyrrolidinoacetamide
	α -(4-Methoxyphenyl)pyrrolidinoacetonitrile
	8-Methoxypsoralen
	6-Methoxyquinoline
	Methyl 3-amino-5,6-dichloropyrazine-2-carboxylate
	6-Methylaminopurine
	2-Methylbenzoselenazole
	3-Methylbenzothiazolium toluene-4-sulphonate
	Methyl 1-(<i>n</i> -butylcarbamoyl)benzimidazol-2-ylcarbamate
	3-Methylchromone
	Methyl 7-diethylamino-4-hydroxy-6- <i>n</i> -propylquinoline-3-carboxylate
	6-Methyl-1,3-dithiolo[4,5- <i>b</i>]quinoxalin-2-one
	Methylenedi-(1,6-hexanolactam), mixed isomers
	2-Methylfuran
	1-Methylimidazol-4-ylacetic acid
	2-Methylindole
	1-Methylindole-2-carboxylic acid
	2-Methyl-4-nitroimidazole
	3-Methyl-1-(4-nitrophenyl)-5-pyrazolone
	Methyl phenidate <i>monohydrochloride</i>
	Methyl 1-(1-phenylethyl)imidazole-5-carboxylate hydrochloride

<i>Tariff Heading</i>	<i>Description</i>
29.35	6-Methylpicolinic acid
	1-Methylpiperazine
	3-(2-Methylpiperidino)propan-1-ol
	1-Methyl-4-piperidone
	<i>N</i> -Methyl-3-piperidylmethanol
	Methyl 2-pyridylacetate
	Methyl 4-pyridylacetate
	1-Methylpyrrole
	1-Methyl-2-pyrrolidone
	2-(4-Methylsulphonylphenyl)imidazo[1,2- <i>a</i>]pyridine
	2-Methylthiophen
	3-Methylthiophen
	6-Methyl-2-thiouracil
	4-Methylumbelliferone
	Methyprylone
	Metyrapone
	4-Morpholinobutyronitrile
	2-(Morpholinodithio)benzothiazole
	1-(2-Morpholinoethyl)-5-nitroimidazole
	<i>N</i> -(Morpholinomethyl)pyrazinecarboxamide
	α -Morpholinophenylacetamide
	α -Morpholinophenylacetonitrile
	3-Morpholino-1-phenyl-1-(2-thienyl)propan-1-ol methiodide
	3-Morpholinopropionitrile
	Nalidixic acid
	2-(1-Naphthyl)-5-phenyloxazole
	Nialamide
	<i>iso</i> Nicotinamide
	Nicotinamide-adenine dinucleotide
	Nicotinamide-adenine dinucleotide phosphate, <i>monosodium</i> salt
	Nicotinyl alcohol
	<i>iso</i> Nicotinyl alcohol
	Nifuratel
	Nitrazepam
	5-Nitroindole
	Nitron
	2-Nitrothiophen
	1,3,4,5,6,7,8,8-Octachloro-1,3,3a,4,7,7a-hexahydro-4,7-methano <i>is</i> benzofuran
	1,4,4a,4b,5,8,8a,8b-Octahydrodibenzofuran-4b-aldehyde
	1,8-Octanolactam
	7-Oxabicyclo[2,2,1]heptane-2,3-dicarboxylic acid
	12-Oxa-1,16-hexadecanolactone
	Oxazepam
	Oxymetazoline hydrochloride
	Oxyphencyclimine hydrochloride
	Oxyphenisatin diacetate
	Pancuronium bromide
	(-)-Pantolactone
	(\pm)-Pantolactone, which yields on hydrolysis not more than 5 parts per million by weight of cyanides calculated as CN
	Pemoline
	Pentachloropyridine
	1,15-Pentadecanolactone
	1,4- <i>n</i> -Pent-2-enolactone
	Penthienate hydrochloride
	Penthienate methobromide
	Phenazone
	Phenazopyridine <i>monohydrochloride</i>
	Phenbutrazate hydrochloride
	Pheniramine hydrogen maleate

<i>Tariff Heading</i>	<i>Description</i>
29.35	Phenmetrazine hydrochloride
	Phenodioxin
	Phenolphthalein, which satisfies the requirements of the British Pharmacopoeia
	Phenoperidine
	Phenoperidine hydrochloride
	Phenothiazine of a purity not less than 98 per cent., which contains not more than 0.0035 per cent. by weight of total iodine, and which yields not more than 0.05 per cent. by weight of sulphated ash
	2-Phenoxy pyridine
	Phenprocoumon
	Phentolamine <i>monomesylate</i>
	4-(<i>N</i> -Phenylamidino)thiazole hydrochloride
	Phenylbutazone
	2-Phenylcinchoninic acid
	2-Phenylindole
	1-Phenylphosphorinan
	α -Phenylpiperidinoacetamide
	α -Phenylpiperidinoacetonitrile
	4-(3-Phenylpropyl)pyridine
	α -Phenylpyrrolidinoacetamide
	2-Picoline
	3-Picoline
	4-Picoline
	Picoline, mixed isomers
	Picolinic acid
	Pipazethate <i>monohydrochloride</i>
	Pipenzolate bromide
	4-Piperidinobutyronitrile
	2-Piperidinoethyl 3-methyl-4-oxo-2-phenylchromene-8-carboxylate hydrochloride
	Piperidolate hydrochloride
	Piritramide
	Potassium 4-amino-3,5,6-trichloropicolinate
	Potassium hydrogen 7-oxabicyclo[2,2,1]heptane-2,3-dicarboxylate
	<i>di</i> Potassium 7-oxabicyclo[2,2,1]heptane-2,3-dicarboxylate
	Pramoxine hydrochloride
	Prazepam
	L-Proline
	DL-Proline
	Prolintane hydrochloride
	Propantheline bromide
	1,3-Propiolactone
	Propiomazine hydrogen maleate
	2- <i>n</i> -Propylpyridine
	6- <i>n</i> -Propylthiouracil
	Prothionamide
	Prothipendyl <i>monohydrochloride</i>
	Pyrazinamide
	Pyrazole
	Pyridine
	Pyridine-2,3-dicarboxylic acid
	2-Pyridone
	3-Pyridylacetic acid
	2-Pyridylacetic acid hydrochloride
	4-Pyridylacetic acid hydrochloride
	3-Pyridylacetonitrile
	3-Pyridyl dimethylcarbamate
	1-(4-Pyridyl)pyridinium chloride
	Pyrimidine
	Pyritinol dihydrochloride

<i>Tariff Heading</i>	<i>Description</i>
29.35	Pyrrobutamine pentahydrogen diphosphate
	Pyrrolidine
	4-Pyrrolidinobutyronitrile
	2-Pyrrolidone
	3-Pyrroline
	Quinoline (until 1st July 1971)
	<i>iso</i> Quinoline
	Quinuronium sulphate
	Skatole
	Sodium <i>D-iso</i> ascorbate
	Sodium dehydracetate
	Sodium deoxyribonucleate
	<i>di</i> Sodium 7-oxabicyclo[2,2,1]heptane-2,3-dicarboxylate
	Sodium 2-phenylcinchoninate
	Sodium ribonucleate
	Sodium 6,8-thioctamidoacetate
	Spirolactone
	Tetrabenazine
	Tetrachlorothiophen
	Tetracosactide hexa-acetate
	Tetra(dichloro-1,3,5-triazinetrione)-trichloro- 1,3,5-triazinetrione complex, tetrapotassium derivative
	Tetrahydro-2,5-dimethoxyfuran
	Tetrahydro-3,5-dimethyl-1,3,5-thiadiazine-2-thione
	Tetrahydrofuran
	Tetrahydrofurfuryl alcohol
	Tetrahydro-2-methylfuran
	(+)-Tetrahydro-4-methyl-2-(2-methylprop-1-enyl)pyran
	(-)-Tetrahydro-4-methyl-2-(2-methylprop-1-enyl)pyran
	(±)-Tetrahydro-4-methyl-2-(2-methylprop-1-enyl)pyran
	1,4,5,6-Tetrahydro-1-methyl-2-[2-(3-methyl-2-thienyl)vinyl]pyrimidine tartrate
	Tetrahydro-4-methyl-6-ureido-2-pyrimidone
	2-(Tetrahydro-5-methyl-5-vinyl-2-furyl)propan-2-ol
	3-(Tetrahydro-2- <i>n</i> -pentyl-3-furyl)-1-[3-(tetrahydro-2- <i>n</i> -pentyl-3-furyl)propoxy]propan-1-ol
	(±)-2,3,5,6-Tetrahydro-6-phenylimidazo[2,1- <i>b</i>]thiazole
	2,3,5,6-Tetrahydro-6-phenylimidazo[2,1- <i>b</i>]thiazole hydrochloride
	Tetrahydrozoline <i>monohydrochloride</i>
	Thenyldiamine <i>monohydrochloride</i>
	Thiabendazole
	Thiethylperazine di(hydrogen maleate)
	6,8-Thioctamide
	5,8-Thioctic acid
	Thioguanine
	Thionaphthen
	Thioridazine
	Thioridazine <i>monohydrochloride</i>
	*Thiotepa
	Thioxolone
	Thymidine
	Thymine
	Thymolphthalein-2,2'-di(methylaminodiacetic acid)
	Tigogenin acetate
	Triallyl cyanurate
	Triaziridin-1-ylphosphine oxide
	2-(3-Trifluoromethylanilino)nicotinic acid
	4,4,4-Trifluoro-1-(2-thienyl)butane-1,3-dione
	Tri-(2-hydroxyethyl)-1,3,5-triazinetrione
	Trimetaphan <i>mono</i> -(+)-camphorsulphonate
	Trimetazidine dihydrochloride

<i>Tariff Heading</i>	<i>Description</i>
29.35	Tri-(2-methylaziridin-1-yl)phosphine oxide <i>NN'</i> -Trimethyleneurea Tripelennamine citrate Tripelennamine <i>monohydrochloride</i> Tryptamine hydrochloride L-Tryptophan DL-Tryptophan Uracil Uric acid Uridine Uridine 3'-(dihydrogen phosphate) Uridine 5'-(disodium dihydrogen triphosphate) Usnic acid 5-Vinyl-2-picoline (until 1st July 1971) N-Vinyl-2-pyrrolidone Vipryinium embonate Visnadine Xanthen-9-carboxylic acid Xanthine Xanthurenic acid Xylometazoline hydrochloride Zinc di-(2-thiobenzimidazole) Zoxazolamine
29.36	N ¹ -Acetylsulphamethoxypyridazine 3- <i>iso</i> Butyl-6-chloro-3,4-dihydrobenzo-1,2,4- thiadiazine-7-sulphonamide 1,1-dioxide Chloramine T 5-Chloroaniline-2,4-disulphonamide N-Dichlorofluoromethylthio-N'N'-dimethyl-N-phenylsulphamide Dimethothiazine mesylate 2-Dimethylsulphamoylphenothiazine Epithiazide Glibenclamide 2-Methoxy-3-sulphanilamidopyrazine Sulphadimidine esylate, sodium derivative Sulphamethoxypyridazine Sulphanilamide Sulphaquinoxaline (until 4th May 1971) Sulphathiazole Thiothixene Tolazamide
29.37	<i>o</i> -Cresolsulphonaphthalein-6,6'-di(methylaminodiacetic acid) <i>o</i> -Cresolsulphonaphthalein-6,6'-di(methylaminodiacetic acid), tetrasodium salt 4,5,6,7,3',5',3'',5''-Octabromophenolsulphonaphthalein 1,3-Propanesultone Sulthiame Thymolsulphonaphthalein-2,2'-di(methylaminodiacetic acid)
29.38	L-Ascorbic acid Ascorbyl palmitate D-Biotin Calciferol *Calcium folinate Calcium DL-pantothenate Carotene Dexpanthenol Ergosterol (+)-N-(3-Ethoxypropyl)-2,4-dihydroxy-3,3-dimethylbutyramide

<i>Tariff Heading</i>	<i>Description</i>
29.38	Phytomenadione Pteroylmonoglutamic acid Pyridoxal 5-(dihydrogen phosphate) Riboflavine Sodium D-pantothenate D- γ -Tocopherol (+)- α -Tocopheryl acetate (+)- α -Tocopheryl hydrogen succinate Vitamin D ₂ resin
29.39	17 β -Acetyl-6-chloro-17 α -hydroxyoestra-4,6-dien-3-one acetate (+)-Aldosterone Betamethasone 17-benzoate Chlormadinone acetate 3-Cyclopentylloxy-17 α -ethynyloestra-1,3,5(10)-trien-17 β -ol 3-Cyclopentylloxy-17 α -hydroxypregna-3,5-dien-20-one acetate 3-Cyclopentylloxyregna-3,5-dien-20-one Delmadinone acetate Deoxycorticosterone acetate Deoxycorticosterone 21-D-glucoside Deoxycorticosterone pivalate Dexamethasone Dexamethasone 21-(disodium phosphate) Dexamethasone 21-isonicotinate Dexamethasone 21-(3-phenylpropionate) Dexamethasone 21-(3-sodium-sulphobenzoate) Edogestrone 17 α -Ethylloestr-4-en-17 β -ol Fluclorolone acetonide Fludrocortisone 21-acetate Fluocinolone acetonide 6 α -Fluoro-11 β ,21-dihydroxy-16 α ,17 α -isopropylidenedioxypregna-1,4-diene-3,20-dione Fluorometholone 9 α -Fluoro-11 β ,17 α ,21-trihydroxypregna-1,4-diene-3,20-dione 21-acetate Fluoxymesterone Follicle stimulating hormone (FSH) and luteinising hormone (LH), mixed 17 α -Hydroxypregna-4-ene-3,20-dione <i>n</i> -heptanoate 17 α -Hydroxypregna-4-ene-3,20-dione <i>n</i> -hexanoate Lynoestrenol Medroxyprogesterone acetate Methylprednisolone Methylprednisolone 21-acetate Nandrolone laurate (-)-Noradrenaline (-)-Noradrenaline hydrogen tartrate Norethandrolone Norethisterone Norethisterone acetate 17 β -Oestradiol di- <i>n</i> -undecanoate 17 β -Oestradiol 17- <i>n</i> -valerate Oxymesterone Oxymetholone Oxytocin Oxytocin dihydrogen citrate Paramethasone 21-acetate Prednisolone 21-pivalate Prednisolone 21-(3-sodium-sulphobenzoate) Prednisolone 21- <i>O</i> -stearyl glycolate

<i>Tariff Heading</i>	<i>Description</i>
29.39	Prednylidene Quinestradol Testosterone 3-cyclohexylpropionate Testosterone <i>n</i> -heptanoate DL-Thyroxine sodium Triamcinolone Triamcinolone acetonide Triamcinolone acetonide 21-(3,3-dimethylbutyrate) Triamcinolone 16,21-diacetate Vasopressin Vasopressin tannate
29.41	Aesculin Digitalin Digitonin Digitoxin Ouabain Salicin
29.42	18 β -Acetoxy-10 β ,17 α -dimethoxy-16 β -methoxycarbonyl- 3-oxo-2,3-seco-20 α -yohimbane Alcuronium chloride Arecoline Arecoline-acetarsol Arecoline hydrobromide Bamifylline hydrochloride Berberine hydrogen sulphate Bicuculline 2-Bromo- <i>NN</i> -diethyl-D-lysergamide hydrogen tartrate Bulbocapnine hydrochloride Cinchonidine Cinchonidine sulphate Cinchonine Cinchonine <i>monohydrochloride</i> Cinchonine sulphate Cocaine, of a purity not greater than 97.5 per cent. by weight Colchicine Demecolcine Deptropine dihydrogen citrate Deserpidine (+)-9- <i>NN'</i> -Diethylureido-4,6,6a,7,8,9-hexahydro-7- methylindolo[4,3- <i>f,g</i>]quinoline hydrogen maleate Dihydroergocornine Dihydroergocristine Dihydroergocryptine Dihydroergotamine <i>monomesylate</i> 7,8-Dihydro-14-hydroxy-6-methylene-6-deoxymorphine Dimenhydrinate <i>pseudo</i> Ephedrine <i>pseudo</i> Ephedrine hydrochloride Ergotamine tartrate Ethyl quinine carbonate Galanthamine hydrobromide Galegine sulphate Harmalol Harmine 1- <i>n</i> -Hexyltheobromine Hydromorphone hydrochloride 18 β -Hydroxy-10,17 α -dimethoxy-20 α -yohimbane-16 β -carboxylic acid lactone Hyoscine <i>n</i> -butylobromide

<i>Tariff Heading</i>	<i>Description</i>
29.42	Lobeline hydrochloride Lobeline sulphate (+)-Lysergic acid Lysergide tartrate-methanol complex Meralluride Mescaline hydrochloride Mescaline sulphate Methoserpidine Methylergometrine maleate Methysergide hydrogen maleate Papaverine Papaverine hydrochloride Papaverine hydrogen sulphate Phenmetrazine theoclate N ⁴ -n-Propylajmalinium hydrogen tartrate Reserpine Sparteine <i>monosulphate</i> Syrosingopine Tomatidine Vinblastine sulphate Vincristine sulphate Xanthinol nicotinate Yohimbine <i>monohydrochloride</i>
29.43	D-Arabinose L-Arabinose D-Erythrose Fructose 1-(barium phosphate) Fructose tetranicotinate, mixed isomers L-Fucose D-Galactose Galactose 6-(barium phosphate) Gentiobiose Maltose D-Mannose Mannose 6-(barium phosphate) D-Melezitose dihydrate Raffinose L-Rhamnose D-Ribose Ribose 5-(barium phosphate) Sorbose Sucrose diacetate hexa <i>isobut</i> rylate Turanose P ¹ -Uridine-5' P ² -glucose-1 disodium pyrophosphate D-Xylose
29.44	Amphotericin B Bacitracin zinc Clindamycin hydrochloride Clomocycline, sodium salt Cycloserine Erythromycin ethyl succinate Erythromycin lactobionate Gentamicin sulphate N-(4-Guanidinoformimidoylpiperazin-1-ylmethyl)tetracycline dihydrochloride Lincomycin hydrochloride Lucensomycin Lyme cycline 3-(4-Methylpiperazin-1-yliminomethyl)rifamycin SV

<i>Tariff Heading</i>	<i>Description</i>
29.44	Natamycin Novobiocin Novobiocin calcium Novobiocin sodium Nystatin Paromomycin sulphates Pristinamycin Rifamycin B diethylamide, <i>monosodium</i> derivative (until 4th March 1971) Rolitetracycline nitrate Rubidomycin hydrochloride Sodium cephalothin (until 1st July 1971) Sodium fusidate Spectinomycin dihydrochloride Spectinomycin sulphate Vancomycin hydrochloride Viomycin sulphate Virginiamycin
29.45	Boron trifluoride-ethylamine complex Ferrous sulphate-glycine complex Potassium <i>tert</i> butoxide Potassium methoxide Sodium dihydridodi-(2-methoxyethoxy)aluminate Sodium ethoxide Sodium methoxide
30.01	Grafts of bone or cartilage, defatted, dried and packed in vacuum
30.02	Foot-and-mouth disease vaccine
32.07	Dispersions of carbon black in artificial plastics, containing not less than 6 per cent. by weight of carbon black, not less than 40 per cent. by weight of cellulose acetate butyrate and not less than 35 per cent. by weight of acrylic resin (until 2nd September 1971) Lithopones, being pigments consisting of barium sulphate and zinc sulphide and containing not less than 28 per cent. by weight of zinc sulphide
38.05	Tall oil, crude
38.15	Prepared rubber accelerators, being sulphides of alkylphenols, and containing not less than 20 per cent. by weight and not more than 30 per cent. by weight of sulphur in all Prepared rubber accelerators containing not less than 80 per cent. by weight of <i>NNN'</i> -trimethylthiourea
38.19	Amines, mixed primary aromatic, containing not less than 4.5 per cent. by weight and not more than 5.5 per cent. by weight of nitrogen calculated as N Calcined bauxite Chlordane Cultured crystals, weighing not less than two and a half grammes each of barium fluoride (until 1st July 1971) Mixed alkyl-substituted benzenesulphonic acids having an acid value not greater than 125 Preparations consisting of calcium tetrahydrogen diorthophosphate and aluminium compounds, and containing not less than 1.5 per cent. by weight and not more than 2.5 per cent. by weight of aluminium calculated as Al ₂ O ₃ (until 4th March 1971) Prepared catalysts, in the form of spheres, containing silver or silver oxide dispersed in, or deposited on, aluminium oxide or silica or other compounds of silicon, and which contain not less than 7 per cent. by weight and not more than 25 per cent. by weight of total silver calculated as Ag

<i>Tariff Heading</i>	<i>Description</i>
39.01	<p>Nylon 6 in the forms covered by Note 3(b) of Chapter 39, containing not more than 2 per cent. by weight of titanium dioxide and not more than 2.5 per cent. by weight of carbon black, but not otherwise compounded (until 4th March 1971)</p> <p>Poly-[2,2-di-(4-hydroxyphenyl)propane carbonate] moulding compounds, containing glass fibres which amount to not less than 25 per cent. by weight of the product and not more than 45 per cent. by weight of the product</p> <p>Poly-[2,2-di-(4-hydroxyphenyl)propane carbonate], uncompounded, or compounded with other materials which do not exceed 3 per cent. by weight of the product</p> <p>Resins, being products of the condensation of adipic acid with a mixture of propane-1,2-diol and ethanediol of which the ethanediol content is not less than 50 per cent. by weight, and having:—</p> <p>(a) an acetyl value not less than 34 and not more than 38,</p> <p>(b) an acid value not more than 1,</p> <p>(c) a colour not deeper than 50 Hazen units, and</p> <p>(d) a viscosity at 40° centigrade of not less than 70 seconds and not more than 125 seconds, for a free fall of 20 centimetres of a steel sphere $\frac{1}{8}$ inch in diameter, in a tube of internal diameter 3.5 centimetres, when determined by the method of British Standard 188:1957, part 3, as amended up to and including September 1964</p>
39.02	<p>Acrylic sheet, transparent, colourless, of a thickness not less than 1.5 millimetres and not greater than 25.0 millimetres, which, when kept for 24 hours at a temperature of 110° centigrade, undergoes a linear shrinkage of not more than 10 per cent. and which, when kept for 24 hours at a temperature of 145° centigrade, undergoes a linear shrinkage of not less than 37.5 per cent.</p> <p>Polystyrene, incorporating a volatile blowing agent capable of expanding the material to a rigid foam at a temperature of 90° centigrade or more, in the form of pieces having an overall length of not less than 8 millimetres and an overall width of not less than 4 millimetres</p> <p>Poly(vinyl butyral) sheet, of a thickness not greater than 0.8 millimetre and of a width not less than 35 centimetres</p> <p>Poly(vinyl chloride) having an apparent density of not more than 0.3 grammes per millilitre and a viscosity number of not less than 170 when tested by the methods described in British Standard 2782:1965 and of which not more than 5 per cent. by weight is retained by a sieve having a nominal width of aperture of 150 microns</p> <p>Sticks of polystyrene, incorporating a volatile blowing agent capable of expanding the sticks to a rigid foam at a temperature of 90° centigrade or more</p>
39.03	<p>Carboxymethylcellulose, aluminium salt</p> <p>Cellulose acetate, where the weight of the acetyl content, calculated as acetic acid, is not less than 60 per cent. of the weight of the cellulose acetate, not being cellulose acetate plasticised or otherwise compounded</p> <p>Cellulose acetate butyrate compounded with other materials which do not exceed 25 per cent. by weight of the product, in the forms covered by Note 3(b) of Chapter 39</p> <p>Cellulose acetate butyrate, not plasticised or otherwise compounded</p> <p>Cellulose acetate propionate, not plasticised or otherwise compounded</p> <p>Cellulose propionate, not plasticised or otherwise compounded</p> <p>Ethylcellulose</p> <p>Ethylhydroxyethylcellulose</p> <p>Hydroxyethylcellulose</p> <p>Hydroxypropylcellulose</p> <p>*Regenerated cellulose in the form of sheets not exceeding 430 millimetres by 1,020 millimetres in size, 18 grammes per square metre in weight or 12 micrometres in thickness (until 2nd September 1971)</p> <p>Scrap exposed X-ray film (until 4th March 1971)</p>

<i>Tariff Heading</i>	<i>Description</i>
49.11	Identification kits, consisting essentially of a series of transparent slides or foils printed to depict individual characteristics of the human face or head; parts of such kits (until 1st July 1971)
51.01	Yarn wholly of polytetrafluoroethylene (until 1st July 1971)
51.02	Monofil of polystyrene, incorporating a volatile blowing agent capable of expanding the filament to a rigid foam at a temperature of 90° centigrade or more Monofil wholly of fluorocarbon polymer (until 1st July 1971)
59.03	Bonded fibre fabrics containing not less than 95 per cent. by weight, calculated on the dry material, of synthetic polyamide (fibres and fibril bonding) materials which do not melt below 300° centigrade
59.17	Yarn or tow of polytetrafluoroethylene fibre impregnated with polytetrafluoroethylene dispersion, whether or not treated with a lubricant (until 1st July 1971)
68.13	Asbestos paper, rubber impregnated, in rolls, being not less than 0.55 millimetre and not more than 0.85 millimetre in thickness, weighing not less than 550 grammes and not more than 780 grammes per square metre, and having a loss on ignition at 1,000° centigrade of not less than 24 per cent. by weight and not more than 32 per cent. by weight
69.09	Catalyst carriers in the form of spheres, consisting of aluminium oxide and silica whether or not combined together, and containing not more than 12.5 per cent. by weight of total silica, and of which (a) not less than 99 per cent. by weight passes a sieve having a nominal width of aperture of 2.40 millimetres and (b) not less than 99 per cent. by weight is retained by a sieve having a nominal width of aperture of 1.00 millimetre
70.03	Amber-coloured tubing of soda glass, not being glass containing 0.25 per cent. or more of cadmium, free or combined, calculated as Cd (until 1st July 1971) Tubing of neutral glass, in straight lengths and capable of passing a test corresponding with the test for limit of alkalinity of glass prescribed by British Pharmacopeia, not including (a) glass with a content of more than 85 per cent. of silica and boric oxide together, or (b) glass of fused silica or fused quartz (until 1st July 1971)
70.18	Optical glass in the form of sheets, slabs or moulded lens blanks, having, with reference to the D line of sodium, a refractive index (n_D) not less than 1.5625 and not greater than 1.5650 and a dispersive power (v_D) not less than 60.0 and not greater than 61.5 Optical glass in the form of sheets, slabs or moulded lens blanks, having, with reference to the D line of sodium, a refractive index (n_D) not less than 1.612 and not greater than 1.615 and a dispersive power (v_D) not less than 43.5 and not greater than 45.0; having also at a wavelength of 400 nanometres a light transmission for a 25 millimetres path of not less than 83 per cent.; and which acquires no visible stain when kept for 15 minutes at a temperature of 25° centigrade in contact with a buffered sodium acetate solution having a pH value of 4.6
70.20	Glass fibres, loose, unfelted, having a diameter not greater than 3 microns Glass yarn, continuous, singles, having a count of not less than 30 Tex and not more than 35 Tex, and composed of filaments having a diameter of not less than 2 microns and not more than 4 microns

<i>Tariff Heading</i>	<i>Description</i>
70.20	<p>*Glass yarn, continuous, singles, having a count of not less than 30 Tex and not more than 35 Tex, and composed of filaments having a diameter of not less than 5 microns and not more than 8 microns (until 4th May 1971)</p> <p>*Glass yarn, continuous, singles, having a count of not less than 60 Tex and not more than 75 Tex, and composed of filaments having a diameter of not less than 5 microns and not more than 8 microns (until 4th May 1971)</p>
73.06	Iron or steel ingots, blocks, lumps and similar forms, other than those manufactured entirely from pig iron smelted wholly with charcoal (until 4th May 1971)
73.07	Iron or steel blooms, billets, slabs and sheet bars (until 4th May 1971)
73.12	<p>Iron or steel strip in coils, completely clad on both sides with alloy steel containing not less than 17 per cent. by weight of chromium and not less than 7 per cent. by weight of nickel the cladding layers each being less than 25 per cent. of the total thickness, of a width of not less than 200 millimetres nor more than 460 millimetres, and of a total thickness of not less than 2.5 millimetres nor more than 6 millimetres (until 4th May 1971)</p> <p>Strip of iron or steel, coated with tin, of a width not less than 304 millimetres, and not more than 500 millimetres, of a thickness of not less than 0.12 millimetre and not more than 0.5 millimetre, and of a length of not more than 1,016 millimetres (until 4th May 1971)</p> <p>Strip of iron or steel, in coil form, coated with tin, of a width of not less than 140 millimetres, and not more than 500 millimetres, and of a thickness of not less than 0.12 millimetre and not more than 0.5 millimetre (until 4th May 1971)</p>
73.13	<p>Sheets of iron or steel, coated with tin, of a width exceeding 500 millimetres but not more than 966 millimetres, of a thickness of not less than 0.12 millimetre and not more than 0.5 millimetre, and of a length of not more than 1,016 millimetres (until 4th May 1971)</p> <p>Sheets of iron or steel, in coil form, coated with tin, of a width exceeding 500 millimetres but not more than 966 millimetres, and of a thickness of not less than 0.12 millimetre and not more than 0.5 millimetre (until 4th May 1971)</p>
73.14	<p>Iron-nickel alloy wire, copper-clad and nickel-plated, having an overall diameter of not less than 400 microns and not more than 450 microns, the nickel plating being not less than 2 microns and not more than 15 microns in thickness; the whole containing not less than 20 per cent. by weight of copper, not less than 25 per cent. by weight of nickel and not less than 40 per cent. by weight of iron, and having, when measured on an 0.20 metre length, a percentage elongation not less than 18 and not more than 25, and a tensile strength not less than 430 newtons per square millimetre and not more than 530 newtons per square millimetre, the rate of straining being 50 millimetres per minute (until 1st July 1971)</p> <p>Iron or steel wire of a diameter not less than 0.019 inch nor more than 0.200 inch, and having a coating of nickel of not less than 0.0001 inch in thickness (until 1st July 1971)</p>
73.15	<p>Alloy steel coils for re-rolling, containing not more than 3.5 per cent. by weight of silicon as the major alloying element, and of a thickness of not more than 3 millimetres (until 4th March 1971)</p> <p>*Alloy steel coils for re-rolling, which contain not less than 14 per cent. nor more than 18 per cent. by weight of chromium as the major alloying element, and not more than 0.5 per cent. by weight of nickel, and having a width exceeding 500 millimetres but not more than 1,372 millimetres, and a thickness of not less than 3 millimetres nor more than 6 millimetres (until 4th March 1971)</p>

<i>Tariff Heading</i>	<i>Description</i>
73.15	<p>Cold-rolled steel strip, with dressed edges, in coils, the strip being not less than 0·002 inch nor more than 0·007 inch in thickness and not less than $\frac{1}{8}$ inch nor more than 4 inches in width, containing not less than 16 per cent. by weight nor more than 18 per cent. by weight of chromium and not less than 6 per cent. by weight nor more than 8 per cent. by weight of nickel and being of a tensile strength of not less than 115 tons per square inch (until 1st July 1971)</p> <p>Cold-rolled steel strip, with dressed edges, in coils, the strip being not less than 0·002 inch nor more than 0·040 inch in thickness and not less than $\frac{1}{16}$ inch nor more than 4 inches in width, containing not less than 16 per cent. by weight nor more than 18 per cent. by weight of chromium and not less than 6 per cent. by weight nor more than 8 per cent. by weight of nickel, and being of a tensile strength of not less than 120 tons per square inch (until 1st July 1971)</p> <p>Hot rolled alloy steel strip in coils, containing not less than 14 per cent. by weight nor more than 18 per cent. by weight of chromium as the major alloying element, and not more than 0·5 per cent. by weight of nickel, of a width of not less than 254 millimetres nor more than 500 millimetres and of a thickness of not less than 3 millimetres nor more than 6 millimetres (until 4th March 1971)</p> <p>Ingots, blocks, lumps and similar forms of alloy steel containing between 10 per cent. and 25 per cent. by weight of chromium and between 5 per cent. and 15 per cent. by weight of nickel</p> <p>Sheets of alloy steel, rectangular or in coils, containing not more than 3·5 per cent. by weight of silicon as the major alloying element, whether or not coated, of a width exceeding 500 millimetres but not more than 1,250 millimetres, of a thickness not exceeding 1·6 millimetres (until 4th March 1971)</p>
73.19	Hot rolled seamless circular steel tubes of an outside diameter of not less than 19 $\frac{1}{2}$ inches and not more than 24 $\frac{1}{2}$ inches, and of a wall thickness of not less than $\frac{7}{16}$ inch and not more than $\frac{3}{8}$ inch (until 1st July 1971)
73.23	Tinplate containers, not being circular nor rectangular, consisting of a can lipped for sealing, plain or printed externally and lacquered internally, with internal dimensions of not less than 120 millimetres nor more than 150 millimetres in length, not less than 85 millimetres nor more than 100 millimetres at widest point and not less than 45 millimetres nor more than 60 millimetres in depth, of a minimum capacity of 445 cubic centimetres and a maximum capacity of 515 cubic centimetres, scored for opening with opening key attached to base, and related sealing lids
73.40	Sintered alloy steel fibre in the form of flat rectangular porous sheets, re-inforced on one or both sides with alloy steel wire mesh, of an overall thickness of not less than 0·35 millimetre nor more than 1·15 millimetres, and of such length and width that the area of one side of a sheet is not less than 450 square centimetres nor more than 11,620 square centimetres
74.01	Copper alloy containing not less than 99·8 per cent. by weight of copper and not less than 0·08 per cent. nor more than 0·11 per cent. by weight of silver as the major alloying element, in the form of billets of a diameter of not less than 149 millimetres nor more than 156 millimetres and of a length of not less than 1,358 millimetres nor more than 1,385 millimetres
74.05	Tape consisting of a layer of niobium alloy containing tin, laminated between two layers of copper foil whether or not coated with tin, and being (a) not less than 0·25 inch nor more than 0·75 inch in width and (b) not more than 0·005 inch in thickness

<i>Tariff Heading</i>	<i>Description</i>
76.02	Rod of aluminium, or of aluminium alloy containing not less than 95 per cent. by weight of aluminium, copper clad, the cladding comprising not less than 25 per cent. by weight nor more than 39 per cent. by weight of the whole, and of an overall diameter of not less than 6 millimetres and not more than 20 millimetres (until 4th May 1971)
†76.03	Aluminium discs of a minimum value of 10s. [£0·5000] per lb., not less than 6 inches nor more than 18 inches in diameter and not less than 0·033 inch nor more than 0·036 inch in thickness and which, when either face is placed on a flat surface, do not deviate from the flat by more than 0·010 inch at any point
81.02	<p>Cylindrical molybdenum alloy bars containing not less than 98 per cent. by weight of molybdenum and not more than 1 per cent. by weight of titanium as the major alloying element, of a diameter of not less than 5 millimetres nor more than 357 millimetres, and of a length of not more than 508 millimetres</p> <p>Cylindrical molybdenum alloy tubes containing not less than 98 per cent. by weight of molybdenum and not more than 1 per cent. by weight of titanium as the major alloying element, of an external diameter of not less than 12 millimetres nor more than 64 millimetres, of a wall thickness of not more than 13 millimetres, and of a length of not more than 381 millimetres</p> <p>Molybdenum alloy sheet containing not less than 98 per cent. by weight of molybdenum and not more than 1 per cent. by weight of titanium as the major alloying element, of a thickness not less than 1 millimetre nor more than 5 millimetres, and of such dimensions that the top surface area of the sheet does not exceed 3,600 square millimetres</p> <p>Molybdenum alloy slabs containing not less than 98 per cent. by weight of molybdenum and not more than 1 per cent. by weight of titanium as the major alloying element, of a thickness of not less than 12 millimetres nor more than 51 millimetres, and of such dimensions that the top surface area of the slab does not exceed 915 square millimetres</p> <p>Molybdenum flat strip in coils, containing not more than 0·05 per cent. by weight of iron and not more than 0·01 per cent. by weight of nickel as major impurities, of a thickness of not less than 0·02 millimetre nor more than 0·04 millimetre, and of a width of not less than 1·5 millimetres nor more than 3·3 millimetres (until 4th March 1971)</p> <p>Molybdenum, of a purity not less than 99·8 per cent., in the form of rods (whether or not threaded at the ends) not less than 55 inches nor more than 100 inches in length and not less than $1\frac{3}{4}$ inches nor more than $2\frac{1}{16}$ inches in diameter</p> <p>Molybdenum, of a purity not less than 99·8 per cent. in the form of rods of not less than 18 inches and not more than 100 inches in length and of not less than $2\frac{1}{4}$ inches and not more than $4\frac{1}{4}$ inches in diameter and whether or not threaded at the ends</p>
81.04	<p>Chromium, electrolytic, in the form of cathode chips, which contains not more than 0·10 per cent. by weight of total oxygen, not more than 0·015 per cent. by weight of total aluminium, and not more than 0·001 per cent. by weight of aluminium compounds insoluble in boiling 5N hydrochloric acid and in boiling fuming perchloric acid, and estimated as Al (until 4th March 1971)</p> <p>Hafnium crystal bars consisting of hafnium wire on which hafnium crystals have been deposited (until 1st July 1971)</p> <p>Manganese metal of a purity not less than 96 per cent. and not more than 99·5 per cent. and containing not more than 1·0 per cent. by weight of carbon and not more than 3·0 per cent. by weight of iron</p> <p>Titanium sponge</p>

<i>Tariff Heading</i>	<i>Description</i>
81.04	Zirconium alloy ingots, surface trimmed, containing not less than 1·0 per cent. by weight nor more than 2·0 per cent. by weight of tin as the major alloying element, of circular cross section of a diameter of not less than 17 inches and not more than 21 inches, and of a length of not less than 40 inches and not more than 50 inches (until 1st July 1971) Zirconium sponge (until 1st July 1971)
83.13	Tinplate caps for sealing jars, of an internal diameter on the rim of not less than 1·580 inches and not more than 1·610 inches and a maximum depth of not less than 0·415 inch and not more than 0·425 inch stamped from tinplate of nominal thickness of 0·0055 inch or of 0·0066 inch, with an internal curl, a vinyl coating applied to the internal surface and a plasticised lining compound deposited on the internal side wall and top sealing panel to form a sealing gasket (until 1st July 1971)
85.14	Microphones, of a kind for incorporation in deaf aids, approximately rectangular in shape, with a maximum thickness not exceeding 0·165 inch and a total of the length and width not exceeding 0·675 inch, exclusive of sound tube Monolithic integrated-circuit linear amplifiers having a voltage gain of 80 decibels to 92 decibels and rated power output of 3 milliwatts, of a kind for incorporation in deaf aids, with five connection terminals each side, of a length not exceeding 0·257 inch, of a width, exclusive of terminals, not exceeding 0·147 inch and of a thickness not exceeding 0·040 inch (until 1st July 1971)
85.15	*The following apparatus for use in aircraft:— (a) very high frequency omni-directional radio range apparatus (VOR), instrument landing system localiser apparatus (ILS/LOC), instrument landing system glide path apparatus (ILS/G.PATH); (b) very high frequency communication apparatus (VHF/COM) (transmitters, receivers, or combined transmitter/receivers) covering a frequency band of at least 118 to 135·95 MHz, with not less than 180 channels and capable of operating in areas where 50 kHz channel spacing is in force; (c) apparatus combining the functions and capabilities of any of the apparatus specified in (a) and (b) above but excluding apparatus combining any of those functions and capabilities with any other function or capability; being in each case apparatus of a type approved by the Department of Trade and Industry, at the date of this Order, under Article 13(5) of the Air Navigation Order 1970, as amended, for use in aircraft of not more than 12,500 lb. maximum total weight authorised, flying in controlled airspace in accordance with the Instrument Flight Rules as defined in the said Air Navigation Order, but not for use in other aircraft
85.18	Tantalum capacitors greater than 10 microfarads in capacitance, of a kind for incorporation in deaf aids, with a maximum length not exceeding 7 millimetres exclusive of leads and with a transverse cross section having a circumference not exceeding 14 millimetres (until 4th May 1971) Tantalum capacitors, of a kind for incorporation in deaf aids, with a maximum length not exceeding 7 millimetres exclusive of leads and with a transverse cross section having a circumference not exceeding 10 millimetres (until 4th May 1971)
85.19	Carbon track volume controls of a kind for incorporation in deaf aids, being of drum type with a cylindrical drum not exceeding 12 millimetres in diameter and 4 millimetres in thickness

<i>Tariff Heading</i>	<i>Description</i>
85.20	Glass neon discharge lamps, having a metal cap fitted to each end and not exceeding 1 inch in overall length and $\frac{1}{2}$ inch in diameter over the caps
85.28	Moving coil receivers having an overall diameter of 52 millimetres, of a kind for use with electro medical apparatus (for example, clinical audiometers)
90.01	Lenses, Fresnel, converging, being composite sheets of artificial plastics, bearing a concentric system of grooves of a uniform density, not less than 18 grooves per centimetre; the lenses being not more than 1.0 centimetre in thickness, not less than 27 centimetres and not more than 29 centimetres square, with chamfered corners and having a focal length not greater than 16 centimetres (until 4th May 1971) Lenses, prisms, mirrors and other optical elements, not optically worked, of barium fluoride (until 1st July 1971) Lenses, prisms, mirrors and other optical elements, not optically worked, of thallium bromide-iodide (until 4th May 1971) Material consisting of a polarising film supported on one or both sides by transparent material, and analysers and polarisers made therefrom Optical windows of zinc sulphide, unmounted (until 1st July 1971)
90.09	Blockwriters for step and repeat photo-reduction apparatus (until 2nd September 1971) Photo-reduction apparatus employing step and repeat operation in increments of integer multiples of 0.001 millimetre or less having an intrinsic repeatable positional accuracy in two axial directions of plus or minus 0.0001 millimetre or better relative to an alignment datum over an area of $2\frac{1}{2}$ inches by $2\frac{1}{2}$ inches to 3 inches by 3 inches and a resolution of 650 lines per millimetre or better over an area of not less than 3.5 millimetres by 3.5 millimetres (until 2nd September 1971)
90.19	Aortic heart valves (until 1st July 1971) Earphones, of a kind for incorporation in deaf aids, approximately rectangular in shape, with a maximum thickness not exceeding 0.165 inch and a total of the length and width not exceeding 0.675 inch exclusive of sound tube Mitral heart valves (until 1st July 1971)

SCHEDULE 2

IMPORT DUTIES (TEMPORARY EXEMPTIONS) ORDERS REVOKED

<i>Number and year of Order</i>	<i>Reference</i>
No. 9 of 1969	... S.I. 1969/1751 (1969 III, p. 5484).
No. 1 of 1970	... S.I. 1970/269 (1970 I, p. 1016).
No. 2 of 1970	... S.I. 1970/463 (1970 I, p. 1555).
No. 3 of 1970	... S.I. 1970/536 (1970 I, p. 1745).
No. 4 of 1970	... S.I. 1970/630 (1970 I, p. 2031).
No. 5 of 1970	... S.I. 1970/694 (1970 II, p. 2213).
No. 6 of 1970	... S.I. 1970/801 (1970 II, p. 2599).
No. 7 of 1970	... S.I. 1970/934 (1970 II, p. 2912).
No. 8 of 1970	... S.I. 1970/1264 (1970 II, p. 4106).
No. 9 of 1970	... S.I. 1970/1457 (1970 III, p. 4787).
No. 10 of 1970	... S.I. 1970/1591 (1970 III, p. 5344).

EXPLANATORY NOTE

(This Note is not part of the Order.)

This Order provides that the goods listed in Schedule 1 shall be exempt, or shall continue to be exempt, from import duty until 1st January 1972, except for items for which an earlier day is specified. Descriptions of goods which were not exempt at the date of this Order are marked *.

Some goods, the exemption of which is continued by this Order, appear under a modified description. These items are marked †.

Two items viz. "Methyl α -D-xyloside and Methyl β -D-xyloside" which were previously classified in 29.43 are now re-classified in 29.10 following a Classification Opinion of the Customs Co-operation Council and are marked ††.

The Order also continues until 1st July 1971 the partial exemption for photographic film base of cellulose acetate.

The more specialist publications referred to in the Order are as follows:—

I.U.P.A.C. rules

Included in a publication entitled "International Union of Pure and Applied Chemistry, Nomenclature of Organic Chemistry, Sections A and B". Second edition published by Butterworth and Co. (Publishers) Ltd., 88, Kingsway, London, W.C.2.

Standard Methods for Testing Tar and its Products

6th edition published in 1967, by the Standardisation of Tar Products Testing Committee, c/o Coal Tar Research Association, Oxford Road, Gomersal, Cleckheaton, Yorkshire.

Radio Equipment for Light Aircraft

Apparatus of a type approved by the Department of Trade and Industry is listed in Civil Aviation Publication CAP 208, Airborne Radio Apparatus Vol. 2, published by H.M. Stationery Office. This publication is subject to amendment, and confirmation that apparatus is of a type approved at the date of this Order should be obtained from the Department of Trade and Industry, Controllerate of National Air Traffic Control Services, Tels. N.3, 19-29, Woburn Place, London, WC1H 0LX.

SI 1970/1819
ISBN 0-11-001819-2

