

1977 No. 2192

MEDICINES

The Medicines (General Sale List) Order 1977

Made - - - - 20th December 1977

Coming into Operation 1st February 1978

The Secretaries of State respectively concerned with health in England and in Wales, the Secretary of State concerned with health and with agriculture in Scotland, the Minister of Agriculture, Fisheries and Food, the Department of Health and Social Services for Northern Ireland and the Department of Agriculture for Northern Ireland, acting jointly, in exercise of powers conferred by section 51 of the Medicines Act 1968(a) and now vested in them(b) and of all other powers enabling them in that behalf, after consulting such organisations as appear to them to be representative of interests likely to be substantially affected by the following order, and after taking into account the advice of the Medicines Commission, hereby make the following order:—

Citation, commencement and interpretation

1.—(1) This order may be cited as the Medicines (General Sale List) Order 1977 and shall come into operation on 1st February 1978.

(2) In this order, unless the context otherwise requires—

“the Act” means the Medicines Act 1968;

“cosmetic” means any substance or preparation intended to be applied to the various surfaces of the human body including epidermis, pilary system and hair, nails, lips and external genital organs, or the teeth and buccal mucosa wholly or mainly for the purpose of perfuming them, cleansing them, protecting them, caring for them or keeping them in condition, modifying their appearance (whether for aesthetic purposes or otherwise) or combating body odours or normal body perspiration;

“dosage unit” means—

(a) where the medicinal product is in the form of a tablet or capsule or is an article in some other similar pharmaceutical form, that tablet, capsule or other similar article, or

(b) where the medicinal product is not in the form as aforesaid, that quantity of the medicinal product which is used as the unit by reference to which the dose of the medicinal product is measured;

“excipient” means any substance which does not contribute directly to the pharmacological action of the medicinal product otherwise than by regulation of the release of the active ingredients;

(a) 1968 c. 67.

(b) In the case of the Secretaries of State concerned with health in England and in Wales by virtue of Article 2(2) of, and Schedule 1 to, the Transfer of Functions (Wales) Order 1969 (S.I. 1969/388 (1969 I, p. 1070)), and in the case of the Northern Ireland Departments by virtue of section 40 of, and Schedule 5 to, the Northern Ireland Constitution Act 1973 (c. 36), and section 1(3) of, and paragraph 2(1)(b) of Schedule 1 to, the Northern Ireland Act 1974 (c. 28).

“external use” means—

- (a) in relation to medicinal products for use by being administered to human beings, application to the skin, teeth, mucosa of the mouth, throat, nose, ear, eye, vagina or anal canal,
- (b) in relation to veterinary drugs, application to the skin, hair, fur, feathers, scales, hoof, horn, ear, eye, mouth or mucosa of the throat or prepuce,

in either case when a local action only is necessary and extensive systemic absorption is unlikely to occur and references to “medicinal products for external use” shall be read accordingly except that in relation to (a) above the references shall not include throat sprays, throat pastilles, throat lozenges, throat tablets, nasal drops, nasal sprays, nasal inhalations or teething preparations;

“food” includes beverages, confectionery and articles and substances used as ingredients in the preparation of food and includes any manufactured substance to which there has been added any vitamin and which is advertised (within the meaning of section 92 of the Act) as available and for sale to the general public as a dietary supplement;

“maximum daily dose” or “MDD” means the maximum quantity of the substance contained in the amount of the medicinal product for internal use which it is recommended should be taken or administered in any period of twenty-four hours;

“maximum dose” or “MD” means the maximum quantity of the substance contained in the amount of the medicinal product for internal use which it is recommended should be taken or administered at any one time;

“maximum strength” means either the maximum quantity of the substance by weight or volume contained in a dosage unit of a medicinal product or the maximum percentage of the substance contained in a medicinal product calculated in terms of weight in weight (w/w), weight in volume (w/v), volume in weight (v/w) or volume in volume (v/v) as appropriate;

“parenteral administration” means administration by breach of the skin or mucous membrane;

“prescription only medicine” means a medicinal product of a description or falling within a class specified in Article 3 of the Medicines (Prescription Only) Order 1977(a);

and other expressions have the same meanings as in the Act.

(3) Except in so far as the context otherwise requires, any reference in this order to any enactment, order or regulations shall be construed as a reference to that enactment or order or to those regulations, as the case may be, as amended, extended or re-enacted by any other enactment, order or regulations.

(4) The rules for the construction of Acts of Parliament contained in the Interpretation Act 1889(b) shall apply for the purposes of the interpretation of this order as they apply for the purposes of the interpretation of an Act of Parliament.

General sale list

2.—(1) The descriptions and classes of medicinal products specified in paragraphs (2) and (3) below are hereby specified as products which in the opinion

(a) S.I. 1977/2127.

(b) 1889 c. 63.

of the Ministers can with reasonable safety be sold or supplied otherwise than by or under the supervision of a pharmacist.

(2) In relation to products that are for use by being administered to human beings, the descriptions and classes of medicinal products referred to in paragraph (1) above are—

- (a) medicinal products specified in column 1 of Schedule 1 to this order and in relation to those products in respect of which there is an entry in column 2 of the said Schedule, such of those products as are presented for sale in a separate and individual container or package containing not more than the quantity of dosage units specified in the said column 2; or
- (b) medicinal products in respect of which there has been granted a product licence, being a licence of right, and which satisfy the provisions of Schedule 3 to this order but which do not fall within a class specified in Part I of Schedule 6 to this order; or
- (c) medicinal products which are for sale or supply either for oral administration as a food or for external use as a cosmetic other than a product that is a prescription only medicine or contains either—
 - (i) Vitamin A, Vitamin A acetate or Vitamin A palmitate with a maximum daily dose equivalent to more than 7500 international units of Vitamin A or 2250 micrograms of retinol, or
 - (ii) Vitamin D with a maximum daily dose of more than 400 units of antirachitic activity.

(3) In relation to veterinary drugs, the descriptions and classes of medicinal products referred to in paragraph (1) above are—

- (a) veterinary drugs specified in column 1 of Schedule 2 to this order and in relation to those drugs in respect of which there is an entry in column 2 of the said Schedule, such of those products as are presented for sale in a separate and individual container or package containing not more than the quantity of dosage units specified in the said column 2; or
- (b) veterinary drugs in respect of which there has been granted a product licence, being a licence of right, and which satisfy the provisions of Schedule 4 to this order but which do not fall within a class specified in Part II of Schedule 6 to this order.

Automatic machines section of the general sale list

3.—(1) The descriptions and classes of medicinal products specified in the following paragraph are hereby designated as being products which in the opinion of the Ministers can with reasonable safety be sold by means of automatic machines.

(2) The descriptions and classes of medicinal products referred to in paragraph (1) above are medicinal products specified in column 1 of Schedule 5 to this order and in relation to those products in respect of which there is an entry in column 2 of the said Schedule, such of those products as are presented for sale in a separate and individual container or package containing not more than the quantity of dosage units specified in the said column 2.

15th December 1977.

David Ennals,
Secretary of State for Social Services.

15th December 1977.

John Morris,
Secretary of State for Wales.

15th December 1977.

Bruce Millan,
Secretary of State for Scotland.

In witness whereof the official seal of the Minister of Agriculture, Fisheries and Food is hereunto affixed on 15th December 1977.

(L.S.)

John Silkin,
Minister of Agriculture, Fisheries and Food.

Sealed with the official seal of the Department of Health and Social Services for Northern Ireland this 19th day of December 1977.

(L.S.)

N. Dugdale,
Permanent Secretary.

Sealed with the official seal of the Department of Agriculture for Northern Ireland this 20th day of December 1977.

(L.S.)

J. A. Young,
Permanent Secretary.

SCHEDULE 1

Article 2(2)(a)

MEDICINAL PRODUCTS FOR HUMAN USE ON GENERAL SALE BY VIRTUE OF ARTICLE 2(2)(a) OF THIS ORDER

Column 1	Column 2	
Name and product licence number of medicinal product	Dosage units per container or package	
Alkafyl Antacid Tablets	0165/0040	
Altacite Suspension	0109/0041	
Altacite Tabs	0109/0040	
Amatol	2274/0001	
Aneurin Hydrochloride Tablets BP 50 mg	1378/5900	
Aneurin Hydrochloride Tablets 100 mg	1378/5901	
Angiers Cold Relief Drink	0125/0062	10
Aqua-Ban Tablets	2744/0001	
Ascorbic Acid Tablets BP 50 mg	1378/5903	
Ascorbic Acid Tablets BP 100 mg	1378/5904	
Ascorbic Acid Tablets BP 200 mg	1378/5905	
Aspirin BP 300 mg Tablets	0262/0034	25
Aspirin Paediatric Soluble 75 mg Tablets BPC	0262/0033	25
Aspirin Soluble BP 300 mg Tablets	0262/0035	25
Aspirin Tablets 300 mg BP Pink	1378/5930	25
Aspro Clear	0139/0079	30
Aspro Effervescent	0139/0084	30
Beecham's Headache Tablet with Paracetamol	0079/0156	25
Beecham's Powders	0079/0177	10
Bekunis Herb Tea	1276/0001	
Bekunis Instant Mild Laxative Herbal Tea	1276/0002	
Betadine Skin Cleanser Foam	0337/0034	
Biofacial Skin Cleanser	0598/0002	
Breath-free Tissues	1880/0002	
Brusol Jelly	0220/5903	
Burn Cool Wipes	1880/0003	
C-Film	0457/0004	
Caffeine Tablets	0778/0001	
Calcium Gluconate Tablets BPC 600 mg	1378/5927	
Calcium Lactate Tablets BP 300 mg	1378/5907	
Capsules Blackcurrant Flavour	0220/5901	
Capsules Tangerine Flavour	0220/5900	
Cetrimide Cream BPC	0396/0005	
Children's Phensic	0079/0166	25
Clearasil Medicated Soap (with Sulphur)	0129/0036	
Cold Sore Lotion	0220/5904	
Compound Sodium Bicarbonate Tablets BP	1378/5922	
Crest Toothpaste	0522/0005	
Cydactone Tablets	0220/5902	
DDD Deep Down Cleansing Lotion	0133/0016	
Dettol Cream	0044/0038	
Dexcafex	0459/0001	
Digestif Rennie Liquid	0139/0082	
Digestif Rennie Liquid	1643/0001	
Digestif Rennie Tablets No. 2 Formula	0139/5900	
Dr Lynn's Diarrhoea Mixture	1378/0003	

Column 1	Column 2	
Name and product licence number of medicinal product	Dosage units per container or package	
Dyspepsit Tablets	0518/0004	
Ear Wax Solvent Drops	0240/0013	
Effrin	0313/0004	25
Elastoplast Antiseptic Wipes	1880/0001	
Ex-Lax Instant Mix Laxative	0255/0006	
Ex-Lax Pills	0255/0004	
Ex-Lax The Original Chocolate Laxative	0255/0003	
Extra Strong Mentholypus	2103/0001	
Famel Honey and Lemon Cough Pastilles	0062/0019	
Fennings Childrens Cooling Tablet	0214/0002	25
Forprin Tablets	1378/0008	25
Fybogel	0044/0041	
Germolene Acne Gel	0079/0169	
Gola Antiseptic Spray Talc	1755/0002	
Gola Embrocation Spray	1755/0004	
Gola Freeze Spray	1755/0003	
Gola Spray Bandage	1755/0005	
Haemorrhoidal Spray	0165/0018	
Hedex Seltzer Granules (Alternative Name: Panadol Seltzer)	0071/0063	10
HI-C Tablets	2001/0001	
Honey and Lemon Zubes	0249/0022	
Hot Toddy Base	0244/0002	
Hydrogen Peroxide Solution BP (20 vols)	1927/0001	
Solution of Hydrogen Peroxide 27.5% w/w (100 vols)	1927/0002	
Julab Tablets	0518/5900	
Junior Aspirin Tablets 75 mg	1378/5924	25
Junior Ex-Lax	0255/0007	
Junior Lemsip	0044/0027	10
Lantex Tissues	0071/0086	
Lem-Plus Cough Linctus with Honey and Lemon	2371/0002	
Lem-Plus Instant Hot Lemon Drink	2371/0001	10
Lloyd's Cream	0044/0052	
Lockets	3371/0001	
Mac Honey-Lem Throat Lozenges	0079/0171	
Mac-Lemon Medicated Hot Lemon Drink	0079/0158	10
Macleans (New) Fluoride Toothpaste (Freshmint Flavour)	0079/0181	
Macleans (New) Fluoride Toothpaste (Mildmint Flavour)	0079/0180	
Mecca Medicated Cream	0189/0007	
Medicol	1710/0003	
Mediguard	0071/0074	
Menthol and Wintergreen Cream	0104/0041	
Mentholatum Deep Heat Lotion	0189/0002	
Miss Sooth It Burn Reliever	2671/0002	
Mr Stop It Wound Congealer	2671/0001	
"My Baby" Cough Syrup	1378/0068	
Mylosil Tablets	0152/0060	
New Phensic	0079/0176	25
New Travellettes for Diarrhoea	2919/0009	
New Ultracach	0504/0008	25

Column 1	Column 2	
Name and product licence number of medicinal product	Dosage units per container or package	
Nutregen Wheat Starch (Amylum BP Pulv) Gluten		
Free Flour	0883/0001	
Orange Halibut Vitamins ADC Tablets	0256/0013	
Orovite Seven	0079/0164	
Paracetamol BP 500 mg	0109/0036	25
Paracetamol Tablets	0165/0041	25
Pastilaid	0094/0004	
Phosferine Multi-Vitamin Liquid	0079/0162	
Pilogene Haemorrhoid Compound	2772/0001	
Power Plus Super Multivitamin and Mineral Capsules	0571/0006	
Proxigel Cream	0036/0020	
Ralgex Balm	0209/0004	
Remorgan Balm	0518/0010	
Rennie Effervescent	0188/0002	
Revlon ZP 11 Formula Hairdressing	0252/5901	
Revlon ZP 11 Formula Treatment Shampoo	0252/5900	
Riboflavine Tablets BPC	0249/0031	
Roberts Calamine Lotion	0249/0021	
Roha Stomach Tablets	2901/0008	
Roluids	0054/0010	
Sainsbury's Antiseptic	2812/0002	
"Savlon" Antiseptic Cream	0430/0009	
"Savlon" Antiseptic Throat Lozenges	0430/0010	
"Savlon" Babycare Cream	0430/0008	
"Savlon" Liquid Antiseptic	0430/0011	
Sertin Tablets	0044/0037	
Setamol	0044/0051	25
Setlers Tablets—New Formula	0079/0160	
Simhealth Eyes Right Capsules	0368/0007	
Sloans Rubefacient Balm	0054/0008	
Sloans Vapour Rub	0054/0007	
Solasil Liquid	0833/0001	
Solasil Liquid	3069/0001	
Solgesic Tablets	0165/0037	25
Somnolax	0044/0028	
Sterling Health Antidiarrhoeal Mixture	0071/0096	
Sterling Health Antiseptic Cream	0071/0085	
Sterling Health Antiseptic Throat Lozenges	0071/0097	
Supiform	0573/0001	
TCP First Aid Gel	1906/0001	
Tegrin Medicated Shampoo—Lotion Formula	0036/0019	
Tranquil Ambrosium	3078/5901	
Ultraplast Analgesic Spray	0504/0006	
Union Jack Corn Plasters	1379/0002	
Valderma	0044/0032	
Veno's Cough Mixture	0079/0157	
Vicks Blue Cough Remedy	0129/0038	
Vicks Praims	0129/0034	
Vitamiles One-a-day Multivitamins Plus Iron	0055/0044	
Vocalzone Throat Pastille	0459/5900	
Wesley Lloyd's Anti Catarrh Essence	2872/0002	
White Petroleum Jelly BP	0396/0004	
Wright's Magnesium Trisilicate Compound	0150/0002	

Column 1	Column 2
Name and product licence number of medicinal product	Dosage units per container or package
Yeast Pac Medicated Mask	2062/5900
Yeast Tablets BPC 300 mg	1378/5926
Zinc And Castor Oil Cream BP	0396/0003
Zinc and Castor Oil Cream BP	0406/0003

SCHEDULE 2

VETERINARY DRUGS ON GENERAL SALE BY VIRTUE OF ARTICLE 2(3)(a) OF THIS ORDER

Column 1	Column 2
Name and product licence number of veterinary drug	Dosage units per container or package
Absorbine	3542/4000
Acurel Q	2934/4000
Aintree Anti-Fly Dressing	0844/4028
Aintreeplast Readimix	0844/4204
Anima-Strath	2223/4001
APA Cage Bird Spray	3103/4004
APA Cat Powder	3103/4003
APA Dog Powder (Insecticidal)	3103/4002
APA Dog Shampoo	3103/4000
APA Dog Spray	3103/4001
APA Pigeon and Poultry Spray	3103/4005
Argyll Herbal Remedy—Garlic Tablets for Animals	2150/4000
Argyll Herbal Remedy—Green Leaf Tablets for Animals	2150/4004
Argyll Herbal Remedy—Seaweed Powder for Animals	2150/4003
Argyll Herbal Remedy—Seaweed Tablets for Animals	2150/4002
Arkovet Flea Collar for Cats and Small Dogs	3187/4000
Arkovet Flea Collar for Dogs	3187/4001
Arkovet Flea Tag for Dogs	3187/4002
Ascarid Deworm	2841/4004
Battles BHC Antiseptic Insecticidal Cream	0676/4084
Boots Louse Powder	0014/4000
Calcined Magnesite (Magnesium Oxide)	1937/4013
Calfaid	1598/4025
Canovel Wormer Tablets	0038/4033
Castor Oil BP	1937/4016
Coopers Aerosol Flyspray for Farm and Poultry Use	0003/4097
C-Vet Ringworm Aerosol	3317/4052
C-Vet Udder Wash	3317/4050
Daypan Super Dip	1861/4054
Delsanex Iodised Dairy Ointment	1476/4009
Deosan Delsanex Biodegradable Iodip	1476/4013
Deosan Delsanex Ready Dip	1476/4012
Dipal	3278/4000
Diseasolve	3543/4000
Epsom Salts (Veterinary Quality)	1937/4014
Equivite Horse Liniment	0038/4031
Exmarid Coal Tar Shampoo	1618/4003
Exmarid Insecticide	1618/4005
Exmarid Sea Breeze Shampoo	1618/4004
Extra Tail (Liquid)	3159/4001
Flea Collar for Cats	3365/4004
Flea Collar for Dogs	3365/4003
Garlic Plus Tablets	2277/4002
Glycerin BP	1937/4004
Good Boy Flea Collar	2650/4003
Go-Pet Flea Collar for Cats	0762/4002

Column 1	Column 2
Name and product licence number of veterinary drug	Dosage units per container or package
Go-Pet Flea Collar for Dogs	0762/4003
Go-Pet Flea Collar for Puppies	0762/4004
Hartz Cat Flea and Tick Killer	3198/4001
Hartz Dog Flea and Tick Killer	3198/4002
Hartz Flea Killing Collar for Cats	3198/4006
Hartz Flea Killing Collar for Dogs	3198/4000
Hartz Mountain Cat Flea Powder	3198/4003
Hartz Mountain Flea Soap for Dogs	3198/4007
Hartz Mountain Flea Tag for Cats	3198/4008
Hartz Mountain Flea Tag for Dogs	3198/4009
Hartz Mountain Rid Flea Dog Shampoo	3198/4015
Hartz Once-a-month Wormer for Dogs	3198/4013
Hartz Once-a-month Wormer for Kittens and Cats	3198/4018
Hartz 2 in 1 Collar for Dogs	3198/4017
Harvey's Red Lotion	2785/4001
Hooflex	1847/4017
Hypodip	1728/4000
Iodine Solution	1937/4002
Ionalte	1708/4098
Iosan Teat Dip CTT + Glycerin	1728/4053
Kit-Zyme Combined Wormer	0452/4008
Loxane Dusting Powder	0430/4000
Mainprize's Ray Preventive Powders	2443/4002
Marstan Iodophor Teat Dip with Lanolin & Glycerine	2759/4008
Masodine RTU Teat Dip	1981/4003
Medicinal Liquid Paraffin	1937/4006
Methylene Blue	3543/4001
One Eyed Cold Tablets	2841/4011
Orbisan Forte Teat Dip	0038/4017
Orbitabs Teat Dip Tablets	0038/4025
Otello Insecticidal Collar for Cats	3187/4004
Otello Insecticidal Collar for Dogs	3187/4003
Canovel Insecticidal Dog Collar	3187/4003
P50E	0308/4028
Parlour Discus Udderwash and Teat Dip	3178/4000
Pedaform Foot Rot Aerosol	3317/4051
Pet "M" Flea Tag for Large Dogs	0762/4005
Pigeon Pox Preventative	2841/4002
Piperazine Citrate B Vet C	0273/4070
Piperazine Citrate Tablets	0273/4069
Piperazine Veterinary Worming Powder	1937/4008
Polyvene	2841/4003
Prolugen	1873/4063
Race Vitamin	2841/4006
Ready-to-Use Teat Dip	1981/4003
Reducine Absorbent	2785/4000
Reducine Salve	2785/4002
Rumag Aqua-Super	2969/4003
Rumag Super 35	2969/4002
Rumenco Teat Dip	2969/4004
Ryclor Instant Dip	1981/4003
Ryclor Udder Cream	3343/4002
Ryclor Udder Salve	3343/4003

Column 1	Column 2
Name and product licence number of veterinary drug	Dosage units per container or package
Ryclor Udder Wash	3343/4000
Scankure	3543/4003
Searem	3543/4002
Sectovap Dog Basket Pest Destroyer	2548/4000
Sectovap Insecticidal Cat Flea Collar	2548/4002
Sectovap Insecticidal Dog Medal	2548/4001
Sergeants/Flea Collar for Dogs	0100/4008
Sergeants Sentry IV Large Dog Collar	0100/4009
Shellgard Anti-Flea Tag	1300/4000
Shellgard Cat Band	1300/4006
Sherley's Cat Band	0368/4086
Sherley's Flea-free Medallion for Dogs	0368/4070
Sherley's Insecticidal Dog Collar	0368/4083
Solution of Formaldehyde 38-40% w/v	1937/4015
Special Loft Compound	2841/4008
Spirits of Turpentine	1937/4001
1044 Spray Teat	0032/4074
Starbar Flea Tag for Cats	2761/4005
Starbar Flea Tag for Dogs	2761/4003
Starbar Flea Tag for Small Dogs	2761/4004
Stat	1708/4114
Teatcote	2100/4026
Super Mastrite, Concentrate for dilution	} 0003/4106
Actosorb Teat Dip Concentrate	
Super Mastrite Ready-to-Use	
Actosorb Teat Dip, Ready-to-Use	
Topclip Formalin	1728/4049
Turbair Flydown	3193/4000
Udder Cream	0058/4000
Vetalenta Greyhound Tonic	0844/4197
Vetasept Udder Wash	1826/4011
Veterinary Iodine Solution	2324/4073
Vetzyme Combined Wormer	0452/4001
Vetzyme Insecticidal Powder	0452/4006
Vetzyme Skin Cream	0452/4007
Wardotrane Antiseptic Plastic Dressing	1873/4064
Williams Quick-Cure Antiseptic Ointment	2706/4016
Williams Quick-Cure Dia-Rid Tablets	2706/4022
Williams Quick-Cure Diarrhoea Remedy for Dogs and Cats	2706/4006
Williams Quick-Cure Ear Canker Lotion	2706/4021
Williams Quick-Cure Embrocation for Animals	2706/4020
Williams Quick-Cure Feather Plucking	2706/4018
Williams Quick-Cure Fluffy Dusting Powder	2706/4007
Williams Quick-Cure Fluffy Insecticidal Spray	2706/4008
Williams Quick-Cure Lustrex Spray	2706/4009
Williams Quick-Cure Mange Ointment	2706/4019
Williams Quick-Cure Rid Worm Powder	2706/4005
Williams Quick-Cure Roundworm Syrup	2706/4000
Williams Quick-Cure Roundworm Tablets	2706/4014
Williams Quick-Cure Scaly Face and Scaly Leg Bird Lotion	2706/4017
Williams Quick-Cure Sham Pest	2706/4015
Williams Quick-Cure Skin Condition Lotion	2706/4023

SCHEDULE 3

LICENCE OF RIGHT PRODUCTS FOR HUMAN USE ON GENERAL SALE

1. Medicinal products that are composed solely of one or more of the following substances or classes of substances or any of them in combination, namely—

- (1) subject to paragraph 2 below, substances listed in column 1 of either Table A below as respects products that are for both external or internal use or Table B below as respects products that are for external use only where the maximum strength of the substance in the medicinal product does not exceed the maximum strength (if any) specified in column 2 of the said Table A or Table B as the case may be in relation to the said substance;
- (2) aqueous and alcoholic extracts, spirits, syrups and liquid suspensions derived from the substances listed in the said column 1;
- (3) excipients;
- (4) haemoglobin or the following parts of animals, namely, bone, horn, brain, genitals, prostate and spleen but not extracts from such parts;
- (5) glycerine extracts of bone marrow;
- (6) bovine blood derivatives;
- (7) substances of vegetable origin and extracts of such substances used in the United Kingdom as a food.

2. Where a product has as an ingredient a substance listed in column 1 of Table A or Table B below and there is in relation to that substance an entry in columns 3, 4 or 5 of the said Tables, products that—

- (1) are for the purpose or are in the pharmaceutical form or for use by the route of administration specified in column 3 of the said Tables,
- (2) except where the product is for external use, are in containers or packages labelled to show a dose not exceeding the maximum dose or the maximum daily dose specified in column 4 of the said Tables, and
- (3) are presented for sale in a separate and individual container or package containing—
 - (a) not more than the quantity of dosage units specified in column 5 of the said Tables, and
 - (b) in relation to Table A, not more than the weight of the said substance specified in column 5 of Table A.

TABLE A

INTERNAL OR EXTERNAL USE

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Abietis Oil				
Absinthium				
Acacia Powder				
Acetic Acid BP	7.5 per cent 15.0 per cent	Internal External		
Acetomenaphthone			10 mg (MD)	
Adenosine				
Adipic Acid	25 mg	Internal: Pastilles, lozenges, throat tablets only. External		
Aesculus	—		—	—
Agar				
Agrimony				
Albumin Tannate				
Alcohol BP				
Alginic Acid				
Almond Oil				
Almond Oil Volatile Bitter (free from Hydrocyanic Acid)				
Aloes			100 mg (MD)	
Aloes, Silver Derivatives of				
Aloin			20 mg (MD)	

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Aloxiprin	400 mg (adults) 100 mg (children) 800 mg (adults) 200 mg (children). When combined with aspirin, the aspirin limits apply.	Tablet Tablet Powder Powder		Tablets 25 Tablets 25 Sachets 10 Sachets 10
Alum				
Aluminium Glycinate				
Aluminium Hydroxide				
Aluminium Oxide				
Aluminium Phosphate				
American Cranesbill Root				
American Liverwort				
Aminoacetic Acid				
Aminobenzoic Acid (Vitamin H)			30 mg (MD)	
Ammonia, Solutions of	5.0 per cent NH_3 15.0 per cent NH_3	Internal or external (except smelling salts) Smelling Salts		
Ammoniacum				
Ammonium Acetate, Strong Solution				
Ammonium Benzoate				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Ammonium Bicarbonate				
Ammonium Carbonate				
Ammonium Chloride				
Ammonium Citrate				
Ammonium Sesquicarbonate				
Amylmetacresol	0.5 per cent	External (except Mouthwash) Mouthwash	0.6 mg (MD)	
	0.001 per cent final concentration			
Anethole				
Angelica Oil				
Angelica Root				
Anise				
Anise Oil				
Anthraquinone Glycosides of Rhubarb	5.0 per cent			
Arbutus, Trailing				
Asafetida				
Asarabacca				
Ascorbic Acid				
Ash				
Aspirin	325 mg (adults)	Tablet		Tablets 25
	90 mg (children)	Tablet		Tablets 25
	25.0 per cent	Effervescent Tablet		Tablets 30

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Aspirin	650 mg (adults) 180 mg (children)	Powder Powder		Sachets 10 Sachets 10
Attapulgit				
Australian Sandalwood Oil				
Avenin				
Avicel				
Avocado Oil				
Balm of Gilead Buds				
Balmomy				
Baptisia				
Barberry Bark				
Bay Salt				
Bayberry				
Bearberry				
Bearsfoot (Uvedalia)				
Beech				
Beeswax				
Bentonite				
Benzalkonium Chloride	600 mcg	Internal: Pastilles, lozenges, throat tablets only. External	—	—
Benzoic Acid	0.2 per cent 5.0 per cent	Internal External		
Benzoin				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Benzyl Alcohol	4 mg	Internal: Pastilles, lozenges, throat tablets only. External	—	—
Bethroot				
Bile Salts (Sodium Tauroglycocholate)				
Biotin				
Birch European				
Birthwort				
Bisacodyl	5 mg	Internal: Tablet External: Suppositories	5 mg (MD)	
Bismuth Aluminate				
Bismuth and Ammonium Citrate				
Bismuth Carbonate				
Bismuth Citrate				
Bismuth Oxide				
Bismuth Oxychloride				
Bismuth Subnitrate				
Bistort				
Blackberry Leaf				
Blackberry Root Bark				
Black Catechu				
Black Haw				
Black Root				
Black Sulphur				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Blackthorn				
Blood Root				
Blue Flag				
Blue Mallow				
Boldo				
Bonemeal				
Boneset				
Broom				
Buchu				
Buckbean				
Buckthorn				
Bugle				
Bugleweed				
Burdock				
Burgundy Pitch				
Burnet Saxifrage				
Butter Bur				
Butter Nut				
Caffeine				
Caffeine Citrate				
Calamint				
Calamus				
Calcium Acetate				
Calcium Ascorbate				
Calcium Carbonate				
Calcium Caseinate				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Calcium Chloride				
Calcium Citrate				
Calcium Formate				
Calcium Gluconate				
Calcium Glycerophosphate				
Calcium Hydrogen Phosphate				
Calcium Hypophosphite				
Calcium Iodate			Equivalent to 10 mg Iodine (MDD)	
Calcium Iodide			Equivalent to 10 mg Iodine (MDD)	
Calcium Lactate				
Calcium Lactophosphate				
Calcium Pantothenate				
Calcium Phosphate				
Calcium Silicate				
Calcium Stearate				
Calcium Sulphide				
Calcium Tetrahydrogen Phosphate				
Calumba				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Camphor			10 mg (MD) 30 mg (MDD)	
Canella				
Capsicum				
Capsicum Oleoresin			1.2 mg (MD) 1.8 mg (MDD)	
Caraway	2.5 per cent	External		
Caraway Oil				
Cardamom				
Cardamom Oil				
Cascara				
Cascarilla				
Casein				
Cassia Oil				
Castor Oil				
Catechu				
Catmint				
Caulophyllum				
Celery Oil				
Celery Seed				
Centaury				
Centella				
Ceratonia				
Cetraria				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Cetylpyridinium Chloride			3 mg (MD)	
Chalk, Prepared				
Chamomile				
Chamomile, German				
Charcoal, Medicinal				
Chestnut				
Chickweed				
Chiretta				
Chlorbutol	0.5 per cent 2.5 per cent	Internal: (1) Solid preparations (2) Liquid preparations External	150 mg (MD)	
Chlorhexidine Hydrochloride	5 mg —	Internal: Pastilles, lozenges, throat tablets only. External	—	—
Chloroform	2.0 per cent 1.0 per cent —	Internal: Solid preparations Internal: Liquid preparations External	—	—
Chlorophyll				
Chlorophyllins				
Chloroxylenol	0.5 per cent 5.0 per cent	Internal External		
Choline				
Choline Bitartrate				
Choline Chloride				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Choline Dihydrogen Citrate				
Cimicifuga				
Cinchona			50 mg (MD)	
Cinchonidine Sulphate			10 mg (MD)	
Cinnamic Acid	500 mcg	Internal: Pastilles, lozenges, throat tablets only. External	—	—
Cinnamon Bark				
Cinnamon Oil				
Citric Acid				
Citrus Bioflavonoids				
Clivers				
Clove				
Clove Oil				
Clover				
Cobalt			0.25 mg (MDD)	
Cobalt Chloride			Equivalent to 0.25 mg elemental Cobalt (MDD)	
Cobalt Oxide			Equivalent to 0.25 mg elemental Cobalt (MDD)	

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Cobalt Phosphate			Equivalent to 0.25 mg elemental Cobalt (MDD)	
Cobalt Sulphate			Equivalent to 0.25 mg elemental Cobalt (MDD)	
Cochlearia				
Cocillana				
Cod-Liver Oil (Fish Liver Oil)			As for Vitamin A and Vitamin D	
Coltsfoot				
Comfrey				
Condurango				
Copper			1 mg (MDD)	
Copper Acetate			Equivalent to 1 mg elemental Copper (MDD)	
Copper Carbonate	1.0 per cent	External	Equivalent to 1 mg elemental Copper (MDD)	
Copper Citrate			Equivalent to 1 mg elemental Copper (MDD)	

Column 1	Column 2	Column 3	Column 4	Column 5		
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package		
Copper Gluconate	1.0 per cent	External	Equivalent to 1 mg elemental Copper (MDD)			
Copper Glycerophosphate			Equivalent to 1 mg elemental Copper (MDD)			
Copper Oxide			Equivalent to 1 mg elemental Copper (MDD)			
Copper Sulphate			Equivalent to 1 mg elemental Copper (MDD)			
Coriander			0.5 per cent		External	0.125 ml (MD)
Coriander Oil						
Cornflower						
Corn Silk						
Corydalis						
Cotton Root						
Couch-Grass						
Cowslip						
Cramp Bark						
Creosote	0.5 per cent	External	0.125 ml (MD)			
Cubeb						
Cubeb Oil						

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Cubeb Oleoresin				
Cudweed				
Cyanocobalamin			10 mcg (MDD)	
Cynara				
Cypripedium				
Cysteine				
Cysteine Hydrochloride				
Damiana				
Dandelion				
Danthron			50 mg (MD)	
Desiccated Liver				
Dextrose				
Dextrose Monohydrate				
Diastase				
2,4 Dichlorobenzyl Alcohol	2 mg	Internal: Pastilles, lozenges, throat tablets only. External	—	—
Dihydroxy-Aluminium Sodium Carbonate				
Dill				
Dill Oil				
Dimethicone				
Dioctyl Sodium Sulphosuccinate				
Dogwood				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Echinacea				
Elder				
Elder Dwarf				
Elecampane				
Elemi				
Elm				
Equisetum				
Eriodictyon				
Eryngo				
Escin				
Ether			0.25 ml (MD)	
Ethyl Acetate				
Ethyl Benzoate				
Ethyl p-Hydroxybenzoate	0.2 per cent —	Internal External	—	—
Ethylene Glycol Monostearate				
Ethylhydroxyethyl-cellulose				
Ethylmethylcellulose				
Eucalyptol				
Eucalyptus				
Eucalyptus Kino				
Eucalyptus Oil				
Euonymus				
Eupatorium				
Euphorbia				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Eyebright				
Fennel				
Fennel Oil				
Fenugreek				
Ferric Ammonium Citrate			Equivalent to 24 mg elemental Iron (MD)	
Ferric Chloride			Equivalent to 24 mg elemental Iron (MD)	
Ferric Citrate			Equivalent to 24 mg elemental Iron (MD)	
Ferric Glycerophosphate			Equivalent to 24 mg elemental Iron (MD)	
Ferric Hypophosphite			Equivalent to 24 mg elemental Iron (MD)	
Ferrous Calcium Citrate			Equivalent to 24 mg elemental Iron (MD)	
Ferrous Carbonate			Equivalent to 24 mg elemental Iron (MD)	
Ferrous Fumarate			Equivalent to 24 mg elemental Iron (MD)	

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Ferrous Gluconate			Equivalent to 24 mg elemental Iron (MD)	
Ferrous Phosphate			Equivalent to 24 mg elemental Iron (MD)	
Ferrous Succinate			Equivalent to 24 mg elemental Iron (MD)	
Ferrous Sulphate			Equivalent to 24 mg elemental Iron (MD)	
Ferrous Tartrate			Equivalent to 24 mg elemental Iron (MD)	
Feverfew				
Figs				
Figwort				
Fir Cones				
Fluellin				
Folic Acid			200 mcg (MDD)	
Formaldehyde Solution	—	Internal: Pastilles, lozenges, throat tablets only. External	0.01 ml (MD) 0.03 ml (MDD)	—
Frangula				
Fringetree				
Frostweed				
Fructose				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Fucus				
Fumitory				
Galangal				
Gamboge			10 mg (MD)	
Garlic Oil				
Gentian				
Germander				
Ginger				
Ginger Oil				
Ginger Oleoresin				
Ginseng				
Gluconolactone				
Glutamic Acid Hydrochloride				
Glycerol				
Glycerophosphoric Acid				
Golden Rod				
Golden Seal				
Greater Burnet				
Grindelia				
Ground Ivy				
Guaiacol				
Guaiacol Carbonate				
Guaiacum				
Guaiphenesin			100 mg (MD)	

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Guar Gum				
Haematoporphyrin Dihydrochloride				
Halibut Liver Oil			As for Vitamin A and Vitamin D	
Harts Tongue				
Hay Flower				
Heartsease				
Heather Flowers				
Hemlock Spruce	10.0 per cent —	Internal External	—	—
Hesperidin Complex				
Hexamine				
Hexyl Resorcinol	2.5 mg —	Internal: Pastilles, lozenges, throat tablets only. External	—	—
Holly				
Holy Thistle				
Honey Purified BPC				
Honeysuckle Flowers				
Horehound				
Hydrangea				
Hydrochloric Acid, Dilute BP			1 ml (MD)	
Hydrotalcite				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Hydroxypropyl Cellulose				
Hypophosphorous Acid				
Hypromellose				
Hyssop				
Inositol				
Inositol Nicotinate				
Iodine			10 mg (MDD)	
Iodophenol			0.4 mg (MD)	
Ipecacuanha				
Irish Moss				
Iron Formate			Equivalent to 24 mg elemental Iron (MD)	
Iron Lactate			Equivalent to 24 mg elemental Iron (MD)	
Iron Phosphate			Equivalent to 24 mg elemental Iron (MD)	
Iron Reduced			Equivalent to 24 mg elemental Iron (MD)	
Ispaghula				
Jamaica Dogwood				
Jambul				
Jujube Berries				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Juniper				
Juniper Oil				
Kaolin				
Kava				
Kino				
Kola				
Krameria				
Lactic Acid				
Lactic Acid Bacteria				
Lactose				
Lactuca				
Ladies Mantle				
Lady's Slipper				
Laminaria				
Larch Bark				
Laricis Oleoresin				
Lavender				
Lavender Oil				
Lavender Oil, Spike				
Lecithin				
Lemon Grass Oil				
Lemon Oil				
Leptandrin				
Lime Leaf				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Linalyl Acetate				
Linoleic Acid				
Linseed				
Liquorice				
Lithium Benzoate			Equivalent to 5 mg of base (MD) Equivalent to 15 mg of base (MDD)	
Lithium Citrate			Equivalent to 5 mg of base (MD) Equivalent to 15 mg of base (MDD)	
Lithium Salicylate			Equivalent to 5 mg of base (MD) Equivalent to 15 mg of base (MDD)	
Lithium Sulphate			Equivalent to 5 mg of base (MD) Equivalent to 15 mg of base (MDD)	
Liver Extract				
Lobelia			65 mg (MD)	
Lovage				
Lucerne				
Lungwort				
Lupulin				
Lupulus				
Lysine				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Lysine Hydrochloride				
Magnesium Carbonate Heavy				
Magnesium Carbonate Light				
Magnesium Citrate				
Magnesium Formate				
Magnesium Glycerophosphate				
Magnesium Hydroxide				
Magnesium Hypophosphite				
Magnesium Oxide Heavy				
Magnesium Oxide Light				
Magnesium Peroxide				
Magnesium Phosphate				
Magnesium Stearate				
Magnesium Sulphate				
Magnesium Trisilicate				
Maidenhair				
Malic Acid				
Manganese			1 mg (MDD)	

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Manganese Chloride			Equivalent to 1 mg elemental Manganese (MDD)	
Manganese Gluconate			Equivalent to 1 mg elemental Manganese (MDD)	
Manganese Glycerophosphate			Equivalent to 1 mg elemental Manganese (MDD)	
Manganese Hypophosphite			Equivalent to 1 mg elemental Manganese (MDD)	
Manganese Lactate			Equivalent to 1 mg elemental Manganese (MDD)	
Manganese Sulphate			Equivalent to 1 mg elemental Manganese (MDD)	
Mannitol				
Marigold Flowers				
Marshmallow				
Masterwort				
Maté				
Meadow Grass				
Meadow Sweet				
Melissa				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Menthol				
Methionine				
Methyl Cellulose				
Methyl p-Hydroxybenzoate	0.5 per cent 1.0 per cent	Internal External		
Methyl Salicylate	1 mg	Internal: Pastilles, lozenges, throat tablets, nasal inhalations only. External	—	—
Methylene Blue				
Molybdenum			3 mg (MDD)	
Molybdenum Trioxide			Equivalent to 3 mg elemental Molybdenum (MDD)	
Molybdic Oxide			Equivalent to 3 mg elemental Molybdenum (MDD)	
Molybdic Sulphate			Equivalent to 3 mg elemental Molybdenum (MDD)	
Motherwort				
Mountain Flax				
Mousear				
Mugwort				
Muira Puama				
Mullein				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Myrrh				
Neroli Oil				
Nettle				
Nickel			0.2 mg (MDD)	
Nickel Oxide			Equivalent to 0.2 mg elemental Nickel (MDD)	
Nicotinamide				
Nicotinic Acid				
Nitric Acid			0.02 ml (MD)	
Nitrous Ether Spirit (BPC 59)	5.0 per cent			
Noscapine			15 mg (MD) 45 mg (MDD)	
Noscapine Hydrochloride			Equivalent to 15 mg of base (MD) Equivalent to 45 mg of base (MDD)	
Nutmeg				
Nutmeg Oil				
Oak				
Ononis				
Orange Oil				
Origanum				
Origanum Oil				
Os Sepia Powder BPC 1934				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Ox Bile				
Pancreatin				
Pantothenic Acid				
Pantothenol				
Papain				
Papaya Leaves				
Paracetamol	500 mg (adults)	Tablet		Tablets 25
	120 mg (children)	Tablet		Tablets 25
	1,000 mg (adults)	Powder		Sachets 10
	240 mg (children)	Powder		Sachets 10
Liquid Paraffin		All preparations except nasal drops, nasal sprays, and nasal inhalations.		
Paraformaldehyde	10 mg	Internal: Pastilles, lozenges, throat tablets only. External		
Pareira Root				
Parsley Piert				
Parsley Root				
Passiflora				
Peach Leaves				
Pellitory				
Pellitory-of-the-Wall				
Pennyroyal				
Peony				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Pepper, Oleoresin of				
Peppermint				
Peppermint Oil				
Pepsin				
Periwinkle				
Phenol	1.0 per cent 5.0 per cent 2.5 per cent	Internal (except smelling salts) Smelling Salts External		
Phenolphthalein			120 mg (MD)	
Phenylephrine		Internal: All preparations except nasal drops, nasal sprays and nasal inhalations.	10 mg (MD)	
Phenylephrine Hydrochloride		Internal: All preparations except nasal drops, nasal sprays and nasal inhalations.	Equivalent to 10 mg Phenylephrine (MD)	
Phenylsemicarbazide				
Phosphoric Acid, Dilute BP 1963			2.5 ml (MD)	
Pichi				
Pilewort				
Pimento Oil				
Pimpernel				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Pini Sylvestris Oil	9 mg 6 mg 0.05 mg/5 ml —	Internal: Inhalant Capsules. Internal: Pastilles, lozenges, throat tablets. Internal: Cough Syrups. External	—	—
Pinus Strobus				
Pinus Sylvestris				
Pipsissiwa				
Plantain				
Pleurisy Root				
Poke Root				
Pollen				
Pollen Extracts				
Polyhydroxyalu- minium Sodium Carbonate				
Poplar				
Potassium Acetate				
Potassium Acid Phosphate				
Potassium Acid Tartrate				
Potassium Aspartate				
Potassium Bicarbonate				
Potassium Carbonate				
Potassium Chloride				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Potassium Citrate				
Potassium Glycero-phosphate				
Potassium Hydroxide	500 mcg	Internal: Pastilles, lozenges, throat tablets only. External	—	—
Potassium Iodide			Equivalent to 10 mg Iodine (MDD)	
Potassium Nitrate			100 mg (MD)	
Potassium Phosphate				
Potassium Sorbate				
Potassium Sulphate				
Potentilla				
Precipitated Sulphur				
Prickly Ash				
Propyl Hydroxy-benzoate	0.5 per cent 1.0 per cent	Internal External		
Propylene Glycol				
Prune				
Psyllium				
Pulsatilla				
Pumilio Pine Oil				
Pyridoxine Hydrochloride				
Quaking Aspen				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Quassia				
Queens Delight				
Quillaia				
Quinine			35 mg (MD)	
Quinine Bisulphate			Equivalent to 35 mg Quinine (MD)	
Quinine Hydrochloride			Equivalent to 35 mg Quinine (MD)	
Quinine Hypophosphite			Equivalent to 35 mg Quinine (MD)	
Quinine Salicylate			Equivalent to 35 mg Quinine (MD)	
Quinine Sulphate			Equivalent to 35 mg Quinine (MD)	
Raspberry Leaves				
Red Poppy Petals				
Red Rose Petals				
Red Sanderswood				
Rhubarb Rhizome				
Riboflavine				
Riboflavine Sodium Phosphate				
Rock Water				
Rose Fruit				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Rosemary				
Rosemary Oil				
Royal Jelly				
Rue				
Rutin				
Saccharated Ferrous Carbonate			Equivalent to 24 mg elemental Iron (MD)	
Saccharated Iron Oxide			Equivalent to 24 mg elemental Iron (MD)	
Saccharated Iron Phosphate			Equivalent to 24 mg elemental Iron (MD)	
Safflower				
Safflower Oil				
Sage Oil				
St. John's Wort				
Salep				
Salicaria				
Salicylamide		Tablet	1.2g (MDD)	25 7.5 g
Saligenin	0.5 per cent —	Internal External	—	—
Sandalwood Oil				
Sandarac				
Sanguinaria				
Sanicle				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Saponaria				
Sarsaparilla Root				
Sassafras				
Saw Palmetto				
Scullcap				
Senega				
Senna Fruit				
Senna Leaf				
Sennosides A and B			15 mg (MD)	
Serpentary				
Shark Liver Oil		Internal other than Suppositories	As for Vitamin A and Vitamin D	
	3 g —	Suppositories External	—	
Shepherd's Purse				
Skunk Cabbage Root				
Slippery Elm— Powdered Bark				
Sodium Acid Citrate				
Sodium Acid Phosphate				
Sodium Aescin				
Sodium Aescin (Polysulphinate)				
Sodium Alginate				
Sodium Ascorbate				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Sodium Benzoate	0.2 per cent —	Internal External	—	—
Sodium Bicarbonate				
Sodium Carbonate				
Sodium Carboxymethylcellulose				
Sodium Caseinate				
Sodium Chloride				
Sodium Citrate				
Sodium Glycero-phosphate				
Sodium Hypo-phosphite				
Sodium Lauryl Sulphate				
Sodium Magnesium Aluminium Silicate and Basic Magnesium Aluminate				
Sodium Nitrite				
Sodium Pantothenate				
Sodium Phosphate				
Sodium Poly-hydroxyaluminium Monocarbonate Hexitol Complex				
Sodium Potassium Tartrate				
Sodium Ricinoleate	0.5 per cent —	Internal External	—	—
Sodium Salicylate				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Sodium Sulphate				
Sodium Tartrate				
Southern Wood				
Soya Lecithin				
Soya (Protein)				
Soya Oil				
Spearmint				
Spearmint Oil				
Speedwell				
Spigelia				
Squaw-Vine				
Squill, White		Internal: As an expectorant in cough medicines only		
Star Anise				
Starch				
Sterculia				
Stone Root				
Storax				
Strawberry Leaf				
Sublimed Sulphur				
Succinic Acid				
Sulphur				
Sulphuric Acid Dilute BPC			0.3 ml (MD)	
Sumach				
Sumbul				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Sundew				
Sunflower				
Sunflower Oil				
Sweet Birch Oil				
Syrup BP				
Tag Alder				
Talc				
Tannic Acid	5 mg	Internal: Pastilles, lozenges, throat tablets only. External	—	—
Tansy	—			
Tar BP	5 mg	Liquid preparations Internal: Pastilles, lozenges, throat tablets only. External	20 mg (MD)	
Tartaric Acid	—			
Terebene	10 mg	Internal: Pastilles, lozenges, throat tablets only. External	—	—
Terpin Hydrate			200 mg (MD)	
Terpineol				
Theobromine				
Thiamine Hydrochloride				
Thiamine Mononitrate				
Thyme				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Thyme Oil				
Thymol				
Tilia				
Tinospora				
Titanium Dioxide				
Tocopherol				
Tocopheryl Acetate				
Tocopheryl Acid Succinate				
Tolu Balsam				
Tormentilla				
Tragacanth				
Unicorn Root, False				
Unicorn Root, True				
Valerian				
Verbena				
Violet				
Vitamin A			7,500 iu (2,250 mcg Retinol equivalent) (MDD)	
Vitamin A Acetate			Equivalent to 7,500 iu Vitamin A (2,250 mcg Retinol equivalent) (MDD)	

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Vitamin A Palmitate			Equivalent to 7,500 iu Vitamin A (2,250 mcg Retinol equivalent) (MDD)	
Vitamin D (Calciferol)			400 iu (10 mcg Cholecalciferol) (MDD)	
Wheat Germ Oil				
Whey Powder				
White Pond Lily				
Wild Carrot				
Wild Cherry				
Wild Oats				
Wild Rose				
Wild Thyme				
Willow Black				
Willow White				
Wintergreen Leaves				
Wood Betony				
Woodsage				
Yarrow				
Yeast				
Yellow Dock				
Zinc			4 mg (MDD)	
Zinc Oxide			Equivalent to 4 mg elemental Zinc (MDD)	

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units and weight of substance per container or package
Zinc Phosphate	0.15 per cent	External	Equivalent to 4 mg elemental Zinc (MDD)	
Zinc Sulphate	0.25 per cent	External	Equivalent to 4 mg elemental Zinc (MDD)	

TABLE B

EXTERNAL USE ONLY

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Acetone				
Acriflavine				
Alkylaryltrimethyl Ammonium Chloride				
Allantoin				
Aluminium Acetate				
Aluminium Chlorohydrate				
Aluminium Silicate				
Amber Oil				
Aminacrine				
Aminacrine Hydrochloride				
Amyl Acetate				
Amyl para-dimethyl-aminobenzoate				
Arnica				
Azulene				
Bay Oil				
Benzethonium Chloride				
Benzocaine	1.0 per cent			
Benzyl Cresols	0.5 per cent			
Benzyl Nicotinate				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Benzyl Salicylate				
Bergamot Oil				
Birch Tar Oil				
Bismuth Iodide Oxide				
Bismuth Subgallate				
Borax (Sodium Borate)	5.0 per cent 0.7 per cent	Ophthalmic lotions as buffering agent only		
Boric Acid	5.0 per cent 2.5 per cent	Talcs only Ophthalmic lotions as buffering agent only		
Bronopol	0.5 per cent			
Butyl Alcohol				
Cade Oil				
Cajuput Oil				
Calamine				
Calcium Hydroxide				
Calcium Sulphate				
Camphor Oil				
Canada Balsam				
Carnauba Wax				
Cedar Wood Oil				
Cetrimide				
Cetyl Alcohol NF				
Chloramine	12.0 per cent			

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Chlorhexidine Acetate				
Chlorhexidine Gluconate				
Chlorinated Lime				
Chlorine				
Chlorocresol	0.2 per cent			
Chlorophenoxy-ethanol				
Chlorphenesin				
Cholesterol				
Choline Salicylate	9.0 per cent			
Cinoxate				
Citronella Oil				
Clioquinol	0.6 per cent			
Clorofene	1.25 per cent			
Coal Tar				
Coconut Oil				
Colophony				
Copaiba				
Cresol	1.0 per cent			
Curd Soap				
Diatomite				
Dichlorodi-fluoromethane (Propellent 12)				
Dichlorophen	1.0 per cent			
Dichlorotetra-fluoroethane (Propellent 114)				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Dichloroxylenol	0.3 per cent			
Diethyl Phthalate				
Diethylamine				
Salicylate				
Diethylethanol-				
amine				
Stearate				
Diethyltoluamide				
Dihydroxyacetone				
Di-8-				
Hydroxyquinoline-				
P-Amino-				
Salicylate				
Di-Isobutyl-				
phenoxypoly-				
Ethoxyethanol				
Dimethyl Phthalate				
Diperodon				
Hydrochloride				
Edetic Acid				
10-Enyl				
Undecenoic Acid				
10-Enyl				
Zinc Undecenoate				
Ethanolamine				
Ethoxylated				
Lauryl Alcohol				
Ethyl Nicotinate				
Ethyl Salicylate				
Eufflavine				
Eugenol				
Ferric Oxide				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Fuller's Earth				
Gall				
Gentian Violet				
Geranium Oil				
Glyceryl Mono-Oleate				
Glyceryl Mono-Stearate				
Glycol Monosalicylate				
Guaiacol Furoate	5.0 per cent			
Halogenated Phenols	1.0 per cent	Liquids		
Halquinol	0.6 per cent			
Hamamelis				
Henna				
Heparin				
Hexachlorophane	0.1 per cent			
Hexetidine	0.1 per cent			
Hexyl Nicotinate				
Histamine Acid Phosphate	0.1 per cent			
Histamine Hydrochloride	0.1 per cent			
Hydrogen Peroxide				
Hydrous Wool Fat				
p-Hydroxybenzoic Acid-Mixed Short Alkyl Chain Esters				
Hydroxyquinoline	0.6 per cent			

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Hydroxyquinoline Sulphate	0.6 per cent			
Hydroxyquinolines, Chlorinated	0.6 per cent			
Ichthammol				
Iodoform				
Iodophores				
Iodosalicylic Acid				
Isopropyl Alcohol				
Isopropyl Linoleate				
Jaborandi	0.025 per cent of the alkaloids in the medicinal product			
Lauryldimethylbenzalkonium Chloride				
Lignocaine	0.6 per cent			
Lignocaine Hydrochloride	0.7 per cent			
Linseed Oil				
Lycopodium				
Magnesium Borate	5.0 per cent			
Magnesium Chloride				
Melaleuca Oil				
Menthyl Salicylate				
Methyl Alcohol				
Methyl Benzalkonium Chloride				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Methyl Benzethonium Chloride				
Methyl Nicotinate				
Methylated Spirit Industrial				
Mexenone				
Mustard Oil, expressed				
Mustard Oil, volatile	0.1 per cent			
Neatsfoot Oil				
Nonylphenoxy-polyethoxy-ethanol				
Octaphonium Chloride				
Octoxynol				
Octylhydrocupreine Dihydrochloride				
Oleic Acid				
Oleyl Alcohol				
Olibanum				
Orris				
Orthocresol				
Orthophenyl Phenol	0.01 per cent			
Palm Kernel Oil				
Parachlorophenol	0.5 per cent			
Paradichlorobenzene				
Paraffin, hard				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Paraffin, white soft				
Paraffin, yellow soft				
Peru, Balsam of				
Phenoxyethanol				
Phenyl Nicotinate				
Phenylethyl Nicotinate				
Pine Oil, Artificial				
Pine Oil (Terpeneless)				
Polyethylene Glycol				
Polyglyceryl Ricinoleate				
Potash Soap				
Potassium Chlorate				
Potassium Hydroxyquinoline Sulphate	0.6 per cent			
Povidone-Iodine				
Proflavine				
Proflavine Hemisulphate				
Propionic Acid				
n-Propyl Alcohol				
Propylene Glycol Monostearate				
Pyrethrum				
Pyroxylin	4.5 per cent			
Rape Oil				
Resorcinol	0.5 per cent	Shampoos only		

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Ricinoleic Acid				
Safrole				
Salicylic Acid	— 12.5 per cent	Corn Plasters. All other preparations for treatment of corns.		
	3.0 per cent 2.0 per cent	Dusting Powder. Cream, ointment or gel.		
	0.5 per cent in the impregnating solution	Medicated Pads.		
	0.05 per cent	Liquids, other than for treatment of corns		
Salol				
Saponin				
Sassafras Oil				
Scarlet Red				
Seal Oil				
Sodium Edetate				
Sodium Formate				
Sodium Hydroxide	12.0 per cent			
Sodium Hypochlorite, solution strong BPC				
Sodium Lauryl Ether Sulphate				
Sodium Octoate				
Sodium Perborate				
Sodium Phenate				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Sodium Phenolsulphonate				
Sodium Polymetaphosphate				
Sodium Propionate				
Sodium Silicate				
Sodium Sulphide				
Sodium Sulpho Succinated-Undecylenic Monoalkylolamide				
Soft Soap				
Strong Lead Subacetate Solution BPC	3.0 per cent			
Strontium Chloride Hexahydrate				
Sulphated Castor Oil				
Sulpho Succinate of Lauryl Polyglycol Ether				
Sulphurated Potash				
Tar Oil				
Tar Oil Rectified				
Terpinolene				
Thurfyl Salicylate				
Titanium Peroxide				
Titanium Salicylate				
Titanium Tannate				
Tolnaftate				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Trichloro-carbanilide				
Trichloro-fluoromethane (Propellent 11)				
Trichlorohydroxy-diphenylether				
Triethanolamine Lauryl Sulphate				
Triethanolamine Oleate				
Triethanolamine Ricinoleate				
Triisopropyl Phenoxy-decaethoxyethanol				
Turpentine Oil				
Undecenoic Acid				
Urea				
Urea Peroxide				
Venice Turpentine (Synthetic)				
White Spirit				
Wool Alcohols				
Wool Fat				
Zinc Caprylate				
Zinc Chloride				
Zinc Oleate				
Zinc Oleostearate				
Zinc Oxide				
Zinc Phenolsulphonate				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Zinc Pyrithione Zinc Stearate Zinc Undecenoate	2.0 per cent	Shampoos only		

LICENCE OF RIGHT VETERINARY DRUGS ON GENERAL SALE

1. Veterinary drugs that are composed solely of one or more of the following substances or classes of substances or any of them in combination, namely—

- (1) subject to paragraph 2 below, substances listed in column 1 of either Table A below as respects veterinary drugs that are for both external or internal use or Table B below as respects veterinary drugs that are for external use only where the maximum strength of the substance in the veterinary drug does not exceed the maximum strength (if any) specified in column 2 of the said Table A or Table B as the case may be in relation to the said substance;
- (2) excipients;
- (3) substances of animal origin (including extracts of such substances) used in the United Kingdom as a human or animal food or in the preparation of such foods;
- (4) substances of vegetable origin (including extracts and residues of such substances) used in the United Kingdom as a human or animal food or in the preparation of such foods;
- (5) grit in medicinal products for birds.

2. Where a veterinary drug has as an ingredient a substance listed in column 1 of Table A or Table B below and there is in relation to that substance an entry in columns 3, 4 or 5 of the said Tables, veterinary drugs that—

- (1) are for the purpose or are in the pharmaceutical form or for use by the route of administration specified in column 3 of the said Tables,
- (2) except where the product is for external use, are in containers or packages labelled to show a dose not exceeding the maximum daily dose specified in column 4 of the said Tables, and
- (3) are presented for sale in a separate and individual container or package containing—
 - (a) not more than the quantity of dosage units specified in column 5 of the said Tables, and
 - (b) in relation to Table A, not more than the volume or the weight of the said substance specified in column 5 of Table A.

TABLE A

INTERNAL OR EXTERNAL USE

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Absinthium				
Acetic Acid BP	7.5 per cent 15.0 per cent	Internal External		
Acetomenaphthone				
Alcohol BP				
Aloes				
Aloin				
Althaea				
Aluminium Hydroxide				
Aluminium Sulphate				
Aminonitrothiazole	16.0 per cent 10 mg	For ailments of pet birds and pigeons only Solution Capsule		100 ml 50
Ammonia Solution Conc	1.66 per cent —	Internal External	—	—
Ammonium Acetate—Strong Solution of				
Ammonium Bicarbonate				
Ammonium Carbonate				
Ammonium Chloride				
Ammonium Citrate				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Ammonium Phosphate				
Ammonium Sulphate				
Ammonium Valerate				
Amprolium Hydrochloride		For ailments of pet birds and pigeons only		
Aniseed				
Aniseed Oil				
Arachidonic Acid				
Arnica				
Aromatic Ammonia Spirit BPC				
Asafetida				
Ascorbic Acid				
Aspirin	325 mg 325 mg	Tablet Powder		25 25
Attapulgit				
Barberry Bark				
Bay Salt				
Bearberry Leaf				
Bentonite				
Benzoin				
Biotin				
Bismuth and Ammonium Citrate				
Bismuth Carbonate				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Bismuth Salicylate	20.0 per cent			
Bismuth Subnitrate	20.0 per cent			
Bismuth Tribromophenate				
Bladderwrack				
Bole Armenian				
Bornyl Acetate				
Brilliant Green				
Bromhexine Hydrochloride		Internal use for ailments of pet birds and pigeons only		20 gm
Buchu				
Buckthorn				
Burdock Root				
Burgundy Pitch				
Cabbage				
Caffeine Citrate				
Calcined Magnesite				
Calcium Borogluconate				
Calcium Carbonate				
Calcium Caseinate				
Calcium Chloride	0.012 per cent			
Calcium Gluconate				
Calcium Glycero-phosphate				
Calcium Hydroxide				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Calcium Hypophosphite				
Calcium Iodate				
Calcium Lactate				
Calcium Hydrogen Phosphate				
Calcium Lactophosphate				
Calcium Oxide				
Calcium Pantothenate				
Calcium Phosphate				
Calumba				
Capsicum				
Caraway Oil				
Caraway Seed				
Cardamon				
Cascara				
Cassia				
Castor Oil				
Catechu				
Catnep				
Celery Seed				
Cellulose				
Cetrimide	—	Internal use for ailments of pet birds and pigeons only External	—	—

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Chamomile				
Chamomile Oil				
Charcoal				
Chimiphila				
Chlorbutol	0.5 per cent 2.5 per cent	Internal External		
Chlorophenol	1.0 per cent			
Chlorophenoxy-ethanol				
Chlorophyll				
Chlorophyllin				
Choline				
Choline Chloride				
Choline Citrate				
Choline Tartrate				
Cinchona	0.4 per cent —	Internal External	—	—
Cinnamon Oil				
Citric Acid				
Clove Oil				
Clupanodonic Acid				
Cobalt	Equivalent to 1.0 per cent Elemental Cobalt			
Cobalt Carbonate	Equivalent to 1.0 per cent Elemental Cobalt			

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Cobalt Chloride	Equivalent to 1.0 per cent Elemental Cobalt			
Cobalt Lactate	Equivalent to 1.0 per cent Elemental Cobalt			
Cobalt Oxide	Equivalent to 1.0 per cent Elemental Cobalt			
Cobalt Phosphate	Equivalent to 1.0 per cent Elemental Cobalt			
Cobalt Sulphate	Equivalent to 1.0 per cent Elemental Cobalt			
Colophony				
Coriander				
Cottonseed Fatty Acids				
Couch-Grass				
Cresol	1.0 per cent 2.5 per cent	Internal External		
Cummin Seed				
Cyanocobalamin				
Damiana				
Dandelion Juice				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Danthron				
Desiccated Liver				
Diacetone Alcohol				
Diastase				
Dichlorophen				
Diethylcarbamazine Citrate				
Dimethicone				
Disodium Edetate	1.0 per cent			
Dockroot, Yellow				
Dried Yeast BPC				
Edetic Acid	1.0 per cent			
Elderberries				
Elder Flowers				
Ethanolamine				
Ether	5.0 per cent	Internal External	—	—
Ethyl Acetate				
Ethyl Benzoate				
Ethylhydroxyethyl Cellulose				
Ethyl Nitrite				
Ethyl Oleate				
Eucalyptol				
Eucalyptus				
Eucalyptus Oil				
Fennel				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Fenugreek				
Ferric Ammonium Citrate	Equivalent to 2.0 per cent Elemental Iron			
Ferric Ammonium Sulphate	Equivalent to 2.0 per cent Elemental Iron			
Ferric Chloride	Equivalent to 2.0 per cent Elemental Iron			
Ferric Glycero-phosphate	Equivalent to 2.0 per cent Elemental Iron			
Ferric Hypophosphite	Equivalent to 2.0 per cent Elemental Iron			
Ferric Oxide	Equivalent to 2.0 per cent Elemental Iron			
Ferric Perchloride	Equivalent to 2.0 per cent Elemental Iron			
Ferric Phosphate	Equivalent to 2.0 per cent Elemental Iron			

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Ferric Pyrophosphate	Equivalent to 2.0 per cent Elemental Iron			
Ferric Sulphate	Equivalent to 2.0 per cent Elemental Iron			
Ferrous Chloride	Equivalent to 2.0 per cent Elemental Iron			
Ferrous Fumarate	Equivalent to 2.0 per cent Elemental Iron			
Ferrous Gluconate	Equivalent to 2.0 per cent Elemental Iron			
Ferrous Phosphate	Equivalent to 2.0 per cent Elemental Iron			
Ferrous Sulphate	Equivalent to 2.0 per cent Elemental Iron			
Folic Acid			800 mcg (MDD)	
Formaldehyde Solution	5.0 per cent —	Internal External	—	—

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Fumagillin		For treatment of Nosema Apis infection in bees only		
Fumagillin Bicyclohexylamine		For treatment of Nosema Apis infection in bees only		
Garlic Juice				
Garlic Oil				
Gentian				
Ginger Oleoresin				
Ginger				
Gluconolactone				
Glucose				
Glycerol				
Glyceryl Monoricinoleate				
Guaiacol				
Hexamine				
Holy Thistle				
Horehound				
Horseradish				
Hydrastis				
Hydrochloric Acid Dilute BP				
Hydroxymethyl Cellulose				
Hypromellose				
Inositol				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Iodine				
Ipecacuanha				
Irish Moss				
Iron—Reduced	Equivalent to 2.0 per cent Elemental Iron			
Iron and Manganese Citrate	Equivalent to 2.0 per cent Elemental Iron			
Juniper Oil				
Kaolin				
Kava				
Kelp				
Kola				
Lactalbumin				
Lactoglobulin				
Laurel Berries				
Lavender				
Lavender Oil				
Lecithin				
Lemon Oil				
Lemongrass Oil				
Lemongrass Oil Terpenes				
Limestone Granules				
Linseed				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Linseed Oil				
Linoleic				
Linolenic				
Liquorice				
Magnesite				
Magnesium Acetate				
Magnesium Aluminium Silicate				
Magnesium Carbonate Heavy				
Magnesium Carbonate Light				
Magnesium Chloride				
Magnesium Glycerophosphate				
Magnesium Hypophosphite				
Magnesium Oxide				
Magnesium Phosphate Dibasic				
Magnesium Propionate				
Magnesium Sulphate				
Magnesium Trisilicate				
Manganese Carbonate				
Manganese Glycerophosphate				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Manganese Oxide				
Manganese Phosphate Dibasic				
Manganese Sulphate				
Maté				
Menthol				
Methansulphonate		For use in poikilotherms only		
Methyl Cellulose				
Mistletoe				
Mustard Bran				
Myrrh				
Nettle				
Nicotinamide				
Nicotinic Acid				
Noscapine Hydrochloride	1.0 per cent —	Internal External	—	—
Nutmeg				
Oak Bark				
Oleic				
Oleic Acid				
Olive Oil				
Ox Bile				
Palmitoleic				
Palm Kernel Oil				
Pancreatin				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Pantothenic Acid				
Pantothenol				
Paracetamol	500 mg	Tablet		25
Paraffin Liquid				
Parsley				
Peppermint				
Peppermint Oil				
Pepsin				
Phenolphthalein	120 mg 10.0 per cent	Tablet Oral Cream	120 mg (MDD)	
Phenylephrine Hydrochloride	0.25 per cent	Nasal drops for pet birds and pigeons only		15 ml
Phosphoric Acid	5.0 per cent —	Internal External	—	—
Phosphorus (As Phosphates)	Equivalent to 18.0 per cent Elemental Phosphorus			
Phytolacca				
Pimento Oil				
Pine Tar				
Piperazine Adipate				
Piperazine Calcium Edetate				
Piperazine Citrate				
Piperazine Dihydrochloride				
Piperazine Hydrate				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Piperazine Phosphate				
Polyglyceryl Ricinoleate				
Poplar Bark				
Potassium Acetate				
Potassium Acid Phosphate				
Potassium Bicarbonate				
Potassium Carbonate				
Potassium Chlorate	2.5 per cent	Internal use for pet birds and pigeons only		30 ml
Potassium Chloride				
Potassium Citrate				
Potassium Glycero-phosphate				
Potassium Hydro-genphthalate				
Potassium Hypophosphate				
Potassium Hypophosphite				
Potassium Iodate				
Potassium Iodide				
Potassium Nitrate				
Potassium Sulphate				
Powdered Clove				
Pumilio Oil				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Pyridoxine Hydrochloride				
Quassia				
Quillaia				
Rapeseed Oil				
Raspberry Leaves				
Red Poppy Petal				
Rhubarb Rhizome				
Riboflavin				
Riboflavin Phosphate				
Rose Hip				
Rosemary Oil				
Rue Oil				
Saccharated Ferrous Carbonate	Equivalent to 2.0 per cent Elemental Iron			
Safflower Oil				
Salicylamide	300 mg	Tablet		
Salicylic Acid	2.0 per cent	Internal (except for ailments of pet birds and pigeons)		
	0.31 per cent	Internal for ailments of pet birds and pigeons		
	3.0 per cent	Dusting Powder		
	2.0 per cent	Cream or Ointment		
Sambucus Oil				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Saw Palmetto				
Scullcap				
Senna Fruit				
Senna Leaf				
Silica				
Silver Colloidal		For treatment of fish only		
Silver Protein				
Slippery Elm Bark (Powdered)				
Sodium Acetate				
Sodium Acid Phosphate				
Sodium Alginate				
Sodium Benzoate	1.2 per cent			
Sodium Bicarbonate				
Sodium Carbonate				
Sodium Carboxymethyl-Cellulose				
Sodium Chloride				
Sodium Citrate				
Sodium Dibunate				
Sodium Edetate	1.0 per cent			
Sodium Glutamate				
Sodium Glycerophosphate				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Sodium Hypophosphite				
Sodium Iodide				
Sodium Lactate				
Sodium Metasilicate				
Sodium Nitrate				
Sodium Phosphate				
Sodium Potassium Tartrate				
Sodium Propionate				
Sodium Salicylate	3.0 per cent —	Internal External	—	—
Sodium Sulphate				
Sodium Dioctyl Sulphosuccinate				
Sodium Tauroglycocholate				
Sodium Thiosulphate				
Sorbitol				
Squill, White		Expectorant in cough medicines only		
Styrax BP				
Sublimed Sulphur				
Sulphuric Acid Dilute BPC				
Tannic Acid				
Tansy				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Terpin Hydrate				
Theophylline Hydrate				
Thiamine Hydrochloride				
Thiamine Mononitrate				
Thyme Oil				
Thymol				
Tilia				
Tocopheryl Acetate				
Tolu Balsam				
Tormentil Root				
Turpentine Oil				
Urea				
Valerian				
Verbena Oil				
Vitamin A			2,000 iu (MDD)	
Vitamin D			200 iu (MDD)	
Watercress				
Wheat Germ				
Wheat Germ Oil				
Wood Charcoal				
Zinc Carbonate	Equivalent to 0.5 per cent Elemental Zinc			

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units or volume or weight of substance per container or package
Zinc Sulphate	Equivalent to 0.5 per cent Elemental Zinc			
Zinc Oxide	Equivalent to 0.5 per cent Elemental Zinc —	Internal External	—	—

TABLE B
EXTERNAL USE ONLY

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Acetone				
Acriflavine				
Alkyl Aryl Trimethyl Ammonium Chloride				
Alum				
Amber Oil				
Aminacrine Hydrochloride				
Ammonia Alum				
Ammonium Oleate				
Amyl Acetate				
Amyl Alcohol				
Anthracine Oil				
Benzalkonium Chloride				
Benzethonium Chloride				
Benzyl Alcohol				
Benzyl Cresol				
Beta Naphthol	2.0 per cent			
Bismuth Subgallate				
Borax	5.0 per cent			
Boric Acid	12.0 per cent			
Butenylene Tetrahydrofurfural				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Butoxyethyl Nicotinate				
Cade Oil				
Calamine				
Calcium Dodecyl Benzene Sulphonate				
Calcium Sulphate				
Camphor				
Camphor, Rectified Oil of				
Canada Balsam				
Capsicum Oleoresin				
Carbaryl	5.0 per cent 12.0 per cent	Dog and cat collars only		
Cetyl Alcohol Coal Tar Distillate				
Chloramine				
Chlorhexidine Acetate				
Chlorhexidine Gluconate				
Chlorhexidine Hydrochloride				
Chlorine				
Chlorocresol				
Chloroform				
Chloroxylenol				
Cholesterol				
Citronella Oil				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Clioquinol				
Coal Tar				
Coal Tar Solution				
Coal Tar Phenols	2.5 per cent			
Copper and its salts	5.0 per cent			
Creosote				
Crystal Violet				
Derris Resins	1.0 per cent			
Derris Root				
Diazinon	20.0 per cent	Dog and cat collars only		
1,2-dibromo-2,2-dichloroethyl dimethyl phosphate				
Dibutyl Phthalate				
Dichlorobenzene				
Dichlorobenzyl Alcohol				
Dichloroxylenol				
Dichlorvos	20.0 per cent	Dog and cat collars, dog medallions and similar articles only		
Diethyl Phthalate				
Diethyl Toluamide				
Dimethyl Phthalate				
Dipropyl Chloride				
Domiphen Bromide				
Ethyl Hexanediol				
Eugenol				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Fatty Acid Soap Base				
Fatty and Rosin Acids				
Fenticlor				
Fluorescein Sodium				
Fullers Earth				
Gamma Benzene Hexachloride	1.0 per cent	All preparations except dog and cat collars Dog and cat collars only		
	2.0 per cent			
Halazone				
Halquinol				
Hamamelis				
Hexachlorophane	2.0 per cent	Soaps and Shampoos only All preparations except Aerosols Aerosols		
	0.75 per cent			
	0.1 per cent			
Hexylresorcinol	0.15 per cent			
Hydrous Wool Fat				
Ichthammol				
Iodoform				
Iodophores				
Isopropyl Alcohol				
Kerosene				
Lauryl Dimethyl Benzalkonium Chloride				
Lauryl Ether Sulphate				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Lignocaine Hydrochloride	0.7 per cent			
Malachite Green				
Melaleuca Oil				
Menthyl Salicylate				
Methargen				
Methoxychlor				
Methyl Alcohol				
Methyl Salicylate				
Methyl Ether				
Methylated Spirits (Mineralised)				
Methylated Spirits (Industrial)				
Methylene Blue				
Mustard Oil, Expressed				
Naphthalene				
Neatsfoot Oil				
Octaphonium Chloride				
Peru Balsam				
Phenoxyethanol				
Picloxydine				
Pine Oil				
Piperonyl Butoxide				
Polyhexamide				
Potassium Dichromate				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Potassium Hydroxyquinoline Sulphate				
Potassium Hydroxide	17.0 per cent			
Potassium Permanganate				
Povidone-Iodine				
Proflavine				
Proflavine Hemisulphate				
Propylene Glycol				
Pybuthrin				
Pyrethrum Flowers				
Pyridine Bases				
Pyroxylin				
Quinine		Fish Ectoparasiticide only		
Ricinoleic Acid				
Rotenone	1.0 per cent			
Rubidium Chloride	0.22 per cent			
Salol				
Sassafras Oil				
Scarlet Red				
Soap, Liquid				
Soap, Soft				
Sodium Alkylsulphoacetate				
Sodium Dichloroisocyanurate				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Sodium Dichlorophene				
Sodium Hydroxide	12.0 per cent			
Sodium Hypochlorite				
Sodium Lauryl Sulphates				
Sodium Lauryl Ether Sulphates				
Sodium Polymetaphosphate				
Sodium Secondary Alkyl Sulphate				
Sodium Silicate				
Squalane				
Sulphonated Castor Oil				
Surgical Spirit				
Starch				
Talc				
Tar				
Terebene				
Terpineol				
Tetrachlorvinphos	20.0 per cent	Dog and cat collars only		
Tetramethrin				
Tetrasodium Pyrophosphate				
Tribromometa-cresol				
Undecylenic Acid				

Column 1	Column 2	Column 3	Column 4	Column 5
Substance	Maximum strength	Purpose, pharmaceutical form or route of administration	Maximum dose and maximum daily dose	Dosage units per container or package
Vanillylnonamide	5.0 per cent			
White Soft Paraffin				
Xylenol, Chlorinated	5.0 per cent			
Yellow Soft Paraffin				

SCHEDULE 5

Article 3(2)

AUTOMATIC MACHINES SECTION OF THE GENERAL SALE LIST

Column 1	Column 2
Name and product licence number of medicinal product	Dosage units per container or package
Aspro-Microfined 0139/5000	6
Digestif Rennie Tablet 0139/5003	

PART I

**MEDICINAL PRODUCTS FOR USE BY BEING ADMINISTERED TO HUMAN BEINGS
WHICH ARE NOT ON THE GENERAL SALE LIST**

Medicinal products promoted, recommended or marketed—

- (a) for use as anthelmintics,
- (b) for parenteral administration,
- (c) for use as eye drops, or
- (d) for use as eye ointments.

PART II

VETERINARY DRUGS WHICH ARE NOT ON THE GENERAL SALE LIST

Veterinary drugs promoted, recommended or marketed—

- (a) for use as anthelmintics except those consisting of or containing Dichlorophen, Diethylcarbamazine Citrate, Piperazine Adipate, Piperazine Calcium Edetate, Piperazine Citrate, Piperazine Dihydrochloride, Piperazine Hydrate or Piperazine Phosphate,
- (b) for parenteral administration,
- (c) for use as eye drops,
- (d) for use as eye ointments, or
- (e) for the internal treatment of ringworm.

EXPLANATORY NOTE

(This Note is not part of the Order.)

This Order specifies descriptions and classes of medicinal products including veterinary drugs which can with reasonable safety be sold or supplied otherwise than by or under the supervision of a pharmacist and also designates descriptions and classes of such products which can with reasonable safety be sold by means of automatic machines.

Section 52 of the Medicines Act 1968 provides that medicinal products, other than medicinal products on a general sale list, shall only be sold or supplied by a person lawfully conducting a retail pharmacy business, in premises which are a registered pharmacy and by or under the supervision of a pharmacist. Section 53 of that Act provides that medicinal products on a general sale list may only be sold or supplied elsewhere than in a registered pharmacy if certain conditions specified in the section are fulfilled and section 54 of that Act provides that medicinal products shall not be sold by means of an automatic machine unless they are medicinal products in the automatic machines section of a general sale list.