SCHEDULE 1

PART I

1

Mole drainage and works carried out to secure the efficient functioning thereof

- (a) (1) (a) Where the moles discharge into a piped main drain, the value shall (subject to sub-paragraph (2) below) be the reasonable cost of the work less one-sixth for each year since the work was completed;
- (b) Where the moles discharge direct into an open ditch (whether the outfalls are piped or not), the value shall (subject to sub-paragraph (2) below) be the reasonable cost of the work less one-third for each year since the work was completed.

(2) If the value of any work, calculated in accordance with sub-paragraph (1) above, exceeds the actual value to an incoming tenant, in any case where—

- (a) plans on a suitable scale, made at the time when the work was done, and showing the position of all moles, mains and outfalls, are not made available to the landlord; or
- (b) moles were not drawn at a proper depth, having regard to the nature of the soil and subsoil; or
- (c) any ditches into which the outfalls discharge have not been maintained clean, free from obstruction and at a proper depth since the work was done; or
- (d) deep cultivation or other work interfering with the efficient functioning of the drains has been done on the land since the drainage work was completed; or
- (e) the land is not of consistently suitable slope or soil texture for mole drainage to be effective; or
- (f) the drainage scheme was not a proper one, having regard to all the conditions, or was not efficiently carried out; or
- (g) for any other reason, the drainage system does not function efficiently,

the value so calculated shall be reduced so as not to exceed such actual value.

2

Protection of fruit trees against animals

The value shall be the reasonable cost of the protection, whether around each tree or around the perimeter of the orchard or both, reduced where necessary according to—

- (a) the existing condition of the protection;
- (b) the existing condition of the fruit trees;
- (c) the further period for which protection is likely to be necessary.

3

4

Clay burning

The value shall be the reasonable cost of the work, less one-quarter for each growing season since the work was completed.

5

Liming (including chalking) of land

(1) Subject to sub-paragraphs (2) and (3) below, the value shall be the reasonable cost of the lime applied to the land (including the cost of delivery and application) reduced by such amount as represents the value of calcium carbonate ($CaCO_3$) or its equivalent calcium oxide (CaO) lost due to excess winter rainfall, such loss being estimated, by reference to mean annual excess winter rainfall and the rate of application of nitrogenous fertiliser to the land subsequent to the application of lime, in accordance with Table 1.

TABLE 1

Rate of application	Rate of application of nitrogenous fertiliser Kilogrammes per hectare annually								
Up to 60		61	to 120	121	to 240	Ov	er 240		
Mean annual excess winter	Rate of application of lime (ground limestone or	2	Innual	2	1nnual	2	1nnual	2	Innual
rainfall	equivalent)		Kg/ha		Kg/ha	-	Kg/ha		Kg/ha
mm	tonnes per hectare	CaCO ₃	0						
	Up to 7.4	240	140	390	210	600	340	900	500
Up to 250	7.5 to 12.4	300	180	450	250	680	380	970	540
	12.5 and over	400	230	550	300	770	430	1,070	600
	Up to 7.4	490	280	640	360	870	490	1,170	650
260 to 500	7.5 to 12.4	680	380	820	460	1,040	590	1,340	750
	12.5 and over	920	510	1,070	590	1,280	720	1,580	890
	Up to 7.4	890	500	1,040	580	1,260	700	1,560	880
Over 500	7.5 to 12.4	1,230	690	1,370	770	1,590	890	1,900	1,050
	12.5 and over	1,710	930	1,850	1,040	2,070	1,150	2,370	1,330

Estimated annual loss of Calcium carbonate (CaCO₃) and its equivalent Calcium oxide (CaO) due to excess winter rainfall and nitrogenous fertiliser application

(2) For the purpose of sub-paragraph (1) above, the cost shall not be regarded as reasonable if it exceeds the estimated cost (including the cost of delivery and application) of the equivalent in ground limestone or chalk, whichever is the cheaper, of an application of 7.5 tonnes per hectare of calcium oxide unless a heavier dressing or alternative material was applied following and in accordance with scientific advice relating to the condition of the soil.

- (a) (3) (a) Where the soil characteristics and high excess winter rainfall taken together are such as to be major causes of rapid leaching of calcium from the soil, the value shall be nil at the end of four years after application of the lime; and
- (b) in every other case, the value shall be nil at the end of eight years after application of the lime.
- (4) In this paragraph and Table 1—

- (a) the expression "lime" includes chalk;
- (b) "excess winter rainfall" means the amount of rain falling between the date in autumn when the soil reaches field capacity and the end of March in the following year, less the amount of the evapotranspiration from the soil during that period, as is indicated by the data on such rainfall, including data of mean annual excess winter rainfall, in relation to different areas of England and Wales produced from time to time by the Meteorological Office.

6

Application to land of purchased manure and fertiliser, whether organic or inorganic

A

Purchased fertilisers containing nitrogen, phosphate or potash

I. Fertilisers other than bulky organic manures:

(1) Where no crop has been taken from the land since the fertiliser was applied, the value shall be the reasonable cost of the fertiliser as applied to the land (including the cost of delivery and application).

(2) Where one crop or more has been taken from the land since the fertiliser was applied, the value shall be,—

- (a) for nitrogen contained in the fertiliser, nil;
- (b) subject as provided below, for each Unit of phosphoric acid (as P₂O₅) contained in the fertiliser, the amount calculated in accordance with Table 2 below:

Provided that-

- (i) where a phosphatic fertiliser contains less than one-tenth of its total phosphoric acid content in an insoluble form, as indicated by the solubility test appropriate to that fertiliser, its total phosphoric acid content shall be treated as soluble;
- (ii) where a phosphatic fertiliser other than a fertiliser specified and applied as described in items 2(a), 2(b)(i) or 3(a) in Table 2 contains more than one-tenth of its total phosphoric acid content in an insoluble form, the value shall be restricted to and determined only for each Unit of phosphoric acid in soluble form in that fertiliser;
- (iii) for the purpose of this sub-paragraph, permanent grassland shall be taken to mean grassland which at the termination of the tenancy has been established for five or more years;
- (iv) in the case of land situated in an area in which rapid fixation of phosphate occurs, the foregoing provisions of this sub-paragraph shall not apply and the value for each Unit of phosphoric acid contained in fertiliser applied to that land shall be the residual value (if any) determined in accordance with scientific evidence and by reference to the reasonable cost of the fertiliser as applied to the land (including the cost of delivery and application);
- (c) for each Unit of potash (K₂O) contained in the fertiliser, the amount calculated in accordance with Table 3 below:

Provided that-

(i) where a vegetable crop has been produced from the land following the application of the fertiliser and the majority of the stem and leaf was removed, the value shall be nil, but where the said majority was left on the land, the value shall be calculated in accordance with item 1 in Table 3, and where an intermediate proportion of stem and leaf was removed, the value shall be calculated in accordance with such proportion; (ii) in the case of land comprised in holdings which are entirely or mainly horticultural holdings, the value shall be calculated in accordance with item 1 in Table 3.

(3) For the purposes of sub-paragraph (2) above, a Unit of nutrient (phosphoric acid (as P_2O_5) or, as the case may be, potash (K_2O)) is the amount of nutrient contained in one per cent of a tonne of fertiliser calculated on the basis of the percentage content of the nutrient in the fertiliser as stated in the relevant statutory statement given in relation to the fertiliser under section 68 of the Agriculture Act 1970.

TABLE 2

Unit Value of Phosphoric acid (as P2O5) in one per cent of a tonne of fertiliser

After				
Nature of fertiliser				
	ONE	TWO	THREE	
growing seasons	р	р	р	
1. Organic forms and inorganic forms (including basic slag) but excluding rock phosphates and calcined calcium aluminium phosphate	142	71	35	
2. `Soft' ground rock phosphates(1) applied in—				
(a) areas with a mean excess winter rainfall(2) of 450mm or more	142	71	35	
(b) areas with a mean excess winter rainfall(3) of less than 450mm				
(i) Permanent grassland	142	71	35	
(ii) Other crops	nil	nil	nil	
3. Other ground rock phosphates applied in—				
(a) areas with a mean excess winter rainfall(4) of 450mm or more	35	35	35	
(b) areas with a mean excess winter rainfall(5) of less than 450mm	nil	nil	nil	
4. Calcined calcium aluminium phosphate	The value, if any, shall be such as may be determined in accordance with scientific evidence			

II. Bulky organic manures brought on to the holding:

Subject to sub-paragraphs (3) and (4) below, the values of bulky organic manures brought on and applied to the holding shall be in accordance with the provisions of sub-paragraphs (1) and (2) below:

(1) Farmyard manure:

(a) Where no payment was made for the manure and—

^{(1) &#}x27;Soft' ground rock phosphates in this Table means the material of that name described in Group 2(a) in Section A of Schedule 1 to the Fertilisers Regulations 1977.

⁽²⁾ Data of the mean excess winter rainfall in different areas of England and Wales are produced by the Meteorological Office.

⁽³⁾ Data of the mean excess winter rainfall in different areas of England and Wales are produced by the Meteorological Office.

 ⁽⁴⁾ Data of the mean excess winter rainfall in different areas of England and Wales are produced by the Meteorological Office.
(5) Data of the mean excess winter rainfall in different areas of England and Wales are produced by the Meteorological Office.

- (i) no crop has been taken from the land since the manure was applied, the value shall be the cost of delivery and application;
- (ii) one crop or more has been taken from the land since the manure was applied, the value shall be, after the first growing season, one-half,

TABLE 3

Unit Value of Potash (K₂O) in one per cent of a tonne of fertiliser

After			
Type of crops to which fertiliser applied			
	ONE	TWO	THREE
growing seasons			
	р	p	p
1. Applied to arable crops (except forage crops) and all root crops where tops are left on the land, except potatoes (see also 4 below)	66	33	nil
2. Applied to leys, permanent grassland or forage crops which are grazed or the product cut and fed on the holding	66	33	nil
3. Applied to leys and permanent grassland the product of which is cut and removed from the holding	nil	nil	nil
4. Applied to roots (including potatoes) and forage crops which are removed from the holding	nil	nil	nil

and after the second growing season, one-quarter, of the cost of delivery and application, and thereafter, nil;

- (b) Where payment was made for the manure and—
 - (i) no crop has been taken from the land since the manure was applied, the value shall be the cost of the manure as applied to the land (including the cost of delivery and application);
 - (ii) one crop or more has been taken from the land since the manure was applied, the value shall be, after the first growing season, one-half, and after the second growing season, one-quarter, of the said cost, and thereafter, nil:

Provided that the value of any type of manure specified in Table 4 below shall not exceed the value specified in relation to that type in the appropriate circumstances set out in that Table.

TABLE 4

Value per tonne of purchased farmyard manure

Type of manure	No crop off	After one growing season	After two growing seasons	After three growing seasons
	р	р	р	p
Cattle (FYM)	430	215	108	nil
Horse (stable manure)	490	245	123	nil

Type of manure	No crop off	After one growing season	After two growing seasons	After three growing seasons
	р	р	р	p
Pig (FYM)	475	238	119	nil
Poultry (deep litter)	980	490	245	nil
Poultry (broiler manure)	1,165	583	291	nil

(2) Slurry:

Where manure is brought on and applied to the land in the form of slurry, the value shall be the reasonable cost of cartage (if any) and application.

(3) No compensation shall be payable under sub-paragraph (1) or (2) above in respect of the excess (if any) of the rates of application set out in the second column below in relation to the type of bulky organic manure specified in the first column below:—

Bulky Organic Manure

(1)	(2)
Type applied	Application per hectare per annum
Cattle, horse or pig manure	50 tonnes
Deep litter poultry manure	18 tonnes
Broiler poultry manure	12.5 tonnes

(4) No value shall be given to, and no compensation shall be payable in respect of, any purchased manure applied to land during the last year of the tenancy after the last crop was removed from that land unless such application was made at the written request, or with the written consent, of the landlord.

В

Magnesium and copper

- (a) (i) Subject to sub-paragraph (b) of this paragraph, where magnesium (in whatever chemical compound form) has been applied to land following and in accordance with scientific advice, the value of the magnesium so applied shall be taken to be the amount (if any) by which the net cost (including the cost of delivery and application) of the quantity of calcined magnesite required to provide the same quantity of magnesium as was actually applied (such net cost being calculated by reference to average prices and costs prevailing at the time of the purchase, delivery and application respectively, of the magnesium) exceeds the net cost (including, and calculated, as aforesaid) of the quantity of calcined magnesite which would provide 60 kilogrammes of magnesium per hectare.
 - (ii) After the first, second and third growing seasons following application of the magnesium, the value calculated in accordance with sub-paragraph (a)(i) above shall be reduced to three-quarters, one-half and one-quarter, respectively, and to nil thereafter.
- (b) Sub-paragraph (a) above shall not apply to magnesium applied to land in the form of a magnesian fertiliser specified in Group 5 of Section A of Schedule 1 to the Fertilisers Regulations 1977.

- (a) (2) (a) Subject to sub-paragraph (b) below, where copper (in whatever chemical compound form) has been applied to land following and in accordance with scientific advice, the value of the copper so applied shall be taken to be the amount (if any) by which the net cost (including the cost of delivery and application) of the quantity of hydrated copper sulphate required to provide the same quantity of copper as was actually applied (such net cost being calculated by reference to average prices and costs prevailing at the time of the purchase, delivery and application, respectively, of the copper) exceeds the net cost (including, and calculated, as aforesaid) of the quantity of hydrated copper sulphate which would provide six kilogrammes of copper per hectare;
- (b) The value of copper applied calculated in accordance with sub-paragraph (a) above shall be reduced by one-eighth for each year following application of the copper.

7. Consumption on the holding of corn (whether produced on the holding or not) or of cake or other feeding stuffs not produced on the holding by horses, cattle, sheep, pigs or poultry

(1) The values per tonne of feeding stuff consumed on the holding set out in Tables 5(a), (b), (c), (d), (e), (f), (g), (h) and (j) below shall apply in all cases where feeding stuffs are fed to the animals and poultry specified in those Tables in buildings or open yards and the manure, whether farmyard manure or in the form of slurry, is stored under average conditions.

(2) Where the conditions of storage of the manure are other than average, or where the feeding stuffs are fed directly on the land, the values set out in the said Tables 5(a)-(j) shall be adjusted in accordance with Table 6 below.

(3) For the purpose of sub-paragraphs (1) and (2) above and the said Tables 5(a)-(j), the expression "closed slurry" means slurry stored under slats or in a covered container.

TABLE 5(a

After one growing season		After two growing	seasons		
Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
	р	p	p	р	p
1. Grass hay	355	177	61	89	31
2. Clover hay	432	216	90	108	45
3. Dried grass	482	241	101	121	51
4. Dried lucerne	494	247	107	123	53
5. Straw	126	63	30	31	15

Cattle, Calves and Sheep—Farmyard Manure

After one growing		After two growing s	easons		
season Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
6. Mangels	р 56	р 28	р 9	р 14	р 4
7. Swedes	42	28	9	14	4
8. Turnips	43	21	9	11	4
9. Potatoes	80	40	15	20	8
10. Sugar beet pulp (dried—molassed)	282	141	49	70	24
11. Sugar beet pulp (wet—double pressed 18% DM)	56	28	10	14	5
12. Brewers grains (wet)	75	37	37	19	19
13. Field beans	418	209	157	104	79
14. Field peas	318	159	117	80	59
15. Barley	206	103	75	51	37
16. Wheat	190	95	77	48	39
17. Oats	197	99	80	49	40
18. Maize	149	74	58	37	29
19. Rice meal	210	105	88	53	44
20. Middlings/Bran	414	207	161	103	80
21. Cassava (Manioc)	69	34	23	17	11
22. Hominy chop	279	139	105	70	53
23. Locust beans	132	66	37	33	18
24. Citrus pulp	156	78	47	39	23
25. Fish meal	1,477	738	683	369	341
26. Soya bean meal	620	310	211	155	105

After one growing		After two growing s	seasons		
season		,			
Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
27. Decorticated	р 709	<i>p</i> 355	р 294	р 177	р 147
cotton cake	, 0,		_, .		
28. Undecorticated cotton cake	570	285	224	142	112
29. Linseed cake/ meal	534	267	201	134	100
30. Palm kernel cake/meal	279	139	118	70	59
31. Coconut cake/ meal	502	251	150	126	75
32. Decorticated groundnut cake	526	263	200	131	100
33. Rapeseed cake/ meal	624	312	246	156	123
34. Meat meal	1,380	690	662	345	331
35. Meat and bone meal	1,752	876	805	438	403
36. Dried skimmed milk	597	299	214	149	107
37. Skimmed milk (liquid)	58	29	21	15	10
38. Liquid whey	27	13	7	7	4
39. Liquid urea	425	212	86	106	43
40. Urea	1,278	639	639	0	0
41. Compounded cake: for each 1% CP	20.7	10.3	8.2	5.2	4.1

TABLE 5(b

Cattle, Calves and Sheep—Farmyard Manure

After one growing		After two growing s	seasons		
season Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
	<i>p</i>	<i>p</i>	p	<i>p</i>	10
1. Grass hay	366	183	46	80	12
2. Clover hay	434	217	68	92	18
3. Dried grass	483	241	76 70	103	20
4. Dried lucerne	489	244	78	102	19
5. Straw	121	61	22	24	5
6. Mangels	59	30	7	14	3
7. Swedes	44	22	7	10	2
8. Turnips	43	22	7	9	2
9. Potatoes	82	41	11	18	3
10. Sugar beet pulp (dried—molassed)	282	141	32	59	4
11. Sugar beet pulp (wet—double pressed 18% DM)	57	28	6	12	1
12. Brewers grains (wet)	60	30	30	10	9
13. Field beans	369	185	123	68	37
14. Field peas	279	140	90	50	25
15. Barley	188	94	61	37	20
16. Wheat	170	85	64	33	22
17. Oats	173	86	64	32	21
18. Maize	132	66	46	25	15
19. Rice meal	187	94	73	36	26

After one growing		After two growing s	easons		
season Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
20. Middlings/Bran	р 384	р 192	р 138	<i>p</i> 80	52
21. Cassava (Manioc)	65	33	19	14	7
22. Hominy chop	258	129	89	53	33
23. Locust beans	124	62	28	25	7
24. Citrus pulp	142	71	34	26	8
25. Fish meal	1,355	678	612	288	255
26. Soya bean meal	555	278	160	102	44
27. Decorticated cotton cake	632	316	244	122	86
28. Undecorticated cotton cake	525	262	191	107	71
29. Linseed cake/ meal	479	240	161	91	52
30. Palm kernel cake/meal	242	121	96	44	32
31. Coconut cake/ meal	484	242	122	101	41
32. Decorticated groundnut cake	445	223	148	74	37
33. Rapeseed cake/ meal	557	278	200	106	67
34. Meat meal	1,275	638	605	278	261
35. Meat and bone meal	1,653	827	743	369	327
36. Dried skimmed milk	560	280	180	115	65

After one growing season		After two growing s	seasons		
Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
	р	р	p	р	
37. Skimmed milk (liquid)	54	27	17	11	6
38. Liquid whey	28	14	6	6	3
39. Liquid urea	405	203	53	78	3
40. Urea	752	376	376	0	0
41. Compounded cake: for each 1% CP	18.9	9.4	7.0	3.8	2.6

TABLE 5(c

Cattle, Calves and Sheep—Open Slurry

After one growing season		After two growing s	seasons		
Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
	р	p	p	р	p
1. Grass hay	297	149	39	65	10
2. Clover hay	353	176	57	75	16
3. Dried grass	393	196	64	84	18

After one growing		After two growing s	seasons		
season Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
4. Dried lucerne	р 397	р 199	р 66	р 83	р 17
5. Straw	99	49	18	20	5
6. Mangels	48	24	6	11	2
7. Swedes	36	18	6	8	2
8. Turnips	35	18	6	8	2
9. Potatoes	67	34	10	15	3
10. Sugar beet pulp (dried—molassed)	227	113	26	47	4
11. Sugar beetpulp (wet—doublepressed 18% DM)12. Brewers grains(wet)	45 51	23 26	5 25	9 9	1 8
13. Field beans	308	154	105	58	33
14. Field peas	232	116	76	42	23
15. Barley	157	79	52	31	18
16. Wheat	144	72	55	28	20
17. Oats	145	73	55	27	19
18. Maize	111	56	40	21	13
19. Rice meal	159	80	63	32	23
20. Middlings/Bran	326	163	119	68	46
21. Cassava (Manioc)	55	27	16	11	6
22. Hominy chop	218	109	77	45	29
23. Locust beans	102	51	23	20	6
24. Citrus pulp	116	58	28	22	7

13

After one growing season		After two growing s	seasons		
season Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
25. Fish meal	р 1,174	р 587	р 534	р 253	р 227
25. Fish mean26. Soya bean mean	<i>,</i>	229	334 135	86	39
27. Decorticated cotton cake	535	268	210	105	77
28. Undecorticated cotton cake	445	222	165	92	63
29. Linseed cake/ meal	401	201	138	78	46
30. Palm kernel cake/meal	204	102	82	38	28
31. Coconut cake/ meal	401	201	105	84	37
32. Decorticated groundnut cake	369	184	125	63	33
33. Rapeseed cake/ meal	469	234	172	91	60
34. Meat meal	1,112	556	530	246	232
35. Meat and bone meal	1,438	719	652	324	291
36. Dried skimmed milk	470	235	155	98	58
37. Skimmed milk (liquid)	45	23	15	9	5
38. Liquid whey	23	11	6	5	2
39. Liquid urea	325	162	43	63	3
40. Urea	598	299	299	0	0

After one growing season		After two growing seasons				
Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	
	р	p	р	р	р	
41. Compounded cake: for each 1% CP	16.0	8.0	6.0	3.3	2.3	

TABLE 5(d

Pigs—Farmyard Manure

10		10			
After one growing season		After two growing s	seasons		
Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
	р	р	р	р	p
1. Dried grass	470	235	107	118	53
2. Potatoes	77	39	16	19	8
3. Field beans	430	215	167	107	84
4. Field peas	331	166	127	83	64
5. Barley	208	104	78	52	39
6. Wheat	203	102	85	51	43
7. Oats	202	101	84	50	42
8. Maize	161	80	65	40	33

After one growing		After two growing s	seasons		
season Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
9. Rice meal	р 217	р 108	р 93	<i>p</i> 54	р 46
10. Middlings/Bran		211	169	106	85
11. Cassava (Manioc)	68	34	23	17	12
12. Fish meal	1,383	692	641	346	320
13. Soya bean meal	579	290	199	145	99
14. Decorticated cotton cake	736	368	312	184	156
15. Undecorticated cotton cake	579	289	234	145	117
16. Linseed cake/ meal	552	276	216	138	108
17. Palm kernel cake/meal	294	147	128	73	64
18. Decorticated groundnut cake	556	278	221	139	110
19. Rapeseed cake/ meal	644	322	262	161	131
20. Meat meal	1,383	691	666	346	333
21. Meat and bone meal	1,766	883	818	441	409
22. Dried skimmed milk	840	420	343	210	172
23. Skimmed milk (liquid)	84	42	35	21	17
24. Liquid whey	26	13	7	7	4

After one growing season		After two growing seasons				
Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	
	р	р	р	р	p	
25. Compounded cake: for each 1%	21.2	10.6	0.7	5.2	4.2	
СР	21.2	10.6	8.7	5.3	4.3	

TABLE 5(e

Pigs—Closed Slurry

After one growing	1	After two growing	200000		"
After one growing season		After two growing	seusons		
Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
	р	р	р	р	р
1. Dried grass	462	231	79	96	20
2. Potatoes	78	39	12	17	3
3. Field beans	371	185	129	65	37
4. Field peas	282	141	96	48	25
5. Barley	186	93	63	36	20
6. Wheat	176	88	68	32	22
7. Oats	174	87	66	31	21
8. Maize	138	69	51	24	15

After one growing		After two growing s	easons		
season Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
9. Rice meal	р 190	<i>p</i> 95	р 76	<i>p</i> 36	р 26
10. Middlings/Bran		193	143	77	20 52
11. Cassava (Manioc)	64	32	19	13	7
12. Fish meal	1,295	647	587	285	255
13. Soya bean meal	521	261	153	98	44
14. Decorticated cotton cake	641	321	255	119	86
15. Undecorticated cotton cake	524	262	196	104	71
16. Linseed cake/ meal	483	242	170	88	52
17. Palm kernel cake/meal	248	124	102	43	32
18. Decorticated groundnut cake	457	229	160	71	37
19. Rapeseed cake/ meal	562	281	210	103	67
20. Meat meal	1,274	637	607	276	261
21. Meat and bone meal	1,655	827	751	365	327
22. Dried skimmed milk	694	347	256	111	65
23. Skimmed milk (liquid)	69	34	25	11	6
24. Liquid whey	27	13	7	6	3

After one growing season		After two growing s	seasons		
Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
	р	p	р	р	р
25. Compounded cake: for each 1% CP	19.0	9.5	7.2	3.7	2.6

TABLE 5(f

Pigs—Open Slurry

After one growing season		After two growing	seasons		
Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
	р	р	р	р	р
1. Dried grass	376	188	67	78	18
2. Potatoes	64	32	10	14	3
3. Field beans	309	155	110	56	33
4. Field peas	235	117	81	41	23
5. Barley	156	78	54	30	18
6. Wheat	148	74	59	28	20
7. Oats	146	73	57	27	19
8. Maize	115	58	43	21	13

After one growing		After two growing s	easons		
season Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
9. Rice meal	р 161	<i>p</i> 80	р 66	р 31	р 23
10. Middlings/Bran		163	123	66	46
11. Cassava (Manioc)	53	27	16	11	6
12. Fish meal	1,125	563	514	251	227
13. Soya bean meal	432	216	130	82	39
14. Decorticated cotton cake	543	271	219	103	77
15. Undecorticated cotton cake	444	222	169	90	63
16. Linseed cake/ meal	405	202	145	75	46
17. Palm kernel cake/meal	210	105	87	38	28
18. Decorticated groundnut cake	378	189	135	60	33
19. Rapeseed cake/ meal	472	236	179	88	60
20. Meat meal	1,112	556	532	244	232
21. Meat and bone meal	1,439	719	658	321	291
22. Dried skimmed milk	577	289	216	95	58
23. Skimmed milk (liquid)	57	28	21	9	5
24. Liquid whey	22	11	6	5	2

After one growing season		After two growing s	After two growing seasons		
Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
	р	p	р	р	р
25. Compounded cake: for each 1% CP	16.1	8.0	6.2	3.2	2.3

TABLE 5(g

Poultry—Farmyard Manure

10		1.0			
After one growing season		After two growing	seasons		
Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
	р	р	р	р	р
1. Dried grass	430	215	75	90	20
2. Field beans	353	176	124	63	37
3. Field peas	269	135	93	46	25
4. Barley	175	87	59	34	20
5. Wheat	166	83	65	31	22
6. Oats	163	81	63	30	21
7. Maize	129	64	48	24	15
8. Rice meal	183	92	74	35	26

After one growing		After two growing seasons			
season Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
9. Middlings/Bran	р 366	р 183	р 137	р 75	р 52
10. Cassava (Manioc)	60	30	18	12	7
11. Fish meal	1,262	631	575	283	255
12. Soya bean meal	485	242	143	93	44
13. Decorticated cotton cake	619	310	249	117	86
14. Undecorticated cotton cake	504	252	191	102	71
15. Linseed cake/ meal	463	231	165	85	52
16. Palm kernel cake/meal	240	120	99	42	32
17. Decorticated groundnut cake	435	218	155	69	37
18. Rapeseed cake/ meal	539	270	204	100	67
19. Meat meal	1,244	622	594	275	261
20. Meat and bone meal	1,613	807	736	362	327
21. Compounded cake: for each 1% CP	18.3	9.2	7.1	3.6	2.6

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format. The electronic version of this UK Statutory Instrument has been contributed by Westlaw and is taken from the printed publication. Read more

TABLE 5(h

Poultry—Closed Slurry

After one growing		After two growing seasons			
season Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
1.5.1	<i>p</i>	<i>p</i>	<i>p</i>	<i>p</i>	<i>p</i>
1. Dried grass	461	205	39	103	20
2. Field beans	342	136	74	68	37
3. Field peas	260	100	51	50	25
4. Barley	174	74	41	37	20
5. Wheat	160	66	45	33	22
6. Oats	158	64	42	32	21
7. Maize	125	50	30	25	15
8. Rice meal	177	73	53	36	26
9. Middlings/Bran	364	159	105	80	52
10. Cassava (Manioc)	61	27	13	14	7
11. Fish meal	1,244	576	510	288	255
12. Soya bean meal	489	205	87	102	44
13. Decorticated cotton cake	597	244	173	122	86
14. Undecorticated cotton cake	498	214	142	107	71
15. Linseed cake/ meal	452	183	105	91	52
16. Palm kernel cake/meal	227	89	64	44	32
17. Decorticated groundnut cake	411	149	74	74	37

After one growing season		After two growing s	seasons		
Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
	p	p	p	р	р
18. Rapeseed cake/ meal	523	213	135	106	67
19. Meat meal	1,212	556	523	278	261
20. Meat and bone meal	1,591	738	654	369	327
21. Compounded cake: for each 1% CP	18.0	7.6	5.1	3.8	2.5

TABLE 5(j

Poultry—Open Slurry

After one growing season		After two growing s	seasons		
Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
	р	р	р	р	р
1. Dried grass	375	168	35	84	18
2. Field beans	287	115	66	58	33
3. Field peas	217	85	45	42	23

After one growing		After two growing s	seasons		
season Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
4. Barley	р 146	р 63	р 36	р 31	р 18
5. Wheat	136	57	40	28	20
6. Oats	133	55	37	27	20 19
7. Maize	105	43	27	21	13
8. Rice meal	151	63	47	32	23
9. Middlings/Bran	309	137	93	68	46
10. Cassava (Manioc)	51	23	12	11	6
11. Fish meal	1,085	506	453	253	227
12. Soya bean meal	406	172	78	86	39
13. Decorticated cotton cake	508	211	153	105	77
14. Undecorticated cotton cake	423	184	126	92	63
15. Linseed cake/ meal	379	156	93	78	46
16. Palm kernel cake/meal	193	77	57	38	28
17. Decorticated groundnut cake	342	126	66	63	33
18. Rapeseed cake/ meal	442	182	120	91	60
19. Meat meal	1,062	491	465	246	232
20. Meat and bone meal	1,389	648	581	324	291

After one growing season		After two growing s	seasons		
Feeding stuff	No crop off	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding	of arable crops (except forage crops) or of leys, permanent grassland or forage crops grazed or the product cut and fed on the holding or of root crops the tops of which are left on the land	of leys, permanent grassland, roots or forage crops where the product is removed from the holding
	р	p	р	р	р
21. Compounded cake: for each 1% CP	15.3	6.6	4.6	3.3	2.3

TABLE 6

Method of storage of FYM and slurry

	Adjustment to Tables
Manure stored under ideal conditions:	
FYM	Increase by up to 20 per cent
Slurry (`closed' storage)	Increase by up to 10 per cent
Manure stored under adverse conditions:	
FYM	Reduce by up to 40 per cent
Slurry	Reduce by up to 50 per cent figures in `open slurry' Tables
Feeding stuffs fed directly on the land	Increase by 15 per cent figures in `closed slurry' Tables