# 1980 No. 1834

# FOOD AND DRUGS

# COMPOSITION AND LABELLING

# The Miscellaneous Additives in Food Regulations 1980

Made - - - - 1st December 1980 Laid before Parliament 10th December 1980 Coming into Operation 31st December 1980

The Minister of Agriculture, Fisheries and Food, the Secretary of State for Social Services and the Secretary of State for Wales, acting jointly, in exercise of the powers conferred on them by sections 4, 7 and 123 of the Food and Drugs Act 1955(a) and of all other powers enabling them in that behalf, hereby make the following regulations, after consultation with such organisations as appear to them to be representative of interests substantially affected by the regulations and after reference to the Food Hygiene Advisory Council under section 82 of the said Act (in so far as the regulations are made in exercise of the powers conferred by the said section 7):—

# Citation and commencement

1. These regulations may be cited as the Miscellaneous Additives in Food Regulations 1980 and shall come into operation on 31st December 1980.

### Interpretation

- 2.—(1) In these regulations, unless the context otherwise requires—
  "the Act" means the Food and Drugs Act 1955;
  - "acid" means-
    - (a) any substance which is capable, and generally used for the purpose, of increasing the acidity of a food,
    - (b) nicotinic acid,

and, in each case, includes the ammonium, sodium, potassium and calcium salts of such substance;

"anti-caking agent" means any substance which is capable of reducing the tendency of individual particles of food to adhere to one another or of improving their flow characteristics;

"anti-foaming agent" means any substance which is capable of preventing or dispersing a foam;

<sup>(</sup>a) 1955 c. 16 (4 & 5 Eliz. 2.); section 4 was amended by section 4(1) of and paragraph 3(1) of Schedule 4 to the European Communities Act 1972 (c. 68); sections 4, 7 and 123 are to be read with the Secretary of State for Social Services Order 1968 (S.I. 1968/1699) and the Transfer of Functions (Wales) (No. 1) Order 1978 (S.I. 1978/272).

"appropriate designation" means, as respects any permitted miscellaneous additive, a name or description or a name and description sufficiently specific, in each case, to indicate to an intending purchaser the true nature of the permitted miscellaneous additive to which it is applied;

'base' means any substance which is capable, and generally used for the purpose, of increasing the alkalinity of a food;

"buffer" means any substance which is capable, and generally used for the purpose, of altering and controlling the acidity or alkalinity of a food;

"chocolate confectionery" has the meaning assigned to it by the Labelling of Food Regulations 1970(a);

"chocolate product" has the meaning assigned to it by the Cocoa and Chocolate Products Regulations 1976(b);

"container" includes any form of packaging of food for sale as a single item, whether by way of wholly or partly enclosing the food or by way of attaching the food to some other article, and in particular includes a wrapper or confining band;

"European Pharmacopoeia Volume I, 1969" and "European Pharmacopoeia Volume II, 1971" mean respectively Volume I of the European Pharmacopoeia published in 1969 and Volume II of the European Pharmacopoeia macopoeia published in 1971, in each case by Maisonneuve SA, 57-Sainte-Ruffine, France under the direction of the Council of Europe;

"firming agent" means any substance which is capable of making or keeping tissues of fruit or vegetables firm or crisp;

"food" has the same meaning as in the Act, except that it is limited to food intended for sale for human consumption;

"food and drugs authority" has the meaning assigned to it by section 198 of the Local Government Act 1972(c);

"Food Chemicals Codex 1972" means the edition of the Food Chemicals Codex published in 1972 by the National Academy of Sciences—National Research Council, Washington DC, United States of America;

"glazing agent" means any substance, other than a mineral hydrocarbon, which, when applied to the external surfaces of food, is capable of imparting a shiny appearance or of providing a protective coating;

"humectant" means any substance which is capable of off-setting wholly or partially the effect on a food of humidity in the atmosphere to which the food is exposed;

"liquid freezant" means any liquid or any liquefiable gas, other than air, which is capable of converting food into a frozen state;

"mineral hydrocarbon" has the meaning assigned to it by the Mineral Hydrocarbons in Food Regulations 1966(d);

"miscellaneous additive" means any acid, anti-caking agent, anti-foaming agent, base, buffer, firming agent, glazing agent, humectant, liquid freezant, packaging gas, propellent, release agent or sequestrant, but does not include-

<sup>(</sup>a) S.I. 1970/400; the relevant amending instrument is S.I. 1976/541.

<sup>(</sup>b) S.I. 1976/541. (c) 1972 c. 70.

- (a) any natural food substance,
- (b) any permitted antioxidant,
- (c) any permitted artificial sweetener,
- (d) any permitted bleaching agent,
- (e) any permitted colouring matter,
- (f) any permitted emulsifier,
- (g) any permitted improving agent,
- (h) any permitted preservative,
- (j) any permitted solvent,
- (k) any permitted stabiliser,
- (1) starches, whether modified or not,
- (m) caseinates,
- (n) proteins, protein concentrates and protein hydrolysates,
- (o) common salt (sodium chloride),
- (p) normal straight chain fatty acids derived from food fats;

"natural food substance" means any substance, suitable for use as food and commonly used as food, which is wholly a natural product, whether or not that substance has been subjected to any process or treatment and includes malt extract and glucose syrup;

"packaging gas" means any gas, other than air, introduced into a container before, during or after the placing of food in that container;

"permitted antioxidant" means any antioxidant in so far as its use is permitted by the Antioxidants in Food Regulations 1978(a);

"permitted artificial sweetener" means any artificial sweetener in so far as its use is permitted by the Artificial Sweeteners in Food Regulations 1969(b);

"permitted bleaching agent" means any bleaching agent in so far as its use is permitted by the Bread and Flour Regulations 1963(c);

"permitted colouring matter" means any colouring matter in so far as its use is permitted by the Colouring Matter in Food Regulations 1973(d);

"permitted emulsifier" means any emulsifier in so far as its use is permitted by the Emulsifiers and Stabilisers in Food Regulations 1980(e);

"permitted improving agent" mean any improving agent in so far as its use is permitted by the Bread and Flour Regulations 1963;

"permitted miscellaneous additive" means any miscellaneous additive specified in Part I of Schedule 1 to these regulations which satisfies the specific purity criteria in relation to that additive specified or referred to in Part II of that Schedule and, so far as is not otherwise provided by any such specific purity criteria, satisfies the general purity criteria specified in Part III of that Schedule, or any combination of two or more such additives;

"permitted preservative" means any preservative in so far as its use is permitted by the Preservatives in Food Regulations 1979(f);

"permitted solvent" means any solvent in so far as its use is permitted by the Solvents in Food Regulations 1967(g);

<sup>(</sup>a) S.I. 1978/105, amended by S.I. 1980/1831. (b) S.I. 1969/1817.

<sup>(</sup>c) S.I. 1963/1435; the relevant amending instrument is S.I. 1972/1391.
(d) S.I. 1973/1340; relevant amending instruments are S.I. 1975/1488, 1976/2086, 1978/1787.

<sup>(</sup>e) S.I. 1980/1833. (f) S.I. 1979/752, amended by S.I. 1980/931.

<sup>(</sup>g) S.I. 1967/1582, amended by S.I. 1967/1939, 1980/1832.

"permitted stabiliser" means any stabiliser in so far as its use is permitted by the Emulsifiers and Stabilisers in Food Regulations 1980;

"propellent" means any liquid or any gas, other than air, which is capable of expelling food from a container;

"release agent" means any substance, other than a mineral hydrocarbon, which facilitates the ready separation of food from surfaces with which it may come in contact during the manufacture or conveyance but does not include any substance or material which forms an integral part of machinery or conveyor belts or food containers, or silicone resins baked on to baking tins;

"sell" includes offer or expose for sale or have in possession for sale, and "sale" and "sold" shall be construed accordingly;

"sequestrant" means any substance which is capable of complexing with metallic ions;

"specified food" means any food of a description specified in column 1 of Schedule 2 to these regulations;

"sugar confectionery" has the meaning assigned to it by the Labelling of Food Regulations 1970.

- (2) Unless a contrary intention is expressed, all proportions mentioned in these regulations are proportions calculated by weight of the product as sold.
- (3) Any reference in these regulations to a label borne on a container shall be construed as including a reference to any legible marking on the container however effected.
- (4) For the purposes of these regulations, the supply of food, otherwise than by sale, at, in or from any place where food is supplied in the course of a business shall be deemed to be a sale of that food.
- (5) Any reference in these regulations to a numbered regulation or schedule shall, unless the reference is to a regulation of, or schedule to, specified regulations, be construed as a reference to the regulation or schedule bearing that number in these regulations.

### Exemptions

3. The provisions of these regulations shall not apply to food having any miscellaneous additive in it or on it, or to any miscellaneous additive, intended at the time of sale or importation, as the case may be, for exportation to any place outside the United Kingdom.

Sale etc. of food containing miscellaneous additives

- **4.**—(1) Subject to paragraph (2) of this regulation, no food sold or imported shall have in it or on it any added miscellaneous additive other than a permitted miscellaneous additive.
- (2) Save as hereinafter provided, no food sold or imported shall have in it or on it any added permitted miscellaneous additive specified in column 2 of Schedule 2:

## Provided that-

(a) any specified food may have in it or on it any such permitted miscellaneous additive of the description and in the proportion specified in relation thereto in columns 2 and 3 respectively of Schedule 2;

- (b) any food containing as an added ingredient any specified food may contain any such permitted miscellaneous additive of the description specified for, and in the amount appropriate to the quantity of, such specified food in accordance with the preceding sub-paragraph of this proviso.
- (3) No person shall sell or import any food which does not comply with this regulation.

# Sale, advertisement and labelling of miscellaneous additives

- 5.—(1) No person shall sell, import or advertise for sale any miscellaneous additive (including any miscellaneous additive with which any other substance has been mixed) for use as an ingredient in the preparation of food unless such miscellaneous additive is a permitted miscellaneous additive.
- (2) No person shall sell any permitted miscellaneous additive (including any permitted miscellaneous additive with which any other substance has been mixed) for use as an ingredient in the preparation of food except in a container bearing a label in accordance with the requirements of Schedule 3.

# Condemnation of food

6. Where any food is certified by a public analyst as being food which it is an offence against regulation 4 to sell or import, that food may be treated for the purposes of section 9 of the Act (under which food may be seized and destroyed on the order of a justice of the peace) as being unfit for human consumption.

# Penalties and enforcement

- 7.—(1) If any person contravenes or fails to comply with any of the foregoing provisions of these regulations he shall be guilty of an offence and shall be liable to a fine not exceeding one hundred pounds or to imprisonment for a term not exceeding three months, or to both, and, in the case of a continuing offence, to a further fine not exceeding five pounds for each day during which the offence continues after conviction.
- (2) Subject to paragraph (3) of this regulation, each food and drugs authority shall enforce and execute these regulations in its area.
- (3) Each port health authority shall enforce and execute in its district these regulations in so far as they relate to importation.

# Defences

**8.**—(1) In any proceedings for an offence against these regulations in relation to the publication of an advertisement, it shall be a defence for the defendant to prove that, being a person whose business it is to publish or arrange for the publication of advertisements, he received the advertisement for publication in the ordinary course of business.

(2) In any proceedings against the manufacturer or importer of any miscellaneous additive for use as an ingredient in the preparation of food, or of any food having any miscellaneous additive in it or on it, for an offence against these regulations in relation to the publication of an advertisement, it shall rest on the defendant to prove that he did not publish, and was not a party to the publication of, the advertisement.

# Application of various sections of the Act

- 9.—(1) Subject to paragraph (2) of this regulation, the following provisions of the Act shall apply for the purposes of these regulations as if references therein to proceedings, or a prosecution, under or taken or brought under the Act included references to proceedings, or a prosecution, as the case may be, taken or brought for an offence under these regulations:—
  - (a) section 108(3) and (4) (which relates to prosecutions);
  - (b) section 110(1), (2) and (3) (which relates to evidence of analysis);
  - (c) section 112 (which relates to the power of a court to require analysis by the Government Chemist);
  - (d) section 113 (which relates to a contravention due to some person other than the person charged);
  - (e) section 115(2) (which relates to the conditions under which a warranty may be pleaded as a defence); and
  - (f) section 116 (which relates to offences in relation to warranties and certificates of analysis).
- (2) Section 112 shall apply for the purposes of these regulations as if the reference therein to section 108(4) of the Act included a reference to that subsection as applied by paragraph (1) of this regulation.
- (3) Paragraph (b) of the proviso to section 108(1) of the Act shall apply for the purposes of these regulations as if the reference therein to section 116 of the Act included a reference to that section as applied by paragraph (1) of this regulation.

# Amendment of the Labelling of Food Regulations 1970

- 10. The Labelling of Food Regulations 1970(a) shall be further amended—
  - (a) by substituting for the definition of permitted miscellaneous additive in regulation 2(1) thereof the following definition:—
    - "'permitted miscellaneous additive" means any acid, anti-caking agent, anti-foaming agent, base, buffer, firming agent, glazing agent, humectant, liquid freezant, packaging gas, propellent, release agent or sequestrant in so far as its use in food is, in each case, permitted by the Miscellaneous Additives in Food Regulations 1980;";
  - (b) by substituting for the words 'Miscellaneous Additives in Food Regulations 1974' in item 2 of Part I of Schedule 2 thereto the words 'Miscellaneous Additives in Food Regulations 1980'.

## Revocations

11. The regulations specified in the first column of Schedule 4 are hereby revoked to the extent specified in relation thereto in the third column of that Schedule

<sup>(</sup>a) S.I. 1970/400; the relevant amending instrument is S.I. 1974/1121.

In Witness whereof the Official Seal of the Minister of Agriculture, Fisheries and Food is hereunto affixed on 26th November 1980.

(L.S.)

Peter Walker,
Minister of Agriculture, Fisheries
and Food.

28th November 1980.

Patrick Jenkin, Secretary of State for Social Services.

1st December 1980.

Nicholas Edwards, Secretary of State for Wales.

# Regulation 2(1)

# SCHEDULE 1

# PART I Permitted Miscellaneous Additives

Sodium dihydrogen citrate         E 331           diSodium citrate         E 331           triSodium citrate         E 331           Potassium dihydrogen citrate         E 332           triPotassium citrate         E 332           mono Calcium citrate         E 333           diCalcium citrate         E 333           triCalcium citrate         E 333           Ammonium ferric citrate         —           Ammonium ferric citrate, green         —           Dichlorodifluoromethane         —           Dimethylpolysiloxane         —           diSodium dihydrogen ethylenediamine—NNN'N' tetra-acetate         —           Calcium disodium ethylenediamine—NNN'N' tetra-acetate         —           Sodium ferrocyanide         —           Potassium ferrocyanide         —           Fumaric acid         —           D-Glucono-1,5-lactone         —           Sodium gluconate         —           Calcium gluconate         —           Calcium gluconate         —           Glycine         —           1,4-Heptonolactone         —           Sodium heptonate         —		
Acetic acid	Column 1	Column 2
Sodium acetate, anhydrous	Name of Miscellaneous Additive	Serial number
Sodium hydrogen diacetate		E 260
Sodium hydrogen diacetate         E 261           Potassium acetate         E 263           Adipic acid         —           Beeswax, white         —           Beeswax, yellow         —           Carbon dioxide         E 290           Ammonium carbonate         —           Ammonium hydrogen carbonate         —           Sodium sequicarbonate         —           Sodium hydrogen carbonate         —           Sodium sequicarbonate         —           Magnesium carbonate, heavy         —           Magnesium carbonate         —           Potassium hydrogen carbonate         E 170           Carnauba wax         —           Citric acid         E 330           triAmmonium citrate         E 331           diSodium dihydrogen citrate         E 331           diSodium citrate         E 331           triSodium citrate         E 331           triPotassium citrate         E 332           triPotassium citrate         E 333           diCalcium citrat	Sodium acetate, anhydrous	_
Sodium hydrogen diacetate         E 261           Potassium acetate         E 263           Adipic acid         —           Beeswax, white         —           Beeswax, yellow         —           Carbon dioxide         E 290           Ammonium carbonate         —           Ammonium hydrogen carbonate         —           Sodium sequicarbonate         —           Sodium hydrogen carbonate         —           Sodium sequicarbonate         —           Magnesium carbonate, heavy         —           Magnesium carbonate         —           Potassium hydrogen carbonate         E 170           Carnauba wax         —           Citric acid         E 330           triAmmonium citrate         E 331           diSodium dihydrogen citrate         E 331           diSodium citrate         E 331           triSodium citrate         E 331           triPotassium citrate         E 332           triPotassium citrate         E 333           diCalcium citrat	Sodium acetate	
Potassium acetate         E 261           Calcium acetate         E 263           Adipic acid         —           Beeswax, white         —           Beeswax, yellow         —           Calcium phytate         —           Carbon dioxide         E 290           Ammonium carbonate         —           Ammonium hydrogen carbonate         —           Sodium carbonate         —           Sodium ydrogen carbonate         —           Sodium sequicarbonate         —           Magnesium carbonate, heavy         —           Magnesium carbonate         —           Potassium carbonate         E 170           Carnauba wax         —           Citric acid         E 330           triAmmonium citrate         E 331           triSodium dihydrogen citrate         E 331           triSodium citrate         E 331           triPotassium dihydrogen citrate         E 332           triPotassium citrate         E 332           triOcalcium citrate         E 333           diCalcium citrate         E 333           Ammonium ferric citrate, green         —           Dichlorodifluoromethane         —           Directoryanide	Sodium hydrogen diacetate	E 262
Adipic acid         —           Beeswax, white         —           Beeswax, yellow         —           Calcium phytate         —           Carbon dioxide         E 290           Ammonium carbonate         —           Ammonium hydrogen carbonate         —           Sodium darbonate         —           Sodium ydrogen carbonate         —           Sodium sesquicarbonate         —           Magnesium carbonate, light         —           Potassium carbonate         —           Calcium carbonate         E 170           Carnauba wax         —           Citric acid         E 330           triAmmonium citrate         E 331           diSodium dihydrogen citrate         E 331           diSodium citrate         E 331           triSodium citrate         E 332           triPotassium citrate         E 332           triPotassium citrate         E 333           triPotassium citrate         E 333           diCalcium citrate         E 333           triCalcium citrate         E 333           diCalcium citrate         E 333           dirate         E 333           diracium citrate         E 333 <td>Potassium acetate</td> <td>E 261</td>	Potassium acetate	E 261
Beeswax, white         —           Calcium phytate         —           Carbon dioxide         E 290           Ammonium carbonate         —           Ammonium hydrogen carbonate         —           Sodium carbonate         —           Sodium sesquicarbonate         —           Magnesium carbonate, light         —           Potassium carbonate         —           Potassium hydrogen carbonate         —           Calcium carbonate         E 170           Carnauba wax         —           Citric acid         E 330           tri Ammonium citrate         E 331           diSodium dihydrogen citrate         E 331           triSodium citrate         E 332           triPotassium dihydrogen citrate         E 332           triPotassium citrate         E 333           triCalcium citrate         E 333           triCalcium citrate         E 333           triCalcium citrate         E 333           triCalcium citrate         E 333           Ammonium ferric citrate, green         —           Dichlorodifluoromethane         —           Dimethylpolysiloxane         —           diSodium dihydrogen ethylenediamine—NNN'N' tetra-acetate         —<		E 263
Beeswax, yellow		
Calcium phytate         E 290           Carbon dioxide         E 290           Ammonium carbonate         —           Sodium carbonate         —           Sodium hydrogen carbonate         —           Sodium sesquicarbonate         —           Magnesium carbonate, light         —           Potassium carbonate         —           Potassium hydrogen carbonate         —           Calcium dihydrogen carbonate         —           E 330         ### Armonium carbonate         —           ### Armonium citrate         —         —           ### Armonium citrate         —         —           ### Armonium citrate         —         —	Beeswax, white	_
Carbon dioxide         E 290           Ammonium carbonate         —           Ammonium hydrogen carbonate         —           Sodium carbonate         —           Sodium sesquicarbonate         —           Magnesium carbonate, heavy         —           Magnesium carbonate, light         —           Potassium carbonate         —           Potassium hydrogen carbonate         —           Calcium carbonate         E 170           Carnauba wax         —           Citric acid         E 330           triAmmonium citrate         E 331           triSodium dihydrogen citrate         E 331           triSodium citrate         E 331           triPotassium dihydrogen citrate         E 332           triPotassium citrate         E 332           mono Calcium citrate         E 333           diCalcium citrate         E 333		
Carbon dioxide         E 290           Ammonium carbonate         —           Ammonium hydrogen carbonate         —           Sodium carbonate         —           Sodium sesquicarbonate         —           Magnesium carbonate, heavy         —           Magnesium carbonate, light         —           Potassium carbonate         —           Potassium hydrogen carbonate         —           Calcium carbonate         E 170           Carnauba wax         —           Citric acid         E 330           triAmmonium citrate         E 331           triSodium dihydrogen citrate         E 331           triSodium citrate         E 331           triPotassium dihydrogen citrate         E 332           triPotassium citrate         E 332           mono Calcium citrate         E 333           diCalcium citrate         E 333	Calcium phytate	
Ammonium hydrogen carbonate         —           Sodium carbonate         —           Sodium hydrogen carbonate         —           Magnesium carbonate, heavy         —           Magnesium carbonate         —           Potassium carbonate         —           Potassium hydrogen carbonate         —           Calcium carbonate         E 170           Carnauba wax         —           Citric acid         E 330           tri Ammonium citrate         E 331           diSodium citrate         E 331           triSodium citrate         E 331           triSodium citrate         E 332           triPotassium dihydrogen citrate         E 332           triPotassium citrate         E 332           triPotassium citrate         E 333           triCalcium citrate         E 333           Ammonium ferric citrate, green         —           Dichlorodifluoromethane         —           Dimethylpolysiloxane         — <t< td=""><td></td><td>E 290</td></t<>		E 290
Sodium carbonate         —           Sodium sesquicarbonate         —           Magnesium carbonate, heavy         —           Magnesium carbonate light         —           Potassium hydrogen carbonate         —           Potassium hydrogen carbonate         —           Calcium carbonate         E 170           Carnauba wax         —           Citric acid         E 330           triAmmonium citrate         E 331           diSodium citrate         E 331           triSodium citrate         E 331           triSodium citrate         E 332           triPotassium dihydrogen citrate         E 332           triPotassium citrate         E 332           triPotassium citrate         E 333           triCalcium citrate         E 333 <tr< td=""><td>Ammonium carbonate</td><td>_</td></tr<>	Ammonium carbonate	_
Sodium hydrogen carbonate         —           Sodium sesquicarbonate         —           Magnesium carbonate, light         —           Potassium carbonate         —           Potassium hydrogen carbonate         —           Calcium carbonate         E 170           Carnauba wax         —           Citric acid         E 330           tri Ammonium citrate         E 331           diSodium dihydrogen citrate         E 331           tri Sodium citrate         E 331           tri Sodium citrate         E 332           tri Potassium dihydrogen citrate         E 332           tri Sodium citrate         E 332           tri Potassium citrate         E 333           di Calcium citrate         E 333           tri Calcium citrate         E 333 </td <td>Ammonium hydrogen carbonate</td> <td></td>	Ammonium hydrogen carbonate	
Sodium sesquicarbonate         —           Magnesium carbonate, heavy         —           Magnesium carbonate         —           Potassium carbonate         —           Potassium hydrogen carbonate         E           Calcium carbonate         E           Calcium carbonate         E           Carnauba wax         —           Citric acid         E           tri/Ammonium citrate         E           Sodium dihydrogen citrate         E           tri/Sodium citrate         E           tri/Sodium citrate         E           tri/Potassium dihydrogen citrate         E           tri/Potassium citrate         E           tri/Potassium citrate         E           tri/Calcium citrate         E           tri/Calcium citrate         E           Ammonium ferric citrate         E           Ammonium ferric citrate, green         —           Dimethylpolysiloxane         —           d'Godium dihydrogen ethylenediamine—NN'N' tetra-acetate         —           Calcium disodium ethylenediamine—NN'N' tetra-acetate         —           Potassium ferrocyanide         —           Fumaric acid         —           D-Glucono-1,5-lactone         —		
Magnesium carbonate, heavy         —           Magnesium carbonate (light)         —           Potassium hydrogen carbonate         —           Calcium carbonate         E 170           Carnauba wax         —           Citric acid         E 330           triAmmonium citrate         —           Sodium dihydrogen citrate         E 331           diSodium citrate         E 331           triSodium citrate         E 332           triSodium citrate         E 332           triPotassium citrate         E 332           mono Calcium citrate         E 333           triCalcium citrate         —           Dichlorodifluoromethane         —           Dichlorodifluoromethane         —           Dichlorodifluoromethane         —           Dimethylpolysiloxane         —           diSodium ferrocyanide         —           Potassium ferrocyanide         —           Potassium ferrocyanide         — <t< td=""><td></td><td>_</td></t<>		_
Magnesium carbonate, heavy         —           Magnesium carbonate (light)         —           Potassium hydrogen carbonate         —           Calcium carbonate         E 170           Carnauba wax         —           Citric acid         E 330           triAmmonium citrate         —           Sodium dihydrogen citrate         E 331           diSodium citrate         E 331           triSodium citrate         E 332           triSodium citrate         E 332           triPotassium citrate         E 332           mono Calcium citrate         E 333           triCalcium citrate         —           Dichlorodifluoromethane         —           Dichlorodifluoromethane         —           Dichlorodifluoromethane         —           Dimethylpolysiloxane         —           diSodium ferrocyanide         —           Potassium ferrocyanide         —           Potassium ferrocyanide         — <t< td=""><td>Sodium sesquicarbonate</td><td>_</td></t<>	Sodium sesquicarbonate	_
Magnesium carbonate, light         —           Potassium carbonate         —           Calcium carbonate         E 170           Carnauba wax         —           Citric acid         E 330           triAmmonium citrate         E 331           Sodium dihydrogen citrate         E 331           triSodium citrate         E 331           triSodium citrate         E 332           triPotassium citrate         E 332           mono Calcium citrate         E 333           diCalcium citrate         E 333           triCalcium dirrate         E 333           triCalcium dirrate         E 333           triCalcium dirrate         —           Ammonium ferric citrate, green         —           Dichlorodifluoromethane         —           Dichlorodifluoromethane         —           Dichlorodifluoromethane         —           Directorium disodium ethylenediamine—NNN'N' tetra-acetate <td< td=""><td>Magnesium carbonate, heavy</td><td>_</td></td<>	Magnesium carbonate, heavy	_
Potassium hydrogen carbonate	Magnesium carbonate, light	
Potassium hydrogen carbonate	Potassium carbonate	
Carnauba wax		
Citric acid         E 330           tri Ammonium citrate         —           Sodium dihydrogen citrate         E 331           di Sodium citrate         E 331           Potassium dihydrogen citrate         E 332           tri Potassium citrate         E 332           mono Calcium citrate         E 333           di Calcium citrate         E 333           tri Calcium citrate         E 333           tri Calcium citrate         E 333           Ammonium ferric citrate         —           Ammonium ferric citrate, green         —           Dichlorodifluoromethane         —           Dimethylpolysiloxane         —           di Sodium dihydrogen ethylenediamine—NNN'N' tetra-acetate         —           Calcium disodium ethylenediamine—NNN'N' tetra-acetate         —           Sodium ferrocyanide         —           Potassium ferrocyanide         —           Fumaric acid         —           D-Glucono-1,5-lactone         —           Sodium gluconate         —           Calcium gluconate         —           Glycine         —           1,4-Heptonolactone         —           Sodium heptonate         —           Calcium heptonate	Calcium carbonate	E 170
tri Ammonium citrate         —           Sodium dihydrogen citrate         E 331           di Sodium citrate         E 331           tri Sodium citrate         E 331           Potassium dihydrogen citrate         E 332           tri Potassium citrate         E 332           mono Calcium citrate         E 333           di Calcium citrate         E 333           tri Calcium citrate         E 333           Ammonium ferric citrate, green         —           Dichlorodifluoromethane         —           Dimethylpolysiloxane         —           di Sodium dihydrogen ethylenediamine—NNN'N' tetra-acetate         —           Calcium disodium ethylenediamine—NNN'N' tetra-acetate         —           Sodium ferrocyanide         —           Fumaric acid         —           D-Glucono-1,5-lactone         —           Sodium gluconate         —           Calcium gluconate         —           Calcium pluconate         —           Calcium heptonate         —           Calcium heptonate         —	Carnauba wax	
Sodium dihydrogen citrate         E 331           diSodium citrate         E 331           triSodium citrate         E 331           Potassium dihydrogen citrate         E 332           triPotassium citrate         E 332           mono Calcium citrate         E 333           diCalcium citrate         E 333           triCalcium citrate         E 333           Ammonium ferric citrate, green         —           Dichlorodifluoromethane         —           Dimethylpolysiloxane         —           diSodium dihydrogen ethylenediamine—NNN'N' tetra-acetate         —           Calcium disodium ethylenediamine—NNN'N' tetra-acetate         —           Sodium ferrocyanide         —           Fumaric acid         —           p-Glucono-1,5-lactone         —           Sodium gluconate         —           Calcium gluconate         —           Calcium gluconate         —           Calcium heptonate         —           Calcium heptonate         —	Citric acid	E 330
diSodium citrate       E 331         triSodium citrate       E 331         Potassium dihydrogen citrate       E 332         triPotassium citrate       E 332         mono Calcium citrate       E 333         diCalcium citrate       E 333         triCalcium citrate       E 333         Ammonium ferric citrate       —         Ammonium ferric citrate, green       —         Dichlorodifluoromethane       —         Dimethylpolysiloxane       —         diSodium dihydrogen ethylenediamine—NNN'N' tetra-acetate       —         Calcium disodium ethylenediamine—NNN'N' tetra-acetate       —         Sodium ferrocyanide       —         Potassium ferrocyanide       —         Fumaric acid       —         p-Glucono-1,5-lactone       —         Sodium gluconate       —         Calcium gluconate       —         Calcium heptonate       —         Calcium heptonate       —         Calcium heptonate       —	tri Ammonium citrate	_
diSodium citrate       E 331         triSodium citrate       E 331         Potassium dihydrogen citrate       E 332         triPotassium citrate       E 332         mono Calcium citrate       E 333         diCalcium citrate       E 333         triCalcium citrate       E 333         Ammonium ferric citrate       —         Ammonium ferric citrate, green       —         Dichlorodifluoromethane       —         Dimethylpolysiloxane       —         diSodium dihydrogen ethylenediamine—NNN'N' tetra-acetate       —         Calcium disodium ethylenediamine—NNN'N' tetra-acetate       —         Sodium ferrocyanide       —         Potassium ferrocyanide       —         Fumaric acid       —         p-Glucono-1,5-lactone       —         Sodium gluconate       —         Calcium gluconate       —         Calcium heptonate       —         Calcium heptonate       —         Calcium heptonate       —	Sodium dihydrogen citrate	E 331
Potassium dihydrogen citrate         E 332           triPotassium citrate         E 332           mono Calcium citrate         E 333           diCalcium citrate         E 333           triCalcium citrate         E 333           Ammonium ferric citrate         —           Ammonium ferric citrate, green         —           Dichlorodifluoromethane         —           Dimethylpolysiloxane         —           diSodium dihydrogen ethylenediamine—NNN'N' tetra-acetate         —           Calcium disodium ethylenediamine—NNN'N' tetra-acetate         —           Sodium ferrocyanide         —           Potassium ferrocyanide         —           Fumaric acid         —           D-Glucono-1,5-lactone         —           Sodium gluconate         —           Calcium gluconate         —           Calcium gluconate         —           Odycine         —           1,4-Heptonolactone         —           Sodium heptonate         —           Calcium heptonate         —	diSodium citrate	E 331
Potassium dihydrogen citrate         E 332           triPotassium citrate         E 332           mono Calcium citrate         E 333           diCalcium citrate         E 333           triCalcium citrate         E 333           Ammonium ferric citrate         —           Ammonium ferric citrate, green         —           Dichlorodifluoromethane         —           Dimethylpolysiloxane         —           diSodium dihydrogen ethylenediamine—NNN'N' tetra-acetate         —           Calcium disodium ethylenediamine—NNN'N' tetra-acetate         —           Sodium ferrocyanide         —           Potassium ferrocyanide         —           Fumaric acid         —           D-Glucono-1,5-lactone         —           Sodium gluconate         —           Calcium gluconate         —           Calcium gluconate         —           Odycine         —           1,4-Heptonolactone         —           Sodium heptonate         —           Calcium heptonate         —	triSodium citrate	E 331
mono Calcium citrate         E 333           di Calcium citrate         E 333           tri Calcium citrate         E 333           Ammonium ferric citrate         —           Ammonium ferric citrate, green         —           Dichlorodifluoromethane         —           Dimethylpolysiloxane         —           diSodium dihydrogen ethylenediamine—NNN'N' tetra-acetate         —           Calcium disodium ethylenediamine—NNN'N' tetra-acetate         —           Sodium ferrocyanide         —           Potassium ferrocyanide         —           Fumaric acid         —           D-Glucono-1,5-lactone         —           Sodium gluconate         —           Calcium gluconate         —           Calcium pluconate         —           Glycine         —           1,4-Heptonolactone         —           Sodium heptonate         —           Calcium heptonate         —	Potassium dihydrogen citrate	E 332
diCalcium citrate       E 333         triCalcium citrate       E 333         Ammonium ferric citrate       —         Ammonium ferric citrate, green       —         Dichlorodifluoromethane       —         Dimethylpolysiloxane       —         diSodium dihydrogen ethylenediamine—NNN'N' tetra-acetate       —         Calcium disodium ethylenediamine—NNN'N' tetra-acetate       —         Sodium ferrocyanide       —         Fumaric acid       —         D-Glucono-1,5-lactone       —         Sodium gluconate       —         Potassium gluconate       —         Calcium gluconate       —         Glycine       —         1,4-Heptonolactone       —         Sodium heptonate       —         Calcium heptonate       —	triPotassium citrate	E 332
triCalcium citrate E 333  Ammonium ferric citrate — — — — — — — — — — — — — — — — — — —	mono Calcium citrate	E 333
triCalcium citrate E 333  Ammonium ferric citrate  Ammonium ferric citrate, green  Dichlorodifluoromethane  Dimethylpolysiloxane  diSodium dihydrogen ethylenediamine—NNN'N' tetra-acetate  Calcium disodium ethylenediamine—NNN'N' tetra-acetate  Sodium ferrocyanide  Potassium ferrocyanide  Fumaric acid  D-Glucono-1,5-lactone Sodium gluconate  Calcium gluconate  Calcium gluconate  Calcium ferrocyanide  —  Odium en trickle in the state of the state	diCalcium citrate	E 333
Ammonium ferric citrate, green         —           Dichlorodifluoromethane         —           Dimethylpolysiloxane         —           diSodium dihydrogen ethylenediamine—NNN'N' tetra-acetate         —           Calcium disodium ethylenediamine—NNN'N' tetra-acetate         —           Sodium ferrocyanide         —           Potassium ferrocyanide         —           Fumaric acid         —           D-Glucono-1,5-lactone         —           Sodium gluconate         —           Calcium gluconate         —           Calcium heptonate         —           Sodium heptonate         —           Calcium heptonate         —		E 333
Dichlorodifluoromethane — — — — — — — — — — — — — — — — — — —		_
Dimethylpolysiloxane         —           diSodium dihydrogen ethylenediamine—NNN'N' tetra-acetate         —           Calcium disodium ethylenediamine—NNN'N' tetra-acetate         —           Sodium ferrocyanide         —           Potassium ferrocyanide         —           Fumaric acid         —           D-Glucono-1,5-lactone         —           Sodium gluconate         —           Calcium gluconate         —           Calcium gluconate         —           Glycine         —           1,4-Heptonolactone         —           Sodium heptonate         —           Calcium heptonate         —	Ammonium ferric citrate, green	
diSodium dihydrogen ethylenediamine—NNN'N' tetra-acetate       —         Calcium disodium ethylenediamine—NNN'N' tetra-acetate       —         Sodium ferrocyanide       —         Potassium ferrocyanide       —         Fumaric acid       —         D-Glucono-1,5-lactone       —         Sodium gluconate       —         Calcium gluconate       —         Glycine       —         1,4-Heptonolactone       —         Sodium heptonate       —         Calcium heptonate       —	Dichlorodifluoromethane	
Calcium disodium ethylenediamine—NNN'N' tetra-acetate — Sodium ferrocyanide — Potassium ferrocyanide — Fumaric acid — D-Glucono-1,5-lactone — Sodium gluconate — Potassium gluconate — Calcium gluconate — Glycine — 1,4-Heptonolactone — Sodium heptonate — Calcium heptonate — Calcium heptonate —	Dimethylpolysiloxane	
Sodium ferrocyanide         —           Potassium ferrocyanide         —           Fumaric acid         —           D-Glucono-1,5-lactone         —           Sodium gluconate         —           Potassium gluconate         —           Calcium gluconate         —           Glycine         —           1,4-Heptonolactone         —           Sodium heptonate         —           Calcium heptonate         —	diSodium dihydrogen ethylenediamine—NNN'N' tetra-acetate	_
Potassium ferrocyanide         —           Fumaric acid         —           D-Glucono-1,5-lactone         —           Sodium gluconate         —           Potassium gluconate         —           Calcium gluconate         —           Glycine         —           1,4-Heptonolactone         —           Sodium heptonate         —           Calcium heptonate         —	Calcium disodium ethylenediamine—NNN'N' tetra-acetate	_
Fumaric acid         —           D-Glucono-1,5-lactone         —           Sodium gluconate         —           Potassium gluconate         —           Calcium gluconate         —           Glycine         —           1,4-Heptonolactone         —           Sodium heptonate         —           Calcium heptonate         —	Sodium ferrocyanide	
Fumaric acid         —           D-Glucono-1,5-lactone         —           Sodium gluconate         —           Potassium gluconate         —           Calcium gluconate         —           Glycine         —           1,4-Heptonolactone         —           Sodium heptonate         —           Calcium heptonate         —	Potassium ferrocyanide	_
Sodium gluconate         —           Potassium gluconate         —           Calcium gluconate         —           Glycine         —           1,4-Heptonolactone         —           Sodium heptonate         —           Calcium heptonate         —		
Potassium gluconate         —           Calcium gluconate         —           Glycine         —           1,4-Heptonolactone         —           Sodium heptonate         —           Calcium heptonate         —	D-Glucono-1,5-lactone	
Potassium gluconate         —           Calcium gluconate         —           Glycine         —           1,4-Heptonolactone         —           Sodium heptonate         —           Calcium heptonate         —		_
Glycine       —         1,4-Heptonolactone       —         Sodium heptonate       —         Calcium heptonate       —		_
1,4-Heptonolactone       —         Sodium heptonate       —         Calcium heptonate       —	Calcium gluconate	_
Sodium heptonate — Calcium heptonate — — — — — — — — — — — — — — — — — — —	Glycine	
Sodium heptonate — Calcium heptonate — — — — — — — — — — — — — — — — — — —	1,4-Heptonolactone	_
Calcium heptonate — Hydrochloric acid — —	Sodium heptonate	
Hydrochloric acid –	Calcium heptonate	-
	Hydrochloric acid	I —

Column 1	Column 2
Name of Miscellaneous Additive	Serial number
Ammonium chloride	
Potassium chloride	_
Calcium chloride, anhydrous	_
Calcium chloride	
Hydrogen	_
Ammonium hydroxide	_
Sodium hydroxide	_
Magnesium hydroxide	
Magnesium oxide, heavy	_
Magnesium oxide, light	
Potassium hydroxide	
Calcium hydroxide	_
Calcium oxide	F 270
Lactic acid	E 270
Sodium lactate	E 325
Potassium lactate	E 326
Calcium lactate	E 327
DL-Malic acid L-Malic acid	
Sodium hydrogen malate	_
Sodium malate	
Potassium malate	
Calcium hydrogen malate	
Calcium malate	
Mannitol	E 421
Metatartaric acid	
Nicotinic acid	_
Nitrogen	
Nitrous oxide	
Octadecylammonium acetate	
Oxygen Oxystearin	
Orthophosphoric acid	E 338
Ammonium dihydrogen orthophosphate	L 330
di Ammonium hydrogen orthophosphate	
Sodium dihydrogen orthophosphate	E 339
diSodium hydrogen orthophosphate	E 339
triSodium orthophosphate	E 339
Potassium dihydrogen orthophosphate	E 340
diPotassium hydrogen orthophosphate	E 340
triPotassium orthophosphate	E 340
Calcium tetrahydrogen diorthophosphate	E 341
Calcium hydrogen orthophosphate	E 341 E 341
triCalcium diorthophosphate	E 341
Sodium aluminium phosphate, acidic	
diSodium dihydrogen diphosphate	E 450(a)
triSodium diphosphate	E 450(a)
tetraSodium diphosphate	E 450(a)
tetra Potassium diphosphate	E 450(a)
diCalcium diphosphate	<b>—</b> `´
pentaSodium triphosphate	E 450(b)
penta Potassium triphosphate	E 450(b)
Sodium polyphosphates	E 450(c)
Potassium polyphosphates	E 450(c)
Ammonium and calcium polyphosphates	
Edible bone phosphate	

Column 1	Column 2
Name of Miscellaneous Additive	Serial number
Shellac	
Silicon dioxide	_
Bentonite	_
Kaolin, heavy	_
Kaolin, light	
Aluminium sodium silicate	
Aluminium calcium silicate	_
Calcium silicate	_
Magnesium silicate, synthetic	_
Magnesium trisilicate	_
Talc	
Sorbitol	E 420
Sorbitol syrup	E 420
Spermaceti	
Sperm oil	_
Magnesium stearate	_
Calcium stearate	_
Butyl stearate	
Succinic acid	
Sulphuric acid	
Ammonium sulphate	_
Magnesium sulphate	_
Potassium sulphate	_
Aluminium potassium sulphate	
Calcium sulphate	_
Tannic acid	_
L-(+)-Tartaric acid	E 334
DL-Tartaric acid	
mono Sodium L-(+)-tartrate	E 335
mono Sodium DL-tartrate	
diSodium L-(+)-tartrate	E 335
diSodium DL-tartrate	
mono Potassium L-(+)-tartrate	E 336
mono Potassium DL-tartrate	_
diPotassium L-(+)-tartrate	E 336
diPotassium DL-tartrate	_
Potassium sodium L-(+)-tartrate	E 337
Potassium sodium DL-tartrate	_

# PART II

Specific Purity Criteria Applicable to Permitted Miscellaneous Additives

# E 260 Acetic acid

The specific purity criteria for acetic acid contained in Council Directive 65/66/EEC(a).

# Sodium acetate, anhydrous

The criteria in the monograph for sodium acetate, anhydrous contained in the Food Chemicals Codex 1972 at page 718.

# Sodium acetate

The criteria in the monograph for sodium acetate contained in the Food Chemicals Codex 1972 at page 717 except that the alkalinity shall be not more than 0·1 per centum (as sodium carbonate, Na<sub>2</sub>CO<sub>3</sub>).

# E262 Sodium hydrogen diacetate

Synonym ..... Sodium diacetate.

The specific purity criteria for sodium diacetate contained in Council Directive 65/66/EEC.

### E261 Potassium acetate

The specific purity criteria for potassium acetate contained in Council Directive 65/66/EEC.

### E263 Calcium acetate

The specific purity criteria for calcium acetate contained in Council Directive 65/66/EEC.

The criteria in the monograph for adipic acid contained in the Food Chemicals Codex 1972 at page 21.

### Beeswax, white

The criteria in the monograph for beeswax, white contained in the Food Chemicals Codex 1972 at page 75, except that the ester value shall be not less than 70 and not more than 80.

### Beeswax, yellow

The criteria in the monograph for beeswax, yellow contained in the Food Chemicals Codex 1972 at page 77, except that the ester value shall be not less than 70 and not more than 80.

Synonym ..... Calcium meso inositolhexaphosphate.

Iron ...... Not more than 100mg. per kg. Arsenic ...... Not more than 5mg. per kg.

# Calcium phytate

Description	White powder with an acid taste. Commercially the product exists as the trihydrate.
Solubility	Slightly soluble in water. Soluble in acids.
Volatile matter	Not more than 12 per centum (determined by drying at 100°C. to constant weight).
Ash	Not less than 60 per centum and not more than 72 per centum (determined by ignition at about 550°C.).
Matter insoluble in acids	Not more than 2 per centum in hydrochloric acid and not more than 2 per centum in orthophosphoric acid, determined as follows:
	Treat 1g. of calcium phytate with 7ml. N hydrochloric acid and 93ml. of distilled water. Treat another 1g. sample of calcium phytate with 50ml. distilled water and 1.5ml. orthophosphoric acid (50 per centum H <sub>3</sub> PO <sub>4</sub> ; density 1.34). Stir and filter each solution and collect, wash, dry (at 100°C.) and weigh the residue in each case.
Protein nitrogen	Not more than 0.38 per centum.
Total phosphorus	Not less than 16 per centum on a volatile matter-free basis.
Mineral phosphate (expressed as phosphorus)	Not more than 0.5 per centum.

### E290 Carbon dioxide

The specific purity criteria for carbon dioxide contained in Council Directive 65/66/EEC. Solid or liquid carbon dioxide shall be of equivalent purity to the gas.

### Ammonium carbonate

The criteria in the monograph for ammonium carbonate contained in the Food Chemicals Codex 1972 at page 45.

### Ammonium hydrogen carbonate

Synonym ..... Ammonium bicarbonate.

The criteria in the monograph for ammonium bicarbonate contained in the Food Chemicals Codex 1972 at page 44.

### Sodium carbonate

Description	 Colourless crystals or white granular or crystalline
	powder. The anhydrous salt is hygroscopic and the
	decahydrate is efflorescent.

Volatile matter ...... Not more than:

2 per centum for the non-hydrated substance;

15 per centum for the monohydrate; 65 per centum for the decahydrate;

(determined by the method for loss on drying in the monograph for sodium carbonate in the Food Chem-

icals Čodex 1972 at page 731).

Matter insoluble in dilute ammonia solution .....

Sulphate .....

Not more than 0·12 per centum on a volatile matterfree basis, determined by the following method:

Boil 5g. of hydrated sodium carbonate, or 2.5g. of anhydrous sodium carbonate, with 50ml. of water and 10ml. of dilute ammonia solution (about 10 per centum NH<sub>3</sub>). Filter and wash the residue with water, then ignite to constant weight

water, then ignite to constant weight.

Not more than 0.4 per centum on a volatile matter-free basis.

Chloride ...... Not more than 0.4 per centum on a volatile matter-

free basis.

Iron ...... Not more than 40mg, per kg, on a volatile matter-free

basis.

# Sodium hydrogen carbonate

Synonym ..... Sodium bicarbonate.

The criteria in the monograph for sodium bicarbonate contained in the Food Chemicals Codex 1972 at page 727.

### Sodium sesquicarbonate

The criteria in the monograph for sodium sesquicarbonate contained in the Food Chemicals Codex 1972 at page 765.

# Magnesium carbonate, heavy

The criteria in the monograph for heavy magnesium carbonate contained in the European Pharmacopoeia Vol. I, 1969 at page 322.

# Magnesium carbonate, light

The criteria in the monograph for light magnesium carbonate contained in the European Pharmacopoeia Vol. I, 1969 at page 321.

n.			
Pot	assium	carbonate	

Description ..... The anhydrous form is a white granular powder.

The hydrated form consists of small white translucent

crystals or granules.

Content ...... Not less than 98 per centum of K<sub>2</sub>CO<sub>3</sub> on a volatile

matter-free basis.

Volatile matter ...... Not more than:

2 per centum for the non-hydrated substance;
18 per centum for the hydrated substance;
(determined by drying at 180°C. for 4 hours).

### Potassium hydrogen carbonate

Synonym ..... Potassium bicarbonate.

The criteria in the monograph for potassium bicarbonate contained in the Food Chemicals Codex 1972 at page 642.

## E170 Calcium carbonate

Description ...... Fine white microcrystalline or amorphous powder.

matter-free basis.

Volatile matter ...... Not more than 1 per centum (determined by drying at

105°C. to constant weight).

Matter insoluble in hydroch-

loric acid ......

Shall comply with the requirement for aluminium, iron, phosphate and matter insoluble in hydrochloric acid in the monograph for chalk in the British Pharmacopoeia 1973 at page 93.

Not more than 100 mg. per kg. of any of the following substances, namely antimony, copper, chromium, zinc or barium sulphate, or more than 200 mg. per kg. of any combination of those substances.

### Carnauba wax

The criteria in the monograph for carnauba wax contained in the Food Chemicals Codex 1972 at page 170.

### E330 Citric acid

The criteria for citric acid contained in Council Directive 78/664/EEC(a).

### triAmmonium citrate

Synonym ..... Ammonium citrate.

The criteria in the monograph for ammonium citrate contained in the British Pharmaceutical Codex 1973 at page 830.

### E331 Sodium dihydrogen citrate

The criteria for monosodium citrate contained in Council Directive 78/664/EEC.

# E331 diSodium citrate

The criteria for disodium citrate contained in Council Directive 78/664/EEC.

# E331 triSodium citrate

The criteria for trisodium citrate contained in Council Directive 78/664/EEC.

# E332 Potassium dihydrogen citrate

The criteria for monopotassium citrate contained in Council Directive 78/664/EEC.

# E332 triPotassium citrate

The criteria for tripotassium citrate contained in Council Directive 78/664/EEC.

### E333 monoCalcium citrate

The criteria for monocalcium citrate contained in Council Directive 78/664/EEC.

# E333 diCalcium citrate

The criteria for dicalcium citrate contained in Council Directive 78/664/EEC.

### E333 triCalcium citrate

The criteria for tricalcium citrate contained in Council Directive 78/664/EEC.

# Ammonium ferric citrate

..... Ferric ammonium citrate.

The criteria in the monograph for ferric ammonium citrate contained in the British Pharmacopoeia 1973 at page 201.

# Ammonium ferric citrate, green

Green ferric ammonium citrate. Synonym .....

The criteria in the monograph for green ferric ammonium citrate contained in the British Pharmaceutical Codex 1954 at page 303.

Dichlorodifluoromethane	
Description	Clear, colourless liquefied gas.
Content	Not less than 99.97 per centum CCl <sub>2</sub> F <sub>2</sub> .
Trichlorofluoromethane CCl <sub>3</sub> F	
Dichlorofluoromethane CHCl <sub>2</sub> F	Not more than 200 mg, nor kg, singly or in combine
Chlorodifluoromethane CHClF <sub>2</sub>	Not more than 290 mg. per kg. singly or in combination.
Chlorotrifluoromethane CCIF <sub>3</sub>	
Other organic compounds .	Not more than 10 mg. per kg.
Non-volatile matter (after evaporation at 0°C.)	Not more than 0.01 per centum by volume.
Dimethylpolysiloxane	
Synonym	Dimethyl silicone.
Appearance	Clear colourless odourless liquid free from extraneous matter.
Solubility	Insoluble in water. Soluble in most aliphatic and aromatic hydrocarbon solvents.
Volatile matter	Not more than 2 per centum (determined by drying at

200°C. for 4 hours).

Shall comply with the identification tests in the monograph for dimethicone in the British Phar-Identification ..... maceutical Codex 1973 at page 168.

Acidity ..... Shall comply with the requirement for acidity in the monograph for dimethicone in the British Pharmaceutical Codex 1973 at page 168.

Total silicon ..... Not less than 37.3 and not more than 38.5 per centum.

Refractive index  $n^{25^{\circ}C.}_{D}$ .... Not less than 1.400 and not more than 1.405.

Viscosity (25°C) ..... Not less than 300 and not more than 1050 centistokes.

Relative density d <sup>20°C</sup>..... Not less than 0.960 and not more than 0.980.

diSodium dihydrogen ethylenediamine-NNN'N'-tetra-acetate

Synonym ..... diSodium edetate.

The criteria in the monograph for disodium edetate contained in the British Pharmacopoeia 1973 at page 176.

Calcium disodium ethylenediamine-NNN'N'-tetra-acetate

Sodium calciumedetate.

The criteria in the monograph for sodium calciumedetate contained in the British Pharmacopoeia 1973 at page 425.

# Sodium ferrocyanide

The criteria in the monograph for sodium ferrocyanide contained in the Food Chemicals Codex 1972 at page 741.

# Potassium ferrocyanide

Description ..... Odourless lemon yellow crystals. Soluble in water and in acetone. Solubility .....

Insoluble in ethanol, in ether and in hydrocarbons. Not less than 98 per centum of K<sub>4</sub>Fe(CN)<sub>6</sub>. 3H<sub>2</sub>0. Content .....

Not more than 1 per centum (determined by the method for free moisture in the monograph for Free moisture .....

sodium ferrocyanide in the Food Chemicals Codex

1972 at page 741).

Chloride ..... Not more than 0.1 per centum.

Not more than 0.1 per centum. Sulphate .....

### Fumaric acid

The criteria in the monograph for fumaric acid contained in the Food Chemicals Codex 1972 at page 331.

# D-Glucono-1,5-lactone

Synonym ..... Glucono delta-lactone.

The criteria in the monograph for glucono delta-lactone contained in the Food Chemicals Codex 1972 at page 346.

### Sodium gluconate

The criteria in the monograph for sodium gluconate contained in the Food Chemicals Codex 1972 at page 742.

# Potassium gluconate

Description ..... White free-flowing powder.

Freely soluble in water. Practically insoluble in Solubility .....

ethanol and in ether.

Not less than 97 per centum of C<sub>6</sub>H<sub>11</sub>O<sub>7</sub>K on a vol-Content .....

atile matter-free basis.

Volatile matter ..... Not more than 3 per centum (determined by drying in

a vacuum at 105°C. for 4 hours).

Reducing substances (expressed as glucose) ... Not more than 0.5 per centum.

### Calcium gluconate

The criteria in the monograph for calcium gluconate contained in the Food Chemicals Codex 1972 at page 129.

### Glycine

The criteria in the monograph for glycine contained in the Food Chemicals Codex 1972 at page 359.

# 1,4-Heptonolactone

Synonym ..... Heptonolactone. Description ..... Colourless crystals.

Freely soluble in water. Slightly soluble in ethanol. Solubility .....

Insoluble in ether.

Not less than 99.5 per centum of  $C_7H_{12}O_7$ . Content .....

Melting point ..... 148°C.

Specific rotation Not less than  $-54.0^{\circ}$  and not more than  $-53.0^{\circ}$ [∝] <sup>20°</sup>C.

(using a 25 per centum weight/volume aqueous

solution).

Sulphated ash ..... Not more than 0.1 per centum.

### Sodium heptonate

D ..

Description ..... White to tan crystalline powder. Sparingly soluble in ethanol. Solubility ..... Very soluble in water.

Content ..... Not less than 98 per centum of C<sub>2</sub>H<sub>12</sub>O<sub>2</sub>Na.2H<sub>2</sub>O.

Reducing substances Not more than 0.5 per centum. (expressed as glucose) ...

Sulphate ..... Not more than 0.1 per centum. Chloride ..... Not more than 0.01 per centum.

# Calcium heptonate

Description ..... White crystalline powder.

Solubility ..... Soluble in water. Insoluble in ethanol.

Not less than 99 per centum of (C<sub>7</sub>H<sub>13</sub>O<sub>8</sub>)<sub>2</sub>Ca.2H<sub>2</sub>O. Content .....

Reducing substances (expressed as glucose) ... Not more than 0.5 per centum.

Sulphate ..... Not more than 0.12 per centum. Not more than 0.07 per centum. Chloride .....

# Hydrochloric acid

The criteria in the monograph for concentrated hydrochloric acid contained in the European Pharmacopoeia Vol. II, 1971 at page 145.

# Ammonium chloride

The criteria in the monograph for ammonium chloride contained in the Food Chemicals Codex 1972 at page 47.

# Potassium chloride

The criteria in the monograph for potassium chloride contained in the Food Chemicals Codex 1972 at page 646.

## Calcium chloride, anhydrous

The criteria in the monograph for calcium chloride, anhydrous contained in the Food Chemicals Codex 1972 at page 124.

Calcium chloride	
Description	The dihydrate consists of deliquescent white odour- less fragments or granules. The hexahydrate con- sists of deliquescent colourless and odourless crystals.
Content	Not less than: 98 per centum of CaCl <sub>2</sub> .2H <sub>2</sub> O for the dihydrate; 97 per centum of CaCl <sub>2</sub> .6H <sub>2</sub> O for the hexahydrate.
Magnesium and alkali salts	Not more than 2 per centum, determined by the method in the monograph for calcium chloride contained in the Food Chemicals Codex 1972 at page 123 except that the weight of the residue shall not exceed 10 mg.
Fluoride	Not more than 40 mg. per kg. on an anhydrous basis.
Hydrogen	
Description	Colourless odourless gas.
Content	Not less than 99.9 per centum volume/volume of hydrogen.
Moisture	Not more than 10 ppm. volume/volume.
Oxygen	Not more than 3 ppm. volume/volume.
Carbon monoxide, carbon dioxide and hydrocarbons	Not more than 10 ppm. volume/volume in total.
Nitrogen	Not more than 100 ppm. volume/volume.
Mercury	Not more than 2 mg. per kg.

# Ammonium hydroxide

The criteria in the monograph for ammonium hydroxide contained in the Food Chemicals Codex 1972 at page 48.

# Sodium hydroxide

The criteria in the monograph for sodium hydroxide contained in the Food Chemicals Codex 1972 at page 743.

# Magnesium hydroxide

The criteria in the monograph for magnesium hydroxide contained in the British Pharmaceutical Codex 1973 at page 277.

Description ..... White fine odourless powder.

# Magnesium oxide, heavy

Solubility	Practically insoluble in water. Soluble in dilute acids with, at most, slight effervescence.
Apparent volume	20 g. of heavy magnesium oxide occupies a volume of about 50 ml.
Content	Not less than 98 per centum of MgO calculated with reference to the ignited substance and determined by the assay method contained in the monograph for light magnesium oxide in the European Pharmacopoeia Vol. I, 1969 at page 319.
Loss on ignition	Not more than 5 per centum (determined by ignition at 900°C. to 950°C. to constant weight).

Matter soluble in water ... Not more than 2 per centum, determined by the method for soluble substances contained in the monograph for light magnesium oxide in the European Pharmacopoeia Vol. I, 1969 at page 319.

Matter insoluble in acetic Not more than 0.1 per centum when determined by the following method: acid .....

Dissolve 5 g. heavy magnesium oxide in a mixture of 70 ml. acetic acid (see note 1) and 30 ml. water. Heat to boiling for 2 minutes, cool and dilute to 100 ml. with dilute acetic acid (see note 2). Filter through a sintered glass filter. Any residue, after washing with water, drying and ignition at 600°C., shall weigh not more than 5 mg.

Not more than 0.75 per centum. Sulphate ..... Not more than 0.07 per centum. Chloride ..... Calcium ..... Not more than 2 per centum. Iron ..... Not more than 0.1 per centum. Arsenic ..... Not more than 4 mg. per kg. Heavy metals ..... Not more than 40 mg. per kg.

Note 1: Acetic acid: contains not less than 29 per centum weight/volume and not more than 31 per centum weight/volume of  $C_2H_4O_2$ . Dilute 30 g. glacial acetic acid (98 per centum weight/volume  $C_2H_4O_2$ ) to 100 ml. with water.

Note 2: Dilute acetic acid: contains not less than 11.5 per centum weight/volume and not more than 12.5 per centum weight/volume of C<sub>2</sub>H<sub>4</sub>O<sub>2</sub>. Dilute 12 g. or 11.7 ml. glacial acetic acid (98 per centum weight/volume C<sub>2</sub>H<sub>4</sub>O<sub>2</sub>) to 100 ml. with water and, if necessary, adjust the concentration of the solution.

# Magnesium oxide, light

The criteria in the monograph for light magnesium oxide contained in the European Pharmacopoeia Vol I, 1969 at page 319.

### Potassium hydroxide

The criteria in the monograph for potassium hydroxide contained in the Food Chemicals Codex 1972 at page 652.

# Calcium hydroxide

Description ..... Soft white powder.

1 g. dissolves in 630 ml. of water at 25°C. and in 1300 Solubility ..... ml. of boiling water. Soluble in glycerol and in a

saturated solution of sucrose. Insoluble in ethanol.

Content ..... Not less than 92 per centum of Ca(OH)<sub>2</sub>.

Matter insoluble in dilute hydrocholoric acid (about 10 per centum weight/ volume HCl). ..... Not more than 0.5 per centum.

Not more than 6 per centum, determined by the Magnesium and alkali salts method in the monograph for calcium hydroxide contained in the Food Chemicals Codex 1972 at page 131 except that the weight of the residue shall

not exceed 15 mg.

When 2 g. of calcium hydroxide is mixed with 50 ml. Carbonate ...... of water and an excess of dilute hydrochloric acid

(approximately 2N) is added, no more than a slight effervescence is produced.

Not more than 0.35 per centum.

Sulphate ..... Fluoride ..... Not more than 50 mg. per kg. Calcium oxide

The criteria in the monograph for calcium oxide contained in the Food Chemicals Codex 1972 at page 138.

# E270 Lactic acid

The specific purity criteria for lactic acid contained in Council Directive 65/66/EEC. E325 Sodium lactate

The criteria for sodium lactate contained in Council Directive 78/664/EEC.

# E326 Potassium lactate

The criteria for potassium lactate contained in Council Directive 78/664/EEC.

# E327 Calcium lactate

The criteria for calcium lactate contained in Council Directive 78/664/EEC.

### DI-Malic acid

The criteria in the monograph for malic acid contained in the Food Chemicals Codex 1972 at page 484 as amended by the Second Supplement to that Codex at page 27, except that the melting range shall be 130°C. to 132°C. (corrected) and that the method for determining the melting range shall be that specified or a method of equivalent accuracy.

L-Malic acid	
Description	White or nearly white crystalline powder or granules. Not less than 99 per centum of $C_4H_6O_5$ . 99°C. to 101°C.
Specific rotation $\left[\alpha\right]_{D}^{20^{\circ}\text{C}}$ .	Not less than $-2\cdot4^\circ$ and not more than $-2\cdot2^\circ$ (using a solution containing $8\cdot5g$ . L-malic acid in 100 ml. water).
Maleic acid	Shall comply with the limits given in the monograph for malic acid in the Food Chemicals Codex 1972 at page 484.
Sodium hydrogen malate	
Description	White odourless powder. Sodium hydrogen malate may be derived from either DL-malic acid or L-malic acid.
Content	Not less than 99 per centum of C <sub>4</sub> H <sub>5</sub> O <sub>5</sub> Na on a volatile matter-free basis.
Volatile matter	Not more than 2 per centum (determined by drying at 110°C. for 3 hours).
Maleic acid	Not more than 0.05 per centum.
Sodium malate	
Description	Colourless or almost colourless aqueous solution. Sodium malate may be derived from either DL-malic acid or L-malic acid.
Content	Not less than 59.5 per centum of C <sub>4</sub> H <sub>4</sub> O <sub>5</sub> Na <sub>2</sub> .
Maleic acid	Not more than 0.05 per centum calculated on the $C_4H_4O_5Na_2$ content.
Potassium malate	· · · ·
Description	Colourless or almost colourless aqueous solution. Potassium malate may be derived from either DL-malic acid or L-malic acid.
Content	Not less than 59.5 per centum of C <sub>4</sub> H <sub>4</sub> O <sub>5</sub> K <sub>2</sub> .
Maleic acid	Not more than 0.05 per centum calculated on the

C<sub>4</sub>H<sub>4</sub>O<sub>5</sub>K<sub>2</sub> content.

Calcium hydrogen malate	
Description	White odourless powder. Calcium hydrogen malate may be derived from either DL-malic acid or L-malic acid.
Content	Not less than 97.5 per centum of $(C_4H_5O_5)_2Ca$ on a volatile matter-free basis.
Volatile matter	Not more than 2 per centum (determined by drying at 110°C. for 3 hours).
Maleic acid	Not more than 0.05 per centum.
Fluoride	Not more than 30 mg. per kg. on a volatile matter-free basis.
Calcium malate	
Description	White odourless powder. Calcium malate may be derived from either DL-malic acid or L-malic acid.
Content	Not less than 97.5 per centum of C <sub>4</sub> H <sub>4</sub> O <sub>5</sub> Ca on a volatile matter-free basis.
Volatile matter	Not more than 2 per centum (determined by drying at 110°C. for 3 hours).
Maleic acid	Not more than 0.05 per centum.
Fluoride	Not more than 30 mg. per kg. on a volatile matter-free basis.
E421 Mannitol	tained in Council Directive 78/663/EEC(a)
Metatartaric acid	tained in Council Directive 78/663/EEC(a).
Description	White or yellow powder which consists chiefly of a mixture of polyesters obtained by the controlled dehydration of L-(+)-tartaric acid, together with unchanged L-(+)-tartaric acid.
Specific absorption  E <sup>1</sup> per centum  1 cm.	Not more than $1.5 \times 10^{-2}$ at 430 nm. (determined using a filtered aqueous solution).
Identification	Place 5 to 10 mg. of sample in a test tube. Add 2 ml. sulphuric acid (about 94 per centum H <sub>2</sub> SO <sub>4</sub> ) plus two drops of resorcinol reagent (2 g. resorcinol dissolved in 100 ml. water plus 0.5 ml. sulphuric acid) and heat to 150°C. An intense violet colour is produced.
Content	Not less than the equivalent of 105 per centum of tartaric acid (C <sub>4</sub> H <sub>6</sub> O <sub>8</sub> ).  The esterified tartaric acid content shall be not less than 27 per centum and not more than 38 per centum of the tartaric acid equivalent when determined by the following method:  Add three drops of bromothymol blue indicator (0.04 per centum weight/volume solution of bromothymol blue in 95 per centum volume/ volume ethanol) to 50 ml. of freshly prepared 2 per centum weight/volume cold aqueous solution of metatartaric acid. Titrate with N aqueous sodium hydroxide solution to a blue-green colour (T1 ml.).  Add a further 20 ml. of N aqueous sodium hydroxide solution and leave for 2 hours at room temperature. Titrate with N aqueous sulphuric acid solution (T2 ml.).

Calculations:

Tartartic acid equivalent= $7.5 (T_1 + 20 - T_2)$ 

per centum, 100 (20 - T<sub>2</sub>)

Esterified tartaric acid =  $T_1 + 20 - T_2$ per centum.

Specific rotation  $[\alpha] \frac{20^{\circ}C}{D}$ .

Not less than + 12.5° and not more than + 13.5° (using a filtered 10 per centum weight/volume aqueous solution).

Matter insoluble in water (at about 20°C.) ..... Not more than 2.5 per centum (insoluble matter weighed after drying for 3 hours at 70°C. in a vacuum oven).

Pyruvic acid ..... Not more than 0.5 per centum.

### Nicotinic acid

The criteria in the monograph for nicotinic acid contained in the British Pharmacopoeia 1973 at page 318.

The standard for nitrogen type 2 contained in British Standard 4366: 1968.

The criteria in the monograph for nitrous oxide contained in the European Pharmacopoeia Vol. II, 1971 at page 316.

### Octadecylammonium acetate

Synonym ..... Octadecylamine acetate.

White waxy solid which consists essentially of the acetic acid salts of a mixture of mainly stearyl and Description .....

palmityl primary aliphatic amines.

Solubility ..... Soluble in water (above 70°C.) and in mineral and

vegetable oils.

Total aliphatic amine acetate Not less than 98 per centum. Primary aliphatic amine Not less than 93 per centum.

acetate ..... Melting range .....

80°C. to 85°C.

Moisture ..... Not more than 1 per centum (Karl Fischer).

Not more than 5 (Wijs). Iodine Value .....

The criteria in the monograph for oxygen contained in the European Pharmacopoeia Vol. II, 1971 at page 328.

### Oxystearin

The criteria in the monograph for oxystearin contained in the Food Chemicals Codex 1972 at page 569 with the additional requirements that the maximum temperature of oxidation during manufacture of the oxystearin shall not exceed 260°C; the urea non-adduct content of the total fatty acid methyl esters shall not be more than 40 per centum and the epoxide content shall not be more than 50 mg. per kg.

# E338 Orthophosphoric acid

The criteria contained in Council Directive 78/664/EEC.

# Ammonium dihydrogen orthophosphate

Synonym ..... Ammonium phosphate, monobasic.

The criteria in the monograph for ammonium phosphate, monobasic contained in the Food Chemicals Codex 1972 at page 50.

# diAmmonium hydrogen orthophosphate

Synonym ..... Ammonium phosphate, dibasic.

The criteria in the monograph for ammonium phosphate, dibasic contained in the Food Chemicals Codex 1972 at page 49.

### E339 Sodium dihydrogen orthophosphate

The criteria for monosodium orthophosphate contained in Council Directive 78/664/EEC.

# E339 diSodium hydrogen orthophosphate

The criteria for disodium orthophosphate contained in Council Directive 78/664/EEC.

### E339 triSodium orthophosphate

The criteria for trisodium orthophosphate contained in Council Directive 78/664/EEC.

# E340 Potassium dihydrogen orthophosphate

The criteria for monopotassium orthophosphate contained in Council Directive 78/664/EEC.

# E340 diPotassium hydrogen orthophosphate

The criteria for dipotassium orthophosphate contained in Council Directive 78/664/EEC.

### E340 triPotassium orthophosphate

The criteria for tripotassium orthophosphate contained in Council Directive 78/664/EEC.

# E341 Calcium tetrahydrogen diorthophosphate

The criteria for monocalcium orthophosphate contained in Council Directive 78/664/EEC.

### E341 Calcium hydrogen orthophosphate

The criteria for dicalcium orthophosphate contained in Council Directive 78/664/EEC.

# E341 triCalcium diorthophosphate

The criteria for tricalcium orthophosphate contained in Council Directive 78/663/EEC.

# Sodium aluminium phosphate, acidic

The criteria in the monograph for sodium aluminium phosphate, acidic contained in the Food Chemicals Codex 1972 at page 722.

# Sodium aluminium phosphate, basic

The criteria in the monograph for sodium aluminium phosphate, basic contained in the Food Chemicals Codex 1972 at page 724.

# E450(a) diSodium dihydrogen diphosphate

The criteria for disodium dihydrogen diphosphate contained in Council Directive 78/663/EEC.

# E450(a) triSodium diphosphate

The criteria for trisodium diphosphate contained in Council Directive 78/663/EEC.

# E450(a) tetraSodium diphosphate

The criteria for tetrasodium diphosphate contained in Council Directive 78/663/EEC.

# E450(a) tetraPotassium diphosphate

The criteria for tetrapotassium diphosphate contained in Council Directive 78/663/EEC.

# diCalcium diphosphate

Synonyms ..... diCalcium pyrophosphate. Calcium pyrophosphate.

The criteria in the monograph for calcium pyrophosphate contained in the Food Chemicals Codex 1972 at page 153.

# E450(b) pentaSodium triphosphate

The criteria for pentasodium triphosphate contained in Council Directive 78/663/EEC.

# E450(b) pentaPotassium triphosphate

The criteria for pentapotassium triphosphate contained in Council Directive 78/663/EEC.

# E450(c) Sodium polyphosphates

The criteria for sodium polyphosphates contained in Council Directive 78/663/EEC.

# E450(c) Potassium polyphosphates

The criteria for potassium polyphosphates contained in Council Directive 78/663/EEC.

# Ammonium and calcium polyphosphates

титонит ини систит рогура	osphules
Description	Ammonium and calcium polyphosphates exist as fine white powders or crystals or colourless glassy platelets.
	They are reproducible heterogeneous mixtures of ammonium or calcium salts, or mixtures thereof, of condensed polyphosphoric acids of general formula:
	$H(n + 2)P_nO(3n + 1)$ where n shall be not less than 2.
Content (expressed as P <sub>2</sub> O <sub>5</sub> )	Not less than 50 per centum and not more than 71 per centum on an anhydrous basis.
pH (1 per centum aqueous solution)	For water soluble phosphates only: not less than $4.0$ and not more than $9.0$ .
Cyclic phosphate	Not more than 8 per centum calculated on the $P_2O_5$ content.
Fluoride	Not more than 15 mg. per kg. calculated on the $P_2O_5$ content.
Edible bone phosphate	
Description	Edible bone phosphate is a pale cream-coloured powder, prepared from selected animal bones which are crushed degreased and then subjected

# E

Description	 Edible bone phosphate is a pale cream-coloured
•	powder, prepared from selected animal bones
	which are crushed, degreased and then subjected
	to a high pressure steam extraction. The main con-
	stituent is hydroxy-apatite with some carbonate-
	anatite and a trace of fluoro-anatite

apatite and a trace of fluoro-apatite.

Content(expressed as CaO)	Not less than 45 per centum.
$(expressed as P_2O_5)$	Not less than 34 per centum.

Fluoride ..... Total: Not more than 700 mg. per kg.

Water soluble: Not more than 2 mg. per kg.

Not more than 25 mg. per kg. Zinc ..... Not more than 150 mg. per kg.

### Shellac

The standard for machine-made shellac contained in British Standard 3722:1964.

### Silicon dioxide

Synonym Silica, chemically prepared.

Silica aerogel is a white fluffy powdered or granular Description .....

microcellular silica. Hydrated silica is a precipitated hydrated silicon dioxide occurring as a fine white amorphous powder or as beads or granules.

Silica aerogel: not less than 90 per centum of SiO<sub>2</sub>. Hydrated silicia: not less than 91 per centum of Content .....

SiO, on a volatile matter-free basis.

Hydrated silica: Not more than 7 per centum (determined by drying at 105°C. for 2 hours). Volatile matter .....

Not more than 13 per centum (determined by igni-Loss on ignition ......

tion at 1000°C. to constant weight).

Soluble ionisable salts (expressed as Na<sub>2</sub>SO<sub>4</sub>)

Not more than 5 per centum.

### Bentonite

The criteria in the monograph for bentonite contained in the British Pharmacopoeia 1973 at page 47.

# Kaolin, heavy

The criteria in the monograph for heavy kaolin contained in the British Pharmacopoeia 1968 at page 538 as amended by the 1969 Addendum at page 54.

### Kaolin, light

The criteria in the monograph for light kaolin contained in the British Pharmacopoeia 1968 at page 539 as amended by the 1969 Addendum at page 54.

# Aluminium sodium silicate

Synonyms ..... Sodium aluminium silicate.

Sodium aluminosilicate.

Sodium silicoaluminate.

Description ..... Fine white amorphous powder or beads.

Content (expressed as SiO<sub>2</sub>) Not less than 70 per centum and not more than 80 per

centum on a volatile matter-free basis.

(expressed as Al<sub>2</sub>O<sub>2</sub>) Not less than 8 per centum and not more than 11 per

centum on a volatile matter-free basis.

Not less than 5 per centum and not more than 10 per centum on a volatile matter-free basis. (expressed as Na<sub>2</sub>O)

Volatile matter ..... Not more than 8 per centum (determined by drying at

105°C. for 2 hours).

Not less than 10 per centum and not more than 14 per Loss on ignition ...... centum (determined by ignition at 1000°C. to con-

stant weight).

### Aluminium calcium silicate

Calcium aluminium silicate. Synonyms .....

Calcium aluminosilicate. Calcium silicoaluminate.

Fine white free-flowing powder. Description .....

Content (expressed as SiO <sub>2</sub> )	Not less than 44 per centum and not more than 50 per centum on a volatile matter-free basis.	
(expressed as Al <sub>2</sub> O <sub>3</sub> )	Not less than 3 per centum and not more than 5 per centum on a volatile matter-free basis.	
(expressed as CaO)	Not less than 32 per centum and not more than 38 per centum on a volatile matter-free basis.	
(expressed as Na <sub>2</sub> O)	Not less than 0.5 per centum and not more than 4 per centum on a volatile matter-free basis.	
Volatile matter	Not more than 10 per centum (determined by drying at 105°C. for 2 hours).	
Loss on ignition	Not less than 14 per centum and not more than 18 per centum (determined by ignition at 1000°C. to constant weight).	
Calcium silicate		
Description	White to off-white free-flowing powder.	
Solubility	White to off-white free-flowing powder.  Insoluble in water.  Forms a gel with mineral acids.	
	Insoluble in water.	
Solubility	Insoluble in water. Forms a gel with mineral acids. Not less than 72 per centum and not more than 78 per	
Solubility	Insoluble in water. Forms a gel with mineral acids. Not less than 72 per centum and not more than 78 per centum on a volatile matter-free basis. Not less than 16 per centum and not more than 21 per	
Solubility	Insoluble in water. Forms a gel with mineral acids. Not less than 72 per centum and not more than 78 per centum on a volatile matter-free basis. Not less than 16 per centum and not more than 21 per centum on a volatile matter-free basis. Not less than 2 per centum and not more than 4 per	

### Magnesium silicate, synthetic

The criteria in the monograph for magnesium silicate contained in the Food Chemicals Codex 1972 at page 479.

# Magnesium trisilicate

The criteria in the monograph for magnesium trisilicate contained in the British Pharmacopoeia 1973 at page 276.

# Talc

Description ...... Talc is a native hydrous magnesium silicate sometimes containing a small proportion of aluminium silicate.

It shall comply with the requirements for appearance, characteristics and limits of impurities in the monograph for magnesium silicate contained in the Nutrition Meetings Report Series 46B 1970 of the Food and Agriculture Organisation of the United Nations at page 114. The amount of material soluble in dilute hydrochloric acid shall be not more than 2 per centum and the amount of water soluble substances shall be not more than 0.2 per centum.

### E 420 Sorbitol

The criteria for sorbitol contained in Council Directive 78/663/EEC.

### E 420 Sorbitol syrup

The criteria for sorbitol syrup contained in Council Directive 78/663/EEC.

# Spermaceti

The criteria in the monograph for spermaceti contained in the British Pharmaceutical Codex 1968 at page 773.

# Sperm Oil

The standard for filtered sperm oil contained in Part 2 of British Standard 997: 1963.

### Magnesium stearate

The criteria in the monograph for magnesium stearate contained in the British Pharmacopoeia 1973 at page 275.

### Calcium stearate

The criteria in the monograph for calcium stearate contained in the Food Chemicals Codex 1972 at page 158 except that for the final sentence of the description (requirement to conform to the regulations of the federal Food and Drug Administration pertaining to specifications for salts of fatty acids and fatty acids from edible fat sources) there shall be substituted the requirement that calcium stearate shall be prepared using commercial food-grade stearic acid.

### Butyl stearate

Description .......... White solid with a slightly yellow tinge; melts at about room temperature to a clear liquid and consists chiefly of the butan-1-ol ester of commercial

food-grade stearic acid.

Solidification point ...... Between 14°C. and 26°C.

Saponification value ..... Not less than 160 and not more than 180.

Iodine value ...... Not more than 7 (Wijs).

Acid value ...... Not more than 2.5 mg. KOH per g.

### Succinic acid

The criteria in the monograph for succinic acid contained in the Food Chemicals Codex 1972 at page 800.

# Sulphuric acid

The criteria in the monograph for sulphuric acid contained in the Food Chemicals Codex 1972 at page 802.

# Ammonium sulphate

The criteria in the monograph for ammonium sulphate contained in the Food Chemicals Codex 1972 at page 52.

# Sodium sulphate

The criteria in the monograph for sodium sulphate contained in the Food Chemicals Codex 1972 at page 775.

### Magnesium sulphate

The criteria in the monograph for magnesium sulphate contained in the European Pharmacopoeia Vol. I, 1969 at page 324.

# Potassium sulphate

The criteria in the monograph for potassium sulphate contained in the Food Chemicals Codex 1972 at page 670.

# Aluminium potassium sulphate

Synonyms ...... Potassium aluminium sulphate.
Potash alum.

The criteria in the monograph for alum contained in the European Pharmacopoeia Vol. I, 1969 at page 243.

# Calcium sulphate

The criteria in the monograph for calcium sulphate contained in the Food Chemicals Codex 1972 at page 163.

### Tannic acid

Synonym ..... Tannin.

The criteria in the monograph for tannins contained in the Nutrition Meetings Report Series 48B 1971 of the Food and Agriculture Organisation of the United Nations at page 41.

### E 334 L-(+)-Tartaric acid

The criteria for tartaric acid contained in Council Directive 78/664/EEC.

### DL-Tartaric acid

Description ..... DL-Tartaric acid occurs as a white crystalline powder

or as colourless or translucent crystals.

Content ..... Not less than 99.5 per centum of C<sub>4</sub>H<sub>8</sub>O<sub>6</sub> on a volatile

matter-free basis.

Not more than 0.5 per centum (determined by drying Volatile matter .....

at 105°C. to constant weight).

Not more than 0.1 per centum on a volatile matter-Sulphated ash .....

free basis.

Oxalates (expressed as Not more than 0.05 per centum on a volatile matteroxalic acid) ..... free basis.

### E 335 monoSodium L-(+)-tartrate

The criteria for monosodium tartrate contained in Council Directive 78/664/EEC.

### monoSodium DL-tartrate

Description ..... Colourless transparent crystals.

Content ..... Not less than 99 per centum of C<sub>4</sub>H<sub>4</sub>O<sub>6</sub>HNa on a

volatile matter-free basis.

Not less than 14 per centum and not more than 17 per Volatile matter .....

centum for the dihydrate (determined by drying at

150°C. for 3 hours).

Oxalates (expressed as Not more than 0.05 per centum on a volatile matteroxalic acid)

free basis.

### E 335 diSodium L-(+)-tartrate

The criteria for disodium tartrate contained in Council Directive 78/664/EEC.

# diSodium DL-tartrate

Description ..... Colourless transparent crystals.

Not less than 99 per centum of C<sub>4</sub>H<sub>4</sub>O<sub>6</sub>Na<sub>2</sub> on a Content .....

volatile matter-free basis.

Not less than 14 per centum and not more than 17 per Volatile matter .....

centum for the dihydrate (determined by drying at

150°C. for 3 hours).

Oxalates (expressed as Not more than 0.05 per centum on a volatile matter-

free basis. oxalic acid)

# E 336 monoPotassium L-(+)-tartrate

The criteria for monopotassium tartrate contained in Council Directive 78/664/EEC.

### monoPotassium DL-tartrate

The criteria in the monograph for potassium acid tartrate contained in the Food Chemicals Codex 1972 at page 639, except that potassium acid tartrate shall be derived from DL-tartaric acid.

# E 336 diPotassium L-(+)-tartrate

The criteria for dipotassium tartrate contained in Council Directive 78/664/EEC.

diP	otassium	DL-tartrate

Description ..... White crystalline or granular powder.

Not less than 99 per centum of C<sub>4</sub>H<sub>4</sub>O<sub>5</sub>K<sub>5</sub> on a vol-Content .....

atile matter-free basis.

Volatile matter ..... Not more than 4 per centum (determined by drying at

160°C. to constant weight).

Oxalates (expressed as oxalic acid) ...... Not more than 0.05 per centum on a volatile matter-

free basis.

### E 337 Potassium sodium L-(+)-tartrate

The criteria for potassium sodium tartrate contained in Council Directive 78/664/EEC.

### Potassium sodium DL-tartrate

Description ..... Colourless crystals or a white crystalline powder.

Commercially the product occurs as the tetrahy-

Content ..... Not less than 99 per centum of C<sub>4</sub>H<sub>4</sub>O<sub>6</sub>KNa on a

volatile matter-free basis.

Not more than 26 per centum for the tetrahydrate (determined by drying at 150°C. for 3 hours). Volatile matter .....

Oxalates (expressed as oxalic acid) ...... Not more than 0.05 per centum on a volatile matterfree basis.

### PART III

General purity criteria applicable to permitted miscellaneous additives except where otherwise provided by specific purity criteria

Each miscellaneous additive shall not contain-

- (a) more than 3 milligrams per kilogram of arsenic;
- (b) more than 10 milligrams per kilogram of lead;
- (c) more than 50 milligrams per kilogram of copper, or 25 milligrams per kilogram of zinc, or 50 milligrams per kilogram of any combination of copper and zinc.

SCHEDULE 2

	SCHEDULE 2	Regulation 4
Miscella	MISCELLANEOUS ADDITIVES PERMITTED ONLY IN CERTAIN FOODS	IN Foods
Column 1	Column 2	Column 3
Specified food	Permitted Miscellaneous Additive	Except where otherwise stated, milligrams per kilogram not exceeding—
Ammonium chloride	Octadecylammonium acetate	500
Brandy	diSodium dihydrogen ethylenediamine- NNN'N'-tetra-acetate	25 milligrams per litre.
Canned fish	Calcium disodium ethylenediamine- NNN'N'-tetra-acetate	In accordance with good manufacturing practice.
Canned shellfish	Calcium disodium ethylenediamine- NNN'N'-tetra-acetate	In accordance with good manufacturing practice.
Chocolate confectionery	Carnauba wax	200
Chocolate products	Carnauba wax	200
Frozen food	Dichlorodifluoromethane	100 (determined when the food is fully thawed at and to $20^{\circ}$ C.).
Glacé cherries	Calcium disodium ethylenediamine- NNN'N'-tetra-acetate	In accordance with good manufacturing practice.
	Aluminium potassium sulphate	10,000 (on a dry matter basis).
Sugar confectionery	Carnauba wax	200
Wine	Metatartaric acid	100 milligrams per litre.

Regulation 5(2)

### SCHEDULE 3

# LABELLING OF PERMITTED MISCELLANEOUS ADDITIVES

- 1. Each container to which regulation 5(2) of these regulations applies shall bear a label on which is printed a true statement,—
  - (a) in respect of each permitted miscellaneous additive present, of the serial number, if any, as specified in relation thereto in column 2 of Part I of Schedule 1 to these regulations, and of the common or usual name or an appropriate designation of that permitted miscellaneous additive;
  - (b) where any other substance or substances is or are present, of the common or usual name or an appropriate designation of each such substance;
  - (c) if two or more such substances are present, of the proportion of each permitted miscellaneous additive and each other substance present save that the label shall only have printed on it a statement of the proportion of any such other substance present if any regulations (other than these regulations or any amendment to these regulations) made under the Act contain a requirement to that effect; and
  - (d) in the case of sorbitol syrup E420 containing after hydrolysis a level of total sugars exceeding one per centum, the words "contains after hydrolysis a level of total sugars of more than 1%".
  - 2. Any statement required by the preceding paragraph—
    - (a) shall be clear and legible;
    - (b) shall be in a conspicuous position on the label which shall be marked on, or securely attached to, the container in such a manner that it will be readily discernible and easily read by an intending purchaser under normal conditions of purchase;
    - (c) shall not be in any way hidden or obscured or reduced in conspicuousness by any other matter, whether pictorial or not, appearing on the label.
- 3. The figures and letters in every word in any statement to which the preceding paragraph applies—
  - (a) shall be in characters of uniform colour and size (being not less than 1.5 millimetres in height for a label on a container of which the greatest dimension does not exceed 12 centimetres, and not less than 3 millimetres in height for a label on a container of which the greatest dimension exceeds 12 centimetres), but so that the initial letter of any word may be taller than any other letter in the word;
  - (b) shall appear on a contrasting ground, so however that where there is no ground other than such as is provided by a transparent container and the contents of that container are visible behind the letters, those contents shall be taken to be the ground for the purposes of this paragraph;
  - (c) shall be within a surrounding line and no other written or pictorial matter shall appear within that line.
  - 4. For the purposes of this Schedule—
    - (a) the height of any lower case letter shall be taken to be the x-height thereof, disregarding any ascender or descender thereof;
    - (b) any requirement that figures or letters shall be of uniform height, colour or size, shall be construed as being subject to the saving that any inconsiderable variations in height, colour or size, as the case may be, may be disregarded.

### SCHEDULE 4

Regulation 11

Regulations revoked	References	Extent of revocation
The Miscellaneous Additives in Food Regulations 1974.	S.I. 1974/1121.	All the regulations.
The Miscellaneous Additives in Food (Amendment) Regulations 1975.	S.I. 1975/1485.	Regulation 2.
The Specified Sugar Products Regulations 1976.	S.I. 1976/509.	Regulation 14.
The Cocoa and Chocolate Products Regulations 1976.	S.I. 1976/541.	Regulation 20.

# **EXPLANATORY NOTE**

(This Note is not part of the Regulations.)

These regulations, which apply to England and Wales only, re-enact with amendments the Miscellaneous Additives in Food Regulations 1974, as amended, and come into operation on 31st December 1980.

The 1974 Regulations, as amended, implemented in part-

Council Directive of 23rd October 1962 (O.J. No. 115, 11.11.62, p. 2645/62; O.J./S.E. 1959-1962, p. 279) on the approximation of the rules of the Member States concerning colouring matters authorised for use in foodstuffs intended for human consumption, as amended;

Council Directive No. 64/54/EEC (O.J. No. 12, 27.1.64, p. 161: O. J./S.E. 1963-1964, p. 99) on the appoximation of the laws of Member States concerning the preservatives authorised for use in foodstuffs intended for human consumption, as amended;

Council Directive No. 65/66/EEC (O.J. No. 22, 9.2.65, p. 373/65: O.J./S.E. 1965-1966, p. 25) laying down specific criteria of purity for preservatives authorised for use in foodstuffs intended for human consumption, as amended; and

Council Directive No. 70/357/EEC (O.J. No. L157, 18.7.70, p. 31: O.J./S.E. 1970(II) p. 429) on the approximation of the laws of Member States concerning the antioxidants authorised for use in foodstuffs intended for human consumption.

These regulations implement in part—

Council Directive 78/612/EEC (O.J. No. L197, 22.7.78, p. 22) amending for the first time Directive 74/329/EEC on the approximation of the laws of the Member States relating to emulsifiers, stabilisers, thickeners and gelling agents for use in foodstuffs;

Council Directive 78/663/EEC (O.J. No. L223, 14.8.78, p. 7) laying down specific criteria of purity for emulsifiers, stabilisers, thickeners and gelling agents for use in foodstuffs; and

Council Directive 78/664/EEC (O.J. No. L223, 14.8.78, p. 30) laying down specific criteria of purity for antioxidants which may be used in foodstuffs intended for human consumption.

The regulations—

- (a) specify permitted miscellaneous additives and prescribe purity criteria for those miscellaneous additives (regulation 2(1) and Schedule 1);
- (b) prohibit the sale and the importation of food which has in it or on it any added miscellaneous additive other than a permitted miscellaneous additive (regulation 4(1));
- (c) restrict to certain specified foods and within prescribed limits the use of certain permitted miscellaneous additives (regulation 4(2) and Schedule 2);
- (d) permit food which contains as an added ingredient any food specified in Schedule 2 to contain any permitted miscellaneous additive of the description specified for, and in the amount appropriate to the quantity of, that specified food (regulation 4(2));
- (e) prohibit the sale, the importation and the advertisement for sale of any miscellaneous additive, other than a permitted miscellaneous additive, for use as an ingredient in the preparation of food (regulation 5(1));
- (f) prescribe labelling requirements for permitted miscellaneous additives sold for use as ingredients in the preparation of food (regulation 5(2) and Schedule 3); and
- (g) make consequential amendments to the Labelling of Foods Regulations 1970, as amended (regulation 10).

The regulations do not apply to any miscellaneous additive, or to any food having in it or on it any miscellaneous additive, which is intended for export (regulation 3).

The principal changes effected by the regulations are

- (a) the insertion in the list of permitted miscellaneous additives in Part I of Schedule 1 of disodium citrate (E 331), calcium hydrogen malate, trisodium diphosphate (E 450(a)), and the consequent insertion of specific purity criteria in Part II of Schedule 1;
- (b) the deletion from the list of permitted miscellaneous additives in Part I of Schedule 1 of calcium hydroxyphosphate (which is now covered by the new specific purity criteria for the permitted miscellaneous additive tricalcium diorthophosphate) and the consequent deletion of specific purity criteria from Part II of Schedule 1;
- (c) the replacement of the entries in Part I of Schedule 1 relating to—calcium citrate (E333), ammonium, sodium, potassium and calcium polyphosphates including sodium and potassium polyphosphates (E450(c)), sorbitol (E420), tartaric acid (E334), sodium tartrate (E335), potassium tartrate (E336), potassium hydrogen tartrate (E336), and potassium sodium tartrate (E337)

by entries for-

monocalcium citrate (E333), dicalcium citrate (E333), tricalcium citrate (E333), sodium polyphosphates (E450(c)), potassium polyphosphates (E450(c)), ammonium and calcium polyphosphates, sorbitol (E420), sorbitol syrup (E420), L-(+)-tartaric acid (E334), DL-tartaric acid, monosodium L-(+)-tartrate (E335), monosodium DL-tartrate, disodium L-(+)-tartrate (E336), monopotassium DL-tartrate, dipotassium L-(+)-tartrate (E336), dipotassium DL-tartrate, potassium sodium L-(+)-tartrate (E337), and potassium sodium DL-tartrate

and consequent amendments in Part II of Schedule 1;

- (d) the replacement in appropriate cases of the specific purity criteria for permitted miscellaneous additives in Part II of Schedule 1 by the specific purity criteria laid down in Council Directive No. 78/663/EEC and Council Directive No. 78/664/EEC; and
- (e) the insertion in Schedule 3 of a new labelling requirement for sorbitol syrup (E420) in certain circumstances.

The Food Chemicals Codex 1972 and the European Pharmacopoeia Volume I, 1969 and Volume II, 1971 referred to in regulation 2(1) and Part II of Schedule 1 may be inspected at the Science Reference Library (Holborn Division), 25 Southampton Buildings, Chancery Lane, London WC2A 1AW (telephone 01-405 8721), or at Liverpool City Libraries, William Brown Street, Liverpool, L3 8EW (telephone 051-207 2147). Copies of the European Pharmacopoeia can be obtained from the Pharmaceutical Press, 17 Bloomsbury Square, London WC1A 2NN.

SI 1980/1834 ISBN 0-11-007834-9

