
STATUTORY INSTRUMENTS

1987 No. 1399

OFFSHORE INSTALLATIONS

The Offshore Installations (Safety Zones) (Revocation) (No. 5) Order 1987

Made - - - - *4th August 1987*

Coming into force - - *6th August 1987*

The Secretary of State, in exercise of the power conferred on him by section 21(1) of the Oil and Gas (Enterprise) Act 1982(1), and of all other powers enabling him in that behalf, hereby makes the following Order:

1. This Order may be cited as the Offshore Installations (Safety Zones) (Revocation) (No. 5) Order 1987 and shall come into force on 6th August 1987.
2. The Offshore Installations (Safety Zones) Orders specified in the Schedule hereto are hereby revoked.

4th August 1987

Peter Morrison
Minister of State,
Department of Energy

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE

Article 2

OFFSHORE INSTALLATIONS (SAFETY ZONES) ORDERS REVOKED

Order	Reference	Name of installation to which Order relates
The Offshore Installations (Safety Zones) (No. 31) Order 1987	S.I. 1987/974	Benvrackie
The Offshore Installations (Safety Zones) (No. 12) Order 1987	S.I. 1987/69	M G Hulme Jr
The Offshore Installations (Safety Zones) (No. 36) Order 1987	S.I. 1987/979	Ocean Benarmin
The Offshore Installations (Safety Zones) (No. 38) Order 1987	S.I. 1987/981	Santa Fe 140
The Offshore Installations (Safety Zones) (No. 39) Order 1987	S.I. 1987/982	Sedco 703
The Offshore Installations (Safety Zones) (No. 42) Order 1987	S.I. 1987/985	Sedco 714
The Offshore Installations (Safety Zones) (No. 43) Order 1987	S.I. 1987/986	Sedneth 701
The Offshore Installations (Safety Zones) (No. 44) Order 1987	S.I. 1987/987	Treasure Seeker

EXPLANATORY NOTE

(This note is not part of the Order)

This Order revokes the Offshore Installations (Safety Zones) Orders specified in the Schedule. The installations specified in the Schedule which were protected by the safety zones established by those Orders have been removed and accordingly those Orders are no longer required.