
STATUTORY INSTRUMENTS

1988 No. 1567

TRACTORS

The Agricultural or Forestry Tractors and Tractor Components (Type Approval) Regulations 1988

<i>Made</i>	- - - -	<i>8th September 1988</i>
<i>Laid before Parliament</i>		<i>12th September 1988</i>
<i>Coming into force</i>	- -	<i>30th September 1988</i>

The Minister of Agriculture, Fisheries and Food and the Secretary of State, being Ministers designated(1) for the purposes of section 2(2) of the European Communities Act 1972(2) in relation to any type approval scheme for agricultural or forestry tractors and their components, acting jointly, in exercise of the powers conferred on them by the said section 2(2), and of all other powers enabling them in that behalf, hereby make the following Regulations:—

PART I
GENERAL

Title and commencement

1. These Regulations may be cited as the Agricultural or Forestry Tractors and Tractor Components (Type Approval) Regulations 1988 and shall come into force on 30th September 1988.

Tractors or tractor components to which the Regulations apply

2. These Regulations shall apply to every agricultural or forestry tractor which was manufactured on or after 1st August 1975 and to every agricultural or forestry tractor component which was manufactured on or after 1st October 1978.

Interpretation

3.—(1) In these Regulations, unless the context otherwise requires—

(1) S.I. 1975/427.
(2) 1972 c. 68.

“agricultural or forestry tractor” means a tractor (whether or not equipped to carry a load of passengers) which—

- (a) is a motor vehicle fitted with wheels and pneumatic tyres and having at least two axles, and
- (b) is specially designed to tow, push, carry or power tools, machinery or trailers intended for agricultural or forestry use, and
- (c) is designed so as to have a maximum speed of not less than 6, and not more than 30, kilometres per hour;

except that “agricultural or forestry tractor”—

- (i) in relation to the approval of a tractor in respect of its passenger seats means a tractor as defined above and having the characteristic as to track width specified in Article 1.2 of Council Directive [76/763/EEC](#)(3);
- (ii) in relation to the approval of a tractor other than a narrow track tractor in respect of its roll-over protection structure means a tractor as defined above and having the characteristics specified in Article 9 of Council Directive [79/622/EEC](#)(4);
- (iii) in relation to the approval of a narrow track tractor in respect of its rear-mounted roll-over protection structure means a tractor as defined above and having the characteristics specified in Article 1 of Council Directive [86/298/EEC](#)(5); and
- (iv) in relation to the approval of a narrow-track tractor in respect of its roll-over protection structure mounted in front of the driver’s seat means a tractor as defined above and having the characteristics specified in article 1 of Council Directive [87/402/\(EEC\)](#)(6).

“certificate of conformity”, in relation to a tractor or tractor component, means a document in the form set out in Part IV of Schedule 1;

“Community Directives” means Directives issued by the Council or by the Commission of the European Communities concerning the approximation of the laws of member States on the type approval of tractors and tractor components in relation to design, construction, equipment and marking;

“component type approval certificate” means a certificate in the form of, or similar to, the form set out in the appropriate Annex to the Community Directive relevant to the tractor component in respect of which the certificate is issued;

“component type approval mark” means a mark in the form set out in the appropriate Annex to the relevant Community Directive;

“component type approval requirements” in relation to a tractor component, means the requirements relevant to that tractor component contained in the Community Directives listed in Part B of Schedule 2, being requirements with respect to the design, construction, equipment and marking of tractor components;

“conform” means conform in all aspects, or with any permitted variation;

“information document”, in relation to a tractor means a document in the form set out in Part I of Schedule 1;

“member State” means any State which is a member of the European Communities;

“Minister” means, in relation to England and Northern Ireland, the Minister of Agriculture, Fisheries and Food and in relation to the remainder of the United Kingdom, the Secretary of State;

(3) OJ No. L262, 27.9.76, p.135; as amended by Council Directive [82/890/EEC](#), OJ No. L378, 31.12.82, p.45.

(4) OJ No. L179, 17.7.79, p.1.

(5) OJ No. L186, 8.7.86, p.26.

(6) OJ No. L220, 8.8.87, p.1.

“the relevant aspects of design, construction, equipment and marking”, in relation to a tractor, or tractor component, means those aspects of design, construction, equipment and marking which are subject to the type approval or component type approval requirements;

“the type approval requirements” means the requirements contained in the Community Directives listed in Part A of Schedule 2, being requirements with respect to the design, construction, equipment and marking of tractors;

“tractor” means an agricultural or forestry tractor to which these Regulations apply;

“tractor component” means an article made or adapted for use as part of a tractor, or for use as part of the equipment of any tractor, in respect of which a Community Directive has been issued;

“type approval certificate”, in relation to a tractor, means a document in the form set out in Part II of Schedule 1 completed in accordance with Part III of that Schedule or, in the case of the approval of a tractor type with regard to the attachment of a tractor component, a certificate conforming to the model shown in the appropriate Annex to the Community Directive relevant to that tractor component.

(2) Any reference in these Regulations—

(a) to the competent authority of any member State other than the United Kingdom are references to the authority in that State who has functions in relation to the type approval of tractors or tractor components corresponding to those of the Minister under these Regulations, and

(b) to a numbered regulation or Schedule are references to the regulation or Schedule so numbered in these Regulations.

(3) Any notice required under these Regulations to be given by or to any person shall be given in writing.

PART II

TYPE APPROVAL OF TRACTORS AND TRACTOR COMPONENTS

Application for type approval and component type approval

4.—(1) An application by or on behalf of a manufacturer for the approval of a tractor as a type tractor shall be made in writing to the Minister and shall be accompanied by an information document duly completed so as to furnish all the information required by the document (being such of that information as is applicable to a tractor of the type in respect of which the application is made), together with such other documents as are mentioned in the said information document as being required in connection with the application, and such other documents in triplicate and particulars (if any) as are mentioned in the appropriate Annex to the Community Directive or Community Directives relevant to the application.

(2) An application by or on behalf of a manufacturer for the approval of a tractor component as a type tractor component shall be made in writing to the Minister and shall be accompanied by the documents in triplicate and the particulars (if any) set out in the appropriate Annex to the Community Directive relevant to the application.

(3) Where in pursuance of this regulation an application has been made to the Minister in respect of a tractor or tractor component of a particular type, then until that application is disposed of or, where under regulation 16 a review of the decision on the application has been applied for, until the review has been disposed of, no similar application in respect of a tractor or tractor component of that type shall be made by or on behalf of the same manufacturer to the competent authority of any other member State.

Approval of type tractors and type tractor components

5.—(1) Where the Minister is satisfied on application made to him by or on behalf of the manufacturer of a tractor and after examination of the tractor, that—

- (a) the tractor is of a type which conforms—
 - (i) with the information given in relation to the tractor in the information document which accompanied the application, and
 - (ii) with the type approval requirements and
- (b) adequate arrangements have been made to secure that other tractors purporting to conform with that tractor in the relevant aspects of design, construction, equipment and marking will so conform in all respects or with such variations as are permitted by those requirements,

he shall approve the tractor as a type tractor and shall issue a type approval certificate in respect of it.

(2) Where the Minister is satisfied on application made to him by or on behalf of the manufacturer of a tractor component and after examination of that tractor component, that—

- (a) the tractor component is of a type which conforms with the component type approval requirements, and
- (b) adequate arrangements have been made to secure that other tractor components purporting to conform with that tractor component in the relevant aspects of design, construction, equipment and marking will so conform in all respects or with such variations as are permitted by those requirements,

he shall—

- (i) approve the tractor component as a type tractor component subject to any restrictions on scope required by virtue of Article 9a.2 of Council Directive [74/150/EEC](#)(7),
- (ii) issue to the manufacturer of the tractor or of the tractor component or to his authorised representative a component type approval mark,
- (iii) issue a component type approval certificate in respect of it.

(3) A type approval certificate may be issued in respect of a type tractor where the Minister is satisfied that one or more, but not all, of the type approval requirements are complied with in the case of that tractor.

(4) Where the Minister on an application under regulation 4 decides not to approve a tractor as a type tractor or a tractor component as a type tractor component he shall give notice to the applicant of the decision, stating the grounds on which it is based and informing the applicant of his right to apply for a review under regulation 16 in respect of the decision, and, within a period of one month from the date on which that notice is given, shall give the like notice to the competent authority of every other member State.

(5) Where the Minister issues a type approval certificate or component type approval certificate in pursuance of an application under regulation 4 he shall, within a period of one month from the date on which the certificate is issued, give notice of that fact to the competent authority of every other member State and shall include with that notice a copy of the type approval certificate or component type approval certificate so issued.

Certificates of conformity to a type tractor or type tractor component

6.—(1) Subject to paragraph (2) of this regulation a manufacturer of a type tractor or type tractor component in respect of which a type approval certificate or component type approval certificate is in force shall issue, in respect of each tractor or tractor component which is manufactured by him

(7) OJ No. L84, 28.3.74, p.10; as amended by Council Directive [79/694/EEC](#), OJ No. L205, 13.8.79, p. 17.

to conform with the type tractor or type tractor component and which does so conform in such of the relevant aspects of design, construction, equipment and marking as are mentioned in the type approval certificate or component type approval certificate, a certificate of conformity stating that the tractor or tractor component does so conform.

(2) Where a certificate of conformity is issued in consequence of any type approval certificate issued by virtue of regulation 5(3) it shall relate only to the type approval requirement or requirements to which that type approval certificate relates.

Component type approval marks

7. A manufacturer of a type tractor component in respect of which a component type approval certificate is in force shall ensure that each tractor component which is manufactured by him to conform with the type tractor component, and which does so conform, in such of the relevant aspects of design, construction, equipment and marking as are mentioned in the component type approval certificate bears a component type approval mark, together with any other marks required by virtue of the appropriate Annex to the relevant Community Directive.

Extension of type approval

8.—(1) On application by the holder of a tractor type approval the Minister shall extend the approval to tractors fitted with further types of tractor component if the conditions set out in the appropriate Annex to the Community Directive relevant to the tractor component in question are satisfied.

(2) Where an application is made under paragraph (1) above the Minister shall issue a certificate, conforming to the model shown in the appropriate Annex to the Community Directive relevant to the type tractor component in question, which shall be annexed to the type approval certificate whether or not an extension is granted.

Extension of component type approval

9. On application by the holder of a component type approval granted by the Minister, the Minister shall extend the approval to further type tractors if the conditions laid down in the appropriate Annex to the Community Directive relevant to that type tractor component are satisfied.

Conditions of issue of type approval certificates or component type approval certificates and cancellation or suspension thereof for breach of condition

10.—(1) A type approval certificate or a component type approval certificate may be issued subject to conditions with respect to—

- (a) the inspection by officers of the Minister of samples of tractors or tractor components purporting to conform with the type tractor or type tractor component in the relevant aspects of design, construction, equipment and marking and of the parts and equipment of any tractor or tractor component selected for each inspection, and, for that purpose, the entry of premises where any such tractor or tractor component is manufactured, and
- (b) the notification to the Minister by the manufacturer of differences of design, construction, equipment, or marking, other than such variations as are permitted by the type approval requirements or component type approval requirements between any such tractors or tractor components and the approved prototype which might affect those requirements.

(2) If it appears to the Minister that there has been a breach of a condition subject to which a certificate has been issued or if he ceases to be satisfied as to any other matter relevant to a certificate, he may, by notice under regulation 15, cancel or suspend that certificate.

Notice by a manufacturer of cessation of, or alteration in, the manufacture of tractors or tractor components of an approved type, or of alterations in the relevant aspects of design, etc.

11.—(1) Where a manufacturer of a type tractor or type tractor component in respect of which a type approval certificate or a component type approval certificate is in force—

- (a) intends to cease the manufacture of that tractor or tractor component, or
- (b) intends to make any alteration in that manufacture such that—
 - (i) in the case of a tractor, any of the particulars furnished in the relevant information document which accompanied the application for approval under regulation 4(1) no longer apply in relation to that tractor, or
 - (ii) in the case of a tractor component, any particulars in the documents or particulars which accompanied the application for approval under regulation 4(2) no longer apply in relation to that tractor component, or
- (c) intends to make any alteration in any of the relevant aspects of design, construction, equipment or marking (being aspects in relation to which notice has been previously given to the manufacturer by the Minister that they are aspects to which this subparagraph applies),

the manufacturer shall, as soon as practicable after forming that intention, give notice of it to the Minister specifying the type tractor or type tractor component to which it relates and—

- (i) in a case mentioned in subparagraph (a) of this paragraph the date when the manufacturer of the tractor or tractor component in question is to cease, and
- (ii) in a case mentioned in subparagraph (b) or (c) of this paragraph, particulars of the alterations in question and of the date or dates on which they are to be made.

(2) In addition to the notice required under paragraph (1) above the manufacturer concerned shall, not later than fourteen days after the date on which he has ceased the manufacture of the tractor or tractor component of the type in question or, as the case may be, after the date of the completion of any alterations such as are mentioned in subparagraphs (b) or (c) of the said paragraph (1), give notice of that fact to the Minister specifying—

- (i) the date (whether or not it is the same date as that specified in the notice under the said paragraph (1)) on which the manufacture ceased or, as the case may be, the alterations were completed,
- (ii) in the case of a tractor, the frame or chassis number assigned to the tractor of that type which was last manufactured before that date, and
- (iii) where applicable, the serial number of the first tractor produced in conformity with the new or amended certificate.

(3) A copy of any notice given by or to a manufacturer under the said paragraph (1) or by a manufacturer under paragraph (2) of this regulation shall, within a period of one month from the date on which it is given, be sent by the Minister to the competent authority of every other member State.

Cancellation, suspension or modification of a type approval certificate or component type approval certificate where notice is given under regulation 11

12.—(1) Where a notice given by a manufacturer under regulation 11(1) or (2) is a notice that he intends to cease or, as the case may be, has ceased the manufacture of a tractor or tractor component of the type referred to in the notice, the Minister may cancel the type approval certificate or component type approval certificate in force in respect of the type tractor or type tractor component to which the said notice relates.

(2) Where a notice given by a manufacturer under regulation 11(1) or (2) is a notice that he intends to make, or as the case may be, that he has made alterations such as are mentioned in subparagraphs (b) or (c) of regulation 11(1) the Minister, if satisfied that the alterations specified in the notice are such as to necessitate doing so, may by notice under regulation 15—

- (a) cancel or suspend the certificate in force in respect of the tractor or tractor component to which the notice relates, or
- (b) cancel the said certificate and substitute for it, without further application by the manufacturer, a new certificate in respect of the same type, or
- (c) modify the said certificate.

(3) A copy of any new certificate or any modified certificate issued under paragraph (2) above shall, within a period of one month from the date on which the new or modified certificate was completed, be sent by the Minister to the competent authority of every other member State.

Cancellation or suspension of type approval certificates where tractors or tractor components are not manufactured in conformity with type approval requirements or component type approval requirements

13.—(1) If the Minister—

- (a) after examination of at least two tractors or tractor components, being tractors or tractor components of a particular type in respect of which a type approval certificate or a component type approval certificate is in force and, in the case of tractors, in respect of each of which a certificate of conformity is in force and, in the case of tractor components, each of which bears a component type approval mark, is satisfied that each of those tractors or tractor components has not been manufactured so as to conform with the relevant aspects of design, construction, equipment or marking, or
- (b) is notified by the competent authority of any other member State that any such tractor or tractor component as may be specified by that authority has not been manufactured so as to conform with the relevant aspects of design, construction, equipment or marking, after such examination as aforesaid, and the Minister is similarly so satisfied, he shall give notice of that fact to the manufacturer specifying—
 - (i) the particular respects in which the tractors or tractor components in question have been found (either by the Minister, or, as the case may be, the said component authority) not so to conform,
 - (ii) the steps that shall be taken by the manufacturer to ensure that tractors or tractor components of that type are manufactured by him so as to conform with the said aspects and the period within which those steps shall be taken, and
 - (iii) that unless those steps are taken within that period the type approval certificate or component type approval certificate may be cancelled or suspended,

and if at any time after the expiration of that period, the Minister (whether or not after any, or any further, examination of any such tractor or tractor components) is not satisfied that all the steps so specified have been taken, he may by notice under regulation 15 cancel or suspend the type approval certificate or component type approval certificate.

(2) A copy of any notice given to a manufacturer under paragraph (1) of this regulation shall, within a period of one month from the date on which it is given, be sent by the Minister to the competent authority of every other member State.

Suspension of type approval certificates and component type approval certificates where tractors having a certificate of conformity or tractor components having a component type approval mark are altered

14. If, after examination of a tractor or tractor component in respect of which a certificate of conformity or component type approval mark is in force, the Minister is satisfied that an alteration has been made to the tractor or tractor component, being an alteration in any of the relevant aspects of design, construction, equipment or marking which, by virtue of regulation 11(1)(c), are required to be notified by the manufacturer of the tractor or tractor component, he may by notice under regulation 15 suspend the type approval certificate or component type approval certificate to which that certificate of conformity or mark relates.

Notice of cancellation, suspension or modification of type approval certificates or component type approval certificates

15.—(1) Where the Minister decides to cancel, suspend or modify a type approval certificate or component type approval certificate under any provisions of these Regulations, he shall—

- (a) as soon as practicable give notice of the decision to the manufacturer to whom the certificate was issued, and
- (b) within a period of one month from the date on which that notice is given give the like notice to the competent authority of every other member State.

(2) A notice under paragraph (1) of this regulation shall specify the date on which the cancellation, suspension or modification of the certificate to which the notice relates shall take effect and—

- (a) in the case of cancellation, shall specify the grounds for the decision to cancel;
- (b) in the case of suspension, shall specify—
 - (i) the grounds for the decision to suspend,
 - (ii) the conditions which must be fulfilled before the suspension can cease to have effect, and
 - (iii) that the suspension shall have effect until such time as the Minister gives notice to the manufacturer under this subparagraph that he is satisfied that the said conditions have been fulfilled; and
- (c) in the case of modification, shall specify particulars of the modifications, and shall in any case inform the manufacturer concerned of his right to apply for a review of the decision under regulation 16.

(3) The cancellation, suspension or modification of a type approval certificate or component type approval certificate under any provision of these Regulations shall not affect the validity of any certificate or component type approval mark previously issued in consequence of that certificate.

Review

16.—(1) A person who is aggrieved by a decision given by or on behalf of the Minister with respect to a type approval certificate, a component type approval certificate or a component type approval mark may in accordance with paragraphs (2) and (3) of this regulation, apply to the Minister to review the decision and on such an application the Minister—

- (a) shall have the like powers and duties as he has on an original application for a type approval certificate or, as the case may be, a component type approval certificate or component type approval mark,
- (b) may hold an inquiry in connection therewith, and

(c) may appoint an assessor for the purpose of assisting him with his review or any such inquiry.

(2) An application under paragraph (1) of this regulation shall be made by notice to the Minister, which shall be lodged with him not later than fourteen days from the date on which notice of the decision in respect of which the application for review is made was given.

(3) A notice of application for review under this regulation shall state the grounds on which the application is made and shall be accompanied by the following documents, that is to say—

- (a) copies of the documents which, in accordance with regulation 4(1) and (2), accompanied the application under that regulation for the certificate or mark in question, and
- (b) where the application for review relates to the cancellation, suspension or modification of a certificate, a copy of that certificate.

PART III

SUPPLEMENTARY PROVISIONS

Provisions of testing stations

17. The Minister may provide and maintain stations where examination of tractors and tractor components may be carried out for the purposes of these Regulations, and may provide and maintain the apparatus for carrying out such examinations.

Keeping and inspection of records relating to certificates of conformity

18.—(1) A manufacturer of a type tractor in respect of which a type approval certificate is in force shall if the Minister so requires by notice in writing keep a record of every certificate of conformity issued by him under regulation 6, being a record of the serial number of the certificate and of the manufacturer's identification number assigned to the tractor in respect of which the certificate was issued and of the Community reference numbers of the Community Directives with whose requirements the tractor conformed.

(2) An officer of the Minister may, on giving any such manufacturer as aforesaid reasonable notice and after production, if so required, of his authority, require the manufacturer to produce for inspection the records kept by him under paragraph (1) of this regulation, and may inspect and take copies of such records.

(3) In a case where any such manufacturer as aforesaid fails to comply with a requirement under paragraph (2) above, or obstructs an officer in the exercise of his powers under that paragraph, the Minister may treat the case as if there had been, in relation to the type approval certificate mentioned in paragraph (1) of this regulation, a breach of a condition such as is mentioned in regulation 10(2) and (without prejudice to the application of the said regulation 10(2) in respect of any other breach of a condition so mentioned) the provisions of that regulation and of regulation 15 and 16 shall apply accordingly in relation to that certificate.

Revocation

19. The Regulations listed in Schedule 3 are hereby revoked.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

In Witness whereof the Official Seal of the Minister of Agriculture, Fisheries and Food is hereunto affixed on 7th September 1988.

L.S.

John MacGregor
Minister of Agriculture, Fisheries and Food

Michael Forsyth
Parliamentary Under Secretary of State, Scottish
Office

8th September 1988

SCHEDULE 1

Regulation 3(1)

PART I

FORM OF INFORMATION DOCUMENT IN RELATION TO A TRACTOR

**FOR OFFICIAL
USE ONLY**

TYPE APPROVAL OF A TRACTOR

in accordance with Council Directive 74/150/EEC

INFORMATION DOCUMENT

NUMBER

If this space is insufficient for an answer please add further pages.
Notes (a) to (p) may be found at the foot of this document.

- 0. **GENERAL**
- 0.1 Make (name of undertaking)
- 0.2 Type and commercial description (mention any variants)
- 0.3 Name and address of manufacturer
- 0.4 Name and address of manufacturer's authorised representative (if any)
- 0.5 Location of statutory plates and inscriptions and method of fixing:
 - 0.5.1 On the tractor itself
 - 0.5.2 On the engine
- 0.6 The serial numbers of tractors of this type commence at No.

- 1. **GENERAL CONSTRUCTION CHARACTERISTICS OF THE TRACTOR**
(attach $\frac{3}{4}$ -front and $\frac{3}{4}$ -rear photographs and a dimensioned sketch of the whole tractor)
- 1.1 Number of axles and wheels
 - 1.1.1 Number of axles with double tyres (if applicable)
- 1.2 Powered wheels (number, position, connection to other axles)
- 1.3 Position and arrangement of the engine

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- 2. **WEIGHTS AND DIMENSIONS (a) (in mm and kg)**
- 2.1 Wheelbase(s) (b)
- 2.2 Width of track of each axle (measured between the symmetry planes of single or double tyres normally fitted) (to be stated by the manufacturer) (c)
- 2.3 Maximum (or overall) tractor dimensions excluding coupling unit
- 2.3.1 Length (d)
- 2.3.2 Width (e)
- 2.3.3 Height (f)
- 2.3.4 Forward overhang (g)
- 2.3.5 Rear overhang (h)
- 2.3.6 Ground clearance (i)
- 2.4 Unladen weight of tractor in running order, i.e. excluding optional accessories but including coolant, oils, fuel, tools and driver (j)
- 2.4.1 Distribution of this weight between the axles
- 2.5 Ballast weights (description)
- 2.5.1 Distribution of these weights between the axles
- 2.6 Maximum weight technically permissible as stated by the manufacturer
- 2.6.1 Maximum laden weight of the tractor according to the tyre specification
- 2.6.1.1 Distribution of this weight between the axles
- 2.6.2 Limits on the distribution of this weight between the axles (specify the minimum limits in percentages on the front axle and on the rear axle)
- 2.6.3 Maximum weight on each of the axles according to the tyre specification
- 2.6.4 Maximum towable weight
- 2.6.5 Maximum vertical load at the coupling point (hook or special three-point linkage system) (k)
- 2.6.5.1 Position of point of application of this vertical load
- 2.6.5.1.1 Height above the ground
- 2.6.5.1.2 Distance between the vertical planes through the centre of the rear axle and the coupling point

- 3. **ENGINE**
- 3.1 Manufacturer
- 3.2 Name
- 3.3 Type (spark-ignition, compression ignition, etc.), cycle
- 3.4 Number and arrangement of cylinders
- 3.5 Bore, stroke and capacity of cylinders
- 3.6 Maximum power output (specify the standard use, e.g. ISO, BSI, CUNA, DIN, DGM, SAE) at r.p.m. with the governor in operation
- 3.7 Maximum torque at r.p.m. (same standard as for 3.6)
- 3.8 Normal fuel
- 3.9 Fuel tanks (capacity and position)
- 3.10 Reserve fuel tanks (capacity and position)
- 3.11 Fuel supply system (type)
- 3.12 Supercharger (if fitted) (type, control, supercharging pressure)
- 3.13 Speed governor (if fitted) (operating principles)
- 3.14 Electrical system (voltage, positive or negative earth)
- 3.15 Generator (type and nominal output)
- 3.16 Ignition (type of fittings, type of advance setting)
- 3.17 Interference suppressor (description)
- 3.18 Cooling system (air, water)
- 3.19 External sound level
- 3.20 Exhaust system (silencer) (sketch)
- 3.21 Measures taken against air pollution
- 3.22 Engine stopping device

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- 4. **TRANSMISSION (sketch of the transmission plus drawing) (l)**
- 4.1 Type (mechanical, hydraulic, electrical, etc.)
- 4.2 Clutch (type)
- 4.3 Gearbox (type, direct engagement, method of control)
- 4.4 Transmission from engine to gearbox, rear axle(s), transfer or intermediate gears (if fitted)
- 4.5 Gear ratio with or without transfer box(es) (m)

<i>Gear</i>	<i>Gearbox ratios</i>	<i>Final drive ratio</i>	<i>Overall gear ratios</i>
1			
2			
3			
.....			
Reverse			

- 4.6 Maximum tractor speed in top gear in kph (show factors used in calculation) (m)
- 4.7 Forward movement of powered wheels corresponding to one revolution
- 4.8 Speedometer, tachometer and hour meter (if fitted)
- 4.9 Differential lock (if fitted)
- 4.10 Power take-offs (revolutions per minute and ratio of this figure to that of the engine) (number and position):
 - 4.10.1 – main power take-off
 - 4.10.2 – others
- 4.11 Protection of power take-offs
- 4.12 Protection of engine parts, projecting parts and wheels
 - 4.12.1 Singleface protection
 - 4.12.2 Multiface protection
 - 4.12.3 Total enclosure protection

- 5. **SUSPENSION**
- 5.1 Tyres normally fitted (dimension, characteristics, inflation pressure for road use and maximum permissible load)
- 5.2 Type of suspension (if fitted) for each axle or wheel
- 5.3 Other devices (if any)

- 6. **STEERING (sketch)**
- 6.1 Type of mechanism and transmission to wheels, method of assistance (if any) (method and diagram of operation, make and type if necessary), and steering effort on the steering wheel
- 6.2 Maximum turning angle of the wheels:
 - 6.2.1 To the right (degrees): number of steering wheel turns
 - 6.2.2 To the left (degrees): number of steering wheel turns
- 6.3 Minimum turning circle (without braking) (n):
 - 6.3.1 To the right
 - 6.3.2 To the left

- 7. **BRAKES (overall sketch and operating sketch) (o)**
- 7.1 Service braking device
- 7.2 Secondary braking device (if fitted)
- 7.3 Parking braking device
- 7.4 Additional braking devices (if fitted) (including retarder)
- 7.5 Calculation of the braking system: determination of the ratio between the total braking forces at the circumference of the wheels and the force applied to the braking control
- 7.6 Linkage for left and right braking controls

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- 7.7 Sources of energy (if any) (characteristics, capacity of energy reservoirs, maximum and minimum pressure, pressure gauge and minimum pressure warning device on the dashboard, vacuum reservoirs and supply valve, supply compressors, compliance with provisions regarding pressure equipment)
- 7.8 Tractors designed to pull a trailer:
 - 7.8.1 Trailer brake actuating device
 - 7.8.2 Connections, couplings, safety devices

- 8. **FIELD VISION, REAR-VIEW MIRRORS, PROTECTIVE DEVICES IN THE EVENT OF OVERTURNING, WEATHER PROTECTION, SEATS AND LOAD PLATFORMS, SOUND LEVEL AT THE DRIVER'S EAR**
 - 8.1 Field of vision
 - 8.2 Rear-view mirrors
 - 8.3 Protective devices in the event of overturning:
 - 8.3.1 Description (type, detachable or not, etc.)
 - 8.3.2 Internal and external dimensions
 - 8.3.3 Materials and method of construction
 - 8.4 Cab, general provisions:
 - 8.4.1 Doors (number, dimensions, direction of opening, latches and hinges)
 - 8.4.2 Windscreen and other windows (if any) (number and position, materials used)
 - 8.4.3 Windscreen wiper
 - 8.4.4 Driver's operating space
 - 8.4.5 Windows
 - 8.5 Other weather protection arrangements
 - 8.6 Seat and foot rests:
 - 8.6.1 Driving seat (position and characteristics)
 - 8.6.2 Passenger seats (number, dimensions, position and characteristics)
 - 8.6.3 Foot rests
 - 8.7 Load platform
 - 8.7.1 Dimensions
 - 8.7.2 Position
 - 8.7.3 Technically permissible load
 - 8.7.4 Distribution of load between axles of the tractor
 - 8.8 Sound level at the driver's ear
 - 8.9 Means of access to the driving position

- 9. **LIGHTING AND LIGHT SIGNALLING DEVICES**
(Sketches of the exterior of the tractor showing the position of the illuminating surfaces of all devices, colour of lights)
 - 9.1 Compulsory devices:
 - 9.1.1 Passing lights
 - 9.1.2 Front position lights
 - 9.1.3 Rear position lights
 - 9.1.4 Direction indicators
 - 9.1.5 Red rear reflex reflectors
 - 9.1.6 Rear registration plate lights
 - 9.2 Optional devices:
 - 9.2.1 Driving lights
 - 9.2.2 Fog lights
 - 9.2.3 Stop lights
 - 9.2.4 Work lights
 - 9.2.5 Parking lights

- 10. **OTHER FITTINGS**
 - 10.1 Audible warning devices

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- 10.2 Coupling device for a maximum horizontal load of kg, and for a maximum vertical load (if any) of kg (p)
- 10.3 Hydraulic lifting gear, three-point linkage
- 10.4 Power connection for lighting and light signalling devices on trailer (if any)
- 10.5 Location and marking of controls
- 10.6 Location of registration plates
- 10.7 Front coupling device
- 10.8 Hazard warning device

Notes:

For each item where drawings or photographs must be attached, the numbers of corresponding attached documents should be given.

- (a) ISO Recommendation R. 612-1967 and R. 1176-1970.
- (b) ISO Recommendation R. 789-1968 (term No. A.3).
- (c) ISO Recommendation R. 789-1968 (term No. A.2).
- (d) ISO Recommendation R. 789-1968 (term No. A.5).
- (e) ISO Recommendation R. 789-1968 (term No. A.6).
- (f) ISO Recommendation R. 789-1968 (term No. A.7).
- (g) ISO Recommendation R. 612-1967 (term No. 21).
- (h) ISO Recommendation R. 612-1967 (term No. 22).
- (i) ISO Recommendation R. 612-1967 (term No. 8).
- (j) The weight of the driver is assessed at 75 kg.
- (k) ISO Recommendation R. 1176/1970 (term No. 4.14)
- (l) The specified particulars are to be given for any proposed variants.
- (m) a 5% tolerance is permitted.
- (n) ISO Recommendation R. 789-1968 (term No. A.14).
- (o) The following particulars are to be given for each braking device:
 - type and character of brakes (dimensional sketch) (drums or discs, etc., wheels braked, transmission to the system, friction surfaces, their properties and effective areas, radius of drums, shoes or discs, weight of drums and adjustment devices);
 - transmission and control (attach diagram) (construction, adjustment, lever ratios, accessibility of control and its position, ratchet controls in the case of mechanical transmission, characteristics of the main parts of the transmission, control cylinders and pistons, brake cylinders).
- (p) Values in respect of the mechanical strength of the coupling device.

PART II

FORM OF TYPE APPROVAL CERTIFICATE

The undersigned hereby certifies the accuracy of the manufacturer's description in Information Document No. of the tractor having the Chassis No. and Engine No., such tractor having been submitted by the manufacturer as a prototype of model. The checks carried out at the request of the manufacturer, show that the tractor specified above, which has been submitted as a series prototype, satisfies all requirements in respect of each and every relevant item in the Schedule to this certificate.

.....
(Date)

.....
(Place)

.....
(Signature)

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

SCHEDULE

0.	GENERAL	
0.1	Make (name of undertaking)	
0.2	Type and commercial description (mention any variants)	
0.3	Name and address of manufacturer	
0.4	Name and address of manufacturer's authorised representative (if any)	
0.5	Location of statutory plates and inscriptions and method of fixing such details to the tractor SD	
0.6	The serial numbers of tractors of this type commence at No.	
1.	WEIGHTS AND DIMENSIONS (in mm and kg)	
1.1	Wheelbase	CONF
1.2	Length	SD
1.3	Width	SD
1.4	Height unladen	SD
1.5	Ballast weights	SD
1.6	Technically permissible maximum laden weight	CONF
1.6.1	Distribution of this weight between the axles	CONF
1.7	Permissible maximum laden weight	SD
1.7.1	Distribution of this weight between the axles	SD
1.8	Technically permissible maximum weight on each axle	CONF
1.9	Permissible maximum weight on each axle	SD
1.10	Technically permissible limits on the distribution of weight between the axles	CONF
1.11	Permissible limits for the distribution of weight between the axles	SD
1.12	Maximum towable weight	SD
1.13	Maximum vertical load at the coupling point	SD
2.	ENGINE	
2.1	Manufacturer	
2.2	Maximum power output at r.p.m. (specify the standard used)	CONF
2.3	Fuel tanks	SD
2.3.1	Reserve fuel tanks (if fitted)	SD
2.4	Interference suppressor	SD-R
2.5	Speed governor (if fitted)	SD
2.6	External sound level	SD-R
2.7	Exhaust system (silencer)	SD-R-S
2.8	Air pollution	
2.8.1	Smoke density of diesel engines	SD-R
2.9	Engine stopping device	SD
3.	TRANSMISSION	
3.1	Theoretical maximum speed calculated in top gear (in kph)	CONF
3.2	Maximum speed measured in top gear (in kph)	SD
3.3	Reverse	SD
3.4	Power take-offs	SD
3.5	Protection of engine parts, projecting parts and wheels	SD
4.	SUSPENSION	
4.1	Tyres normally fitted	CONF
5.	STEERING	
5.1	Type of mechanism and transmission to wheels	SD
5.2	Method of assistance and steering effort on the steering wheel	SD

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

6.	BRAKES	
6.1	Service braking device	SD
6.2	Parking braking device	SD
6.3	Additional braking devices (if fitted)	CONF
6.4	Trailer brake control (if fitted)	SD
6.5	Test conditions	R
6.6	Test results	R
7.	FIELD OF VISION, REAR-VIEW MIRRORS, PROTECTIVE DEVICES IN THE EVENT OF OVERTURNING, WEATHER PROTECTION, SEATS AND LOAD PLATFORMS AND SOUND LEVEL AT THE DRIVER'S EAR	
7.1	Field of vision	SD
7.2	Rear-view mirrors	SD
7.3	Protective devices in the event of overturning:	
7.3.1	Safety roll-bar	SD
7.3.2	Safety frame	SD
7.3.3	Safety cab	SD
7.3.4	Any other protective devices	CONF
7.4	Cab, general provisions:	
7.4.1	Doors	SD
7.4.2	Windscreen, and other windows	SD
7.4.3	Windscreen wipers	SD
7.4.4	Driver's operating space	SD
7.4.5	Windows	SD
7.5	Other weather arrangements	CONF
7.6	Seats and foot-rests:	
7.6.1	Driving seat	SD
7.6.2	Passenger seats	SD
7.6.3	Foot-rests	CONF
7.7	Load platform	SD
7.8	Sound level at the driver's ear	SD
7.9	Means of access to driving position	SD
8.	LIGHTING AND LIGHT SIGNALLING DEVICES	
8.1	Compulsory devices:	
8.1.1	Passing lights	SD
8.1.2	Front position lights	SD
8.1.3	Rear position lights	SD
8.1.4	Direction indicators	SD
8.1.5	Red rear reflex reflectors	SD
8.1.6	Rear registration plate lights	SD
8.2	Optional devices:	
8.2.1	Driving lights	SD
8.2.2	Fog lights	SD
8.2.3	Stop lights	SD
8.2.4	Work lights	SD
8.2.5	Parking lights	SD
9.	OTHER FITTINGS	
9.1	Audible warning devices	SD
9.2	Coupling between tractor and trailer	SD
9.3	Power connection for lighting and light signalling devices on the trailer	SD
9.4	Location and marking of controls	SD
9.5	Location of registration plates	SD

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

9.6	Front coupling device	SD
9.7	Hazard warning device	SD

PART III

COMPLETION OF TYPE APPROVAL CERTIFICATES

Type approval certificates issued are to be completed as follows:

1. Fill in the relevant sections of the type approved certificate on the basis of the particulars in the information document after verification of such particulars.
2. Enter the abbreviation(s) printed against each item of the model type approval certificate after completing the relevant checks and tests:
 - 'CONF' check that the relevant part or characteristic conforms to the particulars in the information document;
 - 'SD' check that the part or characteristic in question conforms to the relevant type approval requirements;
 - 'R' compile the test report to be attached to the type approval certificate;
 - 'S' check that a sketch and/or diagram has been attached.

PART IV

FORM OF CERTIFICATE OF CONFORMITY

The undersigned
(surname and first names)

of
(name of manufacturer)

hereby certifies that the tractor/tractor component*

1. Make
2. Type
3. Manufacturer's Identification and/or Chassis No.*
 conforms in all respects to the type tractor/type tractor component*

approved at

on by and
 described in Type Approval Certificate No./Component Type Approval Certificate No.*
 and in relation to a tractor in Information Document No.

The tractor component to which the above Component Type Approval Certificate relates was given component type approval mark*

.....
 The tractor/tractor component* to which the above Type Approval Certificate relates was granted type approval in respect of the following EEC Directives

.....

.....
(Date)

.....
(Status)

*Delete whatever does not apply.

SCHEDULE 2

Regulation 3(1)

PART A

THE COMMUNITY DIRECTIVES WITH RESPECT TO THE DESIGN,
CONSTRUCTION, EQUIPMENT AND MARKING OF TRACTORS

(1) <i>Community reference number</i>	(2) <i>Subject matter</i>	(3) <i>Official Journal reference</i>
Council Directive 74/151/EEC , as amended by Council Directive 82/890/EEC (OJNo. L378, 31.12.82, p.45) and Commission Directive 88/410/EEC (OJ No. L200, 26.7.88, p.27)	The maximum permissible laden weight, location/fitting of rear registration plates, fuel tanks, ballast weights, audible warning devices, and permissible sound level/silencer.	OJ No. L84, 28.3.74, p.25.
Council Directive 74/152/EEC , as amended by Council Directive 82/890/EEC and Commission Directive 88/412/EEC (OJ No. L200, 26.7.88, p.31)	Maximum design speeds and load platforms.	OJ No. L84, 28.3.74, p.33.
Council Directive 74/346/EEC , as amended by Council Directive 82/890/EEC	Rear view mirrors.	OJ No. L191, 15.7.74, p.1.
Council Directive 74/347/EEC , as amended by Commission Directive 79/1073/EEC (OJ No. L331, 27.12.79, p.20) and Council Directive 82/890/EEC	Field of vision and windscreen wipers.	OJ No. L191, 15.7.74, p.5.
Council Directive 75/321/EEC , as amended by Council Directive 82/890/EEC and Commission Directive 88/411/EEC (OJ No. L200, 26.7.88, p.30)	Steering equipment.	OJ No. L147, 9.6.75, p.24.
Council Directive 75/322/EEC , as amended by Council Directive 82/890/EEC	Radio interference suppressors.	OJ No. L147, 9.6.75, p.28.
Council Directive 76/432/EEC , as amended by Council Directive 82/890/EEC	Braking devices.	OJ No. L122, 8.5.76, p.1.
Council Directive 76/763/EEC , as amended by Council Directive 82/890/EEC	Passenger seats.	OJ No. L262, 27.9.76, p.135.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

(1) <i>Community reference number</i>	(2) <i>Subject matter</i>	(3) <i>Official Journal reference</i>
Council Directive 77/311/EEC , as amended by Council Directive 82/890/EEC	Driver-perceived noise level.	OJ No. L105, 28.4.77, p.1.
Council Directive 77/536/EEC	Roll-over protection structures.	OJ No. L220, 29.8.77, p.1.
Council Directive 77/537/EEC , as amended by Council Directive 82/890/EEC	Emission of pollutants from diesel engines.	OJ No. L220, 29.8.77, p.38.
Council Directive 78/764/EEC , as amended by Council Directive 82/890/EEC and Commission Directive 83/190/EEC (OJ No. L109, 26.4.83, p.13)	Driver's seats.	OJ No. L255, 18.9.78, p.1.
Council Directive 78/933/EEC , as amended by Council Directive 82/890/EEC	Lighting and light signalling devices.	OJ No. L325, 20.11.78, p.16.
Council Directive 79/533/EEC , as amended by Council Directive 82/890/EEC	Coupling device and reverse.	OJ No. L145, 13.6.79, p.20.
Council Directive 79/622/EEC , as amended by Commission Directive 82/953/EEC (OJ No. L386, 31.12.82, p.31); Council Directive 87/534/EEC (OJ No. L192, 11.7.87, p.43) and Commission Directive 88/413/EEC (OJ No. L200, 26.7.88, p.32)	Roll-over protection structures (static testing).	OJ No. L179, 17.7.79, p.1.
Council Directive 80/720/EEC , as amended by Council Directive 82/890/EEC and Commission Directive 88/414/EEC (OJ No. L200, 26.7.88, p.34)	Operating space, access to driving position and doors and windows.	OJ No. L194, 28.7.80, p.1.
Council Directive 86/297/EEC , with the exception of item 5.2 of Annex I	Power take-offs.	OJ No. L186, 8.7.86, p.19.
Council Directive 86/298/EEC	Rear mounted roll-over protection structures ("narrow-track" tractors).	OJ No. L186, 8.7.86, p.26.
Council Directive 86/415/EEC	Installation, location, operation and identification of controls.	OJ No. L240, 26.8.86, p.1.
Council Directive 87/402/EEC	Front mounted roll-over protection structures ("narrow track" tractors).	OJ No. L220, 8.8.87, p.1.

PART B

**THE COMMUNITY DIRECTIVES WITH RESPECT
TO THE DESIGN, CONSTRUCTION, EQUIPMENT
AND MARKING OF TRACTOR COMPONENTS**

(1) <i>Community reference number</i>	(2) <i>Subject matter</i>	(3) <i>Official Journal reference</i>
Council Directive 77/536/EEC	Roll-over protection structures.	OJ No. L220, 29.8.77, p.1.
Council Directive 78/764/EEC , as amended by Council Directive 82/890/EEC and Commission Directive 83/190/EEC	Driver's seats.	OJ No. L255, 18.9.78, p.1.
Council Directive 79/532/EEC , as amended by Council Directive 82/890/EEC	Lighting and light signalling devices.	OJ No. L145, 13.6.79, p.16.
Council Directive 79/622/EEC , as amended by Commission Directive 87/534/EEC and Commission Directive 88/413/EEC	Roll-over protection structures (static testing).	OJ No. L179, 17.7.79, p.1.
86/298/EEC	Rear mounted roll-over protection structures ("narrow track" tractors).	OJ No. L186, 8.7.86, p.26.
87/402/EEC	Front mounted roll-over protection structures ("narrow track" tractors).	OJ No. L220, 8.8.87, p.1.

SCHEDULE 3

Regulation 19

REVOCATIONS

(1) <i>Regulations revoked</i>	(2) <i>>References</i>
The Agricultural or Forestry Tractors and Tractor Components (Type Approval) Regulations 1979	S.I. 1979/221 .
The Agricultural or Forestry Tractors and Tractor Components (Type Approval) (Amendment) Regulations 1981	S.I. 1981/669 .
The Agricultural or Forestry Tractors and Tractor Components (Type Approval) (Amendment) Regulations 1983	S.I. 1983/709 .

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

(1) <i>Regulations revoked</i>	(2) <i>>References</i>
The Agricultural or Forestry Tractors and Tractor Components (Type Approval) (Amendment) Regulations 1987	S.I. 1987/1771 .

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which apply throughout the United Kingdom and come into force on 30 September 1988, consolidate with amendments the Agricultural or Forestry Tractors and Tractor Components (Type Approval) Regulations 1979 and its amending Regulations. Those amending Regulations are listed in Schedule 3 to these Regulations.

The Regulations provide, as required by Council Directive [74/150/EEC](#) (OJ No. L84, 28.3.74, p.10), for the type approval of certain agricultural or forestry tractors and tractor components which conform to the requirements of the Council Directives (as amended) with respect to the design, construction, equipment and marking of tractors and tractor components listed in Parts A and B of Schedule 2. Schedule 2 includes the addition of Council Directive [87/402/EEC](#) (OJ No. L220, 8.8.87, p.1) relating to roll-over protection structures mounted in front of the driver's seat on narrow-track wheeled agricultural or forestry tractors and up-dates the references to amendments to the listed Council Directives.

The appropriate entries against items 7.3.4, 7.5 and 7.6.3 of the Schedule to Part II of Schedule 1 to the Regulations have been amended in accordance with the provisions of Council Directive [88/297/EEC](#) (OJ No. L126, 20.5.88, p.52).

The Regulations also amend the definition of “agricultural or forestry tractor” in regulation 3(1) by referring where appropriate to the provisions of the relevant Council Directive and by including a fourth qualification to the basic definition in the case of type approval of a narrow-track tractor in respect of its roll-over protection structure mounted in front of the driver's seat in accordance with Council Directive [87/402/EEC](#).

The tractors and tractor components to which the Regulations apply are agricultural or forestry tractors (as defined in regulation 3(1)) manufactured after 1st August 1975 and components of such tractors manufactured after 1st October 1978.

Part II of the Regulations deals with the procedure for obtaining type approval and component type approval, and with other related matters.

Regulation 4 provides for applications to be made to the Minister of Agriculture, Fisheries and Food in England or Northern Ireland, and to the Secretary of State in Scotland or Wales, by the manufacturer of the tractor or tractor component in question. Under regulation 5, where the Minister concerned is satisfied that the tractor or tractor component is of a type which conforms with the requirements as to design, construction, equipment and marking which are applicable thereto by virtue of such of the Council Directives specified in Schedule 2 to the Regulations as are relevant to a tractor or tractor component of that type, he is required to approve the tractor as a type tractor or the tractor component as a type tractor component and to issue a type approval or component type approval certificate in respect of it.

Regulation 6 provides for the issue by the manufacturer of a type tractor of a certificate of conformity in respect of each tractor manufactured by him which conforms to the type tractor in the relevant aspects of design, construction, equipment and marking. Regulation 7 provides for the issue by the manufacturer of a type tractor component of a type approval component mark in respect of each tractor component manufactured by him which conforms to the type tractor component. Regulation 8 provides for the extension of a type approval certificate to other types of tractor component and regulation 9 provides for the extension of a component type approval certificate to other types of tractor.

Regulation 10 provides for the conditions subject to which type approval or component type approval certificates may be issued, and for the cancellation or suspension of such certificates for a breach of a condition. Regulations 11 and 12 provide for notice to be given by manufacturers who cease to manufacture type tractors or type tractor components or who make alterations in their manufacture or in any of the relevant aspects of design, construction, equipment or marking, and for the cancellation, suspension or modification of type approval or component type approval certificates as a consequence of such an alteration. Regulation 13 provides for the cancellation or suspension of type approval or component type approval certificates where tractors or tractor components are manufactured otherwise than in conformity with the relevant requirements. Regulation 14 provides for the suspension of type approval or component type approval certificates where tractors having a certificate of conformity or tractor components having a component type approval mark are altered. Regulation 15 requires the Minister concerned to give due notice of his decisions to cancel, suspend or modify type approval or component type approval certificates and regulation 16 gives a right to apply to the relevant Minister for a review of any decision given by him with respect to such certificates.

Part III of the Regulations makes supplementary provisions. Regulation 17 authorises the Minister and the Secretary of State to provide testing stations and Regulation 18 requires manufacturers if so directed to keep records relating to certificates of conformity issued by them.