SCHEDULE 1 Regulation 10

SCHEDULE OF PRESCRIBED STATUTORY REQUIREMENTS COMING INTO FORCE ON 1ST JANUARY 1992

"SCHEDULE 2

THE PRESCRIBED STATUTORY REQUIREMENTS FORVEHICLES IN CLASSES I AND II

a) The requirements contained in the following provisions of the Construction and Use Regulations:—

| Item No. | Regulations | Affecting |
|----------|---|----------------------------|
| 1 | 16 and 18 | Braking |
| 2 | 24, 26, 27 and 100(1) (insofar as it relates to the condition of the road wheels) | Wheels and Tyres |
| 3 | 29 | Steering |
| 4 | 37 | Audible Warning Instrument |
| 5 | 54, 57 and 100(1) (insofar as it relates to the condition of the pipings, attachment brackets and mounting of the exhaust system) | Exhaust |
| 6 | 100(1) (insofar as it relates to the condition of the vehicle structure, the chassis, frame and any subframe or any mounting or connection or part of the suspension, to the extent that such condition may prejudice the steering or braking of the vehicle) | Structure and Suspension |

(b) The requirements contained in the following provisions of the Lighting Regulations:—

| Item No. | Regulations | Affecting |
|----------|-------------|----------------------|
| 7 | 18 and 23 | Front Position Lamp |
| 8 | 18 and 23 | Dipped Beam Headlamp |
| 9 | 18 and 23 | Main Beam Headlamp |
| 10 | 18 and 23 | Rear Position Lamp |
| 11 | 18 and 23 | Rear Retro Reflector |
| 12 | 18 and 23 | Stop Lamp |
| 13 | 18 and 23 | Direction Indicator |

THE PRESCRIBED STATUTORY REQUIREMENTS FORVEHICLES IN CLASS III

- (a) The requirements specified in items 2, 3, 4 and 7 to 13 in paragraph 1 above.
- (b) The requirements contained in the following provisions of the Construction and Use Regulations:—

| Item No. | Regulations | Affecting |
|----------|---|---------------------------|
| 14 | 15, 16 and 18 | Braking |
| 15 | 22 and 100(1) (insofar as it relates to the condition of the vehicle structure, the chassis, frame and any subframe or any mounting or connection or part of the suspension, to the extent that such condition may prejudice the steering, braking or seat belt mountings of the vehicle) | Structure and Suspension |
| 16 | 34 | Windscreen Cleaning |
| 17 | 46, 47 and 48 | Seat Belts and Anchorages |
| 18 | 54 and 100(1) (insofar as it relates to the condition of the pipings, attachment brackets and mounting of the exhaust system) | Exhaust |

THE PRESCRIBED STATUTORY REQUIREMENTS FORVEHICLES IN CLASS IV

- (a) The requirements specified in items 3, 4, 5 and 7 to 18 in paragraphs 1 and 2 above.
- (b) The requirements contained in the following provision of the Construction and Use Regulations:—

| Item No. | Regulations | Affecting | |
|----------|-------------|-----------|--|
| 19 | 61 | Emissions | |

THE PRESCRIBED STATUTORY

REQUIREMENTS FORVEHICLES IN CLASS V

- (a) The requirements specified in items 2, 3, 4, 7 to 13 and 15 to 19 in paragraphs 1 and 2 above.
- (b) The requirements contained in the following provisions of the Construction and Use Regulations:—

| Item No. | Regulations | Affecting |
|----------|---|---|
| 20 | 15, 16, 17 and 18 | Braking |
| 21 | 30, 31 and 32 | Glass and Field of Vision |
| 22 | 33 | Mirrors |
| 23 | 35 and 36 | Speedometer |
| 24 | 36A and 70A | Speed Limiter |
| 25 | 39 and 100(1) (insofar as it relates to the security and condition of the fuel system components or, as the case may be, their maintenance so that no danger is likely to be caused) | Fuel Tanks and Pipes |
| 26 | 100(1) (insofar as it relates to the question whether the particulars opposite are fitted or, as the case may be, maintained so that no danger is likely to be caused) | Seats, driving controls, body, doors and other openings |

(c) The requirements contained in the following provisions of the Lighting Regulations:—

| Item No. | Regulations | Affecting |
|----------|-------------|------------------------------|
| 27 | 18 and 23 | Rear Registration Plate Lamp |
| 28 | 18 and 23 | Rear Fog Lamp |
| 29 | 18 and 23 | Hazard Warning Signal Device |

THE PRESCRIBED STATUTORY REQUIREMENTS FORVEHICLES IN CLASS VI

- (a) The requirements specified in items 2, 3, 4, 7 to 13, 15 to 26, 28 and 29 in paragraphs 1 to 4 above.
- (b) The requirements contained in the following provisions of the Construction and Use Regulations:—

| Item No. | Regulations | Affecting |
|----------|---|---|
| 30 | 25 | Tyre Load Capacity |
| 31 | 60 | Radio Interference Suppression |
| 32 | 62 | Closets, etc |
| 33 | 100(1) (insofar as it relates to the question whether the particulars opposite are fitted or, as the case may be, maintained so that no danger is likely to be caused) | Spare wheel carrier, means of coupling trailers, chassis, wiring, engine mounting, transmission, battery, shock absorbers, bumpers, doors, seats, driving controls, windows and mirrors |
| 34 | 109 | Television sets |

(c) For those vehicles certified in accordance with the Public Service Vehicles (Conditions of Fitness, Equipment, Use and Certification) Regulations 1981,(1) the requirements contained in the following provisions of those Regulations:—

| Item No. | Regulations | Affecting |
|----------|-------------|--|
| 35 | 8 | Guard Rail |
| 36 | 13 | Fuel Tanks, Carburettors, etc |
| 37 | 14 | Exhaust Pipe |
| 38 | 15 | Luggage Racks |
| 39 | 16 | Artificial Lighting |
| 40 | 17 | Electrical Equipment |
| 41 | 18 | Body |
| 42 | 20 | Steps, Platforms and Stairs |
| 43 | 21 | Number, Position and Size of Entrances and Exits |
| 44 | 22 | Width of Exits and Entrances |
| 45 | 23 | Doors |
| 46 | 24 | Marking, Positioning and Operation of Emergency Exits |
| 47 | 25 | Access to Exits |
| 48 | 28 | Seats |
| 49 | 29 | Passenger Protection |
| 50 | 30 | Ventilation |
| 51 | 31 | Driver's Accommodation |
| 52 | 32 | Windscreens |
| | | |

 $[\]textbf{(1)} \quad \text{S.I. } 1981/257; \text{ relevant amending instruments are S.I. } 1982/20 \text{ and } 1058, 1986/1812 \text{ and } 1989/2359.$

| Item No. | Regulations | Affecting |
|----------|-------------|---|
| 53 | 33 | Passengers' Communication with Driver |
| 54 | 34 | General Construction |
| 55 | 35 | Fire Extinguishing Apparatus |
| 56 | 36 | First Aid Equipment |
| 57 | 38 | Obstruction of Driver |
| 58 | 39 | Body Maintenance |
| 59 | 44 | Carriage of Inflammable or Dangerous Substances |

(d) For minibuses of a type mentioned in regulation 41 of the Construction and Use Regulations, the following requirements specified in Schedules 6 and 7 to those Regulations:—

| Item No. | (Schedule 6) | Affecting |
|-----------|--------------|--------------------------------------|
| 60 | 1 | Exhaust Pipes |
| 61 | 2 | Doors |
| 62 | 3 | Emergency Doors |
| 63 | 4 | Power-operated Doors |
| 64 | 5 | Locks, Handles and Hinges of Doors |
| 65 | 6 | View of Doors |
| 66 | 7 | Access to Doors |
| 67 | 8 | Grab Handles and Hand Rails |
| 68 | 9 | Seats |
| 69 | 10 | Electrical Equipment and Wiring |
| 70 | 11 | Fuel Tanks |
| 71 | 12 | Lighting of Steps |
| 72 | 13 | General Construction and Maintenance |
| Item No. | (Schedule 7) | Affecting |
| 73 | I | Fire Extinguishing Apparatus |
| 7Δ | П | First Aid Fauinment |

| 4 | II | First Aid Equipment |
|---|---|--|
| | (e) The requirements contained in the following | provisions of the Lighting Regulations:— |

| Item No. | Regulations | Affecting |
|----------|-------------|-------------------------|
| 75 | 18 and 23 | End Outline Marker Lamp |

Regulation 11

(f) The requirements of the Community Recording Equipment Regulation insofar as they relate to the installation of recording equipment and the seals to be affixed to such equipment.

THE PRESCRIBED STATUTORY REQUIREMENTS FORVEHICLES IN CLASS VII

6. The requirements specified in items 2, 3, 4, 7 to 13, 15 to 19, 20 and 30 in paragraphs 1 to 5 above."

SCHEDULE 2

SCHEDULE OF PRESCRIBED STATUTORY REQUIREMENTS COMING INTO FORCE ON 1ST JANUARY 1993

"SCHEDULE 2

THE PRESCRIBED STATUTORY REQUIREMENTS FORVEHICLES IN CLASSES I AND II

(a) The requirements contained in the following provisions of the Construction and Use Regulations:—

| Item No. | Regulations | Affecting |
|----------|---|----------------------------|
| 1 | 16 and 18 | Braking |
| 2 | 24, 26, 27 and 100(1) (insofar as it relates to the condition of the road wheels) | Wheels and Tyres |
| 3 | 29 | Steering |
| 4 | 37 | Audible Warning Instrument |
| 5 | 54, 57 and 100(1) (insofar as it relates to the condition of the pipings, attachment brackets and mounting of the exhaust system) | Exhaust |
| 6 | 100(1) (insofar as it relates to the condition of the vehicle structure, the chassis, frame and any subframe or any mounting or connection or part of the suspension, to the extent that such condition may prejudice the steering or braking of the vehicle) | Structure and Suspension |

⁽b) The requirements contained in the following provisions of the Lighting Regulations:—

| Item No. | Regulations | Affecting |
|----------|-------------|----------------------|
| 7 | 18 and 23 | Front Position Lamp |
| 8 | 18 and 23 | Dipped Beam Headlamp |
| 9 | 18 and 23 | Main Beam Headlamp |
| 10 | 18 and 23 | Rear Position Lamp |
| 11 | 18 and 23 | Rear Retro Reflector |
| 12 | 18 and 23 | Stop Lamp |
| 13 | 18 and 23 | Direction Indicator |

THE PRESCRIBED STATUTORY REQUIREMENTS FORVEHICLES IN CLASS III

- (a) The requirements specified in items 2, 3, 4 and 7 to 13 in paragraph 1 above.
- (b) The requirements contained in the following provisions of the Construction and Use Regulations:—

| | | A 00 |
|----------|--|-------------------------------|
| Item No. | Regulations | Affecting |
| 14 | 15, 16 and 18 | Braking |
| 15 | 30 | Glass and Field of Vision |
| 16 | 33 | Mirrors |
| 17 | 34 | Windscreen Cleaning |
| 18 | 39 and 100(1) (insofar as it relates to the security and condition of the fuel system components or, as the case may be, their maintenance so that no danger is likely to be caused) | Fuel Tanks and Pipes |
| 19 | 46, 47 and 48 | Seat Belts and Anchorages |
| 20 | 54 and 100(1) (insofar as it relates to the condition of the pipings, attachment brackets and mounting of the exhaust system) | Exhaust |
| 21 | 67 | Vehicle Identification Number |
| 22 | 22 and 100(1) (insofar as it relates to the condition of the vehicle structure, the body, the chassis, frame and any | Structure and Suspension |

| Item No. | Regulations | Affecting |
|----------|---|------------------------------------|
| | subframe or any mounting or connection or part of the suspension, to the extent that such condition may prejudice the steering, braking or seat belt mounting of the vehicle or may otherwise cause danger) | |
| 23 | 100(1) (insofar as it relates to the condition of seats, doors and other openings, to the extent that such condition may cause danger) | Seats, Doors and Other Openings |

(c) The requirements contained in the following provisions of the Lighting Regulations:—

| Item No. | Regulations | Affecting |
|----------|-------------|------------------------------|
| 24 | 18 and 23 | Rear Registration Plate Lamp |
| 25 | 18 and 23 | Rear Fog Lamp |
| 26 | 18 and 23 | Hazard Warning Signal Device |

(d) The requirements contained in the following provisions of the Road Vehicles (Registration and Licensing) Regulations 1971(2):—

| Item No. | Regulations | Affecting | |
|----------|---------------|--------------------|--|
| 27 | 18, 19 and 20 | Registration Marks | |

THE PRESCRIBED STATUTORY REQUIREMENTS FORVEHICLES IN CLASS IV

- (a) The requirements specified in items 2, 3, 4 and 7 to 27 in paragraphs 1 and 2 above.
- (b) The requirements contained in the following provision of the Construction and Use Regulations:—

| Item No. | Regulations | Affecting | |
|----------|-------------|-----------|--|
| 28 | 61 | Emissions | |

THE PRESCRIBED STATUTORY

⁽²⁾ S.I. 1971/450; relevant amending instruments are S.I. 1975/1089 and 1984/814.

REQUIREMENTS FORVEHICLES IN CLASS V

- (a) The requirements specified in items 2, 3, 4, 7 to 13, 16 to 22 and 24 to 26 in paragraphs 1 and 2 above.
- (b) The requirements contained in the following provisions of the Construction and Use Regulations:—

| Item No. | Regulations | Affecting |
|----------|---|---|
| 29 | 15, 16, 17 and 18 | Braking |
| 30 | 30, 31 and 32 | Glass and Field of Vision |
| 31 | 35 and 36 | Speedometer |
| 32 | 36A and 70A | Speed Limiter |
| 33 | 100(1) (insofar as it relates to the question whether the particulars opposite are fitted or, as the case may be, maintained so that no danger is likely to be caused) | Seats, driving controls, body, doors and other openings |

THE PRESCRIBED STATUTORY REQUIREMENTS FORVEHICLES IN CLASS VI

- (a) The requirements specified in items 2, 3, 4, 7 to 13, 16 to 20, 22, 25, 26 and 28 to 33 in paragraphs 1 to 4 above.
- (b) The requirements contained in the following provisions of the Construction and Use Regulations:—

| Item No. | Regulations | Affecting |
|----------|---|---|
| 34 | 25 | Tyre Load Capacity |
| 35 | 60 | Radio Interference Suppression |
| 36 | 62 | Closets, etc |
| 37 | 100(1) (insofar as it relates to the question whether the particulars opposite are fitted or, as the case may be, maintained so that no danger is likely to be caused) | Spare wheel carrier, means of coupling trailers, chassis, wiring, engine mounting, transmission, battery, shock absorbers, bumpers, doors, seats, driving controls and security of glass in windows and mirrors |
| 38 | 109 | Television sets |

(c) For those vehicles certified in accordance with the Public Service Vehicles (Conditions of Fitness, Equipment, Use and Certification) Regulations 1981,(3) the requirements contained in the following provisions of those Regulations:—

| Item No. | Regulations | Affecting |
|----------|-------------|--|
| 39 | 8 | Guard Rail |
| 40 | 13 | Fuel Tanks, Carburettors, etc |
| 41 | 14 | Exhaust Pipe |
| 42 | 15 | Luggage Racks |
| 43 | 16 | Artificial Lighting |
| 44 | 17 | Electrical Equipment |
| 45 | 18 | Body |
| 46 | 20 | Steps, Platforms and Stairs |
| 47 | 21 | Number, Position and Size of Entrances and Exits |
| 48 | 22 | Width of Exits and Entrances |
| 49 | 23 | Doors |
| 50 | 24 | Marking, Positioning and Operation of Emergency Exits |
| 51 | 25 | Access to Exits |
| 52 | 28 | Seats |
| 53 | 29 | Passenger Protection |
| 54 | 30 | Ventilation |
| 55 | 31 | Driver's Accommodation |
| 56 | 32 | Windscreens |
| 57 | 33 | Passengers' Communication with Driver |
| 58 | 34 | General Construction |
| 59 | 35 | Fire Extinguishing Apparatus |
| 60 | 36 | First Aid Equipment |
| 61 | 38 | Obstruction of Driver |
| 62 | 39 | Body Maintenance |
| 63 | 44 | Carriage of Inflammable or Dangerous Substances |

⁽d) For minibuses of a type mentioned in regulation 41 of the Construction and Use Regulations, the following requirements specified in Schedules 6 and 7 to those Regulations:—

 $[\]textbf{(3)} \quad \text{S.I. } 1981/257; \text{ relevant amending instruments are S.I. } 1982/20 \text{ and } 1058, 1986/1812 \text{ and } 1989/2359.$

| Item No. | (Schedule 6) | Affecting |
|----------|--------------|--------------------------------------|
| 64 | 1 | Exhaust Pipes |
| 65 | 2 | Doors |
| 66 | 3 | Emergency Doors |
| 67 | 4 | Power-operated Doors |
| 68 | 5 | Locks, Handles and Hinges of Doors |
| 69 | 6 | View of Doors |
| 70 | 7 | Access to Doors |
| 71 | 8 | Grab Handles and Hand Rails |
| 72 | 9 | Seats |
| 73 | 10 | Electrical Equipment and Wiring |
| 74 | 11 | Fuel Tanks |
| 75 | 12 | Lighting of Steps |
| 76 | 13 | General Construction and Maintenance |
| Item No. | (Schedule 7) | Affecting |
| 77 | I | Fire Extinguishing Apparatus |
| 78 | II | First Aid Equipment |

⁽e) The requirements contained in the following provisions of the Lighting Regulations:—

| Item No. | Regulations | Affecting |
|----------|-------------|-------------------------|
| 79 | 18 and 23 | End Outline Marker Lamp |

⁽f) The requirements of the Community Recording Equipment Regulation insofar as they relate to the installation of recording equipment and the seals to be affixed to such equipment.

THE PRESCRIBED STATUTORY REQUIREMENTS FORVEHICLES IN CLASS VII

6. The requirements specified in items 2, 3, 4, 7 to 27 and 34 in paragraphs 1 to 5 above.".